

Name : Shweta J. Chaudhari

Roll No. : 07

Div : A

Sem : 7th


Subject : 701

Practical – Assignment : 1

Ans-1:



Ans-2:



```
02_Static_server > JS server.js > ...
1 const app = express()
2
3
4 app.use(express.static('static'))
5
```


PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS SPELL CHECKER

Active code page: 65001

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1>cd 03_Chatbot

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\03_Chatbot>nodemon a
pp
[nodemon] 3.1.10
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node app.js`
You==>hello
hello
Bot ==> Hi!
You==>how are you
how are you
Bot ==> I'm fine ^_^
You==>

Ans-3:



```
02_Static_server > JS server.js > ...
1 const app = express()
2
3
4 app.use(express.static('static'))
5
```


PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS SPELL CHECKER

Active code page: 65001

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1>cd 03_Chatbot

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\03_Chatbot>nodemon a
pp
[nodemon] 3.1.10
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node app.js`
You==>hello
hello
Bot ==> Hi!
You==>how are you
how are you
Bot ==> I'm fine ^_^
You==>

Ans-4:




The screenshot shows the VS Code interface with a project named 'AS-1'. The Explorer sidebar shows a file structure with folders like '01_getHello', '02_Static_server', '03_Chatbot', and '04_Zipfile'. The '02_Static_server' folder is expanded, showing 'static' and 'server.js'. The 'server.js' file is open in the editor, showing the following code:

```
02_Static_server > JS server.js > ...
1 const app = express()
2
3
4 app.use(express.static('static'))
5
```

The TERMINAL panel shows the following output:

```
Bot ==> Hi!
You==>how are you
how are you
Bot ==> I'm fine ^_^
You==>^C
C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\AS-1\03_Chatbot>cd..
C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\AS-1>cd 04_Zipfile
C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\AS-1\04_Zipfile>nodemon createZip.js
[nodemon] 3.1.10
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node createZip.js`
Created zip file: myFolder.zip (149 bytes)
[nodemon] clean exit - waiting for changes before restart
```

Ans-5:




The screenshot shows the VS Code interface with a project named 'AS-1'. The Explorer sidebar shows a file structure with folders like '01_getHello', '02_Static_server', '03_Chatbot', '04_Zipfile', and '05_UnzipFile'. The '05_UnzipFile' folder is expanded, showing 'unzipped', 'extractZip.js', and 'file1.zip'. The 'file1.zip' file is open in the editor, showing the following message:

```
05_UnzipFile > file1.zip
The file is not displayed in the text editor because it is either binary or
uses an unsupported text encoding.
```

The TERMINAL panel shows the following output:

```
Zip
Access is denied.
C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\AS-1\05_UnzipFile>nodemon extraxtZip
'nodemonextraxtZip' is not recognized as an internal or external command,
operable program or batch file.
C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\AS-1\05_UnzipFile>nodemon extractZip
[nodemon] 3.1.10
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node extractZip.js`
Extracted to C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\AS-1\05_UnzipFile\unzipped
[nodemon] clean exit - waiting for changes before restart
```

Ans-6:




The screenshot shows the VS Code interface with the Explorer view on the left displaying a project structure. The main editor area shows a file named `test.txt` with the following content:

```
1 Open chat (Ctrl+I), or select a Language (Ctrl+K M), or fill with template to get started.
   Start typing to dismiss or don't show this again.
```

The TERMINAL view at the bottom shows the output of a Node.js script running with `node fs_promise.js`. The output is:

```
[nodeemon] to restart at any time, enter `rs`
[nodeemon] watching path(s): *.*
[nodeemon] watching extensions: js,mjs,cjs,json
[nodeemon] starting `node fs_promise.js`
Deleted file: test.txt
[nodeemon] clean exit - waiting for changes before restart
```

Ans-7:




The screenshot shows the VS Code interface with the Explorer view on the left displaying a project structure. The main editor area shows a file named `package.json` with the following content:

```
9 {
10   "author": "",
11   "license": "ISC",
12   "type": "module",
13   "description": "",
14   "dependencies": {
15     "node-fetch": "^3.3.2"
16   }
17 }
```

The TERMINAL view at the bottom shows the output of a Node.js script running with `node fetch_data.js`. The output is:

```
[nodeemon] 3.1.10
[nodeemon] to restart at any time, enter `rs`
[nodeemon] watching path(s): *.*
[nodeemon] watching extensions: js,mjs,cjs,json
[nodeemon] starting `node fetch_data.js`
Google data is fetching....
<!doctype html><html itemscope="" itemtype="http://schema.org/WebPage" lang="en-IN"><head><meta content="text/html; charset=UTF-8" http-equiv="Content-Type"><meta content="images/branding/google/1x/google_standard_color_128dp.png" itemprop="image"><title>Google</title><script nonce="F2mB18IcJlq4j-6RsiY1Pg">(function(){var _g={kEI:'VJ88aLS_J9fc50UPkonzkAw',kEXPI:'0,202791,26,37,2,3497413,1115,633579,344796,226411,2,63631,11106,5219175,11401,517,5992040,30820085,25275060,91889,14110,4564,4380,56232,6749,23878,7034,2105,4600,328,6225,54209,9956,6748,8300,8206,3292,4134,30379,28334,10903,43308,353,10731,8149,3118,3,2749,7714,5774,1201,5173,10420,3209,7608,3050,2,13472,3261,2990,35,6284,2813,71,77
```


Ans-8:



```
08_Server > {} package.json > {} scripts > lint
5  >Debug
6  "scripts": {
7    "start": "node index.js",
8    "test": "echo \"Error: no test specified\" && exit 1",
9    "lint": "eslint .",
10   "clean": "rimraf dist",
11   "build": "webpack --config webpack.config.js"
12 },
13 "devDependencies": {}
```

Active code page: 65001


```
C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1>cd 08_Server
C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\08_Server>npm start
> 08_server@1.0.0 start
> node index.js
C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\08_Server>npm test
> 08_server@1.0.0 test
> echo "Error: no test specified" && exit 1
```




```
08_Server > {} package.json > {} scripts > lint
5  >Debug
6  "scripts": {
7    "start": "node index.js",
8    "test": "echo \"Error: no test specified\" && exit 1",
9    "lint": "eslint .",
10   "clean": "rimraf dist",
11   "build": "webpack --config webpack.config.js"
12 },
13 "devDependencies": {}
```

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\08_Server>npm run lint


```
> 08_server@1.0.0 lint
> eslint .
'eslint' is not recognized as an internal or external command,
operable program or batch file.
C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\08_Server>npm run clean
> 08_server@1.0.0 clean
```



Ans-9:



Ans-10:



```
File Edit Selection View ... As-1 package.json 07_GoogleData package.json 08_Server x
```

EXPLORER

- AS-1
 - 01_getHello
 - 02_Static_server
 - 03_Chatbot
 - 04_Zipfile
 - 05_UnzipFile
 - 06_Unlink
 - 07_GoogleData
 - 08_Server
 - 09_FileModule
 - 10_globalObjects
 - objects.js
 - 11_package
 - node_modules
 - index.js
 - package-lock.json
 - package.json
 - README.md
 - test.js


package.json

```
{
  "scripts": {
    "start": "node index.js",
    "test": "echo \"Error: no test specified\" && exit 1",
    "lint": "eslint .",
    "clean": "rimraf dist",
    "build": "webpack --config webpack.config.js"
  },
  "devDependencies": {}
}
```

TERMINAL

```
C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\10_globalObjects>node objects
[nodemon] 3.1.10
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node objects.js`
Buffer content: Hello, Node.js globals!
```

Ans-11:



```
File Edit Selection View ... As-1 package.json 07_GoogleData package.json 08_Server x
```

EXPLORER

- AS-1
 - 01_getHello
 - 02_Static_server
 - 03_Chatbot
 - 04_Zipfile
 - 05_UnzipFile
 - 06_Unlink
 - 07_GoogleData
 - 08_Server
 - 09_FileModule
 - 10_globalObjects
 - 11_package
 - node_modules
 - index.js
 - package-lock.json
 - package.json
 - README.md
 - test.js

package.json

```
{
  "scripts": {
    "start": "node index.js",
    "test": "echo \"Error: no test specified\" && exit 1",
    "lint": "eslint .",
    "clean": "rimraf dist",
    "build": "webpack --config webpack.config.js"
  },
  "devDependencies": {}
}
```

TERMINAL

```
C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\11_package>node test.js
[nodemon] clean exit - waiting for changes before restart
^C
[nodemon] 3.1.10
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node test.js`
Hello
dlrow
true
[nodemon] clean exit - waiting for changes before restart
```