


Click to get Hello


Get Hello



Click to get Hello

Get Hello

Hello NodeJS



Hello from static web server

File Edit Selection View ...

As-1

EXPLORER

AS-1

- > 01_getHello
- > 02_Static_server
- > 03_Chatbot
 - JS app.js
 - JS Chatbot.js
- > 04_Zipfile
- > 05_UnzipFile
- > 06_Unlink
- > 07_GoogleData
- > 08_Server
- > 09_FileModule
- > 10_globalObjects
- > 11_package
 - > node_modules
 - JS index.js
 - { } package-lock.json
 - { } package.json
 - 📖 README.md
- > OUTLINE
- > TIMELINE

JS server.js 01_getHello

JS server.js 02_Static_server

02_Static_server > JS server.js > ...

4 const app = express()

3

4 app.use(express.static('static'))

5

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS SPELL CHECKER

Active code page: 65001

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1>cd 03_Chatbot

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\03_Chatbot>nodemon a

pp

[nodemon] 3.1.10

[nodemon] to restart at any time, enter `rs`

[nodemon] watching path(s): *.*

[nodemon] watching extensions: js,mjs,cjs,json

[nodemon] starting `node app.js`

You==>hello

hello

Bot ==> Hi!


You==>how are you


how are you


Bot ==> I'm fine ^_^

You==>

Ln 1, Col 1 Spaces: 4 UTF-8 LF { } JavaScript Finish Setup Go Live Prettier







VS Code interface showing a project named "AS-1" with a file explorer on the left. The file explorer shows a directory structure with files like 01_getHello, 02_Static_server, 03_Chatbot, 04_Zipfile, 05_UnzipFile, 06_Unlink, 07_GoogleData, 08_Server, 09_FileModule, 10_globalObjects, 11_package, and 12_index.js. The file 07_GoogleData/package.json is selected.

The main editor displays the content of package.json:

```
9  "author": "",
10  "license": "ISC",
11  "type": "module",
12  "description": "",
13  "dependencies": {
14    "node-fetch": "^3.3.2"
15  }
16 }
```

The terminal output shows the following logs:

```
[nodemon] 3.1.10
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node fetch_data.js`
Google data is fetching....
<!doctype html><html itemscope="" itemtype="http://schema.org/WebPage" lang="en-IN"><hea
d><meta content="text/html; charset=UTF-8" http-equiv="Content-Type"><meta content="/ima
ges/branding/googleg/1x/googleg_standard_color_128dp.png" itemprop="image"><title>Google
</title><script nonce="F2mB18Icjlq4j-6RsiYlPg">(function(){var _g={kEI:'VJB8aLS_J9fc50UP
konzkAw',kEXPI:'0,202791,26,37,2,3497413,1115,633579,344796,226411,2,63631,11106,5219175
,11401,517,5992040,30820085,25275060,91889,14110,4564,4380,56232,6749,23878,7034,2105,46
00,328,6225,54209,9956,6748,8300,8206,3292,4134,30379,28334,10903,43308,353,10731,8149,3
118,3,2749,7714,5774,1201,5173,10420,3209,7608,3050,2,13472,3261,2990,35,6284,2813,71,77
```

The status bar at the bottom indicates the current file is "Ln 11, Col 19" and the encoding is "UTF-8".

File Edit Selection View ... As-1

EXPLORER

- AS-1
 - 01_getHello
 - 02_Static_server
 - 03_Chatbot
 - 04_Zipfile
 - 05_UnzipFile
 - 06_Unlink
 - 07_GoogleData
 - 08_Server
 - index.js
 - package.json
 - 09_FileModule
 - 10_globalObjects
 - 11_package
 - node_modules
 - index.js
 - package-lock.json
 - package.json
 - README.md
 - OUTLINE
 - TIMELINE

08_Server > {} package.json > {} scripts > lint

```
>Debug
5  "scripts": {
6    "start": "node index.js",
7    "test": "echo \"Error: no test specified\" && exit 1",
8    "lint": "eslint .",
9    "clean": "rimraf dist",
10   "build": "webpack --config webpack.config.js"
11 },
12 "devDependencies": {
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS SPELL CHECKER 1

Active code page: 65001

```
C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1>cd 08_Server
C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\08_Server>npm start

> 08_server@1.0.0 start
> node index.js

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\08_Server>npm test

> 08_server@1.0.0 test
> echo "Error: no test specified" && exit 1
```

JavaSE-21 LTS

Ln 8, Col 6 (4 selected) Spaces: 2 UTF-8 LF {} JSON Finish Setup Go Live Prettier

File Edit Selection View ... As-1

EXPLORER

- AS-1
 - 01_getHello
 - 02_Static_server
 - 03_Chatbot
 - 04_Zipfile
 - 05_UnzipFile
 - 06_Unlink
 - 07_GoogleData
 - 08_Server
 - index.js
 - package.json
 - 09_FileModule
 - 10_globalObjects
 - 11_package
 - node_modules
 - index.js
 - package-lock.json
 - package.json
 - README.md
 - OUTLINE
 - TIMELINE

08_Server > {} package.json > {} scripts > lint

```
5  "scripts": {
6    "start": "node index.js",
7    "test": "echo \"Error: no test specified\" && exit 1",
8    "lint": "eslint .",
9    "clean": "rimraf dist",
10   "build": "webpack --config webpack.config.js"
11 },
12 "devDependencies": {
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS SPELL CHECKER 1

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\08_Server>npm run lint

> 08_server@1.0.0 lint
> eslint .

'eslint' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\08_Server>npm run clean

> 08_server@1.0.0 clean

Ln 8, Col 6 (4 selected) Spaces: 2 UTF-8 LF {} JSON Finish Setup Go Live Prettier

File Edit Selection View ... As-1

EXPLORER

- AS-1
 - 01_getHello
 - 02_Static_server
 - 03_Chatbot
 - 04_Zipfile
 - 05_UnzipFile
 - 06_Unlink
 - 07_GoogleData
 - 08_Server
 - index.js
 - package.json
 - 09_FileModule
 - 10_globalObjects
 - 11_package
 - node_modules
 - index.js
 - package-lock.json
 - package.json
 - README.md
 - OUTLINE
 - TIMELINE

08_Server > {} package.json > {} scripts > lint

```
5 "scripts": {
6   "start": "node index.js",
7   "test": "echo \"Error: no test specified\" && exit 1",
8   "lint": "eslint .",
9   "clean": "rimraf dist",
10  "build": "webpack --config webpack.config.js"
11 },
12 "devDependencies": {
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS SPELL CHECKER 1

'rimraf' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\08_Server>npm run bu
ild

> 08_server@1.0.0 build
> webpack --config webpack.config.js

'webpack' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\08_Server>

JavaSE-21 LTS

Ln 8, Col 6 (4 selected) Spaces: 2 UTF-8 LF {} JSON Finish Setup Go Live Prettier

File Edit Selection View ... As-1

EXPLORER

- AS-1
 - 01_getHello
 - 02_Static_server
 - 03_Chatbot
 - 04_Zipfile
 - 05_UnzipFile
 - 06_Unlink
 - 07_GoogleData
 - 08_Server
 - package.json
 - 09_FileModule
 - fileOperation.js
 - globalObjects
 - 11_package
 - node_modules
 - index.js
 - package-lock.json
 - package.json
 - README.md
 - test.js
 - OUTLINE
 - TIMELINE

08_Server > {} package.json > {} scripts > lint

```
5 "scripts": {
6   "start": "node index.js",
7   "test": "echo \"Error: no test specified\" && exit 1",
8   "lint": "eslint .",
9   "clean": "rimraf dist",
10  "build": "webpack --config webpack.config.js"
11 },
12 "devDependencies": {
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS SPELL CHECKER 1

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1>cd 09_FileModule

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\09_FileModule>nodemon fileOperation

```
[nodemon] 3.1.10
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node fileOperation.js`
File written.
File content: Hello, world!
File deleted.
[nodemon] clean exit - waiting for changes before restart
```

JavaSE-21 LTS

Ln 8, Col 6 (4 selected) Spaces: 2 UTF-8 LF {} JSON Finish Setup Go Live Prettier

File Edit Selection View ... As-1

EXPLORER

- AS-1
 - 01_getHello
 - 02_Static_server
 - 03_Chatbot
 - 04_Zipfile
 - 05_UnzipFile
 - 06_Unlink
 - 07_GoogleData
 - 08_Server
 - 09_FileModule
 - 10_globalObjects
 - objects.js
 - 11_package
 - node_modules
 - index.js
 - package-lock.json
 - package.json
 - README.md
 - test.js
 - OUTLINE
 - TIMELINE

08_Server > {} package.json > {} scripts > lint

```
>Debug
5  "scripts": {
6    "start": "node index.js",
7    "test": "echo \"Error: no test specified\" && exit 1",
8    "lint": "eslint .",
9    "clean": "rimraf dist",
10   "build": "webpack --config webpack.config.js"
11 },
12   "devDependencies": {
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS SPELL CHECKER 1

C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\10_globalObjects>nodemon objects

[nodemon] 3.1.10

[nodemon] to restart at any time, enter `rs`

[nodemon] watching path(s): *.*

[nodemon] watching extensions: js,mjs,cjs,json

[nodemon] starting `node objects.js`

Buffer content: Hello, Node.js globals!

Environment variable PATH: C:\Users\Shweta\AppData\Roaming\Code\User\globalStorage\pleiades.java-extension-pack-jdk\gradle\latest\bin;C:\Users\Shweta\AppData\Roaming\Code\User\globalStorage\pleiades.java-extension-pack-jdk\maven\latest\bin;C:\Program Files\jdk-21.0.5\bin;C:\Python313\Scripts;C:\Python313;C:\Program Files\Common Files\Oracle\Java\javapath;C:\oracle\app\oracle\product\10.2.0\server\bin;C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\WINDOWS\System32\WindowsPowerShell\v1.0;C:\WINDOWS\System32\

JavaSE-21 LTS

JavaSE-21 LTS

Ln 8, Col 6 (4 selected) Spaces: 2 UTF-8 LF {} JSON Finish Setup Go Live Prettier

File Edit Selection View ... As-1

EXPLORER

- AS-1
 - 01_getHello
 - 02_Static_server
 - 03_Chatbot
 - 04_Zipfile
 - 05_UnzipFile
 - 06_Unlink
 - 07_GoogleData
 - 08_Server
 - 09_FileModule
 - 10_globalObjects
 - 11_package
 - node_modules
 - index.js
 - package-lock.json
 - package.json
 - README.md
 - test.js
 - node_modules
 - OUTLINE
 - TIMELINE

08_Server > {} package.json > {} scripts > lint

```
>Debug
5  "scripts": {
6    "start": "node index.js",
7    "test": "echo \"Error: no test specified\" && exit 1",
8    "lint": "eslint .",
9    "clean": "rimraf dist",
10   "build": "webpack --config webpack.config.js"
11 },
12 "devDependencies": {
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS SPELL CHECKER 1

```
[nodemon] clean exit - waiting for changes before restart
^C
C:\Users\Shweta\Desktop\Owner\Edu\sem_7\Practicle\FS\Lab AS-1\As-1\11_package>nodemon t
est
[nodemon] 3.1.10
[nodemon] to restart at any time, enter `rs`
[nodemon] watching path(s): *.*
[nodemon] watching extensions: js,mjs,cjs,json
[nodemon] starting `node test.js`
Hello
dlrow
true
[nodemon] clean exit - waiting for changes before restart
```

Ln 8, Col 6 (4 selected) Spaces: 2 UTF-8 LF {} JSON Finish Setup Go Live Prettier