



SADGURU GADGE MAHARAJ COLLEGE, KARAD.
(An Empowered Autonomous College)

A
Project Report On
“Wanderlust-Online Tours and Travels”

Submitted to

SHIVAJI UNIVERSITY, KOLHAPUR

Through

DEPARTMENT OF COMPUTER APPLICATION

In partial fulfillment of the degree

Master of Computer Application(MCA)

Part-I Semester-II

By

Miss. Shweta Ghanshyam Ghadage

Miss. Pallavi Vijay Jadhav

Under The Guidance of

Miss. Mahangade. S.M.

Year: 2025-2026

RAYAT SHIKSHAN SANSTHA'S

Sadguru Gadge Maharaj College ,Karad



(An Empowered Autonomous College)

CERTIFICATE

This is certified that **Ms.Shweta Ghanshyam Ghadage, Ms.Pallavi Vijay Jadhav**. Have satisfactorily completed the Mini project entitled as **“Wanderlust-Online Tours and Travels”** in the partial Fulfillment of MCA (Sem.II) during the academic year 2025-26.

Place: Karad

Date:

Guide

Examiner

Head of Department

Master of Computer Application

S.G.M. College , Karad

ACKNOWLEDGEMENT

We express our sincere thanks to Hon. Principle Dr. Chandrakant Khilare Sir of S.G.M. College, Karad for providing us required university rule and regulation to complete this project work in time.

We are also thankful to Miss.Thorat mam(Head Of Master Of Computer Application Department)and our guide Miss Mahangade.S.M. who encourage, advice and suggest us to successfully complete our project. We are thankful to our librarian and their staff for providing us all library facilities time to time. We would like to thank to other teaching and nonteaching staff members of Computer Application Department.

At last ,but not least ,we are very much thankful to our parent and friends for co- operation to successfully complete this project in time.

Ms.Ghadage Shweta Ghanshyam

Ms.Jadhav Pallavi Vijay

Place:Karad

Date :

DECLARATION

We hereby declare that, the industrial project entitled “**Wanderlust-Online Tours and Traveles**” has not formed earlier the basic for the award of degree of this or any other University or examination body.

Further we declared that we have not violated any of the provisions under copyright act.

Place:Karad

Date:

Name	Exam Seat No.	Sign
Ghadage Shweta Ghanshyam	15	
Jadhav Pallavi Vijay	24	

INDEX

SR.NO.	NAME	PAGE NO.
1	Introduction To Project	
	1. Introduction	
	2. Existing System	
	3. Need and Scope of System	
	4. Organization Profile	
2	Proposed System	
	1. Objectives	
	2. Requirement Engineering	
	3. Requirement Gathering	
	4. SRS	
3	System Diagrams	
	1. DFD	
	2. ERD	
	3. Hardware&Software	
4	System Design	
	1. Database Design	
	2. Input Design	
5	Source Code	
6	Conclusion and Suggestions	
7	Future Enhancement	
8	Bibliography	

CHAPTER-1

Introduction to Project

INTRODUCTION

WanderLust is a modern, AI-powered Tours & Travels Web Application designed to simplify and enrich the entire travel planning experience. Built with PHP, MySQL, HTML, CSS, and JavaScript, the system integrates Artificial Intelligence and real-time APIs to offer users a seamless one-stop travel solution.

The application enables users to browse curated destinations, generate personalised AI itineraries via the Groq API, check live weather through OpenWeatherMap, plan and manage trip bookings with a full lifecycle (Plan → Confirm → Reschedule → Cancel), download printable booking receipts, calculate smart budgets, measure carbon footprints, discover mood-based destinations, and watch virtual YouTube tours — all in a single platform.

The system supports two roles: Admin (manages destinations, users, enquiries, and bulk bookings) and Regular User (registers, logs in, explores, books, reviews, and tracks trips).

A key update in the current version introduces a complete Booking Management Module on destination.php (booking form) and dashboard.php (Confirm / Cancel / Reschedule trip + Printable Receipt), replacing the earlier placeholder 'Save to My Trips' button.

Existing system

Traditional travel planning systems suffer from several key limitations:

- No inline booking form on destination pages — users had to navigate away to plan a trip.
- No booking status lifecycle — trips could not be confirmed, rescheduled, or cancelled.
- No booking receipt or printable proof of trip details.
- No AI-based itinerary generation or intelligent budget estimation.
- No real-time weather integration for travel decisions.
- No carbon footprint awareness for eco-conscious travelers.
- No mood-based destination discovery or virtual tour previews.
- Manual admin processes with no centralized management dashboard.

Limitations of Existing System

- Time-consuming manual processes
- Poor customer communication
- Limited destination visibility
- No real-time access to booking details
- Difficult record management
- Lack of automated reporting system
- Limited user convenience

Need and Scope of System

Need Of System

The system is required to:

- Provide an online platform for travelers
- Automate destination and booking management
- Maintain centralized customer records
- Reduce manual work and paperwork
- Improve customer engagement
- Provide responsive access through web browsers
- Allow secure user authentication

Scope of System:-

- User Registration, Login, and Session-based Role Management.
- Destination Browsing with Category, Mood, and Season filters.
- Booking Form on Destination Detail Page with live cost estimator.
- Booking Dashboard: Confirm, Reschedule (new dates), Cancel trip.
- Printable Booking Receipt with receipt number, dates, travelers, budget, and status.
- AI Itinerary Generator (Groq API — llama3-8b-8192).
- Real-Time Weather Checker (OpenWeatherMap API).
- Smart Budget Splitter with Chart.js pie chart.
- Carbon Footprint Calculator.
- Mood-Based Destination Finder.
- Virtual YouTube Tour Preview.
- Destination Reviews and Star Ratings.
- Admin Dashboard: Destinations, Users, Enquiries, Bulk Bookings.

Organization Profile:

❖ Overview

● Mission Statement:

To build a reliable, AI-powered travel planning web platform that simplifies booking, enhances personalisation, and promotes sustainable travel.

● Vision Statement:

To become the leading digital travel companion — bridging technology and travel so every user can explore the world with confidence, clarity, and care for the environment

❖ Culture and Environment

● Organizational Culture:

The WanderLust Tours & Travels System follows a customer-oriented and technology-driven culture where the main focus is on user satisfaction, innovation, and efficient travel management services. The project is designed to provide travelers with a smooth and interactive online experience for destination exploration and trip planning.

The development team works collaboratively to create a modern and practical tourism management solution that fulfills both customer and administrative requirements. The organization emphasizes

continuous improvement, creative thinking, and adoption of new technologies to enhance travel planning and booking services.

● **Work Environment:**

The work environment is supportive, creative, and productivity-oriented, encouraging:

- Clear communication among team members
- Innovation and continuous learning
- Timely project completion
- High-quality software development
- User-friendly and responsive interface design

The organization also values:

- Team collaboration and coordination
- Work-life balance
- Ethical software development practices
- Customer-focused service approach
- Efficient problem-solving and technical support

Opportunities and Challenges


✓ **Opportunities:**

- Rapid growth of the tourism and travel industry through digital platforms.
- Increasing demand for online tour planning and booking systems.
- Expansion into mobile applications and cloud-based travel services.
- Integration of AI-based destination recommendations and smart itinerary generation.
- Wider customer reach through internet-based travel platforms.
- Integration of weather forecasting and real-time travel updates.
- Growth of personalized and budget-based travel planning solutions.

✓ **Challenges:**

- High competition from existing travel and tourism platforms.
- Maintaining secure user data and booking information.
- Managing real-time travel updates and destination information accurately.
- Handling increasing customer expectations and changing travel trends.
- Ensuring website responsiveness and performance during high traffic.
- Maintaining reliable third-party API integrations such as weather and maps APIs.
- Managing scalability and future feature enhancements efficiently.

CHAPTER-2



Proposed System

Objectives:-

The main objective of the WanderLust Tours & Travels System is to provide an efficient, secure, and user-friendly online platform for travel planning and destination management. The system aims to simplify the process of exploring tourist destinations, planning trips, and managing travel bookings for users while improving destination, enquiry, and booking management for administrators.

Objectives of the System:

The WanderLust system aims to:

1. Maintain a centralised MySQL database (users, destinations, bookings, reviews, enquiries).
2. Provide a full booking form directly on the destination detail page.
3. Allow users to confirm, reschedule, or cancel bookings from their dashboard.
4. Generate and display a printable booking receipt with a unique receipt number.
5. Integrate Groq AI API for personalised day-by-day itinerary generation.
6. Provide real-time weather data via OpenWeatherMap API.
7. Offer a smart budget splitter with visual pie chart breakdown.
8. Calculate trip carbon footprint and suggest eco-friendly alternatives.
9. Enable mood-based destination discovery.
10. Support embedded YouTube virtual tours for each destination.
11. Provide a secure admin dashboard for full system management.

Requirement Engineering

FR-01	The system shall authenticate users and admins via session-based login with role differentiation (user/admin).
FR-02	Admin shall be able to add, edit, delete, and toggle active/inactive status of destinations.
FR-03	Users shall browse destinations by category, mood tag, and availability.
FR-04	The destination detail page (destination.php) shall display a full booking form with trip name, travel/return dates, number of travelers, budget, and travel mode fields.
FR-05	The booking form shall include a live cost estimator that auto-calculates estimated cost based on destination $\text{avg_cost_per_day} \times \text{days} \times \text{travelers}$.
FR-06	Upon booking submission, the system shall save the booking to the bookings table with status='planned' and redirect to the user's dashboard with a success toast notification.
FR-07	The user dashboard (dashboard.php) shall display all bookings with status badges (PLANNED, CONFIRMED, CANCELLED, COMPLETED).
FR-08	Users shall be able to Confirm a planned booking, updating its status to 'confirmed'.
FR-09	Users shall be able to Reschedule a booking by selecting new travel and return dates.
FR-10	Users shall be able to Cancel a booking (planned or confirmed), updating status to 'cancelled'.
FR-11	Each booking card shall have a 'View Receipt' button that opens a formatted modal receipt showing receipt number, booking details, total budget, and a print option.
FR-12	The system shall generate AI itineraries via Groq API based on destination, days, budget, and interests.
FR-13	The system shall fetch live weather data using OpenWeatherMap API.
FR-14	Users shall write reviews and give star ratings (1–5) for destinations.
FR-15	Admin shall manage users, bulk bookings (with Excel export), and contact enquiries.

Non-Functional Requirements

NFR ID	Requirement
NFR-01	Performance: Pages and booking actions complete within 2–3 seconds under normal conditions.
NFR-02	Usability: Booking form, receipt modal, and action buttons are intuitive without user training.
NFR-03	Security: Passwords hashed with bcrypt; all booking actions verify session user_id ownership before update.
NFR-04	Data Integrity: Booking status changes are validated server-side; date logic enforced (return > travel).
NFR-05	Reliability: MySQL foreign key constraints ensure consistent booking/user/destination relationships.
NFR-06	Accessibility: Receipt modal is keyboard-dismissible; close on backdrop click supported.
NFR-07	Compatibility: Responsive on Chrome, Firefox, Edge, and mobile browsers.
NFR-08	Scalability: Booking module supports additional statuses (e.g., 'on-hold') without schema change.
NFR-09	Printability: Receipt modal triggers window.print() for browser-native printing.
NFR-10	Maintainability: PHP booking logic separated from display HTML; JS receipt rendering is data-driven.

Requirement Gathering

Requirements were gathered through:

- Observation: Studying how leading booking platforms (MakeMyTrip, Yatra) handle trip creation and management.
- User Interviews: Identifying pain points — users found it frustrating to book trips without inline forms and had no way to confirm, change, or cancel a trip.
- Document Analysis: Reviewing PHP form handling, MySQL UPDATE patterns, and receipt generation UX patterns.
- Prototyping: Building booking form and receipt modal prototypes and refining based on visual feedback.

Key Findings from Requirement Gathering

- Users want the booking form directly on the destination page — not a separate page.
- A live cost estimate (auto-calculated from dates × travelers × daily rate) greatly reduces booking friction.
- Confirm and Cancel buttons must have confirmation prompts to prevent accidental actions.
- A reschedule panel (inline, collapsible) is preferred over a separate reschedule page.
- Receipts must be printable and include a unique receipt number (WL000001 format).

SRS(Software Requirement Specification)

❖ Introduction

- Web-based travel planning and booking system.
- Backend: PHP 8.0+ with session-based authentication.
- Database: MySQL 8.0+ — 5 tables: users, destinations, bookings, reviews, enquiries.
- Frontend: HTML5, CSS3, JavaScript ES6+, Chart.js, Font Awesome 6.
- External APIs: Groq (AI), OpenWeatherMap (weather).
- Two roles: Admin (full control) and User (browse, book, review).

❖ Overall Description

The WanderLust system is a responsive tourism management platform that enables users to browse destinations, create travel plans, and manage bookings.

❖ System Features

- User Authentication
- Destination Management
- Booking System
- Enquiry Management
- Dashboard Management
- Weather API Support

- Itinerary Generation
- Responsive Design
- Admin Reporting

❖ **Admin Dashboard Interface for Product and Order Management**


- Web Interface (Browser-based)
- MySQL Database Connection
- Weather API Integration
- Travel Itinerary Generation System
- Responsive User Interface for Desktop and Mobile Devices
- Admin Dashboard Interface for User, Destination, and Booking Management
- Destination Search and Filtering System
- Travel Budget Planning Module
- Enquiry and Contact Management System

CHAPTER-3


System Diagrams

DFD:


Level 0




Level 1



Level 2



ER-Diagram:-



Hardware Requirements

- Processor: Intel Core i3 or Above
 - RAM: Minimum 4GB
 - Storage: 500MB Free Space
 - Internet Connection
-

Software Requirements

- Frontend: HTML, CSS, JavaScript, Bootstrap
- Backend: PHP
- Database: MySQL
- Server: XAMPP/WAMP
- Browser: Chrome, Firefox, Edge
- Operating System: Windows/Linux

CHAPTER-4

System Design

Database Design:-

Table	Action	Rows	Type	Collation	Size	Overhead
☐ bookings	★ Browse Structure Search Insert Empty Drop	4	MyISAM	utf8mb4_unicode_ci	10.9 KiB	-
☐ bulk_booking_batches	★ Browse Structure Search Insert Empty Drop	0	MyISAM	utf8mb4_unicode_ci	1.0 KiB	-
☐ destinations	★ Browse Structure Search Insert Empty Drop	12	MyISAM	utf8mb4_unicode_ci	11.2 KiB	5.2 KiB
☐ destination_verifications	★ Browse Structure Search Insert Empty Drop	0	MyISAM	utf8mb4_unicode_ci	1.0 KiB	-
☐ enquiries	★ Browse Structure Search Insert Empty Drop	1	MyISAM	utf8mb4_unicode_ci	2.2 KiB	-
☐ reviews	★ Browse Structure Search Insert Empty Drop	1	MyISAM	utf8mb4_unicode_ci	4.0 KiB	-
☐ tour_packages	★ Browse Structure Search Insert Empty Drop	0	MyISAM	utf8mb4_unicode_ci	1.0 KiB	-
☐ users	★ Browse Structure Search Insert Empty Drop	5	MyISAM	utf8mb4_unicode_ci	10.6 KiB	-
8 table(s)	Sum	23	MyISAM	utf8mb4_unicode_ci	41.9 KiB	5.2 KiB

Admin Manages Table:-

Destination Table:-

All Destinations

ID	Name	Category	Cost/Day	Status	Actions
40	Ooty India	Nature	₹2,200	Active	<button>Toggle</button> <button>View</button> <button>Delete</button>
39	Rishikesh India	Spiritual	₹2,000	Active	<button>Toggle</button> <button>View</button> <button>Delete</button>
38	Shimla India	Mountain	₹3,000	Active	<button>Toggle</button> <button>View</button> <button>Delete</button>
37	Jaipur India	Cultural	₹2,500	Active	<button>Toggle</button> <button>View</button> <button>Delete</button>
8	Varanasi India	Spiritual	₹1,800	Active	<button>Toggle</button> <button>View</button> <button>Delete</button>
7	Coorg India	Nature	₹3,200	Active	<button>Toggle</button> <button>View</button> <button>Delete</button>
6	Leh Ladakh India	Mountain	₹3,500	Active	<button>Toggle</button> <button>View</button> <button>Delete</button>
5	Andaman Islands India	Beach	₹5,000	Active	<button>Toggle</button> <button>View</button> <button>Delete</button>
4	Rajasthan India	Cultural	₹2,800	Active	<button>Toggle</button> <button>View</button> <button>Delete</button>
3	Kerala Backwaters India	Nature	₹4,000	Active	<button>Toggle</button> <button>View</button> <button>Delete</button>
2	Manali India	Mountain	₹2,500	Active	<button>Toggle</button> <button>View</button> <button>Delete</button>
1	Goa India	Beach	₹3,000	Active	<button>Toggle</button> <button>View</button> <button>Delete</button>

Users Table:-

All Users

Export Users CSV

Registered Users (4)

ID	Username	Name	Email	Trips Planned	Joined
5	sayali	Sayali Ghadage	Sayali_56@gmail.com	1 trips	06 May 2026
4	Neha	Neha Shingade	neha@gmail.com	1 trips	28 Apr 2026
3	pallu.24	pallavi vijay jadhav	pallu1232@gmail.com	0 trips	25 Apr 2026
2	shwetaghadage	shweta ghadage	shwetaghadage2005@gmail.com	0 trips	20 Apr 2026


Enquiry Table:-

All Enquiries (1)

Name	Email	Phone	Message	Date	Status	Action
Shweta Ghadage	shwetaghadage2005@gmail.com		A "dream trip" is a personalized, idealized vacation focused on relaxation, adventure, or cultural i...	06 May 2026	read	

Input Design:-

User Side:
Home Page:



Signup Page

 [Home](#) [Destinations](#) [AI Tools](#) [Contact](#) [Login](#) [Sign Up Free](#)

Join WanderLust

Create your free account and start planning smarter trips

Full Name

Username

Email

Password

Confirm Password

[Create Free Account](#)

Already have an account? [Login](#)

Login :-

 [Home](#) [Destinations](#) [AI Tools](#) [Contact](#) [Login](#) [Sign Up Free](#)

Welcome Back

Login to plan your next adventure

Email or Username

Password

[Login](#)

Don't have an account? [Sign Up Free](#)

Destination:-

WanderLustnations

HomeDestinationsAI ToolsContactLoginSign Up Free

Search destinations, moods...

Search

AllBeachMountainNatureCulturalSpiritual

12 destinations found

Beach



Goa, India

Sun-kissed beaches, vibrant nightlife, Portuguese heritage, and fresh seafood make Goa Ind...

AdventureRelaxationRomantic

₹3,000 / dayView Details →

Mountain



Manali, India

Snow-capped peaks, adventure sports, lush valleys and Himalayan charm. Perfect for thrill...

AdventureFamily

₹2,500 / dayView Details →

Nature



Kerala Backwaters, India

Tranquil houseboat rides through lush green canals, spice gardens, and Ayurvedic retreats...

RelaxationRomanticFamily

₹4,000 / dayView Details →

Cultural



Rajasthan, India

Royal palaces, golden deserts, vibrant culture, and majestic forts. A journey through Indi...

FamilyRomanticBudget

₹2,800 / dayView Details →

Beach



Andaman Islands, India

Crystal clear waters, pristine beaches, coral reefs, and spectacular marine life. India's ...

AdventureRomanticRelaxation

₹5,000 / dayView Details →

Contact form:-

WanderLust

HomeDestinationsAI ToolsContactLoginSign Up Free

GET IN TOUCH

Contact Us

Plan Your Dream Trip

Fill the form and our travel experts will get back to you within 24 hours.

Full Name

Your name

Email

you@email.com

Phone (optional)

+91 XXXXXX XXXXXX

Message

Tell us about your dream trip...

Send Message

Why Travel With Us?

AI Itinerary

Gemini AI generates custom day-by-day plans

Live Weather

Real-time weather for any destination

Budget Planning

Smart budget breakdown for your trip

Eco Travel

Carbon footprint calculator & green tips

Trusted Reviews

Real reviews from real travellers

20 |Page

AI Tools:-

POWERED BY AI

WanderLust

HomeDestinationsAI ToolsContactLoginSign Up Free

Smart Travel Tools

AI Itinerary - Weather - Budget - Carbon - Mood Finder

AI ItineraryWeatherBudget SplitterCarbon CalculatorMood Finder

AI Itinerary Generator

Powered by Google Gemini AI — enter your trip details and get a complete day-by-day plan.

Destination

e.g. Goa, Manali, Jaipur

Number of Days

3

Total Budget (₹)

15000

Number of Travellers

2

Interests (e.g. food, adventure, history, beaches)

food, beaches, adventure sports, photography

Generate My Itinerary

User Dashboard:-

WanderLust

My DashboardAI PlannerDestinationsAll ToolsLogout

Welcome back, Sayali Ghadage!🌐

Manage your bookings, itineraries, and travel plans.

1Total Trips

1Planned

0Confirmed

Generate New ItineraryExplore Destinations

My Bookings

keralPlanned

Travellers

1

Est. Budget


₹30,000

Confirm BookingRescheduleCancelReceipt


View Itinerary

21 |Page

Booking Receipt:-



Admin Dashboard :-



CHAPTER-5

Source Code

Wanderlust-Online Tours and Travels

Controller→

admin controller-→

Dashbord.php:-

```
<?php
session_start();
include '../db_connect.php';
if (!isAdmin()) redirect('../login.php');

$total_users = mysqli_fetch_assoc(mysqli_query($conn, "SELECT COUNT(*) as c FROM users WHERE
role='user'"))['c'];
$total_dest = mysqli_fetch_assoc(mysqli_query($conn, "SELECT COUNT(*) as c FROM destinations"))['c'];
$total_trips = mysqli_fetch_assoc(mysqli_query($conn, "SELECT COUNT(*) as c FROM bookings"))['c'];
$total_enquiries= mysqli_fetch_assoc(mysqli_query($conn, "SELECT COUNT(*) as c FROM enquiries WHERE
status='new'"))['c'];

$recent_users = mysqli_query($conn, "SELECT * FROM users WHERE role='user' ORDER BY created_at DESC
LIMIT 8");
$recent_enquiries = mysqli_query($conn, "SELECT * FROM enquiries ORDER BY created_at DESC LIMIT 8");

// Trips per day last 7 days
$daily = mysqli_query($conn, "SELECT DATE(created_at) as day, COUNT(*) as cnt FROM bookings WHERE
created_at >= DATE_SUB(NOW(),INTERVAL 7 DAY) GROUP BY DATE(created_at) ORDER BY day ASC");
$days=[]; $counts=[];
while($r=mysqli_fetch_assoc($daily)){ $days[]=date('d M',strtotime($r['day'])); $counts[]=$r['cnt']; }
?>
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Admin - WanderLust</title>
```

```

<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/chart.js">
<script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
<style>
  @import url('https://fonts.googleapis.com/css2?family=DM+Sans:wght@300;400;500;600&display=swap');
  *{margin:0;padding:0;box-sizing:border-box;font-family:'DM Sans',sans-serif;}
  body{background:#f4f6f8;}
  .layout{display:flex;min-height:100vh;}
  .sidebar{width:240px;background:#1a3c5e;color:white;padding:28px 0;flex-shrink:0;}
  .brand{font-size:22px;font-weight:700;padding:0 24px 24px;border-bottom:1px solid rgba(255,255,255,.15);}
  .sidebar ul{list-style:none;padding:20px 0;}
  .sidebar ul li a{display:flex;align-items:center;gap:12px;color:rgba(255,255,255,.75);text-decoration:none;padding:12px 24px;font-size:14px;transition:.2s;}
  .sidebar ul li a:hover,.sidebar ul li a.active{background:rgba(255,255,255,.12);color:white;}
  .sidebar ul li a i{width:18px;}
  .main{flex:1;padding:32px;}
  .page-title{font-size:22px;color:#1a3c5e;margin-bottom:24px;font-weight:600;}
  .stat-cards{display:grid;grid-template-columns:repeat(auto-fill,minmax(200px,1fr));gap:18px;margin-bottom:28px;}
  .stat-card{background:white;border-radius:12px;padding:22px;box-shadow:0 2px 10px rgba(0,0,0,.06);display:flex;align-items:center;gap:16px;}
  .stat-icon{width:50px;height:50px;border-radius:12px;display:flex;align-items:center;justify-content:center;font-size:22px;color:white;flex-shrink:0;}
  .s1{background:#1a3c5e;} .s2{background:#e8a045;} .s3{background:#2ec4b6;} .s4{background:#e45858;}
  .stat-num{font-size:28px;font-weight:700;color:#222;}
  .stat-label{font-size:13px;color:#888;}
  .card{background:white;border-radius:12px;padding:24px;box-shadow:0 2px 10px rgba(0,0,0,.06);margin-bottom:24px;}
  .card h2{font-size:16px;color:#1a3c5e;margin-bottom:16px;border-bottom:2px solid #e8a045;padding-bottom:8px;}
  table{width:100%;border-collapse:collapse;font-size:14px;}
  th{background:#1a3c5e;color:white;padding:10px 12px;text-align:left;}
  td{padding:10px 12px;border-bottom:1px solid #f0f0f0;color:#444;}
  tr:hover td{background:#fafafa;}
  .badge{padding:3px 10px;border-radius:20px;font-size:12px;font-weight:600;}
  .b-new{background:#d4edda;color:#155724;} .b-read{background:#e2e3e5;color:#383d41;}
  .row2{display:grid;grid-template-columns:3fr 2fr;gap:20px;}
  a.btn{background:#1a3c5e;color:white;padding:7px 16px;border-radius:6px;text-decoration:none;font-size:13px;}
</style>
</head>
<body>
<div class="layout">
  <aside class="sidebar">

```



```

<div class="brand">✈ WanderLust</div>
<ul>
  <li><a href="dashboard.php" class="active"><i class="fa-solid fa-gauge"></i> Dashboard</a></li>
  <li><a href="destinations.php"><i class="fa-solid fa-map-pin"></i> Destinations</a></li>
  <li><a href="enquiries.php"><i class="fa-solid fa-envelope"></i> Enquiries <span
style="background:#e45858;color:white;border-radius:50px;padding:1px 8px;font-size:11px;margin-
left:4px;"><?=$total_enquiries?></span></a></li>
  <li><a href="users.php"><i class="fa-solid fa-users"></i> Users</a></li>
  <li><a href="bulk_bookings.php"><i class="fa-solid fa-suitcase"></i> Bulk Bookings</a></li>
  <li><a href=" ../index.php" target="_blank"><i class="fa-solid fa-store"></i> View Site</a></li>
  <li><a href=" ../logout.php"><i class="fa-solid fa-right-from-bracket"></i> Logout</a></li>
</ul>
</aside>
<div class="main">
  <div class="page-title">Admin Dashboard</div>
  <div class="stat-cards">
    <div class="stat-card"><div class="stat-icon s1"><i class="fa-solid fa-users"></i></div><div><div class="stat-
num"><?=$total_users?></div><div class="stat-label">Total Users</div></div></div>
    <div class="stat-card"><div class="stat-icon s2"><i class="fa-solid fa-map-pin"></i></div><div><div
class="stat-num"><?=$total_dest?></div><div class="stat-label">Destinations</div></div></div>
    <div class="stat-card"><div class="stat-icon s3"><i class="fa-solid fa-suitcase"></i></div><div><div
class="stat-num"><?=$total_trips?></div><div class="stat-label">Trips Planned</div></div></div>
    <div class="stat-card"><div class="stat-icon s4"><i class="fa-solid fa-envelope"></i></div><div><div
class="stat-num"><?=$total_enquiries?></div><div class="stat-label">New Enquiries</div></div></div>
  </div>
  <div class="card">
    <h2>Trips Planned – Last 7 Days</h2>
    <canvas id="chart" height="80"></canvas>
  </div>
  <div class="row2">
    <div class="card">
      <h2>Recent Users &nbsp;<a href="users.php" class="btn" style="float:right;font-size:12px">View
All</a></h2>
      <table>
        <thead><tr><th>Username</th><th>Email</th><th>Joined</th></tr></thead>
        <tbody>
          <?php while($u=mysqli_fetch_assoc($recent_users)):?>
            <tr><td><?=htmlspecialchars($u['username'])?></td><td><?=htmlspecialchars($u['email'])?></td><td><?=date(
'd M Y',strtotime($u['created_at']))?></td></tr>
          <?php endwhile;?>
        </tbody>
      </table>
    </div>
  </div>

```

```

</div>
<div class="card">
  <h2>Recent Enquiries &nbsp;<a href="enquiries.php" class="btn" style="float:right;font-size:12px">View
All</a></h2>
  <table>
    <thead><tr><th>Name</th><th>Status</th></tr></thead>
    <tbody>
      <?php while($e=mysqli_fetch_assoc($recent_enquiries)):?>
        <tr><td><?=htmlspecialchars($e['name'])?><br><small style="color:#888;"><?=date('d
M',strtotime($e['created_at']))?></small></td>
        <td><span class="badge <?=$e['status']=== 'new'? 'b-new': 'b-read'?>"><?=$e['status']?></span></td></tr>
      <?php endwhile;?>
    </tbody>
  </table>
</div>
</div>
</div>
</div>
<script>
new Chart(document.getElementById('chart'),{
  type:'line',

  data:{labels:<?=json_encode($days)?>,datasets:[{label:'Trips',data:<?=json_encode($counts)?>,borderColor:'#1
a3c5e',backgroundColor:'rgba(26,60,94,.1)',tension:.4,fill:true,pointBackgroundColor:'#1a3c5e',pointRadius:5}}],
  options:{responsive:true,plugins:{legend:{display:false}},scales:{y:{beginAtZero:true,ticks:{stepSize:1}}}}
});
</script>
</body></html>

```

Style.css:-

```

@import
url('https://fonts.googleapis.com/css2?family=Playfair+Display:ital,wght@0,400;0,700;1,400&family=DM+Sans:
wght@300;400;500;600&display=swap');

```

```

:root {
  --primary: #1a3c5e;
  --accent: #e8a045;
  --accent2: #2ec4b6;
  --light: #f8f5f0;
  --dark: #0f1923;
  --text: #2d2d2d;
  --muted: #7a7a7a;
  --white: #ffffff;
  --radius: 14px;
}

```

```

--shadow: 0 8px 32px rgba(0,0,0,0.10);
--shadow-lg: 0 20px 60px rgba(0,0,0,0.15);
--transition: all 0.3s cubic-bezier(0.4,0,0.2,1);
}

*, *::before, *::after { margin:0; padding:0; box-sizing:border-box; }

body {
  font-family: 'DM Sans', sans-serif;
  background: var(--light);
  color: var(--text);
  line-height: 1.6;
  overflow-x: hidden;
}

h1, h2, h3 { font-family: 'Playfair Display', serif; }

a { text-decoration: none; color: inherit; }

/* ---- NAVBAR ---- */
.navbar {
  position: fixed; top: 0; left: 0; right: 0; z-index: 1000;
  display: flex; align-items: center; justify-content: space-between;
  padding: 18px 5%;
  background: transparent;
  transition: var(--transition);
}
.navbar.scrolled {
  background: rgba(255,255,255,0.97);
  box-shadow: 0 2px 20px rgba(0,0,0,0.08);
  padding: 12px 5%;
}
.nav-brand {
  font-family: 'Playfair Display', serif;
  font-size: 26px; font-weight: 700;
  color: var(--white);
  letter-spacing: -0.5px;
}
.navbar.scrolled .nav-brand { color: var(--primary); }
.nav-links { display: flex; align-items: center; gap: 32px; }
.nav-links a {
  font-size: 15px; font-weight: 500;
  color: rgba(255,255,255,0.9);
  transition: var(--transition);

```

```

}
.navbar.scrolled .nav-links a { color: var(--text); }
.nav-links a:hover { color: var(--accent); }
.nav-btn {
  background: var(--accent);
  color: var(--white) !important;
  padding: 9px 22px;
  border-radius: 50px;
  font-weight: 600 !important;
}
.nav-btn:hover { background: #d4902f !important; transform: translateY(-1px); }
.nav-hamburger { display: none; background: none; border: none; cursor: pointer; }
.nav-hamburger span {
  display: block; width: 24px; height: 2px;
  background: white; margin: 5px 0; transition: var(--transition);
}
.navbar.scrolled .nav-hamburger span { background: var(--primary); }

/* ---- HERO ---- */
.hero {
  min-height: 100vh;
  background: linear-gradient(135deg, #0f1923 0%, #1a3c5e 50%, #0d2137 100%);
  display: flex; align-items: center;
  position: relative; overflow: hidden;
}
.hero::before {
  content: "";
  position: absolute; inset: 0;
  background: url('https://images.unsplash.com/photo-1469854523086-cc02fe5d8800?w=1600') center/cover
  no-repeat;
  opacity: 0.25;
}
.hero-particles { position: absolute; inset: 0; pointer-events: none; }
.hero-content {
  position: relative; z-index: 2;
  max-width: 700px; padding: 0 5%; margin-top: 80px;
}
.hero-tag {
  display: inline-flex; align-items: center; gap: 8px;
  background: rgba(232,160,69,0.2); border: 1px solid rgba(232,160,69,0.4);
  color: var(--accent); padding: 6px 16px; border-radius: 50px;
  font-size: 13px; font-weight: 500; letter-spacing: 1px;
  text-transform: uppercase; margin-bottom: 24px;
}

```

```

.hero h1 {
  font-size: clamp(40px, 6vw, 72px);
  color: var(--white); line-height: 1.1;
  margin-bottom: 20px;
}
.hero h1 em { color: var(--accent); font-style: italic; }
.hero p {
  font-size: 18px; color: rgba(255,255,255,0.75);
  margin-bottom: 36px; max-width: 520px;
}
.hero-btns { display: flex; gap: 16px; flex-wrap: wrap; }
.btn-primary {
  background: var(--accent); color: var(--white);
  padding: 14px 32px; border-radius: 50px;
  font-size: 16px; font-weight: 600;
  border: none; cursor: pointer;
  transition: var(--transition); display: inline-flex; align-items: center; gap: 8px;
}
.btn-primary:hover { background: #d4902f; transform: translateY(-2px); box-shadow: 0 8px 24px
rgba(232,160,69,0.4); }
.btn-outline {
  background: transparent; color: var(--white);
  padding: 14px 32px; border-radius: 50px;
  font-size: 16px; font-weight: 600;
  border: 2px solid rgba(255,255,255,0.4); cursor: pointer;
  transition: var(--transition); display: inline-flex; align-items: center; gap: 8px;
}
.btn-outline:hover { border-color: white; background: rgba(255,255,255,0.1); }
.hero-stats {
  display: flex; gap: 40px; margin-top: 56px;
  padding-top: 32px; border-top: 1px solid rgba(255,255,255,0.15);
}
.hero-stat-num { font-family: 'Playfair Display', serif; font-size: 32px; color: var(--accent); }
.hero-stat-label { font-size: 13px; color: rgba(255,255,255,0.6); }

/* ---- SECTIONS ---- */
.section { padding: 90px 5%; }
.section-label {
  display: inline-flex; align-items: center; gap: 10px;
  font-size: 12px; font-weight: 600; letter-spacing: 2px;
  text-transform: uppercase; color: var(--accent);
  margin-bottom: 12px;
}
.section-label::before {
  29 |Page

```

```

content: ""; display: block;
width: 24px; height: 2px; background: var(--accent);
}
.section-title {
font-size: clamp(28px, 4vw, 44px);
color: var(--primary); margin-bottom: 12px;
}
.section-sub { font-size: 16px; color: var(--muted); max-width: 500px; }
.section-header { margin-bottom: 48px; }

/* ---- DESTINATION CARDS ---- */
.destinations-grid {
display: grid;
grid-template-columns: repeat(auto-fill, minmax(280px, 1fr));
gap: 24px;
}
.dest-card {
border-radius: var(--radius);
overflow: hidden;
background: white;
box-shadow: var(--shadow);
transition: var(--transition);
cursor: pointer;
}
.dest-card:hover { transform: translateY(-6px); box-shadow: var(--shadow-lg); }
.dest-card-img {
width: 100%; height: 220px; object-fit: cover;
transition: transform 0.5s ease;
}
.dest-card:hover .dest-card-img { transform: scale(1.05); }
.dest-card-img-wrap { overflow: hidden; position: relative; }
.dest-card-badge {
position: absolute; top: 14px; left: 14px;
background: var(--accent); color: white;
padding: 4px 12px; border-radius: 50px;
font-size: 12px; font-weight: 600;
}
.dest-card-body { padding: 20px; }
.dest-card-body h3 { font-size: 20px; color: var(--primary); margin-bottom: 6px; }
.dest-card-body p { font-size: 14px; color: var(--muted); margin-bottom: 14px; line-height: 1.5; }
.dest-card-footer {
display: flex; justify-content: space-between; align-items: center;
border-top: 1px solid #f0f0f0; padding-top: 12px; margin-top: 4px;
}

```

```

.dest-price { font-weight: 600; color: var(--primary); font-size: 15px; }
.dest-price span { font-size: 12px; color: var(--muted); font-weight: 400; }
.dest-mood-tags { display: flex; gap: 6px; flex-wrap: wrap; margin-top: 10px; }
.dest-mood-tag {
  background: #f0f7ff; color: var(--primary);
  padding: 3px 10px; border-radius: 50px; font-size: 11px; font-weight: 500;
}

/* ---- FEATURES SECTION ---- */
.features-grid {
  display: grid;
  grid-template-columns: repeat(auto-fill, minmax(260px, 1fr));
  gap: 24px;
}
.feature-card {
  background: white; border-radius: var(--radius);
  padding: 32px 28px; box-shadow: var(--shadow);
  transition: var(--transition);
  border-left: 4px solid transparent;
}
.feature-card:hover { transform: translateY(-4px); border-left-color: var(--accent); }
.feature-icon {
  width: 56px; height: 56px; border-radius: 14px;
  background: linear-gradient(135deg, var(--primary), #2563eb);
  display: flex; align-items: center; justify-content: center;
  font-size: 24px; margin-bottom: 18px;
}
.feature-card h3 { font-size: 18px; color: var(--primary); margin-bottom: 8px; }
.feature-card p { font-size: 14px; color: var(--muted); line-height: 1.6; }

/* ---- MOOD FINDER ---- */
.mood-section { background: var(--primary); color: white; padding: 90px 5%; }
.mood-grid {
  display: grid;
  grid-template-columns: repeat(auto-fill, minmax(160px, 1fr));
  gap: 16px; margin-top: 40px;
}
.mood-card {
  background: rgba(255,255,255,0.08);
  border: 1px solid rgba(255,255,255,0.15);
  border-radius: var(--radius); padding: 24px 16px;
  text-align: center; cursor: pointer;
  transition: var(--transition);
}

```

```

.mood-card:hover, .mood-card.active {
  background: var(--accent);
  border-color: var(--accent);
  transform: translateY(-4px);
}
.mood-card .mood-emoji { font-size: 36px; margin-bottom: 10px; }
.mood-card h4 { font-size: 15px; font-weight: 600; color: white; }
.mood-card p { font-size: 12px; color: rgba(255,255,255,0.7); margin-top: 4px; }
#mood-results { margin-top: 48px; display: none; }
#mood-results .section-title { color: white; }

/* ---- TOOLS SECTION ---- */
.tools-tabs {
  display: flex; gap: 8px; flex-wrap: wrap; margin-bottom: 32px;
}
.tool-tab {
  background: white; border: 2px solid #e0e0e0;
  padding: 10px 22px; border-radius: 50px;
  font-size: 14px; font-weight: 500; cursor: pointer;
  transition: var(--transition); color: var(--text);
}
.tool-tab.active, .tool-tab:hover {
  background: var(--primary); border-color: var(--primary); color: white;
}
.tool-panel { display: none; }
.tool-panel.active { display: block; }
.tool-card {
  background: white; border-radius: var(--radius);
  padding: 36px; box-shadow: var(--shadow);
}
.tool-card h3 {
  font-size: 24px; color: var(--primary); margin-bottom: 8px;
}
.tool-card p.sub { font-size: 14px; color: var(--muted); margin-bottom: 28px; }
.form-row { display: grid; grid-template-columns: 1fr 1fr; gap: 16px; margin-bottom: 16px; }
.form-group { display: flex; flex-direction: column; gap: 6px; }
.form-group label { font-size: 13px; font-weight: 600; color: var(--primary); }
.form-group input, .form-group select, .form-group textarea {
  border: 1.5px solid #e0e0e0; border-radius: 10px;
  padding: 11px 14px; font-size: 14px;
  font-family: 'DM Sans', sans-serif;
  transition: var(--transition); outline: none;
}
.form-group input:focus, .form-group select:focus, .form-group textarea:focus {

```



```

border-color: var(--primary);
}
.form-full { grid-column: 1 / -1; }
.result-box {
  background: var(--light); border-radius: 12px;
  padding: 24px; margin-top: 24px;
  border-left: 4px solid var(--accent);
  display: none;
}
.result-box.show { display: block; }
.result-box h4 { color: var(--primary); margin-bottom: 12px; font-size: 18px; }
.result-box p, .result-box li { font-size: 14px; color: var(--text); line-height: 1.8; }
.result-box ul { padding-left: 18px; }
.loading-spinner {
  display: inline-block; width: 20px; height: 20px;
  border: 3px solid rgba(255,255,255,0.3);
  border-top-color: white; border-radius: 50%;
  animation: spin 0.8s linear infinite;
  vertical-align: middle; margin-right: 8px;
}
@keyframes spin { to { transform: rotate(360deg); } }

/* Budget splitter */
.budget-breakdown {
  display: grid; grid-template-columns: repeat(auto-fill, minmax(130px, 1fr));
  gap: 14px; margin-top: 20px;
}
.budget-item {
  background: white; border-radius: 12px; padding: 16px;
  text-align: center; box-shadow: 0 2px 12px rgba(0,0,0,0.06);
}
.budget-item .icon { font-size: 28px; margin-bottom: 6px; }
.budget-item .amount { font-size: 18px; font-weight: 700; color: var(--primary); }
.budget-item .label { font-size: 12px; color: var(--muted); }
.budget-bar { height: 8px; border-radius: 8px; margin: 6px 0; }

/* Carbon */
.carbon-display {
  display: flex; align-items: center; gap: 24px;
  flex-wrap: wrap; margin-top: 20px;
}
.carbon-circle {
  width: 130px; height: 130px; border-radius: 50%;
  background: conic-gradient(var(--accent2) var(--pct, 60%), #e0e0e0 0);

```

```

display: flex; align-items: center; justify-content: center;
position: relative;
}
.carbon-circle::after {
  content: ""; position: absolute;
  width: 90px; height: 90px; border-radius: 50%;
  background: white;
}
.carbon-num { position: relative; z-index: 2; text-align: center; }
.carbon-num strong { font-size: 20px; font-weight: 700; color: var(--primary); display: block; }
.carbon-num small { font-size: 11px; color: var(--muted); }
.carbon-tips { flex: 1; min-width: 200px; }
.carbon-tip {
  display: flex; align-items: flex-start; gap: 10px;
  font-size: 14px; color: var(--text); margin-bottom: 10px;
}
.carbon-tip::before { content: '🌱'; flex-shrink: 0; }

/* Virtual Tour */
.tour-preview { border-radius: 14px; overflow: hidden; box-shadow: var(--shadow-lg); }
.tour-preview iframe { width: 100%; height: 400px; border: none; display: block; }

/* ---- WEATHER WIDGET ---- */
.weather-card {
  background: linear-gradient(135deg, #1a3c5e, #2563eb);
  color: white; border-radius: var(--radius);
  padding: 28px; display: flex; gap: 24px;
  align-items: center; flex-wrap: wrap;
  box-shadow: var(--shadow);
}
.weather-icon { font-size: 64px; }
.weather-temp { font-family: 'Playfair Display', serif; font-size: 52px; color: white; }
.weather-desc { font-size: 16px; color: rgba(255,255,255,0.8); text-transform: capitalize; }
.weather-extras { display: flex; gap: 20px; margin-top: 12px; }
.weather-extra { font-size: 13px; color: rgba(255,255,255,0.7); }
.weather-extra span { display: block; font-weight: 600; color: white; font-size: 15px; }

/* ---- FOOTER ---- */
footer {
  background: var(--dark); color: rgba(255,255,255,0.8);
  padding: 60px 5% 30px;
}
.footer-grid {

```

```

display: grid; grid-template-columns: 2fr 1fr 1fr 1fr;
gap: 40px; margin-bottom: 40px;
}
.footer-brand { font-family: 'Playfair Display', serif; font-size: 28px; color: white; margin-bottom: 12px; }
.footer-brand-text { font-size: 14px; line-height: 1.7; color: rgba(255,255,255,0.6); }
.footer-col h4 { color: white; font-size: 15px; margin-bottom: 16px; font-weight: 600; }
.footer-col ul { list-style: none; }
.footer-col ul li { margin-bottom: 10px; font-size: 14px; }
.footer-col ul li a { color: rgba(255,255,255,0.6); transition: color 0.2s; }
.footer-col ul li a:hover { color: var(--accent); }
.footer-bottom {
border-top: 1px solid rgba(255,255,255,0.1);
padding-top: 20px; font-size: 13px;
display: flex; justify-content: space-between;
color: rgba(255,255,255,0.4); flex-wrap: wrap; gap: 10px;
}
.socials { display: flex; gap: 12px; margin-top: 16px; }
.social-btn {
width: 36px; height: 36px; border-radius: 50%;
background: rgba(255,255,255,0.1); display: flex;
align-items: center; justify-content: center;
font-size: 15px; transition: var(--transition);
}
.social-btn:hover { background: var(--accent); }

/* ---- LOGIN / SIGNUP ---- */
.auth-page {
min-height: 100vh; display: flex; align-items: center;
background: linear-gradient(135deg, #0f1923 0%, #1a3c5e 100%);
padding: 100px 5% 40px;
}
.auth-card {
background: white; border-radius: 20px;
padding: 44px 40px; width: 100%; max-width: 460px;
margin: 0 auto; box-shadow: var(--shadow-lg);
}
.auth-card h2 { font-size: 28px; color: var(--primary); margin-bottom: 6px; }
.auth-card .sub { font-size: 14px; color: var(--muted); margin-bottom: 28px; }
.auth-card .form-group { margin-bottom: 16px; }
.auth-submit {
width: 100%; background: var(--primary); color: white;
border: none; border-radius: 10px; padding: 13px;
font-size: 16px; font-weight: 600; cursor: pointer;
font-family: 'DM Sans', sans-serif; transition: var(--transition);

```

```

margin-top: 8px;
}
.auth-submit:hover { background: #122d47; }
.auth-link { text-align: center; margin-top: 16px; font-size: 14px; color: var(--muted); }
.auth-link a { color: var(--primary); font-weight: 600; }

/* ---- ALERTS ---- */
.alert {
padding: 12px 18px; border-radius: 10px;
font-size: 14px; margin-bottom: 16px;
}
.alert-success { background: #d4edda; color: #155724; border: 1px solid #c3e6cb; }
.alert-error { background: #f8d7da; color: #721c24; border: 1px solid #f5c6cb; }

/* ---- USER DASHBOARD ---- */
.dashboard-layout { display: flex; min-height: 100vh; }
.dashboard {
width: 260px; background: var(--primary); color: white;
padding: 28px 0; flex-shrink: 0; position: sticky; top: 0; height: 100vh; overflow-y: auto;
}
.dashboard-brand { font-family: 'Playfair Display', serif; font-size: 22px; padding: 0 24px 24px; border-bottom: 1px solid rgba(255,255,255,.15); }
.dashboard-nav { padding: 20px 0; }
.dashboard-nav a {
display: flex; align-items: center; gap: 12px;
padding: 12px 24px; color: rgba(255,255,255,0.75);
font-size: 14px; font-weight: 500; transition: var(--transition);
}
.dashboard-nav a:hover, .dashboard-nav a.active {
background: rgba(255,255,255,0.12); color: white;
}
.dashboard-nav a i { width: 18px; }
.dashboard-main { flex: 1; padding: 36px; background: #f8f5f0; }
.dashboard-title { font-size: 26px; color: var(--primary); margin-bottom: 8px; }
.dashboard-sub { font-size: 14px; color: var(--muted); margin-bottom: 28px; }
.dashboard-cards { display: grid; grid-template-columns: repeat(auto-fill, minmax(200px, 1fr)); gap: 18px; margin-bottom: 28px; }
.dashboard-card {
background: white; border-radius: 14px; padding: 22px;
box-shadow: var(--shadow); display: flex; align-items: center; gap: 16px;
}
.dashboard-card-icon {
width: 48px; height: 48px; border-radius: 12px;
background: linear-gradient(135deg, var(--primary), #2563eb);

```

```

display: flex; align-items: center; justify-content: center;
font-size: 20px; flex-shrink: 0;
}
.dash-card-num { font-size: 26px; font-weight: 700; color: var(--primary); }
.dash-card-label { font-size: 13px; color: var(--muted); }

/* ---- RESPONSIVE ---- */
@media (max-width: 900px) {
  .footer-grid { grid-template-columns: 1fr 1fr; }
  .form-row { grid-template-columns: 1fr; }
}
@media (max-width: 640px) {
  .nav-links { display: none; }
  .nav-hamburger { display: block; }
  .footer-grid { grid-template-columns: 1fr; }
  .hero h1 { font-size: 36px; }
  .hero-stats { flex-direction: column; gap: 16px; }
  .dashboard-layout { flex-direction: column; }
  .dash-sidebar { width: 100%; height: auto; position: relative; }
}

/* ---- ANIMATIONS ---- */
.fade-up {
  opacity: 0; transform: translateY(30px);
  transition: opacity 0.6s ease, transform 0.6s ease;
}
.fade-up.visible { opacity: 1; transform: translateY(0); }

/* Stars rating */
.stars { color: #f4c430; font-size: 14px; }

/* ---- IMAGE FALLBACK (broken image fix) ---- */
.dest-card-img {
  background: linear-gradient(135deg, #1a3c5e 0%, #2563eb 100%);
}
.dest-card-img[src=""], .dest-card-img:not([src]) {
  visibility: hidden;
}

```

User Controller->

Index.php:-

```

<?php
$page_title = "WanderLust - AI-Powered Tours & Travels";

```

```

include 'includes/header.php';
include 'db_connect.php';
$destinations = mysqli_query($conn, "SELECT * FROM destinations WHERE is_active=1 GROUP BY id ORDER BY
id LIMIT 8");
?>
<!-- HERO -->
<section class="hero">
  <div class="hero-content">
    <div class="hero-tag"> ✨ AI-Powered Travel Planning</div>
    <h1>Explore the World<br>with <em>Smart Travel</em><br>by Your Side</h1>
    <p>Get AI-generated itineraries, real-time weather, budget breakdowns, and carbon footprint analysis — all
in one place.</p>
    <div class="hero-btns">
      <a href="tools.php?tab=itinerary" class="btn-primary"> 🤖 Plan with AI</a>
      <a href="destinations.php" class="btn-outline"> 📖 Browse Destinations</a>
    </div>
    <div class="hero-stats">
      <div>
        <div class="hero-stat-num">50+</div>
        <div class="hero-stat-label">Destinations</div>
      </div>
      <div>
        <div class="hero-stat-num">10K+</div>
        <div class="hero-stat-label">Happy Travellers</div>
      </div>
      <div>
        <div class="hero-stat-num">AI</div>
        <div class="hero-stat-label">Itinerary Generator</div>
      </div>
    </div>
  </div>
</section>
<!-- FEATURES -->
<section class="section">
  <div class="section-header fade-up">
    <div class="section-label">Why WanderLust</div>
    <h2 class="section-title">Travel Planning Reimagined</h2>
    <p class="section-sub">We use cutting-edge AI and live data to make your trip planning effortless.</p>
  </div>
  <div class="features-grid">
    <div class="feature-card fade-up">
      <div class="feature-icon"> 🤖 </div>
      <h3>AI Itinerary Generator</h3>
    </div>
  </div>
</section>

```

```

<p>Enter your destination, budget, and days — Gemini AI builds a complete day-by-day travel plan instantly.</p>
</div>
<div class="feature-card fade-up">
  <div class="feature-icon"> 🌤️ </div>
  <h3>Real-Time Weather</h3>
  <p>Live weather data for any destination. Know before you go — temperature, humidity, forecast.</p>
</div>
<div class="feature-card fade-up">
  <div class="feature-icon"> 💰 </div>
  <h3>Smart Budget Splitter</h3>
  <p>Enter your total budget and the AI splits it smartly across hotels, food, transport, and activities.</p>
</div>
<div class="feature-card fade-up">
  <div class="feature-icon"> 🌿 </div>
  <h3>Carbon Footprint</h3>
  <p>Calculate your trip's CO2 impact and get eco-friendly alternatives to travel greener.</p>
</div>
<div class="feature-card fade-up">
  <div class="feature-icon"> 😊 </div>
  <h3>Mood-Based Finder</h3>
  <p>Tell us your mood — Adventure, Relaxation, Romantic — and we suggest perfect matching destinations.</p>
</div>

</div>
</section>

<!-- DESTINATIONS -->
<section class="section" style="background: white; padding-top: 70px;">
  <div class="section-header fade-up">
    <div class="section-label">Popular Places</div>
    <h2 class="section-title">Trending Destinations</h2>
    <p class="section-sub">Hand-picked destinations loved by thousands of travellers.</p>
  </div>
  <div class="destinations-grid">
    <?php while ($d = mysqli_fetch_assoc($destinations)): ?>
      <div class="dest-card fade-up" onclick="window.location='destination.php?id=<?= $d['id'] ?>'>
        <div class="dest-card-img-wrap">
          " class="dest-card-img" loading="lazy">
          <span class="dest-card-badge"><?= htmlspecialchars($d['category']) ?></span>
        </div>
      </div>
    </?php while ($d = mysqli_fetch_assoc($destinations)): ?>

```

```

<div class="dest-card-body">
  <h3><?= htmlspecialchars($d['name']) ?>, <?= htmlspecialchars($d['country']) ?></h3>
  <p><?= htmlspecialchars(substr($d['description'], 0, 90)) ?>...</p>
  <div class="dest-mood-tags">
    <?php foreach (explode(',', $d['mood_tags']) as $tag): ?>
      <span class="dest-mood-tag"><?= trim($tag) ?></span>
    <?php endforeach; ?>
  </div>
  <div class="dest-card-footer">
    <div class="dest-price">₹<?= number_format($d['avg_cost_per_day']) ?> <span>/ day</span></div>
    <span style="color: var(--accent); font-size:13px; font-weight:600">Explore →</span>
  </div>
</div>
</div>
<?php endwhile; ?>
</div>
<div style="text-align:center; margin-top: 40px;">
  <a href="destinations.php" class="btn-primary">View All Destinations</a>
</div>
</section>

<!-- MOOD SECTION -->
<section class="mood-section">
  <div class="section-label" style="color: var(--accent);">Personalize Your Trip</div>
  <h2 class="section-title" style="color:white; margin-bottom:8px;">What's Your Travel Mood?</h2>
  <p style="color:rgba(255,255,255,0.7); font-size:16px;">Pick your vibe and we'll find the perfect destination for you.</p>
  <div class="mood-grid">
    <div class="mood-card" onclick="findByMood('Adventure')">
      <div class="mood-emoji">🏔️</div>
      <h4>Adventure</h4>
      <p>Thrill & Explore</p>
    </div>
    <div class="mood-card" onclick="findByMood('Relaxation')">
      <div class="mood-emoji">🌴</div>
      <h4>Relaxation</h4>
      <p>Chill & Unwind</p>
    </div>
    <div class="mood-card" onclick="findByMood('Romantic')">
      <div class="mood-emoji">💕</div>
      <h4>Romantic</h4>
      <p>Love & Escape</p>
    </div>
  </div>

```



```

<div class="mood-card" onclick="findByMood('Family')">
  <div class="mood-emoji">👨👩👧👦 </div>
  <h4>Family</h4>
  <p>Fun Together</p>
</div>
<div class="mood-card" onclick="findByMood('Budget')">
  <div class="mood-emoji">💰 </div>
  <h4>Budget</h4>
  <p>More for Less</p>
</div>
<div class="mood-card" onclick="findByMood('Spiritual')">
  <div class="mood-emoji">🏠 </div>
  <h4>Spiritual</h4>
  <p>Peace & Soul</p>
</div>
</div>
<div id="mood-results">
  <h2 class="section-title" id="mood-title" style="color:white; margin-bottom:24px;"></h2>
  <div class="destinations-grid" id="mood-dest-grid"></div>
</div>
</section>

<!-- CTA -->
<section class="section" style="background: var(--light); text-align: center;">
  <div class="fade-up">
    <div class="section-label" style="justify-content:center">Start Today</div>
    <h2 class="section-title" style="text-align:center">Ready to Plan Your Dream Trip?</h2>
    <p style="color:var(--muted); max-width:500px; margin:12px auto 32px; font-size:16px;">
      Join thousands of smart travellers using AI to plan unforgettable journeys.
    </p>
    <div style="display:flex; gap:16px; justify-content:center; flex-wrap:wrap;">
      <a href="signup.php" class="btn-primary">Get Started Free 🚀 </a>
      <a href="tools.php" class="btn-outline" style="color:var(--primary); border-color:var(--primary)">Try AI
Tools</a>
    </div>
  </div>
</section>
<?php include 'includes/footer.php'; ?>
<script>
function findByMood(mood) {
  document.querySelectorAll('.mood-card').forEach(c => c.classList.remove('active'));
  event.currentTarget.classList.add('active');
  fetch('api/mood.php?mood=' + encodeURIComponent(mood))

```

```

.then(r => r.json())
.then(data => {
  const grid = document.getElementById('mood-dest-grid');
  document.getElementById('mood-title').textContent = `${mood} Destinations For You`;
  grid.innerHTML = data.map(d => `
    <div class="dest-card" onclick="window.location='destination.php?id=${d.id}'">
      <div class="dest-card-img-wrap">
        
        <span class="dest-card-badge">${d.category}</span>
      </div>
      <div class="dest-card-body">
        <h3>${d.name}, ${d.country}</h3>
        <p>${d.description.substring(0,90)}...</p>
        <div class="dest-card-footer">
          <div class="dest-price">₹${parseInt(d.avg_cost_per_day).toLocaleString()} <span>/ day</span></div>
          <span style="color:var(--accent);font-size:13px;font-weight:600">Explore →</span>
        </div>
      </div>
    </div>
  `).join("");
  document.getElementById('mood-results').style.display = 'block';
  document.getElementById('mood-results').scrollIntoView({ behavior: 'smooth' });
});
}
</script>

```

Db_connect.php:-

```

<?php
define('DB_HOST', 'localhost');
define('DB_USER', 'root');    // your DB username
define('DB_PASS', '');       // your DB password
define('DB_NAME', 'wanderlust_db');

// Gemini API Key -
define('GROQ_API_KEY', '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');

// OpenWeatherMap API Key -
define('WEATHER_API_KEY', '0568c816b8d79958b2e5e5fd47f838a9');

$conn = mysqli_connect(DB_HOST, DB_USER, DB_PASS, DB_NAME);
if (!$conn) {
  die(json_encode(['error' => 'DB connection failed: ' . mysqli_connect_error()]));
}

```

```
mysqli_set_charset($conn, 'utf8mb4');
```

```
// Session helper
```

```
function isLoggedIn() {
```

```
    return isset($_SESSION['user_id']);
```

```
}
```

```
function isAdmin() {
```

```
    return isset($_SESSION['role']) && $_SESSION['role'] === 'admin';
```

```
}
```

```
function redirect($url) {
```

```
    header("Location: $url"); exit();
```

```
}
```

```
?>
```

Dashboard.php:-

```
<?php
```

```
$page_title = "My Trips - WanderLust";
```

```
session_start();
```

```
include 'db_connect.php';
```

```
if (!isLoggedIn()) redirect('login.php');
```

```
$uid = (int)$_SESSION['user_id'];
```

```
$name = $_SESSION['user_name'] ?? $_SESSION['user'];
```

```
// ===== Handle booking actions =====
```

```
$action_msg = "";
```

```
if (isset($_POST['action'], $_POST['booking_id'])) {
```

```
    $bid = (int)$_POST['booking_id'];
```

```
    $action = $_POST['action'];
```

```
    // Security: verify this booking belongs to current user
```

```
    $chk = mysqli_fetch_assoc(mysqli_query($conn, "SELECT id,status FROM bookings WHERE id=$bid AND user_id=$uid"));
```

```
    if ($chk) {
```

```
        if ($action === 'confirm') {
```

```
            mysqli_query($conn, "UPDATE bookings SET status='confirmed' WHERE id=$bid");
```

```
            $action_msg = "✅ Booking confirmed successfully!";
```

```
        } elseif ($action === 'cancel') {
```

```
            mysqli_query($conn, "UPDATE bookings SET status='cancelled' WHERE id=$bid");
```

```
            $action_msg = "❌ Booking cancelled.";
```

```
        } elseif ($action === 'reschedule') {
```

```
            $new_travel = mysqli_real_escape_string($conn, $_POST['new_travel_date']);
```

```
            $new_return = mysqli_real_escape_string($conn, $_POST['new_return_date']);
```

```

        if ($new_travel && $new_return && strtotime($new_return) > strtotime($new_travel)) {
            mysqli_query($conn, "UPDATE bookings SET travel_date='$new_travel', return_date='$new_return',
status='planned' WHERE id=$bid");
            $action_msg = "📅 Trip rescheduled successfully!";
        } else {
            $action_msg = "⚠️ Invalid dates. Return must be after travel date.";
        }
    }
}

$strips = mysqli_query($conn, "SELECT b.*, d.name as dest_name, d.image as dest_img, d.avg_cost_per_day
FROM bookings b LEFT JOIN destinations d ON b.destination_id=d.id WHERE b.user_id=$uid ORDER BY
b.created_at DESC");
$strip_cnt = mysqli_num_rows($strips);
$plan_cnt = mysqli_fetch_assoc(mysqli_query($conn, "SELECT COUNT(*) as c FROM bookings WHERE
user_id=$uid AND status='planned'))['c'];
$conf_cnt = mysqli_fetch_assoc(mysqli_query($conn, "SELECT COUNT(*) as c FROM bookings WHERE
user_id=$uid AND status='confirmed'))['c'];
include 'includes/header.php';
?>
<div class="dashboard-layout">
    <aside class="dash-sidebar">
        <div class="dash-brand">✈️ WanderLust</div>
        <nav class="dash-nav">
            <a href="dashboard.php" class="active"><i class="fa-solid fa-house"></i> My Dashboard</a>
            <a href="tools.php?tab=itinerary"><i class="fa-solid fa-robot"></i> AI Planner</a>
            <a href="destinations.php"><i class="fa-solid fa-map"></i> Destinations</a>
            <a href="tools.php"><i class="fa-solid fa-wand-magic-sparkles"></i> All Tools</a>
            <a href="logout.php"><i class="fa-solid fa-right-from-bracket"></i> Logout</a>
        </nav>
    </aside>
    <div class="dash-main">
        <div class="dash-title">Welcome back, <?= htmlspecialchars($name) ?>! 🌍 </div>
        <div class="dash-sub">Manage your bookings, itineraries, and travel plans.</div>

        <?php if ($action_msg): ?>
            <div style="background:#d4edda;color:#155724;padding:14px 18px;border-radius:10px;margin-
bottom:20px;font-weight:600;">
                <?= $action_msg ?>
            </div>
        <?php endif; ?>

        <div class="dash-cards">

```

```

<div class="dash-card">
  <div class="dash-card-icon">📅</div>
  <div><div class="dash-card-num"><?= $trip_cnt ?></div><div class="dash-card-label">Total
Trips</div></div>
</div>
<div class="dash-card">
  <div class="dash-card-icon">✈️</div>
  <div><div class="dash-card-num"><?= $plan_cnt ?></div><div class="dash-card-
label">Planned</div></div>
</div>
<div class="dash-card">
  <div class="dash-card-icon">✅</div>
  <div><div class="dash-card-num"><?= $conf_cnt ?></div><div class="dash-card-
label">Confirmed</div></div>
</div>
</div>
<div style="display:flex; gap:14px; margin-bottom:28px; flex-wrap:wrap;">
  <a href="tools.php?tab=itinerary" class="btn-primary">🗺️ Generate New Itinerary</a>
  <a href="destinations.php" class="btn-primary" style="background:var(--accent2);">📖 Explore
Destinations</a>
</div>
<div style="background:white; border-radius:14px; padding:28px; box-shadow:var(--shadow);">
  <h2 style="color:var(--primary); margin-bottom:20px; font-size:20px;">📅 My Bookings</h2>
<?php if ($trip_cnt === 0): ?>
  <div style="text-align:center; padding:40px; color:var(--muted);">
    <div style="font-size:48px; margin-bottom:12px;">📖</div>
    <p>No bookings yet. Explore destinations and book your first trip!</p>
    <a href="destinations.php" class="btn-primary" style="margin-top:16px; display:inline-block;">Browse
Destinations</a>
  </div>
<?php else: ?>
  <?php while ($t = mysqli_fetch_assoc($trips)):
    $status_color = [
      'planned' => ['bg'=> '#fff3cd', 'color'=> '#856404'],
      'confirmed' => ['bg'=> '#d4edda', 'color'=> '#155724'],
      'cancelled' => ['bg'=> '#f8d7da', 'color'=> '#721c24'],
      'completed' => ['bg'=> '#cce5ff', 'color'=> '#004085'],
    ][$t['status']] ?? ['bg'=> '#e9ecef', 'color'=> '#495057'];

    // Calculate trip days & estimated cost
    $days = $t['travel_date'] && $t['return_date']
      ? max(1, (strtotime($t['return_date']) - strtotime($t['travel_date'])) / 86400)
      : 0;

```

```

    $est_cost = $t['budget'] ?: ($t['avg_cost_per_day'] * $t['num_travelers'] * $days);
?>
<div id="booking-<?= $t['id'] ?>" style="border:1.5px solid #f0f0f0; border-radius:14px; padding:22px;
margin-bottom:20px; transition:box-shadow .2s;"
    onmouseover="this.style.boxShadow='0 4px 20px rgba(0,0,0,0.09)'"
onmouseout="this.style.boxShadow='none'">

    <!-- Booking Header -->
    <div style="display:flex; justify-content:space-between; align-items:flex-start; flex-wrap:wrap; gap:10px;
margin-bottom:14px;">
        <div>
            <h3 style="color:var(--primary); font-size:18px; margin-bottom:4px;"><?=
htmlspecialchars($t['trip_name']) ?></h3>
            <?php if ($t['dest_name']): ?>
                <span style="font-size:13px;color:var(--muted);"> 📍 <?= htmlspecialchars($t['dest_name']) ?></span>
            <?php endif; ?>
        </div>
        <span style="background:<?= $status_color['bg'] ?>; color:<?= $status_color['color'] ?>;
            padding:4px 14px; border-radius:50px; font-size:12px; font-weight:700; white-space:nowrap;">
            <?= ucfirst($t['status']) ?>
        </span>
    </div>

    <!-- Booking Details Grid -->
    <div style="display:grid; grid-template-columns:repeat(auto-fit,minmax(130px,1fr)); gap:12px; margin-
bottom:16px;">
        <?php if ($t['travel_date']): ?>
            <div style="background:var(--light);padding:10px 12px;border-radius:8px;">
                <div style="font-size:11px;color:var(--muted);margin-bottom:2px;">Departure</div>
                <div style="font-size:13px;font-weight:600;"> 📅 <?= date('d M Y', strtotime($t['travel_date'])) ?></div>
            </div>
        <?php endif; ?>
        <?php if ($t['return_date']): ?>
            <div style="background:var(--light);padding:10px 12px;border-radius:8px;">
                <div style="font-size:11px;color:var(--muted);margin-bottom:2px;">Return</div>
                <div style="font-size:13px;font-weight:600;"> 🏠 <?= date('d M Y', strtotime($t['return_date'])) ?></div>
            </div>
        <?php endif; ?>
        <?php if ($days > 0): ?>
            <div style="background:var(--light);padding:10px 12px;border-radius:8px;">
                <div style="font-size:11px;color:var(--muted);margin-bottom:2px;">Duration</div>
                <div style="font-size:13px;font-weight:600;"> 🌙 <?= $days ?> night<?= $days>1?'s:' ?></div>
            </div>
        <?php endif; ?>
    </div>

```

```

<?php endif; ?>
<div style="background:var(--light);padding:10px 12px;border-radius:8px;">
  <div style="font-size:11px;color:var(--muted);margin-bottom:2px;">Travelers</div>
  <div style="font-size:13px;font-weight:600;"> 👤 <?= $t['num_travelers'] ?></div>
</div>
<?php if ($t['travel_mode']): ?>
<div style="background:var(--light);padding:10px 12px;border-radius:8px;">
  <div style="font-size:11px;color:var(--muted);margin-bottom:2px;">Mode</div>
  <div style="font-size:13px;font-weight:600;"><?= ['flight'=>' ✈️ Flight','train'=>' 🚂 Train','car'=>' 🚗
Car','bus'=>' 🚌 Bus'][$t['travel_mode']] ?? ' 🚀 '. $t['travel_mode'] ?></div>
</div>
<?php endif; ?>
<?php if ($est_cost): ?>
<div style="background:#e8f4fd;padding:10px 12px;border-radius:8px;">
  <div style="font-size:11px;color:var(--muted);margin-bottom:2px;">Est. Budget</div>
  <div style="font-size:13px;font-weight:700;color:var(--primary);"> 💰 ₹<?= number_format($est_cost)
?></div>
</div>
<?php endif; ?>
</div>

<!-- Action Buttons -->
<?php if ($t['status'] !== 'cancelled' && $t['status'] !== 'completed'): ?>
<div style="display:flex;gap:10px;flex-wrap:wrap;margin-bottom:14px;">
  <?php if ($t['status'] === 'planned'): ?>
    <form method="POST" style="margin:0;" onsubmit="return confirm('Confirm this booking?')">
      <input type="hidden" name="booking_id" value="<?= $t['id'] ?>">
      <input type="hidden" name="action" value="confirm">
      <button type="submit" style="background:#28a745;color:white;border:none;padding:9px 18px;border-
radius:8px;font-size:13px;font-weight:600;cursor:pointer;">
        ✅ Confirm Booking
      </button>
    </form>
  <?php endif; ?>

  <button onclick="toggleReschedule(<?= $t['id'] ?>)"
    style="background:#0d6efd;color:white;border:none;padding:9px 18px;border-radius:8px;font-
size:13px;font-weight:600;cursor:pointer;">
    📅 Reschedule
  </button>

  <form method="POST" style="margin:0;" onsubmit="return confirm('Are you sure you want to cancel this
booking?')">

```

```



<button type="submit" style="background:#dc3545;color:white;border:none;padding:9px 18px;border-
radius:8px;font-size:13px;font-weight:600;cursor:pointer;">
  ✖ Cancel
</button>
</form>
<button onclick="printReceipt(<?=$t['id'] ?>)"
  style="background:#6c757d;color:white;border:none;padding:9px 18px;border-radius:8px;font-
size:13px;font-weight:600;cursor:pointer;">
  📄 Receipt
</button>
</div>

<!-- Reschedule Form (hidden by default) -->
<div id="reschedule-<?=$t['id'] ?>" style="display:none;background:#f0f4ff;border-
radius:10px;padding:16px;margin-bottom:14px;">
  <h4 style="color:var(--primary);margin-bottom:12px;font-size:14px;">🗓️ Reschedule Trip</h4>
  <form method="POST" style="display:flex;gap:12px;flex-wrap:wrap;align-items:flex-end;">
    <input type="hidden" name="booking_id" value="<?=$t['id'] ?>"/>
    <input type="hidden" name="action" value="reschedule"/>
    <div>
      <label style="font-size:12px;font-weight:600;display:block;margin-bottom:4px;">New Travel
Date</label>
      <input type="date" name="new_travel_date" min="<?=$t['travel_date'] ?>" value="<?=$t['travel_date']
?>" required
      style="padding:8px 12px;border:1.5px solid #d0d7ff;border-radius:7px;font-size:13px;">
    </div>
    <div>
      <label style="font-size:12px;font-weight:600;display:block;margin-bottom:4px;">New Return
Date</label>
      <input type="date" name="new_return_date" min="<?=$t['travel_date'] ?>" value="<?=$t['return_date'] ?>" required
      style="padding:8px 12px;border:1.5px solid #d0d7ff;border-radius:7px;font-size:13px;">
    </div>
    <button type="submit" style="background:var(--primary);color:white;border:none;padding:9px
18px;border-radius:7px;font-size:13px;font-weight:600;cursor:pointer;">
      Save Dates
    </button>
    <button type="button" onclick="toggleReschedule(<?=$t['id'] ?>)"
      style="background:#6c757d;color:white;border:none;padding:9px 14px;border-radius:7px;font-
size:13px;cursor:pointer;">
      Cancel

```



```

        </button>
    </form>
</div>
<?php elseif ($t['status'] === 'cancelled'): ?>
<div style="display:flex;gap:10px;flex-wrap:wrap;margin-bottom:14px;">
    <button onclick="printReceipt(<?= $t['id'] ?>)"
        style="background:#6c757d;color:white;border:none;padding:9px 18px;border-radius:8px;font-
size:13px;font-weight:600;cursor:pointer;">
         View Receipt
    </button>
</div>
<?php else: ?>
<div style="display:flex;gap:10px;flex-wrap:wrap;margin-bottom:14px;">
    <button onclick="printReceipt(<?= $t['id'] ?>)"
        style="background:#6c757d;color:white;border:none;padding:9px 18px;border-radius:8px;font-
size:13px;font-weight:600;cursor:pointer;">
         View Receipt
    </button>
</div>
<?php endif; ?>

<!-- Itinerary Section -->
<?php if ($t['itinerary']): ?>
<details style="margin-top:4px;">
    <summary style="cursor:pointer; color:var(--primary); font-weight:600; font-size:14px;">  View
Itinerary</summary>
    <div style="margin-top:12px; background:var(--light); border-radius:8px; padding:16px;
        font-size:13px; line-height:1.9; white-space:pre-line; color:var(--text);">
        <?= htmlspecialchars($t['itinerary']) ?>
    </div>
</details>
<?php endif; ?>

<!-- Hidden receipt data -->
<div id="receipt-data-<?= $t['id'] ?>" style="display:none;"
    data-id="<?= $t['id'] ?>"
    data-trip="<?= htmlspecialchars($t['trip_name'], ENT_QUOTES) ?>"
    data-dest="<?= htmlspecialchars($t['dest_name'] ?? 'N/A', ENT_QUOTES) ?>"
    data-travel="<?= $t['travel_date'] ? date('d M Y', strtotime($t['travel_date'])) : 'N/A' ?>"
    data-return="<?= $t['return_date'] ? date('d M Y', strtotime($t['return_date'])) : 'N/A' ?>"
    data-days="<?= $days ?>"
    data-travelers="<?= $t['num_travelers'] ?>"
    data-mode="<?= htmlspecialchars($t['travel_mode'] ?? '', ENT_QUOTES) ?>"

```

```

        data-budget="<?= number_format($est_cost) ?>"
        data-status="<?= ucfirst($t['status']) ?>"
        data-booked="<?= date('d M Y', strtotime($t['created_at'])) ?>"
        data-name="<?= htmlspecialchars($name, ENT_QUOTES) ?>"
    </div>

</div>
<?php endwhile; ?>
<?php endif; ?>
</div>
</div>
</div>
<!-- Receipt Modal -->
<div id="receipt-modal" style="display:none;position:fixed;inset:0;background:rgba(0,0,0,0.6);z-
index:9999;align-items:center;justify-content:center;">
    <div style="background:white;border-radius:16px;padding:0;max-width:520px;width:90%;box-shadow:0 20px
60px rgba(0,0,0,0.3);overflow:hidden;">
        <div style="background:linear-gradient(135deg,var(--primary),#2563eb);padding:24px 28px;color:white;">
            <div style="display:flex;justify-content:space-between;align-items:center;">
                <div>
                    <div style="font-size:22px;font-weight:700;">✈️ WanderLust</div>
                    <div style="font-size:13px;opacity:0.85;margin-top:2px;">Booking Receipt</div>
                </div>
                <button onclick="closeReceipt()"
style="background:rgba(255,255,255,0.2);border:none;color:white;width:34px;height:34px;border-
radius:50%;font-size:18px;cursor:pointer;line-height:34px;text-align:center;">x</button>
            </div>
        </div>
        <div id="receipt-body" style="padding:24px 28px;"></div>
        <div style="padding:0 28px 24px;display:flex;gap:10px;">
            <button onclick="window.print()" style="flex:1;background:var(--
primary);color:white;border:none;padding:11px;border-radius:9px;font-size:14px;font-
weight:600;cursor:pointer;">🖨️ Print</button>
            <button onclick="closeReceipt()" style="flex:1;background:#f0f0f0;color:var(--
text);border:none;padding:11px;border-radius:9px;font-size:14px;font-
weight:600;cursor:pointer;">Close</button>
        </div>
    </div>
</div>
</div>

<?php include 'includes/footer.php'; ?>

<script>

```

```

function toggleReschedule(id) {
  const el = document.getElementById('reschedule-' + id);
  el.style.display = el.style.display === 'none' ? 'block' : 'none';
}
function printReceipt(id) {
  const d = document.getElementById('receipt-data-' + id).dataset;
  const statusBadge = {
    'Planned': '#fff3cd:#856404',
    'Confirmed': '#d4edda:#155724',
    'Cancelled': '#f8d7da:#721c24',
    'Completed': '#c2e6cb:#28a745',
  }[d.status] || '#e9ecef:#495057';
  const [sbg, scolor] = statusBadge.split(':');
  document.getElementById('receipt-body').innerHTML = `
    <div style="border:2px dashed #e0e0e0;border-radius:10px;padding:18px;margin-bottom:18px;">
      <div style="display:flex;justify-content:space-between;margin-bottom:6px;">
        <span style="font-size:12px;color:#888;">Booking ID</span>
        <span style="font-weight:700;font-size:13px;">#WL-${String(d.id).padStart(5,'0')}</span>
      </div>
      <div style="display:flex;justify-content:space-between;margin-bottom:6px;">
        <span style="font-size:12px;color:#888;">Status</span>
        <span style="background:${sbg};color:${scolor};padding:2px 12px;border-radius:50px;font-size:12px;font-weight:700;">${d.status}</span>
      </div>
      <div style="display:flex;justify-content:space-between;margin-bottom:6px;">
        <span style="font-size:12px;color:#888;">Booked On</span>
        <span style="font-size:13px;font-weight:600;">${d.booked}</span>
      </div>
    </div>
    <table style="width:100%;border-collapse:collapse;font-size:14px;">
      <tr style="border-bottom:1px solid #f0f0f0;"><td style="padding:9px 0;color:#888;">Guest Name</td><td style="text-align:right;font-weight:600;">${d.name}</td></tr>
      <tr style="border-bottom:1px solid #f0f0f0;"><td style="padding:9px 0;color:#888;">Trip</td><td style="text-align:right;font-weight:600;">${d.trip}</td></tr>
      <tr style="border-bottom:1px solid #f0f0f0;"><td style="padding:9px 0;color:#888;">Destination</td><td style="text-align:right;font-weight:600;">📍 ${d.dest}</td></tr>
      <tr style="border-bottom:1px solid #f0f0f0;"><td style="padding:9px 0;color:#888;">Departure</td><td style="text-align:right;font-weight:600;">📅 ${d.travel}</td></tr>
      <tr style="border-bottom:1px solid #f0f0f0;"><td style="padding:9px 0;color:#888;">Return</td><td style="text-align:right;font-weight:600;">🏠 ${d.return}</td></tr>
      <tr style="border-bottom:1px solid #f0f0f0;"><td style="padding:9px 0;color:#888;">Duration</td><td style="text-align:right;font-weight:600;">🌙 ${d.days} nights</td></tr>
      <tr style="border-bottom:1px solid #f0f0f0;"><td style="padding:9px 0;color:#888;">Travelers</td><td>

```

```

style="text-align:right;font-weight:600;">👤 ${d.travelers}</td></tr>
  <tr style="border-bottom:1px solid #f0f0f0;"><td style="padding:9px 0;color:#888;">Travel Mode</td><td
style="text-align:right;font-weight:600;">${{'flight':'✈️ Flight','train':'🚂 Train','car':'🚗 Car','bus':'🚌
Bus'}}[d.mode] || d.mode</td></tr>
  <tr><td style="padding:9px 0;color:#888;font-weight:700;">Est. Total</td><td style="text-align:right;font-
weight:700;font-size:16px;color:var(--primary);">₹${d.budget}</td></tr>
</table>
<p style="font-size:11px;color:#aaa;text-align:center;margin-top:14px;">Thank you for choosing WanderLust!
✈️</p>
`;
const modal = document.getElementById('receipt-modal');
modal.style.display = 'flex';
}

function closeReceipt() {
  document.getElementById('receipt-modal').style.display = 'none';
}

// Close modal on backdrop click
document.getElementById('receipt-modal').addEventListener('click', function(e) {
  if (e.target === this) closeReceipt();
});

// Auto-scroll to booking if anchor in URL
if (window.location.hash) {
  const el = document.querySelector(window.location.hash);
  if (el) setTimeout(() => el.scrollIntoView({behavior:'smooth', block:'start'}), 300);
}
</script>

```

Tools.php:-

```

<?php
$page_title = "AI Travel Tools - WanderLust";
include 'includes/header.php';
include 'db_connect.php';

$active_tab = $_GET['tab'] ?? 'itinerary';
?>

<div style="padding-top: 90px; background: var(--primary); min-height: 200px; display:flex; align-
items:center;">
  <div style="padding: 40px 5%;">
    <div class="section-label" style="color:var(--accent)">Powered by AI</div>

```

```
<h1 style="color:white; font-size:clamp(28px,4vw,44px); margin-bottom:8px;">Smart Travel Tools</h1>
<p style="color:rgba(255,255,255,0.7); font-size:16px;">AI Itinerary · Weather · Budget · Carbon · Mood
Finder</p>
```

```
</div>
```

```
</div>
```

```
<section class="section">
```

```
<div class="tools-tabs">
```

```
<button class="tool-tab <?= $active_tab=== 'itinerary'? 'active':'' ?>" onclick="switchTab('itinerary',this)"> 
AI Itinerary</button>
```

```
<button class="tool-tab <?= $active_tab=== 'weather'? 'active':'' ?>" onclick="switchTab('weather',this)"> 
Weather</button>
```

```
<button class="tool-tab <?= $active_tab=== 'budget'? 'active':'' ?>" onclick="switchTab('budget',this)"> 
Budget Splitter</button>
```

```
<button class="tool-tab <?= $active_tab=== 'carbon'? 'active':'' ?>" onclick="switchTab('carbon',this)"> 
Carbon Calculator</button>
```

```
<button class="tool-tab <?= $active_tab=== 'mood'? 'active':'' ?>" onclick="switchTab('mood',this)"> 
Mood Finder</button>
```

```
</div>
```

```
<!-- ===== AI ITINERARY ===== -->
```

```
<div class="tool-panel <?= $active_tab=== 'itinerary'? 'active':'' ?>" id="tab-itinerary">
```

```
<div class="tool-card">
```

```
<h3>  AI Itinerary Generator</h3>
```

```
<p class="sub">Powered by Google Gemini AI — enter your trip details and get a complete day-by-day
plan.</p>
```

```
<div class="form-row">
```

```
<div class="form-group">
```

```
<label>Destination</label>
```

```
<input type="text" id="it-dest" placeholder="e.g. Goa, Manali, Jaipur">
```

```
</div>
```

```
<div class="form-group">
```

```
<label>Number of Days</label>
```

```
<input type="number" id="it-days" value="3" min="1" max="15">
```

```
</div>
```

```
<div class="form-group">
```

```
<label>Total Budget (₹)</label>
```

```
<input type="number" id="it-budget" value="15000" step="1000">
```

```
</div>
```

```
<div class="form-group">
```

```
<label>Number of Travelers</label>
```

```
<input type="number" id="it-travelers" value="2" min="1" max="20">
```

```
</div>
```

```

<div class="form-group form-full">
  <label>Interests (e.g. food, adventure, history, beaches)</label>
  <input type="text" id="it-interests" placeholder="food, beaches, adventure sports, photography">
</div>
</div>
<button class="btn-primary" onclick="generateItinerary(this)"> ✨ Generate My Itinerary</button>
<div class="result-box" id="it-result">
  <h4> 📅 Your AI-Generated Itinerary</h4>
  <div id="it-text" style="white-space:pre-line; line-height:1.9; font-size:14px;"></div>
  <div style="margin-top:20px; display:flex; gap:12px;">
    <button class="btn-primary" onclick="window.print()" style="font-size:13px; padding:9px 20px;"> 🖨️
    Print / Save PDF</button>
    <a href="signup.php" class="btn-primary" style="font-size:13px; padding:9px 20px; background:var(--
accent2);"> 📄 Save Trip</a>
  </div>
</div>
</div>
</div>

```

<!-- ===== WEATHER ===== -->

```

<div class="tool-panel <?= $active_tab==='weather'? 'active':'' ?>" id="tab-weather">
  <div class="tool-card">
    <h3> 🌤️ Real-Time Weather Checker</h3>
    <p class="sub">Get live weather and best-time-to-visit info for any Indian destination.</p>
    <div class="form-row" style="max-width:500px">
      <div class="form-group form-full">
        <label>City / Destination</label>
        <input type="text" id="w-city" placeholder="e.g. Goa, Manali, Mumbai, Jaipur">
      </div>
    </div>
    <button class="btn-primary" onclick="getWeather(this)"> 🔍 Check Weather</button>
    <div id="weather-result" style="display:none; margin-top:24px;">
      <div class="weather-card" id="w-card"></div>
      <div class="result-box show" id="w-advice" style="margin-top:16px;"></div>
    </div>
  </div>
</div>

```

<!-- ===== BUDGET ===== -->

```

<div class="tool-panel <?= $active_tab==='budget'? 'active':'' ?>" id="tab-budget">
  <div class="tool-card">
    <h3> 💰 Smart Budget Splitter</h3>
    <p class="sub">Select a destination — we'll calculate the exact cost and tell you what you can afford.</p>

```

```

<div class="form-row">
  <div class="form-group form-full">
    <label>Select Destination</label>
    <select id="b-dest" onchange="splitBudget()">
      <option value="">-- Choose a destination --</option>
      <?php
        $dest_list = mysqli_query($conn, "SELECT id, name, avg_cost_per_day, category FROM destinations
WHERE is_active=1 GROUP BY id ORDER BY name");
        while ($dl = mysqli_fetch_assoc($dest_list)):
          ?>
          <option value="<?=$dl['avg_cost_per_day'] ?>" data-name="<?= htmlspecialchars($dl['name']) ?>" data-
cat="<?= htmlspecialchars($dl['category']) ?>"
            <?= htmlspecialchars($dl['name']) ?> (<?= htmlspecialchars($dl['category']) ?>) — ₹<?=
number_format($dl['avg_cost_per_day']) ?>/day
          </option>
        <?php endwhile; ?>
      </select>
    </div>
    <div class="form-group">
      <label>Your Total Budget (₹)</label>
      <input type="number" id="b-total" value="15000" step="500" oninput="splitBudget()">
    </div>
    <div class="form-group">
      <label>Number of Days</label>
      <input type="number" id="b-days" value="3" min="1" oninput="splitBudget()">
    </div>
    <div class="form-group">
      <label>Number of People</label>
      <input type="number" id="b-people" value="1" min="1" oninput="splitBudget()">
    </div>
    <div class="form-group">
      <label>Trip Type</label>
      <select id="b-type" onchange="splitBudget()">
        <option value="budget">Budget Travel 🛡️</option>
        <option value="mid" selected>Mid-Range 🏠</option>
        <option value="luxury">Luxury ✨</option>
      </select>
    </div>
  </div>
  <div id="afford-alert" style="display:none; padding:14px 18px; border-radius:10px; margin-bottom:16px;
font-size:14px; font-weight:500;"></div>
  <div id="budget-output" class="result-box show" style="display:none;">
    <h4>💡 Your Smart Budget Breakdown</h4>

```

```

<div id="dest-cost-info" style="background:rgba(26,60,94,0.07); border-radius:8px; paddaysg:12px 16px;
margin-bottom:16px; font-size:13px; color:var(--primary);"></div>
<div class="budget-breakdown" id="budget-cards"></div>
<div style="margin-top:20px; paddaysg:16px; background:white; border-radius:10px; max-width:380px;
margin-left:auto; margin-right:auto;">
  <canvas id="budget-chart" style="max-height:280px;"></canvas>
</div>
<p id="budget-tip" style="margin-top:14px; font-size:13px; color:var(--muted); font-style:italic;"></p>
<div style="margin-top:20px; display:flex; gap:12px; flex-wrap:wrap;">
  <button class="btn-primary" onclick="exportBudgetCSV()" style="font-size:13px; paddaysg:9px 20px;">
     Download Budget CSV
  </button>
</div>
</div>
</div>
</div>

```

```

<!-- ===== CARBON ===== -->

```

```

<div class="tool-panel <?= $active_tab==='carbon'?'active':' ?>" id="tab-carbon">
  <div class="tool-card">
    <h3>  Carbon Footprint Calculator</h3>
    <p class="sub">Understand your trip's environmental impact and discover greener travel options.</p>
    <div class="form-row">
      <div class="form-group">
        <label>Distance (km)</label>
        <input type="number" id="c-dist" value="1000" min="1" oninput="calcCarbon()">
      </div>
      <div class="form-group">
        <label>Travel Mode</label>
        <select id="c-mode" onchange="calcCarbon()">
          <option value="flight">  Flight</option>
          <option value="train" selected>  Train</option>
          <option value="bus">  Bus</option>
          <option value="car">  Car</option>
          <option value="bike">  Bike</option>
        </select>
      </div>
      <div class="form-group">
        <label>Passengers</label>
        <input type="number" id="c-pax" value="2" min="1" oninput="calcCarbon()">
      </div>
      <div class="form-group">
        <label>Return Trip?</label>

```



```

<select id="c-return" onchange="calcCarbon()">
  <option value="1">Yes (Round Trip)</option>
  <option value="0">No (One Way)</option>
</select>
</div>
</div>
<div class="result-box show" id="carbon-output" style="display:none;">
  <h4>🌍 Carbon Impact Report</h4>
  <div class="carbon-display">
    <div class="carbon-circle" id="c-circle">
      <div class="carbon-num">
        <strong id="c-kg">0</strong>
        <small>kg CO2</small>
      </div>
    </div>
    <div class="carbon-tips" id="c-tips"></div>
  </div>
  <div id="c-comparison" style="margin-top:16px; font-size:14px; color:var(--muted);"></div>
</div>
</div>

```

```

<!-- ===== MOOD ===== -->
<div class="tool-panel <?= $active_tab=== 'mood'? 'active':' ?>" id="tab-mood">
  <div class="tool-card">
    <h3>😊 Mood-Based Destination Finder</h3>
    <p class="sub">Not sure where to go? Tell us how you feel and we'll find the perfect match.</p>
    <div class="mood-grid" style="margin-top:24px; max-width:700px;">
      <div class="mood-card" onclick="findMood('Adventure',this)" style="background:rgba(26,60,94,0.1);
border-color:#e0e0e0;">
        <div class="mood-emoji">🏔️</div><h4 style="color:var(--text)">Adventure</h4><p style="color:var(--
muted)">Thrill seeker</p>
      </div>
      <div class="mood-card" onclick="findMood('Relaxation',this)" style="background:rgba(26,60,94,0.1);
border-color:#e0e0e0;">
        <div class="mood-emoji">🌊</div><h4 style="color:var(--text)">Relaxation</h4><p style="color:var(--
muted)">Rest & recharge</p>
      </div>
      <div class="mood-card" onclick="findMood('Romantic',this)" style="background:rgba(26,60,94,0.1); border
color:#e0e0e0;">
        <div class="mood-emoji">💕</div><h4 style="color:var(--text)">Romantic</h4><p style="color:var(--
muted)">Love & escape</p>
      </div>

```

```

<div class="mood-card" onclick="findMood('Family',this)" style="background:rgba(26,60,94,0.1); border-
color:#e0e0e0;">
  <div class="mood-emoji">👨👩👧👦 </div><h4 style="color:var(--text)">Family</h4><p style="color:var(--
muted)">Fun for all</p>
</div>
<div class="mood-card" onclick="findMood('Budget',this)" style="background:rgba(26,60,94,0.1); border-
color:#e0e0e0;">
  <div class="mood-emoji">💰 </div><h4 style="color:var(--text)">Budget</h4><p style="color:var(--
muted)">More for less</p>
</div>
<div class="mood-card" onclick="findMood('Spiritual',this)" style="background:rgba(26,60,94,0.1); border-
color:#e0e0e0;">
  <div class="mood-emoji">🏠 </div><h4 style="color:var(--text)">Spiritual</h4><p style="color:var(--
muted)">Peace & soul</p>
</div>
</div>
<div class="result-box" id="mood-tool-result" style="margin-top:24px;">
  <h4 id="mood-tool-title"></h4>
  <div class="destinations-grid" id="mood-tool-grid"></div>
</div>
</div>
</section>
<?php include 'includes/footer.php'; ?>
<script src="https://cdn.jsdelivr.net/npm/chart.js"></script>
<script>
// Tab switcher
function switchTab(id, btn) {
  document.querySelectorAll('.tool-panel').forEach(p => p.classList.remove('active'));
  document.querySelectorAll('.tool-tab').forEach(b => b.classList.remove('active'));
  document.getElementById('tab-' + id).classList.add('active');
  btn.classList.add('active');
}
// AI ITINERARY
async function generateItinerary(btn) {
  const dest = document.getElementById('it-dest').value.trim();
  if (!dest) { alert('Please enter a destination!'); return; }
  btn.innerHTML = '<span class="loadaysg-spinner"></span> Generating...';
  btn.disabled = true;
  const fd = new FormData();
  fd.append('destination', dest);
  fd.append('days', document.getElementById('it-days').value);
  fd.append('budget', document.getElementById('it-budget').value);

```

```

fd.append('travelers', document.getElementById('it-travelers').value);
fd.append('interests', document.getElementById('it-interests').value);

try {
  const res = await fetch('api/itinerary.php', { method: 'POST', body: fd });
  const data = await res.json();
  const box = document.getElementById('it-result');
  document.getElementById('it-text').textContent = data.itinerary || data.error || 'Error generating itinerary.';
  box.classList.add('show');
  box.scrollIntoView({ behavior: 'smooth' });
} catch(e) {
  alert('Error: ' + e.message);
}

btn.innerHTML = ' ✨ Generate My Itinerary';
btn.disabled = false;
}

// WEATHER
async function getWeather(btn) {
  const city = document.getElementById('w-city').value.trim();
  if (!city) { alert('Please enter a city!'); return; }
  btn.innerHTML = '<span class="loadaysg-spinner"></span> Checking...';
  btn.disabled = true;

  try {
    const res = await fetch('api/weather.php?city=' + encodeURIComponent(city));
    const d = await res.json();
    const icons = {
      '01d': '☀️', '01n': '🌙', '02d': '☁️', '02n': '🌑', '03d': '☁️', '04d': '☁️', '09d': '🌧️', '10d': '🌧️', '11d': '🌧️', '13d': '❄️', '50d': '🌫️';
    };
    const icon = icons[d.icon] || '🌡️';

    document.getElementById('w-card').innerHTML = `
      <div class="weather-icon">${icon}</div>
      <div>
        <div style="font-size:13px; opacity:0.7; margin-bottom:4px">${d.name || city}</div>
        <div class="weather-temp">${d.temp}°C</div>
        <div class="weather-desc">${d.desc}</div>
        <div class="weather-extras">
          <div class="weather-extra">Feels Like<span>${d.feels}°C</span></div>
          <div class="weather-extra">Humidity<span>${d.humidity}%</span></div>
          <div class="weather-extra">Wind<span>${d.wind} km/h</span></div>
        </div>
    `;
  }
}

```

```

</div>
`;
document.getElementById('w-advice').innerHTML = `<h4>📅 Best Time to Visit</h4>
<p>${d.best_months} || 'October to March is generally the best season for most Indian destinations.'</p>
${d.demo ? '<p style="color:var(--accent);margin-top:8px;font-size:13px;">⚠️ Demo mode — add
OpenWeatherMap API key for live data.</p>' : ''}`;
document.getElementById('weather-result').style.display = 'block';
} catch(e) { alert('Error fetching weather. '); }
btn.innerHTML = '🔍 Check Weather';
btn.disabled = false;
}

// BUDGET SPLITTER
let budgetChart = null;
const splits = {
  budget: { hotel:30, food:25, transport:25, activities:10, misc:10 },
  mid: { hotel:40, food:20, transport:20, activities:15, misc:5 },
  luxury: { hotel:50, food:15, transport:15, activities:18, misc:2 }
};
const budgetIcons = { hotel:'🏠', food:'🍴', transport:'🚗', activities:'🎮', misc:'🛒' };
const budgetColors = { hotel:'#1a3c5e', food:'#e8a045', transport:'#2ec4b6', activities:'#7c3aed', misc:'#e45858' };

function splitBudget() {
  const total = parseFloat(document.getElementById('b-total').value) || 15000;
  const days = parseInt(document.getElementById('b-days').value) || 3;
  const people = parseInt(document.getElementById('b-people').value) || 1;
  const type = document.getElementById('b-type').value;
  const s = splits[type];

  // Destination ke hisaab se real cost check
  const destSel = document.getElementById('b-dest');
  const destCostPerDay = parseFloat(destSel.value) || 0;
  const destName = destSel.value ? destSel.options[destSel.selectedIndex].dataset.name : null;
  const alertBox = document.getElementById('afford-alert');
  const infoBox = document.getElementById('dest-cost-info');

  if (destCostPerDay > 0 && destName) {
    const required = destCostPerDay * days * people;
    const shortage = required - total;

    if (shortage > 0) {
      // Budget is insufficient

```

```

alertBox.style.display = 'block';
alertBox.style.background = '#fff3cd';
alertBox.style.border = '1.5px solid #ffc107';
alertBox.style.color = '#856404';
alertBox.innerHTML = ` ⚠️ <strong>${destName}</strong> requires ₹${required.toLocaleString()} (${days}
days × ₹${destCostPerDay.toLocaleString()}/day × ${people} people).<br>
Your budget is <strong>₹${shortage.toLocaleString()} short</strong>. See budget-friendly suggestions
below 📌<br><br>
<strong>💡 What you can do:</strong>
<ul style="margin:8px 0 0 18px; line-height:1.8;">
  <li>Reduce days — you can afford <strong>${Math.floor(total / (destCostPerDay * people))}
days</strong></li>
  <li>Select Budget Travel type — reduces cost by ~30%</li>
  <li>Scroll down — see affordable alternatives</li>
</ul>`;

// Suggest affordable destinations
fetch('api/mood.php?mood=Budget')
  .then(r => r.json())
  .then(data => {
    const affordable = data.filter(d => (d.avg_cost_per_day * days * people) <= total);
    if (affordable.length > 0) {
      alertBox.innerHTML += `<br><strong>✅ With ₹${total.toLocaleString()} you can afford these
destinations:</strong><br>` +
        affordable.map(d => `&nbsp;&nbsp;&nbsp;• <a href="destination.php?id=${d.id}" style="color:#1a3c5e;font-
weight:600">${d.name}</a> — ₹${(d.avg_cost_per_day * days * people).toLocaleString()} total
(₹${parseInt(d.avg_cost_per_day).toLocaleString()}/day)`).join('<br>');
    }
  });
} else {
  // Budget is sufficient
  alertBox.style.display = 'block';
  alertBox.style.background = '#d4edda';
  alertBox.style.border = '1.5px solid #28a745';
  alertBox.style.color = '#155724';
  alertBox.innerHTML = ` ✅ <strong>Great!</strong> ${destName} needs ₹${required.toLocaleString()} — you
still have <strong>₹${(total-required).toLocaleString()} extra</strong> to spare! 🎉`;
}

infoBox.innerHTML = ` 📍 <strong>${destName}</strong> — Avg cost:
<strong>₹${destCostPerDay.toLocaleString()}/person/day</strong> &nbsp;|&nbsp; &nbsp;${days} days total:
<strong>₹${(destCostPerDay * days * people).toLocaleString()}</strong> (${people} people);
} else {

```

```

    alertBox.style.display = 'none';
    infoBox.innerHTML = '👉 Select a destination to see real cost analysis';
  }
  const cats = Object.entries(s).map(([k, pct]) => ({
    key: k, label: k.charAt(0).toUpperCase() + k.slice(1),
    amount: Math.round(total * pct / 100),
    perPerson: Math.round((total / people) * pct / 100),
    pct
  }));
  document.getElementById('budget-cards').innerHTML = cats.map(c => `
    <div class="budget-item">
      <div class="icon">${budgetIcons[c.key]}</div>
      <div class="budget-bar" style="background:${budgetColors[c.key]}; width:${c.pct}%;"></div>
      <div class="amount">₹${c.amount.toLocaleString()}
        ${people > 1 ? `<small style="color:#888;font-size:11px;display:block;">₹${c.perPerson.toLocaleString()}/person</small>` : ''}
      </div>
      <div class="label">${c.label} (${c.pct}%)</div>
    </div>
  `).join("");
  document.getElementById('budget-tip').textContent =
    `💡 ₹${Math.round(total/days).toLocaleString()} per day · ₹${Math.round(total/people).toLocaleString()} per person total`;

  if (budgetChart) budgetChart.destroy();
  budgetChart = new Chart(document.getElementById('budget-chart'), {
    type: 'doughnut',
    data: {
      labels: cats.map(c => c.label),
      datasets: [{ data: cats.map(c => c.amount), backgroundColor: Object.values(budgetColors), borderWidth: 2 }]
    },
    options: { responsive: true, maintainAspectRatio: true, plugins: { legend: { position: 'right' } } }
  });

  document.getElementById('budget-output').style.display = 'block';
}

function exportBudgetCSV() {
  const total = parseFloat(document.getElementById('b-total').value) || 15000;
  const days = parseInt(document.getElementById('b-days').value) || 3;
  const people = parseInt(document.getElementById('b-people').value) || 1;
  const type = document.getElementById('b-type').value;
  const sp = splits[type];

```

```

const cats = Object.keys(sp).map(k => ({
  key: k, label: k.charAt(0).toUpperCase()+k.slice(1),
  pct: sp[k], amount: Math.round(total * sp[k] / 100)
}));
let csv = "Category,Percentage,Total Amount (Rs.),Per Day (Rs.),Per Person (Rs.)\n";
cats.forEach(c => {
  csv += `${c.label},${c.pct}%,${c.amount},${Math.round(c.amount/days)},${Math.round(c.amount/people)}\n`;
});
csv += `\nTotal,100%,${total},${Math.round(total/days)},${Math.round(total/people)}\n`;
csv += `Trip Type,${type}\nDays,${days}\nPeople,${people}\n`;
const blob = new Blob([csv], { type: 'text/csv' });
const a = document.createElement('a');
a.href = URL.createObjectURL(blob);
a.download = 'wanderlust_budget.csv';
a.click();
}
splitBudget();
// CARBON CALCULATOR
const carbonFactors = { flight:0.255, train:0.041, bus:0.089, car:0.171, bike:0.103 };
const carbonTips = {
  flight: ['Consider taking a train for distances under 600km', 'Book direct flights — layovers increase emissions',
'Choose economy class over business class'],
  train: ['Great choice! Trains emit 6x less CO2 than flights', 'AC trains use more energy than non-AC', 'Off-peak
trains are often greener'],
  bus: ['Buses are one of the greenest travel options', 'State buses are greener than private AC coaches',
'Carpool if driving to the bus station'],
  car: ['Share the ride to reduce per-person emissions', 'Drive at 60-80 km/h for best fuel efficiency', 'Consider
renting an EV or hybrid'],
  bike: ['Bikes are very efficient for short-medium trips', 'Maintain your bike for better mileage', 'Respect
emission norms']
};
function calcCarbon() {
  const dist = parseFloat(document.getElementById('c-dist').value) || 0;
  const mode = document.getElementById('c-mode').value;
  const pax = parseInt(document.getElementById('c-pax').value) || 1;
  const ret = parseInt(document.getElementById('c-return').value);
  const factor = carbonFactors[mode];
  const total = dist * factor * (ret === 1 ? 2 : 1);
  const perPax = (total / pax).toFixed(1);
  document.getElementById('c-kg').textContent = perPax;
  const pct = Math.min(100, (perPax / 500) * 100);
  document.getElementById('c-circle').style.setProperty('--pct', pct + '%');
const tips = carbonTips[mode] || [];
document.getElementById('c-tips').innerHTML =

```

```

'<h4 style="color:var(--primary);margin-bottom:10px">🌱 Eco Tips</h4>' +
tips.map(t => `<div class="carbon-tip">${t}</div>`).join("");
const trees = (perPax / 21).toFixed(1);
document.getElementById('c-comparison').innerHTML =
`🌳 Equivalent to <strong>${trees} trees</strong> absorbing CO2 for one year &nbsp;|&nbsp;
Total for group: <strong>${total.toFixed(1)} kg CO2</strong>`;
document.getElementById('carbon-output').style.display = 'block';
}
calcCarbon();
// MOOD FINDER (in tools page)
async function findMood(mood, el) {
document.querySelectorAll('#tab-mood .mood-card').forEach(c => {
c.style.background = 'rgba(26,60,94,0.1)';
c.style.borderColor = '#e0e0e0';
c.querySelector('h4').style.color = 'var(--text)';
});
el.style.background = 'var(--accent)';
el.style.borderColor = 'var(--accent)';
el.querySelector('h4').style.color = 'white';
const res = await fetch('api/mood.php?mood=' + encodeURIComponent(mood));
const data = await res.json();
document.getElementById('mood-tool-title').textContent = `📖 ${mood} Destinations`;
document.getElementById('mood-tool-grid').innerHTML = data.map(d => `
<div class="dest-card" onclick="window.location='destination.php?id=${d.id}'" style="cursor:pointer;">
<div class="dest-card-img-wrap">

<span class="dest-card-badge">${d.category}</span>
</div>
<div class="dest-card-body">
<h3>${d.name}</h3>
<p>${d.description.substring(0,80)}...</p>
<div class="dest-card-footer">
<div class="dest-price">₹${parseFloat(d.avg_cost_per_day).toLocaleString()} <span>/day</span></div>
<span style="color:var(--accent);font-weight:600;font-size:13px">Explore →</span>
</div>
</div>
</div>
`);
document.getElementById('mood-tool-result').classList.add('show');
}
</script>

```

Login.php:-
<?php


```

$page_title = "Login - WanderLust";
session_start();
include 'db_connect.php';
if (isLoggedIn()) redirect('dashboard.php');
$error = "";
if (isset($_POST['submit'])) {
    $login = trim(mysqli_real_escape_string($conn, $_POST['login']));
    $pass = $_POST['password'];
    $sql = "SELECT * FROM users WHERE email='$login' OR username='$login'";
    $res = mysqli_query($conn, $sql);
    if (mysqli_num_rows($res) > 0) {
        $user = mysqli_fetch_assoc($res);
        if (password_verify($pass, $user['password'])) {
            $_SESSION['user_id'] = $user['id'];
            $_SESSION['user'] = $user['username'];
            $_SESSION['user_name'] = $user['name'] ?? $user['username'];
            $_SESSION['role'] = $user['role'];
            redirect($user['role'] === 'admin' ? 'admin/dashboard.php' : 'dashboard.php');
        } else { $error = 'Wrong password. Try again.'; }
    } else { $error = 'Account not found. Please sign up first.'; }
}
include 'includes/header.php';
?>
<div class="auth-page">
    <div class="auth-card">
        <h2>Welcome Back 🌟</h2>
        <p class="sub">Login to plan your next adventure</p>
        <?php if ($error): ?><div class="alert alert-error"><?=$error ?></div><?php endif; ?>
        <form method="POST">
            <div class="form-group">
                <label>Email or Username</label>
                <input type="text" name="login" placeholder="you@email.com" required>
            </div>
            <div class="form-group">
                <label>Password</label>
                <input type="password" name="password" placeholder="Your password" required>
            </div>
            <button class="auth-submit" name="submit">Login</button>
        </form>
        <p class="auth-link">Don't have an account? <a href="signup.php">Sign Up Free</a></p>
    </div>
</div>
<?php include 'includes/footer.php'; ?>

```

CHAPTER-6

Conclusion & Suggestions

Conclusion:-

The WanderLust Tours & Travels System successfully provides a centralized and efficient platform for travel planning and tourism management. The project simplifies destination browsing, booking management, and enquiry handling through an easy-to-use web interface.

The system improves operational efficiency, reduces manual work, and enhances customer experience through responsive design and automated functionality.

The project demonstrates practical implementation of full-stack web development using PHP and MySQL.

Suggestion:-

- Improve system security and data protection.
- Add responsive mobile-friendly design.
- Integrate online payment gateway.
- Add advanced search and filter options.
- Improve admin dashboard with analytics.
- Implement AI-based destination recommendations.
- Add email and SMS notifications.

CHAPTER-7

Future Enhancement

1. Mobile Application Development

A mobile application can be developed to provide users with easy access to tour planning and booking services from smartphones.

2. Online Payment Gateway Integration

Secure online payment options can be added to allow users to make tour bookings and payments digitally.

3. AI-Based Destination Recommendation

Artificial Intelligence can be used to suggest destinations based on user interests, budget, and travel history.

4. Multi-Language Support

The system can support multiple languages to make the platform accessible for users from different regions.

5. Chatbot Support System

An AI chatbot can be integrated to provide instant customer support and answer travel-related queries automatically.

CHAPTER-8

Bibliography

The following online sources were used for reference and learning during the development of the WanderLust Tours & Travels System project:

- <https://www.geeksforgeeks.org>

Used for understanding PHP, MySQL, JavaScript concepts, and backend logic implementation.

- <https://www.w3schools.com>

Used for learning and implementing HTML, CSS, Bootstrap, and JavaScript for frontend design.

- <https://www.php.net>

Used for official PHP documentation, session handling, form validation, and server-side scripting reference.

- <https://developer.mozilla.org>

Used for JavaScript, HTML, and CSS references along with responsive web development concepts.

- <https://dev.mysql.com>

Used for MySQL database design, SQL queries, normalization, and database management concepts.

- <https://stackoverflow.com>

Used for solving coding errors, debugging issues, and understanding practical programming solutions.

- <https://getbootstrap.com>

Used for responsive UI design, components, and frontend styling implementation.

- <https://www.youtube.com>

Used for video tutorials and practical guidance related to full-stack web development and tourism management system features.