Unique ID:	Date:
ii. Suspicious morphology Milk of o	alcium Suture Amorphous
Coarse heterogenous Fine ple	omorphic Fine linear or linear branching
iii. Distribution: Diffuse Regiona	Grouped Linear Segmental
g. Architectural distortion: Right	Left Both Not present
h. Asymmetry: Global	Focal Developing Not present
i. Intra-mammary LN:	Left
	ght Left
	ght Left
I. Associated features	
i. Skin retraction Ri	ght Left
ii. Nipple retraction Ri	ght Left
iii. Skin thickening Ri	ght Left
iv. Trabecular thickening Ri	ght Left
v. Axillary lymphadenopathy 🔲 Ri	ght Left
vi. Architectural distortion Ri	ght Left
vii. Calcification Ri	ght Left
m. 2 nd lesion/contralateral breast:	
n. Distance from skin:	>0.5 cm
o. Distance from Pectoralis Major:	
p. BI-RADS: 0 I II	
87. 3-D Digital Tomosynthesis: Done	Not done Date: Number:
a. Location of lesion: Right	Left Both
	LIQ CQ Position: o clock
b. Size:	>5cm
c. Distance from skin: <0.5 cm	>0.5 cm
d. Distance from Pectoralis Major:	.cm
e. Diagnosis: Normal Benign	Suspicious Diagnostic for cancer
ode in partie, and de seant en le Brosselle en	
88. ABVS: Done	Not done Date: Number:
a. Location of lesion: Right	Left Both
UOQ UIQ	LIQ LOQ CQ Position: o clock
b. Size:	>5cm
c. Distance from skin: <0.5 cm	>0.5 cm
d. Distance from Pectoralis Major:	.cm
e. Diagnosis: Normal Benign	Suspicious Diagnostic for cancer
	Suspicious Diagnostic for cancer Grads "PCCM_V18" BREAST HE ALTH
doxper.com Instant digitized prescriptions using just pen and paper	6 "PCCM_V18" BREAST HE ALTH