que ID:			Date:
ii. Suspicious morphology	Milk of calcium	Suture	Amorphous
Coarse heterogenous	Fine pleomorphic	Fine linear or li	near branching
iii. Distribution: Diffuse	Regional	Grouped	Linear Segmental
g. Architectural distortion:	Right Left	Both	Not present
h. Asymmetry:	Global Focal	Developing	☐ Not present
i. Intra-mammary LN:	☐ Right ☐ Left		
j. Skin lesion	Right	Left	
k. Solitary dilated duct	Right	Left	
I. Associated features			
i. Skin retraction	☐ Right ☐	Left	
ii. Nipple retraction	Right	Left	
iii. Skin thickening	Right	Left	
iv. Trabecular thickenin	g Right	Left	
v. Axillary lymphadenop	pathy Right	Left	
vi. Architectural distortion	n Right	Left	
vii. Calcification	Right	Left	
m. 2 <sup>nd</sup> lesion/contralateral breas	it:		
n. Distance from skin:	<0.5 cm	cm	
o. Distance from Pectoralis Maj	or: cm		
p. BI-RADS: 0			
87. 3-D Digital Tomosynthesis:	Done Not d	one Date:	Number:
a. Location of lesion:	Right Left	Both	
	UIQ LIQ		CQ Position: o clock
b. Size:	] 2-5 cm		
c. Distance from skin:	] <0.5 cm	om	
d. Distance from Pectoralis Maj	or:cm		
e. Diagnosis: Normal	Benign Susp	cious [	Diagnostic for cancer
88. <b>ABVS:</b>	Done Not d	one Date:	Number:
a. Location of lesion:	Right Left	Both	
	] UIQ 🔲 LIQ		CQ Position: o clock
b. Size:	] 2-5 cm		
c. Distance from skin:	] <0.5 cm	m	
d. Distance from Pectoralis Maj	or:cm		
e. Diagnosis: Normal	Benign Susp	cious [	Diagnostic for cancer
——————————————————————————————————————			