

OPEN COMMAND PROMPT-

node -v

npm -v

(install node.js if not already installed)

ng version

npm install -g @angular/cli **(run ONLY if angular not installed then check again ng version)**

git --version (CHECK THIS and download if not present)

mongosh

(check MongoDB)

If not installed:

Download MongoDB Community Server:

[MongoDB Download](#)

Download MongoDB Shell:

[MongoDB Shell Download](#)

cd Desktop

ng new folder-name (eg: **ng new auth-project**)

Choose:

- Routing → Yes
- Stylesheet → CSS
- **SSR/SSG → No !!!**

cd auth-project

ng serve

open browser- <http://localhost:4200>

****Then back to command prompt-> stop server (ctrl+C)****

//generate components in the project folder

ng g c register (instead of g c can also write generate component)

ng g c login

ng g c profile

//start server again

ng serve

IN VS CODE-

src/app/app.routes.ts

```
import { Routes } from '@angular/router';

import { Register } from './register/register';
import { Login } from './login/login';
import { Profile } from './profile/profile';

export const routes: Routes = [
  { path: 'register', component: Register },
  { path: 'login', component: Login },
  { path: 'profile', component: Profile },
  { path: '', redirectTo: 'login', pathMatch: 'full' }
];
```

src/app/app.html

```
<h1>User Authentication App</h1>

<nav>
  <a routerLink="/register">Register</a> |
  <a routerLink="/login">Login</a> |
  <a routerLink="/profile">Profile</a>
</nav>

<hr>
<router-outlet></router-outlet>
```

src/app/app.ts

```
import { Component } from '@angular/core';
import { RouterLink, RouterOutlet } from '@angular/router';

@Component({
  selector: 'app-root',
  imports: [RouterLink, RouterOutlet],
  templateUrl: './app.html',
  styleUrls: ['./app.css']
})
export class App {
}
```

src/app/register/register.ts

```
import { Component } from '@angular/core';
import { FormsModule } from '@angular/forms';
import { Router } from '@angular/router';

@Component({
  selector: 'app-register',
  imports: [FormsModule],
  templateUrl: './register.html',
  styleUrls: ['./register.css']
})
export class Register {

  name = "";
  email = "";
  password = "";

  constructor(private router: Router) {}

  registerUser() {

    const user = {
      name: this.name,
      email: this.email,
      password: this.password
    };

    localStorage.setItem('user', JSON.stringify(user));

    alert('Registration Successful');

    this.router.navigate(['/login']);
  }
}
```

src/app/register/register.html

```
<h2>Register User</h2>

<form (ngSubmit)="registerUser()">
```

```
<label>Name:</label><br>
<input type="text" [(ngModel)]="name" name="name"><br><br>

<label>Email:</label><br>
<input type="email" [(ngModel)]="email" name="email"><br><br>

<label>Password:</label><br>
<input type="password" [(ngModel)]="password" name="password"><br><br>

<button type="submit">Register</button>

</form>
```

src/app/login/login.ts

```
import { Component } from '@angular/core';
import { FormsModule } from '@angular/forms';
import { Router } from '@angular/router';

@Component({
  selector: 'app-login',
  imports: [FormsModule],
  templateUrl: './login.html',
  styleUrls: ['./login.css']
})
export class Login {

  email = "";
  password = "";

  constructor(private router: Router) {}

  loginUser() {

    const storedUser = JSON.parse(localStorage.getItem('user') || '{}');

    if (
      this.email === storedUser.email &&
      this.password === storedUser.password
    ) {
```

```

    alert('Login Successful');

    this.router.navigate(['/profile']);

  } else {

    alert('Invalid Email or Password');
  }
}
}

```

src/app/login/login.html

```

<h2>Login User</h2>

<form (ngSubmit)="loginUser()">

  <label>Email:</label><br>
  <input type="email" [(ngModel)]="email" name="email"><br><br>

  <label>Password:</label><br>
  <input type="password" [(ngModel)]="password" name="password"><br><br>

  <button type="submit">Login</button>

</form>

```

src/app/profile/profile.ts

```

import { Component, OnInit } from '@angular/core';

@Component({
  selector: 'app-profile',
  imports: [],
  templateUrl: './profile.html',
  styleUrls: ['./profile.css']
})
export class Profile implements OnInit {

  user: any = {};

```

```
ngOnInit(): void {  
  
    const storedUser = localStorage.getItem('user');  
  
    if (storedUser) {  
        this.user = JSON.parse(storedUser);  
    }  
}  
}
```

src/app/profile/profile.html

```
<div class="profile-card">  
  
    <h2>User Profile</h2>  
  
    <p><strong>Name:</strong> {{ user.name }}</p>  
  
    <p><strong>Email:</strong> {{ user.email }}</p>  
  
</div>
```

src/styles.css

```
* {  
    margin: 0;  
    padding: 0;  
    box-sizing: border-box;  
}  
  
body {  
    font-family: 'Segoe UI', sans-serif;  
    min-height: 100vh;  
    background: linear-gradient(135deg, #f7a8b8, #6c8ff8);  
    display: flex;  
    justify-content: center;  
    align-items: center;  
    overflow-x: hidden;  
}  
  
app-root {
```

```
width: 100%;  
}
```

```
/* MAIN TITLE */
```

```
h1 {  
  text-align: center;  
  color: white;  
  margin-bottom: 22px;  
  font-size: 52px;  
  font-weight: bold;  
  text-transform: uppercase;  
  letter-spacing: 3px;  
  text-shadow: 0 4px 10px rgba(0,0,0,0.2);  
}
```

```
/* NAVIGATION BAR */
```

```
nav {  
  width: fit-content;  
  margin: 0 auto 28px auto;  
  padding: 16px 34px;  
  border-radius: 20px;  
  background: rgba(255,255,255,0.15);  
  backdrop-filter: blur(15px);  
  border: 1px solid rgba(255,255,255,0.3);  
  box-shadow: 0 8px 30px rgba(0,0,0,0.15);  
}
```

```
nav a {  
  text-decoration: none;  
  color: white;  
  margin: 0 18px;  
  font-size: 18px;  
  font-weight: 600;  
  padding: 10px 18px;  
  border-radius: 12px;  
  transition: 0.3s;  
}
```

```
nav a:hover {
```

```
background: rgba(255,255,255,0.2);
color: white;
}

/* FORM + PROFILE CARD */

form,
.profile-card {
width: 560px;
margin: auto;
padding: 30px 45px;
border-radius: 28px;
background: rgba(255,255,255,0.18);
backdrop-filter: blur(15px);
border: 1px solid rgba(255,255,255,0.25);
box-shadow: 0 10px 35px rgba(0,0,0,0.18);
}

/* PAGE HEADINGS */

h2 {
text-align: center;
color: white;
font-size: 34px;
margin-bottom: 22px;
font-weight: bold;
}

/* LABELS */

label {
color: white;
font-size: 17px;
font-weight: 600;
}

/* INPUTS */

input {
width: 100%;
padding: 14px;
```



```
margin-top: 8px;
margin-bottom: 18px;
border: none;
border-radius: 14px;
background: rgba(255,255,255,0.25);
color: white;
font-size: 16px;
transition: 0.3s;
}
```

```
input::placeholder {
  color: #f1f5f9;
}
```

```
input:focus {
  outline: none;
  border: 2px solid rgba(255,255,255,0.8);
  background: rgba(255,255,255,0.3);
}
```

```
/* BUTTON */
```

```
button {
  width: 100%;
  padding: 15px;
  border: none;
  border-radius: 15px;
  background: linear-gradient(to right, #ff7eb3, #5b86ff);
  color: white;
  font-size: 18px;
  font-weight: bold;
  cursor: pointer;
  transition: 0.3s;
  margin-top: 5px;
  box-shadow: 0 4px 15px rgba(0,0,0,0.2);
}
```

```
button:hover {
  transform: translateY(-2px);
  opacity: 0.95;
}
```

```
/* PROFILE DETAILS */
```

```
p{  
  color: white;  
  font-size: 20px;  
  margin: 18px 0;  
}
```

```
strong{  
  color: #ffffff;  
}
```

```
/* REMOVE LINE */
```

```
hr{  
  display: none;  
}
```

****Save all files then go to terminal again****

ng serve

//open browser- <http://localhost:4200>

Google Cloud Deployment: