

Practical 5

App.html

```
<!-- register.component.html -->
```

```
<h1>{{title}}</h1>
```

```
<input type="text" #name placeholder="Enter Your Name >> " name="name"><br>
```

```
<input type="text" #address placeholder="Enter Your Address >> " name="address"><br>
```

```
<input type="text" #mobile placeholder="Enter Your Mobile No. >> " name="mobile"><br>
```

```
<input type="email" #email placeholder="Enter Your E-Mail >> " name="email"><br>
```

```
<input type="password" #password placeholder="Enter Your Password >> " name="password"><br>
```

```
<button (click)="getValue(name.value, address.value, mobile.value, email.value)">
```

Register

```
</button>
```

```
<h1>Your Registered Data</h1>
```

```
<h2>Your Name : {{displayName}}</h2><br>
```

```
<h2>Your Address : {{displayAddress}}</h2><br>
```

```
<h2>Your Mobile No : {{displayMobile}}</h2><br>
```

```
<h2>Your E-Mail : {{displayEmail}}</h2><br>
```

App.css

```
input {  
  width: 400px;  
  height: 25px;  
  margin: 10px;  
  padding: 5px;  
}
```

App.ts

```
import { Component } from '@angular/core';  
import { RouterOutlet } from '@angular/router';
```

```
@Component({  
  selector: 'app-root',  
  imports: [RouterOutlet],  
  templateUrl: './app.html',  
  styleUrls: ['./app.css']  
})  
export class App {  
  title = 'Registration Form';  
  displayName = "";  
  displayAddress = "";  
  displayMobile = "";  
  displayEmail = "";  
  
  getValue(name: string, address: string, mobile: string, email: string): void {  
    this.displayName = name;  
    this.displayAddress = address;  
    this.displayMobile = mobile;  
    this.displayEmail = email;  
  }  
}
```