

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <title>HTML TAGS</title>
```

```
</head>
```

```
<body>
```

```
  <h1>I am studying HTML language</h1>
```

```
  <h2>I am studying HTML language</h2>
```

```
  <h3>I am studying HTML language</h3>
```

```
  <h4>I am studying HTML language</h4>
```

```
  <h5>I am studying HTML language</h5>
```

```
  <h6>I am studying HTML language</h6>
```

```
  <hr>
```

<p>HTML (HyperText Markup Language) is the standard markup language for creating and structuring content on the World Wide Web. It uses a system of tags and attributes to define elements such as headings, paragraphs, links, images, and other multimedia, which web browsers then interpret and display as a visual webpage.</p><hr>

```
<h1>lorem with 10 words</h1>
```

```
<p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Veritatis, nesciunt!</p><hr>
```

<p>HTML (HyperText Markup Language) is the standard markup language for creating and structuring content on the <u>World Wide Web</u>
. It uses a system of tags and attributes to define elements such as <i>headings, paragraphs, links, images, and other multimedia</i>, which web browsers then interpret and display as a visual webpage.</p><hr>

```
<p>My name is xyz. I like to learn html language</p>
```

```
<pre>My name is xyz. I like to learn html language</pre><hr>
```

```
<h2>Preformatted ASCII art</h2>
```

```
<pre>
```

```
  .-.  /\
```

```
'-' /__\ (^._.^)~
```

</pre>

<hr>

<h2>Autoformat or Formatted quote</h2>

<blockquote>My name is xyz.
 I like to learn html language.
 I want to build different skills.</blockquote><hr>

<h2>lists tags</h2>

mango

orange

banana

apple

pineapple

mango

orange

banana

apple

pineapple

Makeup Step

moisture

primer

foundation

compact

fixer

```
</ol>
</ul>
<ol>
  <li>Makeup Product Name </li>
  <ul>
    <li>swiss beauty</li>
    <li>lakme</li>
    <li>Nykaa</li>
  </ul>
</ol>
<hr>
```

```
<h2>tables</h2>
```

```
<table>
  <tr>
    <th>Name</th>
    <th>Roll_no</th>
    <th>Class</th>
  </tr>
  <tr>
    <td>divya</td>
    <td>29</td>
    <td>SE</td>
  </tr>
  <tr>
    <td>prachi</td>
    <td>30</td>
    <td>FE</td>
  </tr>
  <tr>
    <td>mansi</td>
```

<td>44</td>

<td>BE</td>

</tr>

</table>

<hr>

<caption>

<details>

<summary>Students Details</summary>

<table>

<tr>

<th>Name</th>

<th>Roll_no</th>

<th>Class</th>

</tr>

<tr>

<td>divya</td>

<td>29</td>

<td>SE</td>

</tr>

<tr>

<td>prachi</td>

<td>30</td>

<td>FE</td>

</tr>

<tr>

<td>mansi</td>

<td>44</td>

<td>BE</td>

</tr>

</table>

```
</details>
</caption>
<hr>

<caption>
  <details>
    <summary>Students Details</summary>
    <table>
      <tr>
        <th>Name</th>
        <td>divya</td>
        <td>prachi</td>
        <td>mansi</td>
      </tr>
      <tr>
        <th>Roll_no</th>
        <td>29</td>
        <td>30</td>
        <td>44</td>
      </tr>
      <tr>
        <th>Class</th>
        <td>SE</td>
        <td>SE</td>
        <td>SE</td>
      </tr>
    </table>
  </details>
</caption>
<hr>
```

```
<h1 id="top">Learning About The Advanced Tags</h1><hr>
```

```
<h3>An Introduction to HTML Attributes</h3>
```

```
<p>HTML (HyperText Markup Language) is the standard markup language for creating and structuring content on the World Wide Web. It uses a system of tags and attributes to define elements such as headings, paragraphs, links, images, and other multimedia, which web browsers then interpret and display as a visual webpage.</p><hr>
```

```
<!--id attribute-->
```

```
<p id="Main_paragraph">HTML (HyperText Markup Language) is the standard markup language for creating and structuring content on the World Wide Web. It uses a system of tags and attributes to define elements such as headings, paragraphs, links, images, and other multimedia, which web browsers then interpret and display as a visual webpage.</p><hr>
```

```
<!--class attribute-->
```

```
<p class="body_paragraph">HTML serves as the foundational language of the web, providing a simple tag-based structure for organizing content like text, images, and links. </p>
```

```
<p class="body_paragraph">Modern HTML5 features include native support for multimedia via video and audio tags, alongside semantic elements that improve accessibility and SEO. </p>
```

```
<p class="body_paragraph">It also offers advanced capabilities like offline storage and the canvas element for rendering dynamic 2D and 3D graphics.</p>
```

```
<hr>
```

```
<!--style-->
```

```
<h1 style="background-color: black; color: white; text-align: center; border-radius: 10px; border-style: solid; ">An HTML language is very easy to learn, simple and understand properly.</h1><hr>
```

```
<!--table-->
```

```
<table border="2" style="width: 50%; border-radius: 10px;" cellpadding="5px" cellspacing="5px" >
```

```
<tr style="text-align:center; background-color: bisque;">
```

```
<th>Name</th>
```

```
<th>Roll_no</th>
```

```
<th>Class</th>
```

```
</tr>
```

```
<tr style="text-align: center; background-color: azure;" >
```

```
<td>divya</td>

<td>29</td>

<td>SE</td>

</tr>

<tr style="text-align: center; background-color: azure;">

  <td>prachi</td>

  <td>30</td>

  <td>FE</td>

</tr>

<tr style="text-align: center; background-color: azure;">

  <td>mansi</td>

  <td>44</td>

  <td>BE</td>

</tr>

</table>

<hr>
```

```
<!--Anchor tag-->
```

```
<h2>Linking to External Sites</h2>
```

```
<a href="https://www.google.com">google link</a>
```

```
<p>Google link in another tab by using target attribute--<a href="https://www.google.com"
target="_blank">google link</a></p>
```

```
<hr>
```

```
<h2>links in a list</h2>
```

```
<ul>
```

```
<li><a href="https://www.google.com">google</a></li>
```

```
<li><a href="https://www.yahoo.com">yahoo</a></li>
```

```
<li><a href="https://www.duckduckgo.com">duck duck go</a></li>
```

```
<li><a href="https://www.wikipedia.com">wikipedia</a></li>
```

```
</ul>
```

<hr>

<h2>links to go to the other webpages</h2>

<p>Go to page 1 page1</p>

<p>Go to page 2 page2</p>

<hr>

<!--links to move to differnt section of your page by using the id attributes and you need to reference element id with a # in our href-->

Go back to the top of this page

<!--Image tag-->

<h3>Here is the image of moon</h3>

<hr>

<h3>Resize the moon image</h3>

<hr>

<h3>resize the moon image by changing only width</h3>

<hr>

<h3>Here is the image that would be not load</h3>

<hr>

<h3>We can use image as a link</h3>

<hr>

<h3>We can add animated GIFs by using giphy</h3>

<hr>

<!--Interactive tags-->

<h3>Here are some buttons!</h3>

<button>Sign in</button>

<button>Click Here!</button>

<button>Register Here</button>

<button>Submit</button>

<hr>

<h3>Here are some input fields</h3>

<input type="text" placeholder="Enter Username">

<input type="email" placeholder="Enter Email">

<input type="date">

<input type="color">

<input type="time">

<hr>

<h3>Here are some Radio Buttons</h3>

<input type="radio" id="makeup" value="Makeup" name="fav_product">

<label for="makeup">This is Makeup product</label>

<input type="radio" id="pizaa" value="Pizza" name="fav_food">

<label for="pizza">I want pizza!</label>

<input type="radio" id="burger" value="burger" name="fav_food">

<label for="burger">I want burger!</label>

<hr>

<h3>Here are some select elements</h3>

<label id="teams">Your favourite cricket team:</label>

<select for="teams" name="fav_team">

<option value="RCB">RCB</option>

<option value="MI">MI</option>

<option value="GG">GG</option>

<option value="DC">DC</option>

<option value="UPW">UPW</option>

</select>

<hr>

<!--OR-->

<label id="teams">Your favourite cricket team:</label>

<select for="teams">

<option>RCB</option>

<option>MI</option>

<option>GG</option>

<option>DC</option>

<option>UPW</option>

</select>

<hr>

<h3>Here are some of the checkboxes</h3>

```
<input type="checkbox" id="color" value="red" name="fav_colour">
<label for="color">I like red color!</label>
<input type="checkbox" id="color" value="blue" name="fav_colour">
<label for="color">I like blue color!</label>
<input type="checkbox" id="color" value="black" name="fav_colour">
<label for="color">I like black color!</label>
<input type="checkbox" id="color" value="purple" name="fav_colour">
<label for="color">I like purple color!</label>
<hr>
```

```
<!--forms-->
```

```
<form>
  <label for="Username">NAME:</label>
  <input type="text" id="Username" placeholder="Enter Username"><br>
  <label for="Email">EMAIL:</label>
  <input type="email" id="Email" placeholder="Enter Email"><br>
  <label for="Gender">GENDER:</label>
  <select id="Gender">
    <option value="Male">Male</option>
    <option value="Female">Female</option>
    <option value="Other">Other</option>
  </select><br>
  <label for="DOB">DOB:</label>
  <input type="date" id="DOB"><br>
  <button type="submit">Submit</button>
  <button type="reset">Reset Form</button>
</form>
<hr>
```

```
<!--OR-->
```

```
<form action="page3.html" style="color: rgb(1, 38, 40);">
  <label for="Username">NAME:</label>
```

```
<input type="text" id="Username" placeholder="Enter Username" style="background-color:
rgb(0, 153, 155);" ><br>
<label for="Email">EMAIL:</label>
<input type="email" id="Email" placeholder="Enter Email" style="background-color: rgb(0, 153,
155);"><br>
<label for="Gender">GENDER:</label>
<select id="Gender" style="background-color: rgb(0, 153, 155);">
  <option value="Male">Male</option>
  <option value="Female">Female</option>
  <option value="Other">Other</option>
</select><br>
<label for="DOB">DOB:</label>
<input type="date" id="DOB" style="background-color: rgb(0, 153, 155);"><br>
<button type="submit" style="background-color: rgb(0, 153, 155);">Submit</button>
<button type="reset" style="background-color: rgb(0, 153, 155);">Reset Form</button>
</form>
<hr>
```

```
<h3>search google</h3>
<form action="https://www.google.com/search">
  <label for="search_item">Search</label>
  <input type="text" id="search_item" name="q" required>
  <button type="submit">search</button>
  <button type="reset">Clear</button>
</form>
<hr>
```

```
<header>
  <h2>Welcome to Header tag</h2>
```

<p>HTML (HyperText Markup Language) is the standard markup language for creating and structuring content on the World Wide Web. It uses a system of tags and attributes to define elements such as headings, paragraphs, links, images, and other multimedia, which web browsers then interpret and display as a visual webpage.</p>

```
<img src = "https://static.vecteezy.com/system/resources/thumbnails/050/393/628/small/cute-
curious-gray-and-white-kitten-in-a-long-shot-photo.jpg" alt="A good looking cat" width="100px">
```

```
<hr>
```

```
</header>
```

```
<main>
```

```
<h2>This is the main content</h2>
```

```
<p>HTML serves as the foundational language of the web, providing a simple tag-based
structure for organizing content like text, images, and links. </p>
```

```
<p>Modern HTML5 features include native support for multimedia via video and audio tags,
alongside semantic elements that improve accessibility and SEO. </p>
```

```
<p>It also offers advanced capabilities like offline storage and the canvas element for rendering
dynamic 2D and 3D graphics.</p>
```

```
<hr>
```

```
<!--Navigation tag-->
```

```
<nav>
```

```
<a href="">Home</a>
```

```
<a href="">page 1</a><br>
```

```
<a href="">page 2</a><br>
```

```
<a href="">page 3</a><br>
```

```
<hr>
```

```
</nav>
```

```
<article>
```

```
<h2>This is the main content</h2>
```

```
<p>HTML serves as the foundational language of the web, providing a simple tag-based
structure for organizing content like text, images, and links. </p>
```

```
<p>Modern HTML5 features include native support for multimedia via video and audio tags,
alongside semantic elements that improve accessibility and SEO. </p>
```

```
</article>
```

```
<article>
```

```
<p>It also offers advanced capabilities like offline storage and the canvas element for rendering
dynamic 2D and 3D graphics.</p>
```

</article>

<hr>

<section>

<h2>This is not article but it is section which stands alone</h2>

<p>HTML serves as the foundational language of the web, providing a simple tag-based structure for organizing content like text, images, and links. </p>

item

item

item

item

</section>

<hr>

</main>

<footer>

<p>This is the footer tag</p>

</footer>

</body>

</html>