# DISTRIBUTED COMPUTING AND ITS APPLICATION

7<sup>th</sup> Semester IT Session: 2016-2020

Unit 3
Cookies in Servlet

Md Ashif Habibi
(Assistant Professor)
Department of Computer Science
Dr APJ Abdul Kalam Women's Institute of Technology
Lalit Narayan Mithila University, Darbhanga, Bihar

#### **Cookies in Servlet**

A **cookie** is a small piece of information that is persisted between the multiple client requests.

A cookie has a name, a single value, and optional attributes such as a comment, path and domain qualifiers, a maximum age, and a version number.

#### How Cookie works

By default, each request is considered as a new request. In cookies technique, we add cookie with response from the servlet. So cookie is stored in the cache of the browser. After that if request is sent by the user, cookie is added with request by default. Thus, we recognize the user as the old user.

#### Types of Cookie

There are 2 types of cookies in servlets.

- 1. Non-persistent cookie
- 2. Persistent cookie

## Non-persistent cookie

It is **valid for single session** only. It is removed each time when user closes the browser.

#### Persistent cookie

It is **valid for multiple session**. It is not removed each time when user closes the browser. It is removed only if user logout or signout.

### Advantage of Cookies

- 1. Simplest technique of maintaining the state.
- 2. Cookies are maintained at client side.

## Disadvantage of Cookies

- 1. It will not work if cookie is disabled from the browser.
- 2. Only textual information can be set in Cookie object.

#### Cookie class

**javax.servlet.http.Cookie** class provides the functionality of using cookies. It provides a lot of useful methods for cookies.

## Constructor of Cookie class

Constructor	Description
Cookie()	constructs a cookie.
Cookie(String name, String value)	constructs a cookie with a specified name and value.

#### Useful Methods of Cookie class

There are given some commonly used methods of the Cookie class.

Method	Description
public void setMaxAge(int expiry)	Sets the maximum age of the cookie in seconds.
<pre>public String getName()</pre>	Returns the name of the cookie. The name cannot be changed after creation.
public String getValue()	Returns the value of the cookie.
public void setName(String name)	changes the name of the cookie.
public void setValue(String value)	changes the value of the cookie.

#### Other methods required for using Cookies

For adding cookie or getting the value from the cookie, we need some methods provided by other interfaces. They are:

- 1. **public void addCookie(Cookie ck):** method of HttpServletResponse interface is used to add cookie in response object.
- 2. **public Cookie**[] **getCookies**():method of HttpServletRequest interface is used to return all the cookies from the browser.

#### How to create Cookie?

Let's see the simple code to create cookie.

```
Cookie ck=new Cookie("user","sonoo jaiswal");//creating cookie object response.addCookie(ck);//adding cookie in the response
```

#### How to delete Cookie?

Let's see the simple code to delete cookie. It is mainly used to logout or signout the user.

```
Cookie ck=new Cookie("user","");//deleting value of cookie ck.setMaxAge(0);//changing the maximum age to 0 seconds response.addCookie(ck);//adding cookie in the response
```

### How to get Cookies?

Let's see the simple code to get all the cookies.

```
Cookie ck[]=request.getCookies();

for(int i=0;i<ck.length;i++){
  out.print("<br>"+ck[i].getName()+" "+ck[i].getValue());//printing name and value of cookie
}
```