

MAINCRAFTS TECHNOLOGY

Cybersecurity & Ethical Hacking Program

THREAT INTELLIGENCE REPORT

Task 1 — Awareness & Research Project

Cybersecurity Threats Landscape 2024–2025

Prepared by:

[Shawn Frankey Rodrigues]

Cybersecurity Analyst Intern

Date: 18 June 2026

www.maincrafts.com | hr@maincrafts.com

Table of Contents

- 1. Introduction to Cybersecurity -3**
- 2. Major Modern Cyber Threats (2024–2025) -4**
- 3. Impact Analysis -7**
- 4. Real-World Case Studies -9**
- 5. Preventive Measures -11**
- 6. Conclusion & Future Scope -13**
- 7. References -14**

1. Introduction to Cybersecurity

❖ What is Cybersecurity?

Cybersecurity is the practice of protecting systems, networks, programs, devices, and data from digital attacks, unauthorized access, damage, or theft. It encompasses a broad range of technologies, processes, and practices designed to safeguard information assets in an increasingly connected world.

The field spans multiple domains including network security, application security, information security, operational security, and disaster recovery. As organizations and individuals become more dependent on digital infrastructure, cybersecurity has evolved from a technical niche into a fundamental business necessity.



❖ Why is Cybersecurity Important?

For Individuals:

- Protection of personal and financial data from identity theft and fraud.
- Safeguarding of private communications and sensitive personal information.
- Prevention of financial losses due to scams, ransomware, and unauthorized transactions.
- Preservation of online reputation and prevention of social engineering attacks.



For Organizations:

- Preventing costly data breaches — the average cost of a breach in 2024 reached \$4.88 million (IBM Cost of a Data Breach Report 2024).
- Maintaining customer trust and brand reputation.
- Ensuring regulatory compliance (GDPR, HIPAA, PCI-DSS, ISO 27001).
- Avoiding operational downtime and business disruption caused by cyberattacks.
- Protecting intellectual property and trade secrets from corporate espionage.
-

❖ Current Relevance

The cybersecurity landscape in 2024–2025 is characterized by an unprecedented surge in both the volume and sophistication of threats:

- Global cybercrime is projected to cost \$10.5 trillion annually by 2025 (Cybersecurity Ventures).

- AI-driven threat automation has significantly lowered the barrier for cybercriminals to launch large-scale attacks.
- Geopolitical tensions have intensified state-sponsored cyberattacks targeting critical infrastructure.
- The rapid expansion of remote work and cloud adoption has dramatically expanded the attack surface for organizations worldwide.
- The proliferation of IoT devices — estimated at 18 billion connected devices globally — has introduced billions of new potential entry points for attackers.

This report analyzes the five most critical and prevalent cybersecurity threats observed in 2024–2025, examines their real-world impact, and provides actionable defense recommendations.



2. Major Modern Cyber Threats (2024–2025)

❖ AI-Powered Phishing Attacks

Threat Category	AI-Powered Phishing / Social Engineering
Severity Level	CRITICAL
Primary Targets	Individuals, Enterprises, Financial Institutions, Government
Attack Vector	Email, SMS, Voice Calls, Social Media, Deepfake Video
Trend (2024–25)	Increasing — generative AI has lowered cost and raised quality of attacks

Phishing attacks have existed for decades, but the integration of artificial intelligence has transformed them into highly personalized, convincing, and scalable threats. AI-powered phishing leverages **large language models (LLMs)** to craft grammatically perfect, contextually relevant messages that are nearly indistinguishable from legitimate communications.



Key Characteristics:

Current (2024–25)	Trend	On the rise — the advent of generative AI has decreased operational costs while enhancing attack sophistication
-------------------	-------	---

While phishing has been a persistent threat for decades, the application of artificial intelligence has evolved these tactics into exceptionally personalized, scalable, and convincing operations. By utilizing **large language models (LLMs)**, attackers can now generate contextually precise and grammatically flawless content that closely mirrors authentic business communications.

Primary Methods and Features:

- **Advanced Spear-phishing:** AI streamlines the analysis of corporate sites, public email records, and social media profiles to produce hyper-targeted messages containing intimate personal details.
- **Deepfake-Enabled Phishing:** Cybercriminals utilize video deepfakes or voice cloning of high-level executives to facilitate Business Email Compromise (BEC) and authorize illicit financial transfers.
- **Impersonation via AI Chatbots:** Fraudulent chatbots are deployed to mimic legitimate customer support, tricking users into revealing financial data or login credentials.

- **Global Multilingual Campaigns:** Translation barriers are eliminated by AI, allowing threat actors to engage victims worldwide in their native tongues with high fluency.
- **AI-Enhanced Vishing & Smishing:** Automated voice calls and SMS campaigns are scaled via AI to target personal credentials and sensitive financial accounts.

❖ **2.2 Ransomware-as-a-Service (RaaS)**

Threat Category	Ransomware-as-a-Service (RaaS)
Severity Level	CRITICAL
Primary Targets	Hospitals, Schools, Government Agencies, SMBs, Critical Infrastructure
Attack Vector	Phishing, RDP Exploitation, Supply Chain, Stolen Credentials
Trend (2024–25)	Highly Active — LockBit 3.0, ALPHV/BlackCat, Play Ransomware dominant

Ransomware-as-a-Service has democratized cybercrime by providing a commercial subscription model where ransomware developers lease their malware infrastructure to affiliates in exchange for a percentage of ransom payments — typically 20–30%.

Key Characteristics:

- **Affiliate Model:** Non-technical criminals can deploy sophisticated ransomware by purchasing access to ready-made kits, dashboards, and customer support from RaaS operators.
- **Double Extortion:** Attackers not only encrypt data but also exfiltrate it, threatening to publish sensitive information if the ransom is not paid.
- **Triple Extortion:** A third layer targets the victim’s customers, partners, or suppliers with additional ransom demands.
- **Leak Sites:** RaaS groups operate dark web ‘shame sites’ to publicly expose victim data, increasing pressure to pay.
- **Critical Infrastructure Targeting:** Healthcare, utilities, and emergency services are frequently targeted due to their low tolerance for operational downtime.

2.3 Cloud Security Misconfigurations

Threat Category	Cloud Security Misconfigurations
Severity Level	HIGH
Primary Targets	Organizations using AWS, Microsoft Azure, Google Cloud Platform
Attack Vector	Exposed APIs, Open Storage Buckets, Weak IAM Policies, Default Credentials
Trend (2024–25)	Increasing — cloud adoption outpacing security expertise in many organizations

As organizations rapidly migrate to cloud platforms, misconfigurations have emerged as the leading cause of cloud-based data breaches. Unlike traditional hacking, misconfiguration exploitation often requires no sophisticated techniques — attackers simply find publicly accessible resources that were never intended to be public.

Key Characteristics:

- **Exposed S3 Buckets:** Misconfigured AWS S3 storage buckets accidentally made public, exposing sensitive documents, backups, and databases.
- **Overprivileged IAM Roles:** Identity and Access Management policies that grant excessive permissions, violating the principle of least privilege.
- **Unsecured APIs:** Cloud APIs without proper authentication controls, enabling unauthorized access to backend services.
- **Shadow IT:** Employees creating unauthorized cloud resources without IT oversight, leading to unmonitored attack surfaces.
- **Shared Responsibility Gap:** Organizations misunderstanding that cloud providers secure the infrastructure, while customers are responsible for securing their data and configurations.

2.4 IoT Vulnerabilities

Threat Category	Internet of Things (IoT) Vulnerabilities
Severity Level	HIGH
Primary Targets	Smart Home Devices, Industrial Control Systems, Medical Devices, Smart Cities
Attack Vector	Default Credentials, Unpatched Firmware, Insecure Protocols, Physical Access
Trend (2024–25)	Growing — 18+ billion IoT devices globally, many with minimal security

The Internet of Things encompasses billions of internet-connected devices — from smart thermostats and security cameras to industrial sensors and medical equipment. These devices often lack robust security features due to hardware constraints, cost pressures, and the absence of security-first design principles.

Key Characteristics:

- **Default Credential Exploitation:** Millions of devices ship with unchanged factory default usernames/passwords (e.g., 'admin/admin'), which are trivially exploited.
- **Botnet Recruitment:** Compromised IoT devices are enlisted into massive botnets (Mirai, Mozi) used to launch devastating Distributed Denial of Service (DDoS) attacks.
- **Lateral Movement:** Once an IoT device is compromised, attackers use it as a pivot point to infiltrate the broader corporate network.

- **Medical Device Risks:** Compromised healthcare IoT devices (insulin pumps, pacemakers, infusion systems) pose life-threatening risks.
- **Firmware Vulnerabilities:** IoT devices rarely receive security updates, leaving known vulnerabilities permanently unpatched.

2.5 Zero-Day Exploits

Threat Category	Zero-Day Exploits
Severity Level	CRITICAL
Primary Targets	Enterprises, Government Agencies, Critical Infrastructure, Defense Contractors
Attack Vector	Software Vulnerabilities, Browser Exploits, Supply Chain, Memory Corruption
Trend (2024–25)	Persistent — 97 zero-days exploited in the wild in 2023 alone (Google TAG)

A zero-day exploit targets a previously unknown software vulnerability for which no patch or fix exists. The name derives from the fact that developers have 'zero days' to address the flaw before it is actively exploited. Zero-days represent the most dangerous class of vulnerability because defenses are inherently reactive — no signature-based detection exists until after exploitation.

Key Characteristics:

- **Underground Markets:** Zero-day exploits are bought and sold for millions of dollars on dark web marketplaces and through brokers to nation-states and cybercriminal organizations.
- **Advanced Persistent Threats (APTs):** Nation-state threat actors stockpile zero-days for targeted espionage and sabotage operations.
- **Supply Chain Compromise:** Zero-days in widely deployed software components can simultaneously compromise thousands of organizations.
- **Exploit Kits:** Zero-days are packaged into exploit kits and sold to lower-tier cybercriminals for mass exploitation campaigns.
- **Delayed Disclosure:** Security researchers and organizations sometimes delay patch release, extending the window of vulnerability.

3. Impact Analysis

Each identified threat carries distinct consequences for individuals and organizations. The table below provides a structured overview of the impact spectrum:

Threat	Impact on Individuals	Impact on Organizations
AI-Powered Phishing	Identity theft, credential compromise, financial fraud, emotional distress, reputational harm	Data breaches, financial losses (\$2.9B in BEC losses in 2023), regulatory fines, loss of customer trust, brand damage
Ransomware (RaaS)	Loss of personal files (photos, documents), financial extortion, privacy violations from data leak	Operational shutdown, ransom payments (\$1M+ average in 2024), recovery costs, regulatory penalties, reputational crisis
Cloud Misconfiguration	Exposure of personal records, medical data, financial information held by service providers	Mass data breach, compliance violations (GDPR fines up to 4% of global revenue), customer lawsuits, remediation costs
IoT Vulnerabilities	Home invasion enablement via smart locks/cameras, personal data surveillance, physical safety risks	Network infiltration, DDoS amplification, industrial sabotage, healthcare system compromise, supply chain disruption
Zero-Day Exploits	Device compromise, credential theft, surveillance, ransomware delivery, financial account takeover	Critical system compromise, nation-state espionage, intellectual property theft, long-term persistent access

Beyond direct financial losses, the compounding effects of cyberattacks include lasting reputational damage, loss of competitive advantage, erosion of customer confidence, and in critical infrastructure scenarios, direct threats to human safety. The psychological impact on breach victims – anxiety, distrust, and helplessness – is increasingly recognized as a significant societal cost.

4. Real-World Case Studies

❖ AI-Powered Phishing — The MGM Resorts Breach (2023)

In September 2023, MGM Resorts International suffered a catastrophic cyberattack orchestrated by the ALPHV/Scattered Spider threat group. Attackers leveraged social engineering — a form of AI-assisted vishing (voice phishing) — to impersonate an MGM employee during a call to the IT help desk. Within 10 minutes, they obtained sufficient credentials to infiltrate MGM's Okta identity platform.

- Financial Impact: Estimated losses exceeding \$100 million in operational disruption.
- Operational Impact: Hotel key cards, casino floors, digital check-in systems, and ATMs were taken offline for days.
- Data Impact: Personal data of customers including names, contact details, and driver's license numbers was exfiltrated.
- Key Lesson: Even sophisticated enterprises with mature security programs can be compromised through human manipulation — underscoring the critical importance of security awareness training.

❖ Ransomware (RaaS) — Change Healthcare Attack (2024)

In February 2024, Change Healthcare — a subsidiary of UnitedHealth Group and one of the largest healthcare payment processors in the United States — was devastated by a ransomware attack executed by the ALPHV/BlackCat RaaS group. Attackers exploited compromised credentials to access Citrix remote access services that lacked multi-factor authentication.

- Financial Impact: UnitedHealth Group reported losses exceeding \$870 million; the company paid an estimated \$22 million ransom.
- Healthcare Impact: Approximately 94% of U.S. hospitals reported financial impacts; pharmacies could not process prescriptions for weeks.
- Data Impact: Personal health information of potentially 100+ million Americans was compromised — the largest healthcare data breach in U.S. history.
- Key Lesson: Critical infrastructure entities must implement MFA universally and maintain offline backup systems to ensure operational continuity.

❖ Cloud Misconfiguration — Capital One Data Breach (2019)

In July 2019, a former Amazon Web Services employee exploited a misconfigured Web Application Firewall (WAF) in Capital One's AWS cloud environment. The attacker leveraged Server-Side Request Forgery (SSRF) to access AWS metadata services and steal temporary credentials with excessive IAM permissions.

- Data Impact: Over 100 million customer records were exposed, including Social Security numbers, bank account numbers, and credit scores.

- Financial Impact: Capital One paid \$80 million in regulatory fines and \$190 million to settle a class-action lawsuit.
- Root Cause: Overly permissive IAM role that violated the principle of least privilege, combined with insufficient WAF configuration.
- Key Lesson: Regular cloud security audits, automated misconfiguration detection (CSPM tools), and strict IAM policies are non-negotiable.

❖ **IoT Vulnerabilities — Mirai Botnet DDoS Attack (2016)**

In October 2016, the Mirai botnet — composed of approximately 600,000 compromised IoT devices including DVRs, IP cameras, and routers with default credentials — launched a massive Distributed Denial of Service attack against Dyn, a major DNS provider.

- Internet Impact: Major websites including Twitter, Reddit, Netflix, GitHub, CNN, and The New York Times were rendered inaccessible for hours across the U.S. and Europe.
- Economic Impact: Estimated losses of hundreds of millions of dollars across affected businesses.
- Root Cause: Millions of IoT devices deployed with unchanged factory default usernames and passwords.
- Key Lesson: IoT device manufacturers must implement mandatory unique passwords, and organizations must enforce network segmentation to isolate IoT devices from critical infrastructure.

❖ **Zero-Day Exploit — Microsoft Exchange ProxyLogon (2021)**

In March 2021, the HAFNIUM threat group (linked to the Chinese state) exploited four chained zero-day vulnerabilities in Microsoft Exchange Server, affecting hundreds of thousands of organizations globally. The vulnerabilities allowed unauthenticated remote code execution on vulnerable servers.

- Scale: An estimated 250,000+ Exchange servers worldwide were compromised within days of vulnerability disclosure.
- Victim Profile: Small businesses, local governments, defense contractors, infectious disease researchers, and law firms.
- Attack Impact: Persistent backdoor installation, credential harvesting, and lateral movement across victim networks.
- Key Lesson: Immediate patch deployment, network monitoring for anomalous activity, and maintaining defense-in-depth strategies are critical for zero-day resilience.

5. Preventive Measures

❖ Defending Against AI-Powered Phishing

- **Multi-Factor Authentication (MFA):** Implement phishing-resistant MFA (hardware security keys, FIDO2/WebAuthn) across all critical accounts and systems. Even if credentials are compromised, MFA prevents unauthorized access.
- **Security Awareness Training:** Conduct regular, mandatory employee training programs using simulated phishing campaigns to build human threat detection capabilities. Platforms such as KnowBe4 and Proofpoint Security Awareness provide measurable training.
- **Email Security Gateway:** Deploy advanced email filtering solutions (Microsoft Defender for Office 365, Proofpoint, Mimecast) that utilize AI to detect and quarantine sophisticated phishing attempts, including those that evade traditional signature-based filters.
- **Zero Trust Architecture:** Implement a Zero Trust model — 'Never Trust, Always Verify' — requiring continuous authentication and authorization for all users, devices, and applications regardless of network location.
- **DMARC/DKIM/SPF Implementation:** Configure email authentication protocols to prevent attackers from spoofing your organization's domain in phishing campaigns.

❖ Defending Against Ransomware (RaaS)

- **Offline Backup Strategy (3-2-1 Rule):** Maintain at least three copies of data, on two different media types, with one copy stored offline and air-gapped. Regularly test backup restoration procedures to ensure data recoverability.
- **Endpoint Detection and Response (EDR):** Deploy advanced EDR solutions (CrowdStrike Falcon, SentinelOne, Microsoft Defender for Endpoint) that use behavioral analytics to detect ransomware execution in real time and enable automated containment.
- **Network Segmentation:** Implement strict network segmentation using VLANs and micro-segmentation to limit ransomware's ability to spread laterally across the environment.
- **Privileged Access Management (PAM):** Restrict and monitor privileged account usage. Implement just-in-time access to reduce the attack surface for credential-based ransomware delivery.
- **Disable Unnecessary Remote Access:** Restrict RDP, SSH, and other remote access protocols to authorized IP ranges. Require VPN with MFA for all remote connections.

❖ Defending Against Cloud Misconfigurations

- **Cloud Security Posture Management (CSPM):** Deploy CSPM tools (Prisma Cloud, AWS Security Hub, Microsoft Defender for Cloud) to continuously scan cloud configurations for misconfigurations, compliance violations, and security risks in real time.

- **Infrastructure as Code (IaC) Security:** Integrate security scanning into CI/CD pipelines using tools like Checkov, Terraform Sentinel, or AWS CloudFormation Guard to catch misconfigurations before deployment.
- **Principle of Least Privilege (PoLP):** Assign IAM roles, users, and services only the minimum permissions required to perform their functions. Regularly audit and rotate access keys.
- **Cloud Configuration Baseline:** Establish and enforce a cloud security baseline aligned with CIS Benchmarks or cloud provider best practice frameworks (AWS Well-Architected, Azure Security Benchmark).
- **Data Encryption:** Encrypt all data at rest and in transit. Implement server-side encryption for storage services and enforce TLS 1.2+ for all data transmission.

❖ Defending Against IoT Vulnerabilities

- **IoT Network Segmentation:** Place all IoT devices on isolated network segments (dedicated VLANs) that are strictly separated from corporate networks and critical systems. Implement firewall rules to restrict communication to only necessary services.
- **Credential Management:** Immediately change all default credentials upon device deployment. Implement a centralized credential management policy for all IoT devices.
- **Firmware Update Management:** Establish a proactive firmware update program. Where devices support automatic updates, enable them. For devices that do not, create a scheduled review cycle.
- **IoT Security Assessment:** Conduct regular security assessments of IoT devices, including vulnerability scanning and penetration testing, to identify exploitable weaknesses before attackers do.
- **Network Traffic Monitoring:** Deploy network detection and response (NDR) solutions to monitor IoT device behavior and detect anomalous traffic patterns indicative of compromise or botnet activity.

❖ Defending Against Zero-Day Exploits

- **Patch Management Program:** Implement a rigorous, risk-based patch management program. Critical security patches should be tested and deployed within 72 hours of release. Prioritize internet-facing systems and critical infrastructure.
- **Intrusion Detection/Prevention Systems (IDS/IPS):** Deploy IDS/IPS solutions with up-to-date threat intelligence feeds to detect exploit traffic patterns and block known attack vectors, even for unknown vulnerabilities.
- **Application Whitelisting:** Implement application control policies that permit only approved, verified software to execute, significantly reducing the attack surface for exploit delivery.
- **Browser and Application Hardening:** Disable unnecessary browser features (JavaScript in PDF readers, macro execution in Office applications). Implement sandboxing for high-risk applications.

- Threat Intelligence Integration: Subscribe to threat intelligence feeds (CISA KEV Catalog, Recorded Future, Mandiant) to receive early warning of actively exploited zero-days and prioritize emergency patching.

6. Conclusion & Future Scope

❖ 6.1 Summary

This report has examined five of the most significant and actively exploited cybersecurity threats facing individuals and organizations in 2024–2025: AI-Powered Phishing, Ransomware-as-a-Service, Cloud Security Misconfigurations, IoT Vulnerabilities, and Zero-Day Exploits. Each threat represents a distinct attack vector requiring tailored defensive strategies, yet they share a common thread — they exploit gaps between technological capability, security investment, and human awareness.

The real-world case studies demonstrate that no organization is immune. MGM Resorts, Change Healthcare, Capital One, and countless others — despite significant security investments — suffered devastating breaches. These incidents underscore that cybersecurity is not a problem that can be permanently 'solved'; it is an ongoing discipline requiring continuous adaptation and vigilance.

❖ 6.2 Why Proactive Cybersecurity Matters

- Reactive security — responding after an incident — is exponentially more costly than proactive prevention. IBM's research consistently shows that organizations with mature security programs save an average of \$1.76 million per breach compared to those with minimal security.
- Regulatory frameworks worldwide are increasing in scope and enforcement, with penalties for data breaches growing year over year. Proactive compliance reduces legal and financial exposure.
- The human element remains the most significant vulnerability. Organizations that invest in ongoing security awareness training and foster a security-conscious culture create the most effective defense layer.
- Threat actors continuously adapt their techniques. Security teams must engage in ongoing threat intelligence consumption, red team exercises, and security architecture reviews to stay ahead of evolving attack methodologies.

❖ 6.3 Future Scope — Emerging Threats to Watch

- Quantum Computing Threats: The anticipated arrival of cryptographically relevant quantum computers poses an existential threat to current encryption standards. Organizations should begin planning post-quantum cryptography migrations.
- AI vs. AI Conflicts: As defenders adopt AI for threat detection, attackers are developing AI-powered evasion techniques, creating an escalating AI arms race in cybersecurity.
- 5G Network Exploitation: The widespread rollout of 5G networks will dramatically expand connectivity — and with it, the attack surface for mobile and IoT threats.
- Deepfake-Driven Fraud: AI-generated deepfake audio and video will increasingly be weaponized for financial fraud, political manipulation, and identity impersonation at scale.

- **Critical Infrastructure Attacks:** Nation-state actors are increasingly targeting power grids, water treatment facilities, and financial systems, with geopolitical tensions driving this trend.

6.4 Final Recommendation

The cybersecurity challenges of 2024–2025 demand a strategic, layered defense posture combining technology, people, and processes. Organizations should adopt the NIST Cybersecurity Framework (Identify, Protect, Detect, Respond, Recover) as a structural foundation, supplement it with continuous threat intelligence, and invest in building a security-first organizational culture.

For aspiring cybersecurity professionals, this rapidly evolving landscape presents tremendous opportunity. Certifications such as CompTIA Security+, CEH, OSCP, and CISSP — combined with continuous learning through platforms like TryHackMe, HackTheBox, and SANS — provide the technical foundation needed to thrive in this field. The greatest competitive advantage any security professional can cultivate is the habit of continuous learning.

7. References

The following sources were consulted in the preparation of this report:

Threat Intelligence & Reports

- IBM Security. (2024). Cost of a Data Breach Report 2024. <https://www.ibm.com/reports/data-breach>
- Cybersecurity Ventures. (2023). Cybercrime Report 2023. <https://cybersecurityventures.com>
- CISA. (2024). Known Exploited Vulnerabilities Catalog. <https://www.cisa.gov/known-exploited-vulnerabilities-catalog>
- Google Project Zero / Mandiant. (2024). Zero-Day Exploitation in the Wild. <https://googleprojectzero.blogspot.com>
- Verizon. (2024). Data Breach Investigations Report. <https://www.verizon.com/business/resources/reports/dbir/>

Case Studies & Incident Reports

- U.S. Department of Health and Human Services. (2024). Change Healthcare Cyberattack. <https://www.hhs.gov>
- Federal Trade Commission. (2019). Capital One Data Breach Settlement. <https://www.ftc.gov>
- Cloudflare. (2016). Mirai Botnet DDoS Attack on Dyn. <https://blog.cloudflare.com>
- Microsoft Security Response Center. (2021). ProxyLogon Vulnerabilities. <https://msrc.microsoft.com>

Standards & Frameworks

- NIST. (2024). Cybersecurity Framework 2.0. <https://www.nist.gov/cyberframework>
- OWASP. (2023). OWASP Top 10 Web Application Security Risks. <https://owasp.org/www-project-top-ten/>
- CIS. (2024). CIS Controls v8. <https://www.cisecurity.org/controls>

News & Research

- Krebs, B. (2024). KrebsOnSecurity. <https://krebsonsecurity.com>
- ENISA. (2024). ENISA Threat Landscape 2024. <https://www.enisa.europa.eu>
- SANS Internet Storm Center. <https://isc.sans.edu>