

✓Tasker

v1.0

+ New task

N

VIEWS

📁Inbox

10

☀️Today

3

📅Upcoming

4

🕒Completed

2

LISTS

+

● Ship v1

4

● Docs

1

● Infra

2

● Polish

3

🔍 Search tasks, lists, people

/

☰List

📊Board

🔗Filters

⌘K

RKIM

All 10

To do 5

In progress 3

Done 2

Due this week

List: Ship v1

10 tasks

Sort: Due date

+ Add a task — type “Fix focus trap tomorrow #Polish !p1”

N

OVERDUE 1

☐

Fix focus trap in the delete confirmation dialog

● Polish

🕒 Sep 18

To do

IM

✎

🗑

TODAY · FRI 19 SEP 3

☐

Wire optimistic updates into the toggle mutation

● Ship v1

🕒 Today

In progress

IM

✎

🗑

☐

Add fuzzy matching to the command palette

● Ship v1

🕒 Today

In progress

RK

✎

🗑

☐

Add an undo toast for destructive actions

● Polish

🕒 Tomorrow

In progress

IM

✎

🗑

LATER THIS WEEK 4

☐

Draft the README with setup and deploy steps

● Docs

🕒 Sep 21

To do

IM

✎

🗑

☐

Seed demo data for the hosted demo

● Infra

🕒 Sep 22

To do

RK

✎

🗑

☐

Write server-function tests for createTodo

● Ship v1

🕒 Sep 23

To do

IM

✎

🗑

☐

Audit keyboard traversal on the board view

● Polish

🕒 Sep 24

To do

RK

✎

🗑

COMPLETED 2

⌘ Command palette

⌘K

● Synced · works offline

● To do

5

+

● In progress

3

WIP limit 4

+

● Done

2

Archive all

Fix focus trap in the delete confirmation dialog

● Polish

🕒 Overdue · Sep 18

IM

Draft the README with setup and deploy steps

● Docs

Sep 21 ✓ 1/4

IM

Seed demo data for the hosted demo

● Infra

Sep 22

RK

Write server-function tests for createTodo

● Ship v1

Sep 23

IM

Drop here to set status → To do

Wire optimistic updates into the toggle mutation

● Ship v1

Today ✓ 3/5

IM

Add fuzzy matching to the command palette

● Ship v1

Today

RK

Add an undo toast for destructive actions

● Polish

Tomorrow

IM

DRAGGING

✔ Persist status filter in the URL search params

● Ship v1

Completed Sep 17

IM

✔ Set up Vercel preview deploys

● Infra

Completed Sep 16

RK



Type a command, or search tasks...

20 resultsesc

SCOPES

> Commands# Lists@ People! Priority

Fuzzy match, recent-first

ACTIONS

+New taskin Ship v1N

New list↑⌘L

Toggle status of selected taskto do → in progress → doneSpace

Edit selected taskopens detail panel↵

Delete selected task...undoable for 8s⌘⌘

Duplicate selected task⌘D

Undo last changerestores server state⌘Z

FILTER BY STATUS

◦Show: To do5 tasks1

◦Show: In progress3 tasks2

↑↓navigate↵run⌘↵run and keep open

Screen reader announces the highlighted row via aria-activedescendant

New task

VIEWS

Inbox10

Today3

Upcoming4

Completed2

Q

Search tasks

⌘K

TODAY · FRI 19 SEP

☐

Wire optimistic updates into the toggle mutation

In progress

☐

Add fuzzy matching to the command palette

In progress

☐

Add an undo toast for destructive actions

In progress

LATER THIS WEEK

☐

Draft the README with setup and deploy steps

To do

☐

Seed demo data for the hosted demo

To do

TITLE

Wire optimistic updates into the toggle mutation

✓ Saved 2s ago · edits save on blur, esc reverts

STATUS

●

To do

●

In progress

●

Done

DUE DATE

Fri 19 Sep 2026

PRIORITY

P1 — Urgent

LIST

Ship v1

ASSIGNEE

Ian M.

NOTES

Apply the mutation to the cache first, then reconcile with the server result. Roll back and surface the error toast when the server function rejects.

Markdown supported · ⌘⇧ to save

SUBTASKS 3 / 5

- ☒

Add a mutation key per todo id
- ☒

Snapshot the cache before applying
- ☒

Roll back on rejection
- ☐

Debounce rapid toggles on the same row

🗑

Delete

⌘⌫

All changes save automatically

Done editing⌘S

Quick add

One field, parsed as you type. [Back to list](#)

1

RESTING

+ Add a task...

N

2

TYPING — TOKENS PARSED LIVE

+ Debounce rapid toggles on the same row

tomorrow 4pm

#ship

LISTS MATCHING "SHIP"

● Ship v14 tasks

● Shipping notes0 tasks

+ Create list "ship"

PARSED

Due Sat 20 Sep, 16:00

● Ship v1

Status: To do

⌵⌵

keep composer open for the next one

#list

list

@person

assignee

!p1

priority

tomorrow

4pm

due date

~doing

status

3

SUBMITTED — OPTIMISTIC ROW, THEN CONFIRMED

Debounce rapid toggles on the same row

↻ Saving...

Debounce rapid toggles on the same row

Sat 20 Sep

To do

✓ Saved

The row appears the instant you press , with a temporary id. When the server function returns, the id is swapped in place. If it rejects, the row slides out and an error toast offers **Retry**.

Full form

For everything quick add can't express.

New task

● Ship v1

×

TITLE REQUIRED

What needs doing?

❗ Give the task a title — 1 to 200 characters.

NOTES

Context, links, acceptance criteria...

STATUS

● To do

● In progress

● Done

DUE DATE

e.g. tomorrow 4pm

PRIORITY

P2 — Normal

LIST

Ship v1

ASSIGNEE

Unassigned

Validation Contract	
title	1-200 chars, trimmed. Checked in the form and again in the server function — the schema is shared.
status	One of <code>todo</code> · <code>doing</code> · <code>done</code> . Defaults to <code>todo</code> .
dueAt	Nullable ISO timestamp. The natural-language string is resolved client-side and sent as an exact instant.
errors	Field errors render under the field and move focus to the first invalid one; form-level errors go to a banner with <code>role="alert"</code> .

Search & filter

Typeahead, a results page, and filters that live in the URL.

[← Back to list](#)

1 · TYPEAHEAD

✕ esc

TASKS · 3

● Fix **focus** trap in the delete dialog Overdue

● Audit keyboard traversal on the board view in notes

● Add fuzzy matching to the command palette in notes

RECENT SEARCHES

🕒 optimistic

🕒 deploy

2 · RESULTS

"focus" ✕

Status: To do, In progress ✕

Due: this week ✕

Clear all

3 tasks match · sorted by relevance

☐ Fix **focus** trap in the delete confirmation dialog To do

● Polish **Overdue** · Sep 18 P1 title match

☐ Audit keyboard traversal on the board view To do

...every column must return **focus** to the card it came from after a drop... notes match

● Polish Sep 24 P2

☐ Add fuzzy matching to the command palette In progress

...auto**focus** the input on open and restore the previous element on close... notes match

● Ship v1 **Today** P1

⚠️ 2 completed tasks also match but are hidden by the status filter. **Include Done**

3 · FILTERS

Filters 3 active

STATUS

☒ To do 5

☒ In progress 3

☐ Done 2

DUE

Any

Overdue

Today

This week

No date

LIST

● Ship v1

● Docs

● Infra

● Polish

Reset

Save as view

Apply

SAVED VIEWS

● Overdue & P1 ↑1

● My week ↑2

● Unassigned ↑3

SEARCH BEHAVIOUR

- Debounced 120ms; every keystroke stays cancellable.
- Matches title, notes, list name and assignee.
- Query is state, not a route change — **Back** returns to the unfiltered list.
- Result count is announced in a polite live region.
- / focuses the field from anywhere; esc clears then blurs.

SHAREABLE STATE

`/?q=focus&status=todo,doing&due=week&sort=relevance`

Every filter is a validated search param, so a result set is a link — and reload, Back and Forward all behave.

● EMPTY · FIRST RUN

Nothing here yet

Add your first task, or load a sample list to see how search, filters and the palette behave.

+ New task

Load sample list

● EMPTY · NO MATCHES

Q changelog

Status: Done

No tasks match “changelog”

Two filters are narrowing this search. Widening the status filter usually helps more than rewording.

Clear filters

Create “changelog”

● LOADING · SKELETON

Skeletons match the real row geometry exactly, so nothing shifts on arrival. They appear only after 200ms — faster responses go straight to content and never flash.

● DESTRUCTIVE · CONFIRM & UNDO

Delete this task?

“Seed demo data for the hosted demo” and its 2 subtasks will be removed. You can undo for 8 seconds.

Focus returns to the row on close

Cancel

Delete

↶ Task deleted

8s

Undo

● OFFLINE · QUEUED WRITES

You’re offline. Changes are saved locally and will sync when the connection returns.

1

Create “Debounce rapid toggles”

queued

2

TSK-118 → In progress

queued

✓

TSK-104 → Done

synced

Writes are queued in order and replayed on reconnect. The badge in the sidebar shows the queue depth, so “did that save?” is never a question.

● ERROR · ROLLBACK & RETRY

Couldn’t save “Audit keyboard traversal”

The server function returned 500. Your change was rolled back — the row shows the last confirmed state.

Retry

Copy error id

Rae edited this task while you were typing

Their title: “Audit keyboard traversal on board + list”. Yours is still in the field.

Keep mine

Take theirs

Errors say what happened, what the app did about it, and what you can do next — in that order. Never a bare “Something went wrong”.



Inbox

10



IM

All 10

To do 5

In progress 3

Done 2

OVERDUE · 1



Fix focus trap in the delete confirmation dialog

Polish Overdue · Sep 18

To do

TODAY · 3



Wire optimistic updates into the toggle mutation

Ship v1 Today

In progress



Done



Add fuzzy matching to the command palette

Ship v1 Today

In progress



Add an undo toast for destructive actions

Polish Tomorrow

In progress

LATER THIS WEEK · 4



Draft the README with setup and deploy steps

Docs Sep 21

To do



Inbox



Today



Board



Actions

Q Search or run a command

QUICK ACTIONS



New task



Switch to board



Filters

3

FILTER BY STATUS



To do 5



In progress 3



Done 2

RECENT

Close

On touch, the palette becomes a sheet: same commands, 48px targets, no keyboard required.

Foundations

A warm neutral ground, two accents that carry meaning, and one grotesque doing the work.

[Back to list](#)

Colour Two accents only — rust carries “active”, pine carries “settled”. Every pairing below is stated with its measured contrast.

NEUTRAL GROUND



Surface → app canvas → sunken fill → hairline → meta → secondary → ink.
Nothing pure grey; everything shares the same warm cast.


RUST — ACTION & IN PROGRESS




Primary buttons, focus rings, the brand mark, and the **In progress** status.

Destructive actions borrow the two darkest steps rather than adding a red.

PINE — DONE & CONFIRMED



Checkboxes, completion, sync-confirmed. Pine and rust sit at the same lightness and chroma, so neither shouts over the other.



17.4:1 ink on surface
7.6:1 secondary on surface
5.9:1 rust on surface

❗ Status is never colour alone: every pill carries its label, and the board adds a dot plus a column heading.

Type Instrument Serif for the few big moments · Hanken Grotesk for everything you actually read · JetBrains Mono for keys and ids.

display 40/44

Nothing here yet

title1 24/30

Later this week

title2 18/24

Wire optimistic updates

body 15/22

Apply the mutation to the cache first, then reconcile.

row 14.5/20

Seed demo data for the hosted demo

small 13/18

3 tasks match · sorted by relevance

micro 11/14


FILTER BY STATUS

mono 12/16

TSK-118 · 88K · status=doing

Space & shape

SPACING · 4PX BASE



RADIUS




ELEVATION



Focus & motion

FOCUS RING




2px ring, 2px offset, drawn on ink so it survives both the rust and the pine surfaces. Never removed — only restyled.

MOTION

120ms	hover, checkbox, chip
180ms	detail panel, popover
240ms	mobile sheet, row removal
0ms	everything, under prefers-reduced-motion


Motion only ever confirms a change the user made. Nothing animates on load, and no row moves under a cursor that is about to click it.

Buttons




Every button is a real `<button>`; icon-only ones carry an `aria-label`. 44px is the default height so the same markup works on touch.

Fields




Pills & chips



Task row — anatomy

The single densest component. Every one of the seven criteria touches it.



Toggle — checkbox writes status immediately; a second click walks to the next status on the board.


Delete — hover action or `⌘⌘`; always undoable.

Update — click the title to edit in place, or `↵` to open the panel.

Truncation — only the title truncates. Metadata never collapses, so scanning stays reliable.



Overlays & feedback



Icon set

One stroke family — 1.9px, round caps and joins, drawn on a 24px grid and rendered at 15, 16 or 21 px. Icons never carry meaning alone; each is paired with a label or an `aria-label`.



Keyboard map

Everything the mouse can do, the keyboard can do first.

[Open the palette](#)

● **Global** works from anywhere except inside a text field

⌘K	Open the command palette
/	Focus the search field
N	New task in the current list
?	Show this keyboard map
⌘Z	Undo the last change
⇧⌘Z	Redo

● **Moving around**

↑ ↓	Move the selection through the list
← →	Move between board columns
↵	Open the selected task
esc	Close a panel, then clear search, then drop selection
G I	Go to Inbox
G T	Go to Today
G B	Go to the board

● **Inside the palette**

↑ ↓	Move the highlight
↵	Run the highlighted command
⌘↵	Run it and keep the palette open
→	Switch scope: commands → tasks → lists

● **On the selected task**

Space	Advance status: to do → in progress → done
1 2 3	Set status directly
E	Edit the title in place
⌘D	Duplicate
⌘⌫	Delete, with an 8-second undo
⇧→	Move the card to the next column
D	Set a due date

● **Filters & views** when no task is selected

1 2 3	Filter by To do · In progress · Done
A	Show all statuses
⇧C	Show or hide completed tasks
⇧⌘X	Clear every filter and the query
⇧1...3	Jump to a saved view
V	Toggle list and board

Rules that keep this honest

- 01 Shortcuts are disabled while focus is in an input, textarea or contenteditable — except `esc` and `⌘↵`.
- 02 Number keys are contextual: with a row selected they set that task's status; with nothing selected they filter the list. The hint strip at the bottom of the window says which mode you're in.
- 03 Nothing is keyboard-only. Every shortcut has a visible control, and every visible control has a keyboard shortcut.

Routes

```
src/routes/
  __root.tsx — shell · palette · toasts · live
  region
  index.tsx / — list, search & filters
  board.tsx /board — status columns
  t.$todoId.tsx /t/$id — detail panel
```

```
src/server/todos.ts — server functions
src/lib/schema.ts — shared validation
src/lib/shortcuts.ts — key map + scopes
src/lib/palette.ts — command registry
src/components/ — TaskRow, StatusPill, ...
```

Where state lives

Four stores, no overlap. If two places could own a value, it belongs in the one further up this list.

URL search params

q · status · due · sort · view

Every result set is a link. Reload, Back and Forward all work; validated on parse.

Server cache

todos · todo(id) · lists

The only source of truth for task data. Mutations write here optimistically, then reconcile.

Component state

composer draft · palette query · selection

Ephemeral by design — losing it on reload is correct behaviour.

Device preferences

lastView · showCompleted · density

Per browser, never shared in a link, never sent to the server.

Server functions

Five calls cover all seven acceptance criteria. Search and status filtering run on the server for the initial render and in the cache for keystrokes.

```
listTodos({ q, status[], due, sort })
→ Todo[] · AC 2 · 5 · 6
```

```
createTodo({ title, status, dueAt, listId, priority })
→ Todo · AC 1
```

```
updateTodo({ id, patch })
→ Todo · AC 3 · 6
```

```
deleteTodo({ id })
→ { id, undoToken } · AC 4
```

```
restoreTodo({ undoToken })
→ Todo · undo
```

ONE SCHEMA, BOTH SIDES

The same validator runs in the form and inside the server function, so the client can never show a state the server would reject — and a hand-crafted request can't sneak past the form's rules.

One mutation, start to finish

Checking the box on “Wire optimistic updates”.

1 Click, or press Space 0ms

2 Snapshot the cache, then write the new status into it

3 Row repaints — struck through, pill flips to Done <16ms

4 updateTodo validates and writes to the database

✓ Resolved — reconcile, invalidate the list query

⚠ Rejected — restore the snapshot, toast with Retry

Budgets

First list paint < 1.0s

Keystroke → filtered list < 50ms

Palette open → focused < 100ms

Route JS, gzipped < 120 KB

Accessibility contract

- ✓ The list is a real list; rows are not divs pretending to be buttons.
- ✓ The palette is a combobox with aria-activedescendant; focus never leaves the input.
- ✓ Result counts and save outcomes go to a polite live region.
- ✓ Dialogs trap focus and return it to the trigger on close.
- ✓ Drag-and-drop on the board has a full keyboard equivalent.