





PNETLab | Topology
Understanding Default Gate
nic card command in rin - G
what is the command for rou
Ask Gemini
EMU (Win1)
QEMU (Win2)
Network Connections
C:\WINDOWS\system32\cmd.exe
0x2 ...50 fe 9c 09 4f 00 ..... Intel(R) PRO/1000 MT Network Connection - Packet Scheduler Miniport
Active Routes:
Network Destination Netmask Gateway Interface Metric
0.0.0.0 0.0.0.0 50.0.0.1 50.0.0.10 10
50.0.0.0 255.0.0.0 50.0.0.10 50.0.0.10 10
50.0.0.10 255.255.255.255 127.0.0.1 127.0.0.1 10
50.255.255.255 255.255.255.255 50.0.0.10 50.0.0.10 10
127.0.0.0 255.0.0.0 127.0.0.1 127.0.0.1 1
224.0.0.0 240.0.0.0 50.0.0.10 50.0.0.10 10
255.255.255.255 255.255.255.255 50.0.0.10 50.0.0.10 1
Default Gateway: 50.0.0.1
Persistent Routes:
None
C:\Documents and Settings\user>ping 60.0.0.10
Pinging 60.0.0.10 with 32 bytes of data:
Reply from 60.0.0.10: bytes=32 time=1ms TTL=127
Reply from 60.0.0.10: bytes=32 time=1ms TTL=127
Reply from 60.0.0.10: bytes=32 time=1ms TTL=127
Reply from 60.0.0.10: bytes=32 time=1ms TTL=127
Ping statistics for 60.0.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 1ms, Average = 1ms
C:\Documents and Settings\user>
Details
Local Area Connection
LAN or High-Speed Internet
Network Tasks
Other Places
Control Panel
My Network Places
My Documents
My Computer
Address
Search
Folders
Scheduler Miniport
Active Routes:
Network Destination Netmask Gateway Interface Metric
0.0.0.0 0.0.0.0 60.0.0.1 60.0.0.10 10
60.0.0.0 255.0.0.0 60.0.0.10 60.0.0.10 10
60.0.0.10 255.255.255.255 127.0.0.1 127.0.0.1 10
60.255.255.255 255.255.255.255 60.0.0.10 60.0.0.10 10
127.0.0.0 255.0.0.0 127.0.0.1 127.0.0.1 1
224.0.0.0 240.0.0.0 60.0.0.10 60.0.0.10 10
255.255.255.255 255.255.255.255 60.0.0.10 60.0.0.10 1
Default Gateway: 60.0.0.1
Persistent Routes:
None
C:\Documents and Settings\user>ping 50.0.0.10
Pinging 50.0.0.10 with 32 bytes of data:
Reply from 50.0.0.10: bytes=32 time=2ms TTL=127
Reply from 50.0.0.10: bytes=32 time=1ms TTL=127
Reply from 50.0.0.10: bytes=32 time=1ms TTL=127
Reply from 50.0.0.10: bytes=32 time=1ms TTL=127
Ping statistics for 50.0.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 2ms, Average = 1ms
C:\Documents and Settings\user>
Physical
01 : 00 : 00
START
Search
ENG
IN
03:02 PM
12-10-2026


PNETLab | Topology
Understanding Default Gate
nic card command in rin - G
what is the command for rou
Ask Gemini
QEMU (Win1)
C:\WINDOWS\system32\cmd.exe
Network Destination Netmask Gateway Interface Metric
50.0.0.0 255.0.0.0 50.0.0.10 50.0.0.10 10
50.0.0.10 255.255.255.255 127.0.0.1 127.0.0.1 10
50.255.255.255 255.255.255.255 50.0.0.10 50.0.0.10 10
60.0.0.0 255.255.0.0 50.0.0.1 50.0.0.10 1
127.0.0.0 255.0.0.0 127.0.0.1 127.0.0.1 1
224.0.0.0 240.0.0.0 50.0.0.10 50.0.0.10 10
255.255.255.255 255.255.255.255 50.0.0.10 50.0.0.10 1
Persistent Routes:
None
C:\Documents and Settings\user>ping 60.0.0.10
Pinging 60.0.0.10 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.
Ping statistics for 60.0.0.10:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\Documents and Settings\user>
QEMU (Win2)
C:\WINDOWS\system32\cmd.exe
60.0.0.0 255.0.0.0 60.0.0.10 60.0.0.10 10
60.0.0.10 255.255.255.255 127.0.0.1 127.0.0.1 10
60.255.255.255 255.255.255.255 60.0.0.10 60.0.0.10 10
127.0.0.0 255.0.0.0 127.0.0.1 127.0.0.1 1
224.0.0.0 240.0.0.0 60.0.0.10 60.0.0.10 10
255.255.255.255 255.255.255.255 60.0.0.10 60.0.0.10 1
Persistent Routes:
None
C:\Documents and Settings\user>ping 50.0.0.10
Pinging 50.0.0.10 with 32 bytes of data:
Reply from 50.0.0.10: bytes=32 time=2ms TTL=127
Reply from 50.0.0.10: bytes=32 time=1ms TTL=127
Reply from 50.0.0.10: bytes=32 time=1ms TTL=127
Reply from 50.0.0.10: bytes=32 time=1ms TTL=127
Ping statistics for 50.0.0.10:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 1ms, Maximum = 2ms, Average = 1ms
C:\Documents and Settings\user>
My Documents
My Computer
My Network Places
Recycle Bin
Internet Explorer
Cisco ASDM-I...
Old Java ASDM
PuTTY
Tftpd32
Start
10:19 AM
Physical
01 : 00 : 00
START
32°
Search
ENG IN
02:49 PM
12-10-2026


My Documents
My Computer
My Network Places
Recycle Bin
Internet Explorer
Cisco ASDM-I...
Old Java ASDM
PuTTY
Tftpd32
C:\WINDOWS\system32\cmd.exe
C:\Documents and Settings\user>ipconfig
Windows IP Configuration
Ethernet adapter Local Area Connection:
Connection-specific DNS Suffix . :
IP Address. . . . . : 60.0.0.10
Subnet Mask . . . . . : 255.0.0.0
Default Gateway . . . . . :
C:\Documents and Settings\user>ping 50.0.0.10
Pinging 50.0.0.10 with 32 bytes of data:
Destination host unreachable.
Destination host unreachable.
Destination host unreachable.
Destination host unreachable.
Ping statistics for 50.0.0.10:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\Documents and Settings\user>
Start
C:\WINDOWS\system...
9:38 AM


My Documents
My Compute
My Network Places
Recycle Bin
Internet Explorer
Cisco ASDM-I...
Old Java ASDM
PuTTY
Tftpd32
C:\WINDOWS\system32\cmd.exe
C:\Documents and Settings\user>ipconfig
Windows IP Configuration
Ethernet adapter Local Area Connection:
Connection-specific DNS Suffix . :
IP Address. . . . . : 50.0.0.10
Subnet Mask . . . . . : 255.0.0.0
Default Gateway . . . . . :
C:\Documents and Settings\user>ping 60.0.0.10
Pinging 60.0.0.10 with 32 bytes of data:
Destination host unreachable.
Destination host unreachable.
Destination host unreachable.
Destination host unreachable.
Ping statistics for 60.0.0.10:
Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\Documents and Settings\user>
Start
C:\WINDOWS\system...
10:03 AM


PNETLab | Topology
Understanding Default Gate
nic card command in rin - G
what is the command for rou
Ask Gemini
QEMU (Win1)
C:\WINDOWS\system32\cmd.exe - ping 60.0.0.10
Interface List
0x1 ..... MS TCP Loopback interface
0x2 ...50 fe 9c 09 4f 00 ..... Intel(R) PRO/1000 MT Network Connection - Packet Scheduler Miniport
Active Routes:
Network Destination Netmask Gateway Interface Metric
50.0.0.0 255.0.0.0 50.0.0.10 50.0.0.10 10
50.0.0.10 255.255.255.255 127.0.0.1 127.0.0.1 10
50.255.255.255 255.255.255.255 50.0.0.10 50.0.0.10 10
60.0.0.0 255.255.0.0 50.0.0.1 50.0.0.10 1
127.0.0.0 255.0.0.0 127.0.0.1 127.0.0.1 1
224.0.0.0 240.0.0.0 50.0.0.10 50.0.0.10 10
255.255.255.255 255.255.255.255 50.0.0.10 50.0.0.10 1
Persistent Routes:
None
C:\Documents and Settings\user>ping 60.0.0.10
Pinging 60.0.0.10 with 32 bytes of data:
Request timed out.
Notifications
SUREN NETWORK
PLAY WITH TECHNOLOGIES
50.0.0.1
e0/0
Router
60.0.0.1
e0/1
e0
Win2
60.0.0.10
Physical
01 : 00 : 00
START
Search
ENG
IN
02:45 PM
12-10-2026