


NAME:SHYAM SUNDAR K
ROLL NO:241801268
EX-NO:14

1. Create a sequence to be used with the primary key column of the DEPT table. The sequence should start at 200 and have a maximum value of 1000. Have your sequence increment by ten numbers. Name the sequence DEPT_ID_SEQ.



The screenshot shows the APEX SQL Workshop interface. At the top, there are tabs for 'App Builder', 'SQL Workshop', 'Team Development', and 'Gallery'. Below the tabs, there is a 'SQL Commands' section. The 'Language' is set to 'SQL' and 'Rows' is set to '20'. The SQL command entered is:

```
1 CREATE SEQUENCE dept_id_seq
2 INCREMENT BY 10
3 START WITH 200
4 MAXVALUE 1000
5 NOCACHE
6 NOCYCLE;
```

Below the command, there is a 'Results' tab. The results show 'Sequence created.' and '0.02 seconds'.

2. Write a query in a script to display the following information about your sequences: sequence name, maximum value, increment size, and last number.

SQL Commands

Language: SQL Rows: 20 Clear Command Find Tables

```

1 SELECT sequence_name,
2        next_val,
3        increment_by,
4        last_number
5 FROM user_sequences
6 WHERE sequence_name = 'DEPT_ID_SEQ';

```

Results Explain Describe Saved SQL History

SEQUENCE_NAME	NEXT_VALUE	INCREMENT_BY	LAST_NUMBER
DEPT_ID_SEQ	1000	10	700

1 row(s) retrieved 0.01 seconds Executed

3. Write a script to insert two rows into the DEPT table. Name your script lab12_3.sql. Be sure to use the sequence that you created for the ID column.

Add two departments named Education and Administration. Confirm your additions. Run the commands in your script.

APEX App Builder SQL Workshop Team Development Gallery

SQL Commands

Language: SQL Rows: 20 Clear Command Find Tables

```

1 INSERT INTO departments (department_id, department_name, location_id)
2 VALUES (dept_id_seq.NEXTVAL, 'Education', 1000);

```

Results Explain Describe Saved SQL History

1 row(s) inserted.

0.01 seconds

APEX App Builder SQL Workshop Team Development Gallery

↑ SQL Commands

Language SQL Rows 20 Clear Command Find Tables

1 INSERT INTO departments (department_id, department_name, location_id)
2 VALUES (dept_id_seq.NEXTVAL, 'Administration', 1009);

Results Explain Describe Saved SQL History

1 row(s) inserted.
0.00 seconds

↑ SQL Commands Schema EMP_DB505

Language SQL Rows 20 Clear Command Find Tables Save Run


1 SELECT * FROM departments
2 WHERE department_name IN ('Education', 'Administration');

Results Explain Describe Saved SQL History

DEPARTMENT_ID	DEPARTMENT_NAME	LOCATION_ID
20	Administration	1009
300	Education	1008

2 rows returned in 0.00 seconds Download

4. Create a nonunique index on the foreign key column (DEPT_ID) in the EMP table.



5. Display the indexes and uniqueness that exist in the data dictionary for the EMP table.

