python basic programming 13

May 20, 2023

```
[]: 1.Write a program that calculates and prints the value according to the given
     ⊶formula:
     Q = Square root of [(2 * C * D)/H]
     Following are the fixed values of C and H:
     C is 50. H is 30.
     D is the variable whose values should be input to your program in a
      ⇔comma-separated sequence.
     Example: Let us assume the following comma separated input sequence is given tou
      ⇔the program: 100, 150, 180
     The output of the program should be: 18,22,24
[2]: from math import sqrt
     def calculateProgram():
         in_num = eval(input("Enter the Input: "))
         out_num = []
         C = 50 # Declaring and initializing constant C
         H = 30 # Declaring and initializing constant H
         for ele in in num:
             Q = str(int(sqrt((2*C*ele)/H)))
             out_num.append(Q)
         print("Output: {}".format(','.join(out_num)))
     calculateProgram()
    Enter the Input: 100,150,180
    Output: 18,22,24
[]: 2.Write a program which takes 2 digits, X,Y as input and generates a
     →2-dimensional array.
     The element value in the i-th row and j-th column of the array should be i*j.
     Note: i=0,1..., X-1; j=0,1, Y-1.
     Example: Suppose the following inputs are given to the program: 3,5
     Then, the output of the program should be: [[0, 0, 0, 0, 0], [0, 1, 2, 3, 4],
      \rightarrow[0, 2, 4, 6, 8]]
[3]: import array as arr
     def generateArray():
         in_x = int(input('Enter the No of Rows:'))
```

```
in_y = int(input('Enter the No of Columns:'))
out_array = []
for ele in range(in_x):
    out_array.insert(in_x,[])
    for sub_ele in range(in_y):
        out_array[ele].append(ele*sub_ele)
print(out_array)
generateArray()
```

Enter the No of Rows:5
Enter the No of Columns:4
[[0, 0, 0, 0], [0, 1, 2, 3], [0, 2, 4, 6], [0, 3, 6, 9], [0, 4, 8, 12]]

[]: 3.Write a program that accepts a comma separated sequence of words as input and prints the words in a comma-separated sequence after sorting them alphabetically?

Suppose the following input is supplied to the program: without, hello, bag, world Then, the output should be: bag, hello, without, world

```
[4]: def sortString():
    in_string = input("Enter the Input String: ")
    out_string = ','.join(sorted(in_string.split(',')))
    print(f'Output: {out_string}')

sortString()
```

Enter the Input String: hello, apple ,word, grapes
Output: apple , grapes,hello,word

[]: 4.Write a program that accepts a sequence of whitespace separated words as input and prints the words after removing all duplicate words and sorting them alphanumerically. Suppose the following input is supplied to the program: hello world and practice makes perfect and hello world again. Then, the output should be: again and hello makes perfect practice world

```
[5]: def sortAlphaNumerically():
    in_string = input("Enter the Input String: ")
    out_string = ' '.join(sorted(sorted(list(set(in_string.split(" "))))))
    print(f'Output: {out_string}')

sortAlphaNumerically()
```

Enter the Input String: hello world and practice makes perfect and hello world again

Output: again and hello makes perfect practice world

```
[]: 5. Write a program that accepts a sentence and calculate the number of letters
      →and digits.
     Suppose the following input is supplied to the program: hello world! 123
     Then, the output should be:
     LETTERS 10
     DIGITS 3
[8]: def countLetterAndDigits():
         in_string = input("Enter the Input String: ")
         lettersList = 'ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz'
         digitsList = '0123456789'
         letters = 0
         digits = 0
         for ele in in_string:
             if ele in lettersList:
                 letters += 1
             if ele in digitsList:
                 digits += 1
         print(f'LETTERS {letters} \nDIGITS {digits}')
     countLetterAndDigits()
    Enter the Input String: hello world! 123
    LETTERS 10
    DIGITS 3
[]: 6.A website requires the users to input username and password to register.
     →Write a program to check the validity
     of password input by users.
     Following are the criteria for checking the password:
     At least 1 letter between [a-z]
     At least 1 number between [0-9]
     At least 1 letter between [A-Z]
     At least 1 character from [$#@]
     Minimum length of transaction password: 6
     Maximum length of transaction password: 12
     Your program should accept a sequence of comma separated passwords and will_
      ⇒check them according to the above criteria.
     Passwords that match the criteria are to be printed, each separated by a comma.
     If the following passwords are given as input to the program: ABd1234@1,au
      →F1#,2w3E*,2We3345
     Then, the output of the program should be: ABd1234@1
```

Enter the Input String: ABd1234@1,a F1#,2w3E*,2We3345 ABd1234@1