SWI-DuplexFolder



SWI
P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

SWI
DUPLEX SLITTER FOLDER (DUAL PUMP)
415/240VAC POWER DISTRIBUTION

SCALE: NTS
FILE No:SWI-DuplexFolder

SHEET 1 OF 18

REV: -



P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

SWI
DUPLEX SLITTER FOLDER (DUAL PUMP)
415/240VAC POWER DISTRIBUTION

SCALE: NTS
FILE No:SWI-DuplexFolder

SHEET 2 OF 18

REV: -



P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

DUPLEX SLITTER FOLDER (DUAL PUMP)
PLC & COMMS
SCHEMATIC DRAWING

SCALE: NTS
FILE No:SWI-DuplexFolder

REV:-



P.O. BOX 1489
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

DUPLEX SLITTER FOLDER (DUAL PUMP)
PLC & COMMS 2
SCHEMATIC DRAWING

SCALE: NTS
FILE No:SWI-DuplexFolder

SHEET 4 OF 18

REV: -



P.O. BOX 1469
24-28 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55646300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

DUPLEX SLITTER FOLDER (DUAL PUMP)
SAFETY CIRCUIT
SCHEMATIC DRAWING

SCALE: NTS
FILE No:SWI-DuplexFolder

SHEET 5 OF 18

REV:-



P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

DUPLEX SLITTER FOLDER (DUAL PUMP)
SAFETY CIRCUIT 2
SCHEMATIC DRAWING

SCALE: NTS
FILE No:SWI-DuplexFolder

REV:-



P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

SWI
DUPLEX SLITTER FOLDER (DUAL PUMP)
SLOT 1 DIGITAL INPUT CARD
1769-IQ16

SCALE: NTS
FILE No:SWI_DuplexFolder

REV: -



SWI
P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

SWI
DUPLEX SLITTER FOLDER
SLOT 3 DIGITAL INPUT CARD
1769-IQ16

SCALE: NTS
FILE No:SWI_DuplexFolder

REV: -



SWI
P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

SWI
DUPLEX SLITTER FOLDER (DUAL PUMP)
SLOT 2 DIGITAL OUTPUT CARD
1769-OB16

SCALE: NTS
FILE No:SWI DuplexFolder

REV: -



SWI
P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

SWI
DUPLEX SLITTER FOLDER (DUAL PUMP)
SLOT 2 DIGITAL OUTPUT CARD
1769-OB16

SCALE: NTS
FILE No:SWI DuplexFolder

REV: -

1769-IF8



P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

SWI
DUPLEX SLITTER FOLDER (DUAL PUMP)
SLOT 4&5 ANALOG INPUT CARD
1769-IF16

SCALE: NTS
FILE No:SWI_DuplexFolder

REV: -

DEVICENET SLAVE I/O MODULE RELAY OUTPUTS
REFER SHEET 2



NOTES:
1. Hydraulic valve current rating 1.25A
2. Relay current rating is 2A.
3. Fuses required to limit current through safety interlock contacts and prevent contact welding

P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

SWI
DUPLEX SLITTER FOLDER (DUAL PUMP)
RELAY ASSIGNMENT
SCHEMATIC

SCALE: NTS
FILE No:SWI_DuplexFolder

REV:-



P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

SWI
DUPLEX SLITTER FOLDER (DUAL PUMP)
BACKGAUGE DRIVE 1 CONTROL CONNECTIONS
ELECTRICAL SCHEMATIC

SCALE: NTS
FILE No:SWI_DuplexFolder

SHEET 13 of 18

REV:-



P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

SWI
DUPLEX SLITTER FOLDER (DUAL PUMP)
BACKGAUGE DRIVE 2 CONTROL CONNECTIONS
ELECTRICAL SCHEMATIC

SCALE: NTS
FILE No:SWI_DuplexFolder

REV:-



P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

SWI
DUPLEX SLITTER FOLDER (DUAL PUMP)
BACKGAUGE DRIVE 3 CONTROL CONNECTIONS
ELECTRICAL SCHEMATIC

SCALE: NTS
FILE No:SWI_DuplexFolder

REV:-



P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

SWI
DUPLEX SLITTER FOLDER (DUAL PUMP)
BACKGAUGE DRIVE 4 CONTROL CONNECTIONS
ELECTRICAL SCHEMATIC

SCALE: NTS
FILE No:SWI_DuplexFolder

REV:-



P.O. BOX 1469
24-26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

SWI
DUPLEX SLITTER FOLDER (DUAL PUMP)
BACKGAUGE DRIVE 4 CONTROL CONNECTIONS
ELECTRICAL SCHEMATIC

SCALE: NTS
FILE No:SWI_DuplexFolder

REV:-

SWI_DuplexFolder

8 PORT DISTRIBUTION BLOCK WIRING

POS	COLOUR	NAME
1	WHITE	N/C
	GREY/PINK	N/C
2	GREEN	SR5
	RED/BLUE	N/C
3	YELLOW	R3
	WHITE/GREEN	N/C
4	GREY	R4
	BROWN/GREEN	N/C
5	PINK	SR9
	WHITE/YELL	N/C
6	RED	SR10
	YELL/BROWN	N/C
7	BLACK	SR2
	WHITE/GREY	N/C
8	VIOLET	SR1
	GREY/BROWN	N/C
	BROWN	+24EXT1
	BLUE	−24VDC

DISTRIBUTION BOARD 1– PUMP A



DISTRIBUTION BOARD 2– PUMP B



8 PORT DISTRIBUTION BLOCK WIRING

POS	COLOUR	NAME
1	WHITE	SR6
	GREY/PINK	N/C
2	GREEN	N/C
	RED/BLUE	N/C
3	YELLOW	SR8
	WHITE/GREEN	N/C
4	GREY	SR7
	BROWN/GREEN	N/C
5	PINK	R5
	WHITE/YELL	N/C
6	RED	R6
	YELL/BROWN	N/C
7	BLACK	SR3
	WHITE/GREY	N/C
8	VIOLET	SR4
	GREY/BROWN	N/C
	BROWN	+24EXT1
	BLUE	−24VDC

VIEW FROM BACK OF MACHINE

SR5 PUMP A LOAD VALVE	LOAD VALVE A	
R3 UP	BOTTOM FOLD	R4 DOWN
SR10 REV	TOP SLIDE	SR9 FWD
SR2 DOWN	CLAMP	SR1 UP

MANIFOLD A

	LOAD VALVE B	SR6 PUMP B LOAD VALVE
SR7 FWD	BOTTOM SLIDE	SR8 REV
R6 DOWN	TOP FOLD	R5 UP
SR3 UP	CLAMP	SR4 DOWN

MANIFOLD B

4 PORT DISTRIBUTION BLOCK 15M WIRING

POS	COLOUR	NAME
1	1.WHITE	R1
	2.GREY/PINK	R2
2	1.GREEN	N/C
	2.RED/BLUE	N/C
3	1.YELLOW	R7
	2.WHITE/GREEN	R8
4	1.GREY	R9
	2.BROWN/GREEN	R10
	BROWN	+24EXT1
	BLUE	−24VDC

DISTRIBUTION BOARD 5– PUMP A



R7 RET	FRONT GAUGING	R8 EXT
R9 RET	REAR GAUGING	R10 EXT
R2 REV	SLITTER	R1 FWD
	SPARE	

MANIFOLD C

SLITTER AND GAUGING VALVES

SWI
P.O. BOX 1469
24–26 WHITE ROCK ROAD
WARRNAMBOOL
VICTORIA 3280
AUSTRALIA

TELEPHONE: +61 3 55645333
FACSIMILE: +61 3 55645300
EMAIL: info@swiengineering.com.au

REV	BY	DESCRIPTION OF CHANGE	DATE

DRAWN	
DATE	
DESIGNED	
APPROVED	

SWI
DUPLEX SLITTER FOLDER (DUAL PUMP)
VALVE LAYOUT
SCHEMATIC

SCALE: NTS
FILE No:SWI_DuplexFolder

REV: –