

Multi-model Analysis of Hemodynamics in VSD

Group 7


Sijie Li, Xu Shen, Yushan Wei

BACKGROUND

VSD

Xu Shen

Introduction of VSD



Ventricular septal defect (VSD) is one of the most common congenital heart diseases, accounting for approximately **20-30%** of all congenital cardiac defects.


Larger defects can lead to symptoms such as failure to thrive, recurrent pulmonary infections, and heart failure

VSD leads to left-to-right shunting.
¹ **$Q_p/Q_s \geq 1.5$** indicates hemodynamic significance, requiring intervention.

ORIFICE PLATE MODEL

Xu shen

Orifice Plate Model



The classic formula for the orifice flow model

$$Q = c_d A \sqrt{\frac{2\Delta p}{\rho}}$$

Q : the **flow rate** through the orifice


c_d : is the **flow coefficient**

A : the **effective cross-sectional area** of the orifice

Δp : the **pressure difference** across the orifice

ρ : the **density** of the fluid

Orifice Plate Model



$$Q_c = c_d A \sqrt{\frac{2\Delta p}{\rho}}$$

$$\frac{Q_p}{Q_s} = \frac{Q_s + Q_c}{Q_s} = 1 + \frac{Q_c}{Q_s}$$

$$c_d = 0.6$$

$$\Delta p = (60, 110) \text{ mmHg}$$


$$\rho = 1.06 \text{ g/ml}$$

Q_c = shunt flow in the cardiac septal defect

Q_p = blood ejected from the right ventricle

Q_s = blood returning from the systemic circulation

Orifice Plate Model



Limitations

- Neglect **pressure variations** caused by cardiac cycles
- Disregard **vascular elasticity**
- Idealize the defect as a **perfect circle**

Future studies



- Enhance the model by incorporating **time-varying pressure terms**
- Considering vascular wall **elasticity**

TUBE MODEL

Model

Sijie Li

Simplification



Wall

cylindrical tubes

- Rigid
- Uniform
- Straight

Blood

Newtonian

- Steady
- Laminar
- Incompressible

Simplification

INPUT

Constants

D_R P_{RV}

L_C P_{LV}


Variables

L_R X

$$P'_{RV} = f(X, L_C)$$

OUTPUT

P'_{RV}




Description

Poiseuille's law

$$R = \frac{128\eta L}{\pi D^4}$$

$$Q = \frac{\Delta P}{R} = \frac{\Delta P \pi D^4}{128\eta L}$$



$$\Delta Q_R = Q_c$$

$$Q_c = \frac{(P_L - P_R)\pi x^4}{128\eta L_c}$$


$$\begin{aligned} \Delta Q_R &= \frac{P_R - P'_{R0}}{R_R} - \frac{P_R - P'_R}{R_R} \\ &= \frac{P'_{R0} - P'_R}{128\eta L_R} \pi D_R^4 \end{aligned}$$

Description

Poiseuille's law

$$R = \frac{128\eta L}{\pi D^4}$$

$$Q = \frac{\Delta P}{R} = \frac{\Delta P \pi D^4}{128\eta L}$$



$$\Delta Q_R = Q_c$$

$$Q_c = \frac{(P_L - P_R)\pi x^4}{128\eta L_c}$$

$$\begin{aligned} \Delta Q_R &= \frac{P_R - P'_{R0}}{R_R} - \frac{P_R - P'_R}{R_R} \\ &= \frac{P'_{R0} - P'_R}{128\eta L_R} \pi D_R^4 \end{aligned}$$

$$\Delta P_R = P'_R - P'_{R0}$$

$$= \frac{(P_L - P_R)x^4 \cdot L_R}{L_c \cdot D_R^4}$$


TUBE MODEL

Result

Sijie Li

Tendency

Pressure Increment vs Defect Diameter



$$P_L = 110 \text{ mmHg} \quad D_R = 15 \text{ mm}$$

$$P_R = 25 \text{ mmHg} \quad L_c = 8.5 \text{ mm}$$

More **Hallmarks** for
Clinical determination



increases sharply

---- call for precise clinical threshold




Increases with L_R

Dynamic

TUBE MODEL

Pressure Fluctuation with Pulsation



$$L_R = 40 \text{ mm}$$

$$p_{LV}(t) = 65 + 55 \sin(7.85t)$$

$$p_{RV}(t) = 15 + 10 \sin\left(7.85t + \frac{\pi}{6}\right)$$



Time Dimension

enables a more
accurate assessment

X



- mean pressure
- oscillation amplitude



TUBE MODEL

Discussion

Sijie Li

Discussion

Model Limitations

- **Assumptions Matter!**
- **Highly Specific**

Not suitable for evaluating other metrics like $\frac{Q_p}{Q_s}$

BUT, may not necessary!

Idealized Simulation

- Sinusoidal **approximates pulsation**
- **captures general trends!**

Future Work

- **identify intervention thresholds**

Data correlation. eg. meta-analysis to establish pressure-damage relationships

- **Incorporate realistic conditions**

- Non-Newtonian blood
- flow dynamics

Pressure-Volume Model

Yushan Wei


Simplification

Ventricular Parameter

V_{LV} P_{LV}

K_{LV} $F_{LV}(t)$

X X_0




Blood Parameter

P_{LA} P_B

q_{in} q_{out}

q_{vsd}

Simplification



Model

Rigid


Massless

Blood

Steady

Incompressible

Simplification



$$\frac{dV_{LV}}{dt} = q_{in} - q_{out} - q_{vsd}$$

$$\frac{dV_{LV}}{dt} = \frac{P_{LA} - P_{LV}}{R} - \frac{P_{LV} - P_B}{R} - C_d A \sqrt{\frac{2\Delta P}{\rho}}$$


Flow rate in valve

$$q = \frac{P_u - P_d}{R}$$

Orifice Plate Model

$$q_{vsd} = C_d A \sqrt{\frac{2\Delta P}{\rho}}$$

Simplification



$$\frac{dV_{LV}}{dt} = \frac{P_{LA} - P_{LV}}{R} - \frac{P_{LV} - P_B}{R} - C_d A \sqrt{\frac{2\Delta P}{\rho}}$$

$$P_{LV}A = K_{LV}(X - X_0) + F_{LV}(t)$$

$$P_{LV} = E_{LV}(V_{LV} - V_{unlv}) + G_{LV}(t)$$

$$\frac{dP_{LV}}{dt} = E_{LV} \frac{dV_{LV}}{dt} + \frac{dG_{LV}(t)}{dt}$$

Replace A with V

$$E_{LV} = \frac{K_{LV}}{A^2}$$


$$V_{unlv} = X_0 A$$

$$G_{LV}(t) = \frac{F_{LV}(t)}{A}$$

$G_{LV}(t)$ can be approximated as a sin function

$$\frac{dG_{LV}(t)}{dt} = 113.75\pi \sin \frac{\pi t}{0.4}$$

Simplification




$$\frac{dV_{LV}}{dt} = \frac{P_{LA} - P_{LV}}{R} - \frac{P_{LV} - P_B}{R} - C_d A \sqrt{\frac{2\Delta P}{\rho}}$$

$$\frac{dP_{LV}}{dt} = E_{LV} \frac{dV_{LV}}{dt} + \frac{dG_{LV}(t)}{dt}$$

$$\frac{dP_{LV}}{E_{LV}dt} + \frac{2}{R} P_{LV} + C_d A \sqrt{\frac{2(P_{LV} - P_{RV})}{\rho}} = \frac{dG_{LV}(t)}{E_{LV}dt} + \frac{P_{LA}}{R} + \frac{P_B}{R}$$


Simplification



$$\frac{dP_{LV}}{E_{LV}dt} + \frac{2}{R}P_{LV} + C_d A \sqrt{\frac{2(P_{LV} - P_{RV})}{\rho}} = \frac{dG_{LV}(t)}{E_{LV}dt} + \frac{P_{LA}}{R} + \frac{P_B}{R}$$

$$\frac{dP_{RV}}{E_{RV}dt} + \frac{2}{R}P_{RV} - C_d A \sqrt{\frac{2(P_{LV} - P_{RV})}{\rho}} = \frac{dG_{RV}(t)}{E_{RV}dt} + \frac{P_{RA}}{R} + \frac{P_{PA}}{R}$$

Results



Initial Value:

$$P_{LV0} = 110 \text{ mmHg}$$

$$P_{RV0} = 25 \text{ mmHg}$$

Special parameter

$$E_{LV} = 0.1 \text{ mmHg/ml}$$


$$E_{RV} = 0.07 \text{ mmHg/ml}$$

$$\frac{dG_{LV}(t)}{dt} = 113.75\pi \sin \frac{\pi t}{0.4}$$

$$\frac{dG_{RV}(t)}{dt} = 25.25\pi \sin \frac{\pi t}{0.4}$$

$$R = 0.04$$

Results



Left ventricular blood pressure decreases with VSD

Right ventricular blood pressure increases with VSD

Discussion

Limitation

Many **average values** are used for simplicity

Advantage

It considers the **interaction** between ventricular pressure and volume
simulate the **key components** of the ventricle

Future Work

The model can be improved to study the **effect** of blood pressure **on** cardiac **deformation**

Reference List

- American Society of Echocardiography, & European Association of Cardiovascular Imaging. (2015). Recommendations for cardiac chamber quantification by echocardiography in adults: An update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. *Journal of the American Society of Echocardiography*, 28(1), 1-39. <https://doi.org/10.1016/j.echo.2014.10.003>
- Ben-Tal, A., Elstad, M., Noreen, S., Paton, J., Ramchandra, R., & Sweatman, W. L. (2022). Mathematical modelling of atrial and ventricular pressure-volume dynamics and their change with heart rate. *Mathematical Biosciences*, 344, 108766. <https://doi.org/10.1016/j.mbs.2018.108766>
- Eckerström, F., Nyboe, C., Maagaard, M., Redington, A., & Hjortdal, V. E. (2023). Survival of patients with congenital ventricular septal defect. *European Heart Journal*, 44(1), 54-61.
- Ethier, C. R., & Simmons, C. A. (2007). *Introductory biomechanics: From cells to organisms*. Cambridge University Press.
- Fox, R. W., McDonald, A. T., & Pritchard, P. J. (2011). *Introduction to fluid mechanics* (8th ed., SI version). John Wiley & Sons, Inc.
- Gupta, S. S., & Sinha, A. (2016). Ventricular septal defect. *QJM: An International Journal of Medicine*, 109(10), 691–692. <https://doi.org/10.1093/qjmed/hcw112>
- Miyake, T. (2020). A review of isolated muscular ventricular septal defect. *World Journal of Pediatrics*, 16, 120-128.
- Nayak, S., Patel, A., Haddad, L., Kanakriyeh, M., & Varadarajan, P. (2020). Echocardiographic evaluation of ventricular septal defects. *Echocardiography*, 37, 2185-2193.
- Phillips, G., & Others, A. (1977). Health instruction packages: Cardiac anatomy. Retrieved from <https://www.proquest.com/encyclopedias-reference-works/health-instruction-packages-cardiac-anatomy/docview/63617137/se-2>
- Stergiopoulos, N., Westerhof, N., & Noble, M. I. M. (2010). *Snapshots of hemodynamics: An aid for clinical research and graduate education* (2nd ed.). Springer.
- Turner, M. E., Bouhout, I., Petit, C. J., & Kalfa, D. (2022). Transcatheter closure of atrial and ventricular septal defects: JACC focus seminar. *Journal of the American College of Cardiology*, 79(22), 2247-2258.