

Project-1:

HTML:

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
    <title>Contact_Form</title>
    <link rel="stylesheet" href="style.css">
  </head>
  <body>
    <div id="main">
      <h3>GET IN TOUCH</h3>
      <form action="">
        <input type="name" id="name"
placeholder="Enter your name" required>
        <input type="email" id="email"
placeholder="Enter your email" required>
        <input type="phone" id="phone"
placeholder="Enter your phone" required>
        <input type="coupon" id="coupon"
placeholder="Enter your coupon">
        <textarea id="message" rows="4"
placeholder="Write something"></textarea>
        <button class="btn"
type="submit">Submit</button>
      </form>
    </div>
  </body>
</html>
```

Css:

```
*{
margin: 0;
```

```
padding: 0;
box-sizing: border-box;
}
body{
display: flex;
justify-content: center;
align-items: center;
height: 100vh;
width: 100vw;
background-color: antiquewhite;
}
#main{
background-color: darksalmon;
display: flex;
flex-direction: column;
justify-content: center;
align-items: center;
padding: 2rem 3rem;
border-radius: 0.8rem;
}
h3{
font-size: 2rem;
display: flex;
justify-content: center;
flex-direction: column;
}
input{
background-color: aliceblue;
display: flex;
margin: 0.6rem;
padding-left: 0.7rem;
height: 4rem;
width: 25rem;
border-radius: 0.5rem;
```

```

font-size:1.5rem;
border:none;
}
textarea{
background-color: white;
display: flex;
justify-content: center;
align-items: center;
height: 4rem;
width: 25rem;
margin:0.6rem;
padding-left: 0.7rem;
font-size: 1.6rem;
border-radius: 0.5rem;
}
.btn{
font-size: 25px;
padding: 0.4rem 1rem;
cursor: pointer;
background: linear-gradient(to right, #8d68c5,
#e34494);
border-radius: 0.8rem;
margin:0.6rem;
color: #fff;
}

```

Project-2:

HTML:

```

<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">

```

```

    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
    <title>Login_Form</title>
    <link rel="stylesheet" href="style.css">
    <script
src="https://kit.fontawesome.com/3c13c40351.js"
crossorigin="anonymous"></script>
</head>
<body>
    <div class="container">
        <h2 class="t_Center">Login</h2>
        <form action="">
            <div class="inputDiv">
                <label for="name"
class="username">Username</label>
                <div class="userarea">
                    <i class="fa-solid fa-user"></i><input
type="text" name="name" id="name" placeholder="Enter
your Username">
                </div>
                <hr>
            </div>
            <div class="inputDiv">
                <label for="password"
class="username">Password</label>
                <div class="userarea">
                    <i class="fa-solid fa-
key"></i><input type="password" name="password"
id="password" placeholder="Enter your password">
                </div>
                <hr>
            </div>
            <span class="Forgot_pass">Forgot
password</span>

```

```

        <button class="btn">Login</button>
        <div class="form_button">
            <p>Or Sign up using</p>
            <ul class="alternative">
                <a href="https://www.facebook.com"
target="_blank">
                    <i class="fa-brands fa-
facebook"></i>
                </a>
                <a href="https://www.twitter.com"
target="_blank">
                    <i class="fa-brands fa-
telegram"></i>
                </a>
                <a href="https://www.gmail.com"
target="_blank">
                    <i class="fa-brands fa-
google"></i>
                </a>
            </ul>
            <p class="signUp">Or</p>
            <p id="signUp">SIGN UP</p>
        </div>
    </div>
</form>
</div>
</body>
</html>

```

Css:

```

*{
margin:0;
padding: 0;
box-sizing: border-box;
}

```

```
body{
  width: 100vw;
  height: 100vh;
  display: flex;
  justify-content: center;
  align-items: center;
  background-color: antiquewhite;
}
.container{
  background-color: white;
  display: flex;
  justify-content: center;
  align-items: center;
  flex-direction: column;
  padding: 1rem 3rem;
}
.container form{
  display: flex;
  justify-content: center;
  flex-direction: column;
  position: relative
}
.container h2{
  font-size: 1.5rem;
  margin: 2rem;
}
.container form input{
  font-weight: lighter;
  border:none;
}
input:focus{
  outline: none;
}
.container form .username{
```

```
margin-bottom: 0.7rem;
}
.inputDiv{
display: flex;
flex-direction: column;
padding-bottom: 0.8rem;
}
.container form .Forgot_pass{
align-self: flex-end;
right: 0rem;
bottom: 17rem;
font-size: 0.8rem;
cursor: pointer;
}
.inputDiv{
display: flex;
flex-direction: column;
padding-bottom: 0.8rem;
}
.form_button{
display: flex;
justify-content: center;
align-items: center;
flex-direction: column;
}
.btn {
border: none;
border-radius: 0.8rem;
cursor: pointer;
padding: 0.7rem 0.8rem;
background: linear-gradient(to right, #8d68c5,
#e34494);
margin-top: 2rem;
margin-bottom: 3rem;
```

```
    color: #fff;
}
```

Project-3:

HTML:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible"
content="IE=edge">
  <meta name="viewport" content="width=device-width,
initial-scale=1.0">
  <title>Navbar</title>
  <link rel="stylesheet" href="style.css">
<link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
</head>
<body>
  <nav class="navbar">
    <div class="left">
      <h1>Navbar</h1>
    </div>
    <div class="right">
      <input type="checkbox" id="check">
      <label for="check" class="chkBtn">
        <i class="fa fa-bars"></i>
      </label>
      <ul class="list">
        <li><a href="#">Home</a></li>
        <li><a href="#">Gallery</a></li>
```



```

        <li><a href=#>Services</a></li>
        <li><a href=#>About us</a></li>
        <li><a href=#>Contact</a></li>
    </ul>
</div>
</nav>
</body>
</html>

```

CSS:

```

@import
url('https://fonts.googleapis.com/css2?family=Roboto:ital,wght@0,100..900;1,100..900&family=Space+Mono:ital,wght@0,400;0,700;1,400;1,700&display=swap');
*{
    margin:0;
    padding:0;
    box-sizing: border-box;
    color: #fff;
    font-family: "Space Mono", monospace;
}

.navbar{
    display: flex;
    justify-content: space-around;
    align-items: center;
    line-height: 5rem;
    background-color: rgb(22, 237, 86);
}

.left h1{
    font-size:2.5rem;
    cursor: pointer;
}

.chkBtn{
    display: none;
}

```

```
}
#check{
  display: none;
}
.chkBtn{
  cursor: pointer;
  font-size: 30px;
  float: right;
  color: #ed1e79;
  line-height: 80px;
}
.right ul{
  display: flex;
  list-style: none;
}
.right ul li a{
  padding: 10px 20px;
  font-size: 1.2rem;
  color: firebrick;
  cursor: pointer;
  text-decoration: none;
  transition: all 1s;
}
.right ul li a:hover{
  background-color: #f2f;
  border-radius: 7px;
  color: rgb(22, 7, 36);
}
@media screen and (max-width: 805px) {
  .list {
    width: 100%;
    height: 100vh;
    background-color: rgb(22, 7, 36);
    text-align: center;
  }
}
```

```

        display: flex;
        flex-direction: column;
        position: fixed;
        top: 4rem;
        left: 100%;
        transition: all 1s;
    }
    #check {
        display: none;
    }
    .chkBtn {
        display: block;
    }
    #check:checked~ul {
        left: 0%;
    }
}

```

Project-4:

HTML:

```

<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width,
initial-scale=1.0">
    <link rel="stylesheet" href="style.css">
    <script
src="https://kit.fontawesome.com/3c13c40351.js"
crossorigin="anonymous"></script>
    <title>Side_bar</title>
  </head>
  <body>

```

```

<div class="sidebar">
  <div class="left_menu">
    <div class="logo">
      <i class="fa-solid fa-blog"></i><h2
style="display: inline-block;">SIA's Hub</h2>
    </div>
    <ul>
      <li><i class="fa-solid fa-house"></i><a
href="">Home</a></li>
      <li><i class="fa-solid fa-user"></i><a
href="">User</a></li>
      <li><i class="fa-solid fa-file"></i><a
href="">Files</a></li>
      <li><i class="fa-solid fa-download"></i><a
href="">Download</a></li>
      <li><i class="fa-regular fa-calendar"></i><a
href="">Events</a></li>
      <li><i class="fa-solid fa-message"></i><a
href="">Messages</a></li>
      <li><i class="fa-regular fa-chart-bar"></i><a
href="">Analytics</a></li>
      <li><i class="fa-solid fa-phone"></i><a
href="">Contact Us</a></li>
      <li><i class="fa-solid fa-gear"></i><a
href="">Settings</a></li>
    </ul>
  </div>
  <div class="right_menu"></div>
</div>
</body>
</html>

```

CSS:

```

*{
margin:0;

```

```
padding:0;
box-sizing: border-box;
}
body{
background-color: aqua;
}
.sidebar{
height: 100vh;
width:100vw;
background-color:cadetblue;
}
.left_menu{
background: white;
height:100vh;
width:3rem;
overflow:hidden;
position:relative;
display: flex;
flex-direction: column;
}
.left_menu h2{
opacity: 0;
}
.left_menu:hover h2{
opacity: 1;
}
.left_menu:hover{
width:14rem;
}
.left_menu ul{
display: flex;
height: 100%;
flex-direction: column;
gap:2.5rem;
```

```
padding-top:2.5rem;
padding-left:0.4rem;
cursor:pointer ;
}
.left_menu ul li{
display: flex;
list-style: none;
transition: font-size 0.1s ease-in;
}
.left_menu ul li:hover{
background:#bfc6be;
transition: font-size;
font-size:2rem;
}
.left_menu ul li a{
text-decoration: none;
padding-left: 0.4rem;
opacity: 0;
}
.left_menu:hover ul li a{
opacity: 1;
}
.left_menu ul li:last-child{
margin-top: auto;
padding-bottom: 1rem;
}
```