

- 5 Fig. 5.1 shows a point source S emitting continuous waves at a distance h from a plane reflector R . As a result, regions of high intensity such as C , C' and C'' are produced.




Fig. 5.1

- (a)** Explain why regions of high intensity such as C, C' and C'' are produced.

[illegible]

[3]

When the waves are emitted from S, there are some waves that are **reflected off the reflector screen and directed towards the regions below R.**

B1

These reflected waves will then meet the wave coming directly from S, that are directed towards the same regions.

B1

When the reflected signal and the direct signal **meet in phase, constructive interference occurs**, and the resultant intensities will be increased, giving rise to C, C' and C''.

B1

- (b)** A detector is moved in the direction indicated by the dotted arrow in Fig. 5.1. Explain how the detected intensity of the waves would vary.

[illegible]

[3]

As the detector moves along the indicated path, it registers **alternating regions of high intensity and low intensity.**

B1

However, as it moves from C to C'', the regions of high intensity are relatively lower in magnitude compared to the previous high intensity region (e.g. C has a higher intensity compared to C' and likewise, C' has a higher intensity compared to C'). B1

The low intensity regions will also not remain at the same low intensity – meaning to say, the contrast between the high and low intensity region would be poorer as we move from C to C'. B1

- (c) When the frequency of S is decreased slowly, the regions C, C' and C'' move in the direction D as shown in Fig. 5.1. Explain this phenomenon.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

When the frequency of the signal decreases, the wavelength of the waves will increase. [2]

This will then cause an increase in the path difference between the two waves meeting at the constructive interference fringes/intensity maxima. B1
As such, previously the regions of high intensities will shift to the new positions where the waves will meet constructively again. B1