


Deployment Guide

1. Access URL “<http://68.183.189.108:8080/>” and UserID: admin, Password: admin then click [Manage App].

[Home](#) [Documentation](#) [Configuration](#) [Examples](#) [Wiki](#) [Mailing Lists](#) [Find Help](#)

Apache Tomcat/8.5.35



If you're seeing this, you've successfully installed Tomcat. Congratulations!

Recommended Reading:
[Security Considerations HOW-TO](#)
[Manager Application HOW-TO](#)
[Clustering/Session Replication HOW-TO](#)

[Server Status](#)
[Manager App](#)
[Host Manager](#)

Developer Quick Start
[Tomcat Setup](#) [Realms & AAA](#) [Examples](#) [Servlet Specifications](#)
[First Web Application](#) [JDBC DataSources](#) [Tomcat Versions](#)

Managing Tomcat
For security, access to the manager webapp is restricted. Users are defined in:
\$CATALINA_HOME/conf/tomcat-users.xml
In Tomcat 8.5 access to the manager application is split between different users.
[Read more...](#)
Release Notes
Changelog
Migration Guide
Security Notices

Documentation
Tomcat 8.5 Documentation
Tomcat 8.5 Configuration
Tomcat Wiki
Find additional important configuration information in:
\$CATALINA_HOME/README.txt
Developers may be interested in:
[Tomcat 8.5 Bug Database](#)
[Tomcat 8.5 JavaDocs](#)
[Tomcat 8.5 SVN Repository](#)

Getting Help
FAQ and Mailing Lists
The following mailing lists are available:
[tomcat-announce](#)
Important announcements, releases, security vulnerability notifications. (Low volume).
[tomcat-users](#)
User support and discussion
[taglibs-user](#)
User support and discussion for Apache Taglibs
[tomcat-dev](#)
Development mailing list, including commit messages

Other Downloads
[Tomcat Connectors](#)
[Tomcat Native](#)
[Taglibs](#)
[Deployer](#)

Other Documentation
[Tomcat Connectors](#)
[mod_JK Documentation](#)
[Tomcat Native](#)
[Deployer](#)

Get Involved
[Overview](#)
[SVN Repositories](#)
[Mailing Lists](#)
[Wiki](#)

Miscellaneous
[Contact](#)
[Legal](#)
[Sponsorship](#)
[Themes](#)

Apache Software Foundation
[Who We Are](#)
[Heritage](#)
[Apache Home Resources](#)

Copyright ©1999-2018 Apache Software Foundation. All Rights Reserved

2. Stop service [/bw0-web] by click [stop] and [undeploy].



Tomcat Web Application Manager

Message: OR

Manager

List Applications	HTML Manager Help	Manager Help	Server Status
-------------------	-------------------	--------------	---------------

Applications

Path	Version	Display Name	Running	Sessions	Commands
/	None specified	Welcome to Tomcat	true	0	Start Stop Reload Undeploy Expire sessions with idle at 30 minutes
/bw0-web	None specified	gerds-web	true	4	Start Stop Reload Undeploy Expire sessions with idle at 30 minutes
/docs	None specified	Tomcat Documentation	true	0	Start Stop Reload Undeploy Expire sessions with idle at 30 minutes
/examples	None specified	Servlet and JSP Examples	true	0	Start Stop Reload Undeploy Expire sessions with idle at 30 minutes
/host-manager	None specified	Tomcat Host Manager Application	true	0	Start Stop Reload Undeploy Expire sessions with idle at 30 minutes
/manager	None specified	Tomcat Manager Application	true	2	Start Stop Reload Undeploy Expire sessions with idle at 30 minutes

Deploy

Deploy directory or WAR file located on server

Context Path (required):

XML Configuration file URL:

WAR or Directory URL:

Deploy

WAR file to deploy

Select WAR file to upload Choose File No file chosen

Deploy

Configuration

Re-read TLS configuration files

TLS host name (optional):

Re-read

Diagnostics

Check to see if a web application has caused a memory leak on stop, reload or undeploy

Find leaks This diagnostic check will trigger a full garbage collection. Use it with extreme caution on production systems.

TLS connector configuration diagnostics

Ciphers List the configured TLS virtual hosts and the ciphers for each.

Certificates List the configured TLS virtual hosts and the certificate chain for each.


Trusted Certificates List the configured TLS virtual hosts and the trusted certificates for each.

Server Information

Tomcat Version	JVM Version	JVM Vendor	OS Name	OS Version	OS Architecture	Hostname	IP Address
Apache Tomcat/8.5.35	1.8.0_191-bu191-012-0ubuntu0.16.04.1-012	Oracle Corporation	Linux	4.4.0-140-generic	amd64	ubuntu-8-3-vgpu-1gh-vgpu1-02	127.0.1.1

Copyright © 1999-2018, Apache Software Foundation

3 At [WAR file to deploy] click [choose file] then select WAR file and Click [Deploy].



3. Application path will be appear to start.

/bw0-web	None specified	gwds-web	true	0	Start Stop Reload Undeploy
					Expire sessions with idle ≥ 30 minutes

4. Access URL “http://68.183.189.108:8080/bw0-web/” and fill in member login information then click [Login].

68.183.189.108:8080/bw0-web/

Member Login

prathan

Login Cancel

5. Click [Search] customers list will be appear in a list.

TIM

20 Dec 2018 09:28
ภาษาไทย ไทยแลนด์ไทย | Logout

Customer List

Insurance Expire within: 6 Months

Search Clear

No.	Customer Name	Insurance Name	Insurance Type	Expire Date
1	สมยศ ธรรม	ประกันภัยรถยนต์ 1	1	25/12/2018
2	ศุภณัฐ ธรรม	ประกันภัยรถยนต์ส่วนบุคคล 3	3	27/12/2018
3	เฉลิม ธรรม	ประกันภัยรถยนต์ 1	1	30/12/2018
4	สุวิทย์ ธรรม	ประกันภัย 3+ รถยนต์	2	12/01/2019
5	สมยศ ธรรม	ประกันภัยรถยนต์ 1	1	15/01/2019

Total found 5 records

© 2017 - TOYOTA DAIHATSU ENGINEERING & MANUFACTURING CO., LTD. All Rights Reserved.