KUIS 1

BIG DATA



Disusun Oleh:

Angelia Anna P.R	2241760016
Dimas Rosyidin	2241760054
Muhammad Khasbul Hadi Fauzan	2241760039
Muhammad Ivan Yoda Bellamy	2241760094
Rega Dane Wijayanta	2241760113

PROGRAM STUDI D4 SISTEM INFORMASI BISNIS JURUSAN TEKNOLOGI INFORMASI POLITEKNIK NEGERI MALANG 2025

Laporan Kuis 1 - Big Data

1. ip addr

2. hosts

```
GNU nano 7.2
                                                                                                                                                                                   /etc/hosts
127.0.0.1 localhost
::1 ip6-localhost ip6-loopback
fe00::0 ip6-localnet
ff00::0 ip6-mcastprefix
ff02::1 ip6-allnodes
ff02::2 ip6-allrouters
# Hadoop cluster nodes
172.20.10.5 hadoop-namenode
172.20.10.9 hadoop-datanode1
172.20.10.7 hadoop-datanode2
172.20.10.3 hadoop-datanode3
```

3. start-dfs.sh, start-yarn.sh, jps

```
Addoopuser@hadoop-namenode: "$ start-dfs.sh
Starting namenodes on [hadoop-namenode]
hadoop-namenode: namenode is running as process 1117. Stop it first and ensure /tmp/hadoop-hadoopuser-namenode.pid file is empty before retry.
pash@hadoop-namenode: namenode is running as process 1117. Stop it first and ensure /tmp/hadoop-hadoopuser-datanode.pid file is empty before retry.
pash@hadoop-namenode: datanode is running as process 1400. Stop it first and ensure /tmp/hadoop-hadoopuser-datanode.pid file is empty before retry.
pash@hadoop-namenode: hadoop-datanode3: ssh exited with exit code 1
hadoop-datanode2: datanode is running as process 3905. Stop it first and ensure /tmp/hadoop-hadoopuser-datanode.pid file is empty before retry.
pash@hadoop-namenode: hadoop-datanode2: ssh exited with exit code 1
hadoop-datanode1: datanode is running as process 1031. Stop it first and ensure /tmp/hadoop-hadoopuser-datanode.pid file is empty before retry.
pash@hadoop-namenode: hadoop-datanode1: ssh exited with exit code 1
Starting secondary namenodes [hadoop-namenode]
hadoop-namenode: secondarynamenode is running as process 1324. Stop it first and ensure /tmp/hadoop-hadoopuser-secondarynamenode.pid file is empty before retry.
    pdsh@hadoop-namenode: hadoop-namenode: ssh exited with exit code 1
hadoopuser@hadoop-namenode: sstort-yarn.sh

Starting resourcemanager is running as process 1524. Stop it first and ensure /tmp/hadoop-hadoopuser-resourcemanager.pid file is empty before retry.

Starting nodemanagers hadoop-datanodes: ssh exited with exit code 1
hadoop-datanodes: nodemanager is running as process 1813. Stop it first and ensure /tmp/hadoop-hadoopuser-nodemanager.pid file is empty before retry.


pdsh@hadoop-namenode: hadoop-datanode3: ssh exited with exit code 1
hadoop-datanode1: nodemanager is running as process 1553. Stop it first and ensure /tmp/hadoop-hadoopuser-nodemanager.pid file is empty before retry.

pdsh@hadoop-namenode: hadoop-datanode1: ssh exited with exit code 1
hadoop-datanode2: nodemanager is running as process 1553. Stop it first and ensure /tmp/hadoop-hadoopuser-nodemanager.pid file is empty before retry.

pdsh@hadoop-namenode: hadoop-datanode2: ssh exited with exit code 1
hadoop-datanode2: nodemanager is running as process 5206. Stop it first and ensure /tmp/hadoop-hadoopuser-nodemanager.pid file is empty before retry.

pdsh@hadoop-namenode: hadoop-datanode2: ssh exited with exit code 1
hadoopuser@hadoop-namenode: hadoop-datanode2: ssh exited with exit code 1
hadoopuser@hadoop-namenode: ssp ps
dStmar
hadoopuser@Naucs
6888 Jps
1524 ResourceManager
1324 SecondaryNameNode
1117 NameNode
hadoopuser@hadoop-namenode:″$
```


4. Cek Datanode



5. Direktori berhasil dibuat




Browse Directory




Hadoop, 2024.

6. File terupload




Hadoop, 2024





Browse Directory



Hadoop, 2024.