



Log in

**boris_cherny** 1w

I'm Boris and I created Claude Code. Lots of people have asked how I use Claude Code, so I wanted to show off my setup a bit.


My setup might be surprisingly vanilla! Claude Code works great out of the box, so I personally don't customize it much. There is no one correct way to use Claude Code: we intentionally build it in a way that you can use it, customize it, and hack it however you like. Each person on the Claude Code team uses it very differently.

So, here goes.

4.9K 276 664 2.2K

**boris_cherny** 1w · Author


1/ I run 5 Claudes in parallel in my terminal. I number my tabs 1-5, and use system notifications to know when a Claude needs input code.claude.com/docs...



175 10 4 23

**boris_cherny** 1w · Author

2/ I also run 5-10 Claudes on claude.ai/code, in parallel with my local Claudes. As I code in my terminal, I will often hand off local sessions to web (using &), or manually kick off sessions in Chrome, and sometimes I will --teleport back and forth. I also start a few sessions from my phone (from the Claude iOS app) every morning and throughout the day, and check in on them later.



109 15 3 6

**boris_cherny** 1w · Author

3/ I use Opus 4.5 with thinking for everything. It's the best coding model I've ever used, and even though it's bigger & slower than Sonnet, since you have to steer it



less and it's better at tool use, it is almost always faster than using a smaller model in the end.



boris_cherny 1w · Author

4/ Our team shares a single [CLAUDE.md](#) for the Claude Code repo. We check it into git, and the whole team contributes multiple times a week. Anytime we see Claude do something incorrectly we add it to the [CLAUDE.md](#), so Claude knows not to do it next time.

Other teams maintain their own [CLAUDE.md](#)'s. It is each team's job to keep theirs up to date.

```
claude-cli $ cat CLAUDE.md
# Development Workflow

**Always use `bun`, not `npm`.**

```sh
1. Make changes

2. Typecheck (fast)
bun run typecheck

3. Run tests
bun run test -- -t "test name" # Single suite
bun run test:file -- "glob" # Specific files

4. Lint before committing
bun run lint:file -- "file1.ts" # Specific files
bun run lint # All files

5. Before creating PR
bun run lint:claude && bun run test
```

157 5 5 13



**boris\_cherny** 1w · Author

5/ During code review, I will often tag [@.claude](#) on my coworkers' PRs to add something to the [CLAUDE.md](#) as part of the PR. We use the Claude Code Github action (/install-github-action) for this. It's our version of [@danshipper's](#) Compounding Engineering

**bcherny** 3 days ago

nit: use a string literal, not ts enum

[@claude](#) add to CLAUDE.md to never use enums, always prefer literal unions

👍 1 🗨 1

**claude** bot 3 days ago · edited

Claude finished [@bcherny's](#) task in 39s — [View job](#)

---

**Adding enum guidance to CLAUDE.md**

- ✓ Read current CLAUDE.md to understand existing guidance
- ✓ Update CLAUDE.md to strengthen "no enums" guidance
- ✓ Commit the change

Updated CLAUDE.md line 36 from:

```
- Prefer `type` over `interface`; avoid `enum` (use string unions)
```

to:

```
- Prefer `type` over `interface`; **never use `enum`** (use string literal unions instead)
```

Committed in [156a458](#).

112 4 11



**boris\_cherny** 1w · Author

6/ Most sessions start in Plan mode (shift+tab twice). If my goal is to write a Pull Request, I will use Plan mode, and go back and forth with Claude until I like its plan. From there, I switch into auto-accept edits mode and Claude can usually 1-shot it. A good plan is really important!



Log in



6/ I want to improve progress notification rendering for skills. can you make it look and feel a bit more like subagent progress? ...

7/ I use slash commands for every inner loop workflow that I do many times a day. This saves me from repeated prompting, and makes it so Claude can use these workflows, too. Commands are checked into git and live in `.claude/commands/`.

eg. Claude and I use a `/commit-push-pr` slash command every day. The command uses inline bash to pre-compute git status to make the command run quickly and avoid back-and-forth with the model ([code.claude.com/docs...](https://code.claude.com/docs...))

```
> /commit-push-pr
```

`/commit-push-pr`      Commit, push, and open a PR

97    2    2    4



**boris\_cherny** 1w · Author

8/ I use a few subagents regularly: `code-simplifier` simplifies the code after Claude is done working, `verify-app` has detailed instructions for testing Claude Code end to end, and so on. Similar to slash commands, I think of subagents as automating the most common workflows that I do for most PRs.

[code.claude.com/docs...](https://code.claude.com/docs...)

```

.
├── .claude
│ └── agents
│ ├── build-validator.md
│ ├── code-architect.md
│ ├── code-simplifier.md
│ ├── oncall-guide.md
│ └── verify-app.md
└── ...

```

104    5    5    5



**boris\_cherny** 1w · Author

9/ We use a `PostToolUse` hook to format Claude's code. Claude usually generates well-formatted code out of the box, and the hook handles the last 10% to avoid formatting errors in CI later.

```

"PostToolUse": [
 {
 "matcher": "Write|Edit",
 "hooks": [
 {
 "type": "command",
 "command": "bun run format || true"
 }
]
 }
]

```

85    1    1    3



**boris\_cherny** 1w · Author

10/ I don't use `--dangerously-skip-permissions`. Instead, I use `/permissions` to pre-allow common bash commands that I know are safe in my environment, to avoid unnecessary permission prompts. Most of these are checked into `.claude/settings.json` and shared with the team.





```
> /permissions

Permissions: Allow Ask Deny Workspace (↔)

Claude Code won't ask before using allowed tools.

Search...

12. Bash(bq query:*)
13. Bash(bun run build:*)
14. Bash(bun run lint:file:*)
15. Bash(bun run test:*)
16. Bash(bun run test:file:*)
17. Bash(bun run typecheck:*)
18. Bash(bun test:*)
19. Bash(cc:*)
20. Bash(comm:*)
21. Bash(find:*)
```



boris\_cherny 1w · Author

11/ Claude Code uses all my tools for me. It often searches and posts to Slack (via the MCP server), runs BigQuery queries to answer analytics questions (using bq CLI), grabs error logs from Sentry, etc. The Slack MCP configuration is checked into our .mcp.json and shared with the team.

```
claude-cli-2 $ cat .mcp.json
{
 "mcpServers": {
 "slack": {
 "type": "http",
 "url": "https://slack.mcp.anthropic.com/mcp"
 }
 }
}
```

74 2 2



boris\_cherny 1w · Author

12/ For very long-running tasks, I will either prompt Claude to verify its work with a background agent when it's done, use an agent Stop hook to do that more deterministically, or use the ralph-wiggum plugin. I will also use either --permission-mode=dontAsk or --dangerously-skip-permissions in a sandbox to avoid permission prompts for the session, so Claude isn't blocked on me.

[github.com/anthr...](https://github.com/anthr...)

```
* Reticulating... (1d 2h 47m · ↓ 2.4m tokens · thinking)

> █
```

77 4 4



boris\_cherny 1w · Author

13/ A final tip: probably the most important thing to get great results out of Claude Code -- give Claude a way to verify its work. If Claude has that feedback loop, it will 2-3x the quality of the final result.




Thread  
392K views











Log in


 claude.ai

Claude Code | Claude





 **boris\_cherny**  1w · Author


Hope this was helpful! What are your tips for using Claude Code? What do you want to hear about next?

 272  26   4

 **pbw2049** 1w

"My setup might be surprisingly vanilla" and then proceeds to describe extremely complicated setup with five copies in parallel, plus more in the cloud, plus having CC read and post to Slack! But good to hear these details!

 259  5  


 **mrcalifornian** 1w





Wow very surprised at how similar our setups are; that's super validating!


One thing I also do is start with a session to just flesh out a spec and ask me any open questions/tradeoffs, then have it implement that spec in plan mode.

How long is your [claude.md](#) and have you broken it out into skills much? That's something we're considering. Also looking at beads.

PS, for everyone else: my company is exclusively hiring engineers who have a solid CC workflow like this; hmu if that's interesting!




 6  1  





 **\_\_ericelliott** 1w


If you need help hiring, I maintain a list of independent contractors available on a contract-to-hire basis. Currently vetting people for AI Driven Development experience using tools like Claude Code, Cursor, and the aidd framework.

npx aidd --help





[github.com/paral...](#)



 2   

 **kubamatuszewski.84** 1w

Thanks [@boris\\_cherny](#) . I'm writing with Claude right now. It's a very useful tool. It seems like the quality of the input determines the quality of the output. In other words, dependig on the operator we'll get different outputs.



thatcort

1w

Do you stay within the limits of a Max Plan?

11

4

ondrejtučný

1w

Great guide, thank you! 🙏 quite confirms what I expected, simplicity wins. I went from 1 to 7 CCs over xmas working on several projects, but yet have to improve my workflow to have them work on the same repo in parallel.

k1zmt

1w

What is actual ROI on your setup?

Related threads

cricketgyanofficial

1w

Joseph Edward Root:

Test century No. for Joe Root! - equals Ricky Ponting

ROOT dominance Aussies continues- A Pink Ball Hundred in Gabba and a Red Ball Hundred in SCG

.

.

Joe Root, Century, Australia Vs England, Ashes 2026, Cricket, Cricket News, Cricket Updates, Cricket history, Records, Cricket Gyan

19

the.successpreneur

1w

Your reality isn't created by what you want... it's created by what you repeatedly believe. Every thought you choose, every emotion you hold, every energy you send out becomes a blueprint for your future. ✨💡 Value Insight: If you want a new life, start with a new vibration: • Think like the version of you who already made it • Feel the emotion of having it now • Act from certainty, not doubt • Align your energy, not your fear Because the moment your vibration shifts, your reality has to follow. 🌌



6

sport

sportskeedacricicket

04/01/2026

Mumbai Indians captain Harmanpreet Kaur has joined the team ahead of WPL 2026.

#Cricket #WPL #MI

May be an image of one or more people, people playing tennis, sport equipment and text that says "CREDIT:@MUMBAIINDIANS|INSTAGRAM CREDIT: @MUMBAIINDIANS INSTAGRAM spor sportskeeda ARK"

60

1

tncar

tncacricicket

04/01/2026

Tamil Nadu clinched a 48-run victory over Saurashtra in Quarter Final 2 of the ongoing Cooch Behar Trophy 2025–26, securing qualification for Semi Final 2 against Madhya Pradesh on 9 January.

#TamilNaduCricket #TNCA #TNCricket

May be an image of cricket, sport equipment, poster, stadium and text that says "COOCHBEHAR COOCH BEHAR TROPHY2025-26 惠日 乙 보바지 도두 প্রলন II XPORS UWNADLL KISHORE B K VS Saurashtra (2nd Innings) ৷৺৻ 6/49 20.4 20.40vers 星海."

May be an image of cricket, sport equipment and text that says "COOCHBEH COOCH BEHAR TROPHY TROPHY2025-26 2025-26 目 မာယျီဒရဲ) နာမ+) HEMCHUDESHAN J VS Saurashtra (1st & 2nd Innings) 5/99 42 Overs 製造 ЛИУ ЛИУ & 3/62 21 Overs LNE"

May be an image of cricket, sport equipment and text that says "COOCH BEHAR TROPHY2025-26 26 ၇၈၉၆\* 香月 SAURASHTRA (1st Innings) 5/99 42 Overs 正味 i"

5

Log in to see more replies.

Log in