Note: This datasheet may be out of date

Please download the latest datasheet of DSS1NB32A102Q55# from the official website of Murata Manufacturing

Co., Ltd.

https://www.murata.com/en-us/products/productdetail?partno=DSS1NB32A102Q55%23

### DSS1NB32A102Q55#

"#" indicates a package specification code.








< List of part numbers with package codes > DSS1NB32A102Q55B



### Appearance & Shape







DSS1 series is a compact, high performance lead type 3 terminal capacitor which can be mounted in 2.54mm pitch.

Its three terminal structure enables nice

Its three terminal structure enables nice high frequency performance.

Wide capacitance variation enables flexible selection for various noise frequencies. High speed mounting is available with automatic insertion machine.



Other Usage

For general



# Packaging Information

Packaging	Specifications	Minimum Order Quantity
В	Bulk(Bag)	250

1 of 3

#### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering.

2. This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Last updated :2019/09/14



Note: This datasheet may be out of date

 $\underline{ Please \ download \ the \ latest \ data sheet \ of \ DSS1NB32A102Q55\# from \ the \ official \ website \ of \ Murata \ Manufacturing} }$ 

Co., Ltd. https://www.murata.com/en-us/products/productdetail?partno=DSS1NB32A102Q55%23

# DSS1NB32A102Q55#

"#" indicates a package specification code.



Shape	Lead		
Length	8.5mm		
Length Tolerance	max.		
Width	3.5mm		
Width Tolerance	max.		
Thickness	7.5mm		
Thickness Tolerance	max.		
Rated Current	6A		
Operating Temperature Range	-40°C to 85°C		
Mass(typ.)	0.45g		
Number of Circuit	1		
Insulation Resistance(min.)	1000ΜΩ		
Rated Voltage	100Vdc		
Withstanding Voltage	250Vdc		
Capacitance	1000pF		
Capacitance Tolerance	±10%		
Structure/Shape	Small type beads inside(straight)		

2 of 3

### Attention

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/


<sup>1.</sup> This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.


https://www.murata.com/en-us/products/productdetail?partno=DSS1NB32A102Q55%23

# DSS1NB32A102Q55#

"#" indicates a package specification code.








Insertion Loss Characteristics

Insertion Loss Characteristics (Main Items)



**Equivalent Circuit** 

3 of 3

### Attention

1. This datasheet is downloaded from the website of Murata Manufacturing Co., Ltd. Therefore, it's specifications are subject to change or our products in it may be discontinued without advance notice. Please check with our sales representatives or product engineers before ordering. 2.This datasheet has only typical specifications because there is no space for detailed specifications.

Therefore, please review our product specifications or consult the approval sheet for product specifications before ordering



URL: https://www.murata.com/

Last updated :2019/09/14

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

### Murata:

DSS6NB32A220Q55E	B DSS6NB32A221T51E	DSS6NB32A101Q55E	DSS6NB32A471T51B	DSS6NB32A271T51B
DSS6NB32A151Q55B	DSS6NB32A101T51B	DSS6NB32A220T51B	DSS6NB32A102T51B	DSS6NB32A470T51B
DSS6NB32A471Q92A	DSS6NB32A271Q55B	DSS6NB32A471Q55B	DSS6NB32A102Q93A	DSS6NB32A221Q93A
DSS6NB32A151T51B	DSS6NB32A102Q55B	DSS6NB32A330Q55B	DSS6NB32A221Q55B	DSS6NB32A470Q55B
DSS6NB32A330T51B	DSS6NB32A101Q54B	DSS6NB32A101Q91A	DSS6NB32A101Q93A	DSS6NB32A101T41B
DSS6NB32A101U31A	DSS6NB32A102Q54B	DSS6NB32A102Q56B	DSS6NB32A102Q91A	DSS6NB32A102Q92A
DSS6NB32A102T41B	DSS6NB32A102U21A	DSS6NB32A102U31A	DSS6NB32A151Q54B	DSS6NB32A151Q91A
DSS6NB32A151Q93A	DSS6NB32A151U31A	DSS6NB32A220Q54B	DSS6NB32A220Q91A	DSS6NB32A220Q93A
DSS6NB32A220U31A	DSS6NB32A221Q91A	DSS6NB32A221Q92A	DSS6NB32A221U31A	DSS6NB32A271Q54B
DSS6NB32A271Q56B	DSS6NB32A271Q91A	DSS6NB32A271Q92A	DSS6NB32A271Q93A	DSS6NB32A271U31A
DSS6NB32A330Q93A	DSS6NB32A330T41B	DSS6NB32A470Q54B	DSS6NB32A470Q91A	DSS6NB32A470Q92A
DSS6NB32A470Q93A	DSS6NB32A470T41B	DSS6NB32A470U21A	DSS6NB32A470U31A	DSS6NB32A471Q54B
DSS6NB32A471Q56B	DSS6NB32A471Q91A	DSS6NB32A471Q93A	DSS6NB32A471T41B	DSS6NB32A471U31A
DSS6NB32A101Q56B	DSS6NB32A101Q92A	DSS6NB32A221Q54B	DSS6NB32A221Q56B	DSS6NB32A221U21A
DSS6NB32A271T41B	DSS6NB32A330Q91A	DSS6NB32A470Q56B	DSS6NB32A101U21A	DSS6NB32A271U21A
DSS1NB32A152Q91A	DSS1NB32A101Q91A	DSS1NB31H473Q91A	DSS1NB32A680Q91A	DSS1NB32A332Q91A
DSS1NB32A271Q91A	DSS1NB32A682Q91A	DSS1NB31H104Q91A	DSS1NB32A470Q91A	DSS1NB32A151Q91A
DSS1NB32A102Q91A	DSS1NB32A472Q91A	DSS1NB32A330Q91A	DSS1NB32A223Q91A	DSS1NB32A103Q91A
DSS1NB32A153Q91A	DSS1NB31H333Q91A	DSS1NB32A222Q91A	DSS1NB32A220Q91A	DSS1NB32A121Q91A
DSS1NB32A331Q91A	DSS1NB32A681Q91A	DSS1NB32A471Q91A	DSS1NB32A221Q91A	DSS1NB32A222Q93A