

Practical 2 Solutions

QUESTION 0

SHOPPINGS.SHOPPING Settings Open in Workspaces Code Versions

```
SELECT *
FROM
  "SHOPPINGS"."SHOPPING"."SHOPPINGS"
LIMIT
  10;
```

Results Chart

|   | # CUSTOMER_ID | # AGE | A GENDER | A ITEM_PURCHASED | A CATEGORY |
|---|---------------|-------|----------|------------------|------------|
| 1 | 1             | 64.0  | Male     | Jeans            | Footwear   |
| 2 | 2             | 65.0  | Male     | Jeans            | Footwear   |
| 3 | 3             | 43.0  | Male     | null             | Footwear   |
| 4 | 4             | null  | Male     | Handbag          | Outerwear  |
| 5 | 5             | null  | Male     | Coat             | null       |

Query Details

Query duration559ms

Rows10

Query ID01bfe302-000c-b222-0...

Show more

QUESTION 1

SHOPPINGS.SHOPPING Settings Open in Workspaces Code Versions

```
SELECT Customer_ID,
Size,
Purchase_Amount,
ITEM_PURCHASED
FROM SHOPPING.SHOPPINGS
WHERE Size IS NULL
AND PURCHASE_AMOUNT >50;
```

Results Chart

|   | # CUSTOMER_ID | A SIZE | # PURCHASE_AMOUNT | A ITEM_PURCHAS |
|---|---------------|--------|-------------------|----------------|
| 1 | 11            | null   | 74.0              | Handbag        |
| 2 | 15            | null   | 54.0              | Jeans          |
| 3 | 22            | null   | 88.0              | Shirt          |
| 4 | 32            | null   | 54.0              | Blouse         |

Query Details

Query duration332ms

Rows22

Query ID01bfe304-000c-b23e-0...

Show more

## QUESTION 2

SHOPPINGS.SHOPPING ▾ Settings ▾ [Open in Workspaces](#) Code Versions 🔍

```
--  
24 SELECT COALESCE(SEASON, 'Unkown Season') AS SEASON,  
25 COUNT(*) AS Total_Purchases and Review Rating is below 3.0. Expected //Columns: Customer ID,  
    Promo Code Used, Review Rating, Item Purchased  
26  
27 SELECT Customer_ID,  
28 Promo_Code_used,  
29 Review_Rating,  
30 FROM SHOPPING.SHOPPINGS
```

Results Chart 🔍 📊 ⬇️ 📄 ⌚

|   | SEASON | TOTAL_PURCHASES |
|---|--------|-----------------|
| 1 | Winter | 80              |
| 2 | Spring | 73              |
| 3 | Summer | 65              |
| 4 | Fall   | 55              |

Query Details ...

Query duration 356ms

Rows 5

Query ID 01bfe306-000c-b22b-0...

## QUESTION 3

SHOPPINGS.SHOPPING ▾ Settings ▾ [Open in Workspaces](#) Code Versions 🔍

```
37  
38 SELECT COALESCE(PAYMENT_METHOD, 'Not Provided') AS Payment_Method,  
39 COUNT (DISTINCT CUSTOMER_ID) AS Customer_Count  
40 FROM SHOPPING.SHOPPINGS  
41 GROUP BY COALESCE(Payment_Method, 'Not Provided')  
42 ORDER BY CUSTOMER_COUNT;
```

Results Chart 🔍 📊 ⬇️ 📄 ⌚

|   | PAYMENT_METHOD | CUSTOMER_COUNT |
|---|----------------|----------------|
| 1 | Not Provided   | 30             |
| 2 | Bank Transfer  | 38             |
| 3 | Cash           | 42             |
| 4 | Debit Card     | 42             |
| 5 | Credit Card    | 44             |
| 6 | PayPal         | 51             |

Query Details ...

Query duration 111ms

Rows 7

Query ID 01bfe308-000c-b222-0...

Show more ▾

## QUESTION 5

SHOPPINGS.SHOPPING ▾ Settings ▾ [Open in Workspaces](#) [Code Versions](#) 🔍

```
37
38 SELECT COALESCE(PAYMENT_METHOD, 'Not Provided')AS Payment_Method,
39 COUNT (DISTINCT CUSTOMER_ID)AS Customer_Count
40 FROM SHOPPING.SHOPPINGS
41 GROUP BY COALESCE(Payment_Method, 'Not Provided')
42 ORDER BY CUSTOMER_COUNT;
```

Results Chart

|   | A PAYMENT_METHOD | # CUSTOMER_COUNT |
|---|------------------|------------------|
| 1 | Not Provided     | 30               |
| 2 | Bank Transfer    | 38               |
| 3 | Cash             | 42               |
| 4 | Debit Card       | 42               |
| 5 | Credit Card      | 44               |
| 6 | PayPal           | 51               |

Query Details

...

Query duration 111ms

Rows 7

Query ID 01bfe308-000c-b222-0...

Show more ▾

## QUESTION 6

SHOPPINGS.SHOPPING ▾ Settings ▾ [Open in Workspaces](#) [Code Versions](#) 🔍

```
70
71 // The next Payment Method Expected column: Location, Total Purchases
72
73 SELECT LOCATION,
74 COUNT(*)AS Total_Purchases
75 FROM SHOPPING.SHOPPINGS
76 WHERE PAYMENT_METHOD IS NOT NULL
77 GROUP BY LOCATION
78 HAVING COUNT (*)>5
79 ORDER BY Total_Purchases DESC;
```

Results Chart

|   | A LOCATION    | # TOTAL_PURCHASES |
|---|---------------|-------------------|
| 1 | Maine         | 41                |
| 2 | Florida       | 32                |
| 3 | Massachusetts | 31                |
| 4 | New York      | 31                |
| 5 | ...           | ...               |

Query Details

...

Query duration 339ms

Rows 9

Query ID 01bfe30c-000c-b231-0...

Show more ▾

## QUESTION 7

SHOPPINGS.SHOPPING ▾ Settings ▾

Open in Workspaces Code Versions 🔍

```
73 |SELECT Customer_ID,  
74 |      Purchase_Amount,  
75 |      CASE  
76 |          WHEN Purchase_Amount > 80 THEN 'High'  
77 |          WHEN Purchase_Amount BETWEEN 50 AND 80 THEN 'Medium'  
78 |          ELSE 'Low'  
79 |      END AS Spender_Category  
80 |FROM SHOPPING.SHOPPINGS  
81 |WHERE Purchase_Amount IS NOT NULL;
```

Results Chart 🔍 📊 ⬇️ 📄 ⌚

|   | # CUSTOMER_ID | # PURCHASE_AMOUNT | A SPENDER_CATEGORY |
|---|---------------|-------------------|--------------------|
| 1 | 1             | 20.0              | Low                |
| 2 | 2             | 21.0              | Low                |
| 3 | 3             | 27.0              | Low                |
| 4 | 4             | 45.0              | Low                |

Query Details ...

Query duration 345ms

Rows 262

Query ID 01bfe30e-000c-b22f-0...

## QUESTION 8

SHOPPINGS.SHOPPING ▾ Settings ▾

Open in Workspaces Code Versions 🔍

```
86 |SELECT Customer_ID,  
87 |      color,  
88 |      Previous_Purchases  
89 |FROM SHOPPING.SHOPPINGS  
90 |WHERE PREVIOUS_PURCHASES IS NULL  
91 |AND COLOR IS NOT NULL;  
92 |-----
```

Results Chart 🔍 📊 ⬇️ 📄 ⌚

|   | # CUSTOMER_ID | A COLOR | # PREVIOUS_PURCHASES |
|---|---------------|---------|----------------------|
| 1 | 8             | Green   | null                 |
| 2 | 21            | Yellow  | null                 |
| 3 | 25            | White   | null                 |
| 4 | 37            | Maroon  | null                 |
| 5 | 40            | Gray    | null                 |

Query Details ...

Query duration 81ms

Rows 36

Query ID 01bfe310-000c-b22f-00...

Show more ▾

## QUESTION 9

SHOPPINGS.SHOPPING ▾ Settings ▾ [Open in Workspaces](#) Code Versions 🔍

```
95 SELECT
96     COALESCE(Frequency_of_Purchases, 'Unknown') AS Frequency_of_Purchases,
97     SUM(Purchase_Amount) AS Total_Purchase_Amount
98 FROM SHOPPING.SHOPPINGS
99 GROUP BY COALESCE(Frequency_of_Purchases, 'Unknown')
100 ORDER BY Total_Purchase_Amount DESC;
101
```

Results Chart 🔍 📊 ⬇️ 📄 ⌚

|   | A FREQUENCY_OF_PURCHASES | # TOTAL_PURCHASE_AMOUNT |
|---|--------------------------|-------------------------|
| 1 | Quarterly                | 2541.0                  |
| 2 | Weekly                   | 2184.0                  |
| 3 | Bi-Weekly                | 2099.0                  |
| 4 | Fortnightly              | 2033.0                  |
| 5 | Monthly                  | 1780.0                  |

Query Details ...

Query duration 282ms

Rows 8

Query ID 01bfe311-000c-b228-0...

Show more ▾

## QUESTION 10

SHOPPINGS.SHOPPING ▾ Settings ▾ [Open in Workspaces](#) Code Versions 🔍

```
105 SELECT Category,
106     COUNT(*) AS Total_Purchases
107 FROM SHOPPING.SHOPPINGS
108 WHERE Category IS NOT NULL
109 GROUP BY Category
110 ORDER BY Total_Purchases DESC;
111
```

Results Chart 🔍 📊 ⬇️ 📄 ⌚

|   | A CATEGORY  | # TOTAL_PURCHASES |
|---|-------------|-------------------|
| 1 | Accessories | 78                |
| 2 | Footwear    | 70                |
| 3 | Outerwear   | 60                |
| 4 | Clothing    | 59                |

Query Details ...

Query duration 370ms

Rows 4

Query ID 01bfe313-000c-b21d-0...

Show more ▾

QUESTION 11

SHOPPINGS.SHOPPING ▾ Settings ▾

Open in Workspaces Code Versions 🔍

```
114 |SELECT Location,
115 |      SUM(Purchase_Amount) AS Total_Purchase_Amount
116 |FROM SHOPPING.SHOPPINGS
117 |WHERE Purchase_Amount IS NOT NULL
118 |GROUP BY Location
119 |ORDER BY Total_Purchase_Amount DESC
120 |LIMIT 5;
```

Results Chart

|   | LOCATION      | TOTAL_PURCHASE_AMOUNT |
|---|---------------|-----------------------|
| 1 | Maine         | 2294.0                |
| 2 | Florida       | 1980.0                |
| 3 | Massachusetts | 1899.0                |
| 4 | Rhode Island  | 1876.0                |
| 5 | Kentucky      | 1798.0                |

Query Details

Query duration115ms

Rows5

Query ID01bfe314-000c-b228-0...

Show more ▾

QUESTION 12

SHOPPINGS.SHOPPING ▾ Settings ▾

Open in Workspaces Code Versions 🔍

```
124 |SELECT Gender,
125 |      Size,
126 |      COUNT(*) AS Null_Color_Count
127 |FROM SHOPPING.SHOPPINGS
128 |WHERE Color IS NULL
129 |GROUP BY Gender, Size
130 |ORDER BY Null_Color_Count DESC;
131 |
```

Results Chart

|   | GENDER | SIZE | NULL_COLOR_COUNT |
|---|--------|------|------------------|
| 1 | Male   | M    | 7                |
| 2 | Male   | null | 6                |
| 3 | Male   | L    | 6                |
| 4 | Male   | S    | 5                |
| 5 | Male   | XL   | 5                |

Query Details

Query duration390ms

Rows5

Query ID01bfe316-000c-b233-0...

Show more ▾

### QUESTION 13

SHOPPINGS.SHOPPING ▾ Settings ▾

Open in Workspaces Code Versions 🔍

```
134 SELECT Item_Purchased,
135        COUNT(*) AS Null_Shipping_Type_Count
136 FROM SHOPPING.SHOPPINGS
137 WHERE Shipping_Type IS NULL
138 GROUP BY Item_Purchased
139 HAVING COUNT(*) > 3
140 ORDER BY Null_Shipping_Type_Count DESC;
```

Results Chart

🔍 📊 ⬇️ 📄 ⌚

|   | ITEM_PURCHASED | NULL_SHIPPING_TYPE_COUNT |
|---|----------------|--------------------------|
| 1 | Shirt          | 5                        |
| 2 | null           | 4                        |
| 3 | Shoes          | 4                        |

Query Details ...

Query duration 111ms

Rows 3

Query ID 01bfe317-000c-b23e-0...

Show more ▾

?

### QUESTION 14

SHOPPINGS.SHOPPING ▾ Settings ▾

Open in Workspaces Code Versions 🔍

```
144 SELECT Payment_Method,
145        COUNT(*) AS Missing_Review_Rating_Count
146 FROM SHOPPING.SHOPPINGS
147 WHERE Review_Rating IS NULL
148 GROUP BY Payment_Method
149 ORDER BY Missing_Review_Rating_Count DESC;
150 -----
```

Results Chart

🔍 📊 ⬇️ 📄 ⌚

|   | PAYMENT_METHOD | MISSING_REVIEW_RATING_COUNT |
|---|----------------|-----------------------------|
| 1 | Venmo          | 9                           |
| 2 | Credit Card    | 8                           |
| 3 | Debit Card     | 7                           |
| 4 | Cash           | 4                           |
| 5 | Bank Transfer  | 4                           |

Query Details ...

Query duration 788ms

Rows 7

Query ID 01bfe319-000c-b231-0...

Show more ▾

?

## QUESTION 15

SHOPPINGS.SHOPPING ▾ Settings ▾

Open in Workspaces Code Versions 🔍

```
144 SELECT Payment_Method,
145        COUNT(*) AS Missing_Review_Rating_Count
146 FROM SHOPPING.SHOPPINGS
147 WHERE Review_Rating IS NULL
148 GROUP BY Payment_Method
149 ORDER BY Missing_Review_Rating_Count DESC;
150
```

Results Chart

|   | A PAYMENT_METHOD | # MISSING_REVIEW_RATING_COUNT |
|---|------------------|-------------------------------|
| 1 | Venmo            | 9                             |
| 2 | Credit Card      | 8                             |
| 3 | Debit Card       | 7                             |
| 4 | Cash             | 4                             |
| 5 | Bank Transfer    | 4                             |

Query Details

...

Query duration788ms

RowsZ

Query ID01bfe319-000c-b231-0...

Show more ▾

?

## QUESTION 16

SHOPPINGS.SHOPPING ▾ Settings ▾

Open in Workspaces Code Versions 🔍

```
165 SELECT COALESCE(Color, 'Unknown') AS Color,
166        AVG(Age) AS Average_Age
167 FROM SHOPPING.SHOPPINGS
168 WHERE Color IS NULL
169 GROUP BY COALESCE(Color, 'Unknown')
```

Results Chart

|   | A COLOR | # AVERAGE_AGE |
|---|---------|---------------|
| 1 | Unknown | 47.8461538    |

Query Details

...

Query duration1.7s

Rows1

Query ID01bfe31c-000c-b22c-0...

Show more ▾

?



QUESTION 17

SHOPPINGS.SHOPPING Settings Open in Workspaces Code Versions

175  
176 |SELECT CASE  
177       WHEN Shipping\_Type IN ('Express', 'Next Day Air') THEN 'Fast'  
178       WHEN Shipping\_Type = 'Standard' THEN 'Slow'  
179       ELSE 'Other'  
180    END AS Delivery\_Speed,  
181    COUNT(DISTINCT Customer\_ID) AS Customer\_Count  
182 FROM SHOPPING.SHOPPINGS  
183 GROUP BY

Results Chart

|   | DELIVERY_SPEED | CUSTOMER_COUNT |
|---|----------------|----------------|
| 1 | Other          | 166            |
| 2 | Fast           | 89             |
| 3 | Slow           | 45             |

Query Details

Query duration114ms

Rows3

Query ID01bfe31e-000c-b231-0...

QUESTION 18

SHOPPINGS.SHOPPING Settings Open in Workspaces Code Versions

193 |SELECT Customer\_ID,  
194       Purchase\_Amount,  
195       Promo\_Code\_Used  
196 FROM SHOPPING.SHOPPINGS  
197 WHERE Purchase\_Amount IS NULL  
198       AND Promo\_Code\_Used = 'Yes';  
199

Results Chart

|   | CUSTOMER_ID | PURCHASE_AMOUNT | PROMO_CODE_USED |
|---|-------------|-----------------|-----------------|
| 1 | 13          | null            | TRUE            |
| 2 | 30          | null            | TRUE            |
| 3 | 78          | null            | TRUE            |
| 4 | 95          | null            | TRUE            |

Query Details

Query duration87ms

Rows20

Query ID01bfe320-000c-b228-0...

## QUESTION 19

SHOPPINGS.SHOPPING ▾ Settings ▾ [Open in Workspaces](#) Code Versions 🔍

```
202 SELECT Location,
203         MAX(Previous_Purchases) AS Max_Previous_Purchases,
204         AVG(CAST(Review_Rating AS DECIMAL(10,2))) AS Average_Review_Rating
205 FROM SHOPPING.SHOPPINGS
206 WHERE Previous_Purchases IS NOT NULL
207 GROUP BY Location
208 HAVING AVG(CAST(Review_Rating AS DECIMAL(10,2))) > 3.0
209 ORDER BY Average_Review_Rating DESC;
```

Results Chart 🔍 📊 ⬇️ 📄 ⌚

|   | LOCATION     | # MAX_PREVIOUS_PURCHASES | # AVERAGE_REVIEW_RATING |
|---|--------------|--------------------------|-------------------------|
| 1 | New York     | 49.0                     | 3.95000000              |
| 2 | Rhode Island | 50.0                     | 3.84000000              |
| 3 | Maine        | 47.0                     | 3.73870968              |
| 4 | Kentucky     | 46.0                     | 3.72592593              |

Query Details ...

Query duration 35ms

Rows 9

Query ID 01bfe321-000c-b228-0...

## QUESTION 20

SHOPPINGS.SHOPPING ▾ Settings ▾ [Open in Workspaces](#) Code Versions 🔍

```
214 |SELECT Customer_ID,
215 |        Shipping_Type,
216 |        Purchase_Amount,
217 |        Item_Purchased
218 |FROM SHOPPING.SHOPPINGS
219 |WHERE Shipping_Type IS NULL
220 |      AND Purchase_Amount BETWEEN 30 AND 70
221 |ORDER BY Purchase_Amount ASC;
```

Results Chart 🔍 📊 ⬇️ 📄 ⌚

|   | # CUSTOMER_ID | SHIPPING_TYPE | # PURCHASE_AMOUNT | ITEM_PURCHAS |
|---|---------------|---------------|-------------------|--------------|
| 1 | 293           | null          | 35.0              | null         |
| 2 | 213           | null          | 36.0              | Shirt        |
| 3 | 141           | null          | 37.0              | Shorts       |

Query Details ...

Query duration 789ms

Rows 3

Query ID 01bfe323-000c-b22f-0...