

TITE versus non-TITE Operating Characteristics

Cycle 2 | alpha = 0 | IPDE-first non-TITE | 56-, 28-, and 14-day arrivals

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 1						
DLT rate	0.3	0.35	0.4	0.45	0.5	
Efficacy rate	0.05	0.06	0.07	0.08	0.09	
OBD selection (%)						
TITE 56d one-stage	9.3	6.1	3.1	1.4	0.1	80
Non-TITE 56d one-stage	8.3	6.3	2.6	1.6	0.2	81
TITE 28d one-stage	8.9	6.7	3.7	1	0.3	79.4
Non-TITE 28d one-stage	8.4	6	3	1.5	0.2	80.9
TITE 14d one-stage	9.9	7.4	3.5	1.2	0.1	77.9
Non-TITE 14d one-stage	8.2	6.3	2.5	1.6	0.2	81.2
TITE 56d two-stage	9.5	6.5	3.6	1.5	0.2	78.7
Non-TITE 56d two-stage	8.5	6.1	2.7	1.6	0.2	80.9
TITE 28d two-stage	9.1	6.6	3.9	1.1	0.2	79.1
Non-TITE 28d two-stage	8.6	6.1	2.6	1.6	0.2	80.9
TITE 14d two-stage	9.7	6.9	3.5	1.3	0.1	78.5
Non-TITE 14d two-stage	8.2	6.6	2.7	1.6	0.2	80.7
Mean administrations by dose						
TITE 56d one-stage	11.2	4.8	2.5	1	0.3	
Non-TITE 56d one-stage	10.6	4.7	2.7	1.1	0.4	
TITE 28d one-stage	11.7	5	2.7	1	0.3	
Non-TITE 28d one-stage	10.7	4.7	2.8	1.2	0.3	
TITE 14d one-stage	13.2	4.8	2.6	1.1	0.3	
Non-TITE 14d one-stage	10.6	4.7	2.7	1.2	0.3	
TITE 56d two-stage	11	4.8	2.6	1	0.4	
Non-TITE 56d two-stage	10.5	4.8	2.8	1.2	0.4	
TITE 28d two-stage	11.7	5	2.8	1	0.3	
Non-TITE 28d two-stage	10.5	4.8	2.8	1.2	0.4	
TITE 14d two-stage	13	4.9	2.6	1.1	0.3	
Non-TITE 14d two-stage	10.5	4.8	2.8	1.2	0.4	
Mean trial duration (days)						
TITE 56d one-stage			676.7			
Non-TITE 56d one-stage			845.5			
TITE 28d one-stage			366			
Non-TITE 28d one-stage			515.2			
TITE 14d one-stage			219.8			
Non-TITE 14d one-stage			348.8			
TITE 56d two-stage			674.1			
Non-TITE 56d two-stage			849.4			
TITE 28d two-stage			366.6			
Non-TITE 28d two-stage			516.9			
TITE 14d two-stage			219.1			
Non-TITE 14d two-stage			350.2			

TITE versus non-TITE Operating Characteristics

Cycle 2 | alpha = 0 | IPDE-first non-TITE | 56-, 28-, and 14-day arrivals

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 16						
DLT rate	0.02	0.06	0.09	0.14	0.26	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
OBD selection (%)						
TITE 56d one-stage	24.5	22	20.5	17.2	15.1	0.7
Non-TITE 56d one-stage	22.4	22.4	19.9	18	15.8	1.5
TITE 28d one-stage	24.5	21.6	19.4	19.8	14.1	0.6
Non-TITE 28d one-stage	24.2	22.6	18.6	17.6	15.6	1.4
TITE 14d one-stage	21.2	25.8	18.2	18.3	15.4	1.1
Non-TITE 14d one-stage	23.2	22.4	20.2	17.3	15.5	1.4
TITE 56d two-stage	24	22.5	21.1	17.5	14.2	0.7
Non-TITE 56d two-stage	22	22	19.4	18.9	16.3	1.4
TITE 28d two-stage	21.7	22.4	20.2	20	14.9	0.8
Non-TITE 28d two-stage	22.4	22.4	19.4	18.3	16	1.5
TITE 14d two-stage	22.5	25.4	18.5	17.2	15.6	0.8
Non-TITE 14d two-stage	22.7	22.6	18.8	19.3	15.2	1.4
Mean administrations by dose						
TITE 56d one-stage	7.2	6.6	5.9	5.5	4.9	
Non-TITE 56d one-stage	7.1	6.5	5.9	5.5	5	
TITE 28d one-stage	7.1	6.6	5.9	5.6	4.7	
Non-TITE 28d one-stage	7.1	6.6	5.9	5.5	4.9	
TITE 14d one-stage	7.4	6.9	5.7	5.4	4.6	
Non-TITE 14d one-stage	7.2	6.5	5.9	5.5	4.9	
TITE 56d two-stage	6.9	6.5	5.9	5.6	5.1	
Non-TITE 56d two-stage	6.9	6.4	6	5.7	5.1	
TITE 28d two-stage	6.9	6.6	6	5.7	4.9	
Non-TITE 28d two-stage	6.9	6.3	6	5.7	5.1	
TITE 14d two-stage	7.3	6.8	5.7	5.5	4.8	
Non-TITE 14d two-stage	6.9	6.3	6	5.7	5	
Mean trial duration (days)						
TITE 56d one-stage			974			
Non-TITE 56d one-stage			1245.2			
TITE 28d one-stage			505.9			
Non-TITE 28d one-stage			763.2			
TITE 14d one-stage			283			
Non-TITE 14d one-stage			521.8			
TITE 56d two-stage			971.4			
Non-TITE 56d two-stage			1249.6			
TITE 28d two-stage			507.2			
Non-TITE 28d two-stage			763.9			
TITE 14d two-stage			280.5			
Non-TITE 14d two-stage			522.2			

TITE versus non-TITE Operating Characteristics

Cycle 2 | alpha = 0 | IPDE-first non-TITE | 56-, 28-, and 14-day arrivals

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 20						
DLT rate	0.07	0.14	0.31	0.41	0.52	
Efficacy rate	0.05	0.25	0.25	0.25	0.25	
OBD selection (%)						
TITE 56d one-stage	4.3	44.8	30.3	12.3	3.2	5.1
Non-TITE 56d one-stage	4.1	42.8	31.7	12.7	3.1	5.6
TITE 28d one-stage	4.1	43.6	29.5	15.4	1.7	5.7
Non-TITE 28d one-stage	4.8	43.6	30.3	13.1	3	5.2
TITE 14d one-stage	4	44	31.5	12.1	2.1	6.3
Non-TITE 14d one-stage	4.1	42.8	31.7	12.4	3.1	5.9
TITE 56d two-stage	4.7	45.7	30.1	11.6	2.9	5
Non-TITE 56d two-stage	5.1	43.8	30.8	12.5	2.8	5
TITE 28d two-stage	4.9	43.9	30.3	13.2	2.2	5.5
Non-TITE 28d two-stage	5.3	44.6	30.6	12	2.4	5.1
TITE 14d two-stage	4	47.5	28.4	12.4	2.4	5.3
Non-TITE 14d two-stage	5	45.4	29.7	12.3	2.4	5.2
Mean administrations by dose						
TITE 56d one-stage	5.2	11	7.6	4.4	1.5	
Non-TITE 56d one-stage	5.2	10.6	7.9	4.3	1.6	
TITE 28d one-stage	5.4	10.6	8	4.3	1.4	
Non-TITE 28d one-stage	5.2	10.7	7.8	4.3	1.7	
TITE 14d one-stage	5.8	10.7	7.8	4.1	1.4	
Non-TITE 14d one-stage	5.2	10.7	7.9	4.3	1.7	
TITE 56d two-stage	5.1	10.2	7.9	4.6	1.7	
Non-TITE 56d two-stage	5	10.1	8	4.7	1.9	
TITE 28d two-stage	5.2	10.2	8.1	4.5	1.6	
Non-TITE 28d two-stage	5	10.2	8	4.7	1.9	
TITE 14d two-stage	5.7	10.4	7.8	4.3	1.6	
Non-TITE 14d two-stage	5	10.1	8	4.7	1.9	
Mean trial duration (days)						
TITE 56d one-stage			1023.8			
Non-TITE 56d one-stage			1276.2			
TITE 28d one-stage			525.5			
Non-TITE 28d one-stage			777.5			
TITE 14d one-stage			290.9			
Non-TITE 14d one-stage			527.3			
TITE 56d two-stage			1028.8			
Non-TITE 56d two-stage			1281			
TITE 28d two-stage			526.6			
Non-TITE 28d two-stage			780.3			
TITE 14d two-stage			290.8			
Non-TITE 14d two-stage			528.6			

TITE versus non-TITE Operating Characteristics

Cycle 2 | alpha = 0 | IPDE-first non-TITE | 56-, 28-, and 14-day arrivals

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 24						
DLT rate	0.01	0.02	0.05	0.1	0.25	
Efficacy rate	0.05	0.08	0.2	0.5	0.5	
OBD selection (%)						
TITE 56d one-stage	0.6	1	5.3	58.9	34.1	0.1
Non-TITE 56d one-stage	1	1.3	4.7	59.8	33.2	0
TITE 28d one-stage	1.2	1.5	4.8	58.9	33.3	0.3
Non-TITE 28d one-stage	0.8	1.3	5.8	60.4	31.6	0.1
TITE 14d one-stage	1.4	1.3	4.3	57.6	35.4	0
Non-TITE 14d one-stage	1.2	1	5.9	58.8	32.9	0.2
TITE 56d two-stage	1	1.2	5.7	54.9	37.1	0.1
Non-TITE 56d two-stage	0.8	1.1	5.7	55.8	36.5	0.1
TITE 28d two-stage	1.3	1.6	5.9	55.3	35.7	0.2
Non-TITE 28d two-stage	1	0.9	5.2	55.8	37	0.1
TITE 14d two-stage	1.1	2.2	5	55.4	36.3	0
Non-TITE 14d two-stage	1	1.1	5.6	55.4	36.8	0.1
Mean administrations by dose						
TITE 56d one-stage	3.4	3.5	4.4	12.1	6.6	
Non-TITE 56d one-stage	3.5	3.4	4.5	12.2	6.4	
TITE 28d one-stage	3.5	3.5	4.5	12.3	6.3	
Non-TITE 28d one-stage	3.4	3.4	4.6	12.2	6.3	
TITE 14d one-stage	3.5	3.5	4.5	11.9	6.6	
Non-TITE 14d one-stage	3.5	3.4	4.5	12.1	6.5	
TITE 56d two-stage	3.4	3.5	4.3	10.6	8.3	
Non-TITE 56d two-stage	3.4	3.4	4.6	10.6	8	
TITE 28d two-stage	3.4	3.5	4.4	10.6	8.1	
Non-TITE 28d two-stage	3.4	3.4	4.5	10.6	8.1	
TITE 14d two-stage	3.5	3.5	4.5	10.5	8	
Non-TITE 14d two-stage	3.4	3.4	4.5	10.6	8.1	
Mean trial duration (days)						
TITE 56d one-stage			1075.5			
Non-TITE 56d one-stage			1322.7			
TITE 28d one-stage			545.6			
Non-TITE 28d one-stage			800.6			
TITE 14d one-stage			292.2			
Non-TITE 14d one-stage			540.5			
TITE 56d two-stage			1082.1			
Non-TITE 56d two-stage			1330.7			
TITE 28d two-stage			551.2			
Non-TITE 28d two-stage			805.1			
TITE 14d two-stage			292.9			
Non-TITE 14d two-stage			542.6			

TITE versus non-TITE Operating Characteristics

Cycle 2 | alpha = 0 | IPDE-first non-TITE | 56-, 28-, and 14-day arrivals

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 27						
DLT rate	0.11	0.17	0.3	0.5	0.62	
Efficacy rate	0.1	0.2	0.4	0.42	0.45	
OBD selection (%)						
TITE 56d one-stage	9.8	24.4	46.3	10.7	1.2	7.6
Non-TITE 56d one-stage	11.3	21.6	49.3	11	0.7	6.1
TITE 28d one-stage	9.5	23.7	48.7	10.2	0.8	7.1
Non-TITE 28d one-stage	10.8	21.6	49	11.7	0.7	6.2
TITE 14d one-stage	9.8	24.7	46.6	10.2	1.3	7.4
Non-TITE 14d one-stage	10.4	22	49.1	11.8	0.6	6.1
TITE 56d two-stage	11.6	24.2	46.2	9.5	1	7.5
Non-TITE 56d two-stage	10.7	23.9	48.7	9.9	0.8	6
TITE 28d two-stage	10.4	25.4	48.5	8.8	0.7	6.2
Non-TITE 28d two-stage	10.2	24.2	48.9	9.6	0.9	6.2
TITE 14d two-stage	9.9	25.3	45.5	10.4	1.1	7.8
Non-TITE 14d two-stage	10.2	25.1	48.2	9.7	0.8	6
Mean administrations by dose						
TITE 56d one-stage	7.1	8.2	9.8	3.6	0.7	
Non-TITE 56d one-stage	7.1	7.8	10.3	3.5	0.6	
TITE 28d one-stage	7.4	8.1	9.9	3.4	0.7	
Non-TITE 28d one-stage	7	7.8	10.4	3.5	0.6	
TITE 14d one-stage	7.8	8	9.7	3.5	0.5	
Non-TITE 14d one-stage	7	7.8	10.3	3.6	0.6	
TITE 56d two-stage	7	7.8	9.5	4.1	1	
Non-TITE 56d two-stage	6.8	7.7	9.9	4	1.1	
TITE 28d two-stage	7.1	7.9	9.7	3.7	1.1	
Non-TITE 28d two-stage	6.8	7.7	9.9	3.9	1.1	
TITE 14d two-stage	7.7	7.8	9.3	3.9	0.9	
Non-TITE 14d two-stage	6.8	7.7	9.9	3.9	1	
Mean trial duration (days)						
TITE 56d one-stage			1051.9			
Non-TITE 56d one-stage			1308.4			
TITE 28d one-stage			546.5			
Non-TITE 28d one-stage			790.9			
TITE 14d one-stage			293.8			
Non-TITE 14d one-stage			532.5			
TITE 56d two-stage			1056.4			
Non-TITE 56d two-stage			1322			
TITE 28d two-stage			551.3			
Non-TITE 28d two-stage			797.8			
TITE 14d two-stage			295.3			
Non-TITE 14d two-stage			535			

TITE versus non-TITE Operating Characteristics

Cycle 2 | alpha = 0 | IPDE-first non-TITE | 56-, 28-, and 14-day arrivals

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 38						
DLT rate	0.05	0.1	0.12	0.15	0.3	
Efficacy rate	0.05	0.08	0.12	0.15	0.5	
OBD selection (%)						
TITE 56d one-stage	4.1	6.9	9.1	12.9	62.9	4.1
Non-TITE 56d one-stage	4.9	5.7	8.9	11.8	64.5	4.2
TITE 28d one-stage	4.2	7.7	8.8	12.2	63	4.1
Non-TITE 28d one-stage	4.5	5.9	9	11.5	65.3	3.8
TITE 14d one-stage	3.7	6.8	8.9	12	62.8	5.8
Non-TITE 14d one-stage	4.6	6.1	9.3	11.3	64.4	4.3
TITE 56d two-stage	4.4	6.7	9.1	13.6	62.1	4.1
Non-TITE 56d two-stage	4.8	5.9	10	11.5	63.7	4.1
TITE 28d two-stage	4.7	7.5	7.8	12.1	63.1	4.8
Non-TITE 28d two-stage	4.7	6	10.1	11.6	63.4	4.2
TITE 14d two-stage	3.9	6.9	8.9	11.7	62.6	6
Non-TITE 14d two-stage	4.2	5.9	10.4	11.1	64.5	3.9
Mean administrations by dose						
TITE 56d one-stage	4.7	4.6	5	5.3	10.3	
Non-TITE 56d one-stage	4.7	4.3	5.3	5.4	10.2	
TITE 28d one-stage	4.7	4.8	5	5.5	9.8	
Non-TITE 28d one-stage	4.7	4.3	5.2	5.4	10.2	
TITE 14d one-stage	5.1	4.6	5.2	5.2	9.7	
Non-TITE 14d one-stage	4.7	4.3	5.2	5.4	10.2	
TITE 56d two-stage	4.6	4.6	5	5.4	10.2	
Non-TITE 56d two-stage	4.7	4.3	5.2	5.4	10.4	
TITE 28d two-stage	4.7	4.7	5	5.5	10	
Non-TITE 28d two-stage	4.7	4.3	5.2	5.4	10.3	
TITE 14d two-stage	5	4.6	5.2	5.2	9.9	
Non-TITE 14d two-stage	4.6	4.3	5.2	5.4	10.3	
Mean trial duration (days)						
TITE 56d one-stage			1022.8			
Non-TITE 56d one-stage			1288.9			
TITE 28d one-stage			524.5			
Non-TITE 28d one-stage			783.6			
TITE 14d one-stage			286.1			
Non-TITE 14d one-stage			531.3			
TITE 56d two-stage			1025.1			
Non-TITE 56d two-stage			1287.9			
TITE 28d two-stage			528.5			
Non-TITE 28d two-stage			783.7			
TITE 14d two-stage			285.9			
Non-TITE 14d two-stage			531.1			

Mean Unique Patients by Method

Mean number of unique patients per simulated trial

Page 7 of 7

Scenario	1	16	20	24	27	38	Mean
TITE 56d one-stage	12.5	17.9	18.7	19.4	19.2	18.7	17.8
Non-TITE 56d one-stage	12.7	18.2	19	19.5	19.5	18.9	17.9
TITE 28d one-stage	13.3	18.1	18.9	19.4	19.5	18.7	18
Non-TITE 28d one-stage	12.7	18.2	19	19.5	19.5	18.9	18
TITE 14d one-stage	14.5	19.1	19.6	19.8	20	19.2	18.7
Non-TITE 14d one-stage	12.7	18.2	19	19.5	19.5	18.9	18
TITE 56d two-stage	12.6	17.9	18.9	19.6	19.4	18.7	17.8
Non-TITE 56d two-stage	12.7	18.2	19.1	19.6	19.7	18.9	18
TITE 28d two-stage	13.3	18.1	19	19.5	19.6	18.7	18
Non-TITE 28d two-stage	12.7	18.2	19.1	19.6	19.7	18.9	18
TITE 14d two-stage	14.4	19	19.6	19.8	20	19.2	18.7
Non-TITE 14d two-stage	12.7	18.2	19.1	19.6	19.6	18.9	18

Values are reported from Total_Unique_Patients and shown to one decimal. The Mean column is unweighted across scenarios.

Duration comparisons are reported on the preceding scenario pages in source-reported days.