

TITE versus non-TITE Operating Characteristics

Cycle 3 | alpha = 0 | IPDE-first non-TITE | 56-, 28-, and 14-day arrivals

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 1						
DLT rate	0.3	0.35	0.4	0.45	0.5	
Efficacy rate	0.05	0.06	0.07	0.08	0.09	
OBD selection (%)						
TITE 56d one-stage	9.1	6.7	4.1	0.8	0.3	79
Non-TITE 56d one-stage	9.4	6.7	3.3	1.3	0.2	79.1
TITE 28d one-stage	10.4	6.8	4	1.2	0.3	77.3
Non-TITE 28d one-stage	8.9	7.5	3	1.4	0.1	79.1
TITE 14d one-stage	9.8	8	3.4	1.9	0.2	76.7
Non-TITE 14d one-stage	9.5	7.1	3.2	1.2	0.2	78.8
TITE 56d two-stage	9.8	7	3.7	0.8	0.3	78.4
Non-TITE 56d two-stage	9.8	7.4	3.2	1.2	0.3	78.1
TITE 28d two-stage	9.8	7.7	3.7	1.4	0.2	77.1
Non-TITE 28d two-stage	9.7	7.1	4	1.2	0.2	77.8
TITE 14d two-stage	10.1	7.6	3.5	1.7	0.2	76.9
Non-TITE 14d two-stage	9.8	7.6	3.6	1.2	0.1	77.7
Mean administrations by dose						
TITE 56d one-stage	11.5	4.7	2.7	1	0.3	
Non-TITE 56d one-stage	10.8	4.7	2.6	1.1	0.4	
TITE 28d one-stage	12.1	4.7	2.8	1.2	0.4	
Non-TITE 28d one-stage	10.8	4.7	2.5	1.1	0.4	
TITE 14d one-stage	13.2	4.9	2.7	1	0.3	
Non-TITE 14d one-stage	10.9	4.7	2.6	1.2	0.4	
TITE 56d two-stage	11.2	4.8	2.7	1.1	0.3	
Non-TITE 56d two-stage	10.8	4.8	2.6	1.1	0.4	
TITE 28d two-stage	12	4.8	2.8	1.2	0.4	
Non-TITE 28d two-stage	10.7	4.8	2.6	1.2	0.4	
TITE 14d two-stage	13.1	5	2.8	1	0.3	
Non-TITE 14d two-stage	10.8	4.7	2.6	1.2	0.4	
Mean trial duration (days)						
TITE 56d one-stage			573.1			
Non-TITE 56d one-stage			727.8			
TITE 28d one-stage			319.2			
Non-TITE 28d one-stage			455.1			
TITE 14d one-stage			195.7			
Non-TITE 14d one-stage			319.6			
TITE 56d two-stage			574			
Non-TITE 56d two-stage			730.6			
TITE 28d two-stage			320			
Non-TITE 28d two-stage			456.8			
TITE 14d two-stage			195.8			
Non-TITE 14d two-stage			320.3			

TITE versus non-TITE Operating Characteristics

Cycle 3 | alpha = 0 | IPDE-first non-TITE | 56-, 28-, and 14-day arrivals

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 16						
DLT rate	0.02	0.06	0.09	0.14	0.26	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
OBD selection (%)						
TITE 56d one-stage	23	23.6	19.7	18.5	13.8	1.4
Non-TITE 56d one-stage	23.9	22.1	18.3	19	15.7	1
TITE 28d one-stage	23.7	21.6	20.5	18.5	14.9	0.9
Non-TITE 28d one-stage	23.9	21.9	19.1	19.5	14.7	0.9
TITE 14d one-stage	23.9	23.1	19.6	17.1	14.9	1.4
Non-TITE 14d one-stage	24.7	20.9	19.5	18.3	15.7	0.9
TITE 56d two-stage	22.6	23.8	20.2	17.6	14.4	1.4
Non-TITE 56d two-stage	23.1	22.5	18.5	19.7	15.2	1
TITE 28d two-stage	23.5	22.1	20.2	18	15.5	0.8
Non-TITE 28d two-stage	22.6	22.5	19	19.1	15.7	1.1
TITE 14d two-stage	24.2	23.1	19.1	17.2	15.1	1.3
Non-TITE 14d two-stage	22.3	22	18.8	19.4	16.5	1
Mean administrations by dose						
TITE 56d one-stage	7	6.7	5.9	5.6	4.8	
Non-TITE 56d one-stage	7.1	6.4	5.7	5.9	4.9	
TITE 28d one-stage	7.2	6.6	5.9	5.6	4.8	
Non-TITE 28d one-stage	7.1	6.4	5.7	5.8	5	
TITE 14d one-stage	7.5	6.8	5.8	5.3	4.6	
Non-TITE 14d one-stage	7.1	6.4	5.7	5.8	5	
TITE 56d two-stage	6.9	6.7	6	5.4	5	
Non-TITE 56d two-stage	6.9	6.4	5.7	6	5.1	
TITE 28d two-stage	6.9	6.5	5.9	5.6	5	
Non-TITE 28d two-stage	6.8	6.4	5.7	6	5.1	
TITE 14d two-stage	7.3	6.7	5.8	5.4	4.9	
Non-TITE 14d two-stage	6.8	6.4	5.7	6	5.1	
Mean trial duration (days)						
TITE 56d one-stage			773.8			
Non-TITE 56d one-stage			1041			
TITE 28d one-stage			413.4			
Non-TITE 28d one-stage			661			
TITE 14d one-stage			250.6			
Non-TITE 14d one-stage			470.2			
TITE 56d two-stage			776.9			
Non-TITE 56d two-stage			1041			
TITE 28d two-stage			411.1			
Non-TITE 28d two-stage			661.2			
TITE 14d two-stage			249.5			
Non-TITE 14d two-stage			470.1			

TITE versus non-TITE Operating Characteristics

Cycle 3 | alpha = 0 | IPDE-first non-TITE | 56-, 28-, and 14-day arrivals

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 20						
DLT rate	0.07	0.14	0.31	0.41	0.52	
Efficacy rate	0.05	0.25	0.25	0.25	0.25	
OBD selection (%)						
TITE 56d one-stage	4.2	45.2	30.6	11.6	2.2	6.2
Non-TITE 56d one-stage	4	46.3	28.6	13.7	2.4	5
TITE 28d one-stage	3.2	46	27.9	13.3	2.9	6.7
Non-TITE 28d one-stage	3.9	46.5	28.2	13.7	2.5	5.2
TITE 14d one-stage	4.8	43.8	29.7	13	2.1	6.5
Non-TITE 14d one-stage	4.8	46.4	27.9	13.6	2.5	4.8
TITE 56d two-stage	4.4	45.2	30.2	11.1	2.8	6.3
Non-TITE 56d two-stage	4.2	45.4	29.9	12.9	2.3	5.3
TITE 28d two-stage	3.4	44.7	30.3	12.7	3.4	5.5
Non-TITE 28d two-stage	4.8	47.5	27.5	13.1	2	5.1
TITE 14d two-stage	5.3	43.8	30.6	11.6	2.3	6.4
Non-TITE 14d two-stage	4.6	47	28.3	12.9	1.6	5.6
Mean administrations by dose						
TITE 56d one-stage	5.2	10.9	7.8	4.3	1.5	
Non-TITE 56d one-stage	5.2	10.6	7.7	4.4	1.7	
TITE 28d one-stage	5.3	10.8	7.6	4.4	1.6	
Non-TITE 28d one-stage	5.2	10.6	7.7	4.4	1.8	
TITE 14d one-stage	5.8	10.7	7.6	4.2	1.4	
Non-TITE 14d one-stage	5.2	10.7	7.7	4.3	1.7	
TITE 56d two-stage	5	10.2	8	4.7	1.8	
Non-TITE 56d two-stage	5.1	10.3	7.9	4.5	1.9	
TITE 28d two-stage	5.2	10.1	7.9	4.6	1.9	
Non-TITE 28d two-stage	5.1	10.2	7.9	4.5	1.9	
TITE 14d two-stage	5.7	10.3	7.8	4.3	1.6	
Non-TITE 14d two-stage	5.1	10.2	7.9	4.5	1.9	
Mean trial duration (days)						
TITE 56d one-stage			843.2			
Non-TITE 56d one-stage			1106.5			
TITE 28d one-stage			445.6			
Non-TITE 28d one-stage			692.2			
TITE 14d one-stage			255.9			
Non-TITE 14d one-stage			484.7			
TITE 56d two-stage			856.9			
Non-TITE 56d two-stage			1112.6			
TITE 28d two-stage			448.8			
Non-TITE 28d two-stage			694.8			
TITE 14d two-stage			256.4			
Non-TITE 14d two-stage			486.2			

TITE versus non-TITE Operating Characteristics

Cycle 3 | alpha = 0 | IPDE-first non-TITE | 56-, 28-, and 14-day arrivals

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 24						
DLT rate	0.01	0.02	0.05	0.1	0.25	
Efficacy rate	0.05	0.08	0.2	0.5	0.5	
OBD selection (%)						
TITE 56d one-stage	0.5	2	4.9	57.1	35.4	0.1
Non-TITE 56d one-stage	0.5	1.8	7	57.3	33.4	0
TITE 28d one-stage	0.7	1.8	5.4	57	35	0.1
Non-TITE 28d one-stage	0.5	1.4	7.2	58	32.8	0.1
TITE 14d one-stage	0.9	1.1	4.7	59.6	33.5	0.2
Non-TITE 14d one-stage	0.4	1.7	6.9	57.6	33.4	0
TITE 56d two-stage	0.7	1.4	7	53.1	37.7	0.1
Non-TITE 56d two-stage	0.3	2.1	5.4	58.3	33.9	0
TITE 28d two-stage	0.6	1.7	5.9	54.8	36.9	0.1
Non-TITE 28d two-stage	0.2	2	5.4	60.1	32.3	0
TITE 14d two-stage	0.9	1.2	4.7	56.7	36.2	0.2
Non-TITE 14d two-stage	0.4	1.8	5.7	59.4	32.7	0
Mean administrations by dose						
TITE 56d one-stage	3.4	3.5	4.6	11.7	6.8	
Non-TITE 56d one-stage	3.4	3.5	4.5	12	6.6	
TITE 28d one-stage	3.4	3.6	4.6	11.9	6.5	
Non-TITE 28d one-stage	3.4	3.5	4.5	12	6.6	
TITE 14d one-stage	3.5	3.6	4.6	12	6.2	
Non-TITE 14d one-stage	3.4	3.5	4.5	12.1	6.5	
TITE 56d two-stage	3.4	3.4	4.5	10.3	8.4	
Non-TITE 56d two-stage	3.4	3.5	4.3	11.2	7.7	
TITE 28d two-stage	3.4	3.5	4.6	10.6	7.9	
Non-TITE 28d two-stage	3.4	3.4	4.3	11.3	7.6	
TITE 14d two-stage	3.5	3.5	4.6	10.5	7.8	
Non-TITE 14d two-stage	3.4	3.4	4.3	11.2	7.7	
Mean trial duration (days)						
TITE 56d one-stage			881.5			
Non-TITE 56d one-stage			1151.6			
TITE 28d one-stage			460.2			
Non-TITE 28d one-stage			715.8			
TITE 14d one-stage			261.6			
Non-TITE 14d one-stage			497.8			
TITE 56d two-stage			888.6			
Non-TITE 56d two-stage			1168.5			
TITE 28d two-stage			464.2			
Non-TITE 28d two-stage			724.6			
TITE 14d two-stage			265			
Non-TITE 14d two-stage			502.6			

TITE versus non-TITE Operating Characteristics

Cycle 3 | alpha = 0 | IPDE-first non-TITE | 56-, 28-, and 14-day arrivals

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 27						
DLT rate	0.11	0.17	0.3	0.5	0.62	
Efficacy rate	0.1	0.2	0.4	0.42	0.45	
OBD selection (%)						
TITE 56d one-stage	10	23.7	48.1	10.8	1.3	6.1
Non-TITE 56d one-stage	10.7	23.5	46.5	11.7	1.3	6.3
TITE 28d one-stage	10.7	23	48.1	10.9	0.9	6.4
Non-TITE 28d one-stage	10.2	24.1	47.1	11.3	1	6.3
TITE 14d one-stage	9.5	25	48.6	9.3	1	6.7
Non-TITE 14d one-stage	10.5	22.9	47.9	11.6	1	6.1
TITE 56d two-stage	10.1	24.3	47.9	10.6	0.9	6.2
Non-TITE 56d two-stage	10.1	23.5	48	11.1	0.8	6.5
TITE 28d two-stage	9.6	25.9	46	11.5	1.2	5.8
Non-TITE 28d two-stage	10.4	22.7	48.7	10.4	1.2	6.6
TITE 14d two-stage	10.4	23.6	47.6	10.6	1.1	6.8
Non-TITE 14d two-stage	10.5	23.1	48.9	10.3	0.9	6.3
Mean administrations by dose						
TITE 56d one-stage	6.9	7.8	9.9	4	0.8	
Non-TITE 56d one-stage	7	7.8	9.9	3.9	0.6	
TITE 28d one-stage	7.5	7.9	9.8	3.8	0.7	
Non-TITE 28d one-stage	7	7.9	9.9	3.8	0.6	
TITE 14d one-stage	7.9	8.1	9.6	3.6	0.5	
Non-TITE 14d one-stage	7	7.8	10	3.9	0.6	
TITE 56d two-stage	6.7	7.6	9.5	4.4	1.2	
Non-TITE 56d two-stage	6.7	7.6	9.7	4.2	1	
TITE 28d two-stage	7.2	7.6	9.6	4.1	1.1	
Non-TITE 28d two-stage	6.7	7.6	9.6	4.2	1	
TITE 14d two-stage	7.7	7.8	9.2	4	0.9	
Non-TITE 14d two-stage	6.7	7.6	9.6	4.2	1	
Mean trial duration (days)						
TITE 56d one-stage			901.3			
Non-TITE 56d one-stage			1157.1			
TITE 28d one-stage			465.2			
Non-TITE 28d one-stage			713.1			
TITE 14d one-stage			261			
Non-TITE 14d one-stage			493.5			
TITE 56d two-stage			912			
Non-TITE 56d two-stage			1165.2			
TITE 28d two-stage			473.6			
Non-TITE 28d two-stage			719.6			
TITE 14d two-stage			263.8			
Non-TITE 14d two-stage			495.8			

TITE versus non-TITE Operating Characteristics

Cycle 3 | alpha = 0 | IPDE-first non-TITE | 56-, 28-, and 14-day arrivals

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 38						
DLT rate	0.05	0.1	0.12	0.15	0.3	
Efficacy rate	0.05	0.08	0.12	0.15	0.5	
OBD selection (%)						
TITE 56d one-stage	4.9	6.6	9.7	9	66	3.8
Non-TITE 56d one-stage	4.5	5.7	8.8	12.3	65	3.7
TITE 28d one-stage	4.4	7.5	9.7	9.5	65.2	3.7
Non-TITE 28d one-stage	3.8	6.2	8.5	12	65.7	3.8
TITE 14d one-stage	4	7.6	9.8	9.7	62.4	6.5
Non-TITE 14d one-stage	4.2	5.6	8.9	12.6	64.8	3.9
TITE 56d two-stage	4.5	7	8.8	9.8	65.8	4.1
Non-TITE 56d two-stage	4.9	5.8	7.7	12.4	65.6	3.6
TITE 28d two-stage	3.7	7.9	8.1	9.8	66.7	3.6
Non-TITE 28d two-stage	4.3	5.8	7.7	11.7	66.5	4
TITE 14d two-stage	3.9	6.7	10	10.1	63.8	5.5
Non-TITE 14d two-stage	4.5	5.5	8.4	11.6	65.9	4.1
Mean administrations by dose						
TITE 56d one-stage	4.6	4.6	5	5.1	10.7	
Non-TITE 56d one-stage	4.7	4.5	5	5.2	10.6	
TITE 28d one-stage	4.6	4.7	5.2	5.2	10.2	
Non-TITE 28d one-stage	4.6	4.5	5	5.3	10.6	
TITE 14d one-stage	5.1	4.9	5.4	5.2	9.3	
Non-TITE 14d one-stage	4.6	4.4	4.9	5.3	10.6	
TITE 56d two-stage	4.5	4.5	4.9	5.1	10.8	
Non-TITE 56d two-stage	4.6	4.3	4.9	5.4	10.7	
TITE 28d two-stage	4.5	4.6	5.2	5.2	10.4	
Non-TITE 28d two-stage	4.6	4.4	4.9	5.4	10.7	
TITE 14d two-stage	5.1	4.8	5.4	5.2	9.5	
Non-TITE 14d two-stage	4.6	4.3	4.9	5.4	10.7	
Mean trial duration (days)						
TITE 56d one-stage			832.5			
Non-TITE 56d one-stage			1104.1			
TITE 28d one-stage			432			
Non-TITE 28d one-stage			691.3			
TITE 14d one-stage			253.6			
Non-TITE 14d one-stage			485			
TITE 56d two-stage			838.9			
Non-TITE 56d two-stage			1105.5			
TITE 28d two-stage			435.3			
Non-TITE 28d two-stage			693.9			
TITE 14d two-stage			253.7			
Non-TITE 14d two-stage			485.9			

Mean Unique Patients by Method

Mean number of unique patients per simulated trial

Page 7 of 7

Scenario	1	16	20	24	27	38	Mean
TITE 56d one-stage	10.7	14.2	15.6	16.3	16.6	15.3	14.8
Non-TITE 56d one-stage	10.6	14.4	15.7	16.5	16.5	15.5	14.9
TITE 28d one-stage	11.4	14.7	15.9	16.3	16.8	15.4	15.1
Non-TITE 28d one-stage	10.6	14.4	15.7	16.6	16.5	15.5	14.9
TITE 14d one-stage	12.9	17	17.1	17.6	17.6	17	16.5
Non-TITE 14d one-stage	10.6	14.4	15.8	16.5	16.5	15.5	14.9
TITE 56d two-stage	10.7	14.2	15.8	16.4	16.8	15.4	14.9
Non-TITE 56d two-stage	10.7	14.5	15.8	16.7	16.8	15.6	15
TITE 28d two-stage	11.4	14.6	16	16.4	17	15.5	15.1
Non-TITE 28d two-stage	10.7	14.5	15.8	16.7	16.8	15.6	15
TITE 14d two-stage	12.9	16.8	17.2	17.6	17.8	17	16.6
Non-TITE 14d two-stage	10.7	14.5	15.9	16.8	16.8	15.6	15

Values are reported from Total_Unique_Patients and shown to one decimal. The Mean column is unweighted across scenarios.

Duration comparisons are reported on the preceding scenario pages in source-reported days.