

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.30	0.35	0.40	0.45	0.50	
Efficacy rate	0.05	0.06	0.07	0.08	0.09	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - cutoff = 0.75	5.2	2.6	0.6	0.3	0	91.3
U2 - cutoff = 0.85	14.7	7.2	1	0.2	0	76.9
U2 - cutoff = 0.95	28.2	10.3	0.4	0.3	0.1	60.7
U3 - cutoff = 0.75	5.9	2.7	0.2	0.1	0	91.1
U3 - cutoff = 0.85	15.8	6.2	1.1	0.1	0	76.8
U3 - cutoff = 0.95	29.9	9.2	0.2	0	0.1	60.5
Mean administrations						
U2 - cutoff = 0.75	8	2.8	1.6	0.7	0.2	-
U2 - cutoff = 0.85	11.3	3.3	1.7	0.6	0.2	-
U2 - cutoff = 0.95	15.7	3.9	1.7	0.6	0.1	-
U3 - cutoff = 0.75	7.9	2.8	1.6	0.6	0.2	-
U3 - cutoff = 0.85	11.3	3.3	1.7	0.6	0.2	-
U3 - cutoff = 0.95	15.7	3.8	1.7	0.6	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.1	1.5	0.5	0.3	0.1	-
U2 - cutoff = 0.85	3.3	1.7	0.6	0.3	0.1	-
U2 - cutoff = 0.95	0.5	2	0.5	0.3	0	-
U3 - cutoff = 0.75	2	1.5	0.5	0.3	0.1	-
U3 - cutoff = 0.85	3.3	1.7	0.6	0.3	0.1	-
U3 - cutoff = 0.95	0.6	2	0.5	0.3	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						470.7
U2 - cutoff = 0.85						607.9
U2 - cutoff = 0.95						1036.5
U3 - cutoff = 0.75						470.8
U3 - cutoff = 0.85						608.2
U3 - cutoff = 0.95						1033.4
Scenario 2						
DLT rate	0.15	0.20	0.30	0.35	0.45	
Efficacy rate	0.20	0.25	0.50	0.50	0.50	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - cutoff = 0.75	28.8	16.3	31.4	9.3	2.2	12
U2 - cutoff = 0.85	34.3	17.3	31.6	9.9	2.1	4.8
U2 - cutoff = 0.95	35.7	19.4	32.3	8.9	2	1.8
U3 - cutoff = 0.75	31.7	16.8	29.6	8.6	1.4	11.9
U3 - cutoff = 0.85	36.9	18.6	29.4	8.9	1.3	4.9
U3 - cutoff = 0.95	38.5	20.3	28.9	8.9	1.5	1.8
Mean administrations						
U2 - cutoff = 0.75	10.5	5.1	7.1	3.7	1.5	-
U2 - cutoff = 0.85	11.5	5.3	7.1	3.6	1.6	-
U2 - cutoff = 0.95	11.9	5.7	7.1	3.6	1.4	-
U3 - cutoff = 0.75	10.5	5.1	7.1	3.7	1.6	-
U3 - cutoff = 0.85	11.6	5.3	7.1	3.7	1.6	-
U3 - cutoff = 0.95	11.9	5.6	7	3.7	1.5	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.9	2.5	1.9	1	0.4	-
U2 - cutoff = 0.85	3.3	2.5	2	1	0.4	-
U2 - cutoff = 0.95	0.4	2.5	1.3	0.8	0.3	-
U3 - cutoff = 0.75	2.9	2.4	1.9	1	0.4	-
U3 - cutoff = 0.85	3.4	2.5	1.9	1	0.4	-
U3 - cutoff = 0.95	0.4	2.5	1.3	0.8	0.3	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1056.4
U2 - cutoff = 0.85						1098.9
U2 - cutoff = 0.95						1350.7
U3 - cutoff = 0.75						1057
U3 - cutoff = 0.85						1099.3
U3 - cutoff = 0.95						1349.1

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.15	0.20	0.30	0.35	0.45	
Efficacy rate	0.10	0.40	0.40	0.40	0.40	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - cutoff = 0.75	8.5	39.4	18.3	6.9	1.4	25.5
U2 - cutoff = 0.85	12.7	41.7	18.3	6.9	1.9	18.5
U2 - cutoff = 0.95	18.6	43.6	19.6	5.8	1.7	10.8
U3 - cutoff = 0.75	9.2	40.9	16.7	6.3	1.4	25.5
U3 - cutoff = 0.85	13.7	43.3	17	6.1	1.3	18.6
U3 - cutoff = 0.95	20.1	45.8	16.9	5.1	1.3	10.9
Mean administrations						
U2 - cutoff = 0.75	6.8	7.5	6	3.4	1.5	-
U2 - cutoff = 0.85	8.6	7.7	5.9	3.3	1.5	-
U2 - cutoff = 0.95	10.2	8	5.9	3.3	1.3	-
U3 - cutoff = 0.75	6.8	7.6	5.9	3.3	1.5	-
U3 - cutoff = 0.85	8.6	7.7	5.8	3.4	1.5	-
U3 - cutoff = 0.95	10.2	7.9	5.8	3.4	1.4	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.6	3.2	1.7	1.1	0.4	-
U2 - cutoff = 0.85	2.3	3.3	1.7	1.1	0.4	-
U2 - cutoff = 0.95	0.2	3	1.2	0.9	0.3	-
U3 - cutoff = 0.75	1.6	3.3	1.7	1.1	0.4	-
U3 - cutoff = 0.85	2.3	3.3	1.6	1.1	0.4	-
U3 - cutoff = 0.95	0.2	2.9	1.2	0.9	0.3	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						944.9
U2 - cutoff = 0.85						1004.8
U2 - cutoff = 0.95						1278.8
U3 - cutoff = 0.75						944.6
U3 - cutoff = 0.85						1005
U3 - cutoff = 0.95						1277.3
Scenario 4						
DLT rate	0.05	0.10	0.18	0.30	0.40	
Efficacy rate	0.05	0.10	0.25	0.50	0.55	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - cutoff = 0.75	5.5	7.2	21.3	43.4	14.9	7.7
U2 - cutoff = 0.85	7.2	7.6	23.4	42.8	15.4	3.6
U2 - cutoff = 0.95	8	9.4	22.8	42.2	15.7	1.9
U3 - cutoff = 0.75	9.1	7.3	20.7	42	12.9	8
U3 - cutoff = 0.85	11.1	9.2	21.4	41.2	13.5	3.6
U3 - cutoff = 0.95	13.2	9.9	21.7	39.7	13.4	2
Mean administrations						
U2 - cutoff = 0.75	4.1	4.2	6.5	8.3	5.7	-
U2 - cutoff = 0.85	4.4	4.3	6.8	8.1	5.8	-
U2 - cutoff = 0.95	4.6	4.5	6.9	8.2	5.5	-
U3 - cutoff = 0.75	4.1	4.2	6.6	8.1	5.8	-
U3 - cutoff = 0.85	4.4	4.3	6.7	8.1	5.8	-
U3 - cutoff = 0.95	4.7	4.4	7	8.1	5.5	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.5	2.7	2	2.7	1.4	-
U2 - cutoff = 0.85	0.6	2.8	2.1	2.7	1.4	-
U2 - cutoff = 0.95	0.3	2.9	1.5	2.2	0.7	-
U3 - cutoff = 0.75	0.5	2.7	2.1	2.7	1.4	-
U3 - cutoff = 0.85	0.7	2.8	2.1	2.7	1.4	-
U3 - cutoff = 0.95	0.3	2.9	1.5	2.2	0.7	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1071.5
U2 - cutoff = 0.85						1089.2
U2 - cutoff = 0.95						1225
U3 - cutoff = 0.75						1069.7
U3 - cutoff = 0.85						1088.5
U3 - cutoff = 0.95						1222.9

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.07	0.12	0.17	0.22	0.30	
Efficacy rate	0.05	0.30	0.30	0.30	0.30	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - cutoff = 0.75	3.5	33.6	27.2	18.8	9	7.9
U2 - cutoff = 0.85	3.9	36.4	25.8	18.4	9.4	6.1
U2 - cutoff = 0.95	4.4	35.5	26.6	20.3	8.9	4.3
U3 - cutoff = 0.75	6.4	39.9	25.2	15.2	5.4	7.9
U3 - cutoff = 0.85	6.8	41.1	24.5	16.3	5.2	6.1
U3 - cutoff = 0.95	7.7	42.4	22.6	17	6	4.3
Mean administrations						
U2 - cutoff = 0.75	4.1	6.4	6.6	6.1	5.1	-
U2 - cutoff = 0.85	4.6	6.6	6.7	5.8	5.2	-
U2 - cutoff = 0.95	5	6.7	6.8	6	5	-
U3 - cutoff = 0.75	4.2	6.3	6.7	6	5.1	-
U3 - cutoff = 0.85	4.5	6.6	6.7	5.8	5.1	-
U3 - cutoff = 0.95	5	6.8	6.6	6	5	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.5	3.4	2.1	2.3	1.8	-
U2 - cutoff = 0.85	0.7	3.5	2.1	2.2	1.8	-
U2 - cutoff = 0.95	0.2	3.4	1.7	2.1	1.1	-
U3 - cutoff = 0.75	0.5	3.4	2.1	2.3	1.8	-
U3 - cutoff = 0.85	0.7	3.5	2.2	2.2	1.8	-
U3 - cutoff = 0.95	0.2	3.4	1.7	2.1	1.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						999.3
U2 - cutoff = 0.85						1014.1
U2 - cutoff = 0.95						1152.6
U3 - cutoff = 0.75						999.5
U3 - cutoff = 0.85						1014.8
U3 - cutoff = 0.95						1151.2
Scenario 6						
DLT rate	0.29	0.34	0.38	0.43	0.52	
Efficacy rate	0.30	0.32	0.35	0.38	0.40	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - cutoff = 0.75	60.9	11.6	2.8	0.6	0.2	23.9
U2 - cutoff = 0.85	66.6	11.3	3	0.6	0.2	18.3
U2 - cutoff = 0.95	69.7	12.3	2.3	0.7	0.3	14.6
U3 - cutoff = 0.75	62.6	10.9	2.3	0.4	0.2	23.6
U3 - cutoff = 0.85	67.9	11.2	2.5	0.2	0.2	18
U3 - cutoff = 0.95	70.8	12	1.9	0.6	0	14.6
Mean administrations						
U2 - cutoff = 0.75	18.5	3.8	2.2	0.8	0.3	-
U2 - cutoff = 0.85	19.6	3.8	2.2	0.8	0.2	-
U2 - cutoff = 0.95	20.1	4.2	2	0.9	0.2	-
U3 - cutoff = 0.75	18.6	3.7	2.2	0.9	0.2	-
U3 - cutoff = 0.85	19.7	3.8	2.1	0.9	0.3	-
U3 - cutoff = 0.95	20.1	4.1	2.1	0.9	0.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	5	1.5	0.6	0.3	0.1	-
U2 - cutoff = 0.85	5.4	1.5	0.6	0.3	0.1	-
U2 - cutoff = 0.95	0.4	1.6	0.4	0.3	0	-
U3 - cutoff = 0.75	5.1	1.5	0.6	0.3	0.1	-
U3 - cutoff = 0.85	5.4	1.5	0.6	0.3	0.1	-
U3 - cutoff = 0.95	0.4	1.5	0.4	0.3	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						994.7
U2 - cutoff = 0.85						1034.5
U2 - cutoff = 0.95						1369
U3 - cutoff = 0.75						995.5
U3 - cutoff = 0.85						1037
U3 - cutoff = 0.95						1365.6

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.16	0.20	0.26	0.31	0.36	
Efficacy rate	0.20	0.50	0.50	0.50	0.50	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - cutoff = 0.75	19.5	36.1	19.9	10.2	2.2	12.1
U2 - cutoff = 0.85	25.2	36.8	19.6	10.6	2.2	5.6
U2 - cutoff = 0.95	26.5	38.5	20.8	9.5	2.4	2.3
U3 - cutoff = 0.75	21.8	38.6	17	8.9	1.6	12.1
U3 - cutoff = 0.85	27.4	39.8	17	8.8	1.4	5.6
U3 - cutoff = 0.95	28.4	42.6	16.8	8.3	1.7	2.3
Mean administrations						
U2 - cutoff = 0.75	9.6	7	5.6	3.6	1.9	-
U2 - cutoff = 0.85	10.9	7	5.5	3.7	1.9	-
U2 - cutoff = 0.95	11.2	7.4	5.5	3.5	1.9	-
U3 - cutoff = 0.75	9.6	7	5.6	3.6	2	-
U3 - cutoff = 0.85	10.8	7.1	5.5	3.6	2	-
U3 - cutoff = 0.95	11.3	7.3	5.5	3.6	1.9	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.6	2.8	1.3	1	0.5	-
U2 - cutoff = 0.85	3	2.8	1.3	1	0.5	-
U2 - cutoff = 0.95	0.2	2.6	1	0.9	0.3	-
U3 - cutoff = 0.75	2.6	2.8	1.4	1	0.5	-
U3 - cutoff = 0.85	3	2.8	1.3	1	0.5	-
U3 - cutoff = 0.95	0.2	2.6	1	0.9	0.3	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1070.3
U2 - cutoff = 0.85						1114.9
U2 - cutoff = 0.95						1351.6
U3 - cutoff = 0.75						1070.2
U3 - cutoff = 0.85						1114.4
U3 - cutoff = 0.95						1351
Scenario 8						
DLT rate	0.32	0.37	0.42	0.48	0.52	
Efficacy rate	0.10	0.15	0.20	0.30	0.40	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - cutoff = 0.75	13.8	4.4	1.8	0.5	0.2	79.3
U2 - cutoff = 0.85	28.7	5.7	1.9	0.7	0.2	62.8
U2 - cutoff = 0.95	42.4	8.5	1.9	0.5	0.1	46.5
U3 - cutoff = 0.75	14.9	3.7	1.3	0.4	0.2	79.5
U3 - cutoff = 0.85	29.8	5.4	1.2	0.5	0.2	62.9
U3 - cutoff = 0.95	43.8	7.8	1.2	0.3	0.1	46.8
Mean administrations						
U2 - cutoff = 0.75	10.4	3	1.5	0.5	0.1	-
U2 - cutoff = 0.85	14	3.3	1.5	0.4	0.1	-
U2 - cutoff = 0.95	17.9	3.6	1.6	0.4	0.1	-
U3 - cutoff = 0.75	10.4	3	1.5	0.4	0.1	-
U3 - cutoff = 0.85	14	3.3	1.5	0.4	0.1	-
U3 - cutoff = 0.95	17.9	3.5	1.6	0.4	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.8	1.4	0.5	0.2	0	-
U2 - cutoff = 0.85	4.2	1.6	0.5	0.2	0	-
U2 - cutoff = 0.95	0.3	1.6	0.4	0.2	0	-
U3 - cutoff = 0.75	2.8	1.4	0.5	0.2	0	-
U3 - cutoff = 0.85	4.2	1.6	0.5	0.2	0	-
U3 - cutoff = 0.95	0.3	1.6	0.4	0.2	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						567.6
U2 - cutoff = 0.85						705.9
U2 - cutoff = 0.95						1165.3
U3 - cutoff = 0.75						568.8
U3 - cutoff = 0.85						704.7
U3 - cutoff = 0.95						1162.6

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.15	0.18	0.22	0.26	0.29	
Efficacy rate	0.05	0.08	0.20	0.25	0.50	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - cutoff = 0.75	6.1	6.9	14.8	11.7	22.3	38.2
U2 - cutoff = 0.85	9.3	9.8	16.8	12.4	22.2	29.5
U2 - cutoff = 0.95	16.8	13.6	16.7	13.6	19.2	20.1
U3 - cutoff = 0.75	10.6	7.7	13.9	10.3	19.4	38.1
U3 - cutoff = 0.85	13.6	10.8	15.5	10	21	29.1
U3 - cutoff = 0.95	21.4	14.2	14	12.5	17.4	20.5
Mean administrations						
U2 - cutoff = 0.75	5.7	3.9	5.2	3.7	4.5	-
U2 - cutoff = 0.85	7.3	4.3	5.3	3.7	4.5	-
U2 - cutoff = 0.95	9.4	4.8	5.4	3.8	4.2	-
U3 - cutoff = 0.75	5.7	3.9	5.2	3.7	4.5	-
U3 - cutoff = 0.85	7.2	4.3	5.4	3.6	4.6	-
U3 - cutoff = 0.95	9.4	4.7	5.3	3.8	4.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.3	2.3	1.8	1.5	1.3	-
U2 - cutoff = 0.85	1.9	2.5	1.8	1.5	1.3	-
U2 - cutoff = 0.95	0.5	2.8	1.3	1.4	0.6	-
U3 - cutoff = 0.75	1.3	2.3	1.8	1.5	1.3	-
U3 - cutoff = 0.85	1.9	2.5	1.9	1.5	1.3	-
U3 - cutoff = 0.95	0.5	2.7	1.3	1.4	0.6	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						818
U2 - cutoff = 0.85						882.4
U2 - cutoff = 0.95						1160.7
U3 - cutoff = 0.75						817.8
U3 - cutoff = 0.85						882.7
U3 - cutoff = 0.95						1160.3
Scenario 10						
DLT rate	0.23	0.28	0.32	0.39	0.43	
Efficacy rate	0.05	0.40	0.42	0.45	0.50	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - cutoff = 0.75	4	21.2	11.2	4	1.1	58.5
U2 - cutoff = 0.85	7.8	25.1	10.8	3.9	1.2	51.2
U2 - cutoff = 0.95	12.7	32	9.8	3.3	1.6	40.7
U3 - cutoff = 0.75	4.1	24.5	9.3	2.8	0.8	58.5
U3 - cutoff = 0.85	8.1	26.4	10	2.9	1.1	51.5
U3 - cutoff = 0.95	12.7	33.2	9.9	2.3	1.2	40.8
Mean administrations						
U2 - cutoff = 0.75	6.6	5.3	3.7	1.9	0.7	-
U2 - cutoff = 0.85	9.2	5.5	3.7	1.8	0.8	-
U2 - cutoff = 0.95	12.5	6	3.7	1.8	0.8	-
U3 - cutoff = 0.75	6.6	5.3	3.7	1.8	0.7	-
U3 - cutoff = 0.85	9.2	5.5	3.7	1.8	0.7	-
U3 - cutoff = 0.95	12.5	6	3.6	1.8	0.7	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.5	2.4	1	0.6	0.2	-
U2 - cutoff = 0.85	2.5	2.4	1	0.6	0.2	-
U2 - cutoff = 0.95	0.1	2.3	0.8	0.5	0.1	-
U3 - cutoff = 0.75	1.5	2.3	1	0.6	0.2	-
U3 - cutoff = 0.85	2.5	2.4	1	0.6	0.2	-
U3 - cutoff = 0.95	0.1	2.3	0.8	0.5	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						682.5
U2 - cutoff = 0.85						776.2
U2 - cutoff = 0.95						1151.7
U3 - cutoff = 0.75						682.4
U3 - cutoff = 0.85						776.4
U3 - cutoff = 0.95						1152

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.22	0.32	0.44	0.59	0.67	
Efficacy rate	0.20	0.20	0.20	0.20	0.20	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - cutoff = 0.75	50.1	16.7	2.7	0.1	0	30.4
U2 - cutoff = 0.85	63.8	18.9	2.6	0.2	0	14.5
U2 - cutoff = 0.95	66.7	23.3	2.1	0.2	0	7.7
U3 - cutoff = 0.75	51.8	15.7	1.9	0.1	0	30.5
U3 - cutoff = 0.85	65.6	17.8	2	0.1	0	14.5
U3 - cutoff = 0.95	69	21.2	1.7	0.3	0	7.7
Mean administrations						
U2 - cutoff = 0.75	15.6	5.5	2.9	0.7	0.1	-
U2 - cutoff = 0.85	18.1	5.7	2.9	0.7	0.1	-
U2 - cutoff = 0.95	19.1	6	2.9	0.7	0.1	-
U3 - cutoff = 0.75	15.6	5.5	2.9	0.7	0.1	-
U3 - cutoff = 0.85	18.1	5.7	2.9	0.7	0.1	-
U3 - cutoff = 0.95	19.1	6	2.9	0.7	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	4.7	2.5	0.9	0.3	0	-
U2 - cutoff = 0.85	5.6	2.5	0.9	0.3	0	-
U2 - cutoff = 0.95	0.6	2.4	0.6	0.3	0	-
U3 - cutoff = 0.75	4.7	2.5	0.9	0.3	0	-
U3 - cutoff = 0.85	5.6	2.5	0.9	0.3	0	-
U3 - cutoff = 0.95	0.6	2.4	0.7	0.3	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						905
U2 - cutoff = 0.85						998.9
U2 - cutoff = 0.95						1373.5
U3 - cutoff = 0.75						905
U3 - cutoff = 0.85						997.9
U3 - cutoff = 0.95						1370.8
Scenario 12						
DLT rate	0.06	0.09	0.18	0.29	0.44	
Efficacy rate	0.05	0.10	0.12	0.40	0.60	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - cutoff = 0.75	12.1	10.9	10.1	36.9	17	13
U2 - cutoff = 0.85	13.8	13.9	11.2	38.9	16.8	5.4
U2 - cutoff = 0.95	15.5	14.1	12	36.2	19	3.2
U3 - cutoff = 0.75	15.6	12.1	9	34.5	15.5	13.3
U3 - cutoff = 0.85	19.7	13.5	10.3	35.2	15.8	5.5
U3 - cutoff = 0.95	21.3	14.9	8.3	35.1	17.1	3.3
Mean administrations						
U2 - cutoff = 0.75	4.4	4.7	5.4	7.3	6.5	-
U2 - cutoff = 0.85	4.9	4.7	5.6	7.4	6.5	-
U2 - cutoff = 0.95	5.2	5	5.7	7.4	6.3	-
U3 - cutoff = 0.75	4.4	4.7	5.3	7.3	6.5	-
U3 - cutoff = 0.85	4.9	4.8	5.6	7.3	6.5	-
U3 - cutoff = 0.95	5.2	5	5.6	7.4	6.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.7	2.9	1.7	2.7	1.5	-
U2 - cutoff = 0.85	0.9	2.9	1.8	2.8	1.4	-
U2 - cutoff = 0.95	0.4	3	1.4	2.3	0.8	-
U3 - cutoff = 0.75	0.7	2.9	1.7	2.7	1.5	-
U3 - cutoff = 0.85	0.9	3	1.8	2.7	1.5	-
U3 - cutoff = 0.95	0.4	3	1.4	2.2	0.8	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1033.8
U2 - cutoff = 0.85						1059.8
U2 - cutoff = 0.95						1194.5
U3 - cutoff = 0.75						1033.7
U3 - cutoff = 0.85						1058.9
U3 - cutoff = 0.95						1195

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.21	0.29	0.30	0.39	0.46	
Efficacy rate	0.05	0.30	0.32	0.35	0.40	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - cutoff = 0.75	5.7	23.2	11.4	3.8	1.3	54.6
U2 - cutoff = 0.85	9.3	28.1	11.1	4	1.2	46.3
U2 - cutoff = 0.95	14.8	32.4	11.5	3.9	1.3	36.2
U3 - cutoff = 0.75	7	23.8	10.4	3.4	1.1	54.3
U3 - cutoff = 0.85	11	28.8	9.9	3.1	1.1	46.1
U3 - cutoff = 0.95	16.5	33	9.7	3.4	1.1	36.3
Mean administrations						
U2 - cutoff = 0.75	6.6	5.7	4	2	0.8	-
U2 - cutoff = 0.85	9	6	4	1.9	0.8	-
U2 - cutoff = 0.95	12.3	6.3	3.9	2.1	0.8	-
U3 - cutoff = 0.75	6.6	5.8	4	1.9	0.8	-
U3 - cutoff = 0.85	9	5.9	4	2	0.8	-
U3 - cutoff = 0.95	12.2	6.4	3.9	2	0.8	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.6	2.6	1.2	0.7	0.2	-
U2 - cutoff = 0.85	2.4	2.8	1.2	0.7	0.2	-
U2 - cutoff = 0.95	0.2	2.6	0.9	0.6	0.2	-
U3 - cutoff = 0.75	1.5	2.7	1.2	0.7	0.2	-
U3 - cutoff = 0.85	2.5	2.7	1.2	0.7	0.2	-
U3 - cutoff = 0.95	0.2	2.6	0.9	0.6	0.2	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						701.9
U2 - cutoff = 0.85						788
U2 - cutoff = 0.95						1151.6
U3 - cutoff = 0.75						701.7
U3 - cutoff = 0.85						788.7
U3 - cutoff = 0.95						1152.3
Scenario 14						
DLT rate	0.09	0.15	0.23	0.28	0.39	
Efficacy rate	0.05	0.08	0.12	0.30	0.40	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - cutoff = 0.75	13.2	10	12.4	25.4	12.6	26.4
U2 - cutoff = 0.85	18.7	13.6	15.4	24.5	13.2	14.6
U2 - cutoff = 0.95	24.2	16.5	14.2	26.1	11.5	7.6
U3 - cutoff = 0.75	20.2	10.7	10	22.7	9.5	26.9
U3 - cutoff = 0.85	25.2	15.6	11.1	23.9	9.7	14.5
U3 - cutoff = 0.95	31.7	19.7	9.6	22.8	8.5	7.7
Mean administrations						
U2 - cutoff = 0.75	5.3	4.9	5.6	5.7	4.6	-
U2 - cutoff = 0.85	6.3	5.3	5.9	5.7	4.6	-
U2 - cutoff = 0.95	7.2	5.8	6	5.8	4.2	-
U3 - cutoff = 0.75	5.3	4.9	5.6	5.8	4.6	-
U3 - cutoff = 0.85	6.2	5.3	6	5.7	4.6	-
U3 - cutoff = 0.95	7.2	5.7	5.9	5.9	4.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.1	2.9	2	2.2	1.4	-
U2 - cutoff = 0.85	1.5	3.1	2	2.2	1.4	-
U2 - cutoff = 0.95	0.6	3.3	1.5	1.9	0.7	-
U3 - cutoff = 0.75	1	2.9	1.9	2.3	1.4	-
U3 - cutoff = 0.85	1.4	3.1	2.1	2.2	1.4	-
U3 - cutoff = 0.95	0.6	3.3	1.5	1.9	0.7	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						916.6
U2 - cutoff = 0.85						967.2
U2 - cutoff = 0.95						1156.5
U3 - cutoff = 0.75						914.5
U3 - cutoff = 0.85						966.2
U3 - cutoff = 0.95						1153.6

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.13	0.20	0.32	0.39	0.46	
Efficacy rate	0.10	0.10	0.10	0.10	0.10	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - cutoff = 0.75	30.9	17.2	7.2	2.7	0.4	41.6
U2 - cutoff = 0.85	42.8	24.7	9.6	3.1	0.2	19.6
U2 - cutoff = 0.95	50.1	28.3	10.3	3.3	0.5	7.5
U3 - cutoff = 0.75	35.6	15.6	4.8	1.5	0.2	42.3
U3 - cutoff = 0.85	50.2	21.9	6.5	1.5	0.3	19.6
U3 - cutoff = 0.95	59.9	25.8	4.8	1.7	0.2	7.5
Mean administrations						
U2 - cutoff = 0.75	8.5	6.5	5.4	3	1.1	-
U2 - cutoff = 0.85	10.6	7.1	5.7	2.9	1.1	-
U2 - cutoff = 0.95	11.9	7.4	5.7	2.9	1.1	-
U3 - cutoff = 0.75	8.5	6.5	5.4	3	1.1	-
U3 - cutoff = 0.85	10.5	7	5.7	3	1.2	-
U3 - cutoff = 0.95	11.9	7.4	5.6	2.9	1.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.4	3.3	1.9	1.3	0.5	-
U2 - cutoff = 0.85	3.2	3.6	2	1.3	0.5	-
U2 - cutoff = 0.95	1	3.5	1.5	1.2	0.3	-
U3 - cutoff = 0.75	2.4	3.3	1.9	1.3	0.4	-
U3 - cutoff = 0.85	3.2	3.5	2	1.3	0.5	-
U3 - cutoff = 0.95	1	3.5	1.5	1.2	0.3	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						841.5
U2 - cutoff = 0.85						929.1
U2 - cutoff = 0.95						1184.4
U3 - cutoff = 0.75						838.8
U3 - cutoff = 0.85						928.9
U3 - cutoff = 0.95						1183.1
Scenario 16						
DLT rate	0.02	0.06	0.09	0.14	0.26	
Efficacy rate	0.20	0.20	0.20	0.20	0.20	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - cutoff = 0.75	31.2	25.4	17.6	13	12.6	0.2
U2 - cutoff = 0.85	29	26	16.2	15.7	13	0.1
U2 - cutoff = 0.95	29.7	27.3	16.4	15.5	11	0.1
U3 - cutoff = 0.75	37.2	29.9	14.2	11.8	6.7	0.2
U3 - cutoff = 0.85	38.9	28.3	13.5	13	6.2	0.1
U3 - cutoff = 0.95	38.4	30.8	13	12.2	5.6	0.1
Mean administrations						
U2 - cutoff = 0.75	5.2	5.3	5.3	7	7.1	-
U2 - cutoff = 0.85	5.8	5.7	5.5	5.8	7.2	-
U2 - cutoff = 0.95	5.8	5.8	5.5	6	6.9	-
U3 - cutoff = 0.75	5.3	5.3	5.3	7	7.1	-
U3 - cutoff = 0.85	5.8	5.7	5.5	5.8	7.1	-
U3 - cutoff = 0.95	5.8	5.9	5.5	6	6.8	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.9	3	1.8	3.1	2.7	-
U2 - cutoff = 0.85	1.2	3.2	1.9	2.6	2.7	-
U2 - cutoff = 0.95	1	3.3	1.8	2.7	1.5	-
U3 - cutoff = 0.75	1	3	1.8	3.1	2.7	-
U3 - cutoff = 0.85	1.2	3.2	1.9	2.7	2.7	-
U3 - cutoff = 0.95	1	3.2	1.8	2.7	1.5	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1009.5
U2 - cutoff = 0.85						1007.4
U2 - cutoff = 0.95						1088
U3 - cutoff = 0.75						1009.5
U3 - cutoff = 0.85						1008
U3 - cutoff = 0.95						1086.7

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.11	0.23	0.39	0.58	0.76	
Efficacy rate	0.30	0.50	0.50	0.50	0.50	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - cutoff = 0.75	29.4	50.8	15.3	1.2	0	3.3
U2 - cutoff = 0.85	31.2	51.8	14.6	1.5	0	0.9
U2 - cutoff = 0.95	29.1	53.1	16	1.5	0	0.3
U3 - cutoff = 0.75	32.4	50	13.5	0.8	0	3.3
U3 - cutoff = 0.85	33.3	51.9	12.8	1.1	0	0.9
U3 - cutoff = 0.95	32.3	53.2	13	1.2	0	0.3
Mean administrations						
U2 - cutoff = 0.75	10.3	10.1	6.8	1.9	0.3	-
U2 - cutoff = 0.85	10.6	10.1	6.8	2	0.3	-
U2 - cutoff = 0.95	10.6	10.4	6.8	1.9	0.3	-
U3 - cutoff = 0.75	10.3	10.1	6.8	1.9	0.3	-
U3 - cutoff = 0.85	10.6	10.1	6.9	2	0.3	-
U3 - cutoff = 0.95	10.7	10.4	6.8	1.8	0.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.6	3.5	1.5	0.6	0.1	-
U2 - cutoff = 0.85	2.7	3.5	1.5	0.6	0.1	-
U2 - cutoff = 0.95	0.4	2.9	1.1	0.5	0	-
U3 - cutoff = 0.75	2.6	3.5	1.5	0.6	0.1	-
U3 - cutoff = 0.85	2.7	3.5	1.5	0.6	0.1	-
U3 - cutoff = 0.95	0.4	2.9	1.1	0.5	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1172
U2 - cutoff = 0.85						1187.6
U2 - cutoff = 0.95						1378.4
U3 - cutoff = 0.75						1170.3
U3 - cutoff = 0.85						1187.2
U3 - cutoff = 0.95						1379.7
Scenario 18						
DLT rate	0.02	0.04	0.10	0.20	0.35	
Efficacy rate	0.05	0.10	0.15	0.20	0.50	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - cutoff = 0.75	8	10.9	9.9	13.9	54.9	2.4
U2 - cutoff = 0.85	9.1	9.2	10.8	14	55.8	1.1
U2 - cutoff = 0.95	10.4	9.8	10.8	16.1	52.1	0.7
U3 - cutoff = 0.75	14.3	12.3	9.8	13.1	48.3	2.2
U3 - cutoff = 0.85	16.1	12.7	9.4	12.6	48.1	1.1
U3 - cutoff = 0.95	14.7	12.9	11.2	14.2	46.2	0.8
Mean administrations						
U2 - cutoff = 0.75	3.6	3.8	4.7	5.5	12.1	-
U2 - cutoff = 0.85	3.7	3.9	4.7	5.6	12	-
U2 - cutoff = 0.95	3.8	4	4.9	5.9	11.4	-
U3 - cutoff = 0.75	3.5	3.9	4.8	5.5	12	-
U3 - cutoff = 0.85	3.7	3.9	4.7	5.6	12	-
U3 - cutoff = 0.95	3.8	4	4.9	5.8	11.4	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.3	2.7	1.6	2.5	3.3	-
U2 - cutoff = 0.85	0.3	2.7	1.5	2.5	3.3	-
U2 - cutoff = 0.95	0.2	2.8	1.4	2.4	1.4	-
U3 - cutoff = 0.75	0.3	2.7	1.6	2.5	3.4	-
U3 - cutoff = 0.85	0.3	2.7	1.6	2.5	3.3	-
U3 - cutoff = 0.95	0.2	2.8	1.4	2.4	1.5	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1068.2
U2 - cutoff = 0.85						1070.3
U2 - cutoff = 0.95						1193.9
U3 - cutoff = 0.75						1067
U3 - cutoff = 0.85						1070.3
U3 - cutoff = 0.95						1191.4

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.11	0.26	0.39	0.60	0.77	
Efficacy rate	0.08	0.30	0.32	0.35	0.40	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - cutoff = 0.75	14.6	44.6	12.1	0.8	0	27.9
U2 - cutoff = 0.85	18.4	49.9	13.7	0.9	0	17.1
U2 - cutoff = 0.95	20.1	55.9	14.1	1.1	0	8.8
U3 - cutoff = 0.75	16.2	44.9	10.6	0.5	0	27.8
U3 - cutoff = 0.85	20.3	50.7	11.2	0.6	0	17.2
U3 - cutoff = 0.95	23.5	54.2	12.7	0.6	0	8.9
Mean administrations						
U2 - cutoff = 0.75	6.7	10.1	6.4	1.7	0.3	-
U2 - cutoff = 0.85	8.2	10.5	6.5	1.7	0.3	-
U2 - cutoff = 0.95	9.7	10.7	6.5	1.7	0.2	-
U3 - cutoff = 0.75	6.6	10.3	6.4	1.7	0.3	-
U3 - cutoff = 0.85	8.1	10.6	6.4	1.7	0.3	-
U3 - cutoff = 0.95	9.7	10.7	6.5	1.7	0.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.5	4.4	1.8	0.6	0.1	-
U2 - cutoff = 0.85	2.1	4.5	1.8	0.6	0.1	-
U2 - cutoff = 0.95	0.4	3.6	1.2	0.6	0	-
U3 - cutoff = 0.75	1.4	4.4	1.8	0.6	0.1	-
U3 - cutoff = 0.85	2.1	4.6	1.8	0.6	0.1	-
U3 - cutoff = 0.95	0.4	3.6	1.2	0.6	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						926.3
U2 - cutoff = 0.85						986.3
U2 - cutoff = 0.95						1269.2
U3 - cutoff = 0.75						926.7
U3 - cutoff = 0.85						986.1
U3 - cutoff = 0.95						1268.7
Scenario 20						
DLT rate	0.07	0.14	0.31	0.41	0.52	
Efficacy rate	0.05	0.25	0.25	0.25	0.25	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - cutoff = 0.75	8.9	42.6	27.1	8.2	0.9	12.3
U2 - cutoff = 0.85	9.8	45.8	28.8	8.1	0.7	6.8
U2 - cutoff = 0.95	12.7	46.8	27.5	7.8	0.7	4.4
U3 - cutoff = 0.75	12.9	45.7	21.1	7.5	0.5	12.3
U3 - cutoff = 0.85	15.5	48.2	21.6	7.2	0.7	6.8
U3 - cutoff = 0.95	17.7	49.8	21.7	5.7	0.6	4.4
Mean administrations						
U2 - cutoff = 0.75	4.8	8.7	8.5	4.1	1.8	-
U2 - cutoff = 0.85	5.3	9	8.5	4.1	1.8	-
U2 - cutoff = 0.95	6	9.1	8.5	4.1	1.6	-
U3 - cutoff = 0.75	4.8	8.7	8.5	4.1	1.8	-
U3 - cutoff = 0.85	5.3	9.1	8.3	4.1	1.7	-
U3 - cutoff = 0.95	5.8	9.3	8.5	4.1	1.6	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.8	4.3	2.6	1.5	0.6	-
U2 - cutoff = 0.85	1	4.4	2.6	1.5	0.6	-
U2 - cutoff = 0.95	0.4	3.7	1.8	1.5	0.4	-
U3 - cutoff = 0.75	0.8	4.3	2.6	1.5	0.6	-
U3 - cutoff = 0.85	1.1	4.4	2.6	1.6	0.6	-
U3 - cutoff = 0.95	0.3	3.7	1.8	1.5	0.4	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						990.3
U2 - cutoff = 0.85						1015.6
U2 - cutoff = 0.95						1193.2
U3 - cutoff = 0.75						990.7
U3 - cutoff = 0.85						1014.8
U3 - cutoff = 0.95						1191.4

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.37	0.56	0.69	0.83	0.88	
Efficacy rate	0.50	0.50	0.50	0.50	0.50	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - cutoff = 0.75	53.7	1	0	0	0	45.3
U2 - cutoff = 0.85	54.9	0.7	0	0	0	44.4
U2 - cutoff = 0.95	58.3	1.5	0	0	0	40.2
U3 - cutoff = 0.75	54.1	0.7	0	0	0	45.2
U3 - cutoff = 0.85	54.5	0.8	0	0	0	44.7
U3 - cutoff = 0.95	58.4	1.3	0	0	0	40.3
Mean administrations						
U2 - cutoff = 0.75	20.3	1.8	0.4	0	0	-
U2 - cutoff = 0.85	20.4	1.9	0.4	0	0	-
U2 - cutoff = 0.95	20.9	2	0.4	0	0	-
U3 - cutoff = 0.75	20.3	1.8	0.4	0	0	-
U3 - cutoff = 0.85	20.4	1.9	0.4	0	0	-
U3 - cutoff = 0.95	21	1.9	0.4	0	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	4.1	0.6	0.1	0	0	-
U2 - cutoff = 0.85	4.2	0.6	0.1	0	0	-
U2 - cutoff = 0.95	0.1	0.7	0.1	0	0	-
U3 - cutoff = 0.75	4.1	0.6	0.1	0	0	-
U3 - cutoff = 0.85	4.1	0.6	0.1	0	0	-
U3 - cutoff = 0.95	0.1	0.7	0.1	0	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						982.6
U2 - cutoff = 0.85						987.5
U2 - cutoff = 0.95						1245.4
U3 - cutoff = 0.75						984.2
U3 - cutoff = 0.85						988
U3 - cutoff = 0.95						1247.7
Scenario 22						
DLT rate	0.07	0.27	0.50	0.56	0.78	
Efficacy rate	0.08	0.25	0.25	0.50	0.50	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - cutoff = 0.75	17.5	45.3	9.6	1.2	0	26.4
U2 - cutoff = 0.85	23.3	54.3	10.5	1.3	0	10.6
U2 - cutoff = 0.95	25.4	58	10.8	0.8	0	5
U3 - cutoff = 0.75	20.4	44	7.7	1.2	0	26.7
U3 - cutoff = 0.85	27.9	52.5	8.2	1.1	0	10.3
U3 - cutoff = 0.95	28.2	57.5	8.9	0.4	0	4.9
Mean administrations						
U2 - cutoff = 0.75	6.9	11.8	5.8	1.3	0.2	-
U2 - cutoff = 0.85	8.1	12.6	5.9	1.3	0.2	-
U2 - cutoff = 0.95	9.3	12.7	5.8	1.3	0.1	-
U3 - cutoff = 0.75	7	11.8	5.8	1.3	0.2	-
U3 - cutoff = 0.85	8	12.7	5.9	1.3	0.2	-
U3 - cutoff = 0.95	9.3	12.7	5.8	1.3	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.5	5.2	1.7	0.5	0	-
U2 - cutoff = 0.85	2	5.4	1.8	0.5	0	-
U2 - cutoff = 0.95	0.6	4	1.2	0.5	0	-
U3 - cutoff = 0.75	1.5	5.1	1.7	0.5	0	-
U3 - cutoff = 0.85	2	5.5	1.7	0.5	0	-
U3 - cutoff = 0.95	0.7	4	1.2	0.4	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						941.8
U2 - cutoff = 0.85						1005.7
U2 - cutoff = 0.95						1268.9
U3 - cutoff = 0.75						941.7
U3 - cutoff = 0.85						1007.6
U3 - cutoff = 0.95						1266.1

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.32	0.55	0.80	0.94	0.97	
Efficacy rate	0.05	0.05	0.05	0.05	0.05	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - cutoff = 0.75	1.3	0.6	0	0	0	98.1
U2 - cutoff = 0.85	6.3	3.1	0	0	0	90.6
U2 - cutoff = 0.95	17.6	6.2	0	0	0	76.2
U3 - cutoff = 0.75	1.3	0.5	0	0	0	98.2
U3 - cutoff = 0.85	6.3	3.1	0	0	0	90.6
U3 - cutoff = 0.95	18	4.9	0	0	0	77.1
Mean administrations						
U2 - cutoff = 0.75	8.1	1.9	0.4	0	0	-
U2 - cutoff = 0.85	11.7	2.1	0.4	0	0	-
U2 - cutoff = 0.95	17.2	2.3	0.4	0	0	-
U3 - cutoff = 0.75	8.1	1.9	0.4	0	0	-
U3 - cutoff = 0.85	11.7	2.1	0.4	0	0	-
U3 - cutoff = 0.95	17.2	2.3	0.4	0	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2	1	0.1	0	0	-
U2 - cutoff = 0.85	3.4	1.1	0.1	0	0	-
U2 - cutoff = 0.95	0.3	1.4	0.1	0	0	-
U3 - cutoff = 0.75	2	1	0.1	0	0	-
U3 - cutoff = 0.85	3.3	1.1	0.1	0	0	-
U3 - cutoff = 0.95	0.3	1.4	0.1	0	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						380
U2 - cutoff = 0.85						517.6
U2 - cutoff = 0.95						1003
U3 - cutoff = 0.75						379.2
U3 - cutoff = 0.85						517.5
U3 - cutoff = 0.95						1000.6
Scenario 24						
DLT rate	0.01	0.02	0.05	0.10	0.25	
Efficacy rate	0.05	0.08	0.20	0.50	0.50	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - cutoff = 0.75	0.7	2.1	4.6	47.1	45.1	0.4
U2 - cutoff = 0.85	0.5	1.7	4.4	46.4	46.9	0.1
U2 - cutoff = 0.95	1.5	2.2	5.4	49.2	41.7	0.1
U3 - cutoff = 0.75	2	2.7	6	47.6	41.3	0.4
U3 - cutoff = 0.85	2.1	2.6	6	48.2	41	0.1
U3 - cutoff = 0.95	3.1	2.7	7.7	51.2	35.2	0.1
Mean administrations						
U2 - cutoff = 0.75	3.2	3.2	3.7	8.4	11.5	-
U2 - cutoff = 0.85	3.2	3.2	3.7	8.3	11.5	-
U2 - cutoff = 0.95	3.3	3.2	3.8	8.8	10.9	-
U3 - cutoff = 0.75	3.2	3.2	3.6	8.4	11.6	-
U3 - cutoff = 0.85	3.2	3.2	3.7	8.4	11.5	-
U3 - cutoff = 0.95	3.3	3.2	3.8	8.9	10.9	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.1	2.4	1.1	3.3	3.1	-
U2 - cutoff = 0.85	0.1	2.4	1.2	3.2	3.2	-
U2 - cutoff = 0.95	0.1	2.5	1.2	3.2	1.1	-
U3 - cutoff = 0.75	0.1	2.4	1.1	3.3	3.1	-
U3 - cutoff = 0.85	0.1	2.4	1.2	3.3	3.1	-
U3 - cutoff = 0.95	0.1	2.5	1.2	3.2	1.2	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1098.3
U2 - cutoff = 0.85						1097.9
U2 - cutoff = 0.95						1209.3
U3 - cutoff = 0.75						1098.8
U3 - cutoff = 0.85						1098.5
U3 - cutoff = 0.95						1204.5

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.09	0.18	0.37	0.63	0.77	
Efficacy rate	0.20	0.25	0.40	0.45	0.50	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - cutoff = 0.75	29.9	30.5	28.7	3.8	0	7.1
U2 - cutoff = 0.85	33.3	32.2	28.4	4.1	0	2
U2 - cutoff = 0.95	33.1	34.5	27.5	4.2	0	0.6
U3 - cutoff = 0.75	36	30.6	23	3.2	0	7.2
U3 - cutoff = 0.85	39.7	31.5	23.8	3.1	0	1.9
U3 - cutoff = 0.95	38.5	34	22.8	4.1	0	0.6
Mean administrations						
U2 - cutoff = 0.75	8.9	8.3	8.9	2.4	0.4	-
U2 - cutoff = 0.85	9.4	8.5	9	2.3	0.4	-
U2 - cutoff = 0.95	9.7	8.8	8.7	2.4	0.3	-
U3 - cutoff = 0.75	8.9	8.3	9	2.3	0.4	-
U3 - cutoff = 0.85	9.5	8.5	9	2.3	0.4	-
U3 - cutoff = 0.95	9.7	8.8	8.8	2.3	0.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.3	3.6	2.4	0.8	0.1	-
U2 - cutoff = 0.85	2.6	3.7	2.5	0.8	0.1	-
U2 - cutoff = 0.95	0.7	3.2	1.5	0.7	0.1	-
U3 - cutoff = 0.75	2.3	3.7	2.5	0.8	0.1	-
U3 - cutoff = 0.85	2.6	3.7	2.5	0.8	0.1	-
U3 - cutoff = 0.95	0.7	3.2	1.6	0.7	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1079.2
U2 - cutoff = 0.85						1105.9
U2 - cutoff = 0.95						1303.3
U3 - cutoff = 0.75						1081.4
U3 - cutoff = 0.85						1105.5
U3 - cutoff = 0.95						1301.1
Scenario 26						
DLT rate	0.15	0.22	0.30	0.62	0.80	
Efficacy rate	0.10	0.20	0.35	0.45	0.55	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - cutoff = 0.75	16.2	24.1	24.3	3.8	0	31.6
U2 - cutoff = 0.85	22.2	29.6	25.2	3.1	0	19.9
U2 - cutoff = 0.95	29.5	31.3	24.1	4.2	0	10.9
U3 - cutoff = 0.75	19.7	24.5	20.6	3.5	0	31.7
U3 - cutoff = 0.85	26	28	21.8	3.8	0	20.4
U3 - cutoff = 0.95	33.4	30.4	20	4.7	0	11.4
Mean administrations						
U2 - cutoff = 0.75	7.8	6.6	7.6	2.3	0.3	-
U2 - cutoff = 0.85	9.9	6.9	7.5	2.3	0.3	-
U2 - cutoff = 0.95	11.6	7.3	7.3	2.2	0.3	-
U3 - cutoff = 0.75	7.8	6.6	7.4	2.3	0.3	-
U3 - cutoff = 0.85	9.9	6.8	7.6	2.3	0.3	-
U3 - cutoff = 0.95	11.7	7.2	7.3	2.2	0.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2	3.2	2.2	0.8	0.1	-
U2 - cutoff = 0.85	2.9	3.3	2.2	0.8	0.1	-
U2 - cutoff = 0.95	0.5	3	1.3	0.8	0.1	-
U3 - cutoff = 0.75	2	3.2	2.2	0.8	0.1	-
U3 - cutoff = 0.85	2.9	3.3	2.2	0.8	0.1	-
U3 - cutoff = 0.95	0.5	3	1.2	0.7	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						897
U2 - cutoff = 0.85						973.6
U2 - cutoff = 0.95						1277.1
U3 - cutoff = 0.75						896.4
U3 - cutoff = 0.85						971.7
U3 - cutoff = 0.95						1281.2

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.11	0.17	0.30	0.50	0.62	
Efficacy rate	0.10	0.20	0.40	0.42	0.45	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - cutoff = 0.75	13.7	21.9	38.2	6.3	0.3	19.6
U2 - cutoff = 0.85	18	25.1	37.4	6.9	0.3	12.3
U2 - cutoff = 0.95	22.9	25	39.6	6.4	0.6	5.5
U3 - cutoff = 0.75	17.1	22.2	34.7	6.2	0.1	19.7
U3 - cutoff = 0.85	20.8	25.2	36.4	5.4	0.1	12.1
U3 - cutoff = 0.95	25.5	25.7	37.4	5.8	0	5.6
Mean administrations						
U2 - cutoff = 0.75	6.5	6.5	9	3.5	1.1	-
U2 - cutoff = 0.85	7.6	6.7	9.1	3.6	1.1	-
U2 - cutoff = 0.95	8.7	7	9.1	3.4	1.1	-
U3 - cutoff = 0.75	6.5	6.4	9.1	3.6	1.1	-
U3 - cutoff = 0.85	7.6	6.7	9.1	3.6	1.1	-
U3 - cutoff = 0.95	8.7	6.8	9.2	3.5	1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.5	3.2	2.6	1.1	0.3	-
U2 - cutoff = 0.85	2	3.3	2.6	1.1	0.3	-
U2 - cutoff = 0.95	0.5	3	1.6	1	0.2	-
U3 - cutoff = 0.75	1.5	3.1	2.6	1.1	0.3	-
U3 - cutoff = 0.85	2	3.3	2.6	1.1	0.3	-
U3 - cutoff = 0.95	0.5	3	1.6	1	0.2	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						989
U2 - cutoff = 0.85						1037.9
U2 - cutoff = 0.95						1270
U3 - cutoff = 0.75						990.1
U3 - cutoff = 0.85						1037.9
U3 - cutoff = 0.95						1268.1
Scenario 28						
DLT rate	0.20	0.30	0.50	0.60	0.77	
Efficacy rate	0.05	0.30	0.32	0.35	0.40	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - cutoff = 0.75	10.5	25.2	4.5	0	0	59.8
U2 - cutoff = 0.85	16.7	31.1	4.8	0.1	0	47.3
U2 - cutoff = 0.95	22.2	36.8	5.8	0	0	35.2
U3 - cutoff = 0.75	10.4	26	3.6	0	0	60
U3 - cutoff = 0.85	17.3	31.9	3.6	0	0	47.2
U3 - cutoff = 0.95	23.5	36.8	4.4	0	0	35.3
Mean administrations						
U2 - cutoff = 0.75	7	7.7	3.5	0.6	0.1	-
U2 - cutoff = 0.85	9.4	8.1	3.5	0.6	0.1	-
U2 - cutoff = 0.95	12.9	8.3	3.6	0.6	0.1	-
U3 - cutoff = 0.75	7	7.7	3.5	0.6	0.1	-
U3 - cutoff = 0.85	9.4	8.2	3.5	0.6	0.1	-
U3 - cutoff = 0.95	12.9	8.4	3.5	0.6	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.7	3.2	1	0.2	0	-
U2 - cutoff = 0.85	2.6	3.4	1	0.2	0	-
U2 - cutoff = 0.95	0.3	2.7	0.7	0.2	0	-
U3 - cutoff = 0.75	1.6	3.2	1	0.2	0	-
U3 - cutoff = 0.85	2.6	3.4	1	0.2	0	-
U3 - cutoff = 0.95	0.3	2.7	0.7	0.2	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						701.4
U2 - cutoff = 0.85						797.4
U2 - cutoff = 0.95						1184.9
U3 - cutoff = 0.75						700.3
U3 - cutoff = 0.85						798.2
U3 - cutoff = 0.95						1181

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.19	0.30	0.56	0.74	0.86	
Efficacy rate	0.40	0.40	0.40	0.40	0.40	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - cutoff = 0.75	69.5	22	3.3	0.2	0	5
U2 - cutoff = 0.85	71	23	3	0.1	0	2.9
U2 - cutoff = 0.95	67.7	26.7	2.6	0	0	3
U3 - cutoff = 0.75	70.3	22.4	2.3	0.1	0	4.9
U3 - cutoff = 0.85	72.8	21.7	2.3	0.2	0	3
U3 - cutoff = 0.95	69.6	25.1	2.2	0.1	0	3.1
Mean administrations						
U2 - cutoff = 0.75	18.4	7.2	3.1	0.4	0	-
U2 - cutoff = 0.85	18.6	7.2	3.1	0.4	0	-
U2 - cutoff = 0.95	18.3	7.6	3.1	0.4	0	-
U3 - cutoff = 0.75	18.2	7.3	3.2	0.4	0	-
U3 - cutoff = 0.85	18.7	7.2	3.1	0.4	0	-
U3 - cutoff = 0.95	18.4	7.6	3.1	0.4	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	4.7	2.4	0.9	0.1	0	-
U2 - cutoff = 0.85	4.8	2.4	0.9	0.1	0	-
U2 - cutoff = 0.95	0.7	2.1	0.7	0.1	0	-
U3 - cutoff = 0.75	4.7	2.4	0.9	0.1	0	-
U3 - cutoff = 0.85	4.8	2.4	0.8	0.1	0	-
U3 - cutoff = 0.95	0.7	2.1	0.7	0.1	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1159
U2 - cutoff = 0.85						1170.1
U2 - cutoff = 0.95						1430
U3 - cutoff = 0.75						1159.2
U3 - cutoff = 0.85						1170.3
U3 - cutoff = 0.95						1431
Scenario 30						
DLT rate	0.05	0.08	0.17	0.27	0.54	
Efficacy rate	0.12	0.15	0.20	0.40	0.50	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - cutoff = 0.75	18	15.1	15.7	36.6	10	4.6
U2 - cutoff = 0.85	18.8	15.5	15.6	37.6	10.9	1.6
U2 - cutoff = 0.95	20.6	16.4	15.1	35.5	11.7	0.7
U3 - cutoff = 0.75	23.5	17.2	14.1	32.2	8.5	4.5
U3 - cutoff = 0.85	26.2	17.5	13.8	32.5	8.4	1.6
U3 - cutoff = 0.95	26	17.7	13.5	33.9	8.1	0.8
Mean administrations						
U2 - cutoff = 0.75	4.9	4.7	6	8.1	5.6	-
U2 - cutoff = 0.85	5.2	4.6	6.2	8.1	5.6	-
U2 - cutoff = 0.95	5.3	4.9	6.2	8.1	5.3	-
U3 - cutoff = 0.75	4.8	4.7	6.2	8.1	5.6	-
U3 - cutoff = 0.85	5.2	4.6	6.2	8.1	5.7	-
U3 - cutoff = 0.95	5.4	4.9	6.2	8	5.4	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.8	2.8	1.9	2.8	1.4	-
U2 - cutoff = 0.85	1	2.8	2	2.8	1.4	-
U2 - cutoff = 0.95	0.4	2.9	1.6	2.3	0.8	-
U3 - cutoff = 0.75	0.8	2.8	2	2.8	1.4	-
U3 - cutoff = 0.85	1	2.8	2	2.8	1.4	-
U3 - cutoff = 0.95	0.4	2.9	1.6	2.3	0.9	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1077.1
U2 - cutoff = 0.85						1089.8
U2 - cutoff = 0.95						1202.9
U3 - cutoff = 0.75						1078.1
U3 - cutoff = 0.85						1090.9
U3 - cutoff = 0.95						1203.5

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0.04	0.06	0.10	0.20	0.60	
Efficacy rate	0.20	0.50	0.50	0.50	0.50	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - cutoff = 0.75	5.6	35.7	26.9	24.1	7.2	0.5
U2 - cutoff = 0.85	6	34.7	27	24.5	7.5	0.3
U2 - cutoff = 0.95	6.8	35.4	28.1	24.2	5.5	0.1
U3 - cutoff = 0.75	9.2	40.1	25.6	20.2	4.4	0.5
U3 - cutoff = 0.85	8.9	39.9	26	21	3.9	0.3
U3 - cutoff = 0.95	8	41.9	26.5	19.1	4.4	0.1
Mean administrations						
U2 - cutoff = 0.75	4	5.8	6.4	7.9	5.8	-
U2 - cutoff = 0.85	4.1	5.7	6.4	7.9	5.8	-
U2 - cutoff = 0.95	4.1	6	6.4	7.9	5.5	-
U3 - cutoff = 0.75	4	5.8	6.4	7.9	5.7	-
U3 - cutoff = 0.85	4.1	5.7	6.4	7.9	5.7	-
U3 - cutoff = 0.95	4.1	6	6.5	7.9	5.5	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.4	2.9	1.6	2	1.5	-
U2 - cutoff = 0.85	0.5	2.8	1.6	2	1.5	-
U2 - cutoff = 0.95	0.1	2.8	1.4	1.8	1.1	-
U3 - cutoff = 0.75	0.4	2.9	1.6	2	1.5	-
U3 - cutoff = 0.85	0.5	2.8	1.7	2	1.5	-
U3 - cutoff = 0.95	0.2	2.8	1.4	1.8	1.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1183.3
U2 - cutoff = 0.85						1185.1
U2 - cutoff = 0.95						1249
U3 - cutoff = 0.75						1183.8
U3 - cutoff = 0.85						1184.3
U3 - cutoff = 0.95						1248
Scenario 32						
DLT rate	0.02	0.05	0.11	0.30	0.36	
Efficacy rate	0.08	0.15	0.30	0.30	0.30	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - cutoff = 0.75	8.6	13.7	35.2	28.4	12.5	1.6
U2 - cutoff = 0.85	8.4	12.8	37.1	28.4	12.5	0.8
U2 - cutoff = 0.95	8.1	15.5	35.3	29.7	10.7	0.6
U3 - cutoff = 0.75	13.5	17.4	35.8	25.2	6.6	1.5
U3 - cutoff = 0.85	13.5	18.5	36.1	25	6.1	0.8
U3 - cutoff = 0.95	14	18.4	35.5	25.9	5.6	0.6
Mean administrations						
U2 - cutoff = 0.75	3.7	4.3	7.5	7.7	6.5	-
U2 - cutoff = 0.85	3.9	4.3	7.8	7.3	6.5	-
U2 - cutoff = 0.95	4	4.5	7.8	7.5	6.2	-
U3 - cutoff = 0.75	3.7	4.3	7.6	7.6	6.6	-
U3 - cutoff = 0.85	4	4.3	7.8	7.3	6.5	-
U3 - cutoff = 0.95	4	4.5	7.8	7.4	6.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.3	2.8	2.4	2.9	2.2	-
U2 - cutoff = 0.85	0.4	2.8	2.5	2.8	2.2	-
U2 - cutoff = 0.95	0.3	2.9	2	2.6	1.1	-
U3 - cutoff = 0.75	0.3	2.8	2.4	2.9	2.2	-
U3 - cutoff = 0.85	0.4	2.8	2.5	2.7	2.2	-
U3 - cutoff = 0.95	0.3	2.9	2	2.6	1.2	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1053.7
U2 - cutoff = 0.85						1056.2
U2 - cutoff = 0.95						1153.4
U3 - cutoff = 0.75						1053.1
U3 - cutoff = 0.85						1054.6
U3 - cutoff = 0.95						1148.9

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0.01	0.02	0.09	0.32	0.38	
Efficacy rate	0.05	0.08	0.20	0.40	0.50	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - cutoff = 0.75	7.8	6.9	13.4	41.3	29.5	1.1
U2 - cutoff = 0.85	7.9	7.2	13.7	41.9	29.2	0.1
U2 - cutoff = 0.95	8.8	6.4	14.6	43.1	27	0.1
U3 - cutoff = 0.75	13.1	8.9	13.4	38.9	24.6	1.1
U3 - cutoff = 0.85	12.4	8.9	14	39.8	24.8	0.1
U3 - cutoff = 0.95	13	7.4	14.6	41.7	23.2	0
Mean administrations						
U2 - cutoff = 0.75	3.4	3.6	5.2	8.2	9.4	-
U2 - cutoff = 0.85	3.5	3.7	5.3	8.2	9.4	-
U2 - cutoff = 0.95	3.5	3.7	5.5	8.5	8.8	-
U3 - cutoff = 0.75	3.4	3.7	5.2	8.2	9.5	-
U3 - cutoff = 0.85	3.5	3.6	5.2	8.2	9.4	-
U3 - cutoff = 0.95	3.5	3.7	5.5	8.6	8.7	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.2	2.6	1.6	3.1	2.4	-
U2 - cutoff = 0.85	0.2	2.7	1.6	3.1	2.4	-
U2 - cutoff = 0.95	0.2	2.7	1.4	2.9	0.9	-
U3 - cutoff = 0.75	0.2	2.6	1.6	3.1	2.4	-
U3 - cutoff = 0.85	0.2	2.6	1.6	3.1	2.3	-
U3 - cutoff = 0.95	0.2	2.7	1.4	2.9	0.9	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1104.5
U2 - cutoff = 0.85						1105.5
U2 - cutoff = 0.95						1207.5
U3 - cutoff = 0.75						1104.9
U3 - cutoff = 0.85						1106.4
U3 - cutoff = 0.95						1204.7
Scenario 34						
DLT rate	0.05	0.13	0.30	0.36	0.42	
Efficacy rate	0.05	0.10	0.30	0.32	0.35	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - cutoff = 0.75	11.1	9.2	45.8	16.7	3.7	13.5
U2 - cutoff = 0.85	13.8	12.8	49.5	15.6	3.4	4.9
U2 - cutoff = 0.95	14.7	15.2	48.6	16.2	3.3	2
U3 - cutoff = 0.75	15.4	12.5	42	14.5	2.3	13.3
U3 - cutoff = 0.85	18.6	13.5	46.9	13.5	2.2	5.3
U3 - cutoff = 0.95	20.1	15.7	44.6	15.3	2.3	2
Mean administrations						
U2 - cutoff = 0.75	4.7	5.4	10	5.3	2.8	-
U2 - cutoff = 0.85	5.1	5.9	10	5.3	2.8	-
U2 - cutoff = 0.95	5.5	6.3	9.9	5.3	2.6	-
U3 - cutoff = 0.75	4.7	5.4	9.9	5.4	2.8	-
U3 - cutoff = 0.85	5.2	5.9	10	5.2	2.8	-
U3 - cutoff = 0.95	5.6	6.3	9.9	5.4	2.5	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.8	3.1	3.1	1.9	0.9	-
U2 - cutoff = 0.85	1	3.3	3.2	1.8	0.9	-
U2 - cutoff = 0.95	0.5	3.3	2	1.6	0.5	-
U3 - cutoff = 0.75	0.8	3.1	3.1	1.9	0.9	-
U3 - cutoff = 0.85	1	3.3	3.2	1.8	0.9	-
U3 - cutoff = 0.95	0.5	3.3	2	1.7	0.5	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1011.2
U2 - cutoff = 0.85						1039.1
U2 - cutoff = 0.95						1199.1
U3 - cutoff = 0.75						1012.9
U3 - cutoff = 0.85						1039.3
U3 - cutoff = 0.95						1195.7

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0.03	0.09	0.30	0.40	0.45	
Efficacy rate	0.20	0.45	0.45	0.45	0.45	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - cutoff = 0.75	11.1	41.9	33.3	10.1	2.9	0.7
U2 - cutoff = 0.85	11	42.5	33	10.8	2.5	0.2
U2 - cutoff = 0.95	11.1	43.4	31.3	11.4	2.7	0.1
U3 - cutoff = 0.75	15.6	46.5	27.4	8	1.8	0.7
U3 - cutoff = 0.85	15.8	47.4	26.1	8.8	1.7	0.2
U3 - cutoff = 0.95	15.3	49.1	25.4	8.5	1.6	0.1
Mean administrations						
U2 - cutoff = 0.75	4.5	8.6	9.1	5	2.6	-
U2 - cutoff = 0.85	4.5	8.8	9	5.1	2.7	-
U2 - cutoff = 0.95	4.6	8.9	8.9	5	2.5	-
U3 - cutoff = 0.75	4.5	8.7	9	5.1	2.7	-
U3 - cutoff = 0.85	4.5	8.7	9	5.1	2.6	-
U3 - cutoff = 0.95	4.6	8.9	9	5	2.5	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.6	3.7	2.3	1.5	0.7	-
U2 - cutoff = 0.85	0.6	3.8	2.2	1.5	0.7	-
U2 - cutoff = 0.95	0.3	3.2	1.7	1.3	0.5	-
U3 - cutoff = 0.75	0.6	3.8	2.2	1.5	0.7	-
U3 - cutoff = 0.85	0.6	3.8	2.3	1.5	0.7	-
U3 - cutoff = 0.95	0.3	3.2	1.7	1.3	0.5	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						1164.2
U2 - cutoff = 0.95						1165.9
U3 - cutoff = 0.75						1270.9
U3 - cutoff = 0.85						1163.5
U3 - cutoff = 0.95						1165.3
						1267.1
Scenario 36						
DLT rate	0.13	0.29	0.35	0.40	0.43	
Efficacy rate	0.05	0.20	0.22	0.30	0.35	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - cutoff = 0.75	10.7	26.8	12.5	4.7	0.9	44.4
U2 - cutoff = 0.85	16.5	37.1	12.9	5.3	0.8	27.4
U2 - cutoff = 0.95	21.6	42.8	13.4	4.1	1.3	16.8
U3 - cutoff = 0.75	14	27.4	10.6	3.7	0.7	43.6
U3 - cutoff = 0.85	20.6	36.2	10.6	4.3	0.7	27.6
U3 - cutoff = 0.95	25.1	43.3	10.4	3.7	0.9	16.7
Mean administrations						
U2 - cutoff = 0.75	6.5	7.5	5.2	2.4	1	-
U2 - cutoff = 0.85	8.3	8.4	5.2	2.3	1	-
U2 - cutoff = 0.95	10.4	8.7	5.2	2.4	0.9	-
U3 - cutoff = 0.75	6.5	7.6	5.2	2.4	1	-
U3 - cutoff = 0.85	8.3	8.4	5.2	2.4	0.9	-
U3 - cutoff = 0.95	10.4	8.8	5.2	2.4	0.8	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.4	3.6	1.7	0.9	0.3	-
U2 - cutoff = 0.85	2.2	4	1.7	0.9	0.3	-
U2 - cutoff = 0.95	0.5	3.6	1.1	0.8	0.2	-
U3 - cutoff = 0.75	1.4	3.7	1.7	0.9	0.3	-
U3 - cutoff = 0.85	2.2	4	1.7	0.9	0.3	-
U3 - cutoff = 0.95	0.4	3.6	1.1	0.8	0.2	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						806.2
U2 - cutoff = 0.95						890.1
U3 - cutoff = 0.75						1184
U3 - cutoff = 0.85						808
U3 - cutoff = 0.95						892.1
						1183.2

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.08	0.30	0.40	0.45	0.50	
Efficacy rate	0.05	0.20	0.20	0.20	0.20	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - cutoff = 0.75	13.6	35.4	10.4	1.7	0.2	38.7
U2 - cutoff = 0.85	21	47.2	12	1.5	0.2	18.1
U2 - cutoff = 0.95	27.5	51.8	10.4	2.3	0.3	7.6
U3 - cutoff = 0.75	18.5	34.2	8.3	1.3	0	37.7
U3 - cutoff = 0.85	25.4	46	9.4	1.2	0	18
U3 - cutoff = 0.95	31.6	50.4	8.5	1.4	0.1	8
Mean administrations						
U2 - cutoff = 0.75	6.4	9.5	5.8	1.9	0.7	-
U2 - cutoff = 0.85	7.7	10.6	5.8	2	0.7	-
U2 - cutoff = 0.95	9.3	11	5.9	2	0.5	-
U3 - cutoff = 0.75	6.4	9.5	5.9	1.9	0.7	-
U3 - cutoff = 0.85	7.7	10.6	5.9	1.9	0.7	-
U3 - cutoff = 0.95	9.4	10.9	5.8	2	0.6	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.3	4.5	1.8	0.8	0.2	-
U2 - cutoff = 0.85	1.9	4.9	1.8	0.8	0.2	-
U2 - cutoff = 0.95	0.6	4.1	1.2	0.8	0.1	-
U3 - cutoff = 0.75	1.3	4.5	1.8	0.8	0.2	-
U3 - cutoff = 0.85	1.9	4.9	1.8	0.8	0.2	-
U3 - cutoff = 0.95	0.6	4.1	1.2	0.8	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						861.8
U2 - cutoff = 0.85						940.9
U2 - cutoff = 0.95						1200.9
U3 - cutoff = 0.75						864.1
U3 - cutoff = 0.85						939.8
U3 - cutoff = 0.95						1200

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.30	0.35	0.40	0.45	0.50	
Efficacy rate	0.05	0.06	0.07	0.08	0.09	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - cutoff = 0.75	7.5	2.7	1.4	0.2	0.2	88
U2 - cutoff = 0.85	15.2	8	1.6	0.4	0.1	74.7
U2 - cutoff = 0.95	31.3	12	1.8	0.2	0.1	54.5
U3 - cutoff = 0.75	6.7	2.3	1.4	0.2	0.2	89.2
U3 - cutoff = 0.85	15	9.3	1.2	0.1	0	74.4
U3 - cutoff = 0.95	30.5	12.2	1.2	0	0	56.1
Mean administrations						
U2 - cutoff = 0.75	7.9	4.6	1.8	0.9	0.2	-
U2 - cutoff = 0.85	11.2	5.3	1.9	1	0.2	-
U2 - cutoff = 0.95	15	6	1.9	1	0.2	-
U3 - cutoff = 0.75	7.9	4.6	1.7	0.9	0.2	-
U3 - cutoff = 0.85	11.3	5.2	1.9	1	0.2	-
U3 - cutoff = 0.95	15.4	5.6	1.8	0.9	0.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.6	2.5	0.6	0.4	0.1	-
U2 - cutoff = 0.85	3	2.8	0.6	0.4	0.1	-
U2 - cutoff = 0.95	1	3.3	0.6	0.4	0.1	-
U3 - cutoff = 0.75	1.7	2.5	0.6	0.4	0.1	-
U3 - cutoff = 0.85	3.1	2.7	0.6	0.4	0.1	-
U3 - cutoff = 0.95	1	3.1	0.6	0.4	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						551.5
U2 - cutoff = 0.85						688.8
U2 - cutoff = 0.95						1025.2
U3 - cutoff = 0.75						550.8
U3 - cutoff = 0.85						686.5
U3 - cutoff = 0.95						1032.2
Scenario 2						
DLT rate	0.15	0.20	0.30	0.35	0.45	
Efficacy rate	0.20	0.25	0.50	0.50	0.50	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - cutoff = 0.75	21.9	17.2	37.6	12.1	1	10.2
U2 - cutoff = 0.85	26.9	19.4	38.3	11.5	1	2.9
U2 - cutoff = 0.95	26.9	21.4	36.4	12.4	1.7	1.2
U3 - cutoff = 0.75	26.8	17.5	34.2	10.3	0.7	10.5
U3 - cutoff = 0.85	31.1	19.8	35.2	10.2	0.9	2.8
U3 - cutoff = 0.95	31.3	21.9	33.7	10.8	1.2	1.2
Mean administrations						
U2 - cutoff = 0.75	8.8	7.2	8.7	3.2	0.5	-
U2 - cutoff = 0.85	9.6	7.6	8.8	3.1	0.5	-
U2 - cutoff = 0.95	9.7	7.8	8.8	3	0.5	-
U3 - cutoff = 0.75	9.3	7.4	8.4	2.8	0.4	-
U3 - cutoff = 0.85	10.1	7.7	8.5	2.8	0.4	-
U3 - cutoff = 0.95	10.3	7.9	8.4	2.8	0.5	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.1	3.3	2.4	1	0.1	-
U2 - cutoff = 0.85	2.4	3.4	2.4	0.9	0.1	-
U2 - cutoff = 0.95	0.6	3.4	1.7	0.8	0.1	-
U3 - cutoff = 0.75	2.3	3.4	2.3	0.9	0.1	-
U3 - cutoff = 0.85	2.6	3.5	2.4	0.9	0.1	-
U3 - cutoff = 0.95	0.6	3.4	1.6	0.8	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1071.4
U2 - cutoff = 0.85						1113
U2 - cutoff = 0.95						1282.2
U3 - cutoff = 0.75						1067.3
U3 - cutoff = 0.85						1111.1
U3 - cutoff = 0.95						1289.3

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.15	0.20	0.30	0.35	0.45	
Efficacy rate	0.10	0.40	0.40	0.40	0.40	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - cutoff = 0.75	7.3	39.9	22.9	9.8	1.5	18.6
U2 - cutoff = 0.85	8	47	24.8	9.7	1.3	9.2
U2 - cutoff = 0.95	10.2	51.4	23.6	10.4	1.6	2.7
U3 - cutoff = 0.75	7.2	46.7	20	6.8	1	18.3
U3 - cutoff = 0.85	9.2	51.6	21.9	7.2	1	9.1
U3 - cutoff = 0.95	12.8	56.3	19.6	7.6	0.9	2.8
Mean administrations						
U2 - cutoff = 0.75	5.8	10.8	6.4	3	0.7	-
U2 - cutoff = 0.85	6.8	11.6	6.6	3	0.7	-
U2 - cutoff = 0.95	7.4	12	6.5	3.1	0.7	-
U3 - cutoff = 0.75	5.9	11.6	6	2.7	0.6	-
U3 - cutoff = 0.85	6.9	12.4	6.1	2.7	0.5	-
U3 - cutoff = 0.95	7.5	12.8	6	2.8	0.5	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.9	4.5	1.9	1	0.2	-
U2 - cutoff = 0.85	1.3	4.7	2	1	0.2	-
U2 - cutoff = 0.95	0.4	4	1.8	1	0.2	-
U3 - cutoff = 0.75	0.9	4.8	1.7	0.9	0.2	-
U3 - cutoff = 0.85	1.4	5	1.8	0.9	0.2	-
U3 - cutoff = 0.95	0.4	4	1.6	0.9	0.2	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1003.5
U2 - cutoff = 0.85						1070
U2 - cutoff = 0.95						1233.5
U3 - cutoff = 0.75						1001
U3 - cutoff = 0.85						1065.9
U3 - cutoff = 0.95						1246.9
Scenario 4						
DLT rate	0.05	0.10	0.18	0.30	0.40	
Efficacy rate	0.05	0.10	0.25	0.50	0.55	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - cutoff = 0.75	6.9	4.5	18.2	53.2	11.9	5.3
U2 - cutoff = 0.85	6.7	5.4	18.8	55.1	12.4	1.6
U2 - cutoff = 0.95	7	7.1	19.5	53.4	12.8	0.3
U3 - cutoff = 0.75	7.9	6	18.5	52.5	10	5.1
U3 - cutoff = 0.85	8.6	6.8	19.4	54	9.6	1.6
U3 - cutoff = 0.95	9.4	8.9	19.5	51.4	10.6	0.2
Mean administrations						
U2 - cutoff = 0.75	3.9	4.4	7	10.7	3	-
U2 - cutoff = 0.85	4.2	4.7	7.1	10.7	3.1	-
U2 - cutoff = 0.95	4.3	4.9	7.1	10.5	3.1	-
U3 - cutoff = 0.75	4	4.6	7	10.6	2.7	-
U3 - cutoff = 0.85	4.4	4.8	7.2	10.8	2.7	-
U3 - cutoff = 0.95	4.6	5	7.2	10.5	2.8	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.3	2.9	2	3.4	0.8	-
U2 - cutoff = 0.85	0.5	3.1	2.1	3.4	0.9	-
U2 - cutoff = 0.95	0.2	3.1	1.6	2.4	0.8	-
U3 - cutoff = 0.75	0.4	3	2	3.4	0.7	-
U3 - cutoff = 0.85	0.6	3.1	2.1	3.4	0.7	-
U3 - cutoff = 0.95	0.3	3.1	1.6	2.4	0.6	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1071.6
U2 - cutoff = 0.85						1098.6
U2 - cutoff = 0.95						1207.3
U3 - cutoff = 0.75						1067.1
U3 - cutoff = 0.85						1093.2
U3 - cutoff = 0.95						1212.7

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.07	0.12	0.17	0.22	0.30	
Efficacy rate	0.05	0.30	0.30	0.30	0.30	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - cutoff = 0.75	5.3	33.7	24.7	22.1	10.1	4.1
U2 - cutoff = 0.85	5.2	33.4	26.4	23.1	10.4	1.5
U2 - cutoff = 0.95	5.2	37.3	25	22.3	9.8	0.4
U3 - cutoff = 0.75	7.2	41.3	23.4	17.8	6	4.3
U3 - cutoff = 0.85	6.9	44.3	23.2	18.4	5.7	1.5
U3 - cutoff = 0.95	7.8	44.3	23.8	18.2	5.6	0.3
Mean administrations						
U2 - cutoff = 0.75	3.8	7.4	7.1	7.1	3.9	-
U2 - cutoff = 0.85	4	7.5	7.2	7.2	3.9	-
U2 - cutoff = 0.95	4	7.8	7.2	7.1	3.8	-
U3 - cutoff = 0.75	3.9	8.1	7.2	6.8	3.2	-
U3 - cutoff = 0.85	4.1	8.2	7.4	6.8	3.3	-
U3 - cutoff = 0.95	4.2	8.6	7.2	6.8	3.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.3	3.9	2.3	2.7	1.4	-
U2 - cutoff = 0.85	0.3	3.9	2.3	2.7	1.4	-
U2 - cutoff = 0.95	0.1	3.3	2	2.2	1.1	-
U3 - cutoff = 0.75	0.3	4.1	2.4	2.6	1.2	-
U3 - cutoff = 0.85	0.4	4.2	2.4	2.6	1.2	-
U3 - cutoff = 0.95	0.2	3.3	2	2	0.9	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						1031
U2 - cutoff = 0.95						1047.9
U3 - cutoff = 0.75						1168.5
U3 - cutoff = 0.85						1028.4
U3 - cutoff = 0.95						1046.7
						1185.8
Scenario 6						
DLT rate	0.29	0.34	0.38	0.43	0.52	
Efficacy rate	0.30	0.32	0.35	0.38	0.40	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - cutoff = 0.75	60.1	12.8	3.3	1.1	0.2	22.5
U2 - cutoff = 0.85	66	12.8	3.6	1.1	0.2	16.3
U2 - cutoff = 0.95	67.3	14.1	3.2	1.1	0.2	14.1
U3 - cutoff = 0.75	61.2	12.6	3	0.8	0.2	22.2
U3 - cutoff = 0.85	66.4	12.4	3	1.1	0.2	16.9
U3 - cutoff = 0.95	67.4	14.4	2.8	0.8	0.1	14.5
Mean administrations						
U2 - cutoff = 0.75	17.4	5.7	2.2	0.8	0.2	-
U2 - cutoff = 0.85	18.3	5.7	2.2	0.8	0.2	-
U2 - cutoff = 0.95	18.4	6	2.2	0.8	0.2	-
U3 - cutoff = 0.75	17.9	5.6	1.9	0.7	0.2	-
U3 - cutoff = 0.85	18.7	5.6	1.9	0.7	0.2	-
U3 - cutoff = 0.95	18.8	5.9	1.9	0.8	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	4.4	2.3	0.7	0.3	0.1	-
U2 - cutoff = 0.85	4.7	2.3	0.7	0.3	0.1	-
U2 - cutoff = 0.95	0.7	2.6	0.6	0.3	0	-
U3 - cutoff = 0.75	4.5	2.3	0.6	0.3	0.1	-
U3 - cutoff = 0.85	4.9	2.3	0.6	0.3	0.1	-
U3 - cutoff = 0.95	0.8	2.5	0.5	0.2	0	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						1018.8
U2 - cutoff = 0.95						1059
U3 - cutoff = 0.75						1290
U3 - cutoff = 0.85						1022.3
U3 - cutoff = 0.95						1054.9
						1291.3

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.16	0.20	0.26	0.31	0.36	
Efficacy rate	0.20	0.50	0.50	0.50	0.50	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - cutoff = 0.75	10.1	46.7	24.3	8	1.6	9.3
U2 - cutoff = 0.85	12.4	51	24.4	7.8	1.5	2.9
U2 - cutoff = 0.95	11.5	51.2	25.1	9	2.1	1.2
U3 - cutoff = 0.75	11.9	50.8	20	6.9	0.9	9.5
U3 - cutoff = 0.85	14.2	55.8	19	6.8	1.2	3
U3 - cutoff = 0.95	14	56.9	20.8	5.8	1.4	1.2
Mean administrations						
U2 - cutoff = 0.75	7.4	13	5.7	2	0.4	-
U2 - cutoff = 0.85	7.9	13.7	5.6	2	0.4	-
U2 - cutoff = 0.95	8	13.6	5.7	2.1	0.4	-
U3 - cutoff = 0.75	7.7	13.5	5.1	1.8	0.3	-
U3 - cutoff = 0.85	8.2	14.2	5	1.8	0.3	-
U3 - cutoff = 0.95	8.3	14.6	4.9	1.8	0.4	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.4	4.7	1.6	0.6	0.1	-
U2 - cutoff = 0.85	1.6	4.9	1.6	0.6	0.1	-
U2 - cutoff = 0.95	0.3	3.6	1.3	0.6	0.1	-
U3 - cutoff = 0.75	1.5	4.9	1.4	0.6	0.1	-
U3 - cutoff = 0.85	1.7	5.1	1.3	0.6	0.1	-
U3 - cutoff = 0.95	0.4	3.6	1.1	0.4	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1104.6
U2 - cutoff = 0.85						1145.7
U2 - cutoff = 0.95						1327.1
U3 - cutoff = 0.75						1101
U3 - cutoff = 0.85						1143.1
U3 - cutoff = 0.95						1343.1
Scenario 8						
DLT rate	0.32	0.37	0.42	0.48	0.52	
Efficacy rate	0.10	0.15	0.20	0.30	0.40	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - cutoff = 0.75	15.3	6.2	1.6	0.5	0.2	76.2
U2 - cutoff = 0.85	29.4	8.3	1.7	0.4	0.2	60
U2 - cutoff = 0.95	43.9	11.9	1.6	0.5	0.2	41.9
U3 - cutoff = 0.75	15.5	6.4	1.4	0.4	0.1	76.2
U3 - cutoff = 0.85	29.4	8.1	1.6	0.3	0.2	60.4
U3 - cutoff = 0.95	44.5	12	1.4	0.5	0.1	41.4
Mean administrations						
U2 - cutoff = 0.75	10	4.9	1.7	0.7	0.2	-
U2 - cutoff = 0.85	13.4	5.3	1.8	0.8	0.1	-
U2 - cutoff = 0.95	16.3	5.8	1.7	0.7	0.2	-
U3 - cutoff = 0.75	10	4.8	1.6	0.7	0.1	-
U3 - cutoff = 0.85	13.6	5.2	1.6	0.7	0.1	-
U3 - cutoff = 0.95	16.6	5.5	1.6	0.7	0.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.3	2.4	0.5	0.3	0.1	-
U2 - cutoff = 0.85	3.6	2.6	0.6	0.3	0.1	-
U2 - cutoff = 0.95	0.9	2.8	0.5	0.3	0	-
U3 - cutoff = 0.75	2.3	2.4	0.5	0.3	0	-
U3 - cutoff = 0.85	3.7	2.5	0.5	0.3	0	-
U3 - cutoff = 0.95	0.9	2.7	0.5	0.3	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						643.4
U2 - cutoff = 0.85						775.8
U2 - cutoff = 0.95						1109.5
U3 - cutoff = 0.75						639.5
U3 - cutoff = 0.85						773.1
U3 - cutoff = 0.95						1115.5

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.15	0.18	0.22	0.26	0.29	
Efficacy rate	0.05	0.08	0.20	0.25	0.50	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - cutoff = 0.75	9.3	7	18.7	15.1	21.6	28.3
U2 - cutoff = 0.85	11.6	11.7	21.5	17.5	21.8	15.9
U2 - cutoff = 0.95	16.1	18	22.2	16.8	20.9	6
U3 - cutoff = 0.75	12.1	9.8	17.5	14.4	17.3	28.9
U3 - cutoff = 0.85	15.5	13.9	19.7	16	17.8	17.1
U3 - cutoff = 0.95	21.4	21.8	18.5	14.6	17.7	5.9
Mean administrations						
U2 - cutoff = 0.75	5.4	5	5.6	5	4.2	-
U2 - cutoff = 0.85	6.7	5.8	6	5.2	4.2	-
U2 - cutoff = 0.95	7.7	6.5	6	5.1	4.1	-
U3 - cutoff = 0.75	5.5	5.1	5.6	5	3.9	-
U3 - cutoff = 0.85	6.9	5.9	6	5.2	3.9	-
U3 - cutoff = 0.95	8.3	6.3	5.8	5.1	3.9	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.9	3	1.8	2	1.3	-
U2 - cutoff = 0.85	1.5	3.4	2	2.1	1.3	-
U2 - cutoff = 0.95	0.6	3.8	1.6	1.8	0.9	-
U3 - cutoff = 0.75	0.9	3.1	1.8	2	1.2	-
U3 - cutoff = 0.85	1.6	3.4	2	2	1.2	-
U3 - cutoff = 0.95	0.7	3.7	1.6	1.7	0.8	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						886.7
U2 - cutoff = 0.95						977.8
U3 - cutoff = 0.75						1140.6
U3 - cutoff = 0.85						883.2
U3 - cutoff = 0.95						974.9
						1152.9
Scenario 10						
DLT rate	0.23	0.28	0.32	0.39	0.43	
Efficacy rate	0.05	0.40	0.42	0.45	0.50	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - cutoff = 0.75	3.7	25.8	12.9	4.1	0.9	52.6
U2 - cutoff = 0.85	7.6	31.5	14.2	4	0.9	41.8
U2 - cutoff = 0.95	15.9	39.7	13.7	4.3	0.8	25.5
U3 - cutoff = 0.75	4.5	27.1	11.7	3.2	0.8	52.7
U3 - cutoff = 0.85	8.1	33.7	12.5	3.4	0.8	41.5
U3 - cutoff = 0.95	16.9	40.3	13.5	2.7	0.8	25.8
Mean administrations						
U2 - cutoff = 0.75	6.6	8.5	3.9	1.6	0.4	-
U2 - cutoff = 0.85	8.6	9.6	4	1.6	0.4	-
U2 - cutoff = 0.95	10.9	10.5	4.1	1.6	0.4	-
U3 - cutoff = 0.75	6.6	8.9	3.7	1.4	0.3	-
U3 - cutoff = 0.85	8.7	9.9	3.8	1.5	0.3	-
U3 - cutoff = 0.95	11.1	10.7	3.9	1.5	0.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1	3.7	1.1	0.5	0.1	-
U2 - cutoff = 0.85	1.8	4.1	1.1	0.5	0.1	-
U2 - cutoff = 0.95	0.5	4.1	1	0.5	0.1	-
U3 - cutoff = 0.75	1	3.9	1	0.5	0.1	-
U3 - cutoff = 0.85	1.9	4.2	1.1	0.5	0.1	-
U3 - cutoff = 0.95	0.6	4.1	0.9	0.4	0.1	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						793.6
U2 - cutoff = 0.95						903.3
U3 - cutoff = 0.75						1172.7
U3 - cutoff = 0.85						793.3
U3 - cutoff = 0.95						900.6
						1180.6

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.22	0.32	0.44	0.59	0.67	
Efficacy rate	0.20	0.20	0.20	0.20	0.20	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - cutoff = 0.75	50	17.7	3.3	0.4	0	28.6
U2 - cutoff = 0.85	60.9	21.5	3.3	0.1	0	14.2
U2 - cutoff = 0.95	66.8	23	3.6	0.1	0	6.5
U3 - cutoff = 0.75	50.5	17.9	2.8	0.2	0	28.6
U3 - cutoff = 0.85	62.6	20.6	2.4	0.1	0	14.3
U3 - cutoff = 0.95	68.9	21.3	2.9	0.2	0	6.7
Mean administrations						
U2 - cutoff = 0.75	14.8	7.1	2.7	1	0.1	-
U2 - cutoff = 0.85	16.8	7.5	2.7	1	0.1	-
U2 - cutoff = 0.95	17.5	7.8	2.8	0.9	0.1	-
U3 - cutoff = 0.75	15.1	6.9	2.5	0.9	0.1	-
U3 - cutoff = 0.85	17.2	7.4	2.5	0.9	0.1	-
U3 - cutoff = 0.95	18	7.6	2.6	0.9	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	4.1	3.3	0.8	0.4	0	-
U2 - cutoff = 0.85	4.9	3.4	0.8	0.4	0	-
U2 - cutoff = 0.95	1	3.5	0.9	0.4	0	-
U3 - cutoff = 0.75	4.2	3.2	0.7	0.3	0	-
U3 - cutoff = 0.85	5	3.4	0.8	0.3	0	-
U3 - cutoff = 0.95	1	3.4	0.8	0.3	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						935.1
U2 - cutoff = 0.85						1022.3
U2 - cutoff = 0.95						1284.5
U3 - cutoff = 0.75						932.7
U3 - cutoff = 0.85						1020.2
U3 - cutoff = 0.95						1290.5
Scenario 12						
DLT rate	0.06	0.09	0.18	0.29	0.44	
Efficacy rate	0.05	0.10	0.12	0.40	0.60	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - cutoff = 0.75	11.2	10.7	10.8	43.2	16.8	7.3
U2 - cutoff = 0.85	11.4	10.8	11.9	47	16.4	2.5
U2 - cutoff = 0.95	12.6	13.6	10.2	45.1	18.1	0.3
U3 - cutoff = 0.75	13.9	13.5	9.3	41.6	14.6	7.1
U3 - cutoff = 0.85	15.3	13.8	9.2	43.7	15.5	2.5
U3 - cutoff = 0.95	17.2	15.3	9.1	41.9	16.1	0.3
Mean administrations						
U2 - cutoff = 0.75	4.1	5	5.5	9.4	4.4	-
U2 - cutoff = 0.85	4.6	5.3	5.9	9.5	4.5	-
U2 - cutoff = 0.95	4.8	5.6	5.8	9.3	4.5	-
U3 - cutoff = 0.75	4.3	5.2	5.5	9.4	4.2	-
U3 - cutoff = 0.85	4.8	5.4	5.8	9.5	4.2	-
U3 - cutoff = 0.95	5.2	5.6	5.6	9.3	4.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.5	3.2	1.6	3.3	1.2	-
U2 - cutoff = 0.85	0.7	3.3	1.7	3.4	1.2	-
U2 - cutoff = 0.95	0.3	3.3	1.6	2.4	1.1	-
U3 - cutoff = 0.75	0.6	3.3	1.6	3.3	1.1	-
U3 - cutoff = 0.85	0.8	3.4	1.7	3.4	1.1	-
U3 - cutoff = 0.95	0.5	3.3	1.5	2.3	0.9	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1031.7
U2 - cutoff = 0.85						1071.1
U2 - cutoff = 0.95						1174.5
U3 - cutoff = 0.75						1028.1
U3 - cutoff = 0.85						1068.5
U3 - cutoff = 0.95						1185.4

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.21	0.29	0.30	0.39	0.46	
Efficacy rate	0.05	0.30	0.32	0.35	0.40	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - cutoff = 0.75	5.3	26	13.1	4.3	1.1	50.2
U2 - cutoff = 0.85	9	32	14.2	4.8	1.2	38.8
U2 - cutoff = 0.95	17.5	40.8	13.7	4	1.2	22.8
U3 - cutoff = 0.75	6.3	26.2	12.7	3.3	0.8	50.7
U3 - cutoff = 0.85	10.5	32.6	13.8	3.5	0.8	38.8
U3 - cutoff = 0.95	19.4	40.9	12.8	3.5	0.8	22.7
Mean administrations						
U2 - cutoff = 0.75	6.6	7.7	4.3	2.2	0.6	-
U2 - cutoff = 0.85	8.6	8.8	4.5	2.3	0.6	-
U2 - cutoff = 0.95	10.9	9.7	4.4	2.2	0.6	-
U3 - cutoff = 0.75	6.7	7.8	4.2	2.1	0.5	-
U3 - cutoff = 0.85	8.7	9.1	4.3	2.1	0.5	-
U3 - cutoff = 0.95	11.2	9.9	4.2	2.1	0.5	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.1	3.7	1.3	0.8	0.2	-
U2 - cutoff = 0.85	1.9	4.1	1.4	0.8	0.2	-
U2 - cutoff = 0.95	0.6	4.3	1.2	0.8	0.2	-
U3 - cutoff = 0.75	1.1	3.7	1.3	0.8	0.2	-
U3 - cutoff = 0.85	2	4.2	1.3	0.8	0.2	-
U3 - cutoff = 0.95	0.7	4.4	1.1	0.7	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						782.7
U2 - cutoff = 0.85						894.6
U2 - cutoff = 0.95						1146.4
U3 - cutoff = 0.75						780.8
U3 - cutoff = 0.85						890.5
U3 - cutoff = 0.95						1153.2
Scenario 14						
DLT rate	0.09	0.15	0.23	0.28	0.39	
Efficacy rate	0.05	0.08	0.12	0.30	0.40	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - cutoff = 0.75	12.4	10.5	15.2	31.3	11.5	19.1
U2 - cutoff = 0.85	16.3	17.2	15.7	31.7	12.3	6.8
U2 - cutoff = 0.95	20.9	18.4	16.1	31.4	12	1.2
U3 - cutoff = 0.75	16.9	14.6	12.9	27.8	8.5	19.3
U3 - cutoff = 0.85	23	20.1	14.6	27	8.3	7
U3 - cutoff = 0.95	26.6	24	12.2	27.3	8.5	1.5
Mean administrations						
U2 - cutoff = 0.75	5	5.6	5.5	7.2	3.6	-
U2 - cutoff = 0.85	6	6.4	5.9	7.4	3.6	-
U2 - cutoff = 0.95	6.5	6.7	5.8	7.2	3.6	-
U3 - cutoff = 0.75	5.2	5.7	5.3	7.2	3.4	-
U3 - cutoff = 0.85	6.4	6.5	5.8	7.3	3.4	-
U3 - cutoff = 0.95	7.2	6.5	5.6	7.2	3.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.8	3.4	1.7	2.7	1.2	-
U2 - cutoff = 0.85	1.3	3.7	1.9	2.8	1.2	-
U2 - cutoff = 0.95	0.6	3.7	1.7	2.1	0.9	-
U3 - cutoff = 0.75	0.9	3.4	1.7	2.7	1.1	-
U3 - cutoff = 0.85	1.4	3.8	1.8	2.8	1.1	-
U3 - cutoff = 0.95	0.7	3.7	1.6	2.1	0.8	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						938.6
U2 - cutoff = 0.85						1014.7
U2 - cutoff = 0.95						1148.7
U3 - cutoff = 0.75						937.6
U3 - cutoff = 0.85						1014.2
U3 - cutoff = 0.95						1154.3

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.13	0.20	0.32	0.39	0.46	
Efficacy rate	0.10	0.10	0.10	0.10	0.10	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - cutoff = 0.75	30	21.5	13.1	4.5	0.7	30.2
U2 - cutoff = 0.85	41.2	29	11.8	4.9	0.5	12.6
U2 - cutoff = 0.95	48.3	32.3	12.1	4.1	0.3	2.8
U3 - cutoff = 0.75	32.6	21.4	10.6	4	0.6	30.8
U3 - cutoff = 0.85	45.7	30.6	7.3	3.5	0.1	12.8
U3 - cutoff = 0.95	55.3	30.5	8.1	3.3	0.1	2.7
Mean administrations						
U2 - cutoff = 0.75	8	7.5	5.4	3.6	1.1	-
U2 - cutoff = 0.85	9.7	8.5	5.8	3.6	1.2	-
U2 - cutoff = 0.95	10.6	8.8	5.7	3.6	1.1	-
U3 - cutoff = 0.75	8.4	7.4	5.2	3.5	1.1	-
U3 - cutoff = 0.85	10.4	8.3	5.5	3.5	1.1	-
U3 - cutoff = 0.95	11.6	8.4	5.3	3.4	1.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2	3.9	1.8	1.5	0.4	-
U2 - cutoff = 0.85	2.8	4.3	2	1.5	0.4	-
U2 - cutoff = 0.95	1	4.2	1.8	1.4	0.4	-
U3 - cutoff = 0.75	2.2	3.9	1.7	1.5	0.4	-
U3 - cutoff = 0.85	3.1	4.2	1.8	1.5	0.4	-
U3 - cutoff = 0.95	1.2	4.1	1.7	1.3	0.4	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						875.8
U2 - cutoff = 0.85						972.4
U2 - cutoff = 0.95						1150
U3 - cutoff = 0.75						873
U3 - cutoff = 0.85						971
U3 - cutoff = 0.95						1157
Scenario 16						
DLT rate	0.02	0.06	0.09	0.14	0.26	
Efficacy rate	0.20	0.20	0.20	0.20	0.20	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - cutoff = 0.75	37.8	27.5	15.4	11.4	7.7	0.2
U2 - cutoff = 0.85	37.8	27.2	16	12.1	6.9	0
U2 - cutoff = 0.95	38.8	25.3	14.7	14.1	7.1	0
U3 - cutoff = 0.75	42.4	28.3	14.2	10.9	4	0.2
U3 - cutoff = 0.85	42	30	13.7	10.2	4.1	0
U3 - cutoff = 0.95	43.8	27.5	13.9	10.8	4.1	0
Mean administrations						
U2 - cutoff = 0.75	4.4	5	5.9	8.4	6.2	-
U2 - cutoff = 0.85	4.3	5	5.9	8.4	6.3	-
U2 - cutoff = 0.95	4.4	5.1	6.1	8.3	6.1	-
U3 - cutoff = 0.75	4.6	5.4	6.2	8.1	5.7	-
U3 - cutoff = 0.85	4.7	5.4	6.2	8.1	5.7	-
U3 - cutoff = 0.95	4.5	5.4	6.3	8.1	5.7	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.6	2.9	2.2	3.6	2.3	-
U2 - cutoff = 0.85	0.5	2.9	2.3	3.6	2.4	-
U2 - cutoff = 0.95	0.2	2.8	2.1	2.9	1.5	-
U3 - cutoff = 0.75	0.7	3	2.3	3.5	2.2	-
U3 - cutoff = 0.85	0.7	3.1	2.3	3.5	2.1	-
U3 - cutoff = 0.95	0.2	2.8	2.2	2.9	1.4	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1005.5
U2 - cutoff = 0.85						1009.1
U2 - cutoff = 0.95						1134.8
U3 - cutoff = 0.75						1004.8
U3 - cutoff = 0.85						1007.1
U3 - cutoff = 0.95						1130.4

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.11	0.23	0.39	0.58	0.76	
Efficacy rate	0.30	0.50	0.50	0.50	0.50	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - cutoff = 0.75	17.9	62.9	14.8	1.1	0	3.3
U2 - cutoff = 0.85	18.4	65.1	14.8	1.2	0	0.5
U2 - cutoff = 0.95	18.4	64.5	15.9	1.2	0	0.1
U3 - cutoff = 0.75	20.4	63.2	12.5	0.5	0	3.4
U3 - cutoff = 0.85	20.9	65.7	12.1	0.6	0	0.7
U3 - cutoff = 0.95	20.6	66.2	12.3	0.6	0	0.2
Mean administrations						
U2 - cutoff = 0.75	9.2	15.1	4.4	0.7	0.1	-
U2 - cutoff = 0.85	9.4	15.4	4.4	0.7	0.1	-
U2 - cutoff = 0.95	9.3	15.2	4.6	0.8	0.1	-
U3 - cutoff = 0.75	9.9	15.3	3.7	0.5	0	-
U3 - cutoff = 0.85	10	15.6	3.8	0.5	0	-
U3 - cutoff = 0.95	9.8	15.7	3.9	0.5	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2	5	1.2	0.2	0	-
U2 - cutoff = 0.85	2.1	5.1	1.2	0.2	0	-
U2 - cutoff = 0.95	0.5	3.9	1.1	0.3	0	-
U3 - cutoff = 0.75	2.2	5.1	1	0.2	0	-
U3 - cutoff = 0.85	2.3	5.2	1	0.2	0	-
U3 - cutoff = 0.95	0.5	3.9	1	0.2	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1163.1
U2 - cutoff = 0.85						1180.1
U2 - cutoff = 0.95						1332.9
U3 - cutoff = 0.75						1155
U3 - cutoff = 0.85						1173.4
U3 - cutoff = 0.95						1342.3
Scenario 18						
DLT rate	0.02	0.04	0.10	0.20	0.35	
Efficacy rate	0.05	0.10	0.15	0.20	0.50	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - cutoff = 0.75	10.4	9.6	8.4	16.6	53.9	1.1
U2 - cutoff = 0.85	10.3	10.2	8.8	15.7	54.9	0.1
U2 - cutoff = 0.95	11.2	11.3	8.4	16.9	52.2	0
U3 - cutoff = 0.75	15.4	12.4	10.6	14.1	46.5	1
U3 - cutoff = 0.85	16.2	13.1	10.2	13.3	47.1	0.1
U3 - cutoff = 0.95	17.1	13.8	10.1	13.9	45.2	0
Mean administrations						
U2 - cutoff = 0.75	3.3	4	5.2	7.2	10.1	-
U2 - cutoff = 0.85	3.4	4.1	5.2	7.1	10.2	-
U2 - cutoff = 0.95	3.4	4.1	5.3	7.2	9.9	-
U3 - cutoff = 0.75	3.4	4.2	5.3	7.2	9.6	-
U3 - cutoff = 0.85	3.5	4.2	5.4	7.2	9.7	-
U3 - cutoff = 0.95	3.6	4.2	5.5	7.1	9.6	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.1	2.8	1.8	3	2.9	-
U2 - cutoff = 0.85	0.2	2.8	1.8	3	2.9	-
U2 - cutoff = 0.95	0.1	2.8	1.5	2.5	1.7	-
U3 - cutoff = 0.75	0.2	2.9	1.8	3	2.8	-
U3 - cutoff = 0.85	0.2	2.9	1.9	3	2.8	-
U3 - cutoff = 0.95	0.2	2.8	1.6	2.5	1.6	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1053.7
U2 - cutoff = 0.85						1060.7
U2 - cutoff = 0.95						1181.2
U3 - cutoff = 0.75						1050
U3 - cutoff = 0.85						1057.3
U3 - cutoff = 0.95						1178

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.11	0.26	0.39	0.60	0.77	
Efficacy rate	0.08	0.30	0.32	0.35	0.40	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - cutoff = 0.75	8.6	46.8	14.6	0.8	0	29.2
U2 - cutoff = 0.85	11.7	56.2	16.7	1.2	0	14.2
U2 - cutoff = 0.95	17.6	61.1	16.8	1.1	0	3.5
U3 - cutoff = 0.75	9.5	47.3	13.2	0.9	0	29.1
U3 - cutoff = 0.85	13.2	57.8	13.6	0.8	0	14.6
U3 - cutoff = 0.95	19.4	61.4	14.8	1.2	0	3.2
Mean administrations						
U2 - cutoff = 0.75	6.7	11.4	5.7	1.8	0.2	-
U2 - cutoff = 0.85	7.9	12.6	5.9	1.9	0.2	-
U2 - cutoff = 0.95	8.7	13.1	6	1.8	0.2	-
U3 - cutoff = 0.75	6.8	11.6	5.5	1.6	0.2	-
U3 - cutoff = 0.85	8.2	12.8	5.6	1.7	0.2	-
U3 - cutoff = 0.95	9.1	13.3	5.6	1.7	0.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.2	5	1.7	0.6	0.1	-
U2 - cutoff = 0.85	1.7	5.5	1.7	0.7	0.1	-
U2 - cutoff = 0.95	0.7	4.8	1.7	0.7	0.1	-
U3 - cutoff = 0.75	1.2	5.1	1.6	0.6	0.1	-
U3 - cutoff = 0.85	1.8	5.6	1.6	0.6	0.1	-
U3 - cutoff = 0.95	0.8	4.8	1.6	0.7	0.1	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						942
U2 - cutoff = 0.95						1033.5
U3 - cutoff = 0.75						1201.7
U3 - cutoff = 0.85						937.7
U3 - cutoff = 0.95						1029.4
						1209.3
Scenario 20						
DLT rate	0.07	0.14	0.31	0.41	0.52	
Efficacy rate	0.05	0.25	0.25	0.25	0.25	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - cutoff = 0.75	9	44	26.3	9.9	0.9	9.9
U2 - cutoff = 0.85	8	49.8	29.1	9.7	0.9	2.5
U2 - cutoff = 0.95	9.8	51.7	26.7	10.7	0.7	0.4
U3 - cutoff = 0.75	10.3	46.8	24.4	7.5	0.8	10.2
U3 - cutoff = 0.85	10.2	53	25.3	8.2	0.7	2.6
U3 - cutoff = 0.95	13.1	52.5	25.2	7.8	1	0.4
Mean administrations						
U2 - cutoff = 0.75	4.5	10.1	7.9	4.5	1.4	-
U2 - cutoff = 0.85	4.9	10.6	8.2	4.6	1.4	-
U2 - cutoff = 0.95	5	10.9	8.2	4.5	1.3	-
U3 - cutoff = 0.75	4.7	10.7	7.6	4.3	1.3	-
U3 - cutoff = 0.85	5.1	11.1	7.8	4.4	1.3	-
U3 - cutoff = 0.95	5.4	11.1	7.9	4.3	1.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.6	4.9	2.5	1.7	0.5	-
U2 - cutoff = 0.85	0.7	5	2.6	1.7	0.5	-
U2 - cutoff = 0.95	0.4	4	2.3	1.6	0.4	-
U3 - cutoff = 0.75	0.7	5.1	2.4	1.6	0.4	-
U3 - cutoff = 0.85	0.8	5.2	2.5	1.6	0.4	-
U3 - cutoff = 0.95	0.5	4	2.2	1.5	0.4	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						1011.4
U2 - cutoff = 0.95						1052.6
U3 - cutoff = 0.75						1171
U3 - cutoff = 0.85						1006.5
U3 - cutoff = 0.95						1048.1
						1172.7

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.37	0.56	0.69	0.83	0.88	
Efficacy rate	0.50	0.50	0.50	0.50	0.50	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - cutoff = 0.75	51.7	1.1	0	0	0	47.2
U2 - cutoff = 0.85	52.5	1	0	0	0	46.5
U2 - cutoff = 0.95	54.3	1.6	0	0	0	44.1
U3 - cutoff = 0.75	52.2	1	0	0	0	46.8
U3 - cutoff = 0.85	52.9	1	0	0	0	46.1
U3 - cutoff = 0.95	55.5	1.2	0	0	0	43.3
Mean administrations						
U2 - cutoff = 0.75	19.7	2.3	0.1	0	0	-
U2 - cutoff = 0.85	19.8	2.3	0.1	0	0	-
U2 - cutoff = 0.95	19.9	2.5	0.1	0	0	-
U3 - cutoff = 0.75	19.9	2.2	0.1	0	0	-
U3 - cutoff = 0.85	20	2.2	0.1	0	0	-
U3 - cutoff = 0.95	20.1	2.4	0.1	0	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	3.8	0.9	0	0	0	-
U2 - cutoff = 0.85	3.8	0.9	0	0	0	-
U2 - cutoff = 0.95	0.2	1.2	0.1	0	0	-
U3 - cutoff = 0.75	3.8	0.9	0	0	0	-
U3 - cutoff = 0.85	3.8	0.9	0	0	0	-
U3 - cutoff = 0.95	0.2	1.1	0	0	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						964.8
U2 - cutoff = 0.85						968.5
U2 - cutoff = 0.95						1161.7
U3 - cutoff = 0.75						968
U3 - cutoff = 0.85						968.8
U3 - cutoff = 0.95						1169.4
Scenario 22						
DLT rate	0.07	0.27	0.50	0.56	0.78	
Efficacy rate	0.08	0.25	0.25	0.50	0.50	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - cutoff = 0.75	11.2	48.1	10.7	1.7	0	28.3
U2 - cutoff = 0.85	15	60.2	12.3	1.3	0	11.2
U2 - cutoff = 0.95	20.6	64	11.9	1.7	0	1.8
U3 - cutoff = 0.75	10.7	49.4	9.8	1.3	0	28.8
U3 - cutoff = 0.85	16.3	61.4	9.9	1.3	0	11.1
U3 - cutoff = 0.95	22	63.2	10.8	1.7	0	2.3
Mean administrations						
U2 - cutoff = 0.75	7.1	12	5.1	1.8	0.1	-
U2 - cutoff = 0.85	8.4	13.3	5.3	1.8	0.1	-
U2 - cutoff = 0.95	9.2	13.5	5.2	1.8	0.1	-
U3 - cutoff = 0.75	7.3	12.1	4.8	1.7	0.1	-
U3 - cutoff = 0.85	8.7	13.4	5	1.7	0.1	-
U3 - cutoff = 0.95	9.7	13.4	5	1.7	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.4	5.3	1.5	0.6	0	-
U2 - cutoff = 0.85	2	5.9	1.5	0.7	0	-
U2 - cutoff = 0.95	1	4.9	1.7	0.6	0	-
U3 - cutoff = 0.75	1.5	5.4	1.4	0.6	0	-
U3 - cutoff = 0.85	2.1	5.9	1.5	0.6	0	-
U3 - cutoff = 0.95	1.1	4.8	1.6	0.6	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						942.3
U2 - cutoff = 0.85						1038.6
U2 - cutoff = 0.95						1193
U3 - cutoff = 0.75						936.9
U3 - cutoff = 0.85						1034.5
U3 - cutoff = 0.95						1202.4

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.32	0.55	0.80	0.94	0.97	
Efficacy rate	0.05	0.05	0.05	0.05	0.05	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - cutoff = 0.75	2	0.1	0	0	0	97.9
U2 - cutoff = 0.85	7.5	0.6	0	0	0	91.9
U2 - cutoff = 0.95	18.7	2.8	0	0	0	78.5
U3 - cutoff = 0.75	2	0	0	0	0	98
U3 - cutoff = 0.85	7.5	1.1	0	0	0	91.4
U3 - cutoff = 0.95	19.4	2.2	0	0	0	78.5
Mean administrations						
U2 - cutoff = 0.75	7.8	3.6	0.5	0	0	-
U2 - cutoff = 0.85	11.1	3.8	0.5	0	0	-
U2 - cutoff = 0.95	15.8	4.3	0.5	0.1	0	-
U3 - cutoff = 0.75	7.8	3.6	0.5	0.1	0	-
U3 - cutoff = 0.85	11.1	3.8	0.5	0	0	-
U3 - cutoff = 0.95	15.9	4.2	0.5	0	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.4	2	0.2	0	0	-
U2 - cutoff = 0.85	2.9	2.1	0.2	0	0	-
U2 - cutoff = 0.95	0.6	2.5	0.2	0	0	-
U3 - cutoff = 0.75	1.4	2	0.1	0	0	-
U3 - cutoff = 0.85	2.9	2.1	0.2	0	0	-
U3 - cutoff = 0.95	0.6	2.4	0.2	0	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						445.1
U2 - cutoff = 0.85						557.9
U2 - cutoff = 0.95						949.5
U3 - cutoff = 0.75						445.6
U3 - cutoff = 0.85						557.2
U3 - cutoff = 0.95						952.6
Scenario 24						
DLT rate	0.01	0.02	0.05	0.10	0.25	
Efficacy rate	0.05	0.08	0.20	0.50	0.50	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - cutoff = 0.75	1.8	0.8	2.7	59.1	35.4	0.2
U2 - cutoff = 0.85	1.5	1	3	59.1	35.4	0
U2 - cutoff = 0.95	1.9	0.9	2.6	56.4	38.1	0
U3 - cutoff = 0.75	2.4	1.9	3.3	63	29.2	0.2
U3 - cutoff = 0.85	2.7	1.9	2.7	62.6	30.1	0
U3 - cutoff = 0.95	3.5	2.4	3.8	58.4	31.9	0
Mean administrations						
U2 - cutoff = 0.75	3.1	3.1	3.8	13.1	6.8	-
U2 - cutoff = 0.85	3.1	3.1	3.8	13	6.9	-
U2 - cutoff = 0.95	3.1	3.2	3.9	13	6.9	-
U3 - cutoff = 0.75	3.1	3.2	3.9	13.7	6.1	-
U3 - cutoff = 0.85	3.1	3.2	3.9	13.6	6.2	-
U3 - cutoff = 0.95	3.1	3.2	4	13.4	6.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0	2.4	1.2	4.5	2	-
U2 - cutoff = 0.85	0	2.4	1.2	4.5	2.1	-
U2 - cutoff = 0.95	0	2.4	1.1	2.4	1.5	-
U3 - cutoff = 0.75	0	2.4	1.2	4.7	1.8	-
U3 - cutoff = 0.85	0	2.4	1.2	4.7	1.8	-
U3 - cutoff = 0.95	0	2.4	1.1	2.4	1.3	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1088.5
U2 - cutoff = 0.85						1090.8
U2 - cutoff = 0.95						1248.8
U3 - cutoff = 0.75						1086.8
U3 - cutoff = 0.85						1088.3
U3 - cutoff = 0.95						1252.3

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.09	0.18	0.37	0.63	0.77	
Efficacy rate	0.20	0.25	0.40	0.45	0.50	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - cutoff = 0.75	25.8	30.8	33.1	4.1	0.1	6.1
U2 - cutoff = 0.85	28.2	33.2	33	4.1	0.1	1.4
U2 - cutoff = 0.95	27.8	36	31.8	4.2	0	0.2
U3 - cutoff = 0.75	30.4	32.9	27.4	3.1	0	6.2
U3 - cutoff = 0.85	32.2	34.2	29.5	2.8	0	1.3
U3 - cutoff = 0.95	33.2	35.9	27.4	3.2	0	0.2
Mean administrations						
U2 - cutoff = 0.75	8.4	9.5	8.5	2.3	0.2	-
U2 - cutoff = 0.85	8.8	9.9	8.5	2.4	0.2	-
U2 - cutoff = 0.95	9	10.1	8.3	2.4	0.2	-
U3 - cutoff = 0.75	9	9.8	8.1	2.1	0.2	-
U3 - cutoff = 0.85	9.4	10	8.2	2.1	0.2	-
U3 - cutoff = 0.95	9.4	10.2	8	2.2	0.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2	4.1	2.3	0.8	0.1	-
U2 - cutoff = 0.85	2.2	4.3	2.4	0.8	0.1	-
U2 - cutoff = 0.95	0.7	3.8	2	0.9	0.1	-
U3 - cutoff = 0.75	2.3	4.3	2.2	0.7	0.1	-
U3 - cutoff = 0.85	2.5	4.3	2.2	0.8	0.1	-
U3 - cutoff = 0.95	0.8	3.8	1.8	0.9	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1081.1
U2 - cutoff = 0.85						1109.8
U2 - cutoff = 0.95						1241.1
U3 - cutoff = 0.75						1076.2
U3 - cutoff = 0.85						1103.1
U3 - cutoff = 0.95						1245.2
Scenario 26						
DLT rate	0.15	0.22	0.30	0.62	0.80	
Efficacy rate	0.10	0.20	0.35	0.45	0.55	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - cutoff = 0.75	15.1	25.3	27.7	5.1	0.3	26.5
U2 - cutoff = 0.85	20.6	33.2	28.6	5.2	0.3	12.1
U2 - cutoff = 0.95	25.1	35.8	29.9	5.1	0	4.2
U3 - cutoff = 0.75	16.8	26.5	26.1	4.3	0.3	26
U3 - cutoff = 0.85	23.7	33.1	26.7	4.1	0.2	12.2
U3 - cutoff = 0.95	29.7	35.7	25.9	4.7	0	4
Mean administrations						
U2 - cutoff = 0.75	7.2	8.4	7.5	2.6	0.3	-
U2 - cutoff = 0.85	8.7	9.2	7.7	2.7	0.3	-
U2 - cutoff = 0.95	9.5	9.6	7.8	2.5	0.2	-
U3 - cutoff = 0.75	7.5	8.5	7.3	2.4	0.2	-
U3 - cutoff = 0.85	9.1	9.4	7.5	2.4	0.2	-
U3 - cutoff = 0.95	10.2	9.5	7.4	2.4	0.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.5	4	2.1	1	0.1	-
U2 - cutoff = 0.85	2.2	4.3	2.2	1	0.1	-
U2 - cutoff = 0.95	0.7	4.2	1.6	1.1	0.1	-
U3 - cutoff = 0.75	1.6	4.1	2.1	0.9	0.1	-
U3 - cutoff = 0.85	2.3	4.4	2.1	0.9	0.1	-
U3 - cutoff = 0.95	0.8	4.1	1.5	1	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						943.2
U2 - cutoff = 0.85						1030
U2 - cutoff = 0.95						1206.5
U3 - cutoff = 0.75						941.4
U3 - cutoff = 0.85						1024.5
U3 - cutoff = 0.95						1213.8

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.11	0.17	0.30	0.50	0.62	
Efficacy rate	0.10	0.20	0.40	0.42	0.45	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - cutoff = 0.75	12.3	20.5	42.4	9.7	0.4	14.7
U2 - cutoff = 0.85	14.4	25.7	45.5	9.3	0.4	4.7
U2 - cutoff = 0.95	16.6	27.5	45.4	8.9	0.4	1.3
U3 - cutoff = 0.75	15	22.4	40.3	7.5	0.2	14.6
U3 - cutoff = 0.85	17.4	27.7	42.3	7.5	0.2	4.9
U3 - cutoff = 0.95	21.1	29.7	40.1	7.6	0.3	1.2
Mean administrations						
U2 - cutoff = 0.75	5.9	8	9.7	3.4	0.6	-
U2 - cutoff = 0.85	6.7	8.6	10	3.5	0.6	-
U2 - cutoff = 0.95	7.1	8.8	9.9	3.6	0.6	-
U3 - cutoff = 0.75	6.1	8.2	9.6	3.2	0.5	-
U3 - cutoff = 0.85	7	8.8	9.8	3.2	0.5	-
U3 - cutoff = 0.95	7.6	8.9	9.6	3.3	0.5	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.1	3.9	2.8	1.2	0.2	-
U2 - cutoff = 0.85	1.4	4.1	2.9	1.2	0.2	-
U2 - cutoff = 0.95	0.6	3.9	2.2	1.3	0.2	-
U3 - cutoff = 0.75	1.2	4	2.7	1.1	0.2	-
U3 - cutoff = 0.85	1.6	4.2	2.9	1.1	0.2	-
U3 - cutoff = 0.95	0.6	3.8	2.1	1.3	0.2	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						1018.1
U2 - cutoff = 0.95						1077.5
U3 - cutoff = 0.75						1199.1
U3 - cutoff = 0.85						1016.3
U3 - cutoff = 0.95						1071.9
						1209.9
Scenario 28						
DLT rate	0.20	0.30	0.50	0.60	0.77	
Efficacy rate	0.05	0.30	0.32	0.35	0.40	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - cutoff = 0.75	6.4	29.2	5	0.2	0	59.2
U2 - cutoff = 0.85	11.2	39.2	5.4	0.1	0	44.1
U2 - cutoff = 0.95	22.9	46.9	6.2	0	0	23.9
U3 - cutoff = 0.75	6.1	30.2	4.6	0.1	0	59
U3 - cutoff = 0.85	11.6	38.7	5.1	0	0	44.6
U3 - cutoff = 0.95	23.9	44.8	5.6	0.1	0	25.6
Mean administrations						
U2 - cutoff = 0.75	7.2	9.3	3.2	0.8	0.1	-
U2 - cutoff = 0.85	9.4	10.7	3.3	0.8	0.1	-
U2 - cutoff = 0.95	12.2	11.5	3.3	0.8	0.1	-
U3 - cutoff = 0.75	7.4	9.4	3	0.8	0.1	-
U3 - cutoff = 0.85	9.6	10.8	3.2	0.8	0.1	-
U3 - cutoff = 0.95	12.5	11.3	3.1	0.8	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.3	4.1	0.9	0.3	0	-
U2 - cutoff = 0.85	2.3	4.7	1	0.3	0	-
U2 - cutoff = 0.95	0.9	4.6	1.1	0.3	0	-
U3 - cutoff = 0.75	1.3	4.2	0.9	0.3	0	-
U3 - cutoff = 0.85	2.3	4.7	0.9	0.3	0	-
U3 - cutoff = 0.95	0.9	4.6	1	0.3	0	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						758.8
U2 - cutoff = 0.95						880.4
U3 - cutoff = 0.75						1153.8
U3 - cutoff = 0.85						756.4
U3 - cutoff = 0.95						883.8
						1158

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.19	0.30	0.56	0.74	0.86	
Efficacy rate	0.40	0.40	0.40	0.40	0.40	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - cutoff = 0.75	62.2	30.9	2.7	0.1	0	4.1
U2 - cutoff = 0.85	63.7	31.4	2.1	0.1	0	2.7
U2 - cutoff = 0.95	60.2	33.3	4	0.1	0	2.3
U3 - cutoff = 0.75	66.4	27.3	1.9	0.1	0	4.3
U3 - cutoff = 0.85	67.5	28.1	1.8	0.1	0	2.5
U3 - cutoff = 0.95	64.9	29.5	2.7	0.2	0	2.7
Mean administrations						
U2 - cutoff = 0.75	17.9	8.8	2.1	0.4	0	-
U2 - cutoff = 0.85	18.1	9	2	0.4	0	-
U2 - cutoff = 0.95	17.6	9.4	2.2	0.4	0	-
U3 - cutoff = 0.75	18.8	8.4	1.6	0.3	0	-
U3 - cutoff = 0.85	19	8.6	1.6	0.3	0	-
U3 - cutoff = 0.95	18.5	9	1.8	0.3	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	4.4	3.1	0.6	0.1	0	-
U2 - cutoff = 0.85	4.4	3.2	0.6	0.1	0	-
U2 - cutoff = 0.95	0.8	3.3	0.9	0.2	0	-
U3 - cutoff = 0.75	4.7	3	0.5	0.1	0	-
U3 - cutoff = 0.85	4.8	3.1	0.5	0.1	0	-
U3 - cutoff = 0.95	0.8	3.1	0.7	0.1	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1155.6
U2 - cutoff = 0.85						1166.3
U2 - cutoff = 0.95						1349.9
U3 - cutoff = 0.75						1151.6
U3 - cutoff = 0.85						1164.5
U3 - cutoff = 0.95						1368.6
Scenario 30						
DLT rate	0.05	0.08	0.17	0.27	0.54	
Efficacy rate	0.12	0.15	0.20	0.40	0.50	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - cutoff = 0.75	15.1	11.1	15.4	45.3	10.5	2.6
U2 - cutoff = 0.85	16.3	10.8	15.6	46	10.9	0.4
U2 - cutoff = 0.95	16.7	13.2	14.2	44.2	11.7	0
U3 - cutoff = 0.75	22.3	14.9	13	37.5	9.6	2.7
U3 - cutoff = 0.85	23.5	14.2	12.9	39.7	9.2	0.5
U3 - cutoff = 0.95	23.7	16.1	14.1	36.4	9.7	0
Mean administrations						
U2 - cutoff = 0.75	4.2	5.1	6.3	10.2	3.7	-
U2 - cutoff = 0.85	4.4	5.2	6.4	10.1	3.8	-
U2 - cutoff = 0.95	4.5	5.3	6.5	9.9	3.8	-
U3 - cutoff = 0.75	4.4	5.3	6.4	10	3.4	-
U3 - cutoff = 0.85	4.7	5.5	6.4	10	3.4	-
U3 - cutoff = 0.95	4.8	5.4	6.4	9.9	3.4	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.5	3.1	2	3.3	1.1	-
U2 - cutoff = 0.85	0.6	3.1	2	3.3	1.1	-
U2 - cutoff = 0.95	0.2	2.9	1.8	2.4	1.1	-
U3 - cutoff = 0.75	0.6	3.1	2	3.3	1.1	-
U3 - cutoff = 0.85	0.7	3.2	2	3.3	1	-
U3 - cutoff = 0.95	0.3	2.9	1.8	2.3	1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1071.5
U2 - cutoff = 0.85						1085.8
U2 - cutoff = 0.95						1184.6
U3 - cutoff = 0.75						1066.8
U3 - cutoff = 0.85						1081.6
U3 - cutoff = 0.95						1193.5

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0.04	0.06	0.10	0.20	0.60	
Efficacy rate	0.20	0.50	0.50	0.50	0.50	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - cutoff = 0.75	2.8	37.9	30.4	24.5	4.2	0.2
U2 - cutoff = 0.85	2.9	38.1	31.3	23.2	4.5	0
U2 - cutoff = 0.95	3.5	36.7	30.2	24.1	5.6	0
U3 - cutoff = 0.75	4.3	44	29.1	19.8	2.6	0.2
U3 - cutoff = 0.85	4.8	44.8	28.3	20	2.1	0
U3 - cutoff = 0.95	4.7	42.8	29.3	20.3	2.8	0
Mean administrations						
U2 - cutoff = 0.75	3.8	12.4	7.8	4.7	1.2	-
U2 - cutoff = 0.85	3.8	12.5	7.6	4.8	1.2	-
U2 - cutoff = 0.95	3.8	12.4	7.6	4.9	1.3	-
U3 - cutoff = 0.75	3.9	13.4	7.4	4.5	0.8	-
U3 - cutoff = 0.85	4	13.6	7.3	4.3	0.8	-
U3 - cutoff = 0.95	3.8	13.3	7.5	4.5	1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.3	4.9	2.3	1.4	0.3	-
U2 - cutoff = 0.85	0.3	4.9	2.3	1.4	0.4	-
U2 - cutoff = 0.95	0	2.7	1.6	1.1	0.4	-
U3 - cutoff = 0.75	0.3	5.2	2.2	1.3	0.2	-
U3 - cutoff = 0.85	0.3	5.2	2.2	1.3	0.3	-
U3 - cutoff = 0.95	0.1	2.7	1.5	1	0.3	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1144
U2 - cutoff = 0.85						1145.8
U2 - cutoff = 0.95						1334.1
U3 - cutoff = 0.75						1139.4
U3 - cutoff = 0.85						1140.5
U3 - cutoff = 0.95						1345.7
Scenario 32						
DLT rate	0.02	0.05	0.11	0.30	0.36	
Efficacy rate	0.08	0.15	0.30	0.30	0.30	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - cutoff = 0.75	11.6	13.8	34.8	29.7	9.8	0.3
U2 - cutoff = 0.85	11.4	14	35	29.1	10.4	0.1
U2 - cutoff = 0.95	11.5	14.5	32.5	30.3	11.3	0
U3 - cutoff = 0.75	16.1	17.6	34.3	25.9	5.8	0.3
U3 - cutoff = 0.85	16.5	18.3	33.6	25.8	5.7	0.1
U3 - cutoff = 0.95	17.2	17.7	31.4	26.9	6.8	0
Mean administrations						
U2 - cutoff = 0.75	3.5	4.3	8.7	8.7	4.7	-
U2 - cutoff = 0.85	3.5	4.3	8.7	8.7	4.7	-
U2 - cutoff = 0.95	3.5	4.5	8.7	8.7	4.5	-
U3 - cutoff = 0.75	3.6	4.6	9.1	8.6	4.1	-
U3 - cutoff = 0.85	3.6	4.6	9.1	8.6	4	-
U3 - cutoff = 0.95	3.6	4.6	9.1	8.7	4.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.2	2.9	2.8	3.3	1.5	-
U2 - cutoff = 0.85	0.2	2.9	2.9	3.3	1.5	-
U2 - cutoff = 0.95	0.1	2.8	2	2.8	1.1	-
U3 - cutoff = 0.75	0.2	3	3	3.3	1.3	-
U3 - cutoff = 0.85	0.3	3	3	3.2	1.3	-
U3 - cutoff = 0.95	0.1	2.8	1.9	2.8	1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1053
U2 - cutoff = 0.85						1055.9
U2 - cutoff = 0.95						1164.9
U3 - cutoff = 0.75						1048
U3 - cutoff = 0.85						1052.1
U3 - cutoff = 0.95						1175.9

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0.01	0.02	0.09	0.32	0.38	
Efficacy rate	0.05	0.08	0.20	0.40	0.50	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - cutoff = 0.75	9.1	5.7	12.3	45.8	26.6	0.5
U2 - cutoff = 0.85	8.8	5.9	11.6	47.3	26.3	0.1
U2 - cutoff = 0.95	9.3	6.5	11.3	45.6	27.3	0
U3 - cutoff = 0.75	13	7.8	11.9	44.7	22.1	0.5
U3 - cutoff = 0.85	12.2	8.2	12	46.1	21.4	0.1
U3 - cutoff = 0.95	13	8.3	12.8	44.2	21.6	0
Mean administrations						
U2 - cutoff = 0.75	3.3	3.7	6	10.7	6.1	-
U2 - cutoff = 0.85	3.4	3.7	6	10.7	6.2	-
U2 - cutoff = 0.95	3.4	3.8	6.1	10.7	6.1	-
U3 - cutoff = 0.75	3.3	3.8	6	10.9	5.7	-
U3 - cutoff = 0.85	3.5	3.8	6.2	10.9	5.7	-
U3 - cutoff = 0.95	3.5	3.8	6.2	10.9	5.6	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.1	2.7	1.8	3.8	1.6	-
U2 - cutoff = 0.85	0.2	2.7	1.8	3.8	1.7	-
U2 - cutoff = 0.95	0.1	2.7	1.5	2.8	1.2	-
U3 - cutoff = 0.75	0.2	2.7	1.8	3.9	1.5	-
U3 - cutoff = 0.85	0.2	2.8	1.9	3.8	1.5	-
U3 - cutoff = 0.95	0.1	2.7	1.6	2.7	1.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1082.5
U2 - cutoff = 0.85						1090.3
U2 - cutoff = 0.95						1197.5
U3 - cutoff = 0.75						1080
U3 - cutoff = 0.85						1087
U3 - cutoff = 0.95						1200.3
Scenario 34						
DLT rate	0.05	0.13	0.30	0.36	0.42	
Efficacy rate	0.05	0.10	0.30	0.32	0.35	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - cutoff = 0.75	11.4	12	44.9	17.6	3.5	10.6
U2 - cutoff = 0.85	12.7	13.2	47.5	19.2	3.1	4.3
U2 - cutoff = 0.95	15	15.4	46.6	20	2.7	0.2
U3 - cutoff = 0.75	13.3	13.6	42.7	16.8	2.2	11.4
U3 - cutoff = 0.85	15.8	16	44.1	17.9	2.2	4
U3 - cutoff = 0.95	17.8	18.5	43.5	18.3	1.7	0.2
Mean administrations						
U2 - cutoff = 0.75	4.5	6.1	9.5	5.8	2.1	-
U2 - cutoff = 0.85	5.1	6.7	9.9	5.9	2.1	-
U2 - cutoff = 0.95	5.5	6.9	9.8	5.8	2	-
U3 - cutoff = 0.75	4.8	6.2	9.6	5.7	1.8	-
U3 - cutoff = 0.85	5.5	6.8	9.9	5.8	1.7	-
U3 - cutoff = 0.95	6	6.9	9.8	5.6	1.7	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.6	3.5	2.9	2.1	0.7	-
U2 - cutoff = 0.85	0.9	3.7	3.1	2.1	0.7	-
U2 - cutoff = 0.95	0.5	3.6	2.2	1.9	0.5	-
U3 - cutoff = 0.75	0.8	3.5	3	2	0.6	-
U3 - cutoff = 0.85	1.1	3.8	3.1	2	0.6	-
U3 - cutoff = 0.95	0.6	3.6	2.1	1.8	0.5	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						999.7
U2 - cutoff = 0.85						1054
U2 - cutoff = 0.95						1169.8
U3 - cutoff = 0.75						996.8
U3 - cutoff = 0.85						1050.1
U3 - cutoff = 0.95						1179

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0.03	0.09	0.30	0.40	0.45	
Efficacy rate	0.20	0.45	0.45	0.45	0.45	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - cutoff = 0.75	6.6	43.4	36	11.4	2.3	0.3
U2 - cutoff = 0.85	7.3	43.9	35.2	11.5	2	0.1
U2 - cutoff = 0.95	8.4	42.1	33.4	13.2	2.8	0
U3 - cutoff = 0.75	11.8	48.3	28.2	9.7	1.8	0.2
U3 - cutoff = 0.85	11	46.5	30.8	9.7	1.9	0.1
U3 - cutoff = 0.95	12.4	46.5	30.8	9	1.3	0
Mean administrations						
U2 - cutoff = 0.75	4.4	12.3	8.5	3.8	1	-
U2 - cutoff = 0.85	4.4	12.3	8.6	3.7	0.9	-
U2 - cutoff = 0.95	4.4	12.3	8.4	3.9	1.1	-
U3 - cutoff = 0.75	4.7	13.1	7.9	3.5	0.8	-
U3 - cutoff = 0.85	4.6	13.2	8	3.4	0.8	-
U3 - cutoff = 0.95	4.6	13.3	7.9	3.5	0.8	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.5	4.9	2.4	1.2	0.3	-
U2 - cutoff = 0.85	0.5	4.8	2.4	1.2	0.3	-
U2 - cutoff = 0.95	0.1	3	2.1	1.1	0.3	-
U3 - cutoff = 0.75	0.6	5.2	2.2	1.1	0.2	-
U3 - cutoff = 0.85	0.6	5.2	2.2	1	0.2	-
U3 - cutoff = 0.95	0.2	3	1.9	1	0.2	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1146.7
U2 - cutoff = 0.85						1149
U2 - cutoff = 0.95						1289.8
U3 - cutoff = 0.75						1140.9
U3 - cutoff = 0.85						1142.2
U3 - cutoff = 0.95						1307.3
Scenario 36						
DLT rate	0.13	0.29	0.35	0.40	0.43	
Efficacy rate	0.05	0.20	0.22	0.30	0.35	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - cutoff = 0.75	10.4	28.9	12.9	5	1.3	41.5
U2 - cutoff = 0.85	13.4	41.4	15.4	5.1	1	23.7
U2 - cutoff = 0.95	20.8	49.9	15.5	4.4	1.1	8.3
U3 - cutoff = 0.75	11.5	29.5	11.7	4.4	0.7	42.2
U3 - cutoff = 0.85	16.8	42.4	13.5	4	0.5	22.8
U3 - cutoff = 0.95	26.3	47.6	12.6	3.8	0.6	9.1
Mean administrations						
U2 - cutoff = 0.75	6.3	8.5	5	2.8	0.8	-
U2 - cutoff = 0.85	8.1	10.2	5.3	2.9	0.8	-
U2 - cutoff = 0.95	9.5	10.9	5.3	2.9	0.8	-
U3 - cutoff = 0.75	6.5	8.6	4.8	2.7	0.7	-
U3 - cutoff = 0.85	8.4	10.3	5.1	2.7	0.7	-
U3 - cutoff = 0.95	10.1	10.7	5	2.7	0.7	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.1	4.2	1.5	1.1	0.3	-
U2 - cutoff = 0.85	1.9	4.9	1.7	1.1	0.3	-
U2 - cutoff = 0.95	0.8	5	1.5	1	0.2	-
U3 - cutoff = 0.75	1.1	4.3	1.5	1	0.2	-
U3 - cutoff = 0.85	2	5	1.6	1	0.2	-
U3 - cutoff = 0.95	0.9	4.8	1.4	1	0.2	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						830.3
U2 - cutoff = 0.85						958.5
U2 - cutoff = 0.95						1147.2
U3 - cutoff = 0.75						824.5
U3 - cutoff = 0.85						957
U3 - cutoff = 0.95						1154.7

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.08	0.30	0.40	0.45	0.50	
Efficacy rate	0.05	0.20	0.20	0.20	0.20	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - cutoff = 0.75	9.7	35.1	12.8	2.7	0.4	39.3
U2 - cutoff = 0.85	13.4	50.2	13.7	2.5	0.4	19.8
U2 - cutoff = 0.95	20.3	58.9	13.6	2.5	0.4	4.3
U3 - cutoff = 0.75	11.4	34.9	11	1.9	0.5	40.3
U3 - cutoff = 0.85	16.1	50.3	11.6	2.4	0.2	19.4
U3 - cutoff = 0.95	24.4	57.5	11.4	2.2	0.2	4.3
Mean administrations						
U2 - cutoff = 0.75	6.3	9.7	5	2.4	0.7	-
U2 - cutoff = 0.85	7.9	11.6	5.4	2.5	0.7	-
U2 - cutoff = 0.95	9.2	12.2	5.3	2.4	0.6	-
U3 - cutoff = 0.75	6.5	9.8	4.8	2.4	0.6	-
U3 - cutoff = 0.85	8.3	11.5	5.2	2.4	0.6	-
U3 - cutoff = 0.95	9.7	11.9	5.1	2.4	0.6	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.1	4.8	1.5	0.9	0.2	-
U2 - cutoff = 0.85	1.8	5.5	1.7	1	0.2	-
U2 - cutoff = 0.95	0.9	5.2	1.6	0.9	0.2	-
U3 - cutoff = 0.75	1.2	4.8	1.5	0.9	0.2	-
U3 - cutoff = 0.85	2	5.5	1.6	0.9	0.2	-
U3 - cutoff = 0.95	1	5.1	1.5	0.9	0.2	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						854.2
U2 - cutoff = 0.85						979.6
U2 - cutoff = 0.95						1149.4
U3 - cutoff = 0.75						849.7
U3 - cutoff = 0.85						975.8
U3 - cutoff = 0.95						1149.8