

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.30	0.35	0.40	0.45	0.50	
Efficacy rate	0.05	0.06	0.07	0.08	0.09	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - cutoff = 0.75	4.6	1.3	0.1	0	0	94
U2 - cutoff = 0.85	11.5	2.8	0.2	0	0	85.5
U2 - cutoff = 0.95	23.7	8.8	0.1	0	0	67.4
U3 - cutoff = 0.75	4.7	1.3	0.1	0	0	93.9
U3 - cutoff = 0.85	11.7	2.3	0.2	0	0	85.8
U3 - cutoff = 0.95	24.4	7.6	0.1	0	0	67.9
Mean administrations						
U2 - cutoff = 0.75	8.2	2.1	0.9	0.2	0	-
U2 - cutoff = 0.85	11.7	2.4	1	0.2	0	-
U2 - cutoff = 0.95	16.9	3.1	1	0.2	0	-
U3 - cutoff = 0.75	8.2	2.1	0.9	0.2	0	-
U3 - cutoff = 0.85	11.7	2.4	1	0.2	0	-
U3 - cutoff = 0.95	16.8	3.2	0.9	0.2	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.1	1.3	0.3	0.1	0	-
U2 - cutoff = 0.85	3.5	1.3	0.4	0.1	0	-
U2 - cutoff = 0.95	0.5	1.8	0.3	0.1	0	-
U3 - cutoff = 0.75	2.1	1.3	0.3	0.1	0	-
U3 - cutoff = 0.85	3.5	1.3	0.4	0.1	0	-
U3 - cutoff = 0.95	0.4	1.8	0.3	0.1	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						411.9
U2 - cutoff = 0.85						543.2
U2 - cutoff = 0.95						1025.5
U3 - cutoff = 0.75						411.7
U3 - cutoff = 0.85						542.6
U3 - cutoff = 0.95						1024.3
Scenario 2						
DLT rate	0.15	0.20	0.30	0.35	0.45	
Efficacy rate	0.20	0.25	0.50	0.50	0.50	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - cutoff = 0.75	35.2	20.4	27.6	5.2	0.5	11.1
U2 - cutoff = 0.85	42.1	22.5	27.3	5	0.5	2.6
U2 - cutoff = 0.95	38.2	28.3	25	5.8	0.5	2.3
U3 - cutoff = 0.75	38.2	20.7	24.8	4.7	0.4	11.2
U3 - cutoff = 0.85	45	22.5	24.9	4.4	0.5	2.7
U3 - cutoff = 0.95	40.6	28.1	23.2	5.4	0.5	2.3
Mean administrations						
U2 - cutoff = 0.75	12.2	5.9	6.4	2.7	0.8	-
U2 - cutoff = 0.85	13.6	6	6.3	2.7	0.8	-
U2 - cutoff = 0.95	13.3	6.7	6.1	2.6	0.9	-
U3 - cutoff = 0.75	12.2	6	6.3	2.7	0.8	-
U3 - cutoff = 0.85	13.6	6	6.3	2.7	0.8	-
U3 - cutoff = 0.95	13.5	6.6	6.1	2.6	0.9	-
Mean IPDE administrations						
U2 - cutoff = 0.75	3.6	2.7	1.8	0.8	0.2	-
U2 - cutoff = 0.85	4.1	2.8	1.8	0.7	0.2	-
U2 - cutoff = 0.95	0.4	2.6	1.2	0.6	0.2	-
U3 - cutoff = 0.75	3.5	2.8	1.8	0.7	0.2	-
U3 - cutoff = 0.85	4.1	2.8	1.8	0.8	0.2	-
U3 - cutoff = 0.95	0.5	2.6	1.2	0.6	0.2	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1046
U2 - cutoff = 0.85						1092.7
U2 - cutoff = 0.95						1361.9
U3 - cutoff = 0.75						1045.4
U3 - cutoff = 0.85						1093.2
U3 - cutoff = 0.95						1359.1

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.15	0.20	0.30	0.35	0.45	
Efficacy rate	0.10	0.40	0.40	0.40	0.40	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - cutoff = 0.75	11.7	37.6	16	4.3	0.5	29.9
U2 - cutoff = 0.85	19	41.3	17.3	3.6	0.5	18.3
U2 - cutoff = 0.95	18.4	49.4	14.7	5.1	0.3	12.1
U3 - cutoff = 0.75	12	39.5	14.1	4	0.3	30.1
U3 - cutoff = 0.85	20.5	44.1	13.5	3.5	0.3	18.1
U3 - cutoff = 0.95	20.9	50.1	12.5	4.6	0.1	11.9
Mean administrations						
U2 - cutoff = 0.75	8	7.8	5.3	2.5	0.8	-
U2 - cutoff = 0.85	10.4	8	5.3	2.5	0.8	-
U2 - cutoff = 0.95	11.7	8.6	5	2.5	0.7	-
U3 - cutoff = 0.75	8	7.9	5.3	2.5	0.8	-
U3 - cutoff = 0.85	10.4	8.1	5.2	2.5	0.8	-
U3 - cutoff = 0.95	11.7	8.6	4.9	2.6	0.7	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.1	3.4	1.5	0.8	0.2	-
U2 - cutoff = 0.85	3.1	3.4	1.5	0.8	0.2	-
U2 - cutoff = 0.95	0.2	3.1	1	0.7	0.2	-
U3 - cutoff = 0.75	2.1	3.4	1.5	0.8	0.3	-
U3 - cutoff = 0.85	3.1	3.4	1.5	0.8	0.2	-
U3 - cutoff = 0.95	0.2	3.1	1	0.7	0.2	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						907.9
U2 - cutoff = 0.85						987.2
U2 - cutoff = 0.95						1295
U3 - cutoff = 0.75						907.8
U3 - cutoff = 0.85						987.3
U3 - cutoff = 0.95						1295.3
Scenario 4						
DLT rate	0.05	0.10	0.18	0.30	0.40	
Efficacy rate	0.05	0.10	0.25	0.50	0.55	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - cutoff = 0.75	7.8	10.9	25.5	39.4	8	8.4
U2 - cutoff = 0.85	7.4	12.3	27.2	40.5	8	4.6
U2 - cutoff = 0.95	8.8	13.3	25.9	41.4	8.6	2.1
U3 - cutoff = 0.75	11.9	11.1	24.5	38.4	5.8	8.3
U3 - cutoff = 0.85	12.9	11.7	25.3	38.6	6.9	4.6
U3 - cutoff = 0.95	13.9	13.7	21.4	41.5	7.3	2.2
Mean administrations						
U2 - cutoff = 0.75	4.3	4.7	7.4	7.8	4.5	-
U2 - cutoff = 0.85	4.6	4.8	7.5	7.8	4.5	-
U2 - cutoff = 0.95	5	5.3	7.4	8	4	-
U3 - cutoff = 0.75	4.3	4.7	7.4	7.8	4.5	-
U3 - cutoff = 0.85	4.6	4.8	7.5	7.9	4.4	-
U3 - cutoff = 0.95	5	5.3	7.5	8	4	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.6	3	2.3	2.6	1.1	-
U2 - cutoff = 0.85	0.7	3	2.4	2.6	1.1	-
U2 - cutoff = 0.95	0.3	3.1	1.5	2.2	0.6	-
U3 - cutoff = 0.75	0.6	3	2.3	2.6	1.1	-
U3 - cutoff = 0.85	0.7	3	2.4	2.6	1.1	-
U3 - cutoff = 0.95	0.4	3.1	1.5	2.2	0.6	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1049.2
U2 - cutoff = 0.85						1067.1
U2 - cutoff = 0.95						1210.6
U3 - cutoff = 0.75						1050.3
U3 - cutoff = 0.85						1065.5
U3 - cutoff = 0.95						1212.4

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.07	0.12	0.17	0.22	0.30	
Efficacy rate	0.05	0.30	0.30	0.30	0.30	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - cutoff = 0.75	3.1	33	27.3	19.7	6.7	10.2
U2 - cutoff = 0.85	3.6	35.1	26.6	19.6	7	8.1
U2 - cutoff = 0.95	5.8	37.1	25.9	21.4	5.3	4.5
U3 - cutoff = 0.75	5.5	37.8	25.2	16.5	4.8	10.2
U3 - cutoff = 0.85	6.1	40.8	24.2	16.1	4.7	8.1
U3 - cutoff = 0.95	7.9	42.5	23.5	18	3.5	4.6
Mean administrations						
U2 - cutoff = 0.75	4.3	6.6	6.8	5.9	4.2	-
U2 - cutoff = 0.85	4.8	6.8	6.9	5.8	4.3	-
U2 - cutoff = 0.95	5.3	7.3	6.6	6.2	3.9	-
U3 - cutoff = 0.75	4.3	6.6	6.8	5.9	4.2	-
U3 - cutoff = 0.85	4.8	6.8	6.9	5.8	4.3	-
U3 - cutoff = 0.95	5.4	7.2	6.7	6.1	3.9	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.6	3.5	2.1	2.2	1.5	-
U2 - cutoff = 0.85	0.8	3.6	2.2	2.2	1.5	-
U2 - cutoff = 0.95	0.2	3.4	1.6	2.2	0.9	-
U3 - cutoff = 0.75	0.6	3.5	2.1	2.2	1.5	-
U3 - cutoff = 0.85	0.8	3.6	2.2	2.2	1.6	-
U3 - cutoff = 0.95	0.2	3.4	1.6	2.1	0.9	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						979.7
U2 - cutoff = 0.85						1000.9
U2 - cutoff = 0.95						1155.6
U3 - cutoff = 0.75						979.7
U3 - cutoff = 0.85						1001
U3 - cutoff = 0.95						1156.2
Scenario 6						
DLT rate	0.29	0.34	0.38	0.43	0.52	
Efficacy rate	0.30	0.32	0.35	0.38	0.40	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - cutoff = 0.75	62	6.5	1	0.2	0	30.3
U2 - cutoff = 0.85	64.6	6.5	1.3	0.1	0	27.5
U2 - cutoff = 0.95	69.9	12.8	1.2	0.1	0	16
U3 - cutoff = 0.75	62.9	5.8	0.9	0.2	0	30.2
U3 - cutoff = 0.85	66	6	0.8	0.2	0	27
U3 - cutoff = 0.95	71.2	11.5	0.8	0.2	0	16.2
Mean administrations						
U2 - cutoff = 0.75	19.7	3.2	1.3	0.3	0	-
U2 - cutoff = 0.85	20.5	3.2	1.4	0.3	0	-
U2 - cutoff = 0.95	21.7	3.8	1.3	0.3	0	-
U3 - cutoff = 0.75	19.7	3.2	1.4	0.3	0	-
U3 - cutoff = 0.85	20.5	3.2	1.4	0.3	0	-
U3 - cutoff = 0.95	21.7	3.8	1.3	0.3	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	5.5	1.3	0.4	0.1	0	-
U2 - cutoff = 0.85	5.7	1.3	0.4	0.1	0	-
U2 - cutoff = 0.95	0.4	1.5	0.3	0.1	0	-
U3 - cutoff = 0.75	5.5	1.3	0.4	0.1	0	-
U3 - cutoff = 0.85	5.7	1.3	0.4	0.1	0	-
U3 - cutoff = 0.95	0.4	1.5	0.3	0.1	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						951.5
U2 - cutoff = 0.85						978.2
U2 - cutoff = 0.95						1377
U3 - cutoff = 0.75						951.6
U3 - cutoff = 0.85						979.3
U3 - cutoff = 0.95						1375.2

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.16	0.20	0.26	0.31	0.36	
Efficacy rate	0.20	0.50	0.50	0.50	0.50	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - cutoff = 0.75	28.7	37.3	16.6	5.3	1.3	10.8
U2 - cutoff = 0.85	35.4	39.2	15.9	4.8	1.3	3.4
U2 - cutoff = 0.95	28.9	47.1	13.4	6.9	0.9	2.8
U3 - cutoff = 0.75	30.6	39.6	13.3	4.9	0.6	11
U3 - cutoff = 0.85	36	41.6	13.4	4.8	0.7	3.5
U3 - cutoff = 0.95	30	50.1	10.4	6.1	0.5	2.9
Mean administrations						
U2 - cutoff = 0.75	11.6	7.3	5.1	2.6	1.3	-
U2 - cutoff = 0.85	13	7.5	4.9	2.7	1.3	-
U2 - cutoff = 0.95	12.7	8.2	4.9	2.8	1	-
U3 - cutoff = 0.75	11.6	7.4	5.1	2.6	1.2	-
U3 - cutoff = 0.85	13	7.5	5.1	2.6	1.2	-
U3 - cutoff = 0.95	12.8	8.1	4.8	2.8	1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	3.3	3	1.3	0.8	0.4	-
U2 - cutoff = 0.85	3.8	3	1.2	0.8	0.4	-
U2 - cutoff = 0.95	0.2	2.8	0.9	0.7	0.2	-
U3 - cutoff = 0.75	3.3	3	1.3	0.8	0.4	-
U3 - cutoff = 0.85	3.8	3	1.3	0.8	0.4	-
U3 - cutoff = 0.95	0.2	2.7	0.9	0.7	0.2	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1061.7
U2 - cutoff = 0.85						1110.4
U2 - cutoff = 0.95						1369.2
U3 - cutoff = 0.75						1062
U3 - cutoff = 0.85						1110.2
U3 - cutoff = 0.95						1367.3
Scenario 8						
DLT rate	0.32	0.37	0.42	0.48	0.52	
Efficacy rate	0.10	0.15	0.20	0.30	0.40	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - cutoff = 0.75	13.9	2	0.6	0	0	83.5
U2 - cutoff = 0.85	26.9	2.3	0.6	0	0	70.2
U2 - cutoff = 0.95	41.8	5.9	0.5	0.2	0	51.6
U3 - cutoff = 0.75	14.1	2	0.4	0	0	83.5
U3 - cutoff = 0.85	27.2	2.3	0.4	0	0	70.1
U3 - cutoff = 0.95	42.4	5	0.5	0.2	0	51.9
Mean administrations						
U2 - cutoff = 0.75	11.1	2.2	0.8	0.1	0	-
U2 - cutoff = 0.85	14.9	2.3	0.8	0.1	0	-
U2 - cutoff = 0.95	19.2	2.8	0.8	0.1	0	-
U3 - cutoff = 0.75	11.1	2.2	0.8	0.1	0	-
U3 - cutoff = 0.85	14.9	2.3	0.8	0.1	0	-
U3 - cutoff = 0.95	19.1	2.8	0.9	0.1	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	3.2	1.2	0.3	0.1	0	-
U2 - cutoff = 0.85	4.6	1.2	0.3	0.1	0	-
U2 - cutoff = 0.95	0.3	1.4	0.2	0.1	0	-
U3 - cutoff = 0.75	3.2	1.2	0.3	0.1	0	-
U3 - cutoff = 0.85	4.6	1.2	0.3	0.1	0	-
U3 - cutoff = 0.95	0.3	1.4	0.2	0.1	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						524.4
U2 - cutoff = 0.85						656.6
U2 - cutoff = 0.95						1159.5
U3 - cutoff = 0.75						523.5
U3 - cutoff = 0.85						656.6
U3 - cutoff = 0.95						1159.1

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.15	0.18	0.22	0.26	0.29	
Efficacy rate	0.05	0.08	0.20	0.25	0.50	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - cutoff = 0.75	8.1	8.3	16.9	9.5	11.2	46
U2 - cutoff = 0.85	12.5	13.9	17.2	9.9	11.2	35.3
U2 - cutoff = 0.95	19.9	21.2	15.8	10.4	10.8	22
U3 - cutoff = 0.75	12.6	9.2	13.8	8.7	10.1	45.6
U3 - cutoff = 0.85	16.8	13.3	16.2	9	9.3	35.4
U3 - cutoff = 0.95	25.5	20.3	12.8	10.7	8.6	22.1
Mean administrations						
U2 - cutoff = 0.75	6.5	4.5	5	3.1	2.6	-
U2 - cutoff = 0.85	8.5	5	5.1	3.1	2.6	-
U2 - cutoff = 0.95	10.8	5.6	5	3.3	2.4	-
U3 - cutoff = 0.75	6.5	4.5	5	3.1	2.6	-
U3 - cutoff = 0.85	8.5	4.9	5.1	3.1	2.6	-
U3 - cutoff = 0.95	10.6	5.8	4.9	3.4	2.4	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.5	2.6	1.8	1.3	0.8	-
U2 - cutoff = 0.85	2.3	2.8	1.8	1.3	0.8	-
U2 - cutoff = 0.95	0.6	2.9	1.2	1.1	0.4	-
U3 - cutoff = 0.75	1.5	2.6	1.8	1.3	0.8	-
U3 - cutoff = 0.85	2.3	2.8	1.8	1.3	0.8	-
U3 - cutoff = 0.95	0.6	2.9	1.2	1.1	0.4	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						754.6
U2 - cutoff = 0.95						837.8
U3 - cutoff = 0.75						1149.3
U3 - cutoff = 0.85						755.1
U3 - cutoff = 0.95						837.2
						1151.4
Scenario 10						
DLT rate	0.23	0.28	0.32	0.39	0.43	
Efficacy rate	0.05	0.40	0.42	0.45	0.50	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - cutoff = 0.75	4.9	18.8	6.6	1.7	0.4	67.6
U2 - cutoff = 0.85	11	20.9	6.7	1.5	0.4	59.5
U2 - cutoff = 0.95	15.3	30.8	6.2	1.2	0.5	46.1
U3 - cutoff = 0.75	5.9	18.9	5.9	1.5	0.3	67.5
U3 - cutoff = 0.85	11.6	21.2	5.8	1.6	0.3	59.5
U3 - cutoff = 0.95	15.5	32.4	5	1	0.5	45.6
Mean administrations						
U2 - cutoff = 0.75	7.3	5	2.8	1	0.3	-
U2 - cutoff = 0.85	10.4	5.1	2.9	1	0.3	-
U2 - cutoff = 0.95	14.1	6.1	2.7	0.9	0.3	-
U3 - cutoff = 0.75	7.3	5	2.8	1	0.3	-
U3 - cutoff = 0.85	10.3	5.2	2.9	1	0.2	-
U3 - cutoff = 0.95	14	6.1	2.7	1	0.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.7	2.3	0.8	0.3	0.1	-
U2 - cutoff = 0.85	3	2.3	0.8	0.3	0.1	-
U2 - cutoff = 0.95	0.1	2.3	0.5	0.3	0	-
U3 - cutoff = 0.75	1.7	2.3	0.8	0.3	0.1	-
U3 - cutoff = 0.85	2.9	2.3	0.8	0.3	0.1	-
U3 - cutoff = 0.95	0.2	2.3	0.5	0.3	0	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						605.1
U2 - cutoff = 0.95						714.5
U3 - cutoff = 0.75						1139.9
U3 - cutoff = 0.85						605.4
U3 - cutoff = 0.95						714.8
						1141.1

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.22	0.32	0.44	0.59	0.67	
Efficacy rate	0.20	0.20	0.20	0.20	0.20	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - cutoff = 0.75	59.7	10.9	0.8	0.1	0	28.5
U2 - cutoff = 0.85	72.1	13.4	0.5	0.1	0	13.9
U2 - cutoff = 0.95	65.2	25	1	0	0	8.8
U3 - cutoff = 0.75	60.5	10.2	0.5	0.1	0	28.7
U3 - cutoff = 0.85	73	12.6	0.5	0.1	0	13.8
U3 - cutoff = 0.95	66.9	23.5	0.6	0	0	9
Mean administrations						
U2 - cutoff = 0.75	17.7	5.1	1.9	0.3	0	-
U2 - cutoff = 0.85	20.3	5.2	1.9	0.3	0	-
U2 - cutoff = 0.95	20.9	5.8	1.8	0.3	0	-
U3 - cutoff = 0.75	17.6	5.1	1.9	0.3	0	-
U3 - cutoff = 0.85	20.3	5.2	1.9	0.3	0	-
U3 - cutoff = 0.95	20.8	5.8	1.8	0.3	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	5.4	2.3	0.7	0.1	0	-
U2 - cutoff = 0.85	6.4	2.4	0.7	0.1	0	-
U2 - cutoff = 0.95	0.6	2.3	0.5	0.1	0	-
U3 - cutoff = 0.75	5.4	2.3	0.6	0.1	0	-
U3 - cutoff = 0.85	6.4	2.4	0.7	0.1	0	-
U3 - cutoff = 0.95	0.6	2.3	0.5	0.2	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						904.2
U2 - cutoff = 0.85						995.1
U2 - cutoff = 0.95						1394.1
U3 - cutoff = 0.75						902.1
U3 - cutoff = 0.85						995.5
U3 - cutoff = 0.95						1390.3
Scenario 12						
DLT rate	0.06	0.09	0.18	0.29	0.44	
Efficacy rate	0.05	0.10	0.12	0.40	0.60	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - cutoff = 0.75	14.3	16	13.3	33.3	9.2	13.9
U2 - cutoff = 0.85	16.3	17.9	15.5	34	9.9	6.4
U2 - cutoff = 0.95	19.2	17.8	13.2	34.3	12	3.5
U3 - cutoff = 0.75	18.8	15.9	9.9	32.6	9	13.8
U3 - cutoff = 0.85	21.5	18.7	10.7	33.5	9.1	6.5
U3 - cutoff = 0.95	24.6	17.8	9.4	33.1	11.5	3.6
Mean administrations						
U2 - cutoff = 0.75	4.7	5.5	6.1	7.2	4.7	-
U2 - cutoff = 0.85	5.2	5.5	6.3	7.3	4.7	-
U2 - cutoff = 0.95	5.6	5.8	6.2	7.4	4.4	-
U3 - cutoff = 0.75	4.7	5.4	6.1	7.1	4.8	-
U3 - cutoff = 0.85	5.2	5.5	6.3	7.2	4.7	-
U3 - cutoff = 0.95	5.6	5.8	6.2	7.5	4.4	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.8	3.3	2	2.7	1.1	-
U2 - cutoff = 0.85	1	3.3	2.1	2.7	1.1	-
U2 - cutoff = 0.95	0.4	3.2	1.5	2.3	0.6	-
U3 - cutoff = 0.75	0.8	3.2	2	2.6	1.1	-
U3 - cutoff = 0.85	1	3.3	2.1	2.7	1.1	-
U3 - cutoff = 0.95	0.4	3.2	1.5	2.3	0.6	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1005.6
U2 - cutoff = 0.85						1030.6
U2 - cutoff = 0.95						1178.2
U3 - cutoff = 0.75						1003.6
U3 - cutoff = 0.85						1030.9
U3 - cutoff = 0.95						1182.9

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.21	0.29	0.30	0.39	0.46	
Efficacy rate	0.05	0.30	0.32	0.35	0.40	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - cutoff = 0.75	8.2	19.7	6.7	1	0.3	64.1
U2 - cutoff = 0.85	13.6	23.6	6.4	1.2	0.3	54.9
U2 - cutoff = 0.95	16.1	32.9	7.6	2.2	0.2	40.9
U3 - cutoff = 0.75	8.4	20.1	6.2	1	0.2	64.1
U3 - cutoff = 0.85	14.8	23.5	6.1	1	0.3	54.3
U3 - cutoff = 0.95	18.1	33.9	5.4	1.4	0.2	40.9
Mean administrations						
U2 - cutoff = 0.75	7.3	5.5	3.1	1.1	0.3	-
U2 - cutoff = 0.85	10.4	5.7	3.1	1.1	0.3	-
U2 - cutoff = 0.95	13.8	6.3	3.2	1.1	0.3	-
U3 - cutoff = 0.75	7.3	5.4	3.1	1.1	0.3	-
U3 - cutoff = 0.85	10.3	5.6	3.1	1.1	0.3	-
U3 - cutoff = 0.95	13.8	6.4	3.1	1.1	0.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.7	2.6	1	0.4	0.1	-
U2 - cutoff = 0.85	3	2.7	1	0.4	0.1	-
U2 - cutoff = 0.95	0.2	2.5	0.7	0.4	0.1	-
U3 - cutoff = 0.75	1.7	2.6	1	0.4	0.1	-
U3 - cutoff = 0.85	3	2.7	1	0.4	0.1	-
U3 - cutoff = 0.95	0.2	2.5	0.7	0.4	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						621.3
U2 - cutoff = 0.85						733
U2 - cutoff = 0.95						1143.7
U3 - cutoff = 0.75						622.3
U3 - cutoff = 0.85						730.9
U3 - cutoff = 0.95						1143.6
Scenario 14						
DLT rate	0.09	0.15	0.23	0.28	0.39	
Efficacy rate	0.05	0.08	0.12	0.30	0.40	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - cutoff = 0.75	15.8	14.1	13.7	18.7	5.6	32.1
U2 - cutoff = 0.85	20.1	20.3	16.9	18.9	6	17.8
U2 - cutoff = 0.95	25.4	23.8	14.9	21.3	6.4	8.2
U3 - cutoff = 0.75	20.9	14.4	10	17.8	5.4	31.5
U3 - cutoff = 0.85	28	20.2	11.3	17.7	4.9	17.9
U3 - cutoff = 0.95	34.3	23.8	9	19.4	4.9	8.5
Mean administrations						
U2 - cutoff = 0.75	5.8	5.5	6	5.1	2.9	-
U2 - cutoff = 0.85	7	6	6.3	5	3	-
U2 - cutoff = 0.95	8	6.7	6.3	5.2	2.7	-
U3 - cutoff = 0.75	5.8	5.6	5.9	5	3	-
U3 - cutoff = 0.85	7	6	6.3	5	3	-
U3 - cutoff = 0.95	7.9	6.5	6.2	5.3	2.8	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.2	3.2	2.1	2	0.9	-
U2 - cutoff = 0.85	1.8	3.4	2.2	2	0.9	-
U2 - cutoff = 0.95	0.8	3.5	1.5	1.7	0.5	-
U3 - cutoff = 0.75	1.3	3.2	2.1	2	0.9	-
U3 - cutoff = 0.85	1.8	3.4	2.2	2	0.9	-
U3 - cutoff = 0.95	0.7	3.5	1.4	1.7	0.5	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						871.8
U2 - cutoff = 0.85						930.3
U2 - cutoff = 0.95						1150.4
U3 - cutoff = 0.75						870.5
U3 - cutoff = 0.85						931.3
U3 - cutoff = 0.95						1153.9

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.13	0.20	0.32	0.39	0.46	
Efficacy rate	0.10	0.10	0.10	0.10	0.10	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - cutoff = 0.75	30.7	19.4	6.2	1.9	0.1	41.7
U2 - cutoff = 0.85	44.9	26.9	7.9	1.6	0.1	18.6
U2 - cutoff = 0.95	48	35.1	6.4	2	0.1	8.4
U3 - cutoff = 0.75	36.1	17.7	3.6	1.1	0.1	41.4
U3 - cutoff = 0.85	50.8	24.9	4.4	1.4	0.1	18.4
U3 - cutoff = 0.95	55	31	4.2	1	0.1	8.8
Mean administrations						
U2 - cutoff = 0.75	9.7	7.1	4.9	2	0.6	-
U2 - cutoff = 0.85	12	7.6	5.1	1.9	0.6	-
U2 - cutoff = 0.95	13.3	8.2	4.9	1.9	0.6	-
U3 - cutoff = 0.75	9.7	7.1	4.8	2	0.6	-
U3 - cutoff = 0.85	12.1	7.6	5.1	2	0.6	-
U3 - cutoff = 0.95	13.3	8.2	4.8	1.9	0.6	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.8	3.6	1.7	0.9	0.2	-
U2 - cutoff = 0.85	3.8	3.8	1.8	0.9	0.2	-
U2 - cutoff = 0.95	1	3.7	1.3	0.9	0.2	-
U3 - cutoff = 0.75	2.8	3.6	1.7	0.9	0.2	-
U3 - cutoff = 0.85	3.8	3.8	1.8	0.9	0.2	-
U3 - cutoff = 0.95	1	3.7	1.3	0.9	0.2	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						818.3
U2 - cutoff = 0.85						915.8
U2 - cutoff = 0.95						1201.4
U3 - cutoff = 0.75						819.5
U3 - cutoff = 0.85						915.5
U3 - cutoff = 0.95						1206.3
Scenario 16						
DLT rate	0.02	0.06	0.09	0.14	0.26	
Efficacy rate	0.20	0.20	0.20	0.20	0.20	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - cutoff = 0.75	26	29.8	18.3	15	10.9	0
U2 - cutoff = 0.85	23.9	33	18.5	14.4	10.2	0
U2 - cutoff = 0.95	26.7	34.2	16.1	15.8	7.1	0.1
U3 - cutoff = 0.75	31.7	35.1	16.3	11.1	5.8	0
U3 - cutoff = 0.85	31.8	36	14.9	10.9	6.4	0
U3 - cutoff = 0.95	32.2	37.9	12.2	13.7	3.8	0.1
Mean administrations						
U2 - cutoff = 0.75	5.2	5.8	5.4	6.8	6.8	-
U2 - cutoff = 0.85	5.6	6.2	5.5	5.9	6.8	-
U2 - cutoff = 0.95	5.6	6.3	5.7	6.1	6.3	-
U3 - cutoff = 0.75	5.3	5.8	5.3	6.8	6.8	-
U3 - cutoff = 0.85	5.6	6.1	5.5	6	6.8	-
U3 - cutoff = 0.95	5.7	6.4	5.5	6.1	6.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.9	3.2	1.9	3	2.6	-
U2 - cutoff = 0.85	1.1	3.4	1.9	2.6	2.7	-
U2 - cutoff = 0.95	0.9	3.4	1.8	2.7	1.4	-
U3 - cutoff = 0.75	1	3.2	1.8	3	2.6	-
U3 - cutoff = 0.85	1.1	3.4	1.9	2.7	2.6	-
U3 - cutoff = 0.95	0.9	3.4	1.7	2.7	1.5	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1008.5
U2 - cutoff = 0.85						1007.3
U2 - cutoff = 0.95						1089.9
U3 - cutoff = 0.75						1008.8
U3 - cutoff = 0.85						1007.7
U3 - cutoff = 0.95						1092

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.11	0.23	0.39	0.58	0.76	
Efficacy rate	0.30	0.50	0.50	0.50	0.50	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - cutoff = 0.75	32.3	55.8	8.8	0.4	0	2.7
U2 - cutoff = 0.85	34	55.2	10	0.3	0	0.5
U2 - cutoff = 0.95	29.4	59.1	10.6	0.6	0	0.3
U3 - cutoff = 0.75	35.2	53.6	8.1	0.3	0	2.8
U3 - cutoff = 0.85	36.6	54.9	8	0.1	0	0.4
U3 - cutoff = 0.95	32.3	57.9	9.1	0.4	0	0.4
Mean administrations						
U2 - cutoff = 0.75	11.4	10.8	6.1	1.2	0.1	-
U2 - cutoff = 0.85	11.7	10.6	6.2	1.2	0.1	-
U2 - cutoff = 0.95	11.8	11.1	5.7	1.3	0.1	-
U3 - cutoff = 0.75	11.4	10.7	6	1.3	0.1	-
U3 - cutoff = 0.85	11.7	10.7	6.1	1.2	0.1	-
U3 - cutoff = 0.95	11.7	11.2	5.6	1.3	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.9	3.7	1.4	0.4	0	-
U2 - cutoff = 0.85	3.1	3.6	1.4	0.4	0	-
U2 - cutoff = 0.95	0.4	3	1	0.4	0	-
U3 - cutoff = 0.75	3	3.7	1.4	0.4	0	-
U3 - cutoff = 0.85	3.1	3.7	1.4	0.4	0	-
U3 - cutoff = 0.95	0.5	2.9	1	0.4	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1164.1
U2 - cutoff = 0.85						1177.3
U2 - cutoff = 0.95						1387.1
U3 - cutoff = 0.75						1164.2
U3 - cutoff = 0.85						1177.8
U3 - cutoff = 0.95						1389.5
Scenario 18						
DLT rate	0.02	0.04	0.10	0.20	0.35	
Efficacy rate	0.05	0.10	0.15	0.20	0.50	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - cutoff = 0.75	9	13.6	12	21.2	42	2.2
U2 - cutoff = 0.85	9	14.3	12.5	19.9	43.4	0.9
U2 - cutoff = 0.95	10.1	14.8	11.3	22.1	40.9	0.8
U3 - cutoff = 0.75	13.9	15.1	12.2	17.5	38.9	2.4
U3 - cutoff = 0.85	14	15.9	13.4	17.5	38.3	0.9
U3 - cutoff = 0.95	16	18.1	10.1	19.4	35.5	0.8
Mean administrations						
U2 - cutoff = 0.75	3.6	4.1	5	6	10.9	-
U2 - cutoff = 0.85	3.7	4.1	5	6	11.1	-
U2 - cutoff = 0.95	3.9	4.5	5.2	6.5	9.9	-
U3 - cutoff = 0.75	3.6	4.1	5	6	11	-
U3 - cutoff = 0.85	3.7	4.1	5	6	11	-
U3 - cutoff = 0.95	4	4.5	5.3	6.4	9.7	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.3	2.8	1.7	2.7	3.1	-
U2 - cutoff = 0.85	0.3	2.8	1.6	2.6	3.1	-
U2 - cutoff = 0.95	0.3	2.9	1.5	2.5	1.4	-
U3 - cutoff = 0.75	0.3	2.8	1.7	2.7	3.1	-
U3 - cutoff = 0.85	0.3	2.8	1.7	2.7	3.1	-
U3 - cutoff = 0.95	0.3	2.9	1.5	2.5	1.4	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1056.5
U2 - cutoff = 0.85						1063
U2 - cutoff = 0.95						1180.6
U3 - cutoff = 0.75						1057.4
U3 - cutoff = 0.85						1062.5
U3 - cutoff = 0.95						1179.1

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.11	0.26	0.39	0.60	0.77	
Efficacy rate	0.08	0.30	0.32	0.35	0.40	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - cutoff = 0.75	18.3	40.9	6.4	0.3	0	34.1
U2 - cutoff = 0.85	25.1	49.1	7.2	0.3	0	18.3
U2 - cutoff = 0.95	24.2	56.3	8.7	0.5	0	10.4
U3 - cutoff = 0.75	19.1	40.7	6.1	0.2	0	33.9
U3 - cutoff = 0.85	26.9	47.9	6.3	0.3	0	18.6
U3 - cutoff = 0.95	25.5	55.2	8.4	0.2	0	10.7
Mean administrations						
U2 - cutoff = 0.75	7.8	10.1	5.4	1	0.1	-
U2 - cutoff = 0.85	9.9	10.7	5.3	1	0.1	-
U2 - cutoff = 0.95	11.4	11.1	5	1.1	0.1	-
U3 - cutoff = 0.75	7.8	10.1	5.4	1	0.1	-
U3 - cutoff = 0.85	9.9	10.6	5.3	1	0.1	-
U3 - cutoff = 0.95	11.4	11	5	1.1	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.9	4.4	1.6	0.4	0	-
U2 - cutoff = 0.85	2.8	4.6	1.6	0.4	0	-
U2 - cutoff = 0.95	0.5	3.6	1	0.4	0	-
U3 - cutoff = 0.75	1.9	4.4	1.6	0.4	0	-
U3 - cutoff = 0.85	2.8	4.6	1.6	0.4	0	-
U3 - cutoff = 0.95	0.5	3.7	1	0.5	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						881.5
U2 - cutoff = 0.85						964.5
U2 - cutoff = 0.95						1272.3
U3 - cutoff = 0.75						880.1
U3 - cutoff = 0.85						963.2
U3 - cutoff = 0.95						1269.4
Scenario 20						
DLT rate	0.07	0.14	0.31	0.41	0.52	
Efficacy rate	0.05	0.25	0.25	0.25	0.25	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - cutoff = 0.75	9.5	46.8	23.9	5.1	0.1	14.6
U2 - cutoff = 0.85	10.7	50.6	25	4.4	0	9.3
U2 - cutoff = 0.95	11.6	54.3	24.2	5.2	0.2	4.5
U3 - cutoff = 0.75	12.2	47.8	21.4	4.1	0.1	14.4
U3 - cutoff = 0.85	14	51.1	22	3.8	0.1	9
U3 - cutoff = 0.95	15.7	52.8	21.8	4.6	0.2	4.8
Mean administrations						
U2 - cutoff = 0.75	5.1	9.6	8.4	3.3	1	-
U2 - cutoff = 0.85	5.8	9.8	8.4	3.3	1	-
U2 - cutoff = 0.95	6.4	10.5	8.2	3.2	0.9	-
U3 - cutoff = 0.75	5.1	9.7	8.4	3.2	1	-
U3 - cutoff = 0.85	5.7	9.8	8.6	3.3	1	-
U3 - cutoff = 0.95	6.4	10.4	8.2	3.2	1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.9	4.7	2.6	1.3	0.4	-
U2 - cutoff = 0.85	1.2	4.7	2.6	1.3	0.4	-
U2 - cutoff = 0.95	0.4	3.8	1.7	1.2	0.2	-
U3 - cutoff = 0.75	0.9	4.7	2.6	1.3	0.4	-
U3 - cutoff = 0.85	1.2	4.8	2.7	1.3	0.4	-
U3 - cutoff = 0.95	0.4	3.8	1.7	1.2	0.2	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						964.9
U2 - cutoff = 0.85						993.2
U2 - cutoff = 0.95						1200.4
U3 - cutoff = 0.75						966.2
U3 - cutoff = 0.85						994
U3 - cutoff = 0.95						1204.6

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.37	0.56	0.69	0.83	0.88	
Efficacy rate	0.50	0.50	0.50	0.50	0.50	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - cutoff = 0.75	38	0.2	0	0	0	61.8
U2 - cutoff = 0.85	37.4	0.2	0	0	0	62.4
U2 - cutoff = 0.95	56.5	1.8	0	0	0	41.6
U3 - cutoff = 0.75	37.5	0.2	0	0	0	62.3
U3 - cutoff = 0.85	37.8	0.2	0	0	0	62
U3 - cutoff = 0.95	55.8	1.7	0	0	0	42.5
Mean administrations						
U2 - cutoff = 0.75	18.7	1.4	0.2	0	0	-
U2 - cutoff = 0.85	18.7	1.4	0.2	0	0	-
U2 - cutoff = 0.95	21.4	1.5	0.2	0	0	-
U3 - cutoff = 0.75	18.7	1.4	0.2	0	0	-
U3 - cutoff = 0.85	18.8	1.4	0.2	0	0	-
U3 - cutoff = 0.95	21.2	1.5	0.2	0	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	3.8	0.5	0.1	0	0	-
U2 - cutoff = 0.85	3.8	0.5	0.1	0	0	-
U2 - cutoff = 0.95	0.1	0.6	0.1	0	0	-
U3 - cutoff = 0.75	3.8	0.5	0.1	0	0	-
U3 - cutoff = 0.85	3.8	0.5	0.1	0	0	-
U3 - cutoff = 0.95	0.1	0.6	0.1	0	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						882.6
U2 - cutoff = 0.85						878.7
U2 - cutoff = 0.95						1244.3
U3 - cutoff = 0.75						879.9
U3 - cutoff = 0.85						882.7
U3 - cutoff = 0.95						1236.7
Scenario 22						
DLT rate	0.07	0.27	0.50	0.56	0.78	
Efficacy rate	0.08	0.25	0.25	0.50	0.50	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - cutoff = 0.75	23.7	40.4	4.8	0	0	31.1
U2 - cutoff = 0.85	30.2	52	5.6	0.1	0	12.1
U2 - cutoff = 0.95	26.6	59	9.1	0.2	0	5.1
U3 - cutoff = 0.75	24.5	40.5	3.7	0	0	31.3
U3 - cutoff = 0.85	33	49.8	5.1	0.1	0	12
U3 - cutoff = 0.95	30	57.6	6.6	0.1	0	5.6
Mean administrations						
U2 - cutoff = 0.75	7.8	12.2	4.8	0.7	0	-
U2 - cutoff = 0.85	9.6	12.8	4.8	0.7	0	-
U2 - cutoff = 0.95	10.8	12.5	4.9	0.8	0	-
U3 - cutoff = 0.75	7.9	12.1	4.8	0.7	0	-
U3 - cutoff = 0.85	9.5	12.8	4.8	0.7	0	-
U3 - cutoff = 0.95	10.8	12.6	4.9	0.8	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.9	5.3	1.4	0.3	0	-
U2 - cutoff = 0.85	2.7	5.6	1.4	0.3	0	-
U2 - cutoff = 0.95	0.7	4	1	0.3	0	-
U3 - cutoff = 0.75	1.9	5.3	1.4	0.3	0	-
U3 - cutoff = 0.85	2.7	5.6	1.4	0.3	0	-
U3 - cutoff = 0.95	0.7	4	1	0.3	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						907.5
U2 - cutoff = 0.85						980.3
U2 - cutoff = 0.95						1271.2
U3 - cutoff = 0.75						909.4
U3 - cutoff = 0.85						981
U3 - cutoff = 0.95						1274.2

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.32	0.55	0.80	0.94	0.97	
Efficacy rate	0.05	0.05	0.05	0.05	0.05	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - cutoff = 0.75	1.6	0.2	0	0	0	98.2
U2 - cutoff = 0.85	5.6	1	0	0	0	93.4
U2 - cutoff = 0.95	15.1	5.4	0	0	0	79.4
U3 - cutoff = 0.75	1.6	0.2	0	0	0	98.2
U3 - cutoff = 0.85	5.6	1	0	0	0	93.4
U3 - cutoff = 0.95	15.6	5.6	0	0	0	78.8
Mean administrations						
U2 - cutoff = 0.75	8.2	1.3	0.2	0	0	-
U2 - cutoff = 0.85	11.8	1.4	0.2	0	0	-
U2 - cutoff = 0.95	17.4	1.7	0.2	0	0	-
U3 - cutoff = 0.75	8.2	1.3	0.2	0	0	-
U3 - cutoff = 0.85	11.8	1.4	0.2	0	0	-
U3 - cutoff = 0.95	17.4	1.7	0.2	0	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.1	0.9	0.1	0	0	-
U2 - cutoff = 0.85	3.5	0.9	0.1	0	0	-
U2 - cutoff = 0.95	0.2	1.3	0.1	0	0	-
U3 - cutoff = 0.75	2.1	0.9	0.1	0	0	-
U3 - cutoff = 0.85	3.5	0.9	0.1	0	0	-
U3 - cutoff = 0.95	0.2	1.3	0.1	0	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						353.6
U2 - cutoff = 0.85						477.3
U2 - cutoff = 0.95						984.2
U3 - cutoff = 0.75						354.2
U3 - cutoff = 0.85						477.4
U3 - cutoff = 0.95						985.5
Scenario 24						
DLT rate	0.01	0.02	0.05	0.10	0.25	
Efficacy rate	0.05	0.08	0.20	0.50	0.50	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - cutoff = 0.75	0.3	1.6	3.6	47.5	46.8	0.2
U2 - cutoff = 0.85	0.3	1.7	3.9	46.9	47.1	0.1
U2 - cutoff = 0.95	1.4	1.6	5.5	55.6	35.8	0
U3 - cutoff = 0.75	1.5	2.5	4.6	49.3	41.9	0.2
U3 - cutoff = 0.85	1.5	2.2	4.5	48.6	43.1	0.1
U3 - cutoff = 0.95	1.9	3.7	6.1	55.3	32.9	0
Mean administrations						
U2 - cutoff = 0.75	3.2	3.1	3.5	8.2	11.9	-
U2 - cutoff = 0.85	3.1	3.1	3.5	8.3	11.9	-
U2 - cutoff = 0.95	3.2	3.2	3.8	9.5	10.4	-
U3 - cutoff = 0.75	3.2	3.1	3.5	8.2	12	-
U3 - cutoff = 0.85	3.1	3.1	3.5	8.2	12	-
U3 - cutoff = 0.95	3.2	3.2	3.8	9.5	10.4	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.1	2.4	1.1	3.2	3.2	-
U2 - cutoff = 0.85	0.1	2.4	1.1	3.2	3.3	-
U2 - cutoff = 0.95	0	2.5	1.2	3.2	1.1	-
U3 - cutoff = 0.75	0.1	2.4	1.1	3.2	3.3	-
U3 - cutoff = 0.85	0.1	2.4	1.1	3.2	3.3	-
U3 - cutoff = 0.95	0	2.5	1.1	3.2	1.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1101.3
U2 - cutoff = 0.85						1102.4
U2 - cutoff = 0.95						1210.2
U3 - cutoff = 0.75						1101.7
U3 - cutoff = 0.85						1102.6
U3 - cutoff = 0.95						1210

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.09	0.18	0.37	0.63	0.77	
Efficacy rate	0.20	0.25	0.40	0.45	0.50	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - cutoff = 0.75	33.5	35.7	22.8	2.1	0	5.9
U2 - cutoff = 0.85	37.1	37.3	22.1	1.8	0	1.7
U2 - cutoff = 0.95	33.5	39	24.3	2.7	0	0.6
U3 - cutoff = 0.75	37.7	34.4	20.3	1.5	0	6.1
U3 - cutoff = 0.85	39.9	36.4	20.3	1.6	0	1.8
U3 - cutoff = 0.95	38.5	38.4	20.3	2.2	0	0.6
Mean administrations						
U2 - cutoff = 0.75	10.1	9.2	8	1.6	0.2	-
U2 - cutoff = 0.85	10.7	9.3	8	1.6	0.2	-
U2 - cutoff = 0.95	10.6	9.9	7.5	1.7	0.2	-
U3 - cutoff = 0.75	10	9.2	7.9	1.6	0.2	-
U3 - cutoff = 0.85	10.6	9.3	7.9	1.6	0.2	-
U3 - cutoff = 0.95	10.7	9.9	7.4	1.7	0.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.8	4	2.2	0.6	0	-
U2 - cutoff = 0.85	3.1	4.1	2.2	0.6	0	-
U2 - cutoff = 0.95	0.8	3.4	1.3	0.6	0	-
U3 - cutoff = 0.75	2.8	4	2.2	0.6	0.1	-
U3 - cutoff = 0.85	3.1	4.1	2.2	0.6	0	-
U3 - cutoff = 0.95	0.9	3.4	1.3	0.6	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1067.3
U2 - cutoff = 0.85						1090.9
U2 - cutoff = 0.95						1305.3
U3 - cutoff = 0.75						1068.3
U3 - cutoff = 0.85						1090
U3 - cutoff = 0.95						1305.1
Scenario 26						
DLT rate	0.15	0.22	0.30	0.62	0.80	
Efficacy rate	0.10	0.20	0.35	0.45	0.55	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - cutoff = 0.75	21.6	24.5	16.7	1.9	0	35.3
U2 - cutoff = 0.85	31.5	29.1	17.7	1.9	0	19.8
U2 - cutoff = 0.95	33.4	36.4	14.6	3.2	0	12.4
U3 - cutoff = 0.75	23.6	24.6	15.5	1.3	0	35
U3 - cutoff = 0.85	34.1	28	16.6	1.5	0	19.8
U3 - cutoff = 0.95	34.5	36.5	13.6	2.6	0	12.8
Mean administrations						
U2 - cutoff = 0.75	9.1	6.9	6.3	1.5	0.1	-
U2 - cutoff = 0.85	11.8	7.2	6.3	1.5	0.1	-
U2 - cutoff = 0.95	13.2	7.9	5.8	1.5	0.1	-
U3 - cutoff = 0.75	9.1	7	6.2	1.5	0.1	-
U3 - cutoff = 0.85	11.8	7.3	6.2	1.5	0.1	-
U3 - cutoff = 0.95	13.3	7.8	5.8	1.5	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.5	3.3	1.9	0.6	0	-
U2 - cutoff = 0.85	3.6	3.4	1.9	0.6	0	-
U2 - cutoff = 0.95	0.5	3.1	1	0.6	0	-
U3 - cutoff = 0.75	2.5	3.3	1.9	0.6	0	-
U3 - cutoff = 0.85	3.7	3.4	1.9	0.6	0	-
U3 - cutoff = 0.95	0.6	3.1	1	0.6	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						856.6
U2 - cutoff = 0.85						951.4
U2 - cutoff = 0.95						1287.4
U3 - cutoff = 0.75						855.4
U3 - cutoff = 0.85						950.7
U3 - cutoff = 0.95						1280.7

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.11	0.17	0.30	0.50	0.62	
Efficacy rate	0.10	0.20	0.40	0.42	0.45	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - cutoff = 0.75	16.8	27.5	31.2	3.5	0	21
U2 - cutoff = 0.85	21.2	31	32.8	3.3	0	11.7
U2 - cutoff = 0.95	24.5	32.6	31.6	5.5	0	5.8
U3 - cutoff = 0.75	19.6	27.4	29	3	0	21
U3 - cutoff = 0.85	24.6	30.1	30.4	3	0	11.9
U3 - cutoff = 0.95	27.9	33.6	27.5	4.8	0	6.2
Mean administrations						
U2 - cutoff = 0.75	7.3	7.2	8.6	2.6	0.5	-
U2 - cutoff = 0.85	8.9	7.5	8.7	2.6	0.5	-
U2 - cutoff = 0.95	9.6	8.2	8.2	2.6	0.5	-
U3 - cutoff = 0.75	7.4	7.3	8.6	2.5	0.5	-
U3 - cutoff = 0.85	8.9	7.5	8.7	2.6	0.5	-
U3 - cutoff = 0.95	9.7	8.3	8.2	2.5	0.5	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.9	3.5	2.5	0.8	0.1	-
U2 - cutoff = 0.85	2.5	3.6	2.5	0.8	0.1	-
U2 - cutoff = 0.95	0.5	3.2	1.5	0.8	0.1	-
U3 - cutoff = 0.75	1.9	3.5	2.5	0.8	0.1	-
U3 - cutoff = 0.85	2.5	3.6	2.5	0.8	0.1	-
U3 - cutoff = 0.95	0.5	3.2	1.5	0.8	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						962.1
U2 - cutoff = 0.85						1019.3
U2 - cutoff = 0.95						1271.5
U3 - cutoff = 0.75						961.8
U3 - cutoff = 0.85						1019.8
U3 - cutoff = 0.95						1274.5
Scenario 28						
DLT rate	0.20	0.30	0.50	0.60	0.77	
Efficacy rate	0.05	0.30	0.32	0.35	0.40	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - cutoff = 0.75	13.3	17	0.3	0	0	69.4
U2 - cutoff = 0.85	20	22.4	0.5	0	0	57.1
U2 - cutoff = 0.95	22	35.7	1.5	0	0	40.8
U3 - cutoff = 0.75	13.8	16.3	0.5	0	0	69.4
U3 - cutoff = 0.85	20.1	21.7	0.5	0	0	57.7
U3 - cutoff = 0.95	22.8	34.8	1.4	0	0	40.9
Mean administrations						
U2 - cutoff = 0.75	7.7	6.6	2.4	0.2	0	-
U2 - cutoff = 0.85	10.9	6.9	2.3	0.3	0	-
U2 - cutoff = 0.95	14.8	7.4	2.4	0.3	0	-
U3 - cutoff = 0.75	7.7	6.6	2.3	0.3	0	-
U3 - cutoff = 0.85	10.9	6.9	2.3	0.3	0	-
U3 - cutoff = 0.95	14.7	7.4	2.3	0.3	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.9	2.9	0.7	0.1	0	-
U2 - cutoff = 0.85	3.2	3	0.7	0.1	0	-
U2 - cutoff = 0.95	0.3	2.6	0.5	0.1	0	-
U3 - cutoff = 0.75	1.9	2.9	0.7	0.1	0	-
U3 - cutoff = 0.85	3.2	3	0.7	0.1	0	-
U3 - cutoff = 0.95	0.3	2.7	0.5	0.1	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						614.6
U2 - cutoff = 0.85						731.7
U2 - cutoff = 0.95						1163.6
U3 - cutoff = 0.75						614.2
U3 - cutoff = 0.85						730.6
U3 - cutoff = 0.95						1162.9

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.19	0.30	0.56	0.74	0.86	
Efficacy rate	0.40	0.40	0.40	0.40	0.40	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - cutoff = 0.75	75.5	18.3	1.2	0	0	5
U2 - cutoff = 0.85	75.7	19.2	1.4	0	0	3.7
U2 - cutoff = 0.95	67.1	28.1	1.5	0	0	3.4
U3 - cutoff = 0.75	77.4	16.7	1	0	0	4.9
U3 - cutoff = 0.85	78.2	17.1	1	0	0	3.7
U3 - cutoff = 0.95	68.2	27	1.3	0	0	3.5
Mean administrations						
U2 - cutoff = 0.75	19.9	6.6	2.3	0.2	0	-
U2 - cutoff = 0.85	20.1	6.7	2.4	0.2	0	-
U2 - cutoff = 0.95	19.8	7.1	2.3	0.2	0	-
U3 - cutoff = 0.75	19.9	6.7	2.3	0.2	0	-
U3 - cutoff = 0.85	20.1	6.7	2.3	0.2	0	-
U3 - cutoff = 0.95	19.8	7.1	2.2	0.2	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	5.2	2.3	0.7	0.1	0	-
U2 - cutoff = 0.85	5.3	2.3	0.7	0.1	0	-
U2 - cutoff = 0.95	0.6	2	0.6	0.1	0	-
U3 - cutoff = 0.75	5.2	2.3	0.7	0.1	0	-
U3 - cutoff = 0.85	5.3	2.3	0.7	0.1	0	-
U3 - cutoff = 0.95	0.6	2	0.6	0.1	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1150.8
U2 - cutoff = 0.85						1158.7
U2 - cutoff = 0.95						1446.9
U3 - cutoff = 0.75						1151.2
U3 - cutoff = 0.85						1158.9
U3 - cutoff = 0.95						1446.9
Scenario 30						
DLT rate	0.05	0.08	0.17	0.27	0.54	
Efficacy rate	0.12	0.15	0.20	0.40	0.50	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - cutoff = 0.75	16.8	18.7	20.6	35.3	4.4	4.2
U2 - cutoff = 0.85	17.4	20.3	20.6	35.1	5	1.6
U2 - cutoff = 0.95	18.3	22.1	18.4	34.7	5.9	0.7
U3 - cutoff = 0.75	22.5	21.9	16.8	31.4	3.3	4.1
U3 - cutoff = 0.85	24.5	21.4	17.7	31.5	3.3	1.6
U3 - cutoff = 0.95	24.2	25	15	30.3	4.8	0.7
Mean administrations						
U2 - cutoff = 0.75	5	5.4	6.9	7.9	4.2	-
U2 - cutoff = 0.85	5.4	5.3	6.8	8	4.2	-
U2 - cutoff = 0.95	5.5	5.7	6.8	8.1	3.9	-
U3 - cutoff = 0.75	5	5.5	6.7	7.9	4.2	-
U3 - cutoff = 0.85	5.4	5.3	6.8	8	4.2	-
U3 - cutoff = 0.95	5.5	5.6	6.8	8.1	3.8	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.9	3.1	2.2	2.8	1.1	-
U2 - cutoff = 0.85	1.1	3.1	2.2	2.8	1.1	-
U2 - cutoff = 0.95	0.4	3.1	1.7	2.3	0.7	-
U3 - cutoff = 0.75	0.9	3.2	2.2	2.8	1.1	-
U3 - cutoff = 0.85	1.1	3.1	2.2	2.8	1.1	-
U3 - cutoff = 0.95	0.5	3.1	1.7	2.3	0.7	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1059.7
U2 - cutoff = 0.85						1073.2
U2 - cutoff = 0.95						1192.4
U3 - cutoff = 0.75						1059
U3 - cutoff = 0.85						1072.2
U3 - cutoff = 0.95						1192.7

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0.04	0.06	0.10	0.20	0.60	
Efficacy rate	0.20	0.50	0.50	0.50	0.50	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - cutoff = 0.75	5	34.1	30.3	25.5	5	0.1
U2 - cutoff = 0.85	4.5	34.5	30.5	25.6	4.8	0.1
U2 - cutoff = 0.95	4.6	37.9	28.1	23.7	5.5	0.1
U3 - cutoff = 0.75	6.4	40.9	29.2	20.5	2.9	0.1
U3 - cutoff = 0.85	6.1	41.2	28.7	20.9	3	0.1
U3 - cutoff = 0.95	6.5	46.1	24.6	18	4.7	0.1
Mean administrations						
U2 - cutoff = 0.75	4.2	5.8	6.8	8.1	5.1	-
U2 - cutoff = 0.85	4.2	5.9	6.7	8.2	5.1	-
U2 - cutoff = 0.95	4.1	6.4	6.8	8	4.8	-
U3 - cutoff = 0.75	4.2	5.9	6.7	8.2	5.1	-
U3 - cutoff = 0.85	4.2	5.8	6.8	8.1	5.1	-
U3 - cutoff = 0.95	4.1	6.3	6.9	7.9	4.8	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.5	2.9	1.7	2.1	1.4	-
U2 - cutoff = 0.85	0.5	2.9	1.7	2.1	1.4	-
U2 - cutoff = 0.95	0.1	2.9	1.5	1.8	1	-
U3 - cutoff = 0.75	0.5	2.9	1.7	2.1	1.4	-
U3 - cutoff = 0.85	0.5	2.9	1.7	2.1	1.4	-
U3 - cutoff = 0.95	0.1	2.9	1.5	1.8	1	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						1180
U2 - cutoff = 0.95						1180.7
U3 - cutoff = 0.75						1249.4
U3 - cutoff = 0.85						1180.6
U3 - cutoff = 0.95						1180.9
						1250.2
Scenario 32						
DLT rate	0.02	0.05	0.11	0.30	0.36	
Efficacy rate	0.08	0.15	0.30	0.30	0.30	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - cutoff = 0.75	9.8	13.8	35.4	30.9	8.8	1.3
U2 - cutoff = 0.85	9.4	13.5	35.1	31.5	9.7	0.8
U2 - cutoff = 0.95	9.7	16.5	34.8	31.2	7.1	0.7
U3 - cutoff = 0.75	12.8	19	34.1	27.2	5.6	1.3
U3 - cutoff = 0.85	13.1	19.3	34.2	26.9	5.8	0.7
U3 - cutoff = 0.95	13.9	21.1	31.3	29.3	3.6	0.7
Mean administrations						
U2 - cutoff = 0.75	3.7	4.5	7.7	8	5.9	-
U2 - cutoff = 0.85	3.8	4.5	7.8	7.9	5.9	-
U2 - cutoff = 0.95	4	4.7	8.1	7.9	5.3	-
U3 - cutoff = 0.75	3.7	4.6	7.6	8	5.9	-
U3 - cutoff = 0.85	3.8	4.5	7.9	7.9	5.9	-
U3 - cutoff = 0.95	4	4.8	8	7.8	5.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.3	2.9	2.4	3	2	-
U2 - cutoff = 0.85	0.4	2.9	2.5	2.9	2	-
U2 - cutoff = 0.95	0.2	2.9	2	2.8	1	-
U3 - cutoff = 0.75	0.3	2.9	2.4	3	2	-
U3 - cutoff = 0.85	0.3	2.9	2.5	2.9	2	-
U3 - cutoff = 0.95	0.2	3	2	2.8	1	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						1054.2
U2 - cutoff = 0.95						1055.8
U3 - cutoff = 0.75						1148.6
U3 - cutoff = 0.85						1053.9
U3 - cutoff = 0.95						1057.4
						1149.7

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0.01	0.02	0.09	0.32	0.38	
Efficacy rate	0.05	0.08	0.20	0.40	0.50	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - cutoff = 0.75	7.8	9.9	18	45.8	17.9	0.6
U2 - cutoff = 0.85	8.6	9.7	18.5	45.3	17.8	0.1
U2 - cutoff = 0.95	11.1	9	17.3	45.5	17	0
U3 - cutoff = 0.75	12.9	11.6	15.8	42.5	16.4	0.8
U3 - cutoff = 0.85	13.7	11.7	15.8	43.2	15.5	0.1
U3 - cutoff = 0.95	13.4	10.9	15	45	15.6	0
Mean administrations						
U2 - cutoff = 0.75	3.3	3.7	5.6	8.3	8.9	-
U2 - cutoff = 0.85	3.5	3.7	5.5	8.4	8.9	-
U2 - cutoff = 0.95	3.5	3.7	6	9.3	7.5	-
U3 - cutoff = 0.75	3.3	3.8	5.6	8.4	8.9	-
U3 - cutoff = 0.85	3.4	3.7	5.6	8.4	8.8	-
U3 - cutoff = 0.95	3.5	3.9	5.9	9.1	7.7	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.2	2.7	1.8	3.1	2.3	-
U2 - cutoff = 0.85	0.2	2.7	1.7	3.1	2.2	-
U2 - cutoff = 0.95	0.1	2.7	1.4	3	0.9	-
U3 - cutoff = 0.75	0.2	2.7	1.7	3.1	2.2	-
U3 - cutoff = 0.85	0.2	2.7	1.8	3.1	2.2	-
U3 - cutoff = 0.95	0.2	2.7	1.4	2.9	0.9	-
Mean trial duration (days)						
						Days
U2 - cutoff = 0.75						1099.2
U2 - cutoff = 0.85						1101
U2 - cutoff = 0.95						1204.4
U3 - cutoff = 0.75						1098.2
U3 - cutoff = 0.85						1100.8
U3 - cutoff = 0.95						1205.5
Scenario 34						
DLT rate	0.05	0.13	0.30	0.36	0.42	
Efficacy rate	0.05	0.10	0.30	0.32	0.35	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - cutoff = 0.75	13.8	15.2	43.3	11.1	1.4	15.2
U2 - cutoff = 0.85	15.4	20.3	44.6	12	1.7	6
U2 - cutoff = 0.95	17.8	21.8	45.5	10.9	1.7	2.2
U3 - cutoff = 0.75	18	15.9	40.2	9.5	1.2	15.2
U3 - cutoff = 0.85	21	21	41.1	9.7	1	6.2
U3 - cutoff = 0.95	24	23.5	38.8	9.8	1.7	2.2
Mean administrations						
U2 - cutoff = 0.75	5	6.2	10.4	4.5	1.9	-
U2 - cutoff = 0.85	5.5	6.7	10.3	4.6	1.9	-
U2 - cutoff = 0.95	6.1	7.4	9.9	4.5	1.7	-
U3 - cutoff = 0.75	4.9	6.2	10.5	4.4	1.9	-
U3 - cutoff = 0.85	5.5	6.7	10.3	4.5	1.9	-
U3 - cutoff = 0.95	6.1	7.4	9.9	4.5	1.7	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.9	3.4	3.3	1.6	0.6	-
U2 - cutoff = 0.85	1.2	3.6	3.3	1.6	0.6	-
U2 - cutoff = 0.95	0.6	3.5	2	1.4	0.4	-
U3 - cutoff = 0.75	0.9	3.5	3.4	1.6	0.6	-
U3 - cutoff = 0.85	1.2	3.6	3.3	1.6	0.6	-
U3 - cutoff = 0.95	0.6	3.5	2	1.4	0.4	-
Mean trial duration (days)						
						Days
U2 - cutoff = 0.75						991.7
U2 - cutoff = 0.85						1022.8
U2 - cutoff = 0.95						1197.2
U3 - cutoff = 0.75						994
U3 - cutoff = 0.85						1022.9
U3 - cutoff = 0.95						1200.1

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0.03	0.09	0.30	0.40	0.45	
Efficacy rate	0.20	0.45	0.45	0.45	0.45	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - cutoff = 0.75	10.4	47.9	31.1	9.4	1.1	0.1
U2 - cutoff = 0.85	10.2	47.3	32.2	9.4	0.8	0.1
U2 - cutoff = 0.95	9.8	50.1	29.1	9.9	0.9	0.1
U3 - cutoff = 0.75	12.2	52.4	27.6	7.2	0.5	0.1
U3 - cutoff = 0.85	12.1	50.4	29.7	7.2	0.5	0.1
U3 - cutoff = 0.95	12.1	54.6	24.1	8.3	0.7	0.1
Mean administrations						
U2 - cutoff = 0.75	4.6	9.6	9.5	4.5	1.8	-
U2 - cutoff = 0.85	4.6	9.6	9.5	4.5	1.8	-
U2 - cutoff = 0.95	4.7	10.2	9.1	4.3	1.7	-
U3 - cutoff = 0.75	4.7	9.6	9.5	4.5	1.8	-
U3 - cutoff = 0.85	4.7	9.6	9.5	4.4	1.8	-
U3 - cutoff = 0.95	4.7	10.2	9.2	4.3	1.7	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.7	4	2.3	1.4	0.5	-
U2 - cutoff = 0.85	0.7	4	2.4	1.4	0.5	-
U2 - cutoff = 0.95	0.3	3.3	1.7	1.3	0.3	-
U3 - cutoff = 0.75	0.7	4	2.3	1.4	0.5	-
U3 - cutoff = 0.85	0.7	4	2.3	1.4	0.5	-
U3 - cutoff = 0.95	0.3	3.3	1.7	1.2	0.3	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1160.7
U2 - cutoff = 0.85						1161.8
U2 - cutoff = 0.95						1273.1
U3 - cutoff = 0.75						1161.2
U3 - cutoff = 0.85						1160.7
U3 - cutoff = 0.95						1276.2
Scenario 36						
DLT rate	0.13	0.29	0.35	0.40	0.43	
Efficacy rate	0.05	0.20	0.22	0.30	0.35	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - cutoff = 0.75	14.5	25.3	7.7	1.2	0.3	51
U2 - cutoff = 0.85	21.6	35.5	7.9	1.3	0.5	33.2
U2 - cutoff = 0.95	23.4	48.9	7.2	2	0.3	18.3
U3 - cutoff = 0.75	15.3	25.4	6.7	1.2	0.2	51.2
U3 - cutoff = 0.85	24	34.9	7	1.3	0.3	32.5
U3 - cutoff = 0.95	26.2	46.6	6.6	1.6	0.2	18.8
Mean administrations						
U2 - cutoff = 0.75	7.2	7.8	4.4	1.4	0.4	-
U2 - cutoff = 0.85	9.6	8.4	4.5	1.3	0.4	-
U2 - cutoff = 0.95	11.8	8.9	4.4	1.6	0.4	-
U3 - cutoff = 0.75	7.2	7.8	4.4	1.4	0.4	-
U3 - cutoff = 0.85	9.6	8.4	4.6	1.4	0.4	-
U3 - cutoff = 0.95	11.8	8.9	4.4	1.5	0.4	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.7	3.7	1.4	0.6	0.1	-
U2 - cutoff = 0.85	2.7	4	1.5	0.6	0.1	-
U2 - cutoff = 0.95	0.5	3.5	0.9	0.6	0.1	-
U3 - cutoff = 0.75	1.7	3.8	1.4	0.6	0.1	-
U3 - cutoff = 0.85	2.7	4	1.5	0.6	0.1	-
U3 - cutoff = 0.95	0.5	3.5	0.9	0.6	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						747.2
U2 - cutoff = 0.85						844.4
U2 - cutoff = 0.95						1184.7
U3 - cutoff = 0.75						746.9
U3 - cutoff = 0.85						846.7
U3 - cutoff = 0.95						1180.6

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.08	0.30	0.40	0.45	0.50	
Efficacy rate	0.05	0.20	0.20	0.20	0.20	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - cutoff = 0.75	17.1	31.5	6	0.2	0	45.2
U2 - cutoff = 0.85	27.5	43.5	7.4	0.2	0	21.4
U2 - cutoff = 0.95	27.4	57.5	6.6	0.6	0	8
U3 - cutoff = 0.75	19.4	30.4	5.1	0.1	0	45
U3 - cutoff = 0.85	30.5	42.3	5.2	0.2	0	21.8
U3 - cutoff = 0.95	32.3	52.1	6.4	0.6	0	8.6
Mean administrations						
U2 - cutoff = 0.75	6.9	10.2	4.9	1.1	0.2	-
U2 - cutoff = 0.85	8.9	11	5	1.2	0.2	-
U2 - cutoff = 0.95	10.8	11.1	5	1.3	0.2	-
U3 - cutoff = 0.75	6.9	10.1	5	1.1	0.2	-
U3 - cutoff = 0.85	8.9	11	5	1.2	0.2	-
U3 - cutoff = 0.95	10.6	11.1	5	1.3	0.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.5	4.8	1.5	0.5	0.1	-
U2 - cutoff = 0.85	2.4	5.1	1.6	0.6	0.1	-
U2 - cutoff = 0.95	0.6	4.1	1	0.6	0.1	-
U3 - cutoff = 0.75	1.5	4.7	1.6	0.5	0.1	-
U3 - cutoff = 0.85	2.4	5.1	1.6	0.6	0.1	-
U3 - cutoff = 0.95	0.6	4.1	1	0.6	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						817.4
U2 - cutoff = 0.85						907.5
U2 - cutoff = 0.95						1209.6
U3 - cutoff = 0.75						817.3
U3 - cutoff = 0.85						908.9
U3 - cutoff = 0.95						1207.9

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.30	0.35	0.40	0.45	0.50	
Efficacy rate	0.05	0.06	0.07	0.08	0.09	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - cutoff = 0.75	4.6	1.2	0.4	0	0	93.8
U2 - cutoff = 0.85	12	3.2	0.3	0	0	84.5
U2 - cutoff = 0.95	26.1	7.2	0.2	0	0	66.5
U3 - cutoff = 0.75	4.7	1.4	0.2	0	0	93.7
U3 - cutoff = 0.85	11.8	2.7	0.3	0	0	85.2
U3 - cutoff = 0.95	26.1	4.9	0.7	0	0	68.3
Mean administrations						
U2 - cutoff = 0.75	8.1	4	1	0.4	0	-
U2 - cutoff = 0.85	11.6	4.3	1	0.4	0	-
U2 - cutoff = 0.95	15.8	5.1	1.1	0.4	0.1	-
U3 - cutoff = 0.75	8.1	3.9	1	0.4	0	-
U3 - cutoff = 0.85	11.7	4.2	1	0.4	0	-
U3 - cutoff = 0.95	16.1	4.8	1.1	0.4	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.7	2.2	0.3	0.2	0	-
U2 - cutoff = 0.85	3.2	2.4	0.3	0.2	0	-
U2 - cutoff = 0.95	1	2.9	0.3	0.2	0	-
U3 - cutoff = 0.75	1.7	2.2	0.3	0.2	0	-
U3 - cutoff = 0.85	3.3	2.4	0.3	0.2	0	-
U3 - cutoff = 0.95	1	2.8	0.4	0.2	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						483.1
U2 - cutoff = 0.85						607.2
U2 - cutoff = 0.95						989.6
U3 - cutoff = 0.75						483.2
U3 - cutoff = 0.85						606.2
U3 - cutoff = 0.95						995.6
Scenario 2						
DLT rate	0.15	0.20	0.30	0.35	0.45	
Efficacy rate	0.20	0.25	0.50	0.50	0.50	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - cutoff = 0.75	30.4	22.4	29.8	5.4	0.3	11.7
U2 - cutoff = 0.85	32.9	25.9	32.6	5.9	0.2	2.5
U2 - cutoff = 0.95	30.4	32.3	29.2	7.2	0.1	0.8
U3 - cutoff = 0.75	32.6	23.6	28.5	4.1	0.1	11.1
U3 - cutoff = 0.85	35.3	27.5	29.9	4.8	0.1	2.4
U3 - cutoff = 0.95	35	30.2	27.8	6	0.1	1
Mean administrations						
U2 - cutoff = 0.75	10.5	8.4	7.3	1.7	0.1	-
U2 - cutoff = 0.85	11.5	8.9	7.5	1.7	0.1	-
U2 - cutoff = 0.95	11.1	9.5	7.2	1.9	0.1	-
U3 - cutoff = 0.75	11	8.6	6.9	1.4	0	-
U3 - cutoff = 0.85	12.1	9	7.1	1.4	0	-
U3 - cutoff = 0.95	11.5	9.5	6.9	1.8	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.6	3.7	2.2	0.6	0	-
U2 - cutoff = 0.85	3	3.9	2.2	0.6	0	-
U2 - cutoff = 0.95	0.7	3.9	1.7	0.6	0.1	-
U3 - cutoff = 0.75	2.9	3.8	2	0.5	0	-
U3 - cutoff = 0.85	3.3	4	2.1	0.5	0	-
U3 - cutoff = 0.95	0.7	3.9	1.6	0.5	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1037
U2 - cutoff = 0.85						1093.5
U2 - cutoff = 0.95						1261.2
U3 - cutoff = 0.75						1032.5
U3 - cutoff = 0.85						1090.5
U3 - cutoff = 0.95						1274.9

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.15	0.20	0.30	0.35	0.45	
Efficacy rate	0.10	0.40	0.40	0.40	0.40	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - cutoff = 0.75	9.4	44.2	18.1	4.3	0.1	23.9
U2 - cutoff = 0.85	12.1	53.7	18.8	4	0.2	11.2
U2 - cutoff = 0.95	15	53.2	22.8	4.5	0.3	4.2
U3 - cutoff = 0.75	9.7	47.3	15.9	2.8	0	24.3
U3 - cutoff = 0.85	13.2	56.7	16.3	3	0	10.8
U3 - cutoff = 0.95	15	59.5	17.8	4	0	3.7
Mean administrations						
U2 - cutoff = 0.75	7.1	11.8	5.2	1.7	0.1	-
U2 - cutoff = 0.85	8.5	12.9	5.3	1.7	0.1	-
U2 - cutoff = 0.95	9.1	12.8	5.8	1.8	0.2	-
U3 - cutoff = 0.75	7.3	12.4	4.7	1.4	0.1	-
U3 - cutoff = 0.85	8.7	13.6	4.8	1.5	0.1	-
U3 - cutoff = 0.95	9.2	13.4	5.2	1.6	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.3	4.9	1.6	0.7	0.1	-
U2 - cutoff = 0.85	1.9	5.3	1.6	0.7	0.1	-
U2 - cutoff = 0.95	0.5	4.5	1.7	0.6	0.1	-
U3 - cutoff = 0.75	1.4	5.2	1.4	0.6	0	-
U3 - cutoff = 0.85	2	5.6	1.4	0.6	0	-
U3 - cutoff = 0.95	0.5	4.5	1.4	0.5	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						961.3
U2 - cutoff = 0.85						1043.4
U2 - cutoff = 0.95						1229.2
U3 - cutoff = 0.75						959.2
U3 - cutoff = 0.85						1042
U3 - cutoff = 0.95						1244.6
Scenario 4						
DLT rate	0.05	0.10	0.18	0.30	0.40	
Efficacy rate	0.05	0.10	0.25	0.50	0.55	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - cutoff = 0.75	6.1	7.6	24.3	49.7	5.4	6.9
U2 - cutoff = 0.85	6.2	9.5	25.3	51.4	5.5	2.1
U2 - cutoff = 0.95	8.8	9.6	24.2	48.9	8.2	0.3
U3 - cutoff = 0.75	7.2	9.2	22.2	50.4	4	7
U3 - cutoff = 0.85	8.2	10.8	24.6	50.3	4.1	2
U3 - cutoff = 0.95	10.9	12.9	22.5	46.8	6.6	0.4
Mean administrations						
U2 - cutoff = 0.75	4.1	5.1	7.9	10.1	1.7	-
U2 - cutoff = 0.85	4.5	5.3	8.1	10.2	1.7	-
U2 - cutoff = 0.95	4.7	5.5	7.8	10	2	-
U3 - cutoff = 0.75	4.3	5.2	7.9	10	1.5	-
U3 - cutoff = 0.85	4.7	5.5	8.1	10	1.4	-
U3 - cutoff = 0.95	5.1	5.7	7.7	9.8	1.8	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.4	3.2	2.4	3.3	0.6	-
U2 - cutoff = 0.85	0.6	3.3	2.4	3.3	0.6	-
U2 - cutoff = 0.95	0.3	3.2	1.8	2.5	0.6	-
U3 - cutoff = 0.75	0.5	3.3	2.4	3.3	0.5	-
U3 - cutoff = 0.85	0.7	3.4	2.5	3.3	0.5	-
U3 - cutoff = 0.95	0.4	3.3	1.7	2.4	0.5	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1045.7
U2 - cutoff = 0.85						1074.5
U2 - cutoff = 0.95						1194
U3 - cutoff = 0.75						1041.2
U3 - cutoff = 0.85						1070.9
U3 - cutoff = 0.95						1202.9

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.07	0.12	0.17	0.22	0.30	
Efficacy rate	0.05	0.30	0.30	0.30	0.30	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - cutoff = 0.75	3.6	31.2	27.7	22.9	8.4	6.2
U2 - cutoff = 0.85	4.1	31.7	29.4	24.5	8.1	2.2
U2 - cutoff = 0.95	4.5	35.6	27.4	23.7	8.1	0.7
U3 - cutoff = 0.75	5.9	38.7	25.7	18.4	5	6.3
U3 - cutoff = 0.85	6	40.9	27.2	18.8	5	2.1
U3 - cutoff = 0.95	6.6	40.9	28.1	18.1	5.5	0.7
Mean administrations						
U2 - cutoff = 0.75	4	8.2	7.3	6.6	2.7	-
U2 - cutoff = 0.85	4.2	8.5	7.6	6.6	2.7	-
U2 - cutoff = 0.95	4.4	8.5	7.5	6.8	2.8	-
U3 - cutoff = 0.75	4.1	9	7.5	6.1	2.2	-
U3 - cutoff = 0.85	4.4	9.4	7.6	6.2	2.1	-
U3 - cutoff = 0.95	4.5	9.2	7.6	6.4	2.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.3	4.1	2.4	2.5	1	-
U2 - cutoff = 0.85	0.4	4.3	2.5	2.5	1	-
U2 - cutoff = 0.95	0.2	3.5	2.1	2.1	1	-
U3 - cutoff = 0.75	0.3	4.5	2.5	2.3	0.8	-
U3 - cutoff = 0.85	0.5	4.6	2.5	2.4	0.8	-
U3 - cutoff = 0.95	0.2	3.5	2.1	1.9	0.8	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						1012.9
U2 - cutoff = 0.95						1039.2
U3 - cutoff = 0.75						1158.6
U3 - cutoff = 0.85						1010.7
U3 - cutoff = 0.95						1037.1
						1173.8
Scenario 6						
DLT rate	0.29	0.34	0.38	0.43	0.52	
Efficacy rate	0.30	0.32	0.35	0.38	0.40	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - cutoff = 0.75	60.4	8.6	1.1	0.1	0	29.8
U2 - cutoff = 0.85	63.8	8.7	1	0.3	0	26.2
U2 - cutoff = 0.95	67.2	13.2	1	0.2	0	18.4
U3 - cutoff = 0.75	61.6	7.6	0.5	0.2	0	30.1
U3 - cutoff = 0.85	64.3	8.1	0.5	0.3	0	26.8
U3 - cutoff = 0.95	68.4	12.9	0.5	0.1	0	18.1
Mean administrations						
U2 - cutoff = 0.75	19	4.9	1	0.2	0	-
U2 - cutoff = 0.85	19.8	5	1	0.2	0	-
U2 - cutoff = 0.95	19.6	5.9	1.1	0.2	0	-
U3 - cutoff = 0.75	19.4	4.7	0.8	0.2	0	-
U3 - cutoff = 0.85	20	4.9	0.8	0.2	0	-
U3 - cutoff = 0.95	19.9	5.9	0.9	0.2	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	4.9	2.1	0.3	0.1	0	-
U2 - cutoff = 0.85	5.2	2.1	0.3	0.1	0	-
U2 - cutoff = 0.95	0.8	2.6	0.4	0.1	0	-
U3 - cutoff = 0.75	5.1	2.1	0.3	0.1	0	-
U3 - cutoff = 0.85	5.3	2.1	0.3	0.1	0	-
U3 - cutoff = 0.95	0.8	2.6	0.3	0.1	0	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						972.3
U2 - cutoff = 0.95						1006.2
U3 - cutoff = 0.75						1270.3
U3 - cutoff = 0.85						974.8
U3 - cutoff = 0.95						998.6
						1278.1

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.16	0.20	0.26	0.31	0.36	
Efficacy rate	0.20	0.50	0.50	0.50	0.50	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - cutoff = 0.75	15.2	56.5	14.6	2.3	0.3	11.1
U2 - cutoff = 0.85	17.4	62.1	14.8	2.5	0.4	2.8
U2 - cutoff = 0.95	16.1	58.8	20.8	2.7	0.3	1.3
U3 - cutoff = 0.75	16.2	58.3	12.1	1.8	0.3	11.3
U3 - cutoff = 0.85	20	63.5	11.8	1.9	0.2	2.6
U3 - cutoff = 0.95	17.2	64.1	15	2.2	0.1	1.4
Mean administrations						
U2 - cutoff = 0.75	9	14.9	3.5	0.7	0.1	-
U2 - cutoff = 0.85	9.8	15.4	3.6	0.7	0.1	-
U2 - cutoff = 0.95	9.6	15	4.3	0.8	0.1	-
U3 - cutoff = 0.75	9.3	15.1	3	0.5	0.1	-
U3 - cutoff = 0.85	10.2	15.8	3	0.6	0	-
U3 - cutoff = 0.95	9.8	15.6	3.6	0.7	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.9	5.4	1	0.2	0	-
U2 - cutoff = 0.85	2.2	5.6	1.1	0.2	0	-
U2 - cutoff = 0.95	0.4	4	1.1	0.2	0	-
U3 - cutoff = 0.75	2	5.5	0.9	0.2	0	-
U3 - cutoff = 0.85	2.4	5.7	0.9	0.2	0	-
U3 - cutoff = 0.95	0.4	4.1	0.8	0.2	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1077.5
U2 - cutoff = 0.85						1130.8
U2 - cutoff = 0.95						1330.9
U3 - cutoff = 0.75						1074.3
U3 - cutoff = 0.85						1129.2
U3 - cutoff = 0.95						1341.8
Scenario 8						
DLT rate	0.32	0.37	0.42	0.48	0.52	
Efficacy rate	0.10	0.15	0.20	0.30	0.40	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - cutoff = 0.75	14.4	1.8	0.6	0	0	83.2
U2 - cutoff = 0.85	26.6	3.4	0.3	0	0	69.7
U2 - cutoff = 0.95	44.7	4.5	0.3	0.1	0.1	50.2
U3 - cutoff = 0.75	14.2	2.2	0.2	0	0	83.4
U3 - cutoff = 0.85	27.2	2.8	0.3	0	0	69.7
U3 - cutoff = 0.95	44	4.8	0.4	0.1	0	50.7
Mean administrations						
U2 - cutoff = 0.75	10.7	4.1	0.8	0.2	0	-
U2 - cutoff = 0.85	14.3	4.3	0.8	0.2	0	-
U2 - cutoff = 0.95	17.5	4.7	0.8	0.3	0	-
U3 - cutoff = 0.75	10.6	4.1	0.8	0.2	0	-
U3 - cutoff = 0.85	14.5	4.2	0.8	0.2	0	-
U3 - cutoff = 0.95	17.6	4.6	0.8	0.2	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.5	2.2	0.3	0.1	0	-
U2 - cutoff = 0.85	4.1	2.2	0.3	0.1	0	-
U2 - cutoff = 0.95	0.8	2.5	0.3	0.1	0	-
U3 - cutoff = 0.75	2.5	2.1	0.3	0.1	0	-
U3 - cutoff = 0.85	4.1	2.2	0.3	0.1	0	-
U3 - cutoff = 0.95	0.9	2.4	0.3	0.1	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						584.2
U2 - cutoff = 0.85						709.2
U2 - cutoff = 0.95						1080.6
U3 - cutoff = 0.75						580.2
U3 - cutoff = 0.85						711.6
U3 - cutoff = 0.95						1080.5

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.15	0.18	0.22	0.26	0.29	
Efficacy rate	0.05	0.08	0.20	0.25	0.50	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - cutoff = 0.75	11.3	9.4	18.7	11.1	10.6	38.9
U2 - cutoff = 0.85	16.8	16.1	22.1	11.9	10.6	22.5
U2 - cutoff = 0.95	19.8	25.4	21.5	12.9	10.9	9.5
U3 - cutoff = 0.75	13.3	10.3	18.5	9.9	8.8	39.2
U3 - cutoff = 0.85	19.6	17.1	20.3	11.4	8.6	23
U3 - cutoff = 0.95	26.1	25.8	19.2	10.9	8.2	9.7
Mean administrations						
U2 - cutoff = 0.75	6.1	5.7	5.4	4	2.3	-
U2 - cutoff = 0.85	8.1	6.6	5.9	4.2	2.2	-
U2 - cutoff = 0.95	9.3	7.8	5.7	4.2	2.2	-
U3 - cutoff = 0.75	6.3	5.7	5.3	4	2.1	-
U3 - cutoff = 0.85	8.4	6.6	5.8	4.2	2.1	-
U3 - cutoff = 0.95	10.1	7.4	5.3	4.1	2.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.1	3.3	1.9	1.6	0.8	-
U2 - cutoff = 0.85	2	3.7	2.1	1.7	0.7	-
U2 - cutoff = 0.95	0.7	4.3	1.7	1.5	0.6	-
U3 - cutoff = 0.75	1.2	3.3	1.8	1.6	0.7	-
U3 - cutoff = 0.85	2.1	3.7	2	1.7	0.7	-
U3 - cutoff = 0.95	0.8	4.1	1.6	1.4	0.6	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						816.9
U2 - cutoff = 0.95						930.3
U3 - cutoff = 0.75						1128
U3 - cutoff = 0.85						813.4
U3 - cutoff = 0.95						928.2
						1139.4
Scenario 10						
DLT rate	0.23	0.28	0.32	0.39	0.43	
Efficacy rate	0.05	0.40	0.42	0.45	0.50	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - cutoff = 0.75	6.7	18.8	7.4	1.4	0.1	65.6
U2 - cutoff = 0.85	14.2	23.3	7.8	1.3	0.1	53.3
U2 - cutoff = 0.95	23.1	31.4	9.2	1.4	0.1	34.7
U3 - cutoff = 0.75	6.5	19.8	6.4	1.1	0.1	66.1
U3 - cutoff = 0.85	14.5	23.8	6.8	1.3	0	53.6
U3 - cutoff = 0.95	23.4	32.5	7.2	1.4	0.1	35.3
Mean administrations						
U2 - cutoff = 0.75	8	7.9	2.5	0.7	0	-
U2 - cutoff = 0.85	10.7	8.6	2.6	0.6	0	-
U2 - cutoff = 0.95	13.1	9.6	3	0.7	0.1	-
U3 - cutoff = 0.75	8	8.1	2.3	0.6	0.1	-
U3 - cutoff = 0.85	10.8	8.7	2.4	0.6	0	-
U3 - cutoff = 0.95	13.2	9.7	2.8	0.6	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.4	3.6	0.8	0.3	0	-
U2 - cutoff = 0.85	2.7	3.9	0.8	0.3	0	-
U2 - cutoff = 0.95	0.6	4.2	0.8	0.3	0	-
U3 - cutoff = 0.75	1.4	3.7	0.7	0.2	0	-
U3 - cutoff = 0.85	2.7	4	0.7	0.2	0	-
U3 - cutoff = 0.95	0.6	4.1	0.8	0.2	0	-
Mean trial duration (days)						
U2 - cutoff = 0.75						Days
U2 - cutoff = 0.85						709.5
U2 - cutoff = 0.95						820.8
U3 - cutoff = 0.75						1139.5
U3 - cutoff = 0.85						708.2
U3 - cutoff = 0.95						819
						1145.7

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.22	0.32	0.44	0.59	0.67	
Efficacy rate	0.20	0.20	0.20	0.20	0.20	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - cutoff = 0.75	56.1	12.3	0.6	0.1	0	30.9
U2 - cutoff = 0.85	69.5	14.9	0.5	0.1	0	15
U2 - cutoff = 0.95	68.7	20.8	1.3	0	0	9.2
U3 - cutoff = 0.75	57.3	11.4	0.4	0	0	30.9
U3 - cutoff = 0.85	71.1	13.9	0.2	0	0	14.8
U3 - cutoff = 0.95	70.1	19.5	0.8	0	0	9.6
Mean administrations						
U2 - cutoff = 0.75	16.4	6.4	1.6	0.5	0	-
U2 - cutoff = 0.85	18.9	6.8	1.6	0.5	0	-
U2 - cutoff = 0.95	18.6	7.8	1.8	0.5	0	-
U3 - cutoff = 0.75	16.7	6.3	1.5	0.4	0	-
U3 - cutoff = 0.85	19.2	6.6	1.5	0.5	0	-
U3 - cutoff = 0.95	19	7.6	1.7	0.4	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	4.6	3.1	0.5	0.2	0	-
U2 - cutoff = 0.85	5.6	3.3	0.5	0.2	0	-
U2 - cutoff = 0.95	1.1	3.7	0.7	0.2	0	-
U3 - cutoff = 0.75	4.7	3	0.5	0.2	0	-
U3 - cutoff = 0.85	5.7	3.2	0.5	0.2	0	-
U3 - cutoff = 0.95	1	3.7	0.6	0.2	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						904.6
U2 - cutoff = 0.85						1002
U2 - cutoff = 0.95						1262.9
U3 - cutoff = 0.75						902.9
U3 - cutoff = 0.85						1001.9
U3 - cutoff = 0.95						1273.8
Scenario 12						
DLT rate	0.06	0.09	0.18	0.29	0.44	
Efficacy rate	0.05	0.10	0.12	0.40	0.60	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - cutoff = 0.75	11.2	13.9	15	41.7	9.7	8.5
U2 - cutoff = 0.85	12.8	16.2	16.2	43.3	9	2.5
U2 - cutoff = 0.95	13.3	17.6	16	40.6	12	0.6
U3 - cutoff = 0.75	14.5	14.8	12.7	40.3	8.6	9.1
U3 - cutoff = 0.85	16.2	17.5	14.3	41.8	7.8	2.4
U3 - cutoff = 0.95	17.3	21.3	11.8	37.9	11.2	0.5
Mean administrations						
U2 - cutoff = 0.75	4.5	5.9	6.2	9	2.9	-
U2 - cutoff = 0.85	5	6.3	6.5	9.1	2.9	-
U2 - cutoff = 0.95	5.2	6.4	6.5	8.6	3.2	-
U3 - cutoff = 0.75	4.7	6	6	8.9	2.7	-
U3 - cutoff = 0.85	5.4	6.4	6.3	8.9	2.7	-
U3 - cutoff = 0.95	5.8	6.4	6.2	8.5	3.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.6	3.6	1.9	3.2	0.9	-
U2 - cutoff = 0.85	0.8	3.8	2	3.3	0.9	-
U2 - cutoff = 0.95	0.4	3.5	1.7	2.4	0.9	-
U3 - cutoff = 0.75	0.7	3.7	1.8	3.2	0.8	-
U3 - cutoff = 0.85	1	3.9	1.9	3.2	0.8	-
U3 - cutoff = 0.95	0.6	3.5	1.7	2.3	0.8	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1003
U2 - cutoff = 0.85						1046.7
U2 - cutoff = 0.95						1156.6
U3 - cutoff = 0.75						997.1
U3 - cutoff = 0.85						1041.5
U3 - cutoff = 0.95						1167.7

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.21	0.29	0.30	0.39	0.46	
Efficacy rate	0.05	0.30	0.32	0.35	0.40	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - cutoff = 0.75	6.7	20.8	6.9	1.7	0.1	63.8
U2 - cutoff = 0.85	14.2	24.7	7.9	1.7	0.1	51.4
U2 - cutoff = 0.95	24	35	8.8	1.8	0.1	30.2
U3 - cutoff = 0.75	7.3	20.9	6.6	1	0.1	64.1
U3 - cutoff = 0.85	14.9	25.7	6.4	1.3	0.1	51.6
U3 - cutoff = 0.95	26.4	33.6	7.1	1.8	0.1	31
Mean administrations						
U2 - cutoff = 0.75	7.8	7.4	2.9	1.2	0.2	-
U2 - cutoff = 0.85	10.6	8.1	3	1.2	0.2	-
U2 - cutoff = 0.95	13	9.3	3.3	1.3	0.2	-
U3 - cutoff = 0.75	7.9	7.5	2.8	1.1	0.1	-
U3 - cutoff = 0.85	10.7	8.3	2.9	1.1	0.1	-
U3 - cutoff = 0.95	13.2	9.3	3.2	1.2	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.5	3.6	0.9	0.5	0.1	-
U2 - cutoff = 0.85	2.7	3.9	1	0.5	0.1	-
U2 - cutoff = 0.95	0.7	4.4	0.9	0.6	0.1	-
U3 - cutoff = 0.75	1.5	3.7	0.9	0.4	0.1	-
U3 - cutoff = 0.85	2.8	4	0.9	0.5	0.1	-
U3 - cutoff = 0.95	0.7	4.5	0.9	0.5	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						701.8
U2 - cutoff = 0.85						817.6
U2 - cutoff = 0.95						1123
U3 - cutoff = 0.75						700.9
U3 - cutoff = 0.85						818
U3 - cutoff = 0.95						1131.8
Scenario 14						
DLT rate	0.09	0.15	0.23	0.28	0.39	
Efficacy rate	0.05	0.08	0.12	0.30	0.40	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - cutoff = 0.75	16	15	18.9	21.8	6	22.3
U2 - cutoff = 0.85	20	21.3	20.3	23.7	5.9	8.8
U2 - cutoff = 0.95	23.2	24.9	20.6	22.3	6.9	2.1
U3 - cutoff = 0.75	18.9	17.1	16.3	19.9	5.2	22.6
U3 - cutoff = 0.85	25	24	16	21.4	4.7	8.9
U3 - cutoff = 0.95	31.2	25.9	14.6	20.8	5.1	2.5
Mean administrations						
U2 - cutoff = 0.75	5.5	6.5	6.1	6.2	2.2	-
U2 - cutoff = 0.85	6.7	7.3	6.6	6.4	2.2	-
U2 - cutoff = 0.95	7.2	7.7	6.5	6.2	2.3	-
U3 - cutoff = 0.75	5.8	6.6	5.9	6	2.1	-
U3 - cutoff = 0.85	7.2	7.3	6.4	6.2	2.1	-
U3 - cutoff = 0.95	7.9	7.6	6	6.1	2.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1	3.8	2	2.4	0.7	-
U2 - cutoff = 0.85	1.5	4.1	2.2	2.5	0.7	-
U2 - cutoff = 0.95	0.7	4.1	1.8	2	0.6	-
U3 - cutoff = 0.75	1.1	3.8	1.9	2.4	0.7	-
U3 - cutoff = 0.85	1.8	4.2	2.1	2.4	0.7	-
U3 - cutoff = 0.95	0.8	4.1	1.7	1.9	0.6	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						907
U2 - cutoff = 0.85						988.1
U2 - cutoff = 0.95						1128.9
U3 - cutoff = 0.75						901.9
U3 - cutoff = 0.85						986.6
U3 - cutoff = 0.95						1140.5

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.13	0.20	0.32	0.39	0.46	
Efficacy rate	0.10	0.10	0.10	0.10	0.10	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - cutoff = 0.75	31.1	23.5	8.8	1.4	0.3	34.9
U2 - cutoff = 0.85	41.9	31.5	9.6	1.9	0.1	15
U2 - cutoff = 0.95	46.7	38.2	9	1.7	0.1	4.3
U3 - cutoff = 0.75	32.9	23.1	8.1	0.6	0.3	35
U3 - cutoff = 0.85	45.5	30.3	7.4	1.2	0.1	15.5
U3 - cutoff = 0.95	51.3	35.6	7.5	1.3	0	4.3
Mean administrations						
U2 - cutoff = 0.75	9.1	8.1	4.5	2.6	0.6	-
U2 - cutoff = 0.85	11.3	9	4.8	2.6	0.6	-
U2 - cutoff = 0.95	12	9.7	4.8	2.6	0.6	-
U3 - cutoff = 0.75	9.6	7.9	4.4	2.5	0.6	-
U3 - cutoff = 0.85	11.8	8.8	4.6	2.6	0.6	-
U3 - cutoff = 0.95	12.9	9.2	4.6	2.5	0.6	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.4	4.2	1.5	1.2	0.2	-
U2 - cutoff = 0.85	3.3	4.6	1.7	1.2	0.3	-
U2 - cutoff = 0.95	1.1	4.6	1.7	1.1	0.2	-
U3 - cutoff = 0.75	2.6	4.1	1.5	1.1	0.3	-
U3 - cutoff = 0.85	3.6	4.5	1.6	1.1	0.3	-
U3 - cutoff = 0.95	1.3	4.4	1.6	1.1	0.2	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						846.3
U2 - cutoff = 0.85						953
U2 - cutoff = 0.95						1154.8
U3 - cutoff = 0.75						844.3
U3 - cutoff = 0.85						952.2
U3 - cutoff = 0.95						1164
Scenario 16						
DLT rate	0.02	0.06	0.09	0.14	0.26	
Efficacy rate	0.20	0.20	0.20	0.20	0.20	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - cutoff = 0.75	31	30.6	17.1	13.5	7.6	0.2
U2 - cutoff = 0.85	31	30.6	16.4	13.8	8.2	0
U2 - cutoff = 0.95	31.7	30.4	16.8	13.4	7.7	0
U3 - cutoff = 0.75	36.2	33.1	14.6	11.2	4.7	0.2
U3 - cutoff = 0.85	36.5	33.7	14.7	10.9	4.2	0
U3 - cutoff = 0.95	37.2	32.7	14.3	9.7	6	0
Mean administrations						
U2 - cutoff = 0.75	4.5	5.7	6.1	8	5.6	-
U2 - cutoff = 0.85	4.4	5.6	6.2	8.1	5.7	-
U2 - cutoff = 0.95	4.2	5.8	6.4	8.1	5.5	-
U3 - cutoff = 0.75	4.9	6.2	6.2	7.7	4.9	-
U3 - cutoff = 0.85	4.9	6.2	6.3	7.7	5	-
U3 - cutoff = 0.95	4.5	6.2	6.5	7.9	4.9	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.6	3.1	2.4	3.4	2.2	-
U2 - cutoff = 0.85	0.6	3.1	2.4	3.5	2.2	-
U2 - cutoff = 0.95	0.2	2.8	2.4	2.9	1.5	-
U3 - cutoff = 0.75	0.8	3.3	2.4	3.3	1.9	-
U3 - cutoff = 0.85	0.8	3.3	2.4	3.3	1.9	-
U3 - cutoff = 0.95	0.3	2.9	2.5	2.8	1.4	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1004.4
U2 - cutoff = 0.85						1006.7
U2 - cutoff = 0.95						1111
U3 - cutoff = 0.75						1003
U3 - cutoff = 0.85						1004.7
U3 - cutoff = 0.95						1107

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.11	0.23	0.39	0.58	0.76	
Efficacy rate	0.30	0.50	0.50	0.50	0.50	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - cutoff = 0.75	21.3	67.3	7.8	0.1	0	3.5
U2 - cutoff = 0.85	22.5	70.1	7	0.1	0	0.3
U2 - cutoff = 0.95	18.5	69.5	11.2	0.6	0	0.2
U3 - cutoff = 0.75	22.9	68.7	4.8	0.1	0	3.5
U3 - cutoff = 0.85	24.2	70.3	5.1	0.1	0	0.3
U3 - cutoff = 0.95	22.5	67.6	9.6	0.1	0	0.1
Mean administrations						
U2 - cutoff = 0.75	10.7	16.2	2.3	0.2	0	-
U2 - cutoff = 0.85	10.9	16.6	2.3	0.2	0	-
U2 - cutoff = 0.95	10.2	16.5	3.1	0.2	0	-
U3 - cutoff = 0.75	11.2	16.3	1.8	0.1	0	-
U3 - cutoff = 0.85	11.4	16.7	1.7	0.1	0	-
U3 - cutoff = 0.95	10.8	16.5	2.6	0.1	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.5	5.4	0.7	0.1	0	-
U2 - cutoff = 0.85	2.5	5.6	0.7	0.1	0	-
U2 - cutoff = 0.95	0.6	4.2	1	0.1	0	-
U3 - cutoff = 0.75	2.6	5.5	0.5	0.1	0	-
U3 - cutoff = 0.85	2.7	5.6	0.5	0.1	0	-
U3 - cutoff = 0.95	0.7	4.2	0.7	0.1	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1145.3
U2 - cutoff = 0.85						1165.1
U2 - cutoff = 0.95						1332.2
U3 - cutoff = 0.75						1142
U3 - cutoff = 0.85						1162.1
U3 - cutoff = 0.95						1344.7
Scenario 18						
DLT rate	0.02	0.04	0.10	0.20	0.35	
Efficacy rate	0.05	0.10	0.15	0.20	0.50	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - cutoff = 0.75	10.1	11.3	13.5	20	44.2	0.9
U2 - cutoff = 0.85	9.3	12.1	13.4	20.1	44.9	0.2
U2 - cutoff = 0.95	9.5	12.7	11.2	20.6	46	0
U3 - cutoff = 0.75	13.2	13.4	12.7	17.6	42.1	1
U3 - cutoff = 0.85	14.2	13.6	11.8	17.8	42.4	0.2
U3 - cutoff = 0.95	15	15.9	11.7	18.1	39.4	0
Mean administrations						
U2 - cutoff = 0.75	3.3	4.2	5.4	7.8	8.9	-
U2 - cutoff = 0.85	3.5	4.2	5.4	7.9	8.9	-
U2 - cutoff = 0.95	3.5	4.5	5.5	7.6	8.9	-
U3 - cutoff = 0.75	3.4	4.3	5.5	7.9	8.5	-
U3 - cutoff = 0.85	3.5	4.4	5.6	7.9	8.5	-
U3 - cutoff = 0.95	3.6	4.6	5.6	7.7	8.5	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.2	2.9	1.9	3.1	2.7	-
U2 - cutoff = 0.85	0.2	2.9	1.9	3.2	2.7	-
U2 - cutoff = 0.95	0.1	2.8	1.6	2.5	1.7	-
U3 - cutoff = 0.75	0.2	2.9	1.9	3.2	2.6	-
U3 - cutoff = 0.85	0.2	3	1.9	3.2	2.6	-
U3 - cutoff = 0.95	0.2	2.8	1.7	2.6	1.6	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1042.9
U2 - cutoff = 0.85						1052
U2 - cutoff = 0.95						1167.6
U3 - cutoff = 0.75						1038.1
U3 - cutoff = 0.85						1046.9
U3 - cutoff = 0.95						1165.3

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.11	0.26	0.39	0.60	0.77	
Efficacy rate	0.08	0.30	0.32	0.35	0.40	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - cutoff = 0.75	12.4	43.6	8.9	0.2	0	34.9
U2 - cutoff = 0.85	17.2	55.1	9.8	0.2	0	17.7
U2 - cutoff = 0.95	23.8	59.1	11.6	0.2	0	5.3
U3 - cutoff = 0.75	13.9	43.8	7.9	0.3	0	34.1
U3 - cutoff = 0.85	18.6	55.2	8.6	0.2	0	17.4
U3 - cutoff = 0.95	27.7	56.2	10.2	0.4	0	5.5
Mean administrations						
U2 - cutoff = 0.75	7.8	11.5	4.5	1.1	0.1	-
U2 - cutoff = 0.85	9.6	13	4.6	1.1	0.1	-
U2 - cutoff = 0.95	10.2	13.5	4.8	1.1	0.1	-
U3 - cutoff = 0.75	8	11.9	4.2	0.9	0.1	-
U3 - cutoff = 0.85	9.7	13.3	4.3	0.9	0.1	-
U3 - cutoff = 0.95	10.7	13.3	4.6	1	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.5	5.2	1.4	0.5	0	-
U2 - cutoff = 0.85	2.3	5.7	1.5	0.5	0	-
U2 - cutoff = 0.95	0.8	5.3	1.5	0.6	0	-
U3 - cutoff = 0.75	1.6	5.3	1.3	0.4	0	-
U3 - cutoff = 0.85	2.4	5.9	1.3	0.4	0	-
U3 - cutoff = 0.95	0.9	5.1	1.4	0.5	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						896.6
U2 - cutoff = 0.85						1003.2
U2 - cutoff = 0.95						1184.2
U3 - cutoff = 0.75						895.6
U3 - cutoff = 0.85						1000.6
U3 - cutoff = 0.95						1197.1
Scenario 20						
DLT rate	0.07	0.14	0.31	0.41	0.52	
Efficacy rate	0.05	0.25	0.25	0.25	0.25	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - cutoff = 0.75	7.7	51.2	25.5	5.5	0	10.1
U2 - cutoff = 0.85	9	57	25.6	5.6	0	2.8
U2 - cutoff = 0.95	10.3	53.8	29.1	5.8	0.1	0.9
U3 - cutoff = 0.75	10.2	53.1	21.1	5.2	0.1	10.3
U3 - cutoff = 0.85	11	57.9	22.8	5.6	0	2.7
U3 - cutoff = 0.95	12.9	56.3	24.8	5.1	0.1	0.8
Mean administrations						
U2 - cutoff = 0.75	4.9	11.2	7.9	3.5	0.7	-
U2 - cutoff = 0.85	5.3	11.8	8.2	3.6	0.7	-
U2 - cutoff = 0.95	5.5	11.7	8.3	3.6	0.8	-
U3 - cutoff = 0.75	5.1	11.7	7.5	3.3	0.7	-
U3 - cutoff = 0.85	5.6	12.4	7.7	3.3	0.6	-
U3 - cutoff = 0.95	5.9	12	7.8	3.4	0.7	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.7	5.3	2.6	1.4	0.3	-
U2 - cutoff = 0.85	0.9	5.5	2.7	1.4	0.3	-
U2 - cutoff = 0.95	0.5	4.2	2.4	1.4	0.3	-
U3 - cutoff = 0.75	0.8	5.5	2.4	1.3	0.3	-
U3 - cutoff = 0.85	1	5.7	2.5	1.3	0.2	-
U3 - cutoff = 0.95	0.5	4.2	2.3	1.4	0.3	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						992.9
U2 - cutoff = 0.85						1037.3
U2 - cutoff = 0.95						1162.1
U3 - cutoff = 0.75						990.8
U3 - cutoff = 0.85						1032.9
U3 - cutoff = 0.95						1166.2

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.37	0.56	0.69	0.83	0.88	
Efficacy rate	0.50	0.50	0.50	0.50	0.50	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - cutoff = 0.75	36.9	0.1	0	0	0	63
U2 - cutoff = 0.85	37	0.1	0	0	0	62.9
U2 - cutoff = 0.95	51.3	0.7	0	0	0	48
U3 - cutoff = 0.75	37.2	0.1	0	0	0	62.7
U3 - cutoff = 0.85	37.7	0	0	0	0	62.3
U3 - cutoff = 0.95	50.8	0.7	0	0	0	48.5
Mean administrations						
U2 - cutoff = 0.75	18.1	1.7	0	0	0	-
U2 - cutoff = 0.85	18.2	1.7	0	0	0	-
U2 - cutoff = 0.95	19.5	2.2	0	0	0	-
U3 - cutoff = 0.75	18.2	1.6	0	0	0	-
U3 - cutoff = 0.85	18.3	1.6	0	0	0	-
U3 - cutoff = 0.95	19.5	2.1	0	0	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	3.5	0.8	0	0	0	-
U2 - cutoff = 0.85	3.5	0.8	0	0	0	-
U2 - cutoff = 0.95	0.2	1.1	0	0	0	-
U3 - cutoff = 0.75	3.5	0.8	0	0	0	-
U3 - cutoff = 0.85	3.5	0.8	0	0	0	-
U3 - cutoff = 0.95	0.2	1.1	0	0	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						856.2
U2 - cutoff = 0.85						858.9
U2 - cutoff = 0.95						1122.8
U3 - cutoff = 0.75						855.6
U3 - cutoff = 0.85						861.1
U3 - cutoff = 0.95						1122.3
Scenario 22						
DLT rate	0.07	0.27	0.50	0.56	0.78	
Efficacy rate	0.08	0.25	0.25	0.50	0.50	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - cutoff = 0.75	13.8	44.9	6.4	0.2	0	34.7
U2 - cutoff = 0.85	19.8	58.9	6.9	0.2	0	14.2
U2 - cutoff = 0.95	25.9	61.6	8.8	0.9	0	2.8
U3 - cutoff = 0.75	15.3	44.5	6.3	0.3	0	33.6
U3 - cutoff = 0.85	21.5	57.4	6.8	0.3	0	14
U3 - cutoff = 0.95	30.1	57.9	8.7	1	0	2.4
Mean administrations						
U2 - cutoff = 0.75	8.2	12.1	4.2	1.1	0	-
U2 - cutoff = 0.85	9.7	13.5	4.3	1.1	0	-
U2 - cutoff = 0.95	10.3	13.9	4.5	1.2	0	-
U3 - cutoff = 0.75	8.3	12.2	3.9	1	0	-
U3 - cutoff = 0.85	10	13.5	4.1	1	0	-
U3 - cutoff = 0.95	10.8	13.6	4.2	1.1	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.7	5.5	1.2	0.5	0	-
U2 - cutoff = 0.85	2.5	6.1	1.3	0.5	0	-
U2 - cutoff = 0.95	1.1	5.3	1.5	0.5	0	-
U3 - cutoff = 0.75	1.8	5.6	1.2	0.4	0	-
U3 - cutoff = 0.85	2.6	6.1	1.2	0.4	0	-
U3 - cutoff = 0.95	1.2	5.2	1.4	0.5	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						903.2
U2 - cutoff = 0.85						1006.4
U2 - cutoff = 0.95						1185.3
U3 - cutoff = 0.75						899.8
U3 - cutoff = 0.85						1002.1
U3 - cutoff = 0.95						1192

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.32	0.55	0.80	0.94	0.97	
Efficacy rate	0.05	0.05	0.05	0.05	0.05	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - cutoff = 0.75	2.1	0.1	0	0	0	97.8
U2 - cutoff = 0.85	5.3	0.1	0	0	0	94.6
U2 - cutoff = 0.95	16	1.6	0	0	0	82.4
U3 - cutoff = 0.75	2.1	0	0	0	0	97.9
U3 - cutoff = 0.85	5.6	0.1	0	0	0	94.3
U3 - cutoff = 0.95	16.1	1.7	0	0	0	82.2
Mean administrations						
U2 - cutoff = 0.75	7.7	3.1	0.2	0	0	-
U2 - cutoff = 0.85	10.7	3.2	0.2	0	0	-
U2 - cutoff = 0.95	15	3.6	0.2	0	0	-
U3 - cutoff = 0.75	7.6	3.1	0.2	0	0	-
U3 - cutoff = 0.85	10.8	3.2	0.2	0	0	-
U3 - cutoff = 0.95	15	3.5	0.2	0	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.4	1.8	0.1	0	0	-
U2 - cutoff = 0.85	2.8	1.9	0.1	0	0	-
U2 - cutoff = 0.95	0.6	2.2	0.1	0	0	-
U3 - cutoff = 0.75	1.4	1.8	0.1	0	0	-
U3 - cutoff = 0.85	2.9	1.9	0.1	0	0	-
U3 - cutoff = 0.95	0.5	2.1	0.1	0	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						407.6
U2 - cutoff = 0.85						501.7
U2 - cutoff = 0.95						876.9
U3 - cutoff = 0.75						406.1
U3 - cutoff = 0.85						505
U3 - cutoff = 0.95						875.8
Scenario 24						
DLT rate	0.01	0.02	0.05	0.10	0.25	
Efficacy rate	0.05	0.08	0.20	0.50	0.50	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - cutoff = 0.75	0.1	0.7	1.7	64.2	33.3	0
U2 - cutoff = 0.85	0.2	0.5	1.6	64.6	33.1	0
U2 - cutoff = 0.95	0.7	1.2	2.2	54.1	41.8	0
U3 - cutoff = 0.75	0.6	1	2.1	69.1	27.2	0
U3 - cutoff = 0.85	0.7	1	1.8	68.3	28.2	0
U3 - cutoff = 0.95	1.6	1.7	3.4	57.2	36.2	0
Mean administrations						
U2 - cutoff = 0.75	3.1	3.2	3.8	14	5.9	-
U2 - cutoff = 0.85	3.1	3.2	3.8	14	5.9	-
U2 - cutoff = 0.95	3.1	3.2	3.8	13	6.9	-
U3 - cutoff = 0.75	3.1	3.2	3.9	14.6	5.2	-
U3 - cutoff = 0.85	3.1	3.2	3.9	14.5	5.3	-
U3 - cutoff = 0.95	3.1	3.3	3.9	13.4	6.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0	2.4	1.2	4.8	1.8	-
U2 - cutoff = 0.85	0	2.4	1.2	4.8	1.8	-
U2 - cutoff = 0.95	0	2.4	1	2.4	1.5	-
U3 - cutoff = 0.75	0	2.5	1.2	5	1.6	-
U3 - cutoff = 0.85	0	2.5	1.2	5	1.6	-
U3 - cutoff = 0.95	0	2.5	1	2.4	1.4	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1087.4
U2 - cutoff = 0.85						1087.8
U2 - cutoff = 0.95						1246.6
U3 - cutoff = 0.75						1084.6
U3 - cutoff = 0.85						1085.7
U3 - cutoff = 0.95						1252.5

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.09	0.18	0.37	0.63	0.77	
Efficacy rate	0.20	0.25	0.40	0.45	0.50	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - cutoff = 0.75	27.3	38.4	26.8	1	0	6.5
U2 - cutoff = 0.85	28.8	40.6	28.4	1.2	0	1
U2 - cutoff = 0.95	28.8	41.6	27.5	1.9	0	0.2
U3 - cutoff = 0.75	32.7	37.4	23	0.8	0	6.1
U3 - cutoff = 0.85	32.9	40.3	25.2	0.6	0	1
U3 - cutoff = 0.95	32.7	40.6	24.8	1.7	0	0.2
Mean administrations						
U2 - cutoff = 0.75	9.2	10.8	7.6	1.4	0.1	-
U2 - cutoff = 0.85	9.5	11.2	7.7	1.4	0.1	-
U2 - cutoff = 0.95	9.2	11.4	7.8	1.5	0.1	-
U3 - cutoff = 0.75	9.8	10.8	7.1	1.2	0	-
U3 - cutoff = 0.85	10.2	11.4	7.2	1.1	0	-
U3 - cutoff = 0.95	9.7	11.5	7.4	1.4	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2.3	4.6	2.3	0.5	0	-
U2 - cutoff = 0.85	2.4	4.7	2.4	0.5	0	-
U2 - cutoff = 0.95	0.8	4.2	2.1	0.7	0	-
U3 - cutoff = 0.75	2.5	4.7	2.1	0.5	0	-
U3 - cutoff = 0.85	2.7	4.9	2.2	0.5	0	-
U3 - cutoff = 0.95	0.9	4.2	2	0.6	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1059.8
U2 - cutoff = 0.85						1090.1
U2 - cutoff = 0.95						1222.9
U3 - cutoff = 0.75						1053.9
U3 - cutoff = 0.85						1084
U3 - cutoff = 0.95						1231.4
Scenario 26						
DLT rate	0.15	0.22	0.30	0.62	0.80	
Efficacy rate	0.10	0.20	0.35	0.45	0.55	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - cutoff = 0.75	19.6	27	20.3	1.8	0	31.3
U2 - cutoff = 0.85	26.5	35.4	20.9	1.6	0	15.6
U2 - cutoff = 0.95	28.9	42.1	21	1.6	0	6.5
U3 - cutoff = 0.75	20.4	28.4	17.8	1.5	0	31.9
U3 - cutoff = 0.85	29	34.8	19.2	1.6	0	15.4
U3 - cutoff = 0.95	32.9	41.2	18.1	1.7	0	6.3
Mean administrations						
U2 - cutoff = 0.75	8.5	8.9	6	1.6	0.1	-
U2 - cutoff = 0.85	10.4	9.8	6.2	1.6	0.1	-
U2 - cutoff = 0.95	11	10.5	6.2	1.7	0.1	-
U3 - cutoff = 0.75	8.8	9	5.8	1.5	0.1	-
U3 - cutoff = 0.85	10.7	9.8	6	1.5	0.1	-
U3 - cutoff = 0.95	11.6	10.3	5.9	1.6	0.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	2	4.3	1.8	0.7	0	-
U2 - cutoff = 0.85	2.8	4.7	1.9	0.7	0	-
U2 - cutoff = 0.95	0.8	4.6	1.5	0.9	0	-
U3 - cutoff = 0.75	2.1	4.3	1.7	0.7	0	-
U3 - cutoff = 0.85	2.9	4.7	1.8	0.6	0	-
U3 - cutoff = 0.95	0.9	4.5	1.4	0.8	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						895.5
U2 - cutoff = 0.85						991.3
U2 - cutoff = 0.95						1197.1
U3 - cutoff = 0.75						894.9
U3 - cutoff = 0.85						989.8
U3 - cutoff = 0.95						1204.4

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.11	0.17	0.30	0.50	0.62	
Efficacy rate	0.10	0.20	0.40	0.42	0.45	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - cutoff = 0.75	14.2	27.2	38.5	3.4	0	16.7
U2 - cutoff = 0.85	17.2	33.7	39	3.7	0	6.4
U2 - cutoff = 0.95	17.8	37	37.8	5.9	0	1.5
U3 - cutoff = 0.75	16.8	29.3	34.2	3.1	0	16.6
U3 - cutoff = 0.85	19.3	34.4	36.7	2.9	0	6.7
U3 - cutoff = 0.95	22.3	38.4	33.5	4.5	0	1.4
Mean administrations						
U2 - cutoff = 0.75	6.7	9	9.2	2.2	0.2	-
U2 - cutoff = 0.85	7.7	9.7	9.4	2.3	0.2	-
U2 - cutoff = 0.95	7.9	10.1	9	2.7	0.2	-
U3 - cutoff = 0.75	6.9	9.2	8.8	2.1	0.2	-
U3 - cutoff = 0.85	8	9.9	9.1	2.2	0.2	-
U3 - cutoff = 0.95	8.5	10.1	8.7	2.5	0.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.4	4.3	2.7	0.9	0.1	-
U2 - cutoff = 0.85	1.8	4.5	2.8	0.9	0.1	-
U2 - cutoff = 0.95	0.6	4.3	2.1	1.1	0.1	-
U3 - cutoff = 0.75	1.5	4.4	2.6	0.8	0.1	-
U3 - cutoff = 0.85	1.9	4.6	2.7	0.9	0.1	-
U3 - cutoff = 0.95	0.7	4.2	2	1	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						986.8
U2 - cutoff = 0.85						1051.4
U2 - cutoff = 0.95						1190.8
U3 - cutoff = 0.75						984
U3 - cutoff = 0.85						1046.3
U3 - cutoff = 0.95						1208
Scenario 28						
DLT rate	0.20	0.30	0.50	0.60	0.77	
Efficacy rate	0.05	0.30	0.32	0.35	0.40	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - cutoff = 0.75	8.9	18.3	1.7	0	0	71.1
U2 - cutoff = 0.85	18.4	23.4	1.5	0	0	56.7
U2 - cutoff = 0.95	31.1	35	2.5	0	0	31.4
U3 - cutoff = 0.75	8.5	19.2	1.2	0	0	71.1
U3 - cutoff = 0.85	17.7	24.3	1.5	0	0	56.5
U3 - cutoff = 0.95	30	34.5	3.2	0	0	32.3
Mean administrations						
U2 - cutoff = 0.75	8.5	7.9	2	0.4	0	-
U2 - cutoff = 0.85	11.7	8.8	2.1	0.4	0	-
U2 - cutoff = 0.95	14.2	10.2	2.2	0.4	0	-
U3 - cutoff = 0.75	8.6	8	1.9	0.4	0	-
U3 - cutoff = 0.85	11.6	8.9	2	0.4	0	-
U3 - cutoff = 0.95	14.5	10	2.2	0.4	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.7	3.8	0.6	0.2	0	-
U2 - cutoff = 0.85	3.1	4.1	0.7	0.2	0	-
U2 - cutoff = 0.95	0.9	4.7	0.8	0.2	0	-
U3 - cutoff = 0.75	1.8	3.8	0.6	0.2	0	-
U3 - cutoff = 0.85	3.1	4.2	0.6	0.2	0	-
U3 - cutoff = 0.95	0.9	4.6	0.8	0.2	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						683.6
U2 - cutoff = 0.85						814.2
U2 - cutoff = 0.95						1127.8
U3 - cutoff = 0.75						682.1
U3 - cutoff = 0.85						813.3
U3 - cutoff = 0.95						1142.8

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.19	0.30	0.56	0.74	0.86	
Efficacy rate	0.40	0.40	0.40	0.40	0.40	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - cutoff = 0.75	70.7	23	1.2	0	0	5.1
U2 - cutoff = 0.85	69.9	25.6	0.7	0	0	3.8
U2 - cutoff = 0.95	59.8	35.2	1.9	0	0	3.1
U3 - cutoff = 0.75	71.8	22.7	0.4	0	0	5.1
U3 - cutoff = 0.85	72.9	23.2	0.5	0	0	3.4
U3 - cutoff = 0.95	62.7	33.1	1.3	0	0	2.9
Mean administrations						
U2 - cutoff = 0.75	20	8.1	0.9	0.1	0	-
U2 - cutoff = 0.85	20.1	8.2	0.9	0.1	0	-
U2 - cutoff = 0.95	18	10	1.3	0.1	0	-
U3 - cutoff = 0.75	20.5	7.9	0.6	0.1	0	-
U3 - cutoff = 0.85	20.7	8	0.6	0.1	0	-
U3 - cutoff = 0.95	18.7	9.6	1	0.1	0	-
Mean IPDE administrations						
U2 - cutoff = 0.75	5	3.1	0.3	0	0	-
U2 - cutoff = 0.85	5	3.1	0.3	0	0	-
U2 - cutoff = 0.95	0.9	3.5	0.6	0.1	0	-
U3 - cutoff = 0.75	5.2	3	0.2	0	0	-
U3 - cutoff = 0.85	5.2	3.1	0.2	0	0	-
U3 - cutoff = 0.95	0.9	3.4	0.4	0	0	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1141.2
U2 - cutoff = 0.85						1149.2
U2 - cutoff = 0.95						1342.5
U3 - cutoff = 0.75						1139.3
U3 - cutoff = 0.85						1149.4
U3 - cutoff = 0.95						1368.6
Scenario 30						
DLT rate	0.05	0.08	0.17	0.27	0.54	
Efficacy rate	0.12	0.15	0.20	0.40	0.50	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - cutoff = 0.75	14.2	16.1	18.1	42.8	6.5	2.3
U2 - cutoff = 0.85	14.3	17.2	18.6	43.1	6.4	0.4
U2 - cutoff = 0.95	16.2	17.8	19.2	38.1	8.6	0
U3 - cutoff = 0.75	18.7	19.1	16.5	39	4.4	2.3
U3 - cutoff = 0.85	19.5	18.9	16.1	40.6	4.4	0.5
U3 - cutoff = 0.95	17.6	22.7	18.6	34.7	6.5	0
Mean administrations						
U2 - cutoff = 0.75	4.5	6	6.9	9.8	2.4	-
U2 - cutoff = 0.85	4.7	6.1	7	9.9	2.3	-
U2 - cutoff = 0.95	4.7	6.3	7	9.3	2.8	-
U3 - cutoff = 0.75	4.7	6.4	6.8	9.6	2.1	-
U3 - cutoff = 0.85	4.8	6.5	6.9	9.7	2.1	-
U3 - cutoff = 0.95	5	6.5	6.9	9.2	2.4	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.6	3.4	2.3	3.3	0.8	-
U2 - cutoff = 0.85	0.7	3.4	2.3	3.4	0.8	-
U2 - cutoff = 0.95	0.3	3.1	2.1	2.3	1	-
U3 - cutoff = 0.75	0.7	3.6	2.2	3.2	0.7	-
U3 - cutoff = 0.85	0.8	3.6	2.3	3.3	0.7	-
U3 - cutoff = 0.95	0.4	3.2	2.1	2.2	0.8	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1049.8
U2 - cutoff = 0.85						1064.2
U2 - cutoff = 0.95						1166.4
U3 - cutoff = 0.75						1046.1
U3 - cutoff = 0.85						1060.5
U3 - cutoff = 0.95						1178.1

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0.04	0.06	0.10	0.20	0.60	
Efficacy rate	0.20	0.50	0.50	0.50	0.50	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - cutoff = 0.75	1.4	52.8	33.4	11.4	0.8	0.2
U2 - cutoff = 0.85	1.5	54.5	31.8	11.6	0.6	0
U2 - cutoff = 0.95	1.6	42.4	37.5	16.9	1.5	0
U3 - cutoff = 0.75	2.2	59.2	28	10	0.4	0.2
U3 - cutoff = 0.85	2.3	59.9	27.7	9.6	0.5	0
U3 - cutoff = 0.95	2.7	48.9	32.7	14.6	1.2	0
Mean administrations						
U2 - cutoff = 0.75	4	16	7.5	2.3	0.2	-
U2 - cutoff = 0.85	4.1	16.2	7.3	2.3	0.2	-
U2 - cutoff = 0.95	3.9	14.8	8.2	2.8	0.3	-
U3 - cutoff = 0.75	4.2	17.1	6.6	2	0.1	-
U3 - cutoff = 0.85	4.1	17.3	6.5	1.9	0.1	-
U3 - cutoff = 0.95	4	15.5	7.6	2.6	0.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.4	6	2.4	0.7	0.1	-
U2 - cutoff = 0.85	0.4	6	2.3	0.7	0.1	-
U2 - cutoff = 0.95	0.1	2.8	1.8	0.8	0.2	-
U3 - cutoff = 0.75	0.4	6.4	2.1	0.6	0	-
U3 - cutoff = 0.85	0.4	6.4	2	0.6	0	-
U3 - cutoff = 0.95	0.1	2.8	1.6	0.7	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1130.5
U2 - cutoff = 0.85						1132.7
U2 - cutoff = 0.95						1347
U3 - cutoff = 0.75						1128.9
U3 - cutoff = 0.85						1130.7
U3 - cutoff = 0.95						1372
Scenario 32						
DLT rate	0.02	0.05	0.11	0.30	0.36	
Efficacy rate	0.08	0.15	0.30	0.30	0.30	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - cutoff = 0.75	10	11.5	35.5	34.1	7.9	1
U2 - cutoff = 0.85	9.2	11.5	35.7	35.3	8.1	0.2
U2 - cutoff = 0.95	9.5	14.7	32.3	34.5	8.9	0
U3 - cutoff = 0.75	13.7	15.7	36.3	28.5	4.9	0.9
U3 - cutoff = 0.85	13	17.3	36.4	28.5	4.7	0.1
U3 - cutoff = 0.95	13.5	21	30.4	28.8	6.4	0
Mean administrations						
U2 - cutoff = 0.75	3.4	4.6	9.1	9	3.7	-
U2 - cutoff = 0.85	3.5	4.7	9.1	9	3.6	-
U2 - cutoff = 0.95	3.5	4.8	8.8	9	3.8	-
U3 - cutoff = 0.75	3.5	4.9	9.6	8.8	3	-
U3 - cutoff = 0.85	3.6	4.9	9.5	8.9	3.1	-
U3 - cutoff = 0.95	3.6	5	9.1	9	3.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.2	3	3	3.4	1.3	-
U2 - cutoff = 0.85	0.2	3	3	3.4	1.3	-
U2 - cutoff = 0.95	0.1	2.8	2	3	1.1	-
U3 - cutoff = 0.75	0.2	3.1	3.2	3.3	1	-
U3 - cutoff = 0.85	0.3	3.1	3.2	3.3	1.1	-
U3 - cutoff = 0.95	0.1	2.9	2.1	2.9	0.9	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1044.5
U2 - cutoff = 0.85						1049.7
U2 - cutoff = 0.95						1155.8
U3 - cutoff = 0.75						1042.1
U3 - cutoff = 0.85						1048
U3 - cutoff = 0.95						1163.3

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0.01	0.02	0.09	0.32	0.38	
Efficacy rate	0.05	0.08	0.20	0.40	0.50	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - cutoff = 0.75	8.1	8	15.2	52.1	16.2	0.4
U2 - cutoff = 0.85	6.6	7.9	16.3	53.2	15.9	0.1
U2 - cutoff = 0.95	7.8	7.6	15.8	48.9	19.9	0
U3 - cutoff = 0.75	12.6	8.5	14.6	50.9	13.1	0.3
U3 - cutoff = 0.85	12.6	7.9	13.9	52.7	12.8	0.1
U3 - cutoff = 0.95	12.3	9.3	13	48.4	17	0
Mean administrations						
U2 - cutoff = 0.75	3.3	3.8	6.5	11.6	4.6	-
U2 - cutoff = 0.85	3.3	3.9	6.6	11.7	4.5	-
U2 - cutoff = 0.95	3.3	3.9	6.6	11.2	5	-
U3 - cutoff = 0.75	3.3	3.9	6.6	11.8	4.1	-
U3 - cutoff = 0.85	3.4	4	6.7	11.8	4.1	-
U3 - cutoff = 0.95	3.4	4	6.6	11.3	4.7	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.1	2.8	1.9	4.1	1.3	-
U2 - cutoff = 0.85	0.1	2.8	2	4.1	1.3	-
U2 - cutoff = 0.95	0.1	2.7	1.6	2.9	1.2	-
U3 - cutoff = 0.75	0.2	2.8	2	4.2	1.2	-
U3 - cutoff = 0.85	0.2	2.8	2	4.2	1.2	-
U3 - cutoff = 0.95	0.1	2.7	1.6	2.9	1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1075.2
U2 - cutoff = 0.85						1081.5
U2 - cutoff = 0.95						1188.2
U3 - cutoff = 0.75						1071.5
U3 - cutoff = 0.85						1078.7
U3 - cutoff = 0.95						1193
Scenario 34						
DLT rate	0.05	0.13	0.30	0.36	0.42	
Efficacy rate	0.05	0.10	0.30	0.32	0.35	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - cutoff = 0.75	13	16.3	44.4	11.5	1.6	13.2
U2 - cutoff = 0.85	13.2	18.8	49.4	12.5	1.5	4.6
U2 - cutoff = 0.95	15.2	24.7	45.2	12.6	2	0.3
U3 - cutoff = 0.75	14	18.2	42	11.4	0.9	13.5
U3 - cutoff = 0.85	17.4	20.9	43.6	12.4	0.9	4.8
U3 - cutoff = 0.95	20.2	24.1	41.2	12.5	1.6	0.4
Mean administrations						
U2 - cutoff = 0.75	4.9	7.1	9.9	4.9	1	-
U2 - cutoff = 0.85	5.6	7.7	10.2	5	1.1	-
U2 - cutoff = 0.95	6	7.7	9.9	5.1	1.2	-
U3 - cutoff = 0.75	5.2	7.2	9.8	4.7	0.9	-
U3 - cutoff = 0.85	6	7.8	10.1	4.8	0.9	-
U3 - cutoff = 0.95	6.4	7.7	9.8	5	1.1	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.8	3.9	3.1	1.8	0.4	-
U2 - cutoff = 0.85	1.1	4.1	3.3	1.9	0.4	-
U2 - cutoff = 0.95	0.6	3.8	2.3	1.8	0.4	-
U3 - cutoff = 0.75	0.9	3.9	3.1	1.8	0.4	-
U3 - cutoff = 0.85	1.3	4.2	3.2	1.8	0.3	-
U3 - cutoff = 0.95	0.7	3.8	2.2	1.7	0.4	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						979.7
U2 - cutoff = 0.85						1037
U2 - cutoff = 0.95						1158.6
U3 - cutoff = 0.75						978.4
U3 - cutoff = 0.85						1033
U3 - cutoff = 0.95						1167.9

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0.03	0.09	0.30	0.40	0.45	
Efficacy rate	0.20	0.45	0.45	0.45	0.45	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - cutoff = 0.75	5.1	55.9	33.8	4.6	0.2	0.4
U2 - cutoff = 0.85	4.9	55.1	35.3	4.4	0.2	0.1
U2 - cutoff = 0.95	5.9	48.1	38	7.4	0.6	0
U3 - cutoff = 0.75	7.1	61.7	27.5	3.4	0	0.3
U3 - cutoff = 0.85	6.4	61.7	28.3	3.5	0	0.1
U3 - cutoff = 0.95	8	52.4	33.5	5.8	0.4	0
Mean administrations						
U2 - cutoff = 0.75	4.4	15.5	8.1	1.7	0.2	-
U2 - cutoff = 0.85	4.4	15.5	8.2	1.7	0.2	-
U2 - cutoff = 0.95	4.4	14.4	8.8	2.2	0.2	-
U3 - cutoff = 0.75	4.8	16.4	7.2	1.4	0.1	-
U3 - cutoff = 0.85	4.8	16.5	7.2	1.4	0.1	-
U3 - cutoff = 0.95	4.5	14.9	8.3	2	0.2	-
Mean IPDE administrations						
U2 - cutoff = 0.75	0.5	5.9	2.4	0.6	0.1	-
U2 - cutoff = 0.85	0.5	5.8	2.4	0.6	0.1	-
U2 - cutoff = 0.95	0.2	3.2	2.3	0.7	0.1	-
U3 - cutoff = 0.75	0.7	6.2	2.1	0.5	0	-
U3 - cutoff = 0.85	0.6	6.3	2.1	0.5	0	-
U3 - cutoff = 0.95	0.2	3.2	2.1	0.7	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						1132.1
U2 - cutoff = 0.85						1135.7
U2 - cutoff = 0.95						1303.2
U3 - cutoff = 0.75						1127.7
U3 - cutoff = 0.85						1129.6
U3 - cutoff = 0.95						1321.1
Scenario 36						
DLT rate	0.13	0.29	0.35	0.40	0.43	
Efficacy rate	0.05	0.20	0.22	0.30	0.35	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - cutoff = 0.75	11.8	26.8	8.1	1.5	0.2	51.6
U2 - cutoff = 0.85	16.9	36.7	9.5	2.1	0.3	34.5
U2 - cutoff = 0.95	29	45.8	10.1	1.6	0.6	13
U3 - cutoff = 0.75	13.2	26.6	7	1.6	0.2	51.4
U3 - cutoff = 0.85	20.1	35.9	8	1.7	0.1	34.2
U3 - cutoff = 0.95	29.4	47	8.1	1.7	0.4	13.4
Mean administrations						
U2 - cutoff = 0.75	7.5	8.5	4	1.8	0.3	-
U2 - cutoff = 0.85	9.8	9.9	4.2	1.9	0.3	-
U2 - cutoff = 0.95	11.3	11.1	4.4	1.9	0.3	-
U3 - cutoff = 0.75	7.5	8.6	3.8	1.8	0.3	-
U3 - cutoff = 0.85	10	10	4.1	1.8	0.3	-
U3 - cutoff = 0.95	11.7	10.8	4.2	1.9	0.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.4	4.3	1.3	0.7	0.1	-
U2 - cutoff = 0.85	2.5	4.9	1.4	0.8	0.1	-
U2 - cutoff = 0.95	0.9	5.2	1.3	0.8	0.1	-
U3 - cutoff = 0.75	1.5	4.4	1.2	0.7	0.1	-
U3 - cutoff = 0.85	2.5	5	1.3	0.7	0.1	-
U3 - cutoff = 0.95	0.9	5.1	1.3	0.7	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						775.3
U2 - cutoff = 0.85						904.5
U2 - cutoff = 0.95						1141.2
U3 - cutoff = 0.75						770.7
U3 - cutoff = 0.85						900.3
U3 - cutoff = 0.95						1146.9

Priors: toxicity alpha Beta(0.15, 0.85); efficacy beta-binomial Beta(0.5, 0.5); efficacy alpha Beta(0.15, 0.85).
Cutoffs 0.75 and 0.85 use August 10 data with efficacy threshold = 0.20; cutoff 0.95 uses the specified August 3 source.

Phase I/II Operating Characteristics

Non-TITE efficacy cutoff comparison - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.08	0.30	0.40	0.45	0.50	
Efficacy rate	0.05	0.20	0.20	0.20	0.20	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - cutoff = 0.75	12.1	32.5	6.6	0.2	0	48.6
U2 - cutoff = 0.85	18.1	47	7.8	0.2	0	26.9
U2 - cutoff = 0.95	28.7	56	9.2	0.9	0	5.2
U3 - cutoff = 0.75	13.3	32.9	5.9	0.2	0	47.7
U3 - cutoff = 0.85	20.2	45.9	7.1	0.4	0	26.4
U3 - cutoff = 0.95	31.4	53.6	7.8	0.7	0	6.5
Mean administrations						
U2 - cutoff = 0.75	7.4	10	4.2	1.7	0.2	-
U2 - cutoff = 0.85	9.4	11.6	4.4	1.7	0.3	-
U2 - cutoff = 0.95	10.6	12.5	4.6	1.7	0.3	-
U3 - cutoff = 0.75	7.5	10	4	1.6	0.2	-
U3 - cutoff = 0.85	9.7	11.6	4.2	1.6	0.2	-
U3 - cutoff = 0.95	11.1	12.2	4.3	1.6	0.3	-
Mean IPDE administrations						
U2 - cutoff = 0.75	1.4	5	1.3	0.7	0.1	-
U2 - cutoff = 0.85	2.3	5.7	1.4	0.8	0.1	-
U2 - cutoff = 0.95	1.1	5.6	1.4	0.7	0.1	-
U3 - cutoff = 0.75	1.5	5	1.2	0.7	0.1	-
U3 - cutoff = 0.85	2.4	5.7	1.3	0.7	0.1	-
U3 - cutoff = 0.95	1.1	5.5	1.4	0.7	0.1	-
Mean trial duration (days)						Days
U2 - cutoff = 0.75						815.4
U2 - cutoff = 0.85						940
U2 - cutoff = 0.95						1142.6
U3 - cutoff = 0.75						813.8
U3 - cutoff = 0.85						938.7
U3 - cutoff = 0.95						1145.9