

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	5.2	2.6	0.6	0.3	0	91.3
U2 - TITE, 56-day accrual	4.7	6.6	3.6	0.5	0	84.6
U3 - Original non-TITE	5.9	2.7	0.2	0.1	0	91.1
U3 - TITE, 56-day accrual	4.7	7.7	2.9	0.5	0	84.2
Mean administrations						
U2 - Original non-TITE	8	2.8	1.6	0.7	0.2	-
U2 - TITE, 56-day accrual	8.7	3.3	1.4	0.4	0.1	-
U3 - Original non-TITE	7.9	2.8	1.6	0.6	0.2	-
U3 - TITE, 56-day accrual	8.7	3.2	1.4	0.4	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	1.5	0.5	0.3	0.1	-
U2 - TITE, 56-day accrual	2.9	1.4	0.5	0.2	0	-
U3 - Original non-TITE	2	1.5	0.5	0.3	0.1	-
U3 - TITE, 56-day accrual	2.9	1.4	0.5	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						470.7
U2 - TITE, 56-day accrual						516
U3 - Original non-TITE						470.8
U3 - TITE, 56-day accrual						512.2
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	28.8	16.3	31.4	9.3	2.2	12
U2 - TITE, 56-day accrual	21.9	20.4	33.3	10.8	1.5	12.1
U3 - Original non-TITE	31.7	16.8	29.6	8.6	1.4	11.9
U3 - TITE, 56-day accrual	22.3	20.6	32.8	11.4	1.4	11.5
Mean administrations						
U2 - Original non-TITE	10.5	5.1	7.1	3.7	1.5	-
U2 - TITE, 56-day accrual	11.1	6.1	7	2.6	0.9	-
U3 - Original non-TITE	10.5	5.1	7.1	3.7	1.6	-
U3 - TITE, 56-day accrual	11.2	6.2	7	2.5	0.9	-
Mean IPDE administrations						
U2 - Original non-TITE	2.9	2.5	1.9	1	0.4	-
U2 - TITE, 56-day accrual	3.9	2.4	1.9	0.7	0.2	-
U3 - Original non-TITE	2.9	2.4	1.9	1	0.4	-
U3 - TITE, 56-day accrual	4	2.4	1.9	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1056.4
U2 - TITE, 56-day accrual						1085.6
U3 - Original non-TITE						1057
U3 - TITE, 56-day accrual						1088.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	8.5	39.4	18.3	6.9	1.4	25.5
U2 - TITE, 56-day accrual	5	40.1	23.6	8.2	1.8	21.3
U3 - Original non-TITE	9.2	40.9	16.7	6.3	1.4	25.5
U3 - TITE, 56-day accrual	5	39.7	24.3	8.4	1.8	20.8
Mean administrations						
U2 - Original non-TITE	6.8	7.5	6	3.4	1.5	-
U2 - TITE, 56-day accrual	7.5	9.7	5.6	2.1	0.9	-
U3 - Original non-TITE	6.8	7.6	5.9	3.3	1.5	-
U3 - TITE, 56-day accrual	7.5	9.7	5.6	2.2	0.9	-
Mean IPDE administrations						
U2 - Original non-TITE	1.6	3.2	1.7	1.1	0.4	-
U2 - TITE, 56-day accrual	2.7	3.4	1.6	0.6	0.2	-
U3 - Original non-TITE	1.6	3.3	1.7	1.1	0.4	-
U3 - TITE, 56-day accrual	2.7	3.4	1.6	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						944.9
U2 - TITE, 56-day accrual						1005.5
U3 - Original non-TITE						944.6
U3 - TITE, 56-day accrual						1005.1
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	5.5	7.2	21.3	43.4	14.9	7.7
U2 - TITE, 56-day accrual	2.7	8.4	25.7	39.1	16.7	7.4
U3 - Original non-TITE	9.1	7.3	20.7	42	12.9	8
U3 - TITE, 56-day accrual	2	9.2	25.6	38	17.3	7.9
Mean administrations						
U2 - Original non-TITE	4.1	4.2	6.5	8.3	5.7	-
U2 - TITE, 56-day accrual	4.8	5.2	6.7	7.1	4	-
U3 - Original non-TITE	4.1	4.2	6.6	8.1	5.8	-
U3 - TITE, 56-day accrual	4.9	5.3	6.6	7.1	3.9	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	2.7	2	2.7	1.4	-
U2 - TITE, 56-day accrual	1.7	2.4	2.5	2	0.9	-
U3 - Original non-TITE	0.5	2.7	2.1	2.7	1.4	-
U3 - TITE, 56-day accrual	1.8	2.5	2.5	2	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1071.5
U2 - TITE, 56-day accrual						1097.5
U3 - Original non-TITE						1069.7
U3 - TITE, 56-day accrual						1091.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	3.5	33.6	27.2	18.8	9	7.9
U2 - TITE, 56-day accrual	1.2	27.2	30.1	21.7	12.7	7.1
U3 - Original non-TITE	6.4	39.9	25.2	15.2	5.4	7.9
U3 - TITE, 56-day accrual	1	27.9	29.5	22.1	12.6	6.9
Mean administrations						
U2 - Original non-TITE	4.1	6.4	6.6	6.1	5.1	-
U2 - TITE, 56-day accrual	4.9	9.6	6.8	4.3	2.5	-
U3 - Original non-TITE	4.2	6.3	6.7	6	5.1	-
U3 - TITE, 56-day accrual	4.9	9.7	6.7	4.2	2.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	3.4	2.1	2.3	1.8	-
U2 - TITE, 56-day accrual	1.7	3.9	2.5	1.5	0.8	-
U3 - Original non-TITE	0.5	3.4	2.1	2.3	1.8	-
U3 - TITE, 56-day accrual	1.7	4	2.4	1.5	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						999.3
U2 - TITE, 56-day accrual						1049.8
U3 - Original non-TITE						999.5
U3 - TITE, 56-day accrual						1048.5
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	60.9	11.6	2.8	0.6	0.2	23.9
U2 - TITE, 56-day accrual	56.5	16.7	5.2	0.7	0.2	20.7
U3 - Original non-TITE	62.6	10.9	2.3	0.4	0.2	23.6
U3 - TITE, 56-day accrual	56.6	17.2	4.4	0.7	0.2	20.9
Mean administrations						
U2 - Original non-TITE	18.5	3.8	2.2	0.8	0.3	-
U2 - TITE, 56-day accrual	18.7	4.8	2	0.6	0.1	-
U3 - Original non-TITE	18.6	3.7	2.2	0.9	0.2	-
U3 - TITE, 56-day accrual	18.6	4.9	2	0.5	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	5	1.5	0.6	0.3	0.1	-
U2 - TITE, 56-day accrual	5.7	1.6	0.6	0.2	0	-
U3 - Original non-TITE	5.1	1.5	0.6	0.3	0.1	-
U3 - TITE, 56-day accrual	5.7	1.6	0.6	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						994.7
U2 - TITE, 56-day accrual						1032.6
U3 - Original non-TITE						995.5
U3 - TITE, 56-day accrual						1033.2

Fixed priors: CRM toxicity Beta(0.15, 0.85); efficacy Beta(0.5, 0.5); efficacy additive discount Beta(0.15, 0.85).
Non-TITE: efficacy threshold = 0.20, futility cutoff = 0.75. TITE uses the shared previous-dose additive efficacy model; 28- and 14-day results are pending.

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	19.5	36.1	19.9	10.2	2.2	12.1
U2 - TITE, 56-day accrual	14.4	38.2	24.3	9.6	2.3	11.2
U3 - Original non-TITE	21.8	38.6	17	8.9	1.6	12.1
U3 - TITE, 56-day accrual	15.1	38.1	23.7	9.8	2.2	11.1
Mean administrations						
U2 - Original non-TITE	9.6	7	5.6	3.6	1.9	-
U2 - TITE, 56-day accrual	9.4	9.8	5.3	2.3	1	-
U3 - Original non-TITE	9.6	7	5.6	3.6	2	-
U3 - TITE, 56-day accrual	9.5	9.8	5.3	2.3	1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.6	2.8	1.3	1	0.5	-
U2 - TITE, 56-day accrual	3.2	3	1.5	0.6	0.2	-
U3 - Original non-TITE	2.6	2.8	1.4	1	0.5	-
U3 - TITE, 56-day accrual	3.3	3	1.5	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1070.3
U2 - TITE, 56-day accrual						1114.9
U3 - Original non-TITE						1070.2
U3 - TITE, 56-day accrual						1116.3
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	13.8	4.4	1.8	0.5	0.2	79.3
U2 - TITE, 56-day accrual	16.7	8.2	3.5	0.3	0.1	71.2
U3 - Original non-TITE	14.9	3.7	1.3	0.4	0.2	79.5
U3 - TITE, 56-day accrual	15.8	7.4	3.9	0.5	0.1	72.3
Mean administrations						
U2 - Original non-TITE	10.4	3	1.5	0.5	0.1	-
U2 - TITE, 56-day accrual	11	3.7	1.7	0.4	0.1	-
U3 - Original non-TITE	10.4	3	1.5	0.4	0.1	-
U3 - TITE, 56-day accrual	11.1	3.7	1.6	0.4	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.8	1.4	0.5	0.2	0	-
U2 - TITE, 56-day accrual	3.7	1.4	0.5	0.1	0	-
U3 - Original non-TITE	2.8	1.4	0.5	0.2	0	-
U3 - TITE, 56-day accrual	3.7	1.4	0.5	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						567.6
U2 - TITE, 56-day accrual						637.6
U3 - Original non-TITE						568.8
U3 - TITE, 56-day accrual						640

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	6.1	6.9	14.8	11.7	22.3	38.2
U2 - TITE, 56-day accrual	3.9	10.9	23.3	13.9	14.7	33.3
U3 - Original non-TITE	10.6	7.7	13.9	10.3	19.4	38.1
U3 - TITE, 56-day accrual	3.2	11.7	23.1	13.5	15.3	33.2
Mean administrations						
U2 - Original non-TITE	5.7	3.9	5.2	3.7	4.5	-
U2 - TITE, 56-day accrual	6.8	5	5.5	3.1	2.5	-
U3 - Original non-TITE	5.7	3.9	5.2	3.7	4.5	-
U3 - TITE, 56-day accrual	6.8	5	5.5	3	2.6	-
Mean IPDE administrations						
U2 - Original non-TITE	1.3	2.3	1.8	1.5	1.3	-
U2 - TITE, 56-day accrual	2.4	2.3	2.1	1.1	0.7	-
U3 - Original non-TITE	1.3	2.3	1.8	1.5	1.3	-
U3 - TITE, 56-day accrual	2.5	2.3	2.1	1.1	0.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						818
U2 - TITE, 56-day accrual						845.1
U3 - Original non-TITE						817.8
U3 - TITE, 56-day accrual						847.6
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	4	21.2	11.2	4	1.1	58.5
U2 - TITE, 56-day accrual	4.7	30.3	12.8	3.3	0.7	48.2
U3 - Original non-TITE	4.1	24.5	9.3	2.8	0.8	58.5
U3 - TITE, 56-day accrual	4.8	30.5	12.5	3.5	0.6	48.1
Mean administrations						
U2 - Original non-TITE	6.6	5.3	3.7	1.9	0.7	-
U2 - TITE, 56-day accrual	7.1	8.2	3.6	1.2	0.3	-
U3 - Original non-TITE	6.6	5.3	3.7	1.8	0.7	-
U3 - TITE, 56-day accrual	7.2	8.1	3.6	1.2	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	2.4	1	0.6	0.2	-
U2 - TITE, 56-day accrual	2.4	2.7	1	0.3	0.1	-
U3 - Original non-TITE	1.5	2.3	1	0.6	0.2	-
U3 - TITE, 56-day accrual	2.4	2.7	1	0.3	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						682.5
U2 - TITE, 56-day accrual						800.9
U3 - Original non-TITE						682.4
U3 - TITE, 56-day accrual						804.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	50.1	16.7	2.7	0.1	0	30.4
U2 - TITE, 56-day accrual	42.1	22.9	6.4	0.9	0	27.7
U3 - Original non-TITE	51.8	15.7	1.9	0.1	0	30.5
U3 - TITE, 56-day accrual	42.3	22.7	6.2	0.9	0	27.9
Mean administrations						
U2 - Original non-TITE	15.6	5.5	2.9	0.7	0.1	-
U2 - TITE, 56-day accrual	15.7	6.2	2.6	0.5	0.1	-
U3 - Original non-TITE	15.6	5.5	2.9	0.7	0.1	-
U3 - TITE, 56-day accrual	15.8	6	2.6	0.5	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	4.7	2.5	0.9	0.3	0	-
U2 - TITE, 56-day accrual	5.4	2.3	0.8	0.2	0	-
U3 - Original non-TITE	4.7	2.5	0.9	0.3	0	-
U3 - TITE, 56-day accrual	5.5	2.2	0.9	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						905
U2 - TITE, 56-day accrual						939.1
U3 - Original non-TITE						905
U3 - TITE, 56-day accrual						938.4
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	12.1	10.9	10.1	36.9	17	13
U2 - TITE, 56-day accrual	3.6	15	17.4	34.1	20.2	9.7
U3 - Original non-TITE	15.6	12.1	9	34.5	15.5	13.3
U3 - TITE, 56-day accrual	3.9	15.3	18.9	32	19.5	10.4
Mean administrations						
U2 - Original non-TITE	4.4	4.7	5.4	7.3	6.5	-
U2 - TITE, 56-day accrual	5.3	5.5	5	6.6	4.6	-
U3 - Original non-TITE	4.4	4.7	5.3	7.3	6.5	-
U3 - TITE, 56-day accrual	5.3	5.5	4.8	6.8	4.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	2.9	1.7	2.7	1.5	-
U2 - TITE, 56-day accrual	1.9	2.6	2	2.1	0.9	-
U3 - Original non-TITE	0.7	2.9	1.7	2.7	1.5	-
U3 - TITE, 56-day accrual	1.9	2.6	1.9	2.2	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1033.8
U2 - TITE, 56-day accrual						1051.6
U3 - Original non-TITE						1033.7
U3 - TITE, 56-day accrual						1053.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	5.7	23.2	11.4	3.8	1.3	54.6
U2 - TITE, 56-day accrual	5.2	32	10.8	4.1	0.6	47.3
U3 - Original non-TITE	7	23.8	10.4	3.4	1.1	54.3
U3 - TITE, 56-day accrual	5.1	30.9	12.7	3.5	1	46.8
Mean administrations						
U2 - Original non-TITE	6.6	5.7	4	2	0.8	-
U2 - TITE, 56-day accrual	7.4	8.3	3.4	1.4	0.5	-
U3 - Original non-TITE	6.6	5.8	4	1.9	0.8	-
U3 - TITE, 56-day accrual	7.4	8.2	3.6	1.3	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	1.6	2.6	1.2	0.7	0.2	-
U2 - TITE, 56-day accrual	2.5	3	1.1	0.5	0.1	-
U3 - Original non-TITE	1.5	2.7	1.2	0.7	0.2	-
U3 - TITE, 56-day accrual	2.6	3	1.2	0.4	0.1	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						701.9
U3 - Original non-TITE						795.1
U3 - TITE, 56-day accrual						701.7
						797
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	13.2	10	12.4	25.4	12.6	26.4
U2 - TITE, 56-day accrual	4.2	17.6	21.2	25.9	10.5	20.6
U3 - Original non-TITE	20.2	10.7	10	22.7	9.5	26.9
U3 - TITE, 56-day accrual	4.6	17.2	21.5	26.8	10.7	19.2
Mean administrations						
U2 - Original non-TITE	5.3	4.9	5.6	5.7	4.6	-
U2 - TITE, 56-day accrual	6.4	5.8	5.3	4.7	2.8	-
U3 - Original non-TITE	5.3	4.9	5.6	5.8	4.6	-
U3 - TITE, 56-day accrual	6.4	5.9	5.3	4.8	2.8	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	2.9	2	2.2	1.4	-
U2 - TITE, 56-day accrual	2.4	2.7	2.1	1.7	0.7	-
U3 - Original non-TITE	1	2.9	1.9	2.3	1.4	-
U3 - TITE, 56-day accrual	2.4	2.7	2.1	1.7	0.8	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						916.6
U3 - Original non-TITE						928
U3 - TITE, 56-day accrual						914.5
						930.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	30.9	17.2	7.2	2.7	0.4	41.6
U2 - TITE, 56-day accrual	15.3	27.2	18.8	7.3	0.9	30.5
U3 - Original non-TITE	35.6	15.6	4.8	1.5	0.2	42.3
U3 - TITE, 56-day accrual	15.6	25.7	20.2	6.8	1	30.7
Mean administrations						
U2 - Original non-TITE	8.5	6.5	5.4	3	1.1	-
U2 - TITE, 56-day accrual	9.9	6.9	4.4	2	0.8	-
U3 - Original non-TITE	8.5	6.5	5.4	3	1.1	-
U3 - TITE, 56-day accrual	10	6.8	4.3	1.9	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	2.4	3.3	1.9	1.3	0.5	-
U2 - TITE, 56-day accrual	3.7	3	1.6	0.8	0.3	-
U3 - Original non-TITE	2.4	3.3	1.9	1.3	0.4	-
U3 - TITE, 56-day accrual	3.8	3	1.6	0.8	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						841.5
U2 - TITE, 56-day accrual						846.8
U3 - Original non-TITE						838.8
U3 - TITE, 56-day accrual						847.7
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	31.2	25.4	17.6	13	12.6	0.2
U2 - TITE, 56-day accrual	9.6	19	23.1	24.2	23.8	0.3
U3 - Original non-TITE	37.2	29.9	14.2	11.8	6.7	0.2
U3 - TITE, 56-day accrual	10	18.6	20.6	25	25.5	0.3
Mean administrations						
U2 - Original non-TITE	5.2	5.3	5.3	7	7.1	-
U2 - TITE, 56-day accrual	8.8	7.4	5.4	4.5	3.6	-
U3 - Original non-TITE	5.3	5.3	5.3	7	7.1	-
U3 - TITE, 56-day accrual	8.8	7.4	5.4	4.5	3.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	3	1.8	3.1	2.7	-
U2 - TITE, 56-day accrual	3.3	3.3	2.2	1.8	1.4	-
U3 - Original non-TITE	1	3	1.8	3.1	2.7	-
U3 - TITE, 56-day accrual	3.3	3.3	2.2	1.9	1.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1009.5
U2 - TITE, 56-day accrual						1064.9
U3 - Original non-TITE						1009.5
U3 - TITE, 56-day accrual						1065.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	29.4	50.8	15.3	1.2	0	3.3
U2 - TITE, 56-day accrual	21	50.2	22.6	2.4	0	3.8
U3 - Original non-TITE	32.4	50	13.5	0.8	0	3.3
U3 - TITE, 56-day accrual	20.6	51.4	21.8	2.4	0	3.8
Mean administrations						
U2 - Original non-TITE	10.3	10.1	6.8	1.9	0.3	-
U2 - TITE, 56-day accrual	10.4	11.2	5.9	1.5	0.3	-
U3 - Original non-TITE	10.3	10.1	6.8	1.9	0.3	-
U3 - TITE, 56-day accrual	10.5	11.1	6	1.4	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.6	3.5	1.5	0.6	0.1	-
U2 - TITE, 56-day accrual	3.4	3.2	1.4	0.3	0	-
U3 - Original non-TITE	2.6	3.5	1.5	0.6	0.1	-
U3 - TITE, 56-day accrual	3.5	3.2	1.4	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1172
U2 - TITE, 56-day accrual						1195.9
U3 - Original non-TITE						1170.3
U3 - TITE, 56-day accrual						1192.8
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	8	10.9	9.9	13.9	54.9	2.4
U2 - TITE, 56-day accrual	1.8	7.3	14	19	56.5	1.4
U3 - Original non-TITE	14.3	12.3	9.8	13.1	48.3	2.2
U3 - TITE, 56-day accrual	1.9	6.4	14.4	20	55.9	1.4
Mean administrations						
U2 - Original non-TITE	3.6	3.8	4.7	5.5	12.1	-
U2 - TITE, 56-day accrual	4.6	5.2	5.4	5.2	8.8	-
U3 - Original non-TITE	3.5	3.9	4.8	5.5	12	-
U3 - TITE, 56-day accrual	4.7	5.1	5.4	5.2	8.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	2.7	1.6	2.5	3.3	-
U2 - TITE, 56-day accrual	1.7	2.6	2.2	2.1	2.3	-
U3 - Original non-TITE	0.3	2.7	1.6	2.5	3.4	-
U3 - TITE, 56-day accrual	1.7	2.6	2.2	2.1	2.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1068.2
U2 - TITE, 56-day accrual						1113.5
U3 - Original non-TITE						1067
U3 - TITE, 56-day accrual						1113.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	14.6	44.6	12.1	0.8	0	27.9
U2 - TITE, 56-day accrual	9.4	46.2	20.1	2.2	0	22.1
U3 - Original non-TITE	16.2	44.9	10.6	0.5	0	27.8
U3 - TITE, 56-day accrual	9.2	47.3	19.7	2.4	0	21.4
Mean administrations						
U2 - Original non-TITE	6.7	10.1	6.4	1.7	0.3	-
U2 - TITE, 56-day accrual	7.6	11.1	5.6	1.3	0.2	-
U3 - Original non-TITE	6.6	10.3	6.4	1.7	0.3	-
U3 - TITE, 56-day accrual	7.4	11.2	5.6	1.4	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	4.4	1.8	0.6	0.1	-
U2 - TITE, 56-day accrual	2.8	4.1	1.7	0.3	0	-
U3 - Original non-TITE	1.4	4.4	1.8	0.6	0.1	-
U3 - TITE, 56-day accrual	2.7	4.1	1.7	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						926.3
U2 - TITE, 56-day accrual						985.2
U3 - Original non-TITE						926.7
U3 - TITE, 56-day accrual						986.1
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	8.9	42.6	27.1	8.2	0.9	12.3
U2 - TITE, 56-day accrual	4	38.3	34.1	12	2.6	9
U3 - Original non-TITE	12.9	45.7	21.1	7.5	0.5	12.3
U3 - TITE, 56-day accrual	3.7	37.7	35.9	11.8	2.2	8.7
Mean administrations						
U2 - Original non-TITE	4.8	8.7	8.5	4.1	1.8	-
U2 - TITE, 56-day accrual	5.5	10.4	7.6	3.1	1.1	-
U3 - Original non-TITE	4.8	8.7	8.5	4.1	1.8	-
U3 - TITE, 56-day accrual	5.4	10.4	7.6	3.1	1.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.8	4.3	2.6	1.5	0.6	-
U2 - TITE, 56-day accrual	2	4.2	2.6	1	0.3	-
U3 - Original non-TITE	0.8	4.3	2.6	1.5	0.6	-
U3 - TITE, 56-day accrual	2	4.3	2.6	1	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						990.3
U2 - TITE, 56-day accrual						1030.3
U3 - Original non-TITE						990.7
U3 - TITE, 56-day accrual						1028.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	53.7	1	0	0	0	45.3
U2 - TITE, 56-day accrual	59	1.9	0.1	0	0	39
U3 - Original non-TITE	54.1	0.7	0	0	0	45.2
U3 - TITE, 56-day accrual	59.9	2.1	0	0	0	38
Mean administrations						
U2 - Original non-TITE	20.3	1.8	0.4	0	0	-
U2 - TITE, 56-day accrual	20.8	2.3	0.4	0	0	-
U3 - Original non-TITE	20.3	1.8	0.4	0	0	-
U3 - TITE, 56-day accrual	21	2.3	0.4	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.1	0.6	0.1	0	0	-
U2 - TITE, 56-day accrual	4.5	0.5	0.1	0	0	-
U3 - Original non-TITE	4.1	0.6	0.1	0	0	-
U3 - TITE, 56-day accrual	4.6	0.5	0.1	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						982.6
U2 - TITE, 56-day accrual						1039.4
U3 - Original non-TITE						984.2
U3 - TITE, 56-day accrual						1045.9
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	17.5	45.3	9.6	1.2	0	26.4
U2 - TITE, 56-day accrual	12.8	47.2	15.9	1.6	0.1	22.4
U3 - Original non-TITE	20.4	44	7.7	1.2	0	26.7
U3 - TITE, 56-day accrual	12.3	48.1	16.1	1.4	0.1	22
Mean administrations						
U2 - Original non-TITE	6.9	11.8	5.8	1.3	0.2	-
U2 - TITE, 56-day accrual	8	11.5	5.3	1.1	0.2	-
U3 - Original non-TITE	7	11.8	5.8	1.3	0.2	-
U3 - TITE, 56-day accrual	7.9	11.4	5.5	1.1	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	5.2	1.7	0.5	0	-
U2 - TITE, 56-day accrual	3	4.3	1.5	0.3	0	-
U3 - Original non-TITE	1.5	5.1	1.7	0.5	0	-
U3 - TITE, 56-day accrual	3	4.3	1.5	0.3	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						941.8
U2 - TITE, 56-day accrual						978.1
U3 - Original non-TITE						941.7
U3 - TITE, 56-day accrual						975.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	1.3	0.6	0	0	0	98.1
U2 - TITE, 56-day accrual	3	3	0.1	0	0	93.9
U3 - Original non-TITE	1.3	0.5	0	0	0	98.2
U3 - TITE, 56-day accrual	2.9	3.4	0.3	0	0	93.4
Mean administrations						
U2 - Original non-TITE	8.1	1.9	0.4	0	0	-
U2 - TITE, 56-day accrual	9.1	2.5	0.4	0	0	-
U3 - Original non-TITE	8.1	1.9	0.4	0	0	-
U3 - TITE, 56-day accrual	9	2.5	0.5	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2	1	0.1	0	0	-
U2 - TITE, 56-day accrual	3	0.9	0.1	0	0	-
U3 - Original non-TITE	2	1	0.1	0	0	-
U3 - TITE, 56-day accrual	2.9	0.9	0.1	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						380
U2 - TITE, 56-day accrual						448.5
U3 - Original non-TITE						379.2
U3 - TITE, 56-day accrual						447.5
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	0.7	2.1	4.6	47.1	45.1	0.4
U2 - TITE, 56-day accrual	0.2	0.7	4	44.2	50.8	0.1
U3 - Original non-TITE	2	2.7	6	47.6	41.3	0.4
U3 - TITE, 56-day accrual	0	0.6	4.1	43.2	52.1	0
Mean administrations						
U2 - Original non-TITE	3.2	3.2	3.7	8.4	11.5	-
U2 - TITE, 56-day accrual	3.6	3.7	5	10.1	7.6	-
U3 - Original non-TITE	3.2	3.2	3.6	8.4	11.6	-
U3 - TITE, 56-day accrual	3.5	3.7	4.9	10	7.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	2.4	1.1	3.3	3.1	-
U2 - TITE, 56-day accrual	1.2	1.9	2.1	3.3	2	-
U3 - Original non-TITE	0.1	2.4	1.1	3.3	3.1	-
U3 - TITE, 56-day accrual	1.2	1.9	2	3.3	2.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1098.3
U2 - TITE, 56-day accrual						1195.1
U3 - Original non-TITE						1098.8
U3 - TITE, 56-day accrual						1200.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	29.9	30.5	28.7	3.8	0	7.1
U2 - TITE, 56-day accrual	21.3	32.9	34.2	4.7	0.2	6.7
U3 - Original non-TITE	36	30.6	23	3.2	0	7.2
U3 - TITE, 56-day accrual	20.6	32.4	34.8	5.1	0.1	7
Mean administrations						
U2 - Original non-TITE	8.9	8.3	8.9	2.4	0.4	-
U2 - TITE, 56-day accrual	10.1	8.5	7.6	2	0.3	-
U3 - Original non-TITE	8.9	8.3	9	2.3	0.4	-
U3 - TITE, 56-day accrual	10.2	8.4	7.6	2.1	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	2.3	3.6	2.4	0.8	0.1	-
U2 - TITE, 56-day accrual	3.7	3.2	2.1	0.4	0.1	-
U3 - Original non-TITE	2.3	3.7	2.5	0.8	0.1	-
U3 - TITE, 56-day accrual	3.7	3.2	2.1	0.4	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1079.2
U2 - TITE, 56-day accrual						1109.3
U3 - Original non-TITE						1081.4
U3 - TITE, 56-day accrual						1109.9
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	16.2	24.1	24.3	3.8	0	31.6
U2 - TITE, 56-day accrual	9.8	32.1	26.4	5	0	26.7
U3 - Original non-TITE	19.7	24.5	20.6	3.5	0	31.7
U3 - TITE, 56-day accrual	9.8	31.4	27.7	4.4	0.2	26.5
Mean administrations						
U2 - Original non-TITE	7.8	6.6	7.6	2.3	0.3	-
U2 - TITE, 56-day accrual	8.6	7.7	6.2	2	0.3	-
U3 - Original non-TITE	7.8	6.6	7.4	2.3	0.3	-
U3 - TITE, 56-day accrual	8.6	7.6	6.2	2	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2	3.2	2.2	0.8	0.1	-
U2 - TITE, 56-day accrual	3.1	3.1	1.9	0.5	0	-
U3 - Original non-TITE	2	3.2	2.2	0.8	0.1	-
U3 - TITE, 56-day accrual	3.2	3.1	1.9	0.5	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						897
U2 - TITE, 56-day accrual						930.7
U3 - Original non-TITE						896.4
U3 - TITE, 56-day accrual						929.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	13.7	21.9	38.2	6.3	0.3	19.6
U2 - TITE, 56-day accrual	7.3	27.2	39.2	10.2	1	15.1
U3 - Original non-TITE	17.1	22.2	34.7	6.2	0.1	19.7
U3 - TITE, 56-day accrual	8.1	25.6	39.4	10.4	0.9	15.6
Mean administrations						
U2 - Original non-TITE	6.5	6.5	9	3.5	1.1	-
U2 - TITE, 56-day accrual	7.4	7.2	8.2	3.1	0.7	-
U3 - Original non-TITE	6.5	6.4	9.1	3.6	1.1	-
U3 - TITE, 56-day accrual	7.5	7.3	8.1	3	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	3.2	2.6	1.1	0.3	-
U2 - TITE, 56-day accrual	2.8	3	2.5	0.8	0.2	-
U3 - Original non-TITE	1.5	3.1	2.6	1.1	0.3	-
U3 - TITE, 56-day accrual	2.8	3	2.5	0.7	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						989
U2 - TITE, 56-day accrual						1028.8
U3 - Original non-TITE						990.1
U3 - TITE, 56-day accrual						1030.3
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	10.5	25.2	4.5	0	0	59.8
U2 - TITE, 56-day accrual	8.7	33.8	6.1	0.1	0	51.3
U3 - Original non-TITE	10.4	26	3.6	0	0	60
U3 - TITE, 56-day accrual	8.3	33.2	5.9	0.2	0	52.4
Mean administrations						
U2 - Original non-TITE	7	7.7	3.5	0.6	0.1	-
U2 - TITE, 56-day accrual	7.7	8.9	3.5	0.5	0.1	-
U3 - Original non-TITE	7	7.7	3.5	0.6	0.1	-
U3 - TITE, 56-day accrual	7.7	8.8	3.6	0.6	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	3.2	1	0.2	0	-
U2 - TITE, 56-day accrual	2.7	3.1	1	0.1	0	-
U3 - Original non-TITE	1.6	3.2	1	0.2	0	-
U3 - TITE, 56-day accrual	2.7	3.1	1	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						701.4
U2 - TITE, 56-day accrual						796.7
U3 - Original non-TITE						700.3
U3 - TITE, 56-day accrual						794.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	69.5	22	3.3	0.2	0	5
U2 - TITE, 56-day accrual	58.1	31.2	5.4	0.3	0	5
U3 - Original non-TITE	70.3	22.4	2.3	0.1	0	4.9
U3 - TITE, 56-day accrual	57.1	32.4	5.3	0.3	0	4.9
Mean administrations						
U2 - Original non-TITE	18.4	7.2	3.1	0.4	0	-
U2 - TITE, 56-day accrual	18.5	7.7	2.5	0.4	0	-
U3 - Original non-TITE	18.2	7.3	3.2	0.4	0	-
U3 - TITE, 56-day accrual	18.5	7.7	2.5	0.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.7	2.4	0.9	0.1	0	-
U2 - TITE, 56-day accrual	5.5	2.3	0.6	0.1	0	-
U3 - Original non-TITE	4.7	2.4	0.9	0.1	0	-
U3 - TITE, 56-day accrual	5.5	2.3	0.6	0.1	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1159
U2 - TITE, 56-day accrual						1171.3
U3 - Original non-TITE						1159.2
U3 - TITE, 56-day accrual						1171
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	18	15.1	15.7	36.6	10	4.6
U2 - TITE, 56-day accrual	7.6	16.6	20.3	36.4	15.2	3.9
U3 - Original non-TITE	23.5	17.2	14.1	32.2	8.5	4.5
U3 - TITE, 56-day accrual	8.2	16.6	19.9	36.7	14.7	3.9
Mean administrations						
U2 - Original non-TITE	4.9	4.7	6	8.1	5.6	-
U2 - TITE, 56-day accrual	6.5	6	5.3	6.7	4.2	-
U3 - Original non-TITE	4.8	4.7	6.2	8.1	5.6	-
U3 - TITE, 56-day accrual	6.4	6	5.3	6.7	4.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.8	2.8	1.9	2.8	1.4	-
U2 - TITE, 56-day accrual	2.4	2.7	2.1	2.1	0.8	-
U3 - Original non-TITE	0.8	2.8	2	2.8	1.4	-
U3 - TITE, 56-day accrual	2.4	2.7	2.1	2.2	0.8	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1077.1
U2 - TITE, 56-day accrual						1121.2
U3 - Original non-TITE						1078.1
U3 - TITE, 56-day accrual						1119.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	5.6	35.7	26.9	24.1	7.2	0.5
U2 - TITE, 56-day accrual	2.4	26.7	31.1	26.1	12.9	0.8
U3 - Original non-TITE	9.2	40.1	25.6	20.2	4.4	0.5
U3 - TITE, 56-day accrual	2.8	26.8	30.5	26	13.1	0.8
Mean administrations						
U2 - Original non-TITE	4	5.8	6.4	7.9	5.8	-
U2 - TITE, 56-day accrual	5	8.8	7.1	5.6	3.3	-
U3 - Original non-TITE	4	5.8	6.4	7.9	5.7	-
U3 - TITE, 56-day accrual	5	8.9	7	5.7	3.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.4	2.9	1.6	2	1.5	-
U2 - TITE, 56-day accrual	1.7	3	2.2	1.5	0.7	-
U3 - Original non-TITE	0.4	2.9	1.6	2	1.5	-
U3 - TITE, 56-day accrual	1.7	3	2.1	1.5	0.7	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1183.3
U2 - TITE, 56-day accrual						1236
U3 - Original non-TITE						1183.8
U3 - TITE, 56-day accrual						1235.9
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	8.6	13.7	35.2	28.4	12.5	1.6
U2 - TITE, 56-day accrual	2.2	7.3	32.5	35.3	21.7	1
U3 - Original non-TITE	13.5	17.4	35.8	25.2	6.6	1.5
U3 - TITE, 56-day accrual	2.1	8	32.4	35.2	21.6	0.7
Mean administrations						
U2 - Original non-TITE	3.7	4.3	7.5	7.7	6.5	-
U2 - TITE, 56-day accrual	5.1	6.1	8.2	6.5	3.7	-
U3 - Original non-TITE	3.7	4.3	7.6	7.6	6.6	-
U3 - TITE, 56-day accrual	5.1	6.1	8	6.5	3.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	2.8	2.4	2.9	2.2	-
U2 - TITE, 56-day accrual	1.9	2.8	3.1	2.2	1.2	-
U3 - Original non-TITE	0.3	2.8	2.4	2.9	2.2	-
U3 - TITE, 56-day accrual	1.9	2.9	3.1	2.2	1.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1053.7
U2 - TITE, 56-day accrual						1113
U3 - Original non-TITE						1053.1
U3 - TITE, 56-day accrual						1113.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	7.8	6.9	13.4	41.3	29.5	1.1
U2 - TITE, 56-day accrual	2.5	5.7	12.5	41.9	36.7	0.7
U3 - Original non-TITE	13.1	8.9	13.4	38.9	24.6	1.1
U3 - TITE, 56-day accrual	2.3	5	13	41.9	37.2	0.6
Mean administrations						
U2 - Original non-TITE	3.4	3.6	5.2	8.2	9.4	-
U2 - TITE, 56-day accrual	4.1	4.1	6	8.6	6.8	-
U3 - Original non-TITE	3.4	3.7	5.2	8.2	9.5	-
U3 - TITE, 56-day accrual	4	4.1	6	8.5	6.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	2.6	1.6	3.1	2.4	-
U2 - TITE, 56-day accrual	1.4	2.1	2.4	2.7	1.6	-
U3 - Original non-TITE	0.2	2.6	1.6	3.1	2.4	-
U3 - TITE, 56-day accrual	1.4	2.1	2.4	2.7	1.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1104.5
U2 - TITE, 56-day accrual						1173
U3 - Original non-TITE						1104.9
U3 - TITE, 56-day accrual						1166.6
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	11.1	9.2	45.8	16.7	3.7	13.5
U2 - TITE, 56-day accrual	3.9	14	45.8	18.8	5.6	11.9
U3 - Original non-TITE	15.4	12.5	42	14.5	2.3	13.3
U3 - TITE, 56-day accrual	4.5	14.2	46.8	17.1	5.8	11.6
Mean administrations						
U2 - Original non-TITE	4.7	5.4	10	5.3	2.8	-
U2 - TITE, 56-day accrual	5.5	6	9.7	4.3	1.8	-
U3 - Original non-TITE	4.7	5.4	9.9	5.4	2.8	-
U3 - TITE, 56-day accrual	5.5	6.1	9.6	4.3	1.9	-
Mean IPDE administrations						
U2 - Original non-TITE	0.8	3.1	3.1	1.9	0.9	-
U2 - TITE, 56-day accrual	2	2.8	3.2	1.4	0.5	-
U3 - Original non-TITE	0.8	3.1	3.1	1.9	0.9	-
U3 - TITE, 56-day accrual	2	2.8	3.2	1.4	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1011.2
U2 - TITE, 56-day accrual						1039.9
U3 - Original non-TITE						1012.9
U3 - TITE, 56-day accrual						1037.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	11.1	41.9	33.3	10.1	2.9	0.7
U2 - TITE, 56-day accrual	4.2	34.8	41.5	14.8	4.1	0.6
U3 - Original non-TITE	15.6	46.5	27.4	8	1.8	0.7
U3 - TITE, 56-day accrual	4.4	35.1	39.3	15.5	5.1	0.6
Mean administrations						
U2 - Original non-TITE	4.5	8.6	9.1	5	2.6	-
U2 - TITE, 56-day accrual	5.9	10.6	8.1	3.8	1.5	-
U3 - Original non-TITE	4.5	8.7	9	5.1	2.7	-
U3 - TITE, 56-day accrual	5.8	10.5	8.1	3.9	1.4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.7	2.3	1.5	0.7	-
U2 - TITE, 56-day accrual	2.1	3.7	2.3	1	0.3	-
U3 - Original non-TITE	0.6	3.8	2.2	1.5	0.7	-
U3 - TITE, 56-day accrual	2	3.6	2.3	1	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1164.2
U2 - TITE, 56-day accrual						1201.5
U3 - Original non-TITE						1163.5
U3 - TITE, 56-day accrual						1201.5
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	10.7	26.8	12.5	4.7	0.9	44.4
U2 - TITE, 56-day accrual	7.4	33.5	17.2	5.1	1.6	35.2
U3 - Original non-TITE	14	27.4	10.6	3.7	0.7	43.6
U3 - TITE, 56-day accrual	7.6	32.9	17.6	5.5	1.4	35
Mean administrations						
U2 - Original non-TITE	6.5	7.5	5.2	2.4	1	-
U2 - TITE, 56-day accrual	7.1	8.9	4.7	1.7	0.7	-
U3 - Original non-TITE	6.5	7.6	5.2	2.4	1	-
U3 - TITE, 56-day accrual	7.1	8.8	4.9	1.7	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	3.6	1.7	0.9	0.3	-
U2 - TITE, 56-day accrual	2.5	3.4	1.6	0.6	0.2	-
U3 - Original non-TITE	1.4	3.7	1.7	0.9	0.3	-
U3 - TITE, 56-day accrual	2.5	3.4	1.7	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						806.2
U2 - TITE, 56-day accrual						859.1
U3 - Original non-TITE						808
U3 - TITE, 56-day accrual						861.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	13.6	35.4	10.4	1.7	0.2	38.7
U2 - TITE, 56-day accrual	8.7	41.5	17.2	3.3	0.1	29.2
U3 - Original non-TITE	18.5	34.2	8.3	1.3	0	37.7
U3 - TITE, 56-day accrual	10.1	41	17.1	3.2	0.1	28.5
Mean administrations						
U2 - Original non-TITE	6.4	9.5	5.8	1.9	0.7	-
U2 - TITE, 56-day accrual	7	10.8	5.1	1.3	0.4	-
U3 - Original non-TITE	6.4	9.5	5.9	1.9	0.7	-
U3 - TITE, 56-day accrual	7	10.8	5.1	1.4	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	1.3	4.5	1.8	0.8	0.2	-
U2 - TITE, 56-day accrual	2.6	4.1	1.7	0.5	0.1	-
U3 - Original non-TITE	1.3	4.5	1.8	0.8	0.2	-
U3 - TITE, 56-day accrual	2.6	4.1	1.7	0.4	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						861.8
U2 - TITE, 56-day accrual						916.6
U3 - Original non-TITE						864.1
U3 - TITE, 56-day accrual						917.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	7.5	2.7	1.4	0.2	0.2	88
U2 - TITE, 56-day accrual	8	3.7	2.8	0.9	0.2	84.4
U3 - Original non-TITE	6.7	2.3	1.4	0.2	0.2	89.2
U3 - TITE, 56-day accrual	5.5	4	3.1	1.1	0.3	86
Mean administrations						
U2 - Original non-TITE	7.9	4.6	1.8	0.9	0.2	-
U2 - TITE, 56-day accrual	8.4	5	1.9	1	0.2	-
U3 - Original non-TITE	7.9	4.6	1.7	0.9	0.2	-
U3 - TITE, 56-day accrual	8.5	5	1.7	0.8	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.6	2.5	0.6	0.4	0.1	-
U2 - TITE, 56-day accrual	2.7	2	0.7	0.4	0.1	-
U3 - Original non-TITE	1.7	2.5	0.6	0.4	0.1	-
U3 - TITE, 56-day accrual	2.8	2	0.6	0.3	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						551.5
U2 - TITE, 56-day accrual						607.9
U3 - Original non-TITE						550.8
U3 - TITE, 56-day accrual						594.4
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	21.9	17.2	37.6	12.1	1	10.2
U2 - TITE, 56-day accrual	17.7	18.6	41.2	12.6	0.7	9.2
U3 - Original non-TITE	26.8	17.5	34.2	10.3	0.7	10.5
U3 - TITE, 56-day accrual	18.8	22.6	38.8	9.6	0.5	9.7
Mean administrations						
U2 - Original non-TITE	8.8	7.2	8.7	3.2	0.5	-
U2 - TITE, 56-day accrual	8.3	7.6	9.1	2.9	0.4	-
U3 - Original non-TITE	9.3	7.4	8.4	2.8	0.4	-
U3 - TITE, 56-day accrual	9.6	8.1	8.2	2.2	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	3.3	2.4	1	0.1	-
U2 - TITE, 56-day accrual	2.9	2.8	2.5	0.8	0.1	-
U3 - Original non-TITE	2.3	3.4	2.3	0.9	0.1	-
U3 - TITE, 56-day accrual	3.3	3.1	2.3	0.6	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1071.4
U2 - TITE, 56-day accrual						1119.3
U3 - Original non-TITE						1067.3
U3 - TITE, 56-day accrual						1103.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	7.3	39.9	22.9	9.8	1.5	18.6
U2 - TITE, 56-day accrual	4	41.7	27.6	8.9	2.1	15.7
U3 - Original non-TITE	7.2	46.7	20	6.8	1	18.3
U3 - TITE, 56-day accrual	3.5	46.1	25.9	8	0.8	15.7
Mean administrations						
U2 - Original non-TITE	5.8	10.8	6.4	3	0.7	-
U2 - TITE, 56-day accrual	5.7	11.2	6.7	3	0.6	-
U3 - Original non-TITE	5.9	11.6	6	2.7	0.6	-
U3 - TITE, 56-day accrual	6.2	12.7	5.8	2.1	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	4.5	1.9	1	0.2	-
U2 - TITE, 56-day accrual	1.9	3.8	2	0.9	0.2	-
U3 - Original non-TITE	0.9	4.8	1.7	0.9	0.2	-
U3 - TITE, 56-day accrual	2.1	4.3	1.8	0.6	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1003.5
U2 - TITE, 56-day accrual						1075.9
U3 - Original non-TITE						1001
U3 - TITE, 56-day accrual						1056.2
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	6.9	4.5	18.2	53.2	11.9	5.3
U2 - TITE, 56-day accrual	3.7	6	19.3	50.2	15.5	5.3
U3 - Original non-TITE	7.9	6	18.5	52.5	10	5.1
U3 - TITE, 56-day accrual	3.2	6.9	20.7	50.7	13.2	5.3
Mean administrations						
U2 - Original non-TITE	3.9	4.4	7	10.7	3	-
U2 - TITE, 56-day accrual	3.8	4.5	6.8	10.5	3.3	-
U3 - Original non-TITE	4	4.6	7	10.6	2.7	-
U3 - TITE, 56-day accrual	4.3	5.1	6.8	10.1	2.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	2.9	2	3.4	0.8	-
U2 - TITE, 56-day accrual	1.3	2.2	2.5	3	0.8	-
U3 - Original non-TITE	0.4	3	2	3.4	0.7	-
U3 - TITE, 56-day accrual	1.5	2.4	2.5	2.9	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1071.6
U2 - TITE, 56-day accrual						1160.6
U3 - Original non-TITE						1067.1
U3 - TITE, 56-day accrual						1133.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	5.3	33.7	24.7	22.1	10.1	4.1
U2 - TITE, 56-day accrual	3.8	26	29.5	23.7	13.7	3.3
U3 - Original non-TITE	7.2	41.3	23.4	17.8	6	4.3
U3 - TITE, 56-day accrual	3.2	27.1	30.7	23.2	12.3	3.5
Mean administrations						
U2 - Original non-TITE	3.8	7.4	7.1	7.1	3.9	-
U2 - TITE, 56-day accrual	3.8	7.5	7.6	6.9	3.5	-
U3 - Original non-TITE	3.9	8.1	7.2	6.8	3.2	-
U3 - TITE, 56-day accrual	4.1	9.1	7.6	6	2.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	3.9	2.3	2.7	1.4	-
U2 - TITE, 56-day accrual	1.2	3	2.7	2.5	1.2	-
U3 - Original non-TITE	0.3	4.1	2.4	2.6	1.2	-
U3 - TITE, 56-day accrual	1.3	3.7	2.8	2.1	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1031
U2 - TITE, 56-day accrual						1113.2
U3 - Original non-TITE						1028.4
U3 - TITE, 56-day accrual						1098.5
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	60.1	12.8	3.3	1.1	0.2	22.5
U2 - TITE, 56-day accrual	54.2	18.2	5	1.1	0.4	21.1
U3 - Original non-TITE	61.2	12.6	3	0.8	0.2	22.2
U3 - TITE, 56-day accrual	53.4	18.6	4.4	0.9	0.2	22.5
Mean administrations						
U2 - Original non-TITE	17.4	5.7	2.2	0.8	0.2	-
U2 - TITE, 56-day accrual	16.3	6.7	2.3	0.8	0.2	-
U3 - Original non-TITE	17.9	5.6	1.9	0.7	0.2	-
U3 - TITE, 56-day accrual	17.1	6.8	1.7	0.6	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	4.4	2.3	0.7	0.3	0.1	-
U2 - TITE, 56-day accrual	4.9	2.2	0.7	0.2	0.1	-
U3 - Original non-TITE	4.5	2.3	0.6	0.3	0.1	-
U3 - TITE, 56-day accrual	5.1	2.2	0.5	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1018.8
U2 - TITE, 56-day accrual						1048.8
U3 - Original non-TITE						1022.3
U3 - TITE, 56-day accrual						1042.1

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	10.1	46.7	24.3	8	1.6	9.3
U2 - TITE, 56-day accrual	7.3	46.8	25.8	10.4	1.5	8.2
U3 - Original non-TITE	11.9	50.8	20	6.9	0.9	9.5
U3 - TITE, 56-day accrual	7.2	56.9	21.3	5.9	0.6	8.1
Mean administrations						
U2 - Original non-TITE	7.4	13	5.7	2	0.4	-
U2 - TITE, 56-day accrual	6.6	13.3	6.1	2.1	0.4	-
U3 - Original non-TITE	7.7	13.5	5.1	1.8	0.3	-
U3 - TITE, 56-day accrual	7.1	14.9	5	1.3	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	4.7	1.6	0.6	0.1	-
U2 - TITE, 56-day accrual	2.1	4	1.7	0.6	0.1	-
U3 - Original non-TITE	1.5	4.9	1.4	0.6	0.1	-
U3 - TITE, 56-day accrual	2.3	4.5	1.4	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1104.6
U2 - TITE, 56-day accrual						1158.4
U3 - Original non-TITE						1101
U3 - TITE, 56-day accrual						1147.3
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	15.3	6.2	1.6	0.5	0.2	76.2
U2 - TITE, 56-day accrual	16	8.7	3.4	0.6	0	71.3
U3 - Original non-TITE	15.5	6.4	1.4	0.4	0.1	76.2
U3 - TITE, 56-day accrual	15	9.1	3.2	0.6	0	72.1
Mean administrations						
U2 - Original non-TITE	10	4.9	1.7	0.7	0.2	-
U2 - TITE, 56-day accrual	10.4	5.3	1.9	0.8	0.2	-
U3 - Original non-TITE	10	4.8	1.6	0.7	0.1	-
U3 - TITE, 56-day accrual	10.8	5.3	1.6	0.7	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.3	2.4	0.5	0.3	0.1	-
U2 - TITE, 56-day accrual	3.4	1.9	0.6	0.3	0.1	-
U3 - Original non-TITE	2.3	2.4	0.5	0.3	0	-
U3 - TITE, 56-day accrual	3.5	1.9	0.5	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						643.4
U2 - TITE, 56-day accrual						703.4
U3 - Original non-TITE						639.5
U3 - TITE, 56-day accrual						701.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	9.3	7	18.7	15.1	21.6	28.3
U2 - TITE, 56-day accrual	6.5	7.8	19.6	14.6	23.3	28.2
U3 - Original non-TITE	12.1	9.8	17.5	14.4	17.3	28.9
U3 - TITE, 56-day accrual	4.8	8.9	20.8	16.1	20.5	28.9
Mean administrations						
U2 - Original non-TITE	5.4	5	5.6	5	4.2	-
U2 - TITE, 56-day accrual	5.6	5.2	5.7	4.9	3.9	-
U3 - Original non-TITE	5.5	5.1	5.6	5	3.9	-
U3 - TITE, 56-day accrual	6.3	5.7	5.4	4.5	3.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	3	1.8	2	1.3	-
U2 - TITE, 56-day accrual	2	2.3	2.2	1.8	1.1	-
U3 - Original non-TITE	0.9	3.1	1.8	2	1.2	-
U3 - TITE, 56-day accrual	2.2	2.5	2.1	1.6	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						886.7
U2 - TITE, 56-day accrual						951.2
U3 - Original non-TITE						883.2
U3 - TITE, 56-day accrual						929.9
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	3.7	25.8	12.9	4.1	0.9	52.6
U2 - TITE, 56-day accrual	3.8	27.9	17	5	0.4	45.9
U3 - Original non-TITE	4.5	27.1	11.7	3.2	0.8	52.7
U3 - TITE, 56-day accrual	3.5	31.4	14.8	3.7	0	46.6
Mean administrations						
U2 - Original non-TITE	6.6	8.5	3.9	1.6	0.4	-
U2 - TITE, 56-day accrual	6.5	9.1	4.6	1.6	0.2	-
U3 - Original non-TITE	6.6	8.9	3.7	1.4	0.3	-
U3 - TITE, 56-day accrual	6.7	10.1	4	1.1	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1	3.7	1.1	0.5	0.1	-
U2 - TITE, 56-day accrual	2	3.1	1.3	0.4	0.1	-
U3 - Original non-TITE	1	3.9	1	0.5	0.1	-
U3 - TITE, 56-day accrual	2.1	3.4	1.1	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						793.6
U2 - TITE, 56-day accrual						872.8
U3 - Original non-TITE						793.3
U3 - TITE, 56-day accrual						857.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	50	17.7	3.3	0.4	0	28.6
U2 - TITE, 56-day accrual	42.3	23.2	5.2	0.4	0	28.9
U3 - Original non-TITE	50.5	17.9	2.8	0.2	0	28.6
U3 - TITE, 56-day accrual	39.3	24.6	6.9	0.3	0	28.9
Mean administrations						
U2 - Original non-TITE	14.8	7.1	2.7	1	0.1	-
U2 - TITE, 56-day accrual	13.8	7.6	3	1	0.1	-
U3 - Original non-TITE	15.1	6.9	2.5	0.9	0.1	-
U3 - TITE, 56-day accrual	14.5	7.6	2.5	0.8	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	4.1	3.3	0.8	0.4	0	-
U2 - TITE, 56-day accrual	4.7	2.7	1	0.3	0	-
U3 - Original non-TITE	4.2	3.2	0.7	0.3	0	-
U3 - TITE, 56-day accrual	5	2.8	0.8	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						935.1
U2 - TITE, 56-day accrual						965.2
U3 - Original non-TITE						932.7
U3 - TITE, 56-day accrual						952.3
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	11.2	10.7	10.8	43.2	16.8	7.3
U2 - TITE, 56-day accrual	5.9	9.2	13	43.7	20.7	7.5
U3 - Original non-TITE	13.9	13.5	9.3	41.6	14.6	7.1
U3 - TITE, 56-day accrual	5.2	9.4	13.5	44.4	19.6	7.9
Mean administrations						
U2 - Original non-TITE	4.1	5	5.5	9.4	4.4	-
U2 - TITE, 56-day accrual	4.2	5.2	5.4	9.3	4.6	-
U3 - Original non-TITE	4.3	5.2	5.5	9.4	4.2	-
U3 - TITE, 56-day accrual	4.7	5.6	5.2	9.1	3.9	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	3.2	1.6	3.3	1.2	-
U2 - TITE, 56-day accrual	1.4	2.4	2.1	2.9	1	-
U3 - Original non-TITE	0.6	3.3	1.6	3.3	1.1	-
U3 - TITE, 56-day accrual	1.7	2.6	2.1	2.9	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1031.7
U2 - TITE, 56-day accrual						1121.1
U3 - Original non-TITE						1028.1
U3 - TITE, 56-day accrual						1105.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	5.3	26	13.1	4.3	1.1	50.2
U2 - TITE, 56-day accrual	4.9	28.3	16.5	5.1	0.9	44.3
U3 - Original non-TITE	6.3	26.2	12.7	3.3	0.8	50.7
U3 - TITE, 56-day accrual	4.4	28.4	16.5	4.5	0.6	45.6
Mean administrations						
U2 - Original non-TITE	6.6	7.7	4.3	2.2	0.6	-
U2 - TITE, 56-day accrual	6.7	8.4	4.7	2.1	0.5	-
U3 - Original non-TITE	6.7	7.8	4.2	2.1	0.5	-
U3 - TITE, 56-day accrual	6.9	9.1	4.2	1.7	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	3.7	1.3	0.8	0.2	-
U2 - TITE, 56-day accrual	2.2	3	1.6	0.7	0.2	-
U3 - Original non-TITE	1.1	3.7	1.3	0.8	0.2	-
U3 - TITE, 56-day accrual	2.3	3.2	1.4	0.5	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						782.7
U2 - TITE, 56-day accrual						866.8
U3 - Original non-TITE						780.8
U3 - TITE, 56-day accrual						855.4
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	12.4	10.5	15.2	31.3	11.5	19.1
U2 - TITE, 56-day accrual	9.6	10.7	16.9	29.9	13.7	19.2
U3 - Original non-TITE	16.9	14.6	12.9	27.8	8.5	19.3
U3 - TITE, 56-day accrual	6.2	11.9	20.5	29.7	12.9	18.8
Mean administrations						
U2 - Original non-TITE	5	5.6	5.5	7.2	3.6	-
U2 - TITE, 56-day accrual	5.2	5.7	5.7	7.1	3.4	-
U3 - Original non-TITE	5.2	5.7	5.3	7.2	3.4	-
U3 - TITE, 56-day accrual	6	6.2	5.2	6.7	2.9	-
Mean IPDE administrations						
U2 - Original non-TITE	0.8	3.4	1.7	2.7	1.2	-
U2 - TITE, 56-day accrual	1.9	2.6	2.3	2.5	1	-
U3 - Original non-TITE	0.9	3.4	1.7	2.7	1.1	-
U3 - TITE, 56-day accrual	2.2	2.9	2.1	2.3	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						938.6
U2 - TITE, 56-day accrual						1012.7
U3 - Original non-TITE						937.6
U3 - TITE, 56-day accrual						993

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	30	21.5	13.1	4.5	0.7	30.2
U2 - TITE, 56-day accrual	24.4	21.6	16.5	6.4	1.1	30
U3 - Original non-TITE	32.6	21.4	10.6	4	0.6	30.8
U3 - TITE, 56-day accrual	21.1	22.2	18.9	6.1	0.6	31.1
Mean administrations						
U2 - Original non-TITE	8	7.5	5.4	3.6	1.1	-
U2 - TITE, 56-day accrual	8.3	7.6	5.5	3.5	1.1	-
U3 - Original non-TITE	8.4	7.4	5.2	3.5	1.1	-
U3 - TITE, 56-day accrual	9.1	7.8	5	3.1	0.9	-
Mean IPDE administrations						
U2 - Original non-TITE	2	3.9	1.8	1.5	0.4	-
U2 - TITE, 56-day accrual	3.1	3.2	2.1	1.3	0.4	-
U3 - Original non-TITE	2.2	3.9	1.7	1.5	0.4	-
U3 - TITE, 56-day accrual	3.4	3.3	1.9	1.2	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						875.8
U2 - TITE, 56-day accrual						934.1
U3 - Original non-TITE						873
U3 - TITE, 56-day accrual						920.3
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	37.8	27.5	15.4	11.4	7.7	0.2
U2 - TITE, 56-day accrual	27.6	27.9	17.5	12.8	13.8	0.4
U3 - Original non-TITE	42.4	28.3	14.2	10.9	4	0.2
U3 - TITE, 56-day accrual	25	25.6	18.9	15.7	14.6	0.2
Mean administrations						
U2 - Original non-TITE	4.4	5	5.9	8.4	6.2	-
U2 - TITE, 56-day accrual	4.1	5.1	6.2	8.2	6.2	-
U3 - Original non-TITE	4.6	5.4	6.2	8.1	5.7	-
U3 - TITE, 56-day accrual	4.9	5.7	6.5	7.8	5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	2.9	2.2	3.6	2.3	-
U2 - TITE, 56-day accrual	1.3	2.3	2.6	3.3	2.4	-
U3 - Original non-TITE	0.7	3	2.3	3.5	2.2	-
U3 - TITE, 56-day accrual	1.7	2.5	2.7	3.2	1.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1005.5
U2 - TITE, 56-day accrual						1095.1
U3 - Original non-TITE						1004.8
U3 - TITE, 56-day accrual						1082.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	17.9	62.9	14.8	1.1	0	3.3
U2 - TITE, 56-day accrual	12.8	62.1	20.7	1.4	0	3
U3 - Original non-TITE	20.4	63.2	12.5	0.5	0	3.4
U3 - TITE, 56-day accrual	14	65.9	16	1	0	3.1
Mean administrations						
U2 - Original non-TITE	9.2	15.1	4.4	0.7	0.1	-
U2 - TITE, 56-day accrual	8.5	15	5	0.9	0.1	-
U3 - Original non-TITE	9.9	15.3	3.7	0.5	0	-
U3 - TITE, 56-day accrual	9.5	15.7	3.7	0.5	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2	5	1.2	0.2	0	-
U2 - TITE, 56-day accrual	2.7	4.3	1.3	0.2	0	-
U3 - Original non-TITE	2.2	5.1	1	0.2	0	-
U3 - TITE, 56-day accrual	3	4.6	0.9	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1163.1
U2 - TITE, 56-day accrual						1222.7
U3 - Original non-TITE						1155
U3 - TITE, 56-day accrual						1199.6
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	10.4	9.6	8.4	16.6	53.9	1.1
U2 - TITE, 56-day accrual	5.2	7.5	9.9	15.3	61.2	0.9
U3 - Original non-TITE	15.4	12.4	10.6	14.1	46.5	1
U3 - TITE, 56-day accrual	4.7	7.5	12.4	17.4	57.1	0.9
Mean administrations						
U2 - Original non-TITE	3.3	4	5.2	7.2	10.1	-
U2 - TITE, 56-day accrual	3.3	3.9	5.1	6.8	10.7	-
U3 - Original non-TITE	3.4	4.2	5.3	7.2	9.6	-
U3 - TITE, 56-day accrual	3.7	4.4	5.4	6.9	9.4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	2.8	1.8	3	2.9	-
U2 - TITE, 56-day accrual	1.1	2	2.1	2.6	2.9	-
U3 - Original non-TITE	0.2	2.9	1.8	3	2.8	-
U3 - TITE, 56-day accrual	1.2	2.2	2.2	2.7	2.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1053.7
U2 - TITE, 56-day accrual						1165
U3 - Original non-TITE						1050
U3 - TITE, 56-day accrual						1148.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	8.6	46.8	14.6	0.8	0	29.2
U2 - TITE, 56-day accrual	8.5	43.3	21.4	2.5	0	24.3
U3 - Original non-TITE	9.5	47.3	13.2	0.9	0	29.1
U3 - TITE, 56-day accrual	7.1	45.1	22	1.9	0	23.9
Mean administrations						
U2 - Original non-TITE	6.7	11.4	5.7	1.8	0.2	-
U2 - TITE, 56-day accrual	6.9	11.3	6.2	1.8	0.2	-
U3 - Original non-TITE	6.8	11.6	5.5	1.6	0.2	-
U3 - TITE, 56-day accrual	7.3	12.2	5.4	1.4	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.2	5	1.7	0.6	0.1	-
U2 - TITE, 56-day accrual	2.4	4.1	1.9	0.5	0	-
U3 - Original non-TITE	1.2	5.1	1.6	0.6	0.1	-
U3 - TITE, 56-day accrual	2.6	4.4	1.6	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						942
U2 - TITE, 56-day accrual						1015.9
U3 - Original non-TITE						937.7
U3 - TITE, 56-day accrual						1007.1
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	9	44	26.3	9.9	0.9	9.9
U2 - TITE, 56-day accrual	6.5	36.7	34.3	12.6	1.3	8.6
U3 - Original non-TITE	10.3	46.8	24.4	7.5	0.8	10.2
U3 - TITE, 56-day accrual	4.4	36.7	34.5	13.9	1.8	8.7
Mean administrations						
U2 - Original non-TITE	4.5	10.1	7.9	4.5	1.4	-
U2 - TITE, 56-day accrual	4.5	9.9	8.2	4.7	1.4	-
U3 - Original non-TITE	4.7	10.7	7.6	4.3	1.3	-
U3 - TITE, 56-day accrual	4.9	11	7.6	4.1	1.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	4.9	2.5	1.7	0.5	-
U2 - TITE, 56-day accrual	1.5	4	2.8	1.5	0.4	-
U3 - Original non-TITE	0.7	5.1	2.4	1.6	0.4	-
U3 - TITE, 56-day accrual	1.7	4.4	2.6	1.4	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1011.4
U2 - TITE, 56-day accrual						1083.6
U3 - Original non-TITE						1006.5
U3 - TITE, 56-day accrual						1069.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	51.7	1.1	0	0	0	47.2
U2 - TITE, 56-day accrual	58.3	1.8	0	0	0	39.9
U3 - Original non-TITE	52.2	1	0	0	0	46.8
U3 - TITE, 56-day accrual	59.3	1.2	0	0	0	39.5
Mean administrations						
U2 - Original non-TITE	19.7	2.3	0.1	0	0	-
U2 - TITE, 56-day accrual	20.2	2.8	0.2	0	0	-
U3 - Original non-TITE	19.9	2.2	0.1	0	0	-
U3 - TITE, 56-day accrual	20.6	2.6	0.1	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.8	0.9	0	0	0	-
U2 - TITE, 56-day accrual	4.3	0.7	0	0	0	-
U3 - Original non-TITE	3.8	0.9	0	0	0	-
U3 - TITE, 56-day accrual	4.4	0.7	0	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						964.8
U2 - TITE, 56-day accrual						1030.1
U3 - Original non-TITE						968
U3 - TITE, 56-day accrual						1034
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	11.2	48.1	10.7	1.7	0	28.3
U2 - TITE, 56-day accrual	9.2	48.8	14.9	2.2	0	24.9
U3 - Original non-TITE	10.7	49.4	9.8	1.3	0	28.8
U3 - TITE, 56-day accrual	7.9	47.6	16.7	2.8	0	25
Mean administrations						
U2 - Original non-TITE	7.1	12	5.1	1.8	0.1	-
U2 - TITE, 56-day accrual	7.3	11.9	5.5	1.8	0.2	-
U3 - Original non-TITE	7.3	12.1	4.8	1.7	0.1	-
U3 - TITE, 56-day accrual	7.8	12.4	4.8	1.5	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	5.3	1.5	0.6	0	-
U2 - TITE, 56-day accrual	2.6	4.4	1.6	0.4	0	-
U3 - Original non-TITE	1.5	5.4	1.4	0.6	0	-
U3 - TITE, 56-day accrual	2.9	4.6	1.4	0.4	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						942.3
U2 - TITE, 56-day accrual						1018.5
U3 - Original non-TITE						936.9
U3 - TITE, 56-day accrual						1006.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	2	0.1	0	0	0	97.9
U2 - TITE, 56-day accrual	2.7	1	0	0	0	96.3
U3 - Original non-TITE	2	0	0	0	0	98
U3 - TITE, 56-day accrual	2.9	0.9	0.2	0	0	96
Mean administrations						
U2 - Original non-TITE	7.8	3.6	0.5	0	0	-
U2 - TITE, 56-day accrual	8.6	3.8	0.5	0	0	-
U3 - Original non-TITE	7.8	3.6	0.5	0.1	0	-
U3 - TITE, 56-day accrual	8.6	3.8	0.5	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	2	0.2	0	0	-
U2 - TITE, 56-day accrual	2.7	1.3	0.2	0	0	-
U3 - Original non-TITE	1.4	2	0.1	0	0	-
U3 - TITE, 56-day accrual	2.7	1.3	0.2	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						445.1
U2 - TITE, 56-day accrual						495.4
U3 - Original non-TITE						445.6
U3 - TITE, 56-day accrual						496.2
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	1.8	0.8	2.7	59.1	35.4	0.2
U2 - TITE, 56-day accrual	1	0.2	2.6	51.8	44.3	0.1
U3 - Original non-TITE	2.4	1.9	3.3	63	29.2	0.2
U3 - TITE, 56-day accrual	0.8	0.6	2.5	60.5	35.6	0
Mean administrations						
U2 - Original non-TITE	3.1	3.1	3.8	13.1	6.8	-
U2 - TITE, 56-day accrual	3.1	3.2	3.9	12.2	7.7	-
U3 - Original non-TITE	3.1	3.2	3.9	13.7	6.1	-
U3 - TITE, 56-day accrual	3.2	3.3	4.2	13.3	6	-
Mean IPDE administrations						
U2 - Original non-TITE	0	2.4	1.2	4.5	2	-
U2 - TITE, 56-day accrual	0.9	1.7	1.6	3.9	2.2	-
U3 - Original non-TITE	0	2.4	1.2	4.7	1.8	-
U3 - TITE, 56-day accrual	1	1.7	1.7	4.3	1.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1088.5
U2 - TITE, 56-day accrual						1209.8
U3 - Original non-TITE						1086.8
U3 - TITE, 56-day accrual						1201.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	25.8	30.8	33.1	4.1	0.1	6.1
U2 - TITE, 56-day accrual	21.5	30	37.9	4.9	0.1	5.6
U3 - Original non-TITE	30.4	32.9	27.4	3.1	0	6.2
U3 - TITE, 56-day accrual	22.8	26.7	40.5	4.4	0.2	5.4
Mean administrations						
U2 - Original non-TITE	8.4	9.5	8.5	2.3	0.2	-
U2 - TITE, 56-day accrual	8.3	9.5	8.7	2.4	0.2	-
U3 - Original non-TITE	9	9.8	8.1	2.1	0.2	-
U3 - TITE, 56-day accrual	9.4	10	7.7	1.9	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2	4.1	2.3	0.8	0.1	-
U2 - TITE, 56-day accrual	2.9	3.6	2.5	0.6	0.1	-
U3 - Original non-TITE	2.3	4.3	2.2	0.7	0.1	-
U3 - TITE, 56-day accrual	3.4	3.8	2.2	0.5	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1081.1
U2 - TITE, 56-day accrual						1144
U3 - Original non-TITE						1076.2
U3 - TITE, 56-day accrual						1117.9
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	15.1	25.3	27.7	5.1	0.3	26.5
U2 - TITE, 56-day accrual	12.2	26.6	30.2	5.9	0.2	24.9
U3 - Original non-TITE	16.8	26.5	26.1	4.3	0.3	26
U3 - TITE, 56-day accrual	11.8	25	32.5	4.6	0.1	26
Mean administrations						
U2 - Original non-TITE	7.2	8.4	7.5	2.6	0.3	-
U2 - TITE, 56-day accrual	7.2	8.6	7.5	2.6	0.2	-
U3 - Original non-TITE	7.5	8.5	7.3	2.4	0.2	-
U3 - TITE, 56-day accrual	8	9	6.9	2.1	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	4	2.1	1	0.1	-
U2 - TITE, 56-day accrual	2.5	3.4	2.3	0.7	0.1	-
U3 - Original non-TITE	1.6	4.1	2.1	0.9	0.1	-
U3 - TITE, 56-day accrual	2.9	3.5	2.1	0.5	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						943.2
U2 - TITE, 56-day accrual						1004.2
U3 - Original non-TITE						941.4
U3 - TITE, 56-day accrual						989.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	12.3	20.5	42.4	9.7	0.4	14.7
U2 - TITE, 56-day accrual	7.5	22.5	46.1	10	0.8	13.1
U3 - Original non-TITE	15	22.4	40.3	7.5	0.2	14.6
U3 - TITE, 56-day accrual	7.9	19.4	48	10.7	0.4	13.6
Mean administrations						
U2 - Original non-TITE	5.9	8	9.7	3.4	0.6	-
U2 - TITE, 56-day accrual	6	8	9.6	3.8	0.5	-
U3 - Original non-TITE	6.1	8.2	9.6	3.2	0.5	-
U3 - TITE, 56-day accrual	6.7	8.6	9.2	3.1	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	3.9	2.8	1.2	0.2	-
U2 - TITE, 56-day accrual	2.1	3.2	2.9	1	0.1	-
U3 - Original non-TITE	1.2	4	2.7	1.1	0.2	-
U3 - TITE, 56-day accrual	2.4	3.4	2.8	0.8	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1018.1
U2 - TITE, 56-day accrual						1087.5
U3 - Original non-TITE						1016.3
U3 - TITE, 56-day accrual						1067.2
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	6.4	29.2	5	0.2	0	59.2
U2 - TITE, 56-day accrual	6.4	32	7.8	0.4	0	53.4
U3 - Original non-TITE	6.1	30.2	4.6	0.1	0	59
U3 - TITE, 56-day accrual	5.3	33.9	8.5	0.1	0	52.2
Mean administrations						
U2 - Original non-TITE	7.2	9.3	3.2	0.8	0.1	-
U2 - TITE, 56-day accrual	7.5	9.8	3.5	0.9	0.1	-
U3 - Original non-TITE	7.4	9.4	3	0.8	0.1	-
U3 - TITE, 56-day accrual	7.7	10.2	3.1	0.7	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.3	4.1	0.9	0.3	0	-
U2 - TITE, 56-day accrual	2.5	3.5	1	0.2	0	-
U3 - Original non-TITE	1.3	4.2	0.9	0.3	0	-
U3 - TITE, 56-day accrual	2.6	3.6	0.9	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						758.8
U2 - TITE, 56-day accrual						832.3
U3 - Original non-TITE						756.4
U3 - TITE, 56-day accrual						832.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	62.2	30.9	2.7	0.1	0	4.1
U2 - TITE, 56-day accrual	54	36	4.7	0	0	5.3
U3 - Original non-TITE	66.4	27.3	1.9	0.1	0	4.3
U3 - TITE, 56-day accrual	56.3	36	2.9	0	0	4.8
Mean administrations						
U2 - Original non-TITE	17.9	8.8	2.1	0.4	0	-
U2 - TITE, 56-day accrual	16.6	9.8	2.2	0.3	0	-
U3 - Original non-TITE	18.8	8.4	1.6	0.3	0	-
U3 - TITE, 56-day accrual	18.3	9.1	1.4	0.2	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.4	3.1	0.6	0.1	0	-
U2 - TITE, 56-day accrual	4.8	3	0.6	0.1	0	-
U3 - Original non-TITE	4.7	3	0.5	0.1	0	-
U3 - TITE, 56-day accrual	5.3	2.8	0.4	0.1	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1155.6
U2 - TITE, 56-day accrual						1166.5
U3 - Original non-TITE						1151.6
U3 - TITE, 56-day accrual						1163.2
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	15.1	11.1	15.4	45.3	10.5	2.6
U2 - TITE, 56-day accrual	10.5	12.7	14.3	47	13.1	2.4
U3 - Original non-TITE	22.3	14.9	13	37.5	9.6	2.7
U3 - TITE, 56-day accrual	9.8	12.8	15	48.1	11.6	2.7
Mean administrations						
U2 - Original non-TITE	4.2	5.1	6.3	10.2	3.7	-
U2 - TITE, 56-day accrual	4.2	5.2	6.2	9.8	4	-
U3 - Original non-TITE	4.4	5.3	6.4	10	3.4	-
U3 - TITE, 56-day accrual	5	5.8	6	9.4	3.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	3.1	2	3.3	1.1	-
U2 - TITE, 56-day accrual	1.4	2.4	2.4	3	1	-
U3 - Original non-TITE	0.6	3.1	2	3.3	1.1	-
U3 - TITE, 56-day accrual	1.8	2.6	2.4	2.9	0.8	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1071.5
U2 - TITE, 56-day accrual						1164.1
U3 - Original non-TITE						1066.8
U3 - TITE, 56-day accrual						1148.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	2.8	37.9	30.4	24.5	4.2	0.2
U2 - TITE, 56-day accrual	0.6	34.1	34.4	26.9	3.9	0.1
U3 - Original non-TITE	4.3	44	29.1	19.8	2.6	0.2
U3 - TITE, 56-day accrual	1.1	44.7	31.3	20.8	2	0.1
Mean administrations						
U2 - Original non-TITE	3.8	12.4	7.8	4.7	1.2	-
U2 - TITE, 56-day accrual	3.7	11.9	8.4	4.8	1.1	-
U3 - Original non-TITE	3.9	13.4	7.4	4.5	0.8	-
U3 - TITE, 56-day accrual	4	13.8	7.7	3.8	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	4.9	2.3	1.4	0.3	-
U2 - TITE, 56-day accrual	1.1	4	2.7	1.4	0.3	-
U3 - Original non-TITE	0.3	5.2	2.2	1.3	0.2	-
U3 - TITE, 56-day accrual	1.2	4.6	2.4	1.1	0.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1144
U2 - TITE, 56-day accrual						1213.1
U3 - Original non-TITE						1139.4
U3 - TITE, 56-day accrual						1189.6
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	11.6	13.8	34.8	29.7	9.8	0.3
U2 - TITE, 56-day accrual	8.7	10.4	33.8	31.5	15.2	0.4
U3 - Original non-TITE	16.1	17.6	34.3	25.9	5.8	0.3
U3 - TITE, 56-day accrual	7.4	9.6	32.7	34.1	15.7	0.5
Mean administrations						
U2 - Original non-TITE	3.5	4.3	8.7	8.7	4.7	-
U2 - TITE, 56-day accrual	3.3	4.4	8.4	9.1	4.5	-
U3 - Original non-TITE	3.6	4.6	9.1	8.6	4.1	-
U3 - TITE, 56-day accrual	3.8	5	9	8.5	3.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	2.9	2.8	3.3	1.5	-
U2 - TITE, 56-day accrual	1	2.1	3.1	3.1	1.5	-
U3 - Original non-TITE	0.2	3	3	3.3	1.3	-
U3 - TITE, 56-day accrual	1.2	2.4	3.4	2.9	1.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1053
U2 - TITE, 56-day accrual						1150.3
U3 - Original non-TITE						1048
U3 - TITE, 56-day accrual						1135

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	9.1	5.7	12.3	45.8	26.6	0.5
U2 - TITE, 56-day accrual	4.4	5.1	10.3	48.3	31.8	0.1
U3 - Original non-TITE	13	7.8	11.9	44.7	22.1	0.5
U3 - TITE, 56-day accrual	4.2	4.5	10.8	52.2	28.2	0.1
Mean administrations						
U2 - Original non-TITE	3.3	3.7	6	10.7	6.1	-
U2 - TITE, 56-day accrual	3.2	3.6	5.7	10.9	6.4	-
U3 - Original non-TITE	3.3	3.8	6	10.9	5.7	-
U3 - TITE, 56-day accrual	3.5	4	6	11.2	5.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	2.7	1.8	3.8	1.6	-
U2 - TITE, 56-day accrual	1	1.9	2.2	3.3	1.7	-
U3 - Original non-TITE	0.2	2.7	1.8	3.9	1.5	-
U3 - TITE, 56-day accrual	1.2	2	2.3	3.4	1.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1082.5
U2 - TITE, 56-day accrual						1200.2
U3 - Original non-TITE						1080
U3 - TITE, 56-day accrual						1178.6
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	11.4	12	44.9	17.6	3.5	10.6
U2 - TITE, 56-day accrual	8.4	10	45.5	19.8	6.1	10.2
U3 - Original non-TITE	13.3	13.6	42.7	16.8	2.2	11.4
U3 - TITE, 56-day accrual	6.9	9.5	46.3	22.2	4.6	10.5
Mean administrations						
U2 - Original non-TITE	4.5	6.1	9.5	5.8	2.1	-
U2 - TITE, 56-day accrual	4.5	6.1	9.5	6	2.2	-
U3 - Original non-TITE	4.8	6.2	9.6	5.7	1.8	-
U3 - TITE, 56-day accrual	5	6.5	9.6	5.6	1.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.5	2.9	2.1	0.7	-
U2 - TITE, 56-day accrual	1.5	2.7	3.2	1.9	0.7	-
U3 - Original non-TITE	0.8	3.5	3	2	0.6	-
U3 - TITE, 56-day accrual	1.8	2.9	3.2	1.8	0.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						999.7
U2 - TITE, 56-day accrual						1090.7
U3 - Original non-TITE						996.8
U3 - TITE, 56-day accrual						1070.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	6.6	43.4	36	11.4	2.3	0.3
U2 - TITE, 56-day accrual	4.7	38.6	41.8	12.6	2.2	0.1
U3 - Original non-TITE	11.8	48.3	28.2	9.7	1.8	0.2
U3 - TITE, 56-day accrual	4.5	47.5	37.8	8.7	1.4	0.1
Mean administrations						
U2 - Original non-TITE	4.4	12.3	8.5	3.8	1	-
U2 - TITE, 56-day accrual	4.2	12	9.4	3.5	0.8	-
U3 - Original non-TITE	4.7	13.1	7.9	3.5	0.8	-
U3 - TITE, 56-day accrual	4.7	14.2	8.2	2.4	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	4.9	2.4	1.2	0.3	-
U2 - TITE, 56-day accrual	1.3	4.1	2.7	0.9	0.2	-
U3 - Original non-TITE	0.6	5.2	2.2	1.1	0.2	-
U3 - TITE, 56-day accrual	1.5	4.8	2.4	0.7	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1146.7
U2 - TITE, 56-day accrual						1223.3
U3 - Original non-TITE						1140.9
U3 - TITE, 56-day accrual						1203.3
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	10.4	28.9	12.9	5	1.3	41.5
U2 - TITE, 56-day accrual	8	29.5	17.5	6.4	0.8	37.8
U3 - Original non-TITE	11.5	29.5	11.7	4.4	0.7	42.2
U3 - TITE, 56-day accrual	5.7	30	18	7	1.3	38
Mean administrations						
U2 - Original non-TITE	6.3	8.5	5	2.8	0.8	-
U2 - TITE, 56-day accrual	6.5	8.8	5.2	2.9	0.9	-
U3 - Original non-TITE	6.5	8.6	4.8	2.7	0.7	-
U3 - TITE, 56-day accrual	6.9	9.3	4.7	2.5	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	4.2	1.5	1.1	0.3	-
U2 - TITE, 56-day accrual	2.3	3.4	1.8	1	0.3	-
U3 - Original non-TITE	1.1	4.3	1.5	1	0.2	-
U3 - TITE, 56-day accrual	2.4	3.6	1.6	0.8	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						830.3
U2 - TITE, 56-day accrual						918.4
U3 - Original non-TITE						824.5
U3 - TITE, 56-day accrual						900.9

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	9.7	35.1	12.8	2.7	0.4	39.3
U2 - TITE, 56-day accrual	8.4	38.2	17.9	2.9	0	32.6
U3 - Original non-TITE	11.4	34.9	11	1.9	0.5	40.3
U3 - TITE, 56-day accrual	6.3	37.5	20.6	2.4	0	33.2
Mean administrations						
U2 - Original non-TITE	6.3	9.7	5	2.4	0.7	-
U2 - TITE, 56-day accrual	6.6	10.3	5.5	2.4	0.6	-
U3 - Original non-TITE	6.5	9.8	4.8	2.4	0.6	-
U3 - TITE, 56-day accrual	7.1	10.7	4.9	2.1	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	4.8	1.5	0.9	0.2	-
U2 - TITE, 56-day accrual	2.3	3.9	1.8	0.8	0.2	-
U3 - Original non-TITE	1.2	4.8	1.5	0.9	0.2	-
U3 - TITE, 56-day accrual	2.6	4.1	1.7	0.7	0.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						854.2
U2 - TITE, 56-day accrual						957.8
U3 - Original non-TITE						849.7
U3 - TITE, 56-day accrual						938.7