

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	4.9	2.3	0.3	0.1	0	92.4
U2 - TITE, 56-day accrual	4.8	7.1	2.5	0.7	0	84.9
U3 - Original non-TITE	5.7	1.8	0.2	0	0	92.3
U3 - TITE, 56-day accrual	5.4	7.9	2	0.5	0	84.2
Mean administrations						
U2 - Original non-TITE	8.1	2.6	1.2	0.3	0.1	-
U2 - TITE, 56-day accrual	8.7	3.3	1.4	0.4	0.1	-
U3 - Original non-TITE	8.1	2.6	1.2	0.3	0.1	-
U3 - TITE, 56-day accrual	8.8	3.2	1.4	0.4	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	1.4	0.4	0.2	0	-
U2 - TITE, 56-day accrual	2.9	1.4	0.5	0.1	0	-
U3 - Original non-TITE	2.1	1.4	0.4	0.2	0	-
U3 - TITE, 56-day accrual	2.9	1.4	0.5	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						439.6
U2 - TITE, 56-day accrual						509.6
U3 - Original non-TITE						440.9
U3 - TITE, 56-day accrual						509.7
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	32.3	18.2	30	6.8	1.4	11.3
U2 - TITE, 56-day accrual	21.8	22.7	34.4	8.2	1	11.9
U3 - Original non-TITE	34.9	19.8	27.8	5.9	0.5	11.1
U3 - TITE, 56-day accrual	21.8	22.5	35.3	8.1	1	11.3
Mean administrations						
U2 - Original non-TITE	11.3	5.5	6.8	3.2	1.2	-
U2 - TITE, 56-day accrual	11.4	6.6	6.8	2.4	0.7	-
U3 - Original non-TITE	11.3	5.5	6.9	3.1	1.2	-
U3 - TITE, 56-day accrual	11.3	6.6	6.9	2.3	0.6	-
Mean IPDE administrations						
U2 - Original non-TITE	3.2	2.6	1.9	0.9	0.3	-
U2 - TITE, 56-day accrual	4	2.6	1.9	0.6	0.2	-
U3 - Original non-TITE	3.2	2.6	1.9	0.9	0.3	-
U3 - TITE, 56-day accrual	4	2.6	1.9	0.6	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1052.6
U2 - TITE, 56-day accrual						1081.8
U3 - Original non-TITE						1053.2
U3 - TITE, 56-day accrual						1081.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	9.5	37.4	18.5	5.9	0.8	27.9
U2 - TITE, 56-day accrual	5.1	39.8	23.8	7.6	1.1	22.6
U3 - Original non-TITE	10.8	39.3	16.9	4.6	0.5	27.9
U3 - TITE, 56-day accrual	5.3	39.3	24.5	7.1	1.1	22.7
Mean administrations						
U2 - Original non-TITE	7.3	7.7	5.7	3	1.1	-
U2 - TITE, 56-day accrual	7.5	9.8	5.5	2	0.6	-
U3 - Original non-TITE	7.3	7.6	5.7	2.9	1.1	-
U3 - TITE, 56-day accrual	7.5	9.9	5.4	2.1	0.6	-
Mean IPDE administrations						
U2 - Original non-TITE	1.8	3.3	1.6	1	0.3	-
U2 - TITE, 56-day accrual	2.7	3.5	1.6	0.6	0.2	-
U3 - Original non-TITE	1.8	3.3	1.6	1	0.3	-
U3 - TITE, 56-day accrual	2.7	3.5	1.6	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						925.9
U2 - TITE, 56-day accrual						982.1
U3 - Original non-TITE						925.1
U3 - TITE, 56-day accrual						982.6
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	7.8	7.9	24.2	41.7	11	7.4
U2 - TITE, 56-day accrual	3.2	9.2	27.6	38.5	13.9	7.6
U3 - Original non-TITE	11.1	10.1	21.9	39.2	10	7.7
U3 - TITE, 56-day accrual	2.6	10.5	27.7	37.5	14	7.7
Mean administrations						
U2 - Original non-TITE	4.2	4.4	7.1	8.1	5	-
U2 - TITE, 56-day accrual	4.9	5.3	6.9	7.1	3.7	-
U3 - Original non-TITE	4.2	4.4	7.1	8.1	5	-
U3 - TITE, 56-day accrual	4.8	5.2	6.7	7.3	3.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	2.8	2.2	2.7	1.2	-
U2 - TITE, 56-day accrual	1.8	2.5	2.6	2	0.8	-
U3 - Original non-TITE	0.6	2.8	2.2	2.7	1.2	-
U3 - TITE, 56-day accrual	1.7	2.5	2.5	2.1	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1062.8
U2 - TITE, 56-day accrual						1092.6
U3 - Original non-TITE						1061.8
U3 - TITE, 56-day accrual						1088.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	3	35.3	26.5	19.7	6.8	8.7
U2 - TITE, 56-day accrual	0.8	26.5	31.4	22.3	11.9	7.1
U3 - Original non-TITE	5.8	39.8	25.2	16.2	4.3	8.7
U3 - TITE, 56-day accrual	0.8	26	31.9	21.4	12.4	7.5
Mean administrations						
U2 - Original non-TITE	4.2	6.6	6.7	6	4.6	-
U2 - TITE, 56-day accrual	4.9	9.7	7.2	4	2.3	-
U3 - Original non-TITE	4.2	6.6	6.6	6.1	4.5	-
U3 - TITE, 56-day accrual	4.9	9.6	7.2	4	2.3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	3.5	2.1	2.3	1.6	-
U2 - TITE, 56-day accrual	1.7	4	2.6	1.5	0.8	-
U3 - Original non-TITE	0.6	3.5	2.1	2.3	1.6	-
U3 - TITE, 56-day accrual	1.7	3.9	2.6	1.5	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						990.8
U2 - TITE, 56-day accrual						1045.9
U3 - Original non-TITE						990.7
U3 - TITE, 56-day accrual						1044.4
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	61.7	9.6	1.7	0.6	0	26.4
U2 - TITE, 56-day accrual	58.1	17	3.7	0.5	0	20.7
U3 - Original non-TITE	63.1	8.9	1.5	0.3	0	26.2
U3 - TITE, 56-day accrual	57.9	16.7	3.9	0.6	0	20.9
Mean administrations						
U2 - Original non-TITE	19.1	3.6	1.6	0.6	0.1	-
U2 - TITE, 56-day accrual	18.4	5.1	2	0.5	0.1	-
U3 - Original non-TITE	19.2	3.6	1.7	0.6	0.2	-
U3 - TITE, 56-day accrual	18.4	5.1	1.9	0.5	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	5.3	1.5	0.5	0.2	0	-
U2 - TITE, 56-day accrual	5.6	1.7	0.6	0.1	0	-
U3 - Original non-TITE	5.3	1.5	0.5	0.2	0	-
U3 - TITE, 56-day accrual	5.6	1.7	0.5	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						973.1
U2 - TITE, 56-day accrual						1022.4
U3 - Original non-TITE						975.7
U3 - TITE, 56-day accrual						1019.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	23.4	38.1	17.8	7.6	1.6	11.5
U2 - TITE, 56-day accrual	14.8	36.7	25.7	8.8	2.4	11.6
U3 - Original non-TITE	25.8	39.7	14.8	7.3	0.9	11.5
U3 - TITE, 56-day accrual	15.7	36.4	25.3	9.3	2	11.3
Mean administrations						
U2 - Original non-TITE	10.5	7.4	5.3	3.1	1.5	-
U2 - TITE, 56-day accrual	9.4	9.7	5.5	2.3	0.8	-
U3 - Original non-TITE	10.5	7.5	5.2	3	1.6	-
U3 - TITE, 56-day accrual	9.4	9.8	5.6	2.2	0.8	-
Mean IPDE administrations						
U2 - Original non-TITE	2.9	2.9	1.3	0.9	0.4	-
U2 - TITE, 56-day accrual	3.2	3	1.5	0.6	0.2	-
U3 - Original non-TITE	2.9	3	1.3	0.9	0.4	-
U3 - TITE, 56-day accrual	3.2	3	1.5	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1065
U2 - TITE, 56-day accrual						1107.2
U3 - Original non-TITE						1065.2
U3 - TITE, 56-day accrual						1105.1
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	13.4	3.7	0.8	0.1	0	82
U2 - TITE, 56-day accrual	16.3	7.1	2.2	0.5	0	73.9
U3 - Original non-TITE	14.2	2.9	0.6	0.1	0	82.2
U3 - TITE, 56-day accrual	16.3	7.6	2.4	0.3	0	73.4
Mean administrations						
U2 - Original non-TITE	10.8	2.7	1	0.3	0.1	-
U2 - TITE, 56-day accrual	11.2	3.8	1.3	0.2	0.1	-
U3 - Original non-TITE	10.8	2.7	1.1	0.3	0.1	-
U3 - TITE, 56-day accrual	11.1	3.8	1.3	0.3	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	3	1.3	0.4	0.1	0	-
U2 - TITE, 56-day accrual	3.7	1.4	0.4	0.1	0	-
U3 - Original non-TITE	3	1.3	0.4	0.1	0	-
U3 - TITE, 56-day accrual	3.7	1.4	0.4	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						548.4
U2 - TITE, 56-day accrual						615.2
U3 - Original non-TITE						548
U3 - TITE, 56-day accrual						613.9

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	8.3	8.9	14.3	11.6	15.8	41.1
U2 - TITE, 56-day accrual	3.5	13.6	21.9	13	12.9	35.1
U3 - Original non-TITE	11.8	9	13.6	9.5	14.9	41.2
U3 - TITE, 56-day accrual	4.2	12.5	22.9	12.8	12.6	35
Mean administrations						
U2 - Original non-TITE	6.1	4.2	5.1	3.4	3.5	-
U2 - TITE, 56-day accrual	6.9	5.2	5.4	2.8	2.3	-
U3 - Original non-TITE	6.1	4.2	5.2	3.4	3.5	-
U3 - TITE, 56-day accrual	6.8	5.2	5.5	2.8	2.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	2.4	1.8	1.4	1	-
U2 - TITE, 56-day accrual	2.5	2.4	2	1	0.6	-
U3 - Original non-TITE	1.4	2.4	1.8	1.4	1	-
U3 - TITE, 56-day accrual	2.5	2.4	2.1	1.1	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						785
U2 - TITE, 56-day accrual						834.6
U3 - Original non-TITE						783.5
U3 - TITE, 56-day accrual						836.5
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	4.6	21.4	9.1	1.7	0.7	62.5
U2 - TITE, 56-day accrual	5.3	28.7	12.7	2.6	0.5	50.2
U3 - Original non-TITE	5	22.9	8	1.3	0.4	62.4
U3 - TITE, 56-day accrual	6.1	29.1	12	2.6	0.7	49.5
Mean administrations						
U2 - Original non-TITE	6.9	5.2	3.4	1.4	0.4	-
U2 - TITE, 56-day accrual	7.3	8	3.6	1	0.3	-
U3 - Original non-TITE	6.9	5.2	3.4	1.4	0.5	-
U3 - TITE, 56-day accrual	7.2	8.2	3.6	0.9	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.6	2.3	0.9	0.4	0.1	-
U2 - TITE, 56-day accrual	2.5	2.7	1	0.2	0.1	-
U3 - Original non-TITE	1.6	2.3	0.9	0.4	0.1	-
U3 - TITE, 56-day accrual	2.4	2.7	1	0.2	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						647.7
U2 - TITE, 56-day accrual						790.1
U3 - Original non-TITE						646.7
U3 - TITE, 56-day accrual						790.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	55	15.5	1.2	0	0	28.3
U2 - TITE, 56-day accrual	43.7	22.7	5.2	0.4	0	28
U3 - Original non-TITE	56.9	13.9	0.7	0	0	28.5
U3 - TITE, 56-day accrual	42.9	23.2	5.6	0.3	0	28
Mean administrations						
U2 - Original non-TITE	16.7	5.4	2.4	0.5	0	-
U2 - TITE, 56-day accrual	16	6.3	2.4	0.4	0	-
U3 - Original non-TITE	16.8	5.3	2.4	0.5	0	-
U3 - TITE, 56-day accrual	15.9	6.3	2.4	0.4	0	-
Mean IPDE administrations						
U2 - Original non-TITE	5.1	2.4	0.8	0.2	0	-
U2 - TITE, 56-day accrual	5.5	2.3	0.8	0.1	0	-
U3 - Original non-TITE	5.1	2.4	0.8	0.2	0	-
U3 - TITE, 56-day accrual	5.5	2.3	0.8	0.1	0	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						907.5
U3 - Original non-TITE						938
U3 - TITE, 56-day accrual						905.7
U3 - TITE, 56-day accrual						937.8
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	12.2	13.8	11.8	36	12.8	13.4
U2 - TITE, 56-day accrual	5.6	15	20	32.5	16.3	10.6
U3 - Original non-TITE	17.8	14.8	9.4	33.2	11.7	13.1
U3 - TITE, 56-day accrual	4.8	15.8	19.5	32.3	16.7	10.9
Mean administrations						
U2 - Original non-TITE	4.5	5.1	5.8	7.2	5.5	-
U2 - TITE, 56-day accrual	5.3	5.7	5	6.5	4.4	-
U3 - Original non-TITE	4.5	5.2	5.8	7.2	5.5	-
U3 - TITE, 56-day accrual	5.3	5.7	5.1	6.5	4.4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	3.1	1.9	2.7	1.3	-
U2 - TITE, 56-day accrual	1.9	2.7	2	2.1	0.9	-
U3 - Original non-TITE	0.7	3.1	1.9	2.7	1.3	-
U3 - TITE, 56-day accrual	1.9	2.7	2.1	2.1	0.9	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						1019.4
U3 - Original non-TITE						1038.2
U3 - TITE, 56-day accrual						1018.4
U3 - TITE, 56-day accrual						1045.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	5.8	22.5	9.4	1.9	0.5	59.9
U2 - TITE, 56-day accrual	5.3	31.7	11.1	3	0.1	48.8
U3 - Original non-TITE	6.3	22.6	9	1.8	0.6	59.7
U3 - TITE, 56-day accrual	5.5	30.6	12.3	2.5	0	49.1
Mean administrations						
U2 - Original non-TITE	6.9	5.6	3.7	1.5	0.5	-
U2 - TITE, 56-day accrual	7.5	8.4	3.4	1.2	0.3	-
U3 - Original non-TITE	6.9	5.6	3.6	1.4	0.5	-
U3 - TITE, 56-day accrual	7.6	8.3	3.4	1.2	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.6	2.6	1.1	0.6	0.1	-
U2 - TITE, 56-day accrual	2.6	3	1.1	0.4	0.1	-
U3 - Original non-TITE	1.6	2.6	1.1	0.6	0.1	-
U3 - TITE, 56-day accrual	2.6	3	1.1	0.4	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						659.4
U2 - TITE, 56-day accrual						783.1
U3 - Original non-TITE						659.5
U3 - TITE, 56-day accrual						781.8
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	12.5	12.6	12.1	22.5	9.9	30.4
U2 - TITE, 56-day accrual	3.2	18.3	25	22.6	9.7	21.2
U3 - Original non-TITE	20.4	11.3	9.3	21.2	7.8	30
U3 - TITE, 56-day accrual	4.5	18	23.7	23.3	10.2	20.3
Mean administrations						
U2 - Original non-TITE	5.6	5.3	5.7	5.3	3.7	-
U2 - TITE, 56-day accrual	6.4	6.4	5.3	4.6	2.2	-
U3 - Original non-TITE	5.6	5.2	5.7	5.3	3.8	-
U3 - TITE, 56-day accrual	6.5	6.3	5.3	4.6	2.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.2	3	2	2.1	1.2	-
U2 - TITE, 56-day accrual	2.4	2.9	2.1	1.6	0.6	-
U3 - Original non-TITE	1.2	3	2	2	1.2	-
U3 - TITE, 56-day accrual	2.4	2.9	2.1	1.6	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						889
U2 - TITE, 56-day accrual						913.8
U3 - Original non-TITE						890.8
U3 - TITE, 56-day accrual						911.9

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	30.1	18.9	7.2	2.8	0.1	40.9
U2 - TITE, 56-day accrual	16.3	27.3	18.9	4.9	1	31.6
U3 - Original non-TITE	36.4	16.8	4.7	1.2	0.2	40.7
U3 - TITE, 56-day accrual	16	26.9	19.9	4.9	0.8	31.5
Mean administrations						
U2 - Original non-TITE	9	6.9	5.2	2.5	0.8	-
U2 - TITE, 56-day accrual	9.8	7.2	4.4	1.7	0.5	-
U3 - Original non-TITE	9.1	6.9	5.2	2.6	0.8	-
U3 - TITE, 56-day accrual	9.9	7.2	4.5	1.6	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	2.5	3.5	1.8	1.1	0.3	-
U2 - TITE, 56-day accrual	3.7	3.1	1.7	0.7	0.2	-
U3 - Original non-TITE	2.5	3.5	1.8	1.1	0.3	-
U3 - TITE, 56-day accrual	3.8	3.1	1.7	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						832.7
U2 - TITE, 56-day accrual						844.9
U3 - Original non-TITE						832.3
U3 - TITE, 56-day accrual						847.1
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	27.3	28.4	17.8	14.7	11.7	0.1
U2 - TITE, 56-day accrual	8.8	19.4	21.8	26.8	22.9	0.3
U3 - Original non-TITE	34.2	32.7	15.3	10.9	6.8	0.1
U3 - TITE, 56-day accrual	8.4	19.9	23.3	25.4	22.7	0.3
Mean administrations						
U2 - Original non-TITE	5.3	5.5	5.3	6.9	6.9	-
U2 - TITE, 56-day accrual	8.3	7.8	5.5	4.6	3.6	-
U3 - Original non-TITE	5.3	5.5	5.3	6.9	7	-
U3 - TITE, 56-day accrual	8.4	7.7	5.5	4.6	3.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	3.1	1.8	3.1	2.6	-
U2 - TITE, 56-day accrual	3.1	3.4	2.3	1.9	1.4	-
U3 - Original non-TITE	1	3.2	1.8	3.1	2.6	-
U3 - TITE, 56-day accrual	3.2	3.4	2.3	1.9	1.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1008
U2 - TITE, 56-day accrual						1065.6
U3 - Original non-TITE						1007.9
U3 - TITE, 56-day accrual						1064.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	29.7	53.4	12.8	0.9	0	3.2
U2 - TITE, 56-day accrual	20.9	53.1	19.5	1.9	0.2	4.4
U3 - Original non-TITE	32.6	52.9	10.7	0.7	0	3.1
U3 - TITE, 56-day accrual	21.4	53.2	19.4	1.6	0.2	4.2
Mean administrations						
U2 - Original non-TITE	10.7	10.5	6.5	1.5	0.2	-
U2 - TITE, 56-day accrual	10.6	11.3	5.8	1.3	0.2	-
U3 - Original non-TITE	10.7	10.4	6.6	1.6	0.2	-
U3 - TITE, 56-day accrual	10.6	11.2	5.8	1.3	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.7	3.6	1.5	0.5	0	-
U2 - TITE, 56-day accrual	3.5	3.3	1.3	0.2	0	-
U3 - Original non-TITE	2.7	3.6	1.5	0.5	0	-
U3 - TITE, 56-day accrual	3.5	3.2	1.4	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1167.6
U2 - TITE, 56-day accrual						1198.4
U3 - Original non-TITE						1167.7
U3 - TITE, 56-day accrual						1198.1
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	9.7	12.3	10.9	16.8	48.1	2.2
U2 - TITE, 56-day accrual	2.2	7.8	15.9	21	51.8	1.3
U3 - Original non-TITE	14.7	13.4	11	15.3	43.4	2.2
U3 - TITE, 56-day accrual	1.4	6.8	16.2	21.4	52.5	1.7
Mean administrations						
U2 - Original non-TITE	3.6	4	4.9	5.7	11.5	-
U2 - TITE, 56-day accrual	4.6	5.2	5.5	5.3	8.6	-
U3 - Original non-TITE	3.6	3.9	5	5.7	11.6	-
U3 - TITE, 56-day accrual	4.6	5.2	5.5	5.3	8.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	2.8	1.6	2.5	3.2	-
U2 - TITE, 56-day accrual	1.6	2.6	2.3	2.1	2.2	-
U3 - Original non-TITE	0.3	2.7	1.7	2.6	3.2	-
U3 - TITE, 56-day accrual	1.6	2.6	2.3	2.1	2.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1062.3
U2 - TITE, 56-day accrual						1111.4
U3 - Original non-TITE						1062.6
U3 - TITE, 56-day accrual						1114

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	16.7	41.9	10.2	0.8	0	30.4
U2 - TITE, 56-day accrual	11	47.3	16.8	1.4	0	23.5
U3 - Original non-TITE	18.8	41	8.9	0.6	0	30.7
U3 - TITE, 56-day accrual	10.1	46.9	17.9	1.1	0	24
Mean administrations						
U2 - Original non-TITE	7.3	10.2	5.9	1.3	0.2	-
U2 - TITE, 56-day accrual	7.4	11.6	5.6	1.1	0.1	-
U3 - Original non-TITE	7.2	10.1	6	1.3	0.2	-
U3 - TITE, 56-day accrual	7.4	11.5	5.7	1.1	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	4.4	1.7	0.5	0	-
U2 - TITE, 56-day accrual	2.7	4.2	1.6	0.3	0	-
U3 - Original non-TITE	1.7	4.4	1.7	0.5	0	-
U3 - TITE, 56-day accrual	2.7	4.2	1.6	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						905.6
U2 - TITE, 56-day accrual						980.9
U3 - Original non-TITE						905.6
U3 - TITE, 56-day accrual						982.8
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	9	45.3	25.4	6.5	0.4	13.4
U2 - TITE, 56-day accrual	3.6	37.9	38.2	9.1	1.6	9.6
U3 - Original non-TITE	13	47.7	21.1	4.8	0.3	13.1
U3 - TITE, 56-day accrual	4.1	38.7	36.6	9.4	1.3	9.9
Mean administrations						
U2 - Original non-TITE	4.9	9.3	8.4	3.7	1.4	-
U2 - TITE, 56-day accrual	5.4	10.4	7.8	3	1	-
U3 - Original non-TITE	4.9	9.3	8.4	3.8	1.3	-
U3 - TITE, 56-day accrual	5.4	10.4	7.7	3	1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.8	4.5	2.6	1.4	0.5	-
U2 - TITE, 56-day accrual	2	4.2	2.7	1	0.3	-
U3 - Original non-TITE	0.8	4.5	2.6	1.5	0.4	-
U3 - TITE, 56-day accrual	2	4.3	2.6	0.9	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						979.1
U2 - TITE, 56-day accrual						1035.6
U3 - Original non-TITE						981
U3 - TITE, 56-day accrual						1030.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	47.6	0.4	0	0	0	52
U2 - TITE, 56-day accrual	58.3	2.4	0	0	0	39.3
U3 - Original non-TITE	47.3	0.7	0	0	0	52
U3 - TITE, 56-day accrual	59.4	2.6	0	0	0	38
Mean administrations						
U2 - Original non-TITE	19.7	1.5	0.3	0	0	-
U2 - TITE, 56-day accrual	21	2.1	0.4	0	0	-
U3 - Original non-TITE	19.7	1.6	0.3	0	0	-
U3 - TITE, 56-day accrual	21.1	2.1	0.4	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4	0.5	0.1	0	0	-
U2 - TITE, 56-day accrual	4.6	0.5	0.1	0	0	-
U3 - Original non-TITE	4	0.5	0.1	0	0	-
U3 - TITE, 56-day accrual	4.6	0.5	0.1	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						933.1
U2 - TITE, 56-day accrual						1039.2
U3 - Original non-TITE						934.7
U3 - TITE, 56-day accrual						1044.2
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	20.1	43.7	7.4	0.4	0	28.4
U2 - TITE, 56-day accrual	12.2	47.5	16.5	1.7	0	22.1
U3 - Original non-TITE	23.4	42.7	5.8	0.4	0	27.7
U3 - TITE, 56-day accrual	12.6	48.4	15.9	1.4	0	21.7
Mean administrations						
U2 - Original non-TITE	7.5	12.2	5.2	1	0.1	-
U2 - TITE, 56-day accrual	7.9	11.8	5.4	0.9	0.1	-
U3 - Original non-TITE	7.4	12.2	5.2	1	0.1	-
U3 - TITE, 56-day accrual	7.8	11.9	5.3	1	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.8	5.3	1.5	0.4	0	-
U2 - TITE, 56-day accrual	3	4.4	1.5	0.3	0	-
U3 - Original non-TITE	1.7	5.3	1.5	0.4	0	-
U3 - TITE, 56-day accrual	2.9	4.5	1.5	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						927.7
U2 - TITE, 56-day accrual						971.5
U3 - Original non-TITE						927.6
U3 - TITE, 56-day accrual						976.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	1.4	0.5	0	0	0	98.1
U2 - TITE, 56-day accrual	3.2	3.2	0	0	0	93.6
U3 - Original non-TITE	1.4	0.5	0	0	0	98.1
U3 - TITE, 56-day accrual	3.2	3.3	0.1	0	0	93.4
Mean administrations						
U2 - Original non-TITE	8.1	1.6	0.3	0	0	-
U2 - TITE, 56-day accrual	9.1	2.4	0.4	0	0	-
U3 - Original non-TITE	8.1	1.6	0.2	0	0	-
U3 - TITE, 56-day accrual	9.1	2.4	0.4	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	1	0.1	0	0	-
U2 - TITE, 56-day accrual	3	0.9	0.1	0	0	-
U3 - Original non-TITE	2.1	1	0.1	0	0	-
U3 - TITE, 56-day accrual	3	0.9	0.1	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						365.6
U2 - TITE, 56-day accrual						442.3
U3 - Original non-TITE						365.1
U3 - TITE, 56-day accrual						440.5
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	0.6	1.5	3.7	47.8	46.1	0.3
U2 - TITE, 56-day accrual	0	1	3.3	38.9	56.8	0
U3 - Original non-TITE	1.7	2.3	4.8	49.9	41	0.3
U3 - TITE, 56-day accrual	0	0.5	3.2	40	56.2	0.1
Mean administrations						
U2 - Original non-TITE	3.2	3.1	3.6	8.4	11.7	-
U2 - TITE, 56-day accrual	3.5	3.6	4.6	10	8.2	-
U3 - Original non-TITE	3.2	3.1	3.6	8.4	11.6	-
U3 - TITE, 56-day accrual	3.5	3.6	4.6	10	8.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	2.4	1.1	3.2	3.2	-
U2 - TITE, 56-day accrual	1.1	1.9	1.9	3.3	2.2	-
U3 - Original non-TITE	0.1	2.4	1.1	3.3	3.2	-
U3 - TITE, 56-day accrual	1.1	1.9	1.9	3.3	2.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1101.2
U2 - TITE, 56-day accrual						1198.8
U3 - Original non-TITE						1100.5
U3 - TITE, 56-day accrual						1201.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	33.4	32.4	24.5	3.6	0	6.1
U2 - TITE, 56-day accrual	19.6	37.1	31.8	3.9	0.1	7.5
U3 - Original non-TITE	37.2	32.3	21.6	2.6	0	6.3
U3 - TITE, 56-day accrual	20.4	35.9	31.7	3.8	0.1	8.1
Mean administrations						
U2 - Original non-TITE	9.6	8.7	8.5	2	0.2	-
U2 - TITE, 56-day accrual	10	8.9	7.6	1.7	0.2	-
U3 - Original non-TITE	9.7	8.5	8.6	2	0.2	-
U3 - TITE, 56-day accrual	10	8.9	7.5	1.8	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.7	3.8	2.3	0.7	0.1	-
U2 - TITE, 56-day accrual	3.7	3.4	2.1	0.4	0	-
U3 - Original non-TITE	2.7	3.7	2.4	0.7	0.1	-
U3 - TITE, 56-day accrual	3.7	3.4	2.1	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1076.1
U2 - TITE, 56-day accrual						1094.5
U3 - Original non-TITE						1075.4
U3 - TITE, 56-day accrual						1091.3
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	19.1	24.7	19.8	2.6	0	33.8
U2 - TITE, 56-day accrual	11.1	31	25.8	3.9	0	28.2
U3 - Original non-TITE	21.7	24.8	17.5	2.3	0	33.7
U3 - TITE, 56-day accrual	11	30.8	26.3	3	0	28.9
Mean administrations						
U2 - Original non-TITE	8.4	6.9	6.8	1.8	0.2	-
U2 - TITE, 56-day accrual	8.8	7.8	6	1.7	0.2	-
U3 - Original non-TITE	8.5	6.9	6.7	1.9	0.2	-
U3 - TITE, 56-day accrual	8.8	7.8	6	1.7	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.3	3.3	2	0.7	0.1	-
U2 - TITE, 56-day accrual	3.2	3.1	1.9	0.4	0	-
U3 - Original non-TITE	2.3	3.3	2	0.7	0.1	-
U3 - TITE, 56-day accrual	3.2	3.1	1.9	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						879.7
U2 - TITE, 56-day accrual						918.6
U3 - Original non-TITE						878.7
U3 - TITE, 56-day accrual						917.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	15	24.9	35.4	4.4	0	20.3
U2 - TITE, 56-day accrual	8.2	29	39.5	6.6	0.3	16.4
U3 - Original non-TITE	17.7	25.7	32.3	3.8	0	20.5
U3 - TITE, 56-day accrual	8	30.1	39.3	6.6	0.4	15.6
Mean administrations						
U2 - Original non-TITE	6.8	6.7	9.1	3.1	0.7	-
U2 - TITE, 56-day accrual	7.4	7.6	8.6	2.6	0.5	-
U3 - Original non-TITE	6.8	6.8	9	3.1	0.8	-
U3 - TITE, 56-day accrual	7.4	7.6	8.6	2.6	0.6	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	3.3	2.6	1	0.2	-
U2 - TITE, 56-day accrual	2.8	3.1	2.6	0.6	0.1	-
U3 - Original non-TITE	1.7	3.3	2.6	1	0.2	-
U3 - TITE, 56-day accrual	2.7	3.1	2.6	0.6	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						975.9
U2 - TITE, 56-day accrual						1031.7
U3 - Original non-TITE						975.8
U3 - TITE, 56-day accrual						1036.4
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	11.5	22.9	1	0	0	64.6
U2 - TITE, 56-day accrual	10	30.7	6	0.1	0	53.2
U3 - Original non-TITE	11.9	22.9	0.9	0	0	64.3
U3 - TITE, 56-day accrual	10.1	30.7	6.3	0	0	52.9
Mean administrations						
U2 - Original non-TITE	7.4	7.2	2.9	0.5	0	-
U2 - TITE, 56-day accrual	7.8	9	3.3	0.5	0	-
U3 - Original non-TITE	7.4	7.1	2.9	0.4	0	-
U3 - TITE, 56-day accrual	7.8	9.1	3.2	0.5	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.8	3.1	0.9	0.2	0	-
U2 - TITE, 56-day accrual	2.7	3.2	0.9	0.1	0	-
U3 - Original non-TITE	1.8	3.1	0.9	0.2	0	-
U3 - TITE, 56-day accrual	2.7	3.2	0.9	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						653.6
U2 - TITE, 56-day accrual						789.1
U3 - Original non-TITE						652.8
U3 - TITE, 56-day accrual						787.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	73.4	20.3	1.5	0	0	4.8
U2 - TITE, 56-day accrual	55.8	33.8	5	0.2	0	5.2
U3 - Original non-TITE	75.4	18.8	1.2	0	0	4.6
U3 - TITE, 56-day accrual	55.4	34.1	5.1	0.2	0	5.2
Mean administrations						
U2 - Original non-TITE	19.2	6.9	2.6	0.3	0	-
U2 - TITE, 56-day accrual	18.1	8.2	2.5	0.3	0	-
U3 - Original non-TITE	19.2	7	2.6	0.3	0	-
U3 - TITE, 56-day accrual	18.2	8.1	2.5	0.2	0	-
Mean IPDE administrations						
U2 - Original non-TITE	5	2.3	0.7	0.1	0	-
U2 - TITE, 56-day accrual	5.3	2.5	0.6	0.1	0	-
U3 - Original non-TITE	5	2.3	0.7	0.1	0	-
U3 - TITE, 56-day accrual	5.4	2.5	0.6	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1156.2
U2 - TITE, 56-day accrual						1175.7
U3 - Original non-TITE						1156.9
U3 - TITE, 56-day accrual						1174.6
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	17.9	16.9	16.9	36.7	7.1	4.5
U2 - TITE, 56-day accrual	7.1	16.5	23.1	35.4	14.3	3.6
U3 - Original non-TITE	23.4	18.8	16.1	31.9	5.5	4.3
U3 - TITE, 56-day accrual	7.5	17.5	21.3	35.3	14.3	4.1
Mean administrations						
U2 - Original non-TITE	5	5	6.3	8.1	4.9	-
U2 - TITE, 56-day accrual	6.5	6	5.8	6.8	3.9	-
U3 - Original non-TITE	4.9	4.9	6.4	8.2	4.9	-
U3 - TITE, 56-day accrual	6.4	6.1	5.8	6.7	4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	2.9	2	2.8	1.3	-
U2 - TITE, 56-day accrual	2.4	2.7	2.3	2.1	0.8	-
U3 - Original non-TITE	0.9	2.9	2.1	2.8	1.3	-
U3 - TITE, 56-day accrual	2.4	2.7	2.3	2.1	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1068.5
U2 - TITE, 56-day accrual						1101.4
U3 - Original non-TITE						1070
U3 - TITE, 56-day accrual						1100.9

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	5.1	36.3	29.6	23.1	5.6	0.3
U2 - TITE, 56-day accrual	2.6	23	33.4	28	12.2	0.8
U3 - Original non-TITE	7.9	41.4	28.9	18	3.5	0.3
U3 - TITE, 56-day accrual	2.5	23.4	34.1	27	12.2	0.8
Mean administrations						
U2 - Original non-TITE	4.1	5.8	6.5	8	5.5	-
U2 - TITE, 56-day accrual	4.7	8.9	7.5	5.5	3.2	-
U3 - Original non-TITE	4.1	5.8	6.5	8	5.5	-
U3 - TITE, 56-day accrual	4.7	8.9	7.6	5.5	3.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	2.9	1.7	2.1	1.4	-
U2 - TITE, 56-day accrual	1.6	3	2.3	1.5	0.7	-
U3 - Original non-TITE	0.5	2.9	1.7	2.1	1.4	-
U3 - TITE, 56-day accrual	1.6	3	2.3	1.5	0.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1182.1
U2 - TITE, 56-day accrual						1246.5
U3 - Original non-TITE						1181.7
U3 - TITE, 56-day accrual						1247.7
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	9.4	14.7	34.4	29.6	10.8	1.1
U2 - TITE, 56-day accrual	2.2	9.3	32.3	36	19.6	0.6
U3 - Original non-TITE	14.4	20.1	33.8	25.1	5.5	1.1
U3 - TITE, 56-day accrual	2.9	8.8	31.6	36.8	19.2	0.7
Mean administrations						
U2 - Original non-TITE	3.7	4.4	7.8	7.9	6.1	-
U2 - TITE, 56-day accrual	5	6	8.3	6.7	3.6	-
U3 - Original non-TITE	3.7	4.4	7.8	7.9	6	-
U3 - TITE, 56-day accrual	5	6	8.3	6.6	3.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	2.9	2.5	3	2.1	-
U2 - TITE, 56-day accrual	1.8	2.8	3.2	2.2	1.1	-
U3 - Original non-TITE	0.3	2.9	2.5	2.9	2	-
U3 - TITE, 56-day accrual	1.8	2.8	3.2	2.2	1.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1054.7
U2 - TITE, 56-day accrual						1117.9
U3 - Original non-TITE						1055.5
U3 - TITE, 56-day accrual						1114.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	8.6	8	16.3	41.1	24.9	1.1
U2 - TITE, 56-day accrual	2.3	5.6	16.7	42.1	32.6	0.7
U3 - Original non-TITE	13.6	9.8	13.1	40.6	21.9	1
U3 - TITE, 56-day accrual	2.5	5.9	17.2	41.1	32.5	0.8
Mean administrations						
U2 - Original non-TITE	3.4	3.7	5.3	8.1	9.4	-
U2 - TITE, 56-day accrual	4	4.3	6.1	8.6	6.7	-
U3 - Original non-TITE	3.4	3.7	5.4	8.2	9.3	-
U3 - TITE, 56-day accrual	3.9	4.2	6.2	8.6	6.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	2.7	1.6	3.1	2.3	-
U2 - TITE, 56-day accrual	1.4	2.2	2.4	2.7	1.6	-
U3 - Original non-TITE	0.2	2.7	1.7	3.1	2.3	-
U3 - TITE, 56-day accrual	1.4	2.2	2.5	2.7	1.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1103.2
U2 - TITE, 56-day accrual						1172
U3 - Original non-TITE						1103.4
U3 - TITE, 56-day accrual						1171.6
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	13.1	12.8	44.2	13.3	2.7	13.9
U2 - TITE, 56-day accrual	6.2	16.1	44.5	17.3	4.5	11.4
U3 - Original non-TITE	16.2	13.5	42.4	11.8	2	14.1
U3 - TITE, 56-day accrual	5.1	16.3	46.2	16.8	4.7	10.9
Mean administrations						
U2 - Original non-TITE	4.8	5.8	10.3	4.9	2.3	-
U2 - TITE, 56-day accrual	5.5	6.3	9.8	4.3	1.5	-
U3 - Original non-TITE	4.8	5.8	10.1	4.9	2.4	-
U3 - TITE, 56-day accrual	5.5	6.3	9.8	4.2	1.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.8	3.3	3.3	1.7	0.7	-
U2 - TITE, 56-day accrual	2	2.9	3.3	1.3	0.4	-
U3 - Original non-TITE	0.8	3.3	3.3	1.7	0.8	-
U3 - TITE, 56-day accrual	2	2.9	3.3	1.3	0.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1004.3
U2 - TITE, 56-day accrual						1032.5
U3 - Original non-TITE						1000.8
U3 - TITE, 56-day accrual						1029.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	11.2	44	32.9	10	1.5	0.4
U2 - TITE, 56-day accrual	3.4	35.7	41.8	14.9	3.5	0.7
U3 - Original non-TITE	13.8	48.9	27.7	8.2	1.1	0.3
U3 - TITE, 56-day accrual	3.4	36.1	42.2	15	2.7	0.6
Mean administrations						
U2 - Original non-TITE	4.5	9	9.4	4.9	2.2	-
U2 - TITE, 56-day accrual	5.7	10.4	8.8	3.7	1.3	-
U3 - Original non-TITE	4.5	9	9.3	4.9	2.3	-
U3 - TITE, 56-day accrual	5.6	10.6	8.6	3.7	1.3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.8	2.3	1.5	0.6	-
U2 - TITE, 56-day accrual	2	3.6	2.5	0.9	0.3	-
U3 - Original non-TITE	0.6	3.8	2.3	1.4	0.7	-
U3 - TITE, 56-day accrual	2	3.7	2.4	0.9	0.3	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1161.9
U2 - TITE, 56-day accrual						1199.4
U3 - Original non-TITE						1161.8
U3 - TITE, 56-day accrual						1199.4
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	11	28.3	9.9	2.6	0.9	47.3
U2 - TITE, 56-day accrual	8.3	32.2	18.5	3.4	0.6	37
U3 - Original non-TITE	14.4	27.9	7.9	2.4	0.8	46.6
U3 - TITE, 56-day accrual	6.9	33.7	17.4	3.4	0.5	38.1
Mean administrations						
U2 - Original non-TITE	6.9	7.8	4.8	1.9	0.7	-
U2 - TITE, 56-day accrual	7.2	9	5	1.2	0.5	-
U3 - Original non-TITE	6.9	7.8	4.8	1.9	0.7	-
U3 - TITE, 56-day accrual	7.2	8.9	5	1.3	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	1.6	3.7	1.6	0.8	0.2	-
U2 - TITE, 56-day accrual	2.6	3.5	1.7	0.4	0.1	-
U3 - Original non-TITE	1.6	3.7	1.5	0.8	0.2	-
U3 - TITE, 56-day accrual	2.6	3.4	1.7	0.4	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						782.6
U2 - TITE, 56-day accrual						843.7
U3 - Original non-TITE						783
U3 - TITE, 56-day accrual						841.9

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	15.6	33.1	8.3	0.8	0.1	42.1
U2 - TITE, 56-day accrual	9.6	41.3	17.4	1.1	0.1	30.5
U3 - Original non-TITE	18.2	32.7	6.6	0.6	0	41.9
U3 - TITE, 56-day accrual	10.1	40.8	16.9	1.2	0.3	30.7
Mean administrations						
U2 - Original non-TITE	6.6	9.8	5.5	1.5	0.5	-
U2 - TITE, 56-day accrual	7.1	10.7	5.4	1	0.2	-
U3 - Original non-TITE	6.6	9.8	5.5	1.5	0.5	-
U3 - TITE, 56-day accrual	7.2	10.8	5.4	1	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	4.6	1.7	0.7	0.2	-
U2 - TITE, 56-day accrual	2.6	4.1	1.8	0.3	0.1	-
U3 - Original non-TITE	1.4	4.6	1.7	0.7	0.2	-
U3 - TITE, 56-day accrual	2.6	4.1	1.8	0.3	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						844.7
U2 - TITE, 56-day accrual						901.4
U3 - Original non-TITE						843.2
U3 - TITE, 56-day accrual						912.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	5.7	1.9	0.8	0	0	91.6
U2 - TITE, 56-day accrual	6.4	5.7	2.4	0.5	0	85
U3 - Original non-TITE	5.9	1.9	0.5	0	0	91.7
U3 - TITE, 56-day accrual	5.9	5.6	2.8	0.4	0	85.3
Mean administrations						
U2 - Original non-TITE	7.9	4.3	1.3	0.6	0.1	-
U2 - TITE, 56-day accrual	8.6	5	1.7	0.7	0.1	-
U3 - Original non-TITE	8	4.3	1.3	0.6	0.1	-
U3 - TITE, 56-day accrual	8.8	5	1.6	0.6	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.6	2.4	0.4	0.3	0	-
U2 - TITE, 56-day accrual	2.8	2	0.7	0.3	0	-
U3 - Original non-TITE	1.7	2.4	0.4	0.3	0	-
U3 - TITE, 56-day accrual	2.9	2	0.6	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						512.5
U2 - TITE, 56-day accrual						590.6
U3 - Original non-TITE						515
U3 - TITE, 56-day accrual						586.1
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	24.1	21.1	36.7	7.4	0.4	10.3
U2 - TITE, 56-day accrual	17.6	20.7	42.5	9.1	0.5	9.6
U3 - Original non-TITE	29.1	22.3	32.4	5.8	0.4	10
U3 - TITE, 56-day accrual	17.3	24.4	41.3	7.2	0.3	9.5
Mean administrations						
U2 - Original non-TITE	9.8	7.8	8.1	2.3	0.2	-
U2 - TITE, 56-day accrual	8.5	8.1	9	2.5	0.3	-
U3 - Original non-TITE	10.3	8	7.7	2	0.2	-
U3 - TITE, 56-day accrual	9.7	8.6	8	1.8	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.4	3.5	2.3	0.7	0.1	-
U2 - TITE, 56-day accrual	2.9	3	2.5	0.7	0.1	-
U3 - Original non-TITE	2.6	3.6	2.2	0.6	0.1	-
U3 - TITE, 56-day accrual	3.4	3.3	2.2	0.5	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1058.2
U2 - TITE, 56-day accrual						1114.7
U3 - Original non-TITE						1053.4
U3 - TITE, 56-day accrual						1097.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	7.2	43.9	21.7	5.6	0.6	21
U2 - TITE, 56-day accrual	3.6	42.2	28.6	6.9	1	17.7
U3 - Original non-TITE	7.9	46.6	20.4	3.5	0.4	21.2
U3 - TITE, 56-day accrual	3	46.3	26.3	5.6	0.8	18
Mean administrations						
U2 - Original non-TITE	6.4	11.4	6	2.3	0.3	-
U2 - TITE, 56-day accrual	5.9	11.3	6.9	2.3	0.5	-
U3 - Original non-TITE	6.6	12.1	5.5	2	0.3	-
U3 - TITE, 56-day accrual	6.2	13	5.8	1.6	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	4.7	1.8	0.8	0.1	-
U2 - TITE, 56-day accrual	1.9	3.9	2.1	0.7	0.2	-
U3 - Original non-TITE	1.1	5	1.6	0.7	0.1	-
U3 - TITE, 56-day accrual	2.1	4.4	1.8	0.5	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						983.8
U2 - TITE, 56-day accrual						1067.1
U3 - Original non-TITE						982
U3 - TITE, 56-day accrual						1050.8
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	6	7.1	21.9	51	8.3	5.7
U2 - TITE, 56-day accrual	3.3	5.8	22.6	49.6	13.2	5.5
U3 - Original non-TITE	8.1	7.9	19.8	52.2	6	6
U3 - TITE, 56-day accrual	3.4	5.7	21.5	53.7	10.3	5.4
Mean administrations						
U2 - Original non-TITE	3.9	4.8	7.4	10.4	2.3	-
U2 - TITE, 56-day accrual	3.9	4.7	7	10.5	2.8	-
U3 - Original non-TITE	4.1	4.9	7.5	10.4	2	-
U3 - TITE, 56-day accrual	4.4	5.3	6.9	10.1	2.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.4	3.1	2.2	3.4	0.7	-
U2 - TITE, 56-day accrual	1.3	2.2	2.6	3	0.7	-
U3 - Original non-TITE	0.4	3.1	2.2	3.4	0.6	-
U3 - TITE, 56-day accrual	1.5	2.5	2.5	2.9	0.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1059.8
U2 - TITE, 56-day accrual						1144
U3 - Original non-TITE						1051.7
U3 - TITE, 56-day accrual						1118.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	5	32.7	25.7	22.2	9	5.4
U2 - TITE, 56-day accrual	2.7	26.4	29.4	25.4	12.3	3.8
U3 - Original non-TITE	6.2	39.6	24.7	18	6	5.5
U3 - TITE, 56-day accrual	2.9	26.2	32.4	24.8	9.7	4
Mean administrations						
U2 - Original non-TITE	3.8	8	7.2	6.8	3.3	-
U2 - TITE, 56-day accrual	3.9	7.5	8.1	6.7	3.1	-
U3 - Original non-TITE	3.9	8.6	7.3	6.4	2.7	-
U3 - TITE, 56-day accrual	4.1	9.6	8	5.7	1.9	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	4.1	2.3	2.6	1.2	-
U2 - TITE, 56-day accrual	1.2	3.1	2.9	2.4	1.1	-
U3 - Original non-TITE	0.3	4.3	2.4	2.5	1	-
U3 - TITE, 56-day accrual	1.3	3.8	3	2	0.7	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1021.2
U2 - TITE, 56-day accrual						1102.3
U3 - Original non-TITE						1019.7
U3 - TITE, 56-day accrual						1088.8
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	59.9	12.3	2.1	0.5	0.1	25.1
U2 - TITE, 56-day accrual	54.9	18.6	4.2	0.6	0	21.7
U3 - Original non-TITE	61.4	11.6	1.5	0.5	0.1	24.9
U3 - TITE, 56-day accrual	55.3	19.9	2.8	0.7	0	21.3
Mean administrations						
U2 - Original non-TITE	18.2	5.6	1.4	0.5	0.1	-
U2 - TITE, 56-day accrual	16.8	6.7	2	0.6	0.1	-
U3 - Original non-TITE	18.6	5.4	1.3	0.4	0.1	-
U3 - TITE, 56-day accrual	17.8	6.4	1.5	0.4	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.7	2.3	0.5	0.2	0	-
U2 - TITE, 56-day accrual	5	2.1	0.7	0.2	0	-
U3 - Original non-TITE	4.8	2.3	0.4	0.2	0	-
U3 - TITE, 56-day accrual	5.4	2.1	0.5	0.1	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1003
U2 - TITE, 56-day accrual						1035.6
U3 - Original non-TITE						1001.7
U3 - TITE, 56-day accrual						1026.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	12.7	52.8	19.8	3.8	0.6	10.3
U2 - TITE, 56-day accrual	6.1	50.6	27.8	5.6	0.8	9.1
U3 - Original non-TITE	13.5	56.3	16.2	3.1	0.3	10.6
U3 - TITE, 56-day accrual	6.7	60.1	21.1	3.1	0.1	8.9
Mean administrations						
U2 - Original non-TITE	8.2	14.1	4.7	1.1	0.1	-
U2 - TITE, 56-day accrual	6.6	14	6.1	1.3	0.1	-
U3 - Original non-TITE	8.5	14.7	4	0.9	0.1	-
U3 - TITE, 56-day accrual	7.3	15.3	4.9	0.8	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.6	5.1	1.3	0.4	0	-
U2 - TITE, 56-day accrual	2.1	4.2	1.7	0.4	0	-
U3 - Original non-TITE	1.7	5.3	1.1	0.3	0	-
U3 - TITE, 56-day accrual	2.4	4.6	1.4	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1093
U2 - TITE, 56-day accrual						1143.3
U3 - Original non-TITE						1088.6
U3 - TITE, 56-day accrual						1132.9
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	14.3	4.2	0.6	0.1	0	80.8
U2 - TITE, 56-day accrual	14.8	7.8	1.7	0.1	0	75.6
U3 - Original non-TITE	15	3.8	0.5	0.1	0	80.6
U3 - TITE, 56-day accrual	14.3	7.9	1.7	0.1	0	76
Mean administrations						
U2 - Original non-TITE	10.3	4.6	1.1	0.4	0.1	-
U2 - TITE, 56-day accrual	10.6	5.4	1.4	0.5	0.1	-
U3 - Original non-TITE	10.4	4.5	1.1	0.4	0.1	-
U3 - TITE, 56-day accrual	10.8	5.3	1.3	0.4	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.4	2.3	0.4	0.2	0	-
U2 - TITE, 56-day accrual	3.4	2	0.5	0.1	0	-
U3 - Original non-TITE	2.5	2.3	0.4	0.2	0	-
U3 - TITE, 56-day accrual	3.5	1.9	0.5	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						608
U2 - TITE, 56-day accrual						679.2
U3 - Original non-TITE						609.3
U3 - TITE, 56-day accrual						671.9

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	11.1	8.1	19.1	14.1	14.4	33.2
U2 - TITE, 56-day accrual	6.1	9.6	21.6	13	18.4	31.3
U3 - Original non-TITE	12.9	9.9	17.2	13.8	12.4	33.8
U3 - TITE, 56-day accrual	4.4	8.7	23.4	13.2	16.9	33.4
Mean administrations						
U2 - Original non-TITE	5.7	5.3	5.5	4.8	3	-
U2 - TITE, 56-day accrual	5.8	5.4	5.8	4.6	3.2	-
U3 - Original non-TITE	5.9	5.4	5.4	4.7	2.8	-
U3 - TITE, 56-day accrual	6.4	5.9	5.5	4.1	2.6	-
Mean IPDE administrations						
U2 - Original non-TITE	1	3.2	1.8	1.9	1	-
U2 - TITE, 56-day accrual	2	2.4	2.2	1.7	0.9	-
U3 - Original non-TITE	1	3.2	1.8	1.9	0.9	-
U3 - TITE, 56-day accrual	2.3	2.6	2.1	1.5	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						851.3
U2 - TITE, 56-day accrual						923
U3 - Original non-TITE						846.9
U3 - TITE, 56-day accrual						905.6
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	4.4	23.1	10.9	2.2	0.1	59.3
U2 - TITE, 56-day accrual	4.5	26	16.3	2.9	0.3	50
U3 - Original non-TITE	4.5	24.4	9.9	1.7	0.1	59.4
U3 - TITE, 56-day accrual	4	29.7	14.3	1.4	0.3	50.3
Mean administrations						
U2 - Original non-TITE	7.2	8.3	3.3	1.1	0.2	-
U2 - TITE, 56-day accrual	6.8	9.1	4.5	1.1	0.2	-
U3 - Original non-TITE	7.3	8.5	3.2	1	0.1	-
U3 - TITE, 56-day accrual	7.1	9.8	3.8	0.7	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.2	3.7	0.9	0.4	0.1	-
U2 - TITE, 56-day accrual	2.1	3.1	1.3	0.3	0.1	-
U3 - Original non-TITE	1.2	3.8	0.9	0.4	0	-
U3 - TITE, 56-day accrual	2.2	3.3	1.1	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						753.3
U2 - TITE, 56-day accrual						842.9
U3 - Original non-TITE						754.9
U3 - TITE, 56-day accrual						829.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	54.1	15.3	1.1	0.1	0	29.4
U2 - TITE, 56-day accrual	42.2	21.8	5.3	0	0	30.7
U3 - Original non-TITE	54.8	14.1	1.1	0.1	0	29.9
U3 - TITE, 56-day accrual	40.8	24	4.7	0	0	30.5
Mean administrations						
U2 - Original non-TITE	15.7	6.8	2.2	0.7	0	-
U2 - TITE, 56-day accrual	14.2	7.7	2.7	0.8	0	-
U3 - Original non-TITE	15.9	6.7	2	0.7	0	-
U3 - TITE, 56-day accrual	14.8	7.7	2.3	0.6	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.4	3.2	0.7	0.3	0	-
U2 - TITE, 56-day accrual	4.9	2.8	0.9	0.3	0	-
U3 - Original non-TITE	4.5	3.2	0.6	0.3	0	-
U3 - TITE, 56-day accrual	5.1	2.8	0.8	0.2	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						925.4
U2 - TITE, 56-day accrual						958.2
U3 - Original non-TITE						920.8
U3 - TITE, 56-day accrual						953.1
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	10.9	13.6	13.9	41.9	12.6	7.1
U2 - TITE, 56-day accrual	5.9	9.4	15.6	43.7	17.2	8.2
U3 - Original non-TITE	15.1	13.9	11.1	40.7	11.1	8.1
U3 - TITE, 56-day accrual	4.7	10.8	16	44.1	15.7	8.7
Mean administrations						
U2 - Original non-TITE	4.3	5.5	5.9	9.2	3.6	-
U2 - TITE, 56-day accrual	4.3	5.3	5.7	9.1	4.1	-
U3 - Original non-TITE	4.5	5.6	5.8	9.1	3.4	-
U3 - TITE, 56-day accrual	4.8	5.9	5.5	8.8	3.4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	3.4	1.8	3.2	1	-
U2 - TITE, 56-day accrual	1.4	2.5	2.3	2.9	0.9	-
U3 - Original non-TITE	0.6	3.5	1.7	3.2	1	-
U3 - TITE, 56-day accrual	1.7	2.8	2.2	2.8	0.8	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1017.7
U2 - TITE, 56-day accrual						1108.6
U3 - Original non-TITE						1013.4
U3 - TITE, 56-day accrual						1088.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	6.3	22.8	9.1	3.5	0.5	57.8
U2 - TITE, 56-day accrual	4.8	28.6	14.3	4.7	0.3	47.3
U3 - Original non-TITE	7.3	23.7	8.5	2.4	0.4	57.7
U3 - TITE, 56-day accrual	4.1	27.2	15.4	3.7	0.2	49.4
Mean administrations						
U2 - Original non-TITE	7.3	7.4	3.6	1.7	0.3	-
U2 - TITE, 56-day accrual	7	8.4	4.5	1.8	0.3	-
U3 - Original non-TITE	7.3	7.8	3.5	1.5	0.3	-
U3 - TITE, 56-day accrual	7.3	9.2	3.9	1.4	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.3	3.6	1.1	0.7	0.1	-
U2 - TITE, 56-day accrual	2.3	3	1.5	0.6	0.1	-
U3 - Original non-TITE	1.3	3.7	1.1	0.6	0.1	-
U3 - TITE, 56-day accrual	2.4	3.3	1.3	0.4	0	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						740
U3 - Original non-TITE						833.4
U3 - TITE, 56-day accrual						741.6
						815.3
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	14.3	12.9	17.2	26.8	8.2	20.6
U2 - TITE, 56-day accrual	9.8	12.6	19.9	26.5	10.9	20.3
U3 - Original non-TITE	17.5	16.3	14.7	23.5	6.9	21.1
U3 - TITE, 56-day accrual	5.8	12.5	22.2	28.5	10.5	20.5
Mean administrations						
U2 - Original non-TITE	5.2	6	5.9	6.7	2.8	-
U2 - TITE, 56-day accrual	5.5	6	5.9	6.6	2.9	-
U3 - Original non-TITE	5.5	6.2	5.8	6.5	2.7	-
U3 - TITE, 56-day accrual	6.2	6.6	5.5	6.2	2.3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	3.6	1.9	2.6	0.9	-
U2 - TITE, 56-day accrual	2	2.7	2.3	2.3	0.9	-
U3 - Original non-TITE	1	3.7	1.8	2.5	0.9	-
U3 - TITE, 56-day accrual	2.3	3	2.2	2.2	0.7	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						922.6
U3 - Original non-TITE						1000
U3 - TITE, 56-day accrual						918.5
						987.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	31.8	20.4	11.9	2.7	0.4	32.8
U2 - TITE, 56-day accrual	21.5	22.9	17.8	6.1	0.8	30.9
U3 - Original non-TITE	33.2	19.8	10.5	3	0.4	33.1
U3 - TITE, 56-day accrual	18	22.7	20.6	5.9	0.7	32.1
Mean administrations						
U2 - Original non-TITE	8.7	7.9	5	3	0.8	-
U2 - TITE, 56-day accrual	8.4	8	5.6	3	0.8	-
U3 - Original non-TITE	9	7.7	4.9	2.9	0.8	-
U3 - TITE, 56-day accrual	9.3	8.2	4.9	2.7	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	4.1	1.7	1.3	0.3	-
U2 - TITE, 56-day accrual	3.1	3.4	2.1	1.1	0.3	-
U3 - Original non-TITE	2.4	4	1.6	1.2	0.3	-
U3 - TITE, 56-day accrual	3.5	3.5	1.9	1	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						859.6
U2 - TITE, 56-day accrual						926.6
U3 - Original non-TITE						857.2
U3 - TITE, 56-day accrual						920.1
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	34.6	29.7	15	13.4	7.1	0.2
U2 - TITE, 56-day accrual	24.7	27.8	19	15	13.4	0.1
U3 - Original non-TITE	40.4	31.3	13.3	10.4	4.4	0.2
U3 - TITE, 56-day accrual	21.2	26.3	20.4	16.7	15.3	0.1
Mean administrations						
U2 - Original non-TITE	4.4	5.3	6	8.2	6	-
U2 - TITE, 56-day accrual	4.1	5.3	6.4	8.2	6	-
U3 - Original non-TITE	4.8	5.8	6.2	7.9	5.3	-
U3 - TITE, 56-day accrual	5	6.1	6.5	7.7	4.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3	2.3	3.5	2.3	-
U2 - TITE, 56-day accrual	1.3	2.3	2.7	3.3	2.3	-
U3 - Original non-TITE	0.7	3.2	2.3	3.4	2	-
U3 - TITE, 56-day accrual	1.7	2.7	2.7	3.1	1.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1005.7
U2 - TITE, 56-day accrual						1090.1
U3 - Original non-TITE						1003.2
U3 - TITE, 56-day accrual						1077.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	19.8	66	10.4	0.7	0	3.1
U2 - TITE, 56-day accrual	12.4	64.8	18.7	0.9	0	3.2
U3 - Original non-TITE	22.8	66.5	7	0.3	0	3.4
U3 - TITE, 56-day accrual	13.9	69.2	13.3	0.4	0	3.2
Mean administrations						
U2 - Original non-TITE	9.9	15.8	3.5	0.4	0	-
U2 - TITE, 56-day accrual	8.4	15.9	4.5	0.6	0	-
U3 - Original non-TITE	10.5	16.1	2.5	0.3	0	-
U3 - TITE, 56-day accrual	9.5	16.4	3.3	0.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	5.2	1	0.1	0	-
U2 - TITE, 56-day accrual	2.6	4.6	1.2	0.2	0	-
U3 - Original non-TITE	2.4	5.4	0.7	0.1	0	-
U3 - TITE, 56-day accrual	3	4.8	0.9	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1155.3
U2 - TITE, 56-day accrual						1208
U3 - Original non-TITE						1147.6
U3 - TITE, 56-day accrual						1194.5
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	8.9	10.8	11.4	18.9	49.4	0.6
U2 - TITE, 56-day accrual	4.5	8.6	10.8	19.2	56.2	0.7
U3 - Original non-TITE	14.2	12.2	10.6	17.5	44.9	0.6
U3 - TITE, 56-day accrual	3.9	8	12.7	21.3	53.6	0.5
Mean administrations						
U2 - Original non-TITE	3.3	4.1	5.3	7.4	9.7	-
U2 - TITE, 56-day accrual	3.3	4	5.2	7	10.2	-
U3 - Original non-TITE	3.4	4.2	5.4	7.6	9.2	-
U3 - TITE, 56-day accrual	3.7	4.5	5.4	7	9.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	2.8	1.8	3	2.9	-
U2 - TITE, 56-day accrual	1.1	2	2.1	2.7	2.8	-
U3 - Original non-TITE	0.2	2.9	1.9	3.1	2.7	-
U3 - TITE, 56-day accrual	1.2	2.2	2.2	2.7	2.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1050.9
U2 - TITE, 56-day accrual						1165.8
U3 - Original non-TITE						1046.7
U3 - TITE, 56-day accrual						1148.1

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	11.1	44.5	12.1	0.4	0	31.9
U2 - TITE, 56-day accrual	6.7	44.9	20.4	1	0	27
U3 - Original non-TITE	13.4	42.9	10.9	0.4	0	32.4
U3 - TITE, 56-day accrual	6.4	44.4	21.7	1.2	0	26.3
Mean administrations						
U2 - Original non-TITE	7.2	11.5	5.1	1.4	0.1	-
U2 - TITE, 56-day accrual	7.1	11.7	5.8	1.5	0.1	-
U3 - Original non-TITE	7.4	11.7	4.8	1.3	0.1	-
U3 - TITE, 56-day accrual	7.4	12.4	5.2	1.1	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	5.1	1.5	0.6	0	-
U2 - TITE, 56-day accrual	2.5	4.2	1.7	0.4	0	-
U3 - Original non-TITE	1.5	5.2	1.4	0.5	0	-
U3 - TITE, 56-day accrual	2.6	4.5	1.6	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						916
U2 - TITE, 56-day accrual						998.9
U3 - Original non-TITE						914.1
U3 - TITE, 56-day accrual						993.4
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	8.3	47	26.8	7.5	0.6	9.8
U2 - TITE, 56-day accrual	5.7	38.4	34.2	12.3	0.5	8.9
U3 - Original non-TITE	11.2	49.5	22.5	6	0.5	10.3
U3 - TITE, 56-day accrual	3.7	34.8	38.6	13.6	0.7	8.6
Mean administrations						
U2 - Original non-TITE	4.7	10.5	8	4.1	1	-
U2 - TITE, 56-day accrual	4.6	10.3	8.4	4.3	1.1	-
U3 - Original non-TITE	5	11	7.7	3.8	0.9	-
U3 - TITE, 56-day accrual	5	11.3	7.9	3.7	0.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	5	2.6	1.6	0.4	-
U2 - TITE, 56-day accrual	1.5	4.1	2.9	1.4	0.3	-
U3 - Original non-TITE	0.8	5.2	2.4	1.5	0.3	-
U3 - TITE, 56-day accrual	1.8	4.5	2.7	1.2	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1002
U2 - TITE, 56-day accrual						1076.1
U3 - Original non-TITE						998.7
U3 - TITE, 56-day accrual						1063.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	44.8	0.3	0	0	0	54.9
U2 - TITE, 56-day accrual	58	1.8	0.1	0	0	40.1
U3 - Original non-TITE	44.9	0.1	0	0	0	55
U3 - TITE, 56-day accrual	58.6	2.1	0	0	0	39.3
Mean administrations						
U2 - Original non-TITE	19.1	1.9	0	0	0	-
U2 - TITE, 56-day accrual	20.4	2.7	0.1	0	0	-
U3 - Original non-TITE	19.1	1.8	0	0	0	-
U3 - TITE, 56-day accrual	20.8	2.6	0	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.7	0.8	0	0	0	-
U2 - TITE, 56-day accrual	4.4	0.7	0	0	0	-
U3 - Original non-TITE	3.7	0.8	0	0	0	-
U3 - TITE, 56-day accrual	4.5	0.6	0	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						912.2
U2 - TITE, 56-day accrual						1029.9
U3 - Original non-TITE						908.4
U3 - TITE, 56-day accrual						1038
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	13.1	48.5	6.5	1	0	30.9
U2 - TITE, 56-day accrual	9.1	48.1	15.8	1.6	0	25.4
U3 - Original non-TITE	13.5	48.1	6.1	1	0	31.3
U3 - TITE, 56-day accrual	6.7	49.8	17.1	1.5	0	24.9
Mean administrations						
U2 - Original non-TITE	7.5	12.2	4.7	1.4	0.1	-
U2 - TITE, 56-day accrual	7.6	12.3	5.2	1.4	0.1	-
U3 - Original non-TITE	7.8	12.3	4.4	1.3	0	-
U3 - TITE, 56-day accrual	7.9	12.7	4.6	1.2	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	5.5	1.4	0.6	0	-
U2 - TITE, 56-day accrual	2.8	4.6	1.5	0.4	0	-
U3 - Original non-TITE	1.6	5.6	1.3	0.5	0	-
U3 - TITE, 56-day accrual	2.9	4.7	1.4	0.3	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						927.4
U2 - TITE, 56-day accrual						1004.1
U3 - Original non-TITE						921.5
U3 - TITE, 56-day accrual						992.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	1.9	0.1	0	0	0	98
U2 - TITE, 56-day accrual	3.1	1	0.1	0	0	95.8
U3 - Original non-TITE	1.9	0.1	0	0	0	98
U3 - TITE, 56-day accrual	2.9	1.1	0	0	0	96
Mean administrations						
U2 - Original non-TITE	7.7	3.4	0.3	0	0	-
U2 - TITE, 56-day accrual	8.6	3.7	0.4	0	0	-
U3 - Original non-TITE	7.7	3.4	0.3	0	0	-
U3 - TITE, 56-day accrual	8.6	3.7	0.4	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	1.9	0.1	0	0	-
U2 - TITE, 56-day accrual	2.7	1.3	0.1	0	0	-
U3 - Original non-TITE	1.4	1.9	0.1	0	0	-
U3 - TITE, 56-day accrual	2.7	1.2	0.1	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						425.9
U2 - TITE, 56-day accrual						488.3
U3 - Original non-TITE						426
U3 - TITE, 56-day accrual						488
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	0.6	0.8	1.8	61.5	35.3	0
U2 - TITE, 56-day accrual	0.2	0.7	2	50	47	0.1
U3 - Original non-TITE	1.4	1.2	3	64.6	29.8	0
U3 - TITE, 56-day accrual	0.6	0.8	2.1	61.1	35.3	0.1
Mean administrations						
U2 - Original non-TITE	3.1	3.2	3.8	13.7	6.3	-
U2 - TITE, 56-day accrual	3.1	3.2	3.8	12.2	7.7	-
U3 - Original non-TITE	3.1	3.2	3.9	14.1	5.7	-
U3 - TITE, 56-day accrual	3.2	3.3	4.2	13.3	6	-
Mean IPDE administrations						
U2 - Original non-TITE	0	2.4	1.2	4.7	1.9	-
U2 - TITE, 56-day accrual	0.9	1.7	1.6	4	2.2	-
U3 - Original non-TITE	0	2.5	1.2	4.9	1.7	-
U3 - TITE, 56-day accrual	1	1.7	1.7	4.3	1.7	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1089.5
U2 - TITE, 56-day accrual						1205
U3 - Original non-TITE						1086.5
U3 - TITE, 56-day accrual						1195.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	26.9	34.9	30.6	1.7	0	5.9
U2 - TITE, 56-day accrual	17.9	32.4	38.1	4.6	0	7
U3 - Original non-TITE	30.8	35.1	26.9	1.3	0	5.9
U3 - TITE, 56-day accrual	17.5	32.2	38.3	4.9	0	7.1
Mean administrations						
U2 - Original non-TITE	8.9	10.2	8	1.8	0.1	-
U2 - TITE, 56-day accrual	8.1	10.1	8.6	2	0.2	-
U3 - Original non-TITE	9.4	10.4	7.6	1.5	0.1	-
U3 - TITE, 56-day accrual	9.1	10.8	7.5	1.5	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	4.4	2.3	0.7	0	-
U2 - TITE, 56-day accrual	2.9	3.8	2.5	0.5	0	-
U3 - Original non-TITE	2.4	4.5	2.2	0.6	0	-
U3 - TITE, 56-day accrual	3.3	4.1	2.2	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1071.5
U2 - TITE, 56-day accrual						1122.4
U3 - Original non-TITE						1066.3
U3 - TITE, 56-day accrual						1100
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	17.1	28.2	23.8	2.8	0	28.1
U2 - TITE, 56-day accrual	12.7	27.9	27.2	4.9	0	27.3
U3 - Original non-TITE	19.4	26.7	23.3	2.5	0	28.1
U3 - TITE, 56-day accrual	10.8	27.4	29.6	4.2	0	28
Mean administrations						
U2 - Original non-TITE	7.9	8.7	6.8	2	0.2	-
U2 - TITE, 56-day accrual	7.6	8.8	7.1	2.1	0.2	-
U3 - Original non-TITE	8.2	8.8	6.6	1.9	0.1	-
U3 - TITE, 56-day accrual	8.2	9.2	6.4	1.8	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	4.2	2	0.8	0	-
U2 - TITE, 56-day accrual	2.7	3.4	2.2	0.6	0	-
U3 - Original non-TITE	1.9	4.2	1.9	0.8	0	-
U3 - TITE, 56-day accrual	2.9	3.6	2	0.5	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						922.8
U2 - TITE, 56-day accrual						971.5
U3 - Original non-TITE						919.7
U3 - TITE, 56-day accrual						961

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	12.9	24.1	40	6.6	0.1	16.3
U2 - TITE, 56-day accrual	8.4	24	45.9	8.6	0.2	12.9
U3 - Original non-TITE	15.3	24.5	38.6	5.6	0	16
U3 - TITE, 56-day accrual	7.8	22.5	48.3	7.8	0.1	13.5
Mean administrations						
U2 - Original non-TITE	6.2	8.5	9.5	2.8	0.4	-
U2 - TITE, 56-day accrual	6.1	8.5	9.7	3.2	0.4	-
U3 - Original non-TITE	6.5	8.6	9.4	2.7	0.3	-
U3 - TITE, 56-day accrual	6.6	8.9	9.2	2.8	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.2	4.1	2.8	1.1	0.1	-
U2 - TITE, 56-day accrual	2.1	3.4	3	0.8	0.1	-
U3 - Original non-TITE	1.3	4.1	2.7	1	0.1	-
U3 - TITE, 56-day accrual	2.4	3.6	2.8	0.7	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1001.7
U2 - TITE, 56-day accrual						1076
U3 - Original non-TITE						1000.7
U3 - TITE, 56-day accrual						1060.6
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	9	24.5	2.7	0.2	0	63.6
U2 - TITE, 56-day accrual	6.1	31.9	5.8	0.3	0	55.9
U3 - Original non-TITE	8.6	24.3	2.4	0.1	0	64.6
U3 - TITE, 56-day accrual	5.3	33.2	6.2	0.3	0	55
Mean administrations						
U2 - Original non-TITE	7.9	8.8	2.5	0.6	0	-
U2 - TITE, 56-day accrual	7.7	9.8	3.2	0.7	0	-
U3 - Original non-TITE	8	8.8	2.4	0.6	0	-
U3 - TITE, 56-day accrual	7.9	10.2	2.9	0.5	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	4	0.8	0.2	0	-
U2 - TITE, 56-day accrual	2.6	3.5	0.9	0.2	0	-
U3 - Original non-TITE	1.6	4	0.7	0.2	0	-
U3 - TITE, 56-day accrual	2.7	3.6	0.9	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						730.2
U2 - TITE, 56-day accrual						814.1
U3 - Original non-TITE						726.2
U3 - TITE, 56-day accrual						815.9

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	67.5	26.1	1.8	0	0	4.6
U2 - TITE, 56-day accrual	51.7	39.8	3.2	0	0	5.3
U3 - Original non-TITE	69.9	24.5	0.9	0	0	4.7
U3 - TITE, 56-day accrual	54.2	37.8	2.4	0	0	5.6
Mean administrations						
U2 - Original non-TITE	18.9	8.5	1.5	0.2	0	-
U2 - TITE, 56-day accrual	16.3	10.4	2	0.3	0	-
U3 - Original non-TITE	19.8	8.1	1.1	0.1	0	-
U3 - TITE, 56-day accrual	18	9.6	1.2	0.1	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.7	3.1	0.5	0.1	0	-
U2 - TITE, 56-day accrual	4.7	3.2	0.6	0.1	0	-
U3 - Original non-TITE	5	3	0.3	0.1	0	-
U3 - TITE, 56-day accrual	5.3	3	0.3	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1150.2
U2 - TITE, 56-day accrual						1176.5
U3 - Original non-TITE						1146.2
U3 - TITE, 56-day accrual						1158.8
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	15.6	12.3	15.4	45.4	8.7	2.6
U2 - TITE, 56-day accrual	10.2	11.4	16.3	48.1	11.8	2.2
U3 - Original non-TITE	21.2	14.5	14.5	39.8	7.2	2.8
U3 - TITE, 56-day accrual	9.6	11.1	18.1	49.2	9.6	2.4
Mean administrations						
U2 - Original non-TITE	4.4	5.5	6.4	10.1	3.1	-
U2 - TITE, 56-day accrual	4.3	5.3	6.7	9.9	3.3	-
U3 - Original non-TITE	4.6	5.6	6.4	10	2.8	-
U3 - TITE, 56-day accrual	5.1	6.2	6.4	9.3	2.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.2	2.1	3.4	1	-
U2 - TITE, 56-day accrual	1.4	2.4	2.6	3.1	0.8	-
U3 - Original non-TITE	0.7	3.3	2.1	3.4	0.9	-
U3 - TITE, 56-day accrual	1.8	2.8	2.5	2.9	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1062.7
U2 - TITE, 56-day accrual						1151.2
U3 - Original non-TITE						1057.1
U3 - TITE, 56-day accrual						1135.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	2	44.9	31	20	1.9	0.2
U2 - TITE, 56-day accrual	0.6	37.8	40.3	19	2.2	0.1
U3 - Original non-TITE	3.9	49.7	28.6	16.7	0.9	0.2
U3 - TITE, 56-day accrual	0.6	47.6	36.8	13.8	1.1	0.1
Mean administrations						
U2 - Original non-TITE	3.9	14.3	7.5	3.7	0.6	-
U2 - TITE, 56-day accrual	3.6	13.2	9.3	3.2	0.6	-
U3 - Original non-TITE	4.1	15.1	7.1	3.3	0.4	-
U3 - TITE, 56-day accrual	4	14.9	8.4	2.5	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	5.4	2.3	1.1	0.2	-
U2 - TITE, 56-day accrual	1.1	4.4	3	1	0.1	-
U3 - Original non-TITE	0.4	5.7	2.2	1	0.1	-
U3 - TITE, 56-day accrual	1.2	4.9	2.7	0.7	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1137
U2 - TITE, 56-day accrual						1196.7
U3 - Original non-TITE						1134.3
U3 - TITE, 56-day accrual						1187.2
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	10.7	14	34.2	31.2	9.3	0.6
U2 - TITE, 56-day accrual	7.2	10.1	30.7	35.9	15.6	0.5
U3 - Original non-TITE	14.9	17.6	34.2	26.4	6.3	0.6
U3 - TITE, 56-day accrual	6.2	9.6	33.7	36.7	13.3	0.5
Mean administrations						
U2 - Original non-TITE	3.5	4.6	8.8	8.8	4.1	-
U2 - TITE, 56-day accrual	3.4	4.5	8.7	9	4.3	-
U3 - Original non-TITE	3.6	4.7	9.3	8.7	3.5	-
U3 - TITE, 56-day accrual	3.7	5	9.4	8.4	3.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	3	2.9	3.3	1.4	-
U2 - TITE, 56-day accrual	1.1	2.1	3.2	3.1	1.4	-
U3 - Original non-TITE	0.2	3	3.1	3.3	1.2	-
U3 - TITE, 56-day accrual	1.2	2.4	3.5	2.9	1.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1048.3
U2 - TITE, 56-day accrual						1140.8
U3 - Original non-TITE						1045.1
U3 - TITE, 56-day accrual						1132

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	8.6	6.3	14.2	50.7	19.8	0.4
U2 - TITE, 56-day accrual	3.4	5.3	11.5	49.7	29.7	0.4
U3 - Original non-TITE	12.1	7	13.4	49.2	17.9	0.4
U3 - TITE, 56-day accrual	3.1	5	13	53.4	24.8	0.7
Mean administrations						
U2 - Original non-TITE	3.3	3.8	6.2	11.3	5.2	-
U2 - TITE, 56-day accrual	3.2	3.6	5.8	11.2	6.1	-
U3 - Original non-TITE	3.4	3.8	6.3	11.4	4.8	-
U3 - TITE, 56-day accrual	3.4	3.9	6.3	11.3	4.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	2.7	1.8	4	1.4	-
U2 - TITE, 56-day accrual	1	1.9	2.3	3.5	1.6	-
U3 - Original non-TITE	0.2	2.8	1.9	4	1.3	-
U3 - TITE, 56-day accrual	1.1	2	2.5	3.5	1.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1079.4
U2 - TITE, 56-day accrual						1202.9
U3 - Original non-TITE						1077.4
U3 - TITE, 56-day accrual						1185.1
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	11.3	13.8	46	14.2	2.4	12.3
U2 - TITE, 56-day accrual	6.9	11.9	47.5	18.1	3.5	12.1
U3 - Original non-TITE	14	15	43.2	13.4	1.8	12.6
U3 - TITE, 56-day accrual	5.8	10.7	50	19.1	2.9	11.5
Mean administrations						
U2 - Original non-TITE	4.7	6.5	9.8	5.4	1.5	-
U2 - TITE, 56-day accrual	4.8	6.4	9.5	5.7	1.6	-
U3 - Original non-TITE	5	6.6	9.9	5.2	1.3	-
U3 - TITE, 56-day accrual	5.3	6.9	9.4	5.2	1.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	3.6	3.1	1.9	0.5	-
U2 - TITE, 56-day accrual	1.7	2.8	3.1	1.8	0.5	-
U3 - Original non-TITE	0.9	3.7	3.1	1.9	0.5	-
U3 - TITE, 56-day accrual	1.9	3.1	3.2	1.7	0.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						988.3
U2 - TITE, 56-day accrual						1062.2
U3 - Original non-TITE						986.1
U3 - TITE, 56-day accrual						1046

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	6	48.2	36.7	7.8	1	0.3
U2 - TITE, 56-day accrual	3.6	38	44.7	12.4	1.2	0.1
U3 - Original non-TITE	9.3	53.2	30.2	6.2	0.8	0.3
U3 - TITE, 56-day accrual	3.5	48.5	40.2	7.5	0.1	0.2
Mean administrations						
U2 - Original non-TITE	4.4	13.8	8.6	2.7	0.5	-
U2 - TITE, 56-day accrual	4.1	12.6	10	2.9	0.4	-
U3 - Original non-TITE	4.7	14.6	7.9	2.3	0.4	-
U3 - TITE, 56-day accrual	4.6	14.7	8.7	1.8	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	5.3	2.4	0.9	0.2	-
U2 - TITE, 56-day accrual	1.3	4.3	2.9	0.8	0.1	-
U3 - Original non-TITE	0.6	5.7	2.2	0.8	0.1	-
U3 - TITE, 56-day accrual	1.5	5	2.5	0.5	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1141.1
U2 - TITE, 56-day accrual						1215.5
U3 - Original non-TITE						1136.2
U3 - TITE, 56-day accrual						1195.7
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	10.7	28.5	10.4	3.1	0.7	46.6
U2 - TITE, 56-day accrual	6.8	31.4	18.4	3.1	0.3	40
U3 - Original non-TITE	13.2	28.3	8.6	2.5	0.5	46.9
U3 - TITE, 56-day accrual	5	31.9	19.7	3.9	0.3	39.2
Mean administrations						
U2 - Original non-TITE	6.8	8.7	4.5	2.4	0.5	-
U2 - TITE, 56-day accrual	6.8	9.1	5.2	2.2	0.5	-
U3 - Original non-TITE	7	8.8	4.3	2.3	0.5	-
U3 - TITE, 56-day accrual	7.3	9.5	4.8	2	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.2	4.3	1.4	0.9	0.2	-
U2 - TITE, 56-day accrual	2.4	3.5	1.8	0.8	0.2	-
U3 - Original non-TITE	1.3	4.4	1.4	0.9	0.2	-
U3 - TITE, 56-day accrual	2.6	3.7	1.6	0.7	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						810.1
U2 - TITE, 56-day accrual						891
U3 - Original non-TITE						804.9
U3 - TITE, 56-day accrual						882.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	10.7	35.2	10.1	1	0	43
U2 - TITE, 56-day accrual	8	40.3	14.7	1.8	0	35.2
U3 - Original non-TITE	12	34.5	9.3	1	0.1	43.1
U3 - TITE, 56-day accrual	4.6	38.8	19.4	2.3	0	34.9
Mean administrations						
U2 - Original non-TITE	6.7	10.1	4.6	2	0.4	-
U2 - TITE, 56-day accrual	7	10.5	5.4	1.9	0.4	-
U3 - Original non-TITE	6.9	10.1	4.5	1.9	0.4	-
U3 - TITE, 56-day accrual	7.3	11	4.8	1.7	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.2	5	1.4	0.8	0.1	-
U2 - TITE, 56-day accrual	2.5	4	1.8	0.7	0.1	-
U3 - Original non-TITE	1.3	5	1.4	0.8	0.1	-
U3 - TITE, 56-day accrual	2.6	4.3	1.6	0.6	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						838.8
U2 - TITE, 56-day accrual						945.5
U3 - Original non-TITE						837.3
U3 - TITE, 56-day accrual						928.3