

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	4.6	1.3	0.1	0	0	94
U2 - TITE, 56-day accrual	5	7	2.4	0.1	0	85.5
U3 - Original non-TITE	4.7	1.3	0.1	0	0	93.9
U3 - TITE, 56-day accrual	5.2	7.1	2.1	0.1	0	85.5
Mean administrations						
U2 - Original non-TITE	8.2	2.1	0.9	0.2	0	-
U2 - TITE, 56-day accrual	8.9	3.3	1.2	0.2	0	-
U3 - Original non-TITE	8.2	2.1	0.9	0.2	0	-
U3 - TITE, 56-day accrual	8.9	3.3	1.3	0.2	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	1.3	0.3	0.1	0	-
U2 - TITE, 56-day accrual	3	1.4	0.5	0.1	0	-
U3 - Original non-TITE	2.1	1.3	0.3	0.1	0	-
U3 - TITE, 56-day accrual	3	1.4	0.5	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						411.9
U2 - TITE, 56-day accrual						495.7
U3 - Original non-TITE						411.7
U3 - TITE, 56-day accrual						496.6
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	35.2	20.4	27.6	5.2	0.5	11.1
U2 - TITE, 56-day accrual	22.3	27.2	31.4	6.9	0.5	11.7
U3 - Original non-TITE	38.2	20.7	24.8	4.7	0.4	11.2
U3 - TITE, 56-day accrual	21.9	27.3	31.9	6.3	0.6	12
Mean administrations						
U2 - Original non-TITE	12.2	5.9	6.4	2.7	0.8	-
U2 - TITE, 56-day accrual	11.5	7	6.7	2	0.5	-
U3 - Original non-TITE	12.2	6	6.3	2.7	0.8	-
U3 - TITE, 56-day accrual	11.4	6.9	6.8	2	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	3.6	2.7	1.8	0.8	0.2	-
U2 - TITE, 56-day accrual	4.1	2.7	1.8	0.5	0.1	-
U3 - Original non-TITE	3.5	2.8	1.8	0.7	0.2	-
U3 - TITE, 56-day accrual	4.1	2.7	1.9	0.5	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1046
U2 - TITE, 56-day accrual						1066.4
U3 - Original non-TITE						1045.4
U3 - TITE, 56-day accrual						1068.9

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	11.7	37.6	16	4.3	0.5	29.9
U2 - TITE, 56-day accrual	5.4	39.1	25	6.1	0.6	23.8
U3 - Original non-TITE	12	39.5	14.1	4	0.3	30.1
U3 - TITE, 56-day accrual	5.3	38.1	25.2	6.6	0.6	24.2
Mean administrations						
U2 - Original non-TITE	8	7.8	5.3	2.5	0.8	-
U2 - TITE, 56-day accrual	7.6	10	5.5	1.9	0.5	-
U3 - Original non-TITE	8	7.9	5.3	2.5	0.8	-
U3 - TITE, 56-day accrual	7.5	9.9	5.6	1.9	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	3.4	1.5	0.8	0.2	-
U2 - TITE, 56-day accrual	2.7	3.5	1.6	0.5	0.1	-
U3 - Original non-TITE	2.1	3.4	1.5	0.8	0.3	-
U3 - TITE, 56-day accrual	2.7	3.5	1.6	0.5	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						907.9
U2 - TITE, 56-day accrual						979.9
U3 - Original non-TITE						907.8
U3 - TITE, 56-day accrual						976.5
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	7.8	10.9	25.5	39.4	8	8.4
U2 - TITE, 56-day accrual	2.4	12	27.1	37.5	13.2	7.8
U3 - Original non-TITE	11.9	11.1	24.5	38.4	5.8	8.3
U3 - TITE, 56-day accrual	2.6	10.3	29.1	37.8	12.1	8.1
Mean administrations						
U2 - Original non-TITE	4.3	4.7	7.4	7.8	4.5	-
U2 - TITE, 56-day accrual	4.9	5.4	7	7.1	3.5	-
U3 - Original non-TITE	4.3	4.7	7.4	7.8	4.5	-
U3 - TITE, 56-day accrual	4.9	5.4	7	7.1	3.4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3	2.3	2.6	1.1	-
U2 - TITE, 56-day accrual	1.8	2.6	2.6	2	0.7	-
U3 - Original non-TITE	0.6	3	2.3	2.6	1.1	-
U3 - TITE, 56-day accrual	1.8	2.6	2.6	2	0.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1049.2
U2 - TITE, 56-day accrual						1093.4
U3 - Original non-TITE						1050.3
U3 - TITE, 56-day accrual						1096.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	3.1	33	27.3	19.7	6.7	10.2
U2 - TITE, 56-day accrual	0.6	23.4	34.9	23	10.4	7.7
U3 - Original non-TITE	5.5	37.8	25.2	16.5	4.8	10.2
U3 - TITE, 56-day accrual	1	24.1	33.3	23.2	10.7	7.7
Mean administrations						
U2 - Original non-TITE	4.3	6.6	6.8	5.9	4.2	-
U2 - TITE, 56-day accrual	4.7	9.6	7.6	4.2	2	-
U3 - Original non-TITE	4.3	6.6	6.8	5.9	4.2	-
U3 - TITE, 56-day accrual	4.8	9.6	7.6	4.2	2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.5	2.1	2.2	1.5	-
U2 - TITE, 56-day accrual	1.7	3.9	2.7	1.5	0.6	-
U3 - Original non-TITE	0.6	3.5	2.1	2.2	1.5	-
U3 - TITE, 56-day accrual	1.7	3.9	2.7	1.5	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						979.7
U2 - TITE, 56-day accrual						1048.2
U3 - Original non-TITE						979.7
U3 - TITE, 56-day accrual						1046.1
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	62	6.5	1	0.2	0	30.3
U2 - TITE, 56-day accrual	60.9	13.8	3.1	0.1	0	22.1
U3 - Original non-TITE	62.9	5.8	0.9	0.2	0	30.2
U3 - TITE, 56-day accrual	61	13.8	2.9	0.2	0	22.1
Mean administrations						
U2 - Original non-TITE	19.7	3.2	1.3	0.3	0	-
U2 - TITE, 56-day accrual	19	4.9	1.6	0.4	0	-
U3 - Original non-TITE	19.7	3.2	1.4	0.3	0	-
U3 - TITE, 56-day accrual	19	5	1.6	0.4	0	-
Mean IPDE administrations						
U2 - Original non-TITE	5.5	1.3	0.4	0.1	0	-
U2 - TITE, 56-day accrual	5.8	1.6	0.5	0.1	0	-
U3 - Original non-TITE	5.5	1.3	0.4	0.1	0	-
U3 - TITE, 56-day accrual	5.8	1.6	0.5	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						951.5
U2 - TITE, 56-day accrual						1008.6
U3 - Original non-TITE						951.6
U3 - TITE, 56-day accrual						1012.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	28.7	37.3	16.6	5.3	1.3	10.8
U2 - TITE, 56-day accrual	14.8	36.5	26.6	8.1	1.8	12.2
U3 - Original non-TITE	30.6	39.6	13.3	4.9	0.6	11
U3 - TITE, 56-day accrual	14.2	37.5	26.6	8	1.4	12.3
Mean administrations						
U2 - Original non-TITE	11.6	7.3	5.1	2.6	1.3	-
U2 - TITE, 56-day accrual	9.4	9.8	5.6	2.1	0.7	-
U3 - Original non-TITE	11.6	7.4	5.1	2.6	1.2	-
U3 - TITE, 56-day accrual	9.3	9.9	5.6	2.1	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	3.3	3	1.3	0.8	0.4	-
U2 - TITE, 56-day accrual	3.2	3	1.6	0.5	0.2	-
U3 - Original non-TITE	3.3	3	1.3	0.8	0.4	-
U3 - TITE, 56-day accrual	3.2	3	1.5	0.5	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1061.7
U2 - TITE, 56-day accrual						1101.1
U3 - Original non-TITE						1062
U3 - TITE, 56-day accrual						1101.5
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	13.9	2	0.6	0	0	83.5
U2 - TITE, 56-day accrual	16.8	7.8	1.1	0.1	0	74.2
U3 - Original non-TITE	14.1	2	0.4	0	0	83.5
U3 - TITE, 56-day accrual	17	6.5	1.4	0	0	75.1
Mean administrations						
U2 - Original non-TITE	11.1	2.2	0.8	0.1	0	-
U2 - TITE, 56-day accrual	11.3	3.9	1.2	0.1	0	-
U3 - Original non-TITE	11.1	2.2	0.8	0.1	0	-
U3 - TITE, 56-day accrual	11.2	3.9	1.2	0.1	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.2	1.2	0.3	0.1	0	-
U2 - TITE, 56-day accrual	3.7	1.5	0.4	0.1	0	-
U3 - Original non-TITE	3.2	1.2	0.3	0.1	0	-
U3 - TITE, 56-day accrual	3.7	1.5	0.4	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						524.4
U2 - TITE, 56-day accrual						617.1
U3 - Original non-TITE						523.5
U3 - TITE, 56-day accrual						614.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	8.1	8.3	16.9	9.5	11.2	46
U2 - TITE, 56-day accrual	4.5	15.8	22.6	10.6	9.6	36.9
U3 - Original non-TITE	12.6	9.2	13.8	8.7	10.1	45.6
U3 - TITE, 56-day accrual	4.4	15.2	22.1	11.7	9.4	37.2
Mean administrations						
U2 - Original non-TITE	6.5	4.5	5	3.1	2.6	-
U2 - TITE, 56-day accrual	7	5.6	5.2	2.7	1.7	-
U3 - Original non-TITE	6.5	4.5	5	3.1	2.6	-
U3 - TITE, 56-day accrual	7.1	5.5	5.3	2.7	1.7	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	2.6	1.8	1.3	0.8	-
U2 - TITE, 56-day accrual	2.5	2.5	2	1	0.5	-
U3 - Original non-TITE	1.5	2.6	1.8	1.3	0.8	-
U3 - TITE, 56-day accrual	2.6	2.5	2	1	0.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						754.6
U2 - TITE, 56-day accrual						812.1
U3 - Original non-TITE						755.1
U3 - TITE, 56-day accrual						815.8
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	4.9	18.8	6.6	1.7	0.4	67.6
U2 - TITE, 56-day accrual	7	26.5	10.5	1.5	0.3	54.2
U3 - Original non-TITE	5.9	18.9	5.9	1.5	0.3	67.5
U3 - TITE, 56-day accrual	6.7	27.2	9.9	1.7	0.4	54.1
Mean administrations						
U2 - Original non-TITE	7.3	5	2.8	1	0.3	-
U2 - TITE, 56-day accrual	7.5	8	3.2	0.8	0.2	-
U3 - Original non-TITE	7.3	5	2.8	1	0.3	-
U3 - TITE, 56-day accrual	7.5	7.9	3.3	0.8	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	2.3	0.8	0.3	0.1	-
U2 - TITE, 56-day accrual	2.5	2.7	0.9	0.2	0.1	-
U3 - Original non-TITE	1.7	2.3	0.8	0.3	0.1	-
U3 - TITE, 56-day accrual	2.5	2.6	0.9	0.2	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						605.1
U2 - TITE, 56-day accrual						765.6
U3 - Original non-TITE						605.4
U3 - TITE, 56-day accrual						768.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	59.7	10.9	0.8	0.1	0	28.5
U2 - TITE, 56-day accrual	43.2	23.5	3.7	0.2	0	29.4
U3 - Original non-TITE	60.5	10.2	0.5	0.1	0	28.7
U3 - TITE, 56-day accrual	43.9	23.4	3.6	0.2	0	28.9
Mean administrations						
U2 - Original non-TITE	17.7	5.1	1.9	0.3	0	-
U2 - TITE, 56-day accrual	16	6.6	2.2	0.3	0	-
U3 - Original non-TITE	17.6	5.1	1.9	0.3	0	-
U3 - TITE, 56-day accrual	16	6.5	2.2	0.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	5.4	2.3	0.7	0.1	0	-
U2 - TITE, 56-day accrual	5.5	2.4	0.7	0.1	0	-
U3 - Original non-TITE	5.4	2.3	0.6	0.1	0	-
U3 - TITE, 56-day accrual	5.5	2.4	0.7	0.1	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						904.2
U2 - TITE, 56-day accrual						928.7
U3 - Original non-TITE						902.1
U3 - TITE, 56-day accrual						926.3
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	14.3	16	13.3	33.3	9.2	13.9
U2 - TITE, 56-day accrual	5.7	15.2	20.9	32.6	14.1	11.5
U3 - Original non-TITE	18.8	15.9	9.9	32.6	9	13.8
U3 - TITE, 56-day accrual	4.9	15.3	22.8	33.3	13.4	10.3
Mean administrations						
U2 - Original non-TITE	4.7	5.5	6.1	7.2	4.7	-
U2 - TITE, 56-day accrual	5.3	5.9	5.4	6.3	4.2	-
U3 - Original non-TITE	4.7	5.4	6.1	7.1	4.8	-
U3 - TITE, 56-day accrual	5.3	5.9	5.3	6.3	4.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.8	3.3	2	2.7	1.1	-
U2 - TITE, 56-day accrual	1.9	2.8	2.2	2	0.9	-
U3 - Original non-TITE	0.8	3.2	2	2.6	1.1	-
U3 - TITE, 56-day accrual	1.9	2.8	2.2	2.1	0.8	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1005.6
U2 - TITE, 56-day accrual						1045.4
U3 - Original non-TITE						1003.6
U3 - TITE, 56-day accrual						1038

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	8.2	19.7	6.7	1	0.3	64.1
U2 - TITE, 56-day accrual	6.8	28.3	11.5	1.9	0.1	51.4
U3 - Original non-TITE	8.4	20.1	6.2	1	0.2	64.1
U3 - TITE, 56-day accrual	6.4	29.6	11.1	1.8	0	51.1
Mean administrations						
U2 - Original non-TITE	7.3	5.5	3.1	1.1	0.3	-
U2 - TITE, 56-day accrual	7.7	8.2	3.3	1	0.3	-
U3 - Original non-TITE	7.3	5.4	3.1	1.1	0.3	-
U3 - TITE, 56-day accrual	7.7	8.2	3.3	1	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	2.6	1	0.4	0.1	-
U2 - TITE, 56-day accrual	2.7	3	1.1	0.3	0.1	-
U3 - Original non-TITE	1.7	2.6	1	0.4	0.1	-
U3 - TITE, 56-day accrual	2.6	3	1.1	0.3	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						621.3
U2 - TITE, 56-day accrual						772.4
U3 - Original non-TITE						622.3
U3 - TITE, 56-day accrual						769
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	15.8	14.1	13.7	18.7	5.6	32.1
U2 - TITE, 56-day accrual	5.4	19.8	26.2	19.1	6.7	22.8
U3 - Original non-TITE	20.9	14.4	10	17.8	5.4	31.5
U3 - TITE, 56-day accrual	5	19.5	26.2	19.4	7.5	22.4
Mean administrations						
U2 - Original non-TITE	5.8	5.5	6	5.1	2.9	-
U2 - TITE, 56-day accrual	6.6	6.7	5.6	4.2	1.9	-
U3 - Original non-TITE	5.8	5.6	5.9	5	3	-
U3 - TITE, 56-day accrual	6.6	6.6	5.5	4.3	1.9	-
Mean IPDE administrations						
U2 - Original non-TITE	1.2	3.2	2.1	2	0.9	-
U2 - TITE, 56-day accrual	2.5	3	2.2	1.5	0.5	-
U3 - Original non-TITE	1.3	3.2	2.1	2	0.9	-
U3 - TITE, 56-day accrual	2.5	3	2.2	1.5	0.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						871.8
U2 - TITE, 56-day accrual						909.9
U3 - Original non-TITE						870.5
U3 - TITE, 56-day accrual						904.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	30.7	19.4	6.2	1.9	0.1	41.7
U2 - TITE, 56-day accrual	14.7	29.3	17.7	4.7	0.3	33.3
U3 - Original non-TITE	36.1	17.7	3.6	1.1	0.1	41.4
U3 - TITE, 56-day accrual	15	28.8	18.9	4.5	0.4	32.4
Mean administrations						
U2 - Original non-TITE	9.7	7.1	4.9	2	0.6	-
U2 - TITE, 56-day accrual	9.8	7.6	4.5	1.4	0.4	-
U3 - Original non-TITE	9.7	7.1	4.8	2	0.6	-
U3 - TITE, 56-day accrual	10	7.5	4.4	1.5	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	2.8	3.6	1.7	0.9	0.2	-
U2 - TITE, 56-day accrual	3.7	3.3	1.7	0.6	0.1	-
U3 - Original non-TITE	2.8	3.6	1.7	0.9	0.2	-
U3 - TITE, 56-day accrual	3.8	3.2	1.7	0.6	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						818.3
U2 - TITE, 56-day accrual						834.8
U3 - Original non-TITE						819.5
U3 - TITE, 56-day accrual						835.1
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	26	29.8	18.3	15	10.9	0
U2 - TITE, 56-day accrual	7.6	19.5	24.2	25.3	23.1	0.3
U3 - Original non-TITE	31.7	35.1	16.3	11.1	5.8	0
U3 - TITE, 56-day accrual	6.5	20.2	24.6	26.4	22	0.3
Mean administrations						
U2 - Original non-TITE	5.2	5.8	5.4	6.8	6.8	-
U2 - TITE, 56-day accrual	7.9	8	5.8	4.6	3.5	-
U3 - Original non-TITE	5.3	5.8	5.3	6.8	6.8	-
U3 - TITE, 56-day accrual	7.9	8.1	5.7	4.6	3.4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	3.2	1.9	3	2.6	-
U2 - TITE, 56-day accrual	3	3.5	2.4	1.9	1.3	-
U3 - Original non-TITE	1	3.2	1.8	3	2.6	-
U3 - TITE, 56-day accrual	3	3.6	2.3	1.9	1.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1008.5
U2 - TITE, 56-day accrual						1072.1
U3 - Original non-TITE						1008.8
U3 - TITE, 56-day accrual						1069.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	32.3	55.8	8.8	0.4	0	2.7
U2 - TITE, 56-day accrual	21	54.8	18.3	1.6	0	4.3
U3 - Original non-TITE	35.2	53.6	8.1	0.3	0	2.8
U3 - TITE, 56-day accrual	21.2	55.1	17.8	1.2	0	4.7
Mean administrations						
U2 - Original non-TITE	11.4	10.8	6.1	1.2	0.1	-
U2 - TITE, 56-day accrual	10.4	11.6	5.8	1.1	0.2	-
U3 - Original non-TITE	11.4	10.7	6	1.3	0.1	-
U3 - TITE, 56-day accrual	10.5	11.4	5.9	1.1	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.9	3.7	1.4	0.4	0	-
U2 - TITE, 56-day accrual	3.4	3.4	1.3	0.2	0	-
U3 - Original non-TITE	3	3.7	1.4	0.4	0	-
U3 - TITE, 56-day accrual	3.4	3.3	1.3	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1164.1
U2 - TITE, 56-day accrual						1189
U3 - Original non-TITE						1164.2
U3 - TITE, 56-day accrual						1188.8
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	9	13.6	12	21.2	42	2.2
U2 - TITE, 56-day accrual	2.3	7.6	16.5	22.7	49.2	1.7
U3 - Original non-TITE	13.9	15.1	12.2	17.5	38.9	2.4
U3 - TITE, 56-day accrual	2	7.5	17.8	23.1	48.1	1.5
Mean administrations						
U2 - Original non-TITE	3.6	4.1	5	6	10.9	-
U2 - TITE, 56-day accrual	4.5	5.3	5.6	5.6	8.3	-
U3 - Original non-TITE	3.6	4.1	5	6	11	-
U3 - TITE, 56-day accrual	4.6	5.3	5.5	5.6	8.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	2.8	1.7	2.7	3.1	-
U2 - TITE, 56-day accrual	1.6	2.6	2.3	2.3	2.1	-
U3 - Original non-TITE	0.3	2.8	1.7	2.7	3.1	-
U3 - TITE, 56-day accrual	1.7	2.6	2.3	2.2	2.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1056.5
U2 - TITE, 56-day accrual						1118.7
U3 - Original non-TITE						1057.4
U3 - TITE, 56-day accrual						1116.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	18.3	40.9	6.4	0.3	0	34.1
U2 - TITE, 56-day accrual	11.3	46.2	15.3	1	0	26.2
U3 - Original non-TITE	19.1	40.7	6.1	0.2	0	33.9
U3 - TITE, 56-day accrual	10.2	46	16.4	1.1	0	26.3
Mean administrations						
U2 - Original non-TITE	7.8	10.1	5.4	1	0.1	-
U2 - TITE, 56-day accrual	7.6	11.4	5.4	0.9	0.1	-
U3 - Original non-TITE	7.8	10.1	5.4	1	0.1	-
U3 - TITE, 56-day accrual	7.7	11.3	5.4	0.9	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	4.4	1.6	0.4	0	-
U2 - TITE, 56-day accrual	2.8	4.2	1.6	0.2	0	-
U3 - Original non-TITE	1.9	4.4	1.6	0.4	0	-
U3 - TITE, 56-day accrual	2.8	4.1	1.6	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						881.5
U2 - TITE, 56-day accrual						952.2
U3 - Original non-TITE						880.1
U3 - TITE, 56-day accrual						952.6
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	9.5	46.8	23.9	5.1	0.1	14.6
U2 - TITE, 56-day accrual	3.7	37.4	38.6	9.3	1	10
U3 - Original non-TITE	12.2	47.8	21.4	4.1	0.1	14.4
U3 - TITE, 56-day accrual	3.8	38.4	38.2	9	0.8	9.8
Mean administrations						
U2 - Original non-TITE	5.1	9.6	8.4	3.3	1	-
U2 - TITE, 56-day accrual	5.5	10.4	8.1	2.8	0.8	-
U3 - Original non-TITE	5.1	9.7	8.4	3.2	1	-
U3 - TITE, 56-day accrual	5.5	10.4	8.1	2.9	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	4.7	2.6	1.3	0.4	-
U2 - TITE, 56-day accrual	2	4.2	2.8	0.9	0.2	-
U3 - Original non-TITE	0.9	4.7	2.6	1.3	0.4	-
U3 - TITE, 56-day accrual	2	4.3	2.7	0.9	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						964.9
U2 - TITE, 56-day accrual						1030
U3 - Original non-TITE						966.2
U3 - TITE, 56-day accrual						1031.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	38	0.2	0	0	0	61.8
U2 - TITE, 56-day accrual	58.3	3	0	0	0	38.7
U3 - Original non-TITE	37.5	0.2	0	0	0	62.3
U3 - TITE, 56-day accrual	58.7	2.7	0	0	0	38.6
Mean administrations						
U2 - Original non-TITE	18.7	1.4	0.2	0	0	-
U2 - TITE, 56-day accrual	21.3	2	0.3	0	0	-
U3 - Original non-TITE	18.7	1.4	0.2	0	0	-
U3 - TITE, 56-day accrual	21.3	2.1	0.3	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.8	0.5	0.1	0	0	-
U2 - TITE, 56-day accrual	4.7	0.5	0.1	0	0	-
U3 - Original non-TITE	3.8	0.5	0.1	0	0	-
U3 - TITE, 56-day accrual	4.7	0.5	0.1	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						882.6
U2 - TITE, 56-day accrual						1035.8
U3 - Original non-TITE						879.9
U3 - TITE, 56-day accrual						1042.2
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	23.7	40.4	4.8	0	0	31.1
U2 - TITE, 56-day accrual	13.2	47.3	15.6	1.4	0	22.5
U3 - Original non-TITE	24.5	40.5	3.7	0	0	31.3
U3 - TITE, 56-day accrual	12.5	47.2	16.2	1.1	0	23
Mean administrations						
U2 - Original non-TITE	7.8	12.2	4.8	0.7	0	-
U2 - TITE, 56-day accrual	7.9	12.4	5.1	0.7	0.1	-
U3 - Original non-TITE	7.9	12.1	4.8	0.7	0	-
U3 - TITE, 56-day accrual	7.9	12.5	5	0.7	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	5.3	1.4	0.3	0	-
U2 - TITE, 56-day accrual	3	4.6	1.4	0.2	0	-
U3 - Original non-TITE	1.9	5.3	1.4	0.3	0	-
U3 - TITE, 56-day accrual	3	4.7	1.4	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						907.5
U2 - TITE, 56-day accrual						974.1
U3 - Original non-TITE						909.4
U3 - TITE, 56-day accrual						977.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	1.6	0.2	0	0	0	98.2
U2 - TITE, 56-day accrual	3.6	2.7	0.1	0	0	93.6
U3 - Original non-TITE	1.6	0.2	0	0	0	98.2
U3 - TITE, 56-day accrual	3.1	3	0.1	0	0	93.8
Mean administrations						
U2 - Original non-TITE	8.2	1.3	0.2	0	0	-
U2 - TITE, 56-day accrual	9.2	2.3	0.3	0	0	-
U3 - Original non-TITE	8.2	1.3	0.2	0	0	-
U3 - TITE, 56-day accrual	9.2	2.3	0.3	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	0.9	0.1	0	0	-
U2 - TITE, 56-day accrual	3	0.9	0.1	0	0	-
U3 - Original non-TITE	2.1	0.9	0.1	0	0	-
U3 - TITE, 56-day accrual	3	0.9	0.1	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						353.6
U2 - TITE, 56-day accrual						434.8
U3 - Original non-TITE						354.2
U3 - TITE, 56-day accrual						436.9
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	0.3	1.6	3.6	47.5	46.8	0.2
U2 - TITE, 56-day accrual	0.3	0.7	2.2	36.1	60.5	0.2
U3 - Original non-TITE	1.5	2.5	4.6	49.3	41.9	0.2
U3 - TITE, 56-day accrual	0.2	0.6	2.5	35.3	61.2	0.2
Mean administrations						
U2 - Original non-TITE	3.2	3.1	3.5	8.2	11.9	-
U2 - TITE, 56-day accrual	3.4	3.6	4.5	9.9	8.5	-
U3 - Original non-TITE	3.2	3.1	3.5	8.2	12	-
U3 - TITE, 56-day accrual	3.4	3.6	4.4	9.9	8.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	2.4	1.1	3.2	3.2	-
U2 - TITE, 56-day accrual	1.1	1.9	1.9	3.3	2.2	-
U3 - Original non-TITE	0.1	2.4	1.1	3.2	3.3	-
U3 - TITE, 56-day accrual	1.1	1.9	1.8	3.3	2.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1101.3
U2 - TITE, 56-day accrual						1196.3
U3 - Original non-TITE						1101.7
U3 - TITE, 56-day accrual						1195.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	33.5	35.7	22.8	2.1	0	5.9
U2 - TITE, 56-day accrual	20.8	38.6	31.3	2.7	0	6.6
U3 - Original non-TITE	37.7	34.4	20.3	1.5	0	6.1
U3 - TITE, 56-day accrual	20.5	38.9	31.2	2.8	0	6.6
Mean administrations						
U2 - Original non-TITE	10.1	9.2	8	1.6	0.2	-
U2 - TITE, 56-day accrual	10	9.4	7.5	1.6	0.2	-
U3 - Original non-TITE	10	9.2	7.9	1.6	0.2	-
U3 - TITE, 56-day accrual	10	9.4	7.5	1.6	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.8	4	2.2	0.6	0	-
U2 - TITE, 56-day accrual	3.7	3.6	2.1	0.4	0	-
U3 - Original non-TITE	2.8	4	2.2	0.6	0.1	-
U3 - TITE, 56-day accrual	3.7	3.5	2.1	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1067.3
U2 - TITE, 56-day accrual						1098.8
U3 - Original non-TITE						1068.3
U3 - TITE, 56-day accrual						1099.9
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	21.6	24.5	16.7	1.9	0	35.3
U2 - TITE, 56-day accrual	10.6	32.1	25.6	2.7	0	29
U3 - Original non-TITE	23.6	24.6	15.5	1.3	0	35
U3 - TITE, 56-day accrual	10.9	30.6	25.9	2.6	0	30
Mean administrations						
U2 - Original non-TITE	9.1	6.9	6.3	1.5	0.1	-
U2 - TITE, 56-day accrual	8.8	7.9	6.2	1.4	0.2	-
U3 - Original non-TITE	9.1	7	6.2	1.5	0.1	-
U3 - TITE, 56-day accrual	8.8	7.9	6.2	1.3	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.5	3.3	1.9	0.6	0	-
U2 - TITE, 56-day accrual	3.2	3.2	1.9	0.3	0	-
U3 - Original non-TITE	2.5	3.3	1.9	0.6	0	-
U3 - TITE, 56-day accrual	3.2	3.2	1.9	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						856.6
U2 - TITE, 56-day accrual						912.3
U3 - Original non-TITE						855.4
U3 - TITE, 56-day accrual						906.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	16.8	27.5	31.2	3.5	0	21
U2 - TITE, 56-day accrual	7.4	30.1	40.9	5.4	0.1	16.1
U3 - Original non-TITE	19.6	27.4	29	3	0	21
U3 - TITE, 56-day accrual	7.9	30.3	39.6	5.8	0.2	16.2
Mean administrations						
U2 - Original non-TITE	7.3	7.2	8.6	2.6	0.5	-
U2 - TITE, 56-day accrual	7.4	7.8	8.6	2.4	0.5	-
U3 - Original non-TITE	7.4	7.3	8.6	2.5	0.5	-
U3 - TITE, 56-day accrual	7.5	7.9	8.6	2.3	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	3.5	2.5	0.8	0.1	-
U2 - TITE, 56-day accrual	2.7	3.2	2.6	0.6	0.1	-
U3 - Original non-TITE	1.9	3.5	2.5	0.8	0.1	-
U3 - TITE, 56-day accrual	2.8	3.2	2.6	0.6	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						962.1
U2 - TITE, 56-day accrual						1019.6
U3 - Original non-TITE						961.8
U3 - TITE, 56-day accrual						1022.5
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	13.3	17	0.3	0	0	69.4
U2 - TITE, 56-day accrual	9.9	29.9	3.7	0.2	0	56.3
U3 - Original non-TITE	13.8	16.3	0.5	0	0	69.4
U3 - TITE, 56-day accrual	9.4	29.9	3.8	0.1	0	56.8
Mean administrations						
U2 - Original non-TITE	7.7	6.6	2.4	0.2	0	-
U2 - TITE, 56-day accrual	8	9.3	2.7	0.3	0	-
U3 - Original non-TITE	7.7	6.6	2.3	0.3	0	-
U3 - TITE, 56-day accrual	8	9.3	2.8	0.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	2.9	0.7	0.1	0	-
U2 - TITE, 56-day accrual	2.8	3.3	0.8	0.1	0	-
U3 - Original non-TITE	1.9	2.9	0.7	0.1	0	-
U3 - TITE, 56-day accrual	2.8	3.3	0.8	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						614.6
U2 - TITE, 56-day accrual						774.9
U3 - Original non-TITE						614.2
U3 - TITE, 56-day accrual						777

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	75.5	18.3	1.2	0	0	5
U2 - TITE, 56-day accrual	55.5	34	5	0	0	5.5
U3 - Original non-TITE	77.4	16.7	1	0	0	4.9
U3 - TITE, 56-day accrual	55.2	35.1	4.9	0	0	4.8
Mean administrations						
U2 - Original non-TITE	19.9	6.6	2.3	0.2	0	-
U2 - TITE, 56-day accrual	17.8	8.5	2.4	0.2	0	-
U3 - Original non-TITE	19.9	6.7	2.3	0.2	0	-
U3 - TITE, 56-day accrual	17.9	8.5	2.4	0.2	0	-
Mean IPDE administrations						
U2 - Original non-TITE	5.2	2.3	0.7	0.1	0	-
U2 - TITE, 56-day accrual	5.3	2.6	0.6	0	0	-
U3 - Original non-TITE	5.2	2.3	0.7	0.1	0	-
U3 - TITE, 56-day accrual	5.3	2.6	0.6	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1150.8
U2 - TITE, 56-day accrual						1163.7
U3 - Original non-TITE						1151.2
U3 - TITE, 56-day accrual						1167.3
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	16.8	18.7	20.6	35.3	4.4	4.2
U2 - TITE, 56-day accrual	6.4	18.1	23.6	36	12	3.9
U3 - Original non-TITE	22.5	21.9	16.8	31.4	3.3	4.1
U3 - TITE, 56-day accrual	7.4	17.4	23.2	35.3	12.8	3.9
Mean administrations						
U2 - Original non-TITE	5	5.4	6.9	7.9	4.2	-
U2 - TITE, 56-day accrual	6.3	6.4	6	6.6	3.6	-
U3 - Original non-TITE	5	5.5	6.7	7.9	4.2	-
U3 - TITE, 56-day accrual	6.4	6.3	6	6.7	3.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	3.1	2.2	2.8	1.1	-
U2 - TITE, 56-day accrual	2.3	2.9	2.3	2.1	0.8	-
U3 - Original non-TITE	0.9	3.2	2.2	2.8	1.1	-
U3 - TITE, 56-day accrual	2.4	2.9	2.4	2.2	0.7	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1059.7
U2 - TITE, 56-day accrual						1099.9
U3 - Original non-TITE						1059
U3 - TITE, 56-day accrual						1097

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	5	34.1	30.3	25.5	5	0.1
U2 - TITE, 56-day accrual	2.1	19.9	36.3	29.5	11.4	0.8
U3 - Original non-TITE	6.4	40.9	29.2	20.5	2.9	0.1
U3 - TITE, 56-day accrual	1.9	21.6	35.3	29.3	11.1	0.8
Mean administrations						
U2 - Original non-TITE	4.2	5.8	6.8	8.1	5.1	-
U2 - TITE, 56-day accrual	4.6	8.5	7.9	5.7	3.1	-
U3 - Original non-TITE	4.2	5.9	6.7	8.2	5.1	-
U3 - TITE, 56-day accrual	4.6	8.5	7.9	5.8	3.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	2.9	1.7	2.1	1.4	-
U2 - TITE, 56-day accrual	1.5	2.9	2.4	1.5	0.6	-
U3 - Original non-TITE	0.5	2.9	1.7	2.1	1.4	-
U3 - TITE, 56-day accrual	1.5	2.9	2.4	1.6	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1180
U2 - TITE, 56-day accrual						1252.8
U3 - Original non-TITE						1180.6
U3 - TITE, 56-day accrual						1253.8
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	9.8	13.8	35.4	30.9	8.8	1.3
U2 - TITE, 56-day accrual	3.1	9.1	30.9	37.6	18.5	0.8
U3 - Original non-TITE	12.8	19	34.1	27.2	5.6	1.3
U3 - TITE, 56-day accrual	2.3	8.7	31.1	38.4	18.8	0.7
Mean administrations						
U2 - Original non-TITE	3.7	4.5	7.7	8	5.9	-
U2 - TITE, 56-day accrual	4.8	6.1	8.3	6.8	3.6	-
U3 - Original non-TITE	3.7	4.6	7.6	8	5.9	-
U3 - TITE, 56-day accrual	4.8	6.1	8.2	6.9	3.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	2.9	2.4	3	2	-
U2 - TITE, 56-day accrual	1.7	2.9	3.2	2.3	1.1	-
U3 - Original non-TITE	0.3	2.9	2.4	3	2	-
U3 - TITE, 56-day accrual	1.7	2.9	3.2	2.4	1.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1054.2
U2 - TITE, 56-day accrual						1115.5
U3 - Original non-TITE						1053.9
U3 - TITE, 56-day accrual						1120.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	7.8	9.9	18	45.8	17.9	0.6
U2 - TITE, 56-day accrual	3.2	6.4	16.1	41.7	31.9	0.7
U3 - Original non-TITE	12.9	11.6	15.8	42.5	16.4	0.8
U3 - TITE, 56-day accrual	2.7	6.8	17	41.7	31.1	0.7
Mean administrations						
U2 - Original non-TITE	3.3	3.7	5.6	8.3	8.9	-
U2 - TITE, 56-day accrual	3.9	4.2	6.3	8.5	6.8	-
U3 - Original non-TITE	3.3	3.8	5.6	8.4	8.9	-
U3 - TITE, 56-day accrual	3.9	4.3	6.2	8.6	6.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	2.7	1.8	3.1	2.3	-
U2 - TITE, 56-day accrual	1.3	2.2	2.5	2.7	1.6	-
U3 - Original non-TITE	0.2	2.7	1.7	3.1	2.2	-
U3 - TITE, 56-day accrual	1.3	2.2	2.5	2.8	1.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1099.2
U2 - TITE, 56-day accrual						1171.8
U3 - Original non-TITE						1098.2
U3 - TITE, 56-day accrual						1174.9
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	13.8	15.2	43.3	11.1	1.4	15.2
U2 - TITE, 56-day accrual	6.6	17.8	44.8	16.7	2.7	11.4
U3 - Original non-TITE	18	15.9	40.2	9.5	1.2	15.2
U3 - TITE, 56-day accrual	5.6	17.9	45.8	16.3	2.7	11.7
Mean administrations						
U2 - Original non-TITE	5	6.2	10.4	4.5	1.9	-
U2 - TITE, 56-day accrual	5.5	6.6	9.8	4.2	1.3	-
U3 - Original non-TITE	4.9	6.2	10.5	4.4	1.9	-
U3 - TITE, 56-day accrual	5.5	6.6	9.8	4.2	1.3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	3.4	3.3	1.6	0.6	-
U2 - TITE, 56-day accrual	2	3	3.3	1.3	0.4	-
U3 - Original non-TITE	0.9	3.5	3.4	1.6	0.6	-
U3 - TITE, 56-day accrual	2	3	3.3	1.3	0.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						991.7
U2 - TITE, 56-day accrual						1032.2
U3 - Original non-TITE						994
U3 - TITE, 56-day accrual						1033.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	10.4	47.9	31.1	9.4	1.1	0.1
U2 - TITE, 56-day accrual	2.4	32.8	45	15.1	3.9	0.8
U3 - Original non-TITE	12.2	52.4	27.6	7.2	0.5	0.1
U3 - TITE, 56-day accrual	2.5	33.4	46.3	13.3	3.5	1
Mean administrations						
U2 - Original non-TITE	4.6	9.6	9.5	4.5	1.8	-
U2 - TITE, 56-day accrual	5.4	10.6	9.1	3.4	1.3	-
U3 - Original non-TITE	4.7	9.6	9.5	4.5	1.8	-
U3 - TITE, 56-day accrual	5.5	10.6	9.2	3.4	1.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	4	2.3	1.4	0.5	-
U2 - TITE, 56-day accrual	1.9	3.7	2.5	0.9	0.3	-
U3 - Original non-TITE	0.7	4	2.3	1.4	0.5	-
U3 - TITE, 56-day accrual	1.9	3.7	2.6	0.9	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1160.7
U2 - TITE, 56-day accrual						1200.5
U3 - Original non-TITE						1161.2
U3 - TITE, 56-day accrual						1198.6
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	14.5	25.3	7.7	1.2	0.3	51
U2 - TITE, 56-day accrual	9.7	32.6	16.1	1.9	0.2	39.5
U3 - Original non-TITE	15.3	25.4	6.7	1.2	0.2	51.2
U3 - TITE, 56-day accrual	8.1	34.2	16.9	1.8	0.2	38.8
Mean administrations						
U2 - Original non-TITE	7.2	7.8	4.4	1.4	0.4	-
U2 - TITE, 56-day accrual	7.3	9.3	4.9	1	0.3	-
U3 - Original non-TITE	7.2	7.8	4.4	1.4	0.4	-
U3 - TITE, 56-day accrual	7.4	9.1	5	1.1	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	3.7	1.4	0.6	0.1	-
U2 - TITE, 56-day accrual	2.6	3.6	1.7	0.4	0.1	-
U3 - Original non-TITE	1.7	3.8	1.4	0.6	0.1	-
U3 - TITE, 56-day accrual	2.7	3.5	1.7	0.4	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						747.2
U2 - TITE, 56-day accrual						833.1
U3 - Original non-TITE						746.9
U3 - TITE, 56-day accrual						835.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	17.1	31.5	6	0.2	0	45.2
U2 - TITE, 56-day accrual	12.4	38.5	15.6	0.9	0	32.6
U3 - Original non-TITE	19.4	30.4	5.1	0.1	0	45
U3 - TITE, 56-day accrual	11.4	39	16.1	0.6	0	32.9
Mean administrations						
U2 - Original non-TITE	6.9	10.2	4.9	1.1	0.2	-
U2 - TITE, 56-day accrual	7.2	10.9	5.3	0.9	0.2	-
U3 - Original non-TITE	6.9	10.1	5	1.1	0.2	-
U3 - TITE, 56-day accrual	7.2	10.9	5.2	0.9	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	4.8	1.5	0.5	0.1	-
U2 - TITE, 56-day accrual	2.6	4.2	1.7	0.3	0.1	-
U3 - Original non-TITE	1.5	4.7	1.6	0.5	0.1	-
U3 - TITE, 56-day accrual	2.6	4.2	1.7	0.3	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						817.4
U2 - TITE, 56-day accrual						902.4
U3 - Original non-TITE						817.3
U3 - TITE, 56-day accrual						900.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	4.6	1.2	0.4	0	0	93.8
U2 - TITE, 56-day accrual	5.4	3.9	2.2	0.1	0	88.4
U3 - Original non-TITE	4.7	1.4	0.2	0	0	93.7
U3 - TITE, 56-day accrual	5	4.4	2.4	0.1	0	88.1
Mean administrations						
U2 - Original non-TITE	8.1	4	1	0.4	0	-
U2 - TITE, 56-day accrual	8.6	4.9	1.4	0.5	0	-
U3 - Original non-TITE	8.1	3.9	1	0.4	0	-
U3 - TITE, 56-day accrual	8.8	4.8	1.3	0.4	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	2.2	0.3	0.2	0	-
U2 - TITE, 56-day accrual	2.9	2	0.5	0.2	0	-
U3 - Original non-TITE	1.7	2.2	0.3	0.2	0	-
U3 - TITE, 56-day accrual	2.9	1.9	0.5	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						483.1
U2 - TITE, 56-day accrual						563.1
U3 - Original non-TITE						483.2
U3 - TITE, 56-day accrual						556.5
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	30.4	22.4	29.8	5.4	0.3	11.7
U2 - TITE, 56-day accrual	16.5	26.9	40.4	6.2	0.1	9.9
U3 - Original non-TITE	32.6	23.6	28.5	4.1	0.1	11.1
U3 - TITE, 56-day accrual	17.2	28.5	38.7	5.4	0	10.2
Mean administrations						
U2 - Original non-TITE	10.5	8.4	7.3	1.7	0.1	-
U2 - TITE, 56-day accrual	8.8	8.8	8.5	2	0.1	-
U3 - Original non-TITE	11	8.6	6.9	1.4	0	-
U3 - TITE, 56-day accrual	9.9	9.4	7.4	1.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.6	3.7	2.2	0.6	0	-
U2 - TITE, 56-day accrual	3	3.3	2.4	0.6	0	-
U3 - Original non-TITE	2.9	3.8	2	0.5	0	-
U3 - TITE, 56-day accrual	3.5	3.5	2.1	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1037
U2 - TITE, 56-day accrual						1100.6
U3 - Original non-TITE						1032.5
U3 - TITE, 56-day accrual						1082.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	9.4	44.2	18.1	4.3	0.1	23.9
U2 - TITE, 56-day accrual	4.2	40.6	29.7	6	0.4	19.1
U3 - Original non-TITE	9.7	47.3	15.9	2.8	0	24.3
U3 - TITE, 56-day accrual	4.2	45.1	26.7	4.1	0.2	19.7
Mean administrations						
U2 - Original non-TITE	7.1	11.8	5.2	1.7	0.1	-
U2 - TITE, 56-day accrual	6.1	11.6	6.9	1.9	0.2	-
U3 - Original non-TITE	7.3	12.4	4.7	1.4	0.1	-
U3 - TITE, 56-day accrual	6.5	12.8	5.9	1.2	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.3	4.9	1.6	0.7	0.1	-
U2 - TITE, 56-day accrual	2	3.9	2.1	0.6	0.1	-
U3 - Original non-TITE	1.4	5.2	1.4	0.6	0	-
U3 - TITE, 56-day accrual	2.2	4.4	1.8	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						961.3
U2 - TITE, 56-day accrual						1039.5
U3 - Original non-TITE						959.2
U3 - TITE, 56-day accrual						1018.1
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	6.1	7.6	24.3	49.7	5.4	6.9
U2 - TITE, 56-day accrual	3.3	6.2	23.7	51.2	9.5	6.1
U3 - Original non-TITE	7.2	9.2	22.2	50.4	4	7
U3 - TITE, 56-day accrual	2.9	7.6	23.9	53.7	5.8	6.1
Mean administrations						
U2 - Original non-TITE	4.1	5.1	7.9	10.1	1.7	-
U2 - TITE, 56-day accrual	4	5	7.3	10.3	2.2	-
U3 - Original non-TITE	4.3	5.2	7.9	10	1.5	-
U3 - TITE, 56-day accrual	4.5	5.6	7.3	9.8	1.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.4	3.2	2.4	3.3	0.6	-
U2 - TITE, 56-day accrual	1.3	2.4	2.7	3	0.6	-
U3 - Original non-TITE	0.5	3.3	2.4	3.3	0.5	-
U3 - TITE, 56-day accrual	1.6	2.6	2.7	2.8	0.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1045.7
U2 - TITE, 56-day accrual						1127
U3 - Original non-TITE						1041.2
U3 - TITE, 56-day accrual						1105.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	3.6	31.2	27.7	22.9	8.4	6.2
U2 - TITE, 56-day accrual	1.6	23.1	36.6	25.3	9.4	4
U3 - Original non-TITE	5.9	38.7	25.7	18.4	5	6.3
U3 - TITE, 56-day accrual	1.6	23.5	40.1	25.5	5.2	4.1
Mean administrations						
U2 - Original non-TITE	4	8.2	7.3	6.6	2.7	-
U2 - TITE, 56-day accrual	3.9	8.1	8.6	6.2	2.4	-
U3 - Original non-TITE	4.1	9	7.5	6.1	2.2	-
U3 - TITE, 56-day accrual	4.1	9.7	8.7	5.2	1.3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	4.1	2.4	2.5	1	-
U2 - TITE, 56-day accrual	1.2	3.3	3.1	2.2	0.8	-
U3 - Original non-TITE	0.3	4.5	2.5	2.3	0.8	-
U3 - TITE, 56-day accrual	1.4	3.9	3.2	1.9	0.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1012.9
U2 - TITE, 56-day accrual						1104.8
U3 - Original non-TITE						1010.7
U3 - TITE, 56-day accrual						1095.6
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	60.4	8.6	1.1	0.1	0	29.8
U2 - TITE, 56-day accrual	54.4	17.6	3.1	0.1	0	24.8
U3 - Original non-TITE	61.6	7.6	0.5	0.2	0	30.1
U3 - TITE, 56-day accrual	55.2	17.7	2.3	0.3	0	24.5
Mean administrations						
U2 - Original non-TITE	19	4.9	1	0.2	0	-
U2 - TITE, 56-day accrual	17.1	6.6	1.5	0.3	0	-
U3 - Original non-TITE	19.4	4.7	0.8	0.2	0	-
U3 - TITE, 56-day accrual	17.9	6.5	1.1	0.2	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.9	2.1	0.3	0.1	0	-
U2 - TITE, 56-day accrual	5.1	2.2	0.5	0.1	0	-
U3 - Original non-TITE	5.1	2.1	0.3	0.1	0	-
U3 - TITE, 56-day accrual	5.4	2.1	0.4	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						972.3
U2 - TITE, 56-day accrual						1007.5
U3 - Original non-TITE						974.8
U3 - TITE, 56-day accrual						1010.1

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	15.2	56.5	14.6	2.3	0.3	11.1
U2 - TITE, 56-day accrual	7.3	51.3	27.4	3.7	0.2	10.1
U3 - Original non-TITE	16.2	58.3	12.1	1.8	0.3	11.3
U3 - TITE, 56-day accrual	7.5	58.8	21.4	2.1	0	10.2
Mean administrations						
U2 - Original non-TITE	9	14.9	3.5	0.7	0.1	-
U2 - TITE, 56-day accrual	7	14	6.1	0.8	0	-
U3 - Original non-TITE	9.3	15.1	3	0.5	0.1	-
U3 - TITE, 56-day accrual	7.6	15.2	4.8	0.5	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	5.4	1	0.2	0	-
U2 - TITE, 56-day accrual	2.2	4.2	1.7	0.2	0	-
U3 - Original non-TITE	2	5.5	0.9	0.2	0	-
U3 - TITE, 56-day accrual	2.4	4.6	1.4	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1077.5
U2 - TITE, 56-day accrual						1129.3
U3 - Original non-TITE						1074.3
U3 - TITE, 56-day accrual						1115.2
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	14.4	1.8	0.6	0	0	83.2
U2 - TITE, 56-day accrual	15.6	5.9	0.9	0	0	77.6
U3 - Original non-TITE	14.2	2.2	0.2	0	0	83.4
U3 - TITE, 56-day accrual	14.9	6.9	1.1	0	0	77.1
Mean administrations						
U2 - Original non-TITE	10.7	4.1	0.8	0.2	0	-
U2 - TITE, 56-day accrual	10.8	5.2	1.2	0.3	0	-
U3 - Original non-TITE	10.6	4.1	0.8	0.2	0	-
U3 - TITE, 56-day accrual	11	5.2	1.1	0.2	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.5	2.2	0.3	0.1	0	-
U2 - TITE, 56-day accrual	3.5	1.9	0.5	0.1	0	-
U3 - Original non-TITE	2.5	2.1	0.3	0.1	0	-
U3 - TITE, 56-day accrual	3.6	1.9	0.4	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						584.2
U2 - TITE, 56-day accrual						657.7
U3 - Original non-TITE						580.2
U3 - TITE, 56-day accrual						654.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	11.3	9.4	18.7	11.1	10.6	38.9
U2 - TITE, 56-day accrual	6.3	10.1	22.5	15	11.8	34.3
U3 - Original non-TITE	13.3	10.3	18.5	9.9	8.8	39.2
U3 - TITE, 56-day accrual	5.9	10.6	23.9	14.7	9.2	35.7
Mean administrations						
U2 - Original non-TITE	6.1	5.7	5.4	4	2.3	-
U2 - TITE, 56-day accrual	6	5.6	5.8	4.6	2.4	-
U3 - Original non-TITE	6.3	5.7	5.3	4	2.1	-
U3 - TITE, 56-day accrual	6.7	6.2	5.5	4	1.9	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	3.3	1.9	1.6	0.8	-
U2 - TITE, 56-day accrual	2.1	2.5	2.2	1.7	0.7	-
U3 - Original non-TITE	1.2	3.3	1.8	1.6	0.7	-
U3 - TITE, 56-day accrual	2.4	2.7	2.1	1.5	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						816.9
U2 - TITE, 56-day accrual						900.2
U3 - Original non-TITE						813.4
U3 - TITE, 56-day accrual						882.4
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	6.7	18.8	7.4	1.4	0.1	65.6
U2 - TITE, 56-day accrual	5.3	26	13.4	1.2	0.1	54
U3 - Original non-TITE	6.5	19.8	6.4	1.1	0.1	66.1
U3 - TITE, 56-day accrual	5.1	27.6	11.7	0.6	0.1	54.9
Mean administrations						
U2 - Original non-TITE	8	7.9	2.5	0.7	0	-
U2 - TITE, 56-day accrual	7.1	9.3	3.8	0.6	0.1	-
U3 - Original non-TITE	8	8.1	2.3	0.6	0.1	-
U3 - TITE, 56-day accrual	7.3	9.9	3.3	0.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	3.6	0.8	0.3	0	-
U2 - TITE, 56-day accrual	2.2	3.1	1.2	0.2	0	-
U3 - Original non-TITE	1.4	3.7	0.7	0.2	0	-
U3 - TITE, 56-day accrual	2.3	3.3	1	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						709.5
U2 - TITE, 56-day accrual						816.1
U3 - Original non-TITE						708.2
U3 - TITE, 56-day accrual						808.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	56.1	12.3	0.6	0.1	0	30.9
U2 - TITE, 56-day accrual	41.9	25	2.9	0.1	0	30.1
U3 - Original non-TITE	57.3	11.4	0.4	0	0	30.9
U3 - TITE, 56-day accrual	40.4	25.6	2.9	0.1	0	31
Mean administrations						
U2 - Original non-TITE	16.4	6.4	1.6	0.5	0	-
U2 - TITE, 56-day accrual	14.5	8.1	2.2	0.6	0	-
U3 - Original non-TITE	16.7	6.3	1.5	0.4	0	-
U3 - TITE, 56-day accrual	15.2	7.9	1.9	0.4	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.6	3.1	0.5	0.2	0	-
U2 - TITE, 56-day accrual	5	2.9	0.8	0.2	0	-
U3 - Original non-TITE	4.7	3	0.5	0.2	0	-
U3 - TITE, 56-day accrual	5.3	2.9	0.6	0.1	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						904.6
U2 - TITE, 56-day accrual						948.1
U3 - Original non-TITE						902.9
U3 - TITE, 56-day accrual						934.2
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	11.2	13.9	15	41.7	9.7	8.5
U2 - TITE, 56-day accrual	6.8	11.8	16.2	42.3	14.5	8.4
U3 - Original non-TITE	14.5	14.8	12.7	40.3	8.6	9.1
U3 - TITE, 56-day accrual	5.1	12.4	17.5	44.3	12.6	8.1
Mean administrations						
U2 - Original non-TITE	4.5	5.9	6.2	9	2.9	-
U2 - TITE, 56-day accrual	4.3	5.5	6.2	8.8	3.7	-
U3 - Original non-TITE	4.7	6	6	8.9	2.7	-
U3 - TITE, 56-day accrual	4.9	6	5.8	8.7	3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.6	1.9	3.2	0.9	-
U2 - TITE, 56-day accrual	1.5	2.6	2.4	2.9	0.8	-
U3 - Original non-TITE	0.7	3.7	1.8	3.2	0.8	-
U3 - TITE, 56-day accrual	1.7	2.8	2.3	2.8	0.7	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1003
U2 - TITE, 56-day accrual						1102.6
U3 - Original non-TITE						997.1
U3 - TITE, 56-day accrual						1080.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	6.7	20.8	6.9	1.7	0.1	63.8
U2 - TITE, 56-day accrual	4.8	28.2	13.1	1.5	0.1	52.3
U3 - Original non-TITE	7.3	20.9	6.6	1	0.1	64.1
U3 - TITE, 56-day accrual	4.8	26.7	13.2	1.8	0	53.5
Mean administrations						
U2 - Original non-TITE	7.8	7.4	2.9	1.2	0.2	-
U2 - TITE, 56-day accrual	7.2	8.7	4.2	1.2	0.2	-
U3 - Original non-TITE	7.9	7.5	2.8	1.1	0.1	-
U3 - TITE, 56-day accrual	7.5	9.3	3.6	0.9	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	3.6	0.9	0.5	0.1	-
U2 - TITE, 56-day accrual	2.4	3.1	1.4	0.4	0	-
U3 - Original non-TITE	1.5	3.7	0.9	0.4	0.1	-
U3 - TITE, 56-day accrual	2.5	3.4	1.2	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						701.8
U2 - TITE, 56-day accrual						805.9
U3 - Original non-TITE						700.9
U3 - TITE, 56-day accrual						792.2
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	16	15	18.9	21.8	6	22.3
U2 - TITE, 56-day accrual	10.4	13.7	21.5	23.7	7.8	22.9
U3 - Original non-TITE	18.9	17.1	16.3	19.9	5.2	22.6
U3 - TITE, 56-day accrual	6.7	14.2	24	25.3	7.1	22.7
Mean administrations						
U2 - Original non-TITE	5.5	6.5	6.1	6.2	2.2	-
U2 - TITE, 56-day accrual	5.6	6.4	6.3	6.2	2.2	-
U3 - Original non-TITE	5.8	6.6	5.9	6	2.1	-
U3 - TITE, 56-day accrual	6.2	7	5.7	5.8	1.8	-
Mean IPDE administrations						
U2 - Original non-TITE	1	3.8	2	2.4	0.7	-
U2 - TITE, 56-day accrual	2	2.9	2.5	2.2	0.7	-
U3 - Original non-TITE	1.1	3.8	1.9	2.4	0.7	-
U3 - TITE, 56-day accrual	2.3	3.2	2.3	2	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						907
U2 - TITE, 56-day accrual						976.4
U3 - Original non-TITE						901.9
U3 - TITE, 56-day accrual						959.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	31.1	23.5	8.8	1.4	0.3	34.9
U2 - TITE, 56-day accrual	21.7	24.7	17.4	5.4	0.2	30.6
U3 - Original non-TITE	32.9	23.1	8.1	0.6	0.3	35
U3 - TITE, 56-day accrual	17	26	19.6	5.2	0.2	32
Mean administrations						
U2 - Original non-TITE	9.1	8.1	4.5	2.6	0.6	-
U2 - TITE, 56-day accrual	8.6	8.5	5.4	2.6	0.6	-
U3 - Original non-TITE	9.6	7.9	4.4	2.5	0.6	-
U3 - TITE, 56-day accrual	9.3	8.7	4.7	2.3	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	2.4	4.2	1.5	1.2	0.2	-
U2 - TITE, 56-day accrual	3.2	3.6	2.1	1	0.2	-
U3 - Original non-TITE	2.6	4.1	1.5	1.1	0.3	-
U3 - TITE, 56-day accrual	3.5	3.7	1.8	0.9	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						846.3
U2 - TITE, 56-day accrual						911.3
U3 - Original non-TITE						844.3
U3 - TITE, 56-day accrual						897.2
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	31	30.6	17.1	13.5	7.6	0.2
U2 - TITE, 56-day accrual	20.5	27.8	20.6	17.6	13.4	0.1
U3 - Original non-TITE	36.2	33.1	14.6	11.2	4.7	0.2
U3 - TITE, 56-day accrual	16.9	27.5	22.9	17.9	14.7	0.1
Mean administrations						
U2 - Original non-TITE	4.5	5.7	6.1	8	5.6	-
U2 - TITE, 56-day accrual	4	5.6	6.4	8.2	5.7	-
U3 - Original non-TITE	4.9	6.2	6.2	7.7	4.9	-
U3 - TITE, 56-day accrual	4.9	6.7	6.8	7.4	4.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.1	2.4	3.4	2.2	-
U2 - TITE, 56-day accrual	1.3	2.4	2.7	3.3	2.2	-
U3 - Original non-TITE	0.8	3.3	2.4	3.3	1.9	-
U3 - TITE, 56-day accrual	1.7	2.9	2.8	3	1.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1004.4
U2 - TITE, 56-day accrual						1088.4
U3 - Original non-TITE						1003
U3 - TITE, 56-day accrual						1068.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	21.3	67.3	7.8	0.1	0	3.5
U2 - TITE, 56-day accrual	11	69.5	15.7	0.3	0	3.5
U3 - Original non-TITE	22.9	68.7	4.8	0.1	0	3.5
U3 - TITE, 56-day accrual	12	73.6	10.6	0.2	0	3.6
Mean administrations						
U2 - Original non-TITE	10.7	16.2	2.3	0.2	0	-
U2 - TITE, 56-day accrual	8.5	16.7	3.9	0.2	0	-
U3 - Original non-TITE	11.2	16.3	1.8	0.1	0	-
U3 - TITE, 56-day accrual	9.4	17.1	2.8	0.1	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.5	5.4	0.7	0.1	0	-
U2 - TITE, 56-day accrual	2.6	4.8	1.1	0.1	0	-
U3 - Original non-TITE	2.6	5.5	0.5	0.1	0	-
U3 - TITE, 56-day accrual	2.9	5	0.7	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1145.3
U2 - TITE, 56-day accrual						1191.2
U3 - Original non-TITE						1142
U3 - TITE, 56-day accrual						1180.9
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	10.1	11.3	13.5	20	44.2	0.9
U2 - TITE, 56-day accrual	4.7	8.8	11.4	23.6	50.8	0.7
U3 - Original non-TITE	13.2	13.4	12.7	17.6	42.1	1
U3 - TITE, 56-day accrual	4.4	9.4	12.4	24.3	48.9	0.6
Mean administrations						
U2 - Original non-TITE	3.3	4.2	5.4	7.8	8.9	-
U2 - TITE, 56-day accrual	3.4	4.1	5.5	7.5	9.2	-
U3 - Original non-TITE	3.4	4.3	5.5	7.9	8.5	-
U3 - TITE, 56-day accrual	3.8	4.6	5.6	7.5	8.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	2.9	1.9	3.1	2.7	-
U2 - TITE, 56-day accrual	1.1	2.1	2.3	2.9	2.6	-
U3 - Original non-TITE	0.2	2.9	1.9	3.2	2.6	-
U3 - TITE, 56-day accrual	1.3	2.3	2.3	2.9	2.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1042.9
U2 - TITE, 56-day accrual						1146.2
U3 - Original non-TITE						1038.1
U3 - TITE, 56-day accrual						1131.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	12.4	43.6	8.9	0.2	0	34.9
U2 - TITE, 56-day accrual	7.4	46.2	17.7	1.1	0	27.6
U3 - Original non-TITE	13.9	43.8	7.9	0.3	0	34.1
U3 - TITE, 56-day accrual	6.2	45.7	19.7	1.1	0	27.3
Mean administrations						
U2 - Original non-TITE	7.8	11.5	4.5	1.1	0.1	-
U2 - TITE, 56-day accrual	7.3	11.9	5.6	1.1	0	-
U3 - Original non-TITE	8	11.9	4.2	0.9	0.1	-
U3 - TITE, 56-day accrual	7.6	12.6	4.9	0.8	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	5.2	1.4	0.5	0	-
U2 - TITE, 56-day accrual	2.5	4.3	1.7	0.4	0	-
U3 - Original non-TITE	1.6	5.3	1.3	0.4	0	-
U3 - TITE, 56-day accrual	2.7	4.6	1.5	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						896.6
U2 - TITE, 56-day accrual						990.1
U3 - Original non-TITE						895.6
U3 - TITE, 56-day accrual						980.5
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	7.7	51.2	25.5	5.5	0	10.1
U2 - TITE, 56-day accrual	5.2	38.6	35.8	10.8	0.6	9
U3 - Original non-TITE	10.2	53.1	21.1	5.2	0.1	10.3
U3 - TITE, 56-day accrual	4.3	34.9	40.7	11.7	0.4	8
Mean administrations						
U2 - Original non-TITE	4.9	11.2	7.9	3.5	0.7	-
U2 - TITE, 56-day accrual	4.7	10.4	8.7	3.9	0.7	-
U3 - Original non-TITE	5.1	11.7	7.5	3.3	0.7	-
U3 - TITE, 56-day accrual	5.1	11.5	8.2	3.2	0.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	5.3	2.6	1.4	0.3	-
U2 - TITE, 56-day accrual	1.6	4.2	3	1.3	0.3	-
U3 - Original non-TITE	0.8	5.5	2.4	1.3	0.3	-
U3 - TITE, 56-day accrual	1.8	4.6	2.8	1.1	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						992.9
U2 - TITE, 56-day accrual						1064.2
U3 - Original non-TITE						990.8
U3 - TITE, 56-day accrual						1056.1

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	36.9	0.1	0	0	0	63
U2 - TITE, 56-day accrual	57.6	1.6	0.1	0	0	40.7
U3 - Original non-TITE	37.2	0.1	0	0	0	62.7
U3 - TITE, 56-day accrual	58.2	1.4	0	0	0	40.4
Mean administrations						
U2 - Original non-TITE	18.1	1.7	0	0	0	-
U2 - TITE, 56-day accrual	20.5	2.6	0	0	0	-
U3 - Original non-TITE	18.2	1.6	0	0	0	-
U3 - TITE, 56-day accrual	20.6	2.4	0	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.5	0.8	0	0	0	-
U2 - TITE, 56-day accrual	4.4	0.7	0	0	0	-
U3 - Original non-TITE	3.5	0.8	0	0	0	-
U3 - TITE, 56-day accrual	4.4	0.6	0	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						856.2
U2 - TITE, 56-day accrual						1016.6
U3 - Original non-TITE						855.6
U3 - TITE, 56-day accrual						1014.8
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	13.8	44.9	6.4	0.2	0	34.7
U2 - TITE, 56-day accrual	8.5	49.3	14.8	1.4	0	26
U3 - Original non-TITE	15.3	44.5	6.3	0.3	0	33.6
U3 - TITE, 56-day accrual	7.2	51.2	15.2	1.1	0	25.3
Mean administrations						
U2 - Original non-TITE	8.2	12.1	4.2	1.1	0	-
U2 - TITE, 56-day accrual	7.6	12.5	5.1	1.2	0	-
U3 - Original non-TITE	8.3	12.2	3.9	1	0	-
U3 - TITE, 56-day accrual	8	13.2	4.5	0.9	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	5.5	1.2	0.5	0	-
U2 - TITE, 56-day accrual	2.8	4.7	1.5	0.3	0	-
U3 - Original non-TITE	1.8	5.6	1.2	0.4	0	-
U3 - TITE, 56-day accrual	2.9	4.9	1.3	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						903.2
U2 - TITE, 56-day accrual						1002.6
U3 - Original non-TITE						899.8
U3 - TITE, 56-day accrual						992.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	2.1	0.1	0	0	0	97.8
U2 - TITE, 56-day accrual	2.7	0.4	0.1	0	0	96.8
U3 - Original non-TITE	2.1	0	0	0	0	97.9
U3 - TITE, 56-day accrual	2.9	1.2	0.1	0	0	95.8
Mean administrations						
U2 - Original non-TITE	7.7	3.1	0.2	0	0	-
U2 - TITE, 56-day accrual	8.4	3.5	0.3	0	0	-
U3 - Original non-TITE	7.6	3.1	0.2	0	0	-
U3 - TITE, 56-day accrual	8.5	3.5	0.3	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	1.8	0.1	0	0	-
U2 - TITE, 56-day accrual	2.6	1.2	0.1	0	0	-
U3 - Original non-TITE	1.4	1.8	0.1	0	0	-
U3 - TITE, 56-day accrual	2.7	1.2	0.1	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						407.6
U2 - TITE, 56-day accrual						470.6
U3 - Original non-TITE						406.1
U3 - TITE, 56-day accrual						469.9
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	0.1	0.7	1.7	64.2	33.3	0
U2 - TITE, 56-day accrual	0.1	0.2	1	50.1	48.6	0
U3 - Original non-TITE	0.6	1	2.1	69.1	27.2	0
U3 - TITE, 56-day accrual	0.1	0.6	1.3	61.9	36	0.1
Mean administrations						
U2 - Original non-TITE	3.1	3.2	3.8	14	5.9	-
U2 - TITE, 56-day accrual	3.1	3.2	3.8	12.5	7.4	-
U3 - Original non-TITE	3.1	3.2	3.9	14.6	5.2	-
U3 - TITE, 56-day accrual	3.2	3.3	4.1	13.6	5.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0	2.4	1.2	4.8	1.8	-
U2 - TITE, 56-day accrual	0.9	1.7	1.6	4	2.1	-
U3 - Original non-TITE	0	2.5	1.2	5	1.6	-
U3 - TITE, 56-day accrual	1	1.7	1.7	4.4	1.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1087.4
U2 - TITE, 56-day accrual						1206.2
U3 - Original non-TITE						1084.6
U3 - TITE, 56-day accrual						1190.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	27.3	38.4	26.8	1	0	6.5
U2 - TITE, 56-day accrual	18.1	36.6	35.6	3.3	0.1	6.3
U3 - Original non-TITE	32.7	37.4	23	0.8	0	6.1
U3 - TITE, 56-day accrual	17.5	36.9	37.3	2.3	0	6
Mean administrations						
U2 - Original non-TITE	9.2	10.8	7.6	1.4	0.1	-
U2 - TITE, 56-day accrual	8.2	10.7	8.4	1.6	0.1	-
U3 - Original non-TITE	9.8	10.8	7.1	1.2	0	-
U3 - TITE, 56-day accrual	9.2	11.5	7.2	1.1	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.3	4.6	2.3	0.5	0	-
U2 - TITE, 56-day accrual	2.9	4	2.4	0.4	0	-
U3 - Original non-TITE	2.5	4.7	2.1	0.5	0	-
U3 - TITE, 56-day accrual	3.3	4.3	2.1	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1059.8
U2 - TITE, 56-day accrual						1114.9
U3 - Original non-TITE						1053.9
U3 - TITE, 56-day accrual						1099.1
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	19.6	27	20.3	1.8	0	31.3
U2 - TITE, 56-day accrual	9.4	28.1	30.5	2.9	0	29.1
U3 - Original non-TITE	20.4	28.4	17.8	1.5	0	31.9
U3 - TITE, 56-day accrual	8.9	28.5	30.7	3.4	0	28.5
Mean administrations						
U2 - Original non-TITE	8.5	8.9	6	1.6	0.1	-
U2 - TITE, 56-day accrual	7.7	8.8	7.2	1.7	0.1	-
U3 - Original non-TITE	8.8	9	5.8	1.5	0.1	-
U3 - TITE, 56-day accrual	8.1	9.3	6.7	1.4	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2	4.3	1.8	0.7	0	-
U2 - TITE, 56-day accrual	2.7	3.5	2.3	0.5	0	-
U3 - Original non-TITE	2.1	4.3	1.7	0.7	0	-
U3 - TITE, 56-day accrual	2.9	3.7	2.1	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						895.5
U2 - TITE, 56-day accrual						971.4
U3 - Original non-TITE						894.9
U3 - TITE, 56-day accrual						956.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	14.2	27.2	38.5	3.4	0	16.7
U2 - TITE, 56-day accrual	8.9	23.1	45.3	7.1	0	15.6
U3 - Original non-TITE	16.8	29.3	34.2	3.1	0	16.6
U3 - TITE, 56-day accrual	7.8	23.4	48	5.4	0	15.4
Mean administrations						
U2 - Original non-TITE	6.7	9	9.2	2.2	0.2	-
U2 - TITE, 56-day accrual	6.3	8.8	9.7	2.7	0.2	-
U3 - Original non-TITE	6.9	9.2	8.8	2.1	0.2	-
U3 - TITE, 56-day accrual	6.9	9.3	9.2	2.1	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	4.3	2.7	0.9	0.1	-
U2 - TITE, 56-day accrual	2.2	3.5	3	0.7	0.1	-
U3 - Original non-TITE	1.5	4.4	2.6	0.8	0.1	-
U3 - TITE, 56-day accrual	2.5	3.7	2.8	0.6	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						986.8
U2 - TITE, 56-day accrual						1063.3
U3 - Original non-TITE						984
U3 - TITE, 56-day accrual						1045
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	8.9	18.3	1.7	0	0	71.1
U2 - TITE, 56-day accrual	5.6	30.7	4.1	0	0	59.6
U3 - Original non-TITE	8.5	19.2	1.2	0	0	71.1
U3 - TITE, 56-day accrual	4.5	32.1	4.6	0	0	58.8
Mean administrations						
U2 - Original non-TITE	8.5	7.9	2	0.4	0	-
U2 - TITE, 56-day accrual	7.9	9.9	2.7	0.4	0	-
U3 - Original non-TITE	8.6	8	1.9	0.4	0	-
U3 - TITE, 56-day accrual	8	10.1	2.4	0.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	3.8	0.6	0.2	0	-
U2 - TITE, 56-day accrual	2.6	3.5	0.8	0.1	0	-
U3 - Original non-TITE	1.8	3.8	0.6	0.2	0	-
U3 - TITE, 56-day accrual	2.7	3.6	0.7	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						683.6
U2 - TITE, 56-day accrual						800.9
U3 - Original non-TITE						682.1
U3 - TITE, 56-day accrual						796

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	70.7	23	1.2	0	0	5.1
U2 - TITE, 56-day accrual	48.7	42.9	2.8	0	0	5.6
U3 - Original non-TITE	71.8	22.7	0.4	0	0	5.1
U3 - TITE, 56-day accrual	53	39.9	1.5	0	0	5.6
Mean administrations						
U2 - Original non-TITE	20	8.1	0.9	0.1	0	-
U2 - TITE, 56-day accrual	16.2	11.1	1.4	0.1	0	-
U3 - Original non-TITE	20.5	7.9	0.6	0.1	0	-
U3 - TITE, 56-day accrual	17.8	10.2	0.8	0.1	0	-
Mean IPDE administrations						
U2 - Original non-TITE	5	3.1	0.3	0	0	-
U2 - TITE, 56-day accrual	4.7	3.4	0.4	0	0	-
U3 - Original non-TITE	5.2	3	0.2	0	0	-
U3 - TITE, 56-day accrual	5.2	3.2	0.2	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1141.2
U2 - TITE, 56-day accrual						1161.6
U3 - Original non-TITE						1139.3
U3 - TITE, 56-day accrual						1157.9
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	14.2	16.1	18.1	42.8	6.5	2.3
U2 - TITE, 56-day accrual	9.9	12.5	18.7	49.3	7.4	2.2
U3 - Original non-TITE	18.7	19.1	16.5	39	4.4	2.3
U3 - TITE, 56-day accrual	9.6	12.1	19.4	48.6	7.8	2.5
Mean administrations						
U2 - Original non-TITE	4.5	6	6.9	9.8	2.4	-
U2 - TITE, 56-day accrual	4.4	5.8	6.8	9.7	2.9	-
U3 - Original non-TITE	4.7	6.4	6.8	9.6	2.1	-
U3 - TITE, 56-day accrual	5.1	6.6	6.6	9	2.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.4	2.3	3.3	0.8	-
U2 - TITE, 56-day accrual	1.5	2.6	2.6	3.1	0.7	-
U3 - Original non-TITE	0.7	3.6	2.2	3.2	0.7	-
U3 - TITE, 56-day accrual	1.8	2.9	2.5	2.9	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1049.8
U2 - TITE, 56-day accrual						1142.7
U3 - Original non-TITE						1046.1
U3 - TITE, 56-day accrual						1116

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	1.4	52.8	33.4	11.4	0.8	0.2
U2 - TITE, 56-day accrual	0.5	39.8	45.6	13.5	0.4	0.2
U3 - Original non-TITE	2.2	59.2	28	10	0.4	0.2
U3 - TITE, 56-day accrual	0.7	50.2	40.9	8	0.1	0.1
Mean administrations						
U2 - Original non-TITE	4	16	7.5	2.3	0.2	-
U2 - TITE, 56-day accrual	3.7	14	10	2.1	0.1	-
U3 - Original non-TITE	4.2	17.1	6.6	2	0.1	-
U3 - TITE, 56-day accrual	4	15.7	8.9	1.3	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.4	6	2.4	0.7	0.1	-
U2 - TITE, 56-day accrual	1.1	4.6	3.2	0.7	0	-
U3 - Original non-TITE	0.4	6.4	2.1	0.6	0	-
U3 - TITE, 56-day accrual	1.2	5.1	2.8	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1130.5
U2 - TITE, 56-day accrual						1187.4
U3 - Original non-TITE						1128.9
U3 - TITE, 56-day accrual						1183
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	10	11.5	35.5	34.1	7.9	1
U2 - TITE, 56-day accrual	5.3	9.5	33.2	39.8	11.3	0.9
U3 - Original non-TITE	13.7	15.7	36.3	28.5	4.9	0.9
U3 - TITE, 56-day accrual	4.6	8.7	35.1	41.8	8.8	1
Mean administrations						
U2 - Original non-TITE	3.4	4.6	9.1	9	3.7	-
U2 - TITE, 56-day accrual	3.4	4.4	9	9.3	3.7	-
U3 - Original non-TITE	3.5	4.9	9.6	8.8	3	-
U3 - TITE, 56-day accrual	3.8	5.1	9.6	8.8	2.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	3	3	3.4	1.3	-
U2 - TITE, 56-day accrual	1.1	2.1	3.3	3.2	1.2	-
U3 - Original non-TITE	0.2	3.1	3.2	3.3	1	-
U3 - TITE, 56-day accrual	1.2	2.4	3.6	3	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1044.5
U2 - TITE, 56-day accrual						1147.6
U3 - Original non-TITE						1042.1
U3 - TITE, 56-day accrual						1132.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	8.1	8	15.2	52.1	16.2	0.4
U2 - TITE, 56-day accrual	3.3	6	13.2	48.8	28.1	0.6
U3 - Original non-TITE	12.6	8.5	14.6	50.9	13.1	0.3
U3 - TITE, 56-day accrual	3.3	5.4	13.3	55.6	21.8	0.6
Mean administrations						
U2 - Original non-TITE	3.3	3.8	6.5	11.6	4.6	-
U2 - TITE, 56-day accrual	3.2	3.7	6	11.2	5.8	-
U3 - Original non-TITE	3.3	3.9	6.6	11.8	4.1	-
U3 - TITE, 56-day accrual	3.5	4	6.3	11.4	4.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	2.8	1.9	4.1	1.3	-
U2 - TITE, 56-day accrual	1	1.9	2.3	3.5	1.5	-
U3 - Original non-TITE	0.2	2.8	2	4.2	1.2	-
U3 - TITE, 56-day accrual	1.1	2.1	2.5	3.6	1.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1075.2
U2 - TITE, 56-day accrual						1191
U3 - Original non-TITE						1071.5
U3 - TITE, 56-day accrual						1173.7
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	13	16.3	44.4	11.5	1.6	13.2
U2 - TITE, 56-day accrual	7.9	12.9	47.9	18.7	1.2	11.4
U3 - Original non-TITE	14	18.2	42	11.4	0.9	13.5
U3 - TITE, 56-day accrual	6.9	11.3	49.5	19.3	1.3	11.7
Mean administrations						
U2 - Original non-TITE	4.9	7.1	9.9	4.9	1	-
U2 - TITE, 56-day accrual	4.7	6.7	9.8	5.6	1.1	-
U3 - Original non-TITE	5.2	7.2	9.8	4.7	0.9	-
U3 - TITE, 56-day accrual	5.3	7.2	9.6	5.1	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.8	3.9	3.1	1.8	0.4	-
U2 - TITE, 56-day accrual	1.7	3	3.3	1.8	0.4	-
U3 - Original non-TITE	0.9	3.9	3.1	1.8	0.4	-
U3 - TITE, 56-day accrual	1.9	3.2	3.2	1.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						979.7
U2 - TITE, 56-day accrual						1073.6
U3 - Original non-TITE						978.4
U3 - TITE, 56-day accrual						1050.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	5.1	55.9	33.8	4.6	0.2	0.4
U2 - TITE, 56-day accrual	1.9	38.4	50.9	8	0.5	0.3
U3 - Original non-TITE	7.1	61.7	27.5	3.4	0	0.3
U3 - TITE, 56-day accrual	2.1	51	42.2	4.1	0.2	0.4
Mean administrations						
U2 - Original non-TITE	4.4	15.5	8.1	1.7	0.2	-
U2 - TITE, 56-day accrual	4	13.5	10.3	1.9	0.2	-
U3 - Original non-TITE	4.8	16.4	7.2	1.4	0.1	-
U3 - TITE, 56-day accrual	4.5	15.6	8.6	1.1	0	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	5.9	2.4	0.6	0.1	-
U2 - TITE, 56-day accrual	1.3	4.6	3	0.6	0.1	-
U3 - Original non-TITE	0.7	6.2	2.1	0.5	0	-
U3 - TITE, 56-day accrual	1.5	5.3	2.5	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1132.1
U2 - TITE, 56-day accrual						1203.2
U3 - Original non-TITE						1127.7
U3 - TITE, 56-day accrual						1182.1
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	11.8	26.8	8.1	1.5	0.2	51.6
U2 - TITE, 56-day accrual	5.9	34.5	15.9	1.9	0.3	41.5
U3 - Original non-TITE	13.2	26.6	7	1.6	0.2	51.4
U3 - TITE, 56-day accrual	5.3	33.5	17.2	2.1	0.2	41.7
Mean administrations						
U2 - Original non-TITE	7.5	8.5	4	1.8	0.3	-
U2 - TITE, 56-day accrual	7.1	9.3	4.9	1.8	0.3	-
U3 - Original non-TITE	7.5	8.6	3.8	1.8	0.3	-
U3 - TITE, 56-day accrual	7.4	9.8	4.6	1.5	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	4.3	1.3	0.7	0.1	-
U2 - TITE, 56-day accrual	2.5	3.6	1.7	0.6	0.1	-
U3 - Original non-TITE	1.5	4.4	1.2	0.7	0.1	-
U3 - TITE, 56-day accrual	2.6	3.8	1.6	0.5	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						775.3
U2 - TITE, 56-day accrual						864.7
U3 - Original non-TITE						770.7
U3 - TITE, 56-day accrual						852.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	12.1	32.5	6.6	0.2	0	48.6
U2 - TITE, 56-day accrual	7.4	39.1	14.3	1.5	0	37.7
U3 - Original non-TITE	13.3	32.9	5.9	0.2	0	47.7
U3 - TITE, 56-day accrual	4.9	38.4	17.6	1.7	0	37.4
Mean administrations						
U2 - Original non-TITE	7.4	10	4.2	1.7	0.2	-
U2 - TITE, 56-day accrual	7.2	10.8	4.9	1.6	0.2	-
U3 - Original non-TITE	7.5	10	4	1.6	0.2	-
U3 - TITE, 56-day accrual	7.5	11.1	4.6	1.3	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	5	1.3	0.7	0.1	-
U2 - TITE, 56-day accrual	2.6	4.1	1.6	0.5	0.1	-
U3 - Original non-TITE	1.5	5	1.2	0.7	0.1	-
U3 - TITE, 56-day accrual	2.7	4.3	1.5	0.5	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						815.4
U2 - TITE, 56-day accrual						921.9
U3 - Original non-TITE						813.8
U3 - TITE, 56-day accrual						905.4