

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 1                 |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.3    | 0.4    | 0.5    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 2                  | -0.2   | -0.3   | -0.3   | -0.4   | -0.4   |        |
| Utility 3                  | 31     | 29.6   | 28.2   | 26.8   | 25.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 15.9   | 8      | 1.6    | 0.5    | 0.2    | 73.8   |
| U2 - TITE, 56-day accrual  | 5      | 7.1    | 4.6    | 1.5    | 0.1    | 81.7   |
| U3 - Original non-TITE     | 17.3   | 7.7    | 1.3    | 0.3    | 0.2    | 73.2   |
| U3 - TITE, 56-day accrual  | 4.7    | 6.7    | 4.3    | 1.4    | 0      | 82.9   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.1   | 3.6    | 2.1    | 0.9    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 8.8    | 3.3    | 1.5    | 0.6    | 0.2    | -      |
| U3 - Original non-TITE     | 11.1   | 3.6    | 2.2    | 0.9    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 8.8    | 3.3    | 1.5    | 0.6    | 0.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.2    | 1.8    | 0.7    | 0.4    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.9    | 1.4    | 0.5    | 0.2    | 0.1    | -      |
| U3 - Original non-TITE     | 3.2    | 1.8    | 0.7    | 0.4    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 2.9    | 1.4    | 0.6    | 0.2    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 642.5  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 527.8  |
| U3 - Original non-TITE     |        |        |        |        |        | 645    |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 533.7  |
| Scenario 2                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.3    | 0.5    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.1    | 0.1    | 0.2    | 0.1    | 0.1    |        |
| Utility 3                  | 46     | 47     | 58     | 56     | 52     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 31.7   | 15     | 33.2   | 11.2   | 3.7    | 5.2    |
| U2 - TITE, 56-day accrual  | 21.6   | 18.4   | 34.4   | 11.1   | 3.5    | 11     |
| U3 - Original non-TITE     | 34.3   | 16.3   | 31.2   | 10.2   | 3      | 5      |
| U3 - TITE, 56-day accrual  | 21.6   | 19.2   | 33.7   | 11.7   | 3      | 10.8   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.8   | 5.1    | 7.2    | 3.8    | 2.2    | -      |
| U2 - TITE, 56-day accrual  | 11.2   | 6      | 6.8    | 2.7    | 1      | -      |
| U3 - Original non-TITE     | 10.8   | 5.1    | 7.1    | 3.9    | 2.1    | -      |
| U3 - TITE, 56-day accrual  | 11.2   | 5.9    | 6.8    | 2.8    | 1      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.1    | 2.4    | 1.9    | 1      | 0.5    | -      |
| U2 - TITE, 56-day accrual  | 3.9    | 2.3    | 1.8    | 0.7    | 0.2    | -      |
| U3 - Original non-TITE     | 3.1    | 2.4    | 1.9    | 1.1    | 0.5    | -      |
| U3 - TITE, 56-day accrual  | 4      | 2.3    | 1.8    | 0.7    | 0.2    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1107.9 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1094.7 |
| U3 - Original non-TITE     |        |        |        |        |        | 1107.9 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1094.7 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 3                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.3    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.4    | 0.4    | 0.4    | 0.4    |        |
| Utility 2                  | -0.1   | 0.2    | 0.1    | 0.1    | -0.1   |        |
| Utility 3                  | 40     | 56     | 52     | 50     | 46     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.5   | 39.5   | 21     | 8.2    | 2.7    | 18.1   |
| U2 - TITE, 56-day accrual  | 4.9    | 40.4   | 22.9   | 9.4    | 2.3    | 20.1   |
| U3 - Original non-TITE     | 12.6   | 42.7   | 18.9   | 5.7    | 1.9    | 18.2   |
| U3 - TITE, 56-day accrual  | 5.2    | 40.8   | 22.9   | 8.3    | 2.5    | 20.3   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.8    | 7.5    | 6.1    | 3.6    | 2      | -      |
| U2 - TITE, 56-day accrual  | 7.5    | 9.9    | 5.2    | 2.3    | 1      | -      |
| U3 - Original non-TITE     | 7.8    | 7.6    | 6      | 3.6    | 2      | -      |
| U3 - TITE, 56-day accrual  | 7.4    | 9.8    | 5.3    | 2.2    | 1      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2      | 3.3    | 1.7    | 1.1    | 0.6    | -      |
| U2 - TITE, 56-day accrual  | 2.7    | 3.5    | 1.5    | 0.7    | 0.3    | -      |
| U3 - Original non-TITE     | 2      | 3.3    | 1.7    | 1.1    | 0.6    | -      |
| U3 - TITE, 56-day accrual  | 2.7    | 3.5    | 1.6    | 0.6    | 0.3    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1011.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1007.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1011.7 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1007.1 |
| Scenario 4                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.5    | 0.6    |        |
| Utility 2                  | 0      | 0      | 0.1    | 0.2    | 0.1    |        |
| Utility 3                  | 41     | 42     | 47.8   | 58     | 57     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 6.4    | 7.2    | 21.6   | 42.5   | 19.4   | 2.9    |
| U2 - TITE, 56-day accrual  | 2      | 9.7    | 22.1   | 40.9   | 18.1   | 7.2    |
| U3 - Original non-TITE     | 10.6   | 8.8    | 18.7   | 41.8   | 17.2   | 2.9    |
| U3 - TITE, 56-day accrual  | 3.1    | 8.5    | 23.4   | 40.6   | 17.5   | 6.9    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.3    | 4.2    | 6.5    | 8      | 6.5    | -      |
| U2 - TITE, 56-day accrual  | 4.7    | 5      | 6.5    | 7.6    | 4.2    | -      |
| U3 - Original non-TITE     | 4.3    | 4.1    | 6.4    | 8      | 6.5    | -      |
| U3 - TITE, 56-day accrual  | 4.8    | 5      | 6.5    | 7.5    | 4.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.6    | 2.7    | 2      | 2.6    | 1.5    | -      |
| U2 - TITE, 56-day accrual  | 1.7    | 2.4    | 2.4    | 2.1    | 0.9    | -      |
| U3 - Original non-TITE     | 0.6    | 2.7    | 2      | 2.6    | 1.5    | -      |
| U3 - TITE, 56-day accrual  | 1.7    | 2.4    | 2.4    | 2.1    | 0.9    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1097.8 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1103.5 |
| U3 - Original non-TITE     |        |        |        |        |        | 1097.3 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1106.7 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 5                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.2    | 0.3    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.3    |        |
| Utility 2                  | 0      | 0.2    | 0.1    | 0.1    | 0      |        |
| Utility 3                  | 40.2   | 53.2   | 51.2   | 49.2   | 46     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.7    | 36.3   | 24.8   | 18.5   | 11.2   | 5.5    |
| U2 - TITE, 56-day accrual  | 1      | 27.2   | 29     | 22.4   | 13.8   | 6.6    |
| U3 - Original non-TITE     | 6.9    | 42.5   | 22.5   | 16.3   | 6.3    | 5.5    |
| U3 - TITE, 56-day accrual  | 1.6    | 27.6   | 27.3   | 22.8   | 14.1   | 6.6    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.5    | 6.5    | 6.5    | 5.8    | 5.6    | -      |
| U2 - TITE, 56-day accrual  | 5      | 9.9    | 6.3    | 4.3    | 2.8    | -      |
| U3 - Original non-TITE     | 4.5    | 6.5    | 6.6    | 5.7    | 5.6    | -      |
| U3 - TITE, 56-day accrual  | 5      | 9.8    | 6.3    | 4.3    | 2.7    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.7    | 3.5    | 2.1    | 2.2    | 1.9    | -      |
| U2 - TITE, 56-day accrual  | 1.8    | 4      | 2.3    | 1.5    | 0.9    | -      |
| U3 - Original non-TITE     | 0.7    | 3.4    | 2.1    | 2.2    | 1.9    | -      |
| U3 - TITE, 56-day accrual  | 1.8    | 4      | 2.2    | 1.6    | 0.9    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1021.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1052.4 |
| U3 - Original non-TITE     |        |        |        |        |        | 1020.3 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1050.3 |
| Scenario 6                 |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.3    | 0.4    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.3    | 0.3    | 0.3    | 0.4    | 0.4    |        |
| Utility 2                  | 0      | 0      | 0      | -0.1   | -0.1   |        |
| Utility 3                  | 46.4   | 45.6   | 45.8   | 45.6   | 43.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 66.7   | 13     | 3.6    | 1.3    | 0.4    | 15     |
| U2 - TITE, 56-day accrual  | 55.2   | 16.9   | 5.7    | 1.2    | 0.2    | 20.8   |
| U3 - Original non-TITE     | 67.3   | 13.2   | 3.3    | 1      | 0.4    | 14.8   |
| U3 - TITE, 56-day accrual  | 56.7   | 15.7   | 6      | 1.1    | 0.2    | 20.3   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 19.2   | 4      | 2.5    | 1.1    | 0.4    | -      |
| U2 - TITE, 56-day accrual  | 18.5   | 4.6    | 2      | 0.7    | 0.3    | -      |
| U3 - Original non-TITE     | 19.1   | 4      | 2.6    | 1.1    | 0.4    | -      |
| U3 - TITE, 56-day accrual  | 18.6   | 4.5    | 2      | 0.7    | 0.3    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.2    | 1.5    | 0.7    | 0.4    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 5.6    | 1.5    | 0.6    | 0.2    | 0.1    | -      |
| U3 - Original non-TITE     | 5.2    | 1.6    | 0.8    | 0.4    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 5.7    | 1.5    | 0.6    | 0.2    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1056.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1029.9 |
| U3 - Original non-TITE     |        |        |        |        |        | 1057.1 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1031.8 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 7                 |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.2    | 0.3    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.2    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0      | 0.3    | 0.2    | 0.2    | 0.1    |        |
| Utility 3                  | 45.6   | 62     | 59.6   | 57.6   | 55.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 22.1   | 37.1   | 20.3   | 11     | 3.6    | 5.9    |
| U2 - TITE, 56-day accrual  | 14.1   | 38.5   | 21.5   | 9.5    | 4.9    | 11.5   |
| U3 - Original non-TITE     | 25.1   | 39.8   | 18.1   | 8.5    | 2.7    | 5.8    |
| U3 - TITE, 56-day accrual  | 14.3   | 37.9   | 21.9   | 10     | 4.5    | 11.4   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.1   | 7      | 5.5    | 3.8    | 2.5    | -      |
| U2 - TITE, 56-day accrual  | 10     | 9.1    | 5.1    | 2.4    | 1.2    | -      |
| U3 - Original non-TITE     | 10.1   | 7      | 5.6    | 3.8    | 2.5    | -      |
| U3 - TITE, 56-day accrual  | 10     | 9.1    | 5.1    | 2.5    | 1.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.8    | 2.8    | 1.4    | 1.1    | 0.7    | -      |
| U2 - TITE, 56-day accrual  | 3.4    | 2.8    | 1.4    | 0.6    | 0.3    | -      |
| U3 - Original non-TITE     | 2.8    | 2.8    | 1.4    | 1.1    | 0.7    | -      |
| U3 - TITE, 56-day accrual  | 3.4    | 2.8    | 1.4    | 0.7    | 0.3    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1118.8 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1118.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1119.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1119   |
| Scenario 8                 |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.4    | 0.4    | 0.5    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Utility 2                  | -0.2   | -0.2   | -0.2   | -0.2   | -0.1   |        |
| Utility 3                  | 33.2   | 34.2   | 35.2   | 38.8   | 43.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 26.2   | 8.5    | 3.2    | 1      | 0.4    | 60.7   |
| U2 - TITE, 56-day accrual  | 15.3   | 8.7    | 4.4    | 0.9    | 0      | 70.7   |
| U3 - Original non-TITE     | 27.4   | 8.8    | 2.3    | 0.9    | 0.3    | 60.3   |
| U3 - TITE, 56-day accrual  | 16.1   | 9      | 3.9    | 0.9    | 0      | 70.1   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 13.4   | 3.6    | 1.9    | 0.8    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 10.8   | 3.5    | 1.8    | 0.6    | 0.2    | -      |
| U3 - Original non-TITE     | 13.4   | 3.6    | 1.9    | 0.8    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 11     | 3.5    | 1.8    | 0.6    | 0.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.9    | 1.6    | 0.6    | 0.3    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 3.6    | 1.3    | 0.6    | 0.2    | 0      | -      |
| U3 - Original non-TITE     | 3.9    | 1.7    | 0.6    | 0.3    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 3.6    | 1.3    | 0.6    | 0.2    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 733.4  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 644.6  |
| U3 - Original non-TITE     |        |        |        |        |        | 732.9  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 644.2  |



Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 9                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.2    | 0.3    | 0.3    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.2    | 0.5    |        |
| Utility 2                  | -0.1   | -0.1   | 0      | 0      | 0.2    |        |
| Utility 3                  | 37     | 37.6   | 43.2   | 44.6   | 58.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.7    | 8.6    | 17.8   | 13.6   | 26.4   | 25.9   |
| U2 - TITE, 56-day accrual  | 3.2    | 11.2   | 22     | 14.1   | 19.4   | 30.1   |
| U3 - Original non-TITE     | 13.9   | 9.8    | 15.1   | 12.7   | 22.5   | 26     |
| U3 - TITE, 56-day accrual  | 3.2    | 10     | 22.1   | 13.6   | 19.1   | 32     |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 6.9    | 4.1    | 5.3    | 4.1    | 5.2    | -      |
| U2 - TITE, 56-day accrual  | 6.6    | 4.9    | 5.5    | 3.1    | 3.1    | -      |
| U3 - Original non-TITE     | 6.8    | 4.1    | 5.3    | 4.1    | 5.3    | -      |
| U3 - TITE, 56-day accrual  | 6.7    | 4.8    | 5.5    | 3      | 3.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.7    | 2.4    | 1.8    | 1.6    | 1.5    | -      |
| U2 - TITE, 56-day accrual  | 2.4    | 2.2    | 2.1    | 1.1    | 0.9    | -      |
| U3 - Original non-TITE     | 1.7    | 2.4    | 1.8    | 1.6    | 1.5    | -      |
| U3 - TITE, 56-day accrual  | 2.4    | 2.2    | 2.1    | 1.1    | 0.9    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 908.6  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 868.8  |
| U3 - Original non-TITE     |        |        |        |        |        | 908.7  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 866.3  |
| Scenario 10                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.3    | 0.4    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.4    | 0.4    | 0.5    | 0.5    |        |
| Utility 2                  | -0.2   | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 3                  | 33.8   | 52.8   | 52.4   | 51.4   | 52.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 6.4    | 29.1   | 12     | 4.3    | 1.9    | 46.3   |
| U2 - TITE, 56-day accrual  | 4.4    | 32     | 13.1   | 3.5    | 1.2    | 45.8   |
| U3 - Original non-TITE     | 6.9    | 30.5   | 10.7   | 4      | 1.6    | 46.3   |
| U3 - TITE, 56-day accrual  | 4      | 32.3   | 13.3   | 3.3    | 1.1    | 46     |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.4    | 5.9    | 4.1    | 2.2    | 1.1    | -      |
| U2 - TITE, 56-day accrual  | 7      | 8.2    | 3.6    | 1.4    | 0.5    | -      |
| U3 - Original non-TITE     | 8.4    | 6      | 4.1    | 2.2    | 1.2    | -      |
| U3 - TITE, 56-day accrual  | 7      | 8.3    | 3.5    | 1.4    | 0.6    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.2    | 2.5    | 1.1    | 0.7    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 2.4    | 2.7    | 1      | 0.4    | 0.1    | -      |
| U3 - Original non-TITE     | 2.2    | 2.5    | 1.1    | 0.6    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 2.4    | 2.7    | 1      | 0.4    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 817.3  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 816.4  |
| U3 - Original non-TITE     |        |        |        |        |        | 817.3  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 813.4  |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 11                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.4    | 0.6    | 0.7    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0      | -0.1   | -0.2   | -0.4   | -0.5   |        |
| Utility 3                  | 43.2   | 39.2   | 34.4   | 28.4   | 25.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 58.1   | 20.8   | 4.6    | 1      | 0.1    | 15.4   |
| U2 - TITE, 56-day accrual  | 42.9   | 22.8   | 5.7    | 1.3    | 0      | 27.3   |
| U3 - Original non-TITE     | 60.4   | 19.2   | 4.4    | 0.6    | 0      | 15.4   |
| U3 - TITE, 56-day accrual  | 40.8   | 24.1   | 5.8    | 1.6    | 0      | 27.7   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 16.8   | 5.9    | 3.5    | 1.1    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 15.9   | 5.7    | 2.7    | 0.7    | 0.1    | -      |
| U3 - Original non-TITE     | 16.9   | 5.7    | 3.6    | 1      | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 15.9   | 5.7    | 2.8    | 0.7    | 0.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.1    | 2.5    | 1.1    | 0.4    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 5.5    | 2.1    | 0.9    | 0.2    | 0      | -      |
| U3 - Original non-TITE     | 5.2    | 2.5    | 1.1    | 0.4    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 5.5    | 2.1    | 0.9    | 0.2    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1003.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 946.3  |
| U3 - Original non-TITE     |        |        |        |        |        | 1002.3 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 946.8  |
| Scenario 12                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.4    | 0.6    |        |
| Utility 2                  | 0      | 0      | -0.1   | 0.1    | 0.2    |        |
| Utility 3                  | 40.6   | 42.4   | 40     | 52.4   | 58.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 12.2   | 11.4   | 9.6    | 37.6   | 23.8   | 5.4    |
| U2 - TITE, 56-day accrual  | 5.4    | 14     | 16.9   | 33.9   | 20.9   | 8.9    |
| U3 - Original non-TITE     | 18.8   | 11.5   | 7.7    | 34.7   | 21.8   | 5.5    |
| U3 - TITE, 56-day accrual  | 4.2    | 13.7   | 16.6   | 35.5   | 20.6   | 9.4    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.7    | 4.5    | 5.2    | 7.5    | 7.3    | -      |
| U2 - TITE, 56-day accrual  | 5.2    | 5.3    | 4.6    | 6.9    | 5.1    | -      |
| U3 - Original non-TITE     | 4.7    | 4.5    | 5.3    | 7.4    | 7.2    | -      |
| U3 - TITE, 56-day accrual  | 5.2    | 5.3    | 4.8    | 7      | 5      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.8    | 2.8    | 1.6    | 2.8    | 1.6    | -      |
| U2 - TITE, 56-day accrual  | 1.9    | 2.5    | 1.8    | 2.2    | 1      | -      |
| U3 - Original non-TITE     | 0.8    | 2.9    | 1.7    | 2.7    | 1.6    | -      |
| U3 - TITE, 56-day accrual  | 1.9    | 2.5    | 1.9    | 2.2    | 1      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1074.5 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1068.6 |
| U3 - Original non-TITE     |        |        |        |        |        | 1074   |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1067.8 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 13                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.4    |        |
| Utility 2                  | -0.2   | 0      | 0      | 0      | -0.1   |        |
| Utility 3                  | 34.6   | 46.4   | 47.2   | 45.4   | 45.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.3    | 29.4   | 13.8   | 5.1    | 2      | 41.4   |
| U2 - TITE, 56-day accrual  | 3.9    | 31.3   | 14.6   | 4.5    | 1.1    | 44.6   |
| U3 - Original non-TITE     | 9.5    | 30.2   | 12.9   | 4.6    | 1.3    | 41.5   |
| U3 - TITE, 56-day accrual  | 4      | 30.7   | 14.7   | 4.5    | 1.4    | 44.7   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.2    | 6.2    | 4.4    | 2.4    | 1.2    | -      |
| U2 - TITE, 56-day accrual  | 7.2    | 8.2    | 3.7    | 1.6    | 0.6    | -      |
| U3 - Original non-TITE     | 8.2    | 6.2    | 4.5    | 2.4    | 1.2    | -      |
| U3 - TITE, 56-day accrual  | 7.2    | 8.2    | 3.6    | 1.6    | 0.7    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.2    | 2.8    | 1.3    | 0.8    | 0.4    | -      |
| U2 - TITE, 56-day accrual  | 2.5    | 3      | 1.2    | 0.5    | 0.2    | -      |
| U3 - Original non-TITE     | 2.1    | 2.8    | 1.4    | 0.8    | 0.4    | -      |
| U3 - TITE, 56-day accrual  | 2.5    | 3      | 1.2    | 0.5    | 0.2    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 822    |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 817.2  |
| U3 - Original non-TITE     |        |        |        |        |        | 822.3  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 817.8  |
| Scenario 14                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.3    | 0.4    |        |
| Utility 2                  | 0      | -0.1   | -0.1   | 0      | 0      |        |
| Utility 3                  | 39.4   | 38.8   | 38     | 46.8   | 48.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 16.2   | 11.7   | 13.7   | 29     | 16.6   | 12.8   |
| U2 - TITE, 56-day accrual  | 4      | 13.9   | 21.7   | 28.2   | 13.5   | 18.7   |
| U3 - Original non-TITE     | 24.8   | 14.3   | 9.8    | 26.3   | 11.9   | 12.9   |
| U3 - TITE, 56-day accrual  | 4.1    | 15.5   | 20.7   | 27     | 14.2   | 18.5   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.8    | 5.1    | 5.7    | 6.2    | 5.2    | -      |
| U2 - TITE, 56-day accrual  | 6.4    | 5.6    | 5.3    | 5      | 3      | -      |
| U3 - Original non-TITE     | 5.9    | 5.1    | 5.7    | 6.2    | 5.2    | -      |
| U3 - TITE, 56-day accrual  | 6.3    | 5.6    | 5.2    | 5      | 3.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.3    | 3      | 2      | 2.4    | 1.5    | -      |
| U2 - TITE, 56-day accrual  | 2.4    | 2.6    | 2.1    | 1.8    | 0.8    | -      |
| U3 - Original non-TITE     | 1.3    | 3      | 1.9    | 2.4    | 1.5    | -      |
| U3 - TITE, 56-day accrual  | 2.3    | 2.6    | 2      | 1.8    | 0.8    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 984.3  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 940.4  |
| U3 - Original non-TITE     |        |        |        |        |        | 984.3  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 937.5  |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 15                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 2                  | 0      | -0.1   | -0.2   | -0.3   | -0.4   |        |
| Utility 3                  | 40.8   | 38     | 33.2   | 30.4   | 27.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 43.2   | 23.6   | 11.2   | 3.2    | 0.9    | 17.9   |
| U2 - TITE, 56-day accrual  | 16.2   | 24.4   | 19.3   | 7.8    | 2.1    | 30.2   |
| U3 - Original non-TITE     | 52.3   | 20.1   | 6.9    | 2.3    | 0.4    | 18     |
| U3 - TITE, 56-day accrual  | 17     | 24.8   | 17.7   | 8.5    | 2.6    | 29.4   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10     | 6.5    | 5.8    | 3.3    | 1.7    | -      |
| U2 - TITE, 56-day accrual  | 10.1   | 6.5    | 4.3    | 2      | 0.9    | -      |
| U3 - Original non-TITE     | 10     | 6.6    | 5.8    | 3.3    | 1.7    | -      |
| U3 - TITE, 56-day accrual  | 10     | 6.5    | 4.3    | 2.1    | 0.9    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3      | 3.4    | 2      | 1.4    | 0.7    | -      |
| U2 - TITE, 56-day accrual  | 3.8    | 2.8    | 1.6    | 0.8    | 0.3    | -      |
| U3 - Original non-TITE     | 3      | 3.4    | 2      | 1.4    | 0.6    | -      |
| U3 - TITE, 56-day accrual  | 3.8    | 2.8    | 1.6    | 0.8    | 0.3    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 932.8  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 852.1  |
| U3 - Original non-TITE     |        |        |        |        |        | 934.1  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 851.6  |
| Scenario 16                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.1    | 0.1    | 0.3    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0.2    | 0.1    | 0.1    | 0.1    | -0.1   |        |
| Utility 3                  | 51.2   | 49.6   | 48.4   | 46.4   | 41.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 31.3   | 23     | 16.7   | 16     | 12.9   | 0.1    |
| U2 - TITE, 56-day accrual  | 12.8   | 18     | 21.3   | 23.9   | 23.6   | 0.4    |
| U3 - Original non-TITE     | 40.1   | 24.6   | 15.8   | 12.3   | 7.1    | 0.1    |
| U3 - TITE, 56-day accrual  | 12.1   | 17.9   | 20.7   | 25.3   | 23.7   | 0.3    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 6.1    | 5.4    | 5.5    | 5.8    | 7.3    | -      |
| U2 - TITE, 56-day accrual  | 9      | 7      | 5.4    | 4.6    | 3.7    | -      |
| U3 - Original non-TITE     | 6      | 5.5    | 5.5    | 5.8    | 7.3    | -      |
| U3 - TITE, 56-day accrual  | 9      | 7      | 5.4    | 4.6    | 3.7    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.3    | 3.1    | 1.9    | 2.6    | 2.8    | -      |
| U2 - TITE, 56-day accrual  | 3.4    | 3.1    | 2.2    | 1.9    | 1.4    | -      |
| U3 - Original non-TITE     | 1.3    | 3.1    | 1.9    | 2.6    | 2.8    | -      |
| U3 - TITE, 56-day accrual  | 3.4    | 3.1    | 2.3    | 1.9    | 1.4    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1009   |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1065.7 |
| U3 - Original non-TITE     |        |        |        |        |        | 1008.4 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1069.8 |



Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 17                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.4    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.3    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.2    | 0.3    | 0.1    | -0.1   | -0.3   |        |
| Utility 3                  | 53.6   | 60.8   | 54.4   | 46.8   | 39.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 30     | 49.3   | 17.7   | 2.1    | 0      | 0.9    |
| U2 - TITE, 56-day accrual  | 23.1   | 47.8   | 22.7   | 2.5    | 0.1    | 3.8    |
| U3 - Original non-TITE     | 33.4   | 48.9   | 14.7   | 1.9    | 0.1    | 1      |
| U3 - TITE, 56-day accrual  | 22.9   | 49.1   | 21.5   | 2.9    | 0      | 3.6    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.1   | 9.7    | 7.2    | 2.4    | 0.4    | -      |
| U2 - TITE, 56-day accrual  | 11.3   | 10.5   | 5.5    | 1.7    | 0.4    | -      |
| U3 - Original non-TITE     | 10.1   | 9.7    | 7.3    | 2.3    | 0.4    | -      |
| U3 - TITE, 56-day accrual  | 11.2   | 10.5   | 5.6    | 1.6    | 0.4    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.5    | 3.4    | 1.6    | 0.6    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 3.8    | 3      | 1.2    | 0.3    | 0.1    | -      |
| U3 - Original non-TITE     | 2.5    | 3.4    | 1.6    | 0.6    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 3.7    | 3      | 1.3    | 0.3    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1191.4 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1204.7 |
| U3 - Original non-TITE     |        |        |        |        |        | 1190.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1205.9 |
| Scenario 18                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0      | 0.1    | 0.2    | 0.3    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.2    | 0.5    |        |
| Utility 2                  | 0      | 0.1    | 0.1    | 0      | 0.1    |        |
| Utility 3                  | 42.2   | 44.4   | 45     | 44     | 56     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9.1    | 8.3    | 9.6    | 13.6   | 58.3   | 1.1    |
| U2 - TITE, 56-day accrual  | 2.2    | 6.5    | 15     | 18     | 56.9   | 1.4    |
| U3 - Original non-TITE     | 15.4   | 11.5   | 10.5   | 11.2   | 50.4   | 1      |
| U3 - TITE, 56-day accrual  | 2.5    | 7.2    | 13.8   | 17.1   | 57.9   | 1.5    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.7    | 3.9    | 4.6    | 5.5    | 12.2   | -      |
| U2 - TITE, 56-day accrual  | 4.6    | 4.9    | 5.3    | 5.3    | 9.1    | -      |
| U3 - Original non-TITE     | 3.7    | 3.8    | 4.6    | 5.6    | 12.1   | -      |
| U3 - TITE, 56-day accrual  | 4.6    | 4.9    | 5.3    | 5.2    | 9.3    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.3    | 2.7    | 1.5    | 2.5    | 3.4    | -      |
| U2 - TITE, 56-day accrual  | 1.7    | 2.4    | 2.2    | 2.1    | 2.4    | -      |
| U3 - Original non-TITE     | 0.3    | 2.7    | 1.5    | 2.5    | 3.4    | -      |
| U3 - TITE, 56-day accrual  | 1.6    | 2.4    | 2.2    | 2.1    | 2.4    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1073.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1125.5 |
| U3 - Original non-TITE     |        |        |        |        |        | 1071.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1129.4 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 19                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.4    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.4    |        |
| Utility 2                  | 0      | 0      | -0.1   | -0.2   | -0.4   |        |
| Utility 3                  | 40.4   | 47.6   | 43.6   | 37     | 33.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 16.1   | 50.6   | 17     | 1.7    | 0      | 14.6   |
| U2 - TITE, 56-day accrual  | 8.9    | 45.7   | 21.1   | 2.4    | 0.1    | 21.8   |
| U3 - Original non-TITE     | 18.8   | 51     | 14.1   | 1.6    | 0      | 14.5   |
| U3 - TITE, 56-day accrual  | 8      | 46.2   | 21.4   | 2.5    | 0      | 21.9   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.6    | 10.2   | 7      | 2.2    | 0.4    | -      |
| U2 - TITE, 56-day accrual  | 7.5    | 10.9   | 5.6    | 1.6    | 0.3    | -      |
| U3 - Original non-TITE     | 7.6    | 10.2   | 6.9    | 2.2    | 0.4    | -      |
| U3 - TITE, 56-day accrual  | 7.5    | 11     | 5.6    | 1.6    | 0.3    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.9    | 4.4    | 2      | 0.8    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.7    | 4      | 1.7    | 0.4    | 0      | -      |
| U3 - Original non-TITE     | 1.9    | 4.4    | 1.9    | 0.8    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 2.8    | 4      | 1.6    | 0.4    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1006.2 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 993.6  |
| U3 - Original non-TITE     |        |        |        |        |        | 1005.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 991.6  |
| Scenario 20                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0      | 0.1    | -0.1   | -0.2   | -0.3   |        |
| Utility 3                  | 40.2   | 49.4   | 42.6   | 38.6   | 34.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.5   | 44     | 28.8   | 9.1    | 1.4    | 6.2    |
| U2 - TITE, 56-day accrual  | 5.1    | 35.7   | 32.1   | 14.5   | 4.2    | 8.4    |
| U3 - Original non-TITE     | 16.4   | 46.5   | 22.6   | 7.6    | 0.8    | 6.1    |
| U3 - TITE, 56-day accrual  | 4.7    | 36.3   | 32.4   | 14     | 3.8    | 8.8    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.1    | 8.6    | 8.2    | 4.7    | 2.3    | -      |
| U2 - TITE, 56-day accrual  | 5.5    | 10.3   | 7.2    | 3.4    | 1.5    | -      |
| U3 - Original non-TITE     | 5.1    | 8.6    | 8.3    | 4.6    | 2.2    | -      |
| U3 - TITE, 56-day accrual  | 5.5    | 10.3   | 7      | 3.4    | 1.5    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1      | 4.2    | 2.5    | 1.7    | 0.7    | -      |
| U2 - TITE, 56-day accrual  | 2      | 4.2    | 2.4    | 1.1    | 0.4    | -      |
| U3 - Original non-TITE     | 1      | 4.3    | 2.5    | 1.7    | 0.7    | -      |
| U3 - TITE, 56-day accrual  | 2      | 4.2    | 2.4    | 1.1    | 0.4    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1025.2 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1041.5 |
| U3 - Original non-TITE     |        |        |        |        |        | 1024.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1038.3 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 21                |        |        |        |        |        |        |
| DLT rate                   | 0.4    | 0.6    | 0.7    | 0.8    | 0.9    |        |
| Efficacy rate              | 0.5    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.1    | -0.1   | -0.2   | -0.3   | -0.4   |        |
| Utility 3                  | 55.2   | 47.6   | 42.4   | 36.8   | 34.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 61.8   | 1.6    | 0      | 0      | 0      | 36.6   |
| U2 - TITE, 56-day accrual  | 61.8   | 1.4    | 0.1    | 0      | 0      | 36.7   |
| U3 - Original non-TITE     | 62.1   | 1.3    | 0      | 0      | 0      | 36.6   |
| U3 - TITE, 56-day accrual  | 61.2   | 1.3    | 0.1    | 0      | 0      | 37.4   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 21.2   | 2.1    | 0.6    | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 20.8   | 2.3    | 0.5    | 0      | 0      | -      |
| U3 - Original non-TITE     | 21.1   | 2.1    | 0.6    | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 20.9   | 2.3    | 0.5    | 0      | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.3    | 0.6    | 0.1    | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 4.6    | 0.5    | 0.1    | 0      | 0      | -      |
| U3 - Original non-TITE     | 4.3    | 0.6    | 0.1    | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 4.6    | 0.5    | 0.1    | 0      | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1040.8 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1037.5 |
| U3 - Original non-TITE     |        |        |        |        |        | 1040.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1040.5 |
| Scenario 22                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.5    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.5    | 0.5    |        |
| Utility 2                  | 0      | 0      | -0.2   | -0.1   | -0.3   |        |
| Utility 3                  | 42     | 44.2   | 35     | 47.6   | 38.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 22.7   | 52.9   | 13     | 1.8    | 0      | 9.6    |
| U2 - TITE, 56-day accrual  | 11.3   | 46.6   | 15.9   | 2.5    | 0.2    | 23.5   |
| U3 - Original non-TITE     | 25.8   | 52.2   | 10.8   | 1.4    | 0      | 9.8    |
| U3 - TITE, 56-day accrual  | 10.3   | 48.1   | 16.6   | 2.3    | 0      | 22.7   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.6    | 12.1   | 6.3    | 1.8    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 7.8    | 11.3   | 5.2    | 1.5    | 0.2    | -      |
| U3 - Original non-TITE     | 7.6    | 12.1   | 6.5    | 1.7    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 7.7    | 11.3   | 5.2    | 1.4    | 0.3    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.8    | 5.3    | 1.8    | 0.6    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.9    | 4.3    | 1.5    | 0.4    | 0      | -      |
| U3 - Original non-TITE     | 1.8    | 5.2    | 1.9    | 0.6    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 2.9    | 4.3    | 1.5    | 0.4    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1021.9 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 987.6  |
| U3 - Original non-TITE     |        |        |        |        |        | 1021.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 987    |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 23                |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.6    | 0.8    | 0.9    | 1      |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 2                  | -0.3   | -0.5   | -0.8   | -0.9   | -0.9   |        |
| Utility 3                  | 30.2   | 21     | 11     | 5.4    | 4.2    |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.2    | 3.9    | 0.4    | 0      | 0      | 88.5   |
| U2 - TITE, 56-day accrual  | 3.3    | 3.5    | 0.4    | 0      | 0      | 92.8   |
| U3 - Original non-TITE     | 7.3    | 3.7    | 0.4    | 0      | 0      | 88.6   |
| U3 - TITE, 56-day accrual  | 3      | 3.4    | 0.6    | 0      | 0      | 93     |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.8   | 2.5    | 0.6    | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 9      | 2.6    | 0.5    | 0      | 0      | -      |
| U3 - Original non-TITE     | 11.8   | 2.5    | 0.6    | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 9      | 2.6    | 0.5    | 0      | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.3    | 1.3    | 0.2    | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.9    | 1      | 0.1    | 0      | 0      | -      |
| U3 - Original non-TITE     | 3.3    | 1.3    | 0.2    | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.9    | 1      | 0.1    | 0      | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 547.3  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 457.9  |
| U3 - Original non-TITE     |        |        |        |        |        | 547.8  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 457.6  |
| Scenario 24                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0      | 0.1    | 0.1    | 0.2    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.5    | 0.5    |        |
| Utility 2                  | 0      | 0.1    | 0.1    | 0.4    | 0.2    |        |
| Utility 3                  | 42.6   | 44     | 50     | 66     | 60     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.2    | 1.1    | 5.8    | 45.4   | 46.4   | 0.1    |
| U2 - TITE, 56-day accrual  | 0.4    | 1      | 4.4    | 45.2   | 49     | 0      |
| U3 - Original non-TITE     | 2.8    | 2.2    | 7.5    | 47.3   | 40.1   | 0.1    |
| U3 - TITE, 56-day accrual  | 0.5    | 0.8    | 4.5    | 44.8   | 49.3   | 0.1    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.3    | 3.2    | 3.8    | 8.4    | 11.3   | -      |
| U2 - TITE, 56-day accrual  | 3.7    | 3.7    | 5.1    | 10.3   | 7.1    | -      |
| U3 - Original non-TITE     | 3.3    | 3.2    | 3.8    | 8.4    | 11.3   | -      |
| U3 - TITE, 56-day accrual  | 3.7    | 3.7    | 5.1    | 10.2   | 7.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.1    | 2.5    | 1.2    | 3.3    | 3.1    | -      |
| U2 - TITE, 56-day accrual  | 1.3    | 1.9    | 2.1    | 3.4    | 1.9    | -      |
| U3 - Original non-TITE     | 0.1    | 2.5    | 1.2    | 3.3    | 3.1    | -      |
| U3 - TITE, 56-day accrual  | 1.2    | 1.9    | 2.1    | 3.4    | 1.9    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1096.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1195.3 |
| U3 - Original non-TITE     |        |        |        |        |        | 1096   |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1192.1 |



Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 25                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.4    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.4    | 0.5    | 0.5    |        |
| Utility 2                  | 0.1    | 0.1    | 0      | -0.2   | -0.3   |        |
| Utility 3                  | 48.4   | 47.8   | 49.2   | 41.8   | 39.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 31.9   | 26.8   | 33.5   | 5.3    | 0      | 2.5    |
| U2 - TITE, 56-day accrual  | 21.8   | 29     | 36     | 6.1    | 0.2    | 6.9    |
| U3 - Original non-TITE     | 37.2   | 27.6   | 28.7   | 4.2    | 0      | 2.3    |
| U3 - TITE, 56-day accrual  | 21.3   | 29.7   | 35.1   | 6.8    | 0.2    | 6.9    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9.1    | 8.1    | 9.2    | 2.8    | 0.5    | -      |
| U2 - TITE, 56-day accrual  | 10.3   | 8      | 7.4    | 2.3    | 0.4    | -      |
| U3 - Original non-TITE     | 9.1    | 8      | 9.2    | 2.7    | 0.5    | -      |
| U3 - TITE, 56-day accrual  | 10.3   | 8      | 7.5    | 2.3    | 0.4    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.4    | 3.6    | 2.5    | 0.8    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 3.8    | 3.1    | 2.1    | 0.5    | 0.1    | -      |
| U3 - Original non-TITE     | 2.4    | 3.6    | 2.5    | 0.9    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 3.8    | 3.1    | 2.1    | 0.5    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1113.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1102.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1114.3 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1104   |
| Scenario 26                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.3    | 0.5    | 0.6    |        |
| Utility 2                  | -0.1   | 0      | 0.1    | -0.2   | -0.2   |        |
| Utility 3                  | 40     | 43.2   | 49     | 42.2   | 41     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 19.2   | 24     | 30.4   | 6      | 0      | 20.4   |
| U2 - TITE, 56-day accrual  | 10.6   | 28.3   | 29.7   | 5.1    | 0.3    | 26     |
| U3 - Original non-TITE     | 23.1   | 26.4   | 24.4   | 6      | 0.1    | 20     |
| U3 - TITE, 56-day accrual  | 10.2   | 29.8   | 27.9   | 5.3    | 0.3    | 26.5   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.9    | 6.5    | 8      | 2.8    | 0.5    | -      |
| U2 - TITE, 56-day accrual  | 8.7    | 7.2    | 6.3    | 2.3    | 0.4    | -      |
| U3 - Original non-TITE     | 9      | 6.6    | 7.9    | 2.9    | 0.5    | -      |
| U3 - TITE, 56-day accrual  | 8.7    | 7.1    | 6.2    | 2.4    | 0.4    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.5    | 3.2    | 2.3    | 0.9    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 3.2    | 2.9    | 1.9    | 0.5    | 0.1    | -      |
| U3 - Original non-TITE     | 2.5    | 3.2    | 2.3    | 0.9    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 3.2    | 2.9    | 1.9    | 0.5    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 984.5  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 952.4  |
| U3 - Original non-TITE     |        |        |        |        |        | 985.3  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 954.7  |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 27                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.5    | 0.6    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.4    | 0.4    | 0.5    |        |
| Utility 2                  | 0      | 0      | 0.1    | -0.1   | -0.2   |        |
| Utility 3                  | 41.6   | 45.2   | 52     | 45.2   | 42.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 15.9   | 20.3   | 40.9   | 10.7   | 0.7    | 11.5   |
| U2 - TITE, 56-day accrual  | 7.4    | 24.2   | 42     | 9.6    | 1.5    | 15.3   |
| U3 - Original non-TITE     | 20.2   | 22.2   | 36.7   | 8.9    | 0.7    | 11.3   |
| U3 - TITE, 56-day accrual  | 8.5    | 24.3   | 40.6   | 10.9   | 1      | 14.7   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.1    | 6.3    | 9.4    | 4.1    | 1.4    | -      |
| U2 - TITE, 56-day accrual  | 7.4    | 7.1    | 8      | 3.3    | 0.9    | -      |
| U3 - Original non-TITE     | 7      | 6.3    | 9.5    | 4      | 1.4    | -      |
| U3 - TITE, 56-day accrual  | 7.5    | 7.1    | 8.1    | 3.3    | 0.9    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.7    | 3.2    | 2.7    | 1.2    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 2.8    | 2.9    | 2.4    | 0.8    | 0.2    | -      |
| U3 - Original non-TITE     | 1.8    | 3.1    | 2.7    | 1.2    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 2.8    | 2.9    | 2.5    | 0.8    | 0.2    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1050.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1041.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1050.7 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1041.1 |
| Scenario 28                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.5    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.4    |        |
| Utility 2                  | -0.1   | 0      | -0.2   | -0.2   | -0.4   |        |
| Utility 3                  | 35     | 46     | 39.2   | 37     | 33.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 14.8   | 35.1   | 6.6    | 0.2    | 0      | 43.3   |
| U2 - TITE, 56-day accrual  | 8.2    | 34.2   | 8      | 0.5    | 0      | 49.1   |
| U3 - Original non-TITE     | 15.5   | 35.5   | 5.5    | 0.3    | 0      | 43.2   |
| U3 - TITE, 56-day accrual  | 8.4    | 34.5   | 7.5    | 0.7    | 0      | 48.9   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.7    | 8.4    | 4.3    | 0.9    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 7.7    | 9      | 3.5    | 0.7    | 0.1    | -      |
| U3 - Original non-TITE     | 8.8    | 8.4    | 4.2    | 0.9    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 7.7    | 9.1    | 3.4    | 0.7    | 0.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.3    | 3.4    | 1.2    | 0.3    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.7    | 3.2    | 1      | 0.2    | 0      | -      |
| U3 - Original non-TITE     | 2.3    | 3.4    | 1.2    | 0.3    | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.7    | 3.2    | 0.9    | 0.2    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 830.3  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 802.1  |
| U3 - Original non-TITE     |        |        |        |        |        | 829.2  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 803.6  |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 29                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.6    | 0.7    | 0.9    |        |
| Efficacy rate              | 0.4    | 0.4    | 0.4    | 0.4    | 0.4    |        |
| Utility 2                  | 0.2    | 0.1    | -0.2   | -0.3   | -0.5   |        |
| Utility 3                  | 56.4   | 52     | 41.6   | 34.4   | 29.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 67.2   | 25.6   | 4.2    | 0.3    | 0      | 2.7    |
| U2 - TITE, 56-day accrual  | 62.8   | 24.9   | 7.4    | 0.2    | 0      | 4.7    |
| U3 - Original non-TITE     | 69.8   | 23.7   | 3.4    | 0.3    | 0      | 2.8    |
| U3 - TITE, 56-day accrual  | 63.3   | 25.3   | 6.5    | 0.3    | 0      | 4.6    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 18     | 7.3    | 3.6    | 0.5    | 0      | -      |
| U2 - TITE, 56-day accrual  | 18.8   | 7.1    | 2.8    | 0.4    | 0      | -      |
| U3 - Original non-TITE     | 18     | 7.3    | 3.6    | 0.5    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 18.8   | 7.1    | 2.8    | 0.5    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.6    | 2.4    | 1      | 0.2    | 0      | -      |
| U2 - TITE, 56-day accrual  | 5.6    | 2.2    | 0.7    | 0.1    | 0      | -      |
| U3 - Original non-TITE     | 4.6    | 2.4    | 1      | 0.2    | 0      | -      |
| U3 - TITE, 56-day accrual  | 5.5    | 2.2    | 0.7    | 0.1    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1177.4 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1188.9 |
| U3 - Original non-TITE     |        |        |        |        |        | 1178   |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1189.6 |
| Scenario 30                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.4    | 0.5    |        |
| Utility 2                  | 0.1    | 0.1    | 0      | 0.1    | 0      |        |
| Utility 3                  | 45.2   | 45.8   | 45.2   | 53.2   | 48.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 19.2   | 13.8   | 15.1   | 37.1   | 13.1   | 1.7    |
| U2 - TITE, 56-day accrual  | 8.2    | 14.9   | 20.1   | 35.3   | 18     | 3.5    |
| U3 - Original non-TITE     | 26.4   | 14.1   | 13.7   | 33.6   | 10.5   | 1.7    |
| U3 - TITE, 56-day accrual  | 8.1    | 14.8   | 19.7   | 35.7   | 18     | 3.7    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5      | 4.5    | 5.8    | 8      | 6.4    | -      |
| U2 - TITE, 56-day accrual  | 6.5    | 5.9    | 5.4    | 6.9    | 4.2    | -      |
| U3 - Original non-TITE     | 5      | 4.5    | 5.8    | 8      | 6.4    | -      |
| U3 - TITE, 56-day accrual  | 6.5    | 5.8    | 5.3    | 7      | 4.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.9    | 2.7    | 1.8    | 2.8    | 1.6    | -      |
| U2 - TITE, 56-day accrual  | 2.4    | 2.6    | 2.1    | 2.2    | 0.8    | -      |
| U3 - Original non-TITE     | 0.9    | 2.7    | 1.8    | 2.8    | 1.6    | -      |
| U3 - TITE, 56-day accrual  | 2.4    | 2.6    | 2.1    | 2.2    | 0.9    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1097.5 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1123.3 |
| U3 - Original non-TITE     |        |        |        |        |        | 1097.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1117.7 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 31                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.1    | 0.2    | 0.6    |        |
| Efficacy rate              | 0.2    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.2    | 0.4    | 0.4    | 0.3    | -0.1   |        |
| Utility 3                  | 50.4   | 67.6   | 66     | 62     | 46     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.2    | 34.9   | 24.8   | 24.9   | 8      | 0.2    |
| U2 - TITE, 56-day accrual  | 3.2    | 27.8   | 29     | 25     | 14.2   | 0.8    |
| U3 - Original non-TITE     | 10.2   | 41.6   | 23.7   | 20.5   | 3.8    | 0.2    |
| U3 - TITE, 56-day accrual  | 2.9    | 27.5   | 28.1   | 26.3   | 14.4   | 0.8    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.1    | 5.7    | 6.4    | 7.7    | 6      | -      |
| U2 - TITE, 56-day accrual  | 5.3    | 8.6    | 6.9    | 5.5    | 3.6    | -      |
| U3 - Original non-TITE     | 4.1    | 5.7    | 6.4    | 7.7    | 6      | -      |
| U3 - TITE, 56-day accrual  | 5.3    | 8.6    | 6.8    | 5.5    | 3.6    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.5    | 2.8    | 1.6    | 2      | 1.5    | -      |
| U2 - TITE, 56-day accrual  | 1.8    | 2.9    | 2      | 1.6    | 0.7    | -      |
| U3 - Original non-TITE     | 0.5    | 2.8    | 1.6    | 2      | 1.5    | -      |
| U3 - TITE, 56-day accrual  | 1.8    | 3      | 2      | 1.5    | 0.7    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1189.8 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1250.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1188.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1251.4 |
| Scenario 32                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.1    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.3    | 0.3    | 0.3    |        |
| Utility 2                  | 0.1    | 0.1    | 0.2    | 0      | -0.1   |        |
| Utility 3                  | 44     | 47     | 53.6   | 46     | 43.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.7    | 13.4   | 34.7   | 27.2   | 15.1   | 0.9    |
| U2 - TITE, 56-day accrual  | 3.5    | 7.5    | 30.7   | 34.4   | 22.9   | 1      |
| U3 - Original non-TITE     | 14.6   | 17.8   | 34.6   | 23.2   | 9      | 0.8    |
| U3 - TITE, 56-day accrual  | 3      | 7.8    | 31.1   | 34.7   | 22.4   | 1      |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.9    | 4.3    | 7.7    | 7.1    | 6.9    | -      |
| U2 - TITE, 56-day accrual  | 5.3    | 6.1    | 8.1    | 6.1    | 3.9    | -      |
| U3 - Original non-TITE     | 4      | 4.3    | 7.7    | 7      | 6.9    | -      |
| U3 - TITE, 56-day accrual  | 5.3    | 6      | 8.1    | 6.2    | 4      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.4    | 2.8    | 2.5    | 2.7    | 2.3    | -      |
| U2 - TITE, 56-day accrual  | 2      | 2.9    | 3.1    | 2.1    | 1.2    | -      |
| U3 - Original non-TITE     | 0.4    | 2.8    | 2.5    | 2.7    | 2.3    | -      |
| U3 - TITE, 56-day accrual  | 2      | 2.8    | 3.1    | 2.1    | 1.2    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1054.9 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1118.5 |
| U3 - Original non-TITE     |        |        |        |        |        | 1055   |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1117.7 |



Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 33                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0      | 0.1    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.4    | 0.5    |        |
| Utility 2                  | 0      | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 3                  | 42.6   | 44     | 48.4   | 51.2   | 54.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.6    | 5.1    | 11.6   | 41.1   | 33.3   | 0.3    |
| U2 - TITE, 56-day accrual  | 2.4    | 4.5    | 13.1   | 42.3   | 37.1   | 0.6    |
| U3 - Original non-TITE     | 12.3   | 6.9    | 13.6   | 40     | 27     | 0.2    |
| U3 - TITE, 56-day accrual  | 1.8    | 5.7    | 13     | 42.8   | 36     | 0.7    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.5    | 3.6    | 5.2    | 8.1    | 9.6    | -      |
| U2 - TITE, 56-day accrual  | 4.1    | 4.1    | 6.2    | 8.3    | 6.9    | -      |
| U3 - Original non-TITE     | 3.5    | 3.6    | 5.2    | 8.1    | 9.6    | -      |
| U3 - TITE, 56-day accrual  | 4.1    | 4      | 6.1    | 8.5    | 6.9    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.2    | 2.6    | 1.6    | 3.1    | 2.4    | -      |
| U2 - TITE, 56-day accrual  | 1.4    | 2.1    | 2.5    | 2.6    | 1.6    | -      |
| U3 - Original non-TITE     | 0.2    | 2.6    | 1.6    | 3.1    | 2.4    | -      |
| U3 - TITE, 56-day accrual  | 1.5    | 2      | 2.5    | 2.7    | 1.7    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1107.4 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1175.3 |
| U3 - Original non-TITE     |        |        |        |        |        | 1106.9 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1174.5 |
| Scenario 34                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.3    | 0.4    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.3    | 0.3    | 0.3    |        |
| Utility 2                  | 0      | 0      | 0      | 0      | -0.1   |        |
| Utility 3                  | 41     | 40.8   | 46     | 44.8   | 44.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.9   | 11.7   | 47     | 19.8   | 5.4    | 4.2    |
| U2 - TITE, 56-day accrual  | 5.5    | 13     | 43.3   | 20.7   | 7.1    | 10.4   |
| U3 - Original non-TITE     | 18.2   | 13.3   | 44.3   | 16.1   | 3.6    | 4.5    |
| U3 - TITE, 56-day accrual  | 4.8    | 13.5   | 42.2   | 21.7   | 7      | 10.8   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5      | 5.5    | 9.9    | 5.4    | 3.4    | -      |
| U2 - TITE, 56-day accrual  | 5.6    | 5.8    | 9.7    | 4.3    | 2.1    | -      |
| U3 - Original non-TITE     | 5      | 5.5    | 9.8    | 5.4    | 3.5    | -      |
| U3 - TITE, 56-day accrual  | 5.6    | 5.9    | 9.5    | 4.4    | 2.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.9    | 3.2    | 3.1    | 1.9    | 1.1    | -      |
| U2 - TITE, 56-day accrual  | 2      | 2.7    | 3.2    | 1.4    | 0.6    | -      |
| U3 - Original non-TITE     | 0.9    | 3.2    | 3.1    | 1.9    | 1.1    | -      |
| U3 - TITE, 56-day accrual  | 2.1    | 2.7    | 3.2    | 1.4    | 0.6    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1049.8 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1045.5 |
| U3 - Original non-TITE     |        |        |        |        |        | 1050.6 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1045.2 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 35                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.2    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.2    | 0.4    | 0.1    | 0.1    | 0      |        |
| Utility 3                  | 50.8   | 63.4   | 55     | 51     | 49     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.6   | 40.2   | 31.4   | 12.3   | 4.3    | 0.2    |
| U2 - TITE, 56-day accrual  | 4.5    | 38.8   | 33.7   | 16.6   | 5.7    | 0.7    |
| U3 - Original non-TITE     | 16.1   | 44     | 27.2   | 9.9    | 2.6    | 0.2    |
| U3 - TITE, 56-day accrual  | 4.5    | 37.2   | 34.8   | 16.6   | 6.1    | 0.8    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.6    | 8.3    | 8.8    | 5      | 3.3    | -      |
| U2 - TITE, 56-day accrual  | 6.2    | 10.5   | 7.7    | 3.8    | 1.6    | -      |
| U3 - Original non-TITE     | 4.6    | 8.2    | 8.9    | 5      | 3.2    | -      |
| U3 - TITE, 56-day accrual  | 6.4    | 10.5   | 7.6    | 3.7    | 1.6    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.7    | 3.7    | 2.2    | 1.5    | 0.9    | -      |
| U2 - TITE, 56-day accrual  | 2.2    | 3.6    | 2.2    | 1      | 0.4    | -      |
| U3 - Original non-TITE     | 0.6    | 3.6    | 2.2    | 1.5    | 0.8    | -      |
| U3 - TITE, 56-day accrual  | 2.3    | 3.6    | 2.1    | 1      | 0.4    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1166.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1218.3 |
| U3 - Original non-TITE     |        |        |        |        |        | 1166.4 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1214.5 |
| Scenario 36                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.3    | 0.4    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.3    | 0.3    |        |
| Utility 2                  | -0.1   | -0.1   | -0.1   | -0.1   | -0.1   |        |
| Utility 3                  | 37.8   | 40.4   | 39.2   | 42     | 43.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 14.6   | 36.6   | 16.1   | 7      | 1.8    | 23.9   |
| U2 - TITE, 56-day accrual  | 6.5    | 32     | 18.3   | 6.5    | 2.4    | 34.3   |
| U3 - Original non-TITE     | 19.1   | 37.8   | 12.6   | 5.9    | 1      | 23.6   |
| U3 - TITE, 56-day accrual  | 6      | 32.8   | 17.9   | 6.8    | 2.2    | 34.3   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.8    | 8      | 5.7    | 2.9    | 1.4    | -      |
| U2 - TITE, 56-day accrual  | 7.1    | 8.7    | 4.7    | 2      | 0.8    | -      |
| U3 - Original non-TITE     | 7.6    | 8.2    | 5.7    | 2.8    | 1.4    | -      |
| U3 - TITE, 56-day accrual  | 7.1    | 8.7    | 4.7    | 1.9    | 0.9    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2      | 3.8    | 1.8    | 1.1    | 0.4    | -      |
| U2 - TITE, 56-day accrual  | 2.5    | 3.4    | 1.6    | 0.6    | 0.2    | -      |
| U3 - Original non-TITE     | 1.9    | 3.9    | 1.8    | 1      | 0.4    | -      |
| U3 - TITE, 56-day accrual  | 2.5    | 3.4    | 1.6    | 0.6    | 0.2    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 914.5  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 864.2  |
| U3 - Original non-TITE     |        |        |        |        |        | 918.1  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 865.1  |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 37                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.4    | 0.5    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0      | -0.1   | -0.2   | -0.2   | -0.3   |        |
| Utility 3                  | 39.8   | 40     | 36     | 34     | 32     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 20.4   | 45.6   | 14.7   | 2.7    | 0.5    | 16.1   |
| U2 - TITE, 56-day accrual  | 7.9    | 40.7   | 17     | 4.5    | 1.1    | 28.8   |
| U3 - Original non-TITE     | 25.5   | 44.6   | 11.2   | 2      | 0.4    | 16.3   |
| U3 - TITE, 56-day accrual  | 8.6    | 39.1   | 18.7   | 4.7    | 0.9    | 28     |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.3    | 10.3   | 6.2    | 2.4    | 0.9    | -      |
| U2 - TITE, 56-day accrual  | 7      | 10.7   | 5      | 1.6    | 0.6    | -      |
| U3 - Original non-TITE     | 7.2    | 10.3   | 6.2    | 2.4    | 0.9    | -      |
| U3 - TITE, 56-day accrual  | 7      | 10.6   | 5.1    | 1.5    | 0.6    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.7    | 4.8    | 1.9    | 1      | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 2.6    | 4.1    | 1.7    | 0.5    | 0.2    | -      |
| U3 - Original non-TITE     | 1.7    | 4.8    | 1.9    | 0.9    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 2.6    | 4      | 1.7    | 0.5    | 0.2    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 955.2  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 914.9  |
| U3 - Original non-TITE     |        |        |        |        |        | 954.7  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 916.8  |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 1                 |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.3    | 0.4    | 0.5    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 2                  | -0.2   | -0.3   | -0.3   | -0.4   | -0.4   |        |
| Utility 3                  | 31     | 29.6   | 28.2   | 26.8   | 25.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 16.4   | 11.5   | 2.3    | 0.6    | 0.2    | 69     |
| U2 - TITE, 56-day accrual  | 8.3    | 4.6    | 3.1    | 1      | 0.3    | 82.7   |
| U3 - Original non-TITE     | 16.7   | 11.4   | 1.8    | 0.4    | 0.1    | 69.6   |
| U3 - TITE, 56-day accrual  | 6.3    | 5.5    | 3.9    | 0.8    | 0.6    | 82.9   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.7   | 5.7    | 2.5    | 1.4    | 0.4    | -      |
| U2 - TITE, 56-day accrual  | 8.3    | 5.1    | 2.1    | 1.2    | 0.4    | -      |
| U3 - Original non-TITE     | 10.8   | 5.6    | 2.5    | 1.4    | 0.4    | -      |
| U3 - TITE, 56-day accrual  | 8.6    | 5.1    | 1.9    | 1      | 0.3    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.8    | 2.9    | 0.8    | 0.6    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 2.7    | 2      | 0.8    | 0.4    | 0.1    | -      |
| U3 - Original non-TITE     | 2.9    | 2.9    | 0.8    | 0.6    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 2.9    | 2      | 0.7    | 0.4    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 732.2  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 637.4  |
| U3 - Original non-TITE     |        |        |        |        |        | 731.2  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 630.3  |
| Scenario 2                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.3    | 0.5    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.1    | 0.1    | 0.2    | 0.1    | 0.1    |        |
| Utility 3                  | 46     | 47     | 58     | 56     | 52     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 23     | 17.3   | 39.6   | 15.4   | 2.1    | 2.6    |
| U2 - TITE, 56-day accrual  | 16.8   | 15.7   | 41.2   | 14.9   | 2.6    | 8.8    |
| U3 - Original non-TITE     | 28.1   | 19     | 35.2   | 13.1   | 1.7    | 2.9    |
| U3 - TITE, 56-day accrual  | 19.7   | 18.3   | 39.8   | 11.3   | 1.8    | 9.1    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9      | 6.9    | 8.9    | 3.9    | 0.9    | -      |
| U2 - TITE, 56-day accrual  | 7.9    | 7      | 9      | 3.8    | 0.8    | -      |
| U3 - Original non-TITE     | 9.3    | 7.1    | 8.8    | 3.6    | 0.7    | -      |
| U3 - TITE, 56-day accrual  | 9.5    | 7.4    | 8.2    | 2.9    | 0.5    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.2    | 3.2    | 2.4    | 1.1    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 2.7    | 2.6    | 2.4    | 1      | 0.2    | -      |
| U3 - Original non-TITE     | 2.3    | 3.3    | 2.4    | 1.1    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 3.3    | 2.8    | 2.2    | 0.8    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1125.4 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1131.6 |
| U3 - Original non-TITE     |        |        |        |        |        | 1120.4 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1110.9 |



Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 3                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.3    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.4    | 0.4    | 0.4    | 0.4    |        |
| Utility 2                  | -0.1   | 0.2    | 0.1    | 0.1    | -0.1   |        |
| Utility 3                  | 40     | 56     | 52     | 50     | 46     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.9    | 44.5   | 24.9   | 13.2   | 2.4    | 7.1    |
| U2 - TITE, 56-day accrual  | 4.5    | 42.8   | 24.9   | 11.1   | 2.7    | 14     |
| U3 - Original non-TITE     | 9.6    | 49.1   | 23.1   | 9.2    | 1.7    | 7.3    |
| U3 - TITE, 56-day accrual  | 3.7    | 44.4   | 26.3   | 9      | 2.5    | 14.1   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 6.1    | 11.1   | 6.8    | 3.8    | 1.1    | -      |
| U2 - TITE, 56-day accrual  | 5.5    | 10.9   | 6.6    | 3.5    | 1      | -      |
| U3 - Original non-TITE     | 6.3    | 11.8   | 6.5    | 3.4    | 0.9    | -      |
| U3 - TITE, 56-day accrual  | 6      | 12.4   | 5.8    | 2.6    | 0.6    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.1    | 4.6    | 2      | 1.2    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 1.8    | 3.7    | 2      | 1      | 0.3    | -      |
| U3 - Original non-TITE     | 1.1    | 4.8    | 1.9    | 1.1    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 2      | 4.2    | 1.8    | 0.8    | 0.2    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1085   |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1083.1 |
| U3 - Original non-TITE     |        |        |        |        |        | 1081.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1067.8 |
| Scenario 4                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.5    | 0.6    |        |
| Utility 2                  | 0      | 0      | 0.1    | 0.2    | 0.1    |        |
| Utility 3                  | 41     | 42     | 47.8   | 58     | 57     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.7    | 5.2    | 16.9   | 53.3   | 17.6   | 1.3    |
| U2 - TITE, 56-day accrual  | 3.3    | 4.7    | 16.6   | 54.1   | 17.4   | 3.9    |
| U3 - Original non-TITE     | 8.6    | 7.7    | 16.4   | 51.3   | 14.9   | 1.1    |
| U3 - TITE, 56-day accrual  | 2.8    | 4.5    | 17.6   | 56.1   | 14.5   | 4.5    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.1    | 4.5    | 6.7    | 10.6   | 3.9    | -      |
| U2 - TITE, 56-day accrual  | 3.7    | 4.4    | 6.4    | 10.7   | 3.8    | -      |
| U3 - Original non-TITE     | 4.3    | 4.6    | 6.7    | 10.7   | 3.6    | -      |
| U3 - TITE, 56-day accrual  | 4.3    | 5      | 6.3    | 10.4   | 2.9    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.5    | 3      | 1.9    | 3.3    | 1      | -      |
| U2 - TITE, 56-day accrual  | 1.2    | 2.1    | 2.3    | 3      | 0.9    | -      |
| U3 - Original non-TITE     | 0.5    | 3      | 1.9    | 3.4    | 0.9    | -      |
| U3 - TITE, 56-day accrual  | 1.5    | 2.4    | 2.3    | 2.9    | 0.7    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1107.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1167.8 |
| U3 - Original non-TITE     |        |        |        |        |        | 1104.7 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1139.4 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 5                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.2    | 0.3    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.3    |        |
| Utility 2                  | 0      | 0.2    | 0.1    | 0.1    | 0      |        |
| Utility 3                  | 40.2   | 53.2   | 51.2   | 49.2   | 46     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.4    | 37.6   | 25.7   | 19.5   | 10.4   | 1.4    |
| U2 - TITE, 56-day accrual  | 4.9    | 30.7   | 25.5   | 22.8   | 13.1   | 3      |
| U3 - Original non-TITE     | 9      | 42.6   | 23.2   | 17.5   | 6.2    | 1.5    |
| U3 - TITE, 56-day accrual  | 3.5    | 28.8   | 27.8   | 23.3   | 13.5   | 3.1    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.8    | 7.2    | 7      | 7.1    | 4.6    | -      |
| U2 - TITE, 56-day accrual  | 3.7    | 7.3    | 7.1    | 7.2    | 4.1    | -      |
| U3 - Original non-TITE     | 3.9    | 7.9    | 7.2    | 6.8    | 4      | -      |
| U3 - TITE, 56-day accrual  | 4      | 9      | 6.9    | 6.4    | 3.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.3    | 3.8    | 2.3    | 2.7    | 1.6    | -      |
| U2 - TITE, 56-day accrual  | 1.2    | 3      | 2.6    | 2.6    | 1.4    | -      |
| U3 - Original non-TITE     | 0.3    | 4.1    | 2.3    | 2.6    | 1.4    | -      |
| U3 - TITE, 56-day accrual  | 1.3    | 3.6    | 2.5    | 2.3    | 1.1    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1052.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1118.7 |
| U3 - Original non-TITE     |        |        |        |        |        | 1049.9 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1104.9 |
| Scenario 6                 |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.3    | 0.4    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.3    | 0.3    | 0.3    | 0.4    | 0.4    |        |
| Utility 2                  | 0      | 0      | 0      | -0.1   | -0.1   |        |
| Utility 3                  | 46.4   | 45.6   | 45.8   | 45.6   | 43.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 61.9   | 17.6   | 5.1    | 1.9    | 0.5    | 13     |
| U2 - TITE, 56-day accrual  | 54.9   | 18.1   | 6      | 1.9    | 0.5    | 18.6   |
| U3 - Original non-TITE     | 62.7   | 17.8   | 4.2    | 1.5    | 0.4    | 13.4   |
| U3 - TITE, 56-day accrual  | 54.5   | 18.9   | 5.9    | 1.5    | 0.4    | 18.8   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 17.1   | 6.3    | 2.7    | 1.3    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 16.1   | 6.5    | 2.6    | 1.1    | 0.3    | -      |
| U3 - Original non-TITE     | 17.6   | 6.2    | 2.4    | 1.2    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 17.1   | 6.5    | 2      | 0.8    | 0.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.3    | 2.5    | 0.8    | 0.4    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 4.8    | 2.1    | 0.8    | 0.3    | 0.1    | -      |
| U3 - Original non-TITE     | 4.5    | 2.5    | 0.7    | 0.4    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 5.2    | 2.1    | 0.6    | 0.2    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1081.9 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1065.1 |
| U3 - Original non-TITE     |        |        |        |        |        | 1078.3 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1057.8 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 7                 |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.2    | 0.3    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.2    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0      | 0.3    | 0.2    | 0.2    | 0.1    |        |
| Utility 3                  | 45.6   | 62     | 59.6   | 57.6   | 55.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.8   | 46.8   | 22.7   | 12.5   | 3.5    | 2.7    |
| U2 - TITE, 56-day accrual  | 6.5    | 45.6   | 25.9   | 10.6   | 3.2    | 8.2    |
| U3 - Original non-TITE     | 13.5   | 50.5   | 20.7   | 10.2   | 2.3    | 2.8    |
| U3 - TITE, 56-day accrual  | 7.9    | 54.4   | 21.1   | 7.1    | 2      | 7.5    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.4    | 12.5   | 5.8    | 3      | 0.8    | -      |
| U2 - TITE, 56-day accrual  | 6.7    | 12.5   | 6      | 2.6    | 0.7    | -      |
| U3 - Original non-TITE     | 7.7    | 13.2   | 5.4    | 2.6    | 0.7    | -      |
| U3 - TITE, 56-day accrual  | 7.4    | 14.2   | 4.8    | 1.8    | 0.4    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.4    | 4.6    | 1.6    | 0.9    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 2.1    | 3.7    | 1.6    | 0.7    | 0.2    | -      |
| U3 - Original non-TITE     | 1.5    | 4.8    | 1.4    | 0.8    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 2.4    | 4.2    | 1.3    | 0.5    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1151.9 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1171.7 |
| U3 - Original non-TITE     |        |        |        |        |        | 1150.1 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1157.5 |
| Scenario 8                 |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.4    | 0.4    | 0.5    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Utility 2                  | -0.2   | -0.2   | -0.2   | -0.2   | -0.1   |        |
| Utility 3                  | 33.2   | 34.2   | 35.2   | 38.8   | 43.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 28.7   | 12.4   | 3.5    | 1.5    | 0.3    | 53.6   |
| U2 - TITE, 56-day accrual  | 16.7   | 9.3    | 3.5    | 1.4    | 0.2    | 68.9   |
| U3 - Original non-TITE     | 28.2   | 14     | 2.4    | 1.3    | 0.2    | 53.9   |
| U3 - TITE, 56-day accrual  | 15.4   | 9.2    | 3.9    | 1      | 0      | 70.5   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 12.6   | 6      | 2.3    | 1.2    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 10.1   | 5.4    | 2      | 1.1    | 0.3    | -      |
| U3 - Original non-TITE     | 12.9   | 5.8    | 2.2    | 1.1    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 10.6   | 5.2    | 1.8    | 0.9    | 0.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.3    | 2.8    | 0.7    | 0.4    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 3.3    | 2      | 0.6    | 0.3    | 0.1    | -      |
| U3 - Original non-TITE     | 3.5    | 2.8    | 0.7    | 0.4    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 3.5    | 1.9    | 0.6    | 0.3    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 818.9  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 724.6  |
| U3 - Original non-TITE     |        |        |        |        |        | 820    |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 710.8  |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 9                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.2    | 0.3    | 0.3    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.2    | 0.5    |        |
| Utility 2                  | -0.1   | -0.1   | 0      | 0      | 0.2    |        |
| Utility 3                  | 37     | 37.6   | 43.2   | 44.6   | 58.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.4   | 11     | 21.2   | 17     | 27.6   | 12.8   |
| U2 - TITE, 56-day accrual  | 5.7    | 7.1    | 20.1   | 15.5   | 26.2   | 25.4   |
| U3 - Original non-TITE     | 15.4   | 13.2   | 19.8   | 15.1   | 23.3   | 13.2   |
| U3 - TITE, 56-day accrual  | 4.8    | 7.5    | 22.7   | 17     | 22.1   | 25.9   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 6.2    | 5.6    | 6      | 5.4    | 5.2    | -      |
| U2 - TITE, 56-day accrual  | 5.4    | 5      | 5.9    | 4.9    | 4.5    | -      |
| U3 - Original non-TITE     | 6.4    | 5.7    | 5.9    | 5.4    | 4.8    | -      |
| U3 - TITE, 56-day accrual  | 6      | 5.4    | 5.7    | 4.7    | 3.7    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.3    | 3.3    | 1.9    | 2.1    | 1.6    | -      |
| U2 - TITE, 56-day accrual  | 1.9    | 2.2    | 2.2    | 1.8    | 1.3    | -      |
| U3 - Original non-TITE     | 1.4    | 3.3    | 1.9    | 2.1    | 1.5    | -      |
| U3 - TITE, 56-day accrual  | 2.1    | 2.4    | 2.2    | 1.7    | 1.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 999.7  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 973.4  |
| U3 - Original non-TITE     |        |        |        |        |        | 997    |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 949.8  |
| Scenario 10                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.3    | 0.4    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.4    | 0.4    | 0.5    | 0.5    |        |
| Utility 2                  | -0.2   | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 3                  | 33.8   | 52.8   | 52.4   | 51.4   | 52.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.7    | 36.3   | 15.9   | 6.5    | 1.8    | 34.8   |
| U2 - TITE, 56-day accrual  | 2.7    | 32.3   | 15.7   | 6.4    | 1.6    | 41.3   |
| U3 - Original non-TITE     | 5.2    | 38     | 15.1   | 5.5    | 1.1    | 35.1   |
| U3 - TITE, 56-day accrual  | 3.1    | 33.5   | 15.5   | 4.4    | 0.9    | 42.6   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.5    | 9.7    | 4.8    | 2.2    | 0.7    | -      |
| U2 - TITE, 56-day accrual  | 6.1    | 9.6    | 4.5    | 2.1    | 0.4    | -      |
| U3 - Original non-TITE     | 7.6    | 10.1   | 4.6    | 2.1    | 0.6    | -      |
| U3 - TITE, 56-day accrual  | 6.4    | 10.4   | 4      | 1.6    | 0.3    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.5    | 4.1    | 1.3    | 0.7    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 1.9    | 3.2    | 1.3    | 0.6    | 0.1    | -      |
| U3 - Original non-TITE     | 1.5    | 4.3    | 1.2    | 0.7    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 2.1    | 3.4    | 1.2    | 0.4    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 944.9  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 909.6  |
| U3 - Original non-TITE     |        |        |        |        |        | 944.8  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 893.5  |



Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 11                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.4    | 0.6    | 0.7    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0      | -0.1   | -0.2   | -0.4   | -0.5   |        |
| Utility 3                  | 43.2   | 39.2   | 34.4   | 28.4   | 25.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 57.3   | 23.4   | 4.4    | 0.6    | 0      | 14.3   |
| U2 - TITE, 56-day accrual  | 43.7   | 22.2   | 6.6    | 0.8    | 0      | 26.7   |
| U3 - Original non-TITE     | 59.9   | 21.1   | 4.5    | 0.6    | 0      | 13.9   |
| U3 - TITE, 56-day accrual  | 42.3   | 21.8   | 7.4    | 1.1    | 0      | 27.4   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 15.4   | 7.8    | 3.4    | 1.4    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 13.6   | 7.5    | 3.2    | 1.3    | 0.2    | -      |
| U3 - Original non-TITE     | 15.9   | 7.6    | 3.2    | 1.3    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 14.6   | 7.2    | 2.8    | 1      | 0.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.4    | 3.5    | 1      | 0.5    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 4.6    | 2.7    | 1.1    | 0.4    | 0.1    | -      |
| U3 - Original non-TITE     | 4.6    | 3.5    | 0.9    | 0.5    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 5      | 2.6    | 0.9    | 0.3    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1031.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 984.8  |
| U3 - Original non-TITE     |        |        |        |        |        | 1032.1 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 968.4  |
| Scenario 12                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.4    | 0.6    |        |
| Utility 2                  | 0      | 0      | -0.1   | 0.1    | 0.2    |        |
| Utility 3                  | 40.6   | 42.4   | 40     | 52.4   | 58.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.7   | 10.7   | 8.3    | 43.9   | 24.3   | 2.1    |
| U2 - TITE, 56-day accrual  | 5.3    | 7.1    | 10.8   | 45.9   | 24.5   | 6.4    |
| U3 - Original non-TITE     | 14.5   | 13.6   | 7.1    | 42.4   | 20.4   | 2      |
| U3 - TITE, 56-day accrual  | 4.1    | 7.7    | 12.4   | 46.6   | 22.6   | 6.6    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.4    | 5      | 5.4    | 9.5    | 5.5    | -      |
| U2 - TITE, 56-day accrual  | 4.1    | 4.8    | 5.3    | 9.5    | 5.2    | -      |
| U3 - Original non-TITE     | 4.6    | 5.1    | 5.4    | 9.6    | 5.2    | -      |
| U3 - TITE, 56-day accrual  | 4.6    | 5.2    | 4.9    | 9.4    | 4.5    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.6    | 3.2    | 1.6    | 3.3    | 1.4    | -      |
| U2 - TITE, 56-day accrual  | 1.4    | 2.3    | 2.1    | 3      | 1.2    | -      |
| U3 - Original non-TITE     | 0.7    | 3.2    | 1.6    | 3.3    | 1.3    | -      |
| U3 - TITE, 56-day accrual  | 1.6    | 2.5    | 2      | 2.9    | 1      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1084   |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1142.6 |
| U3 - Original non-TITE     |        |        |        |        |        | 1079.6 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1113.8 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 13                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.4    |        |
| Utility 2                  | -0.2   | 0      | 0      | 0      | -0.1   |        |
| Utility 3                  | 34.6   | 46.4   | 47.2   | 45.4   | 45.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 6.3    | 36.8   | 17.2   | 6.7    | 1.7    | 31.3   |
| U2 - TITE, 56-day accrual  | 5.7    | 29     | 15.2   | 7.7    | 2      | 40.4   |
| U3 - Original non-TITE     | 8.5    | 37.6   | 15.9   | 5.1    | 1.3    | 31.6   |
| U3 - TITE, 56-day accrual  | 3.7    | 30.7   | 15.5   | 7      | 1      | 42.1   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.6    | 9.1    | 5      | 2.9    | 0.9    | -      |
| U2 - TITE, 56-day accrual  | 6.3    | 8.2    | 4.9    | 3      | 0.9    | -      |
| U3 - Original non-TITE     | 7.7    | 9.4    | 4.9    | 2.7    | 0.8    | -      |
| U3 - TITE, 56-day accrual  | 6.6    | 8.9    | 4.4    | 2.5    | 0.5    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.5    | 4.2    | 1.5    | 1      | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 2      | 3      | 1.6    | 0.9    | 0.2    | -      |
| U3 - Original non-TITE     | 1.6    | 4.3    | 1.4    | 1      | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 2.2    | 3.2    | 1.4    | 0.8    | 0.2    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 932.7  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 903.4  |
| U3 - Original non-TITE     |        |        |        |        |        | 930    |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 885.5  |
| Scenario 14                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.3    | 0.4    |        |
| Utility 2                  | 0      | -0.1   | -0.1   | 0      | 0      |        |
| Utility 3                  | 39.4   | 38.8   | 38     | 46.8   | 48.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 14.9   | 15.1   | 14.4   | 34.2   | 16     | 5.4    |
| U2 - TITE, 56-day accrual  | 9.9    | 10.7   | 15.2   | 30.9   | 16.6   | 16.7   |
| U3 - Original non-TITE     | 21.3   | 18.2   | 13.2   | 30.6   | 11.2   | 5.5    |
| U3 - TITE, 56-day accrual  | 7.3    | 10.2   | 18.5   | 30.9   | 16.1   | 17     |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.7    | 5.9    | 5.7    | 7.8    | 4.3    | -      |
| U2 - TITE, 56-day accrual  | 5.1    | 5.3    | 5.6    | 7.4    | 4      | -      |
| U3 - Original non-TITE     | 6      | 6.1    | 5.6    | 7.8    | 4      | -      |
| U3 - TITE, 56-day accrual  | 5.7    | 5.8    | 5.3    | 7.2    | 3.3    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.1    | 3.5    | 1.8    | 3      | 1.4    | -      |
| U2 - TITE, 56-day accrual  | 1.8    | 2.5    | 2.2    | 2.6    | 1.1    | -      |
| U3 - Original non-TITE     | 1.3    | 3.6    | 1.8    | 2.9    | 1.3    | -      |
| U3 - TITE, 56-day accrual  | 2.1    | 2.7    | 2.1    | 2.5    | 1      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1028.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1031.8 |
| U3 - Original non-TITE     |        |        |        |        |        | 1024.9 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1012.2 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 15                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 2                  | 0      | -0.1   | -0.2   | -0.3   | -0.4   |        |
| Utility 3                  | 40.8   | 38     | 33.2   | 30.4   | 27.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 41.9   | 27.2   | 13.1   | 6.5    | 0.4    | 10.9   |
| U2 - TITE, 56-day accrual  | 25.2   | 19.7   | 15.6   | 6.9    | 2.2    | 30.4   |
| U3 - Original non-TITE     | 46.1   | 28.2   | 10     | 3.3    | 0.5    | 11.9   |
| U3 - TITE, 56-day accrual  | 21.4   | 21.7   | 18.9   | 6.5    | 2.3    | 29.2   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9.4    | 8      | 5.7    | 4.1    | 1.6    | -      |
| U2 - TITE, 56-day accrual  | 8      | 7.3    | 5.6    | 3.8    | 1.4    | -      |
| U3 - Original non-TITE     | 9.9    | 8      | 5.5    | 4      | 1.5    | -      |
| U3 - TITE, 56-day accrual  | 9      | 7.5    | 5      | 3.3    | 1.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.6    | 4.2    | 1.9    | 1.7    | 0.5    | -      |
| U2 - TITE, 56-day accrual  | 3      | 3.1    | 2.1    | 1.4    | 0.5    | -      |
| U3 - Original non-TITE     | 2.9    | 4.2    | 1.8    | 1.7    | 0.5    | -      |
| U3 - TITE, 56-day accrual  | 3.4    | 3.2    | 1.9    | 1.2    | 0.4    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 982.4  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 949.3  |
| U3 - Original non-TITE     |        |        |        |        |        | 981.6  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 934.2  |
| Scenario 16                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.1    | 0.1    | 0.3    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0.2    | 0.1    | 0.1    | 0.1    | -0.1   |        |
| Utility 3                  | 51.2   | 49.6   | 48.4   | 46.4   | 41.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 40.6   | 24.4   | 14.6   | 13.1   | 7.3    | 0      |
| U2 - TITE, 56-day accrual  | 30.9   | 24     | 17.1   | 13.4   | 14.3   | 0.3    |
| U3 - Original non-TITE     | 47.1   | 24.2   | 12.6   | 11     | 5.1    | 0      |
| U3 - TITE, 56-day accrual  | 30.1   | 23.4   | 18.3   | 14.1   | 13.8   | 0.3    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.5    | 4.9    | 6      | 8.3    | 6.3    | -      |
| U2 - TITE, 56-day accrual  | 4.2    | 5      | 6.2    | 8.3    | 6.3    | -      |
| U3 - Original non-TITE     | 4.7    | 5.1    | 6.2    | 8.2    | 5.7    | -      |
| U3 - TITE, 56-day accrual  | 5.1    | 5.6    | 6.3    | 7.8    | 5      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.6    | 2.9    | 2.2    | 3.6    | 2.3    | -      |
| U2 - TITE, 56-day accrual  | 1.3    | 2.2    | 2.6    | 3.3    | 2.4    | -      |
| U3 - Original non-TITE     | 0.7    | 3      | 2.3    | 3.6    | 2.1    | -      |
| U3 - TITE, 56-day accrual  | 1.8    | 2.5    | 2.7    | 3.2    | 1.9    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1009.6 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1103.4 |
| U3 - Original non-TITE     |        |        |        |        |        | 1008.4 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1089.7 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 17                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.4    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.3    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.2    | 0.3    | 0.1    | -0.1   | -0.3   |        |
| Utility 3                  | 53.6   | 60.8   | 54.4   | 46.8   | 39.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 18.3   | 61     | 17.4   | 2.8    | 0.1    | 0.4    |
| U2 - TITE, 56-day accrual  | 15.8   | 55.9   | 22.6   | 2.7    | 0      | 3      |
| U3 - Original non-TITE     | 23.2   | 61.2   | 13.2   | 1.9    | 0      | 0.5    |
| U3 - TITE, 56-day accrual  | 17.7   | 62.9   | 15.6   | 1      | 0      | 2.8    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9      | 14.1   | 5.4    | 1.3    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 8.8    | 14     | 5.4    | 1.2    | 0.1    | -      |
| U3 - Original non-TITE     | 9.5    | 14.5   | 4.8    | 1      | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 10.2   | 14.6   | 3.9    | 0.8    | 0.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.9    | 4.7    | 1.4    | 0.4    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.8    | 4.1    | 1.3    | 0.3    | 0      | -      |
| U3 - Original non-TITE     | 2.1    | 4.8    | 1.2    | 0.3    | 0      | -      |
| U3 - TITE, 56-day accrual  | 3.3    | 4.3    | 1      | 0.2    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1190.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1225.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1183.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1208.2 |
| Scenario 18                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0      | 0.1    | 0.2    | 0.3    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.2    | 0.5    |        |
| Utility 2                  | 0      | 0.1    | 0.1    | 0      | 0.1    |        |
| Utility 3                  | 42.2   | 44.4   | 45     | 44     | 56     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.6   | 10.8   | 8.3    | 15     | 55.3   | 0      |
| U2 - TITE, 56-day accrual  | 5.3    | 8.7    | 10.7   | 13     | 61.2   | 1.1    |
| U3 - Original non-TITE     | 16.5   | 14.6   | 9.8    | 11.1   | 48     | 0      |
| U3 - TITE, 56-day accrual  | 5.5    | 8.6    | 11.6   | 15.9   | 57.5   | 0.9    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.4    | 4      | 5.1    | 6.8    | 10.6   | -      |
| U2 - TITE, 56-day accrual  | 3.3    | 3.9    | 5      | 6.8    | 10.7   | -      |
| U3 - Original non-TITE     | 3.5    | 4.2    | 5.2    | 6.8    | 10.3   | -      |
| U3 - TITE, 56-day accrual  | 3.7    | 4.3    | 5      | 6.9    | 9.8    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.2    | 2.8    | 1.8    | 2.8    | 3      | -      |
| U2 - TITE, 56-day accrual  | 1.1    | 2      | 2.1    | 2.6    | 2.9    | -      |
| U3 - Original non-TITE     | 0.2    | 2.9    | 1.8    | 2.9    | 2.9    | -      |
| U3 - TITE, 56-day accrual  | 1.2    | 2.2    | 2.1    | 2.7    | 2.7    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1067   |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1173.1 |
| U3 - Original non-TITE     |        |        |        |        |        | 1062.6 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1158   |



Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 19                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.4    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.4    |        |
| Utility 2                  | 0      | 0      | -0.1   | -0.2   | -0.4   |        |
| Utility 3                  | 40.4   | 47.6   | 43.6   | 37     | 33.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11     | 53.4   | 19.8   | 3      | 0.1    | 12.7   |
| U2 - TITE, 56-day accrual  | 9.6    | 45.6   | 19.6   | 2.6    | 0.1    | 22.5   |
| U3 - Original non-TITE     | 13.5   | 55.2   | 16.6   | 2.2    | 0.1    | 12.4   |
| U3 - TITE, 56-day accrual  | 8.3    | 44.4   | 21     | 2.8    | 0.1    | 23.4   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.1    | 12.1   | 6.6    | 2.3    | 0.4    | -      |
| U2 - TITE, 56-day accrual  | 6.7    | 11.2   | 6.3    | 2.2    | 0.3    | -      |
| U3 - Original non-TITE     | 7.4    | 12.5   | 6.3    | 2.1    | 0.4    | -      |
| U3 - TITE, 56-day accrual  | 7.1    | 12     | 5.5    | 1.7    | 0.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.5    | 5.2    | 1.9    | 0.8    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.3    | 4      | 1.9    | 0.6    | 0.1    | -      |
| U3 - Original non-TITE     | 1.5    | 5.4    | 1.8    | 0.7    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 2.5    | 4.3    | 1.6    | 0.4    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1047.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1039.5 |
| U3 - Original non-TITE     |        |        |        |        |        | 1047.4 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1018.9 |
| Scenario 20                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0      | 0.1    | -0.1   | -0.2   | -0.3   |        |
| Utility 3                  | 40.2   | 49.4   | 42.6   | 38.6   | 34.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.6   | 45.6   | 27.1   | 12.6   | 1.9    | 2.2    |
| U2 - TITE, 56-day accrual  | 7      | 39.1   | 30.4   | 13.9   | 2.2    | 7.4    |
| U3 - Original non-TITE     | 12.4   | 50.1   | 22.6   | 11.5   | 1.3    | 2.1    |
| U3 - TITE, 56-day accrual  | 4.8    | 38.2   | 32.7   | 14.1   | 2.5    | 7.7    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.6    | 9.9    | 8.1    | 5.2    | 1.9    | -      |
| U2 - TITE, 56-day accrual  | 4.3    | 9.4    | 8.1    | 5.3    | 1.8    | -      |
| U3 - Original non-TITE     | 4.9    | 10.4   | 7.8    | 4.9    | 1.7    | -      |
| U3 - TITE, 56-day accrual  | 4.8    | 10.6   | 7.3    | 4.6    | 1.4    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.6    | 4.8    | 2.6    | 1.8    | 0.6    | -      |
| U2 - TITE, 56-day accrual  | 1.4    | 3.8    | 2.7    | 1.7    | 0.5    | -      |
| U3 - Original non-TITE     | 0.8    | 5      | 2.5    | 1.7    | 0.6    | -      |
| U3 - TITE, 56-day accrual  | 1.6    | 4.3    | 2.5    | 1.5    | 0.4    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1059.4 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1102.1 |
| U3 - Original non-TITE     |        |        |        |        |        | 1056.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1076.7 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 21                |        |        |        |        |        |        |
| DLT rate                   | 0.4    | 0.6    | 0.7    | 0.8    | 0.9    |        |
| Efficacy rate              | 0.5    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.1    | -0.1   | -0.2   | -0.3   | -0.4   |        |
| Utility 3                  | 55.2   | 47.6   | 42.4   | 36.8   | 34.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 58.8   | 1.8    | 0      | 0      | 0      | 39.4   |
| U2 - TITE, 56-day accrual  | 59     | 1      | 0.1    | 0      | 0      | 39.9   |
| U3 - Original non-TITE     | 59     | 1.6    | 0      | 0      | 0      | 39.4   |
| U3 - TITE, 56-day accrual  | 58.9   | 1.1    | 0      | 0      | 0      | 40     |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 20.3   | 2.7    | 0.3    | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 20.2   | 2.8    | 0.2    | 0      | 0      | -      |
| U3 - Original non-TITE     | 20.4   | 2.6    | 0.2    | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 20.6   | 2.6    | 0.1    | 0      | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.8    | 1      | 0.1    | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 4.4    | 0.7    | 0.1    | 0      | 0      | -      |
| U3 - Original non-TITE     | 3.9    | 1      | 0.1    | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 4.5    | 0.6    | 0      | 0      | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1012.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1033.9 |
| U3 - Original non-TITE     |        |        |        |        |        | 1009.4 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1031.6 |
| Scenario 22                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.5    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.5    | 0.5    |        |
| Utility 2                  | 0      | 0      | -0.2   | -0.1   | -0.3   |        |
| Utility 3                  | 42     | 44.2   | 35     | 47.6   | 38.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 14.4   | 56.9   | 13.6   | 4      | 0      | 11.1   |
| U2 - TITE, 56-day accrual  | 10.6   | 43.4   | 17.1   | 3.6    | 0      | 25.3   |
| U3 - Original non-TITE     | 16.5   | 57.2   | 11.8   | 3.2    | 0      | 11.3   |
| U3 - TITE, 56-day accrual  | 8.9    | 45.5   | 16.2   | 3.8    | 0      | 25.6   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.8    | 12.9   | 5.8    | 2.2    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 7      | 11.7   | 5.6    | 2.2    | 0.2    | -      |
| U3 - Original non-TITE     | 8.2    | 13     | 5.5    | 2.1    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 7.4    | 12.1   | 5.1    | 1.9    | 0.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.8    | 5.7    | 1.6    | 0.7    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.5    | 4.3    | 1.6    | 0.5    | 0      | -      |
| U3 - Original non-TITE     | 2      | 5.7    | 1.6    | 0.7    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 2.7    | 4.5    | 1.5    | 0.5    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1045.6 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1024   |
| U3 - Original non-TITE     |        |        |        |        |        | 1039.7 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1014.9 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 23                |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.6    | 0.8    | 0.9    | 1      |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 2                  | -0.3   | -0.5   | -0.8   | -0.9   | -0.9   |        |
| Utility 3                  | 30.2   | 21     | 11     | 5.4    | 4.2    |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.1    | 2      | 0      | 0      | 0      | 89.9   |
| U2 - TITE, 56-day accrual  | 3.4    | 0.8    | 0.4    | 0      | 0      | 95.4   |
| U3 - Original non-TITE     | 8.3    | 1.7    | 0.1    | 0      | 0      | 89.9   |
| U3 - TITE, 56-day accrual  | 3.5    | 1.1    | 0.4    | 0      | 0      | 95     |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.1   | 4.4    | 0.7    | 0.1    | 0      | -      |
| U2 - TITE, 56-day accrual  | 8.6    | 3.9    | 0.6    | 0.1    | 0      | -      |
| U3 - Original non-TITE     | 11.1   | 4.4    | 0.7    | 0.1    | 0      | -      |
| U3 - TITE, 56-day accrual  | 8.6    | 3.9    | 0.6    | 0.1    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.9    | 2.3    | 0.2    | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.7    | 1.3    | 0.2    | 0      | 0      | -      |
| U3 - Original non-TITE     | 2.8    | 2.3    | 0.2    | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.7    | 1.3    | 0.2    | 0      | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 594.5  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 510    |
| U3 - Original non-TITE     |        |        |        |        |        | 591.5  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 507.7  |
| Scenario 24                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0      | 0.1    | 0.1    | 0.2    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.5    | 0.5    |        |
| Utility 2                  | 0      | 0.1    | 0.1    | 0.4    | 0.2    |        |
| Utility 3                  | 42.6   | 44     | 50     | 66     | 60     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.2    | 2.2    | 3.6    | 54.1   | 37.9   | 0      |
| U2 - TITE, 56-day accrual  | 1      | 1.1    | 2.9    | 55.1   | 39.9   | 0      |
| U3 - Original non-TITE     | 4      | 3.1    | 4.8    | 57.1   | 31     | 0      |
| U3 - TITE, 56-day accrual  | 0.7    | 0.8    | 3.5    | 60.1   | 34.9   | 0      |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.1    | 3.1    | 3.9    | 12.5   | 7.4    | -      |
| U2 - TITE, 56-day accrual  | 3.1    | 3.2    | 4      | 12.5   | 7.3    | -      |
| U3 - Original non-TITE     | 3.1    | 3.2    | 4      | 13     | 6.7    | -      |
| U3 - TITE, 56-day accrual  | 3.2    | 3.3    | 4.2    | 13     | 6.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0      | 2.4    | 1.2    | 4.4    | 2.2    | -      |
| U2 - TITE, 56-day accrual  | 1      | 1.7    | 1.6    | 4      | 2.1    | -      |
| U3 - Original non-TITE     | 0      | 2.5    | 1.3    | 4.6    | 2      | -      |
| U3 - TITE, 56-day accrual  | 1      | 1.7    | 1.7    | 4.2    | 1.8    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1090.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1212.6 |
| U3 - Original non-TITE     |        |        |        |        |        | 1087.4 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1209.9 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 25                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.4    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.4    | 0.5    | 0.5    |        |
| Utility 2                  | 0.1    | 0.1    | 0      | -0.2   | -0.3   |        |
| Utility 3                  | 48.4   | 47.8   | 49.2   | 41.8   | 39.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 25.6   | 29.7   | 37.1   | 6.3    | 0.1    | 1.2    |
| U2 - TITE, 56-day accrual  | 23.2   | 27     | 37.1   | 6.3    | 0.2    | 6.2    |
| U3 - Original non-TITE     | 31.9   | 29.3   | 31.9   | 5.6    | 0      | 1.3    |
| U3 - TITE, 56-day accrual  | 22.4   | 26.6   | 38.9   | 6.9    | 0.1    | 5.1    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.7    | 9      | 8.8    | 2.9    | 0.4    | -      |
| U2 - TITE, 56-day accrual  | 8.2    | 8.9    | 8.7    | 2.8    | 0.4    | -      |
| U3 - Original non-TITE     | 9.4    | 9.1    | 8.5    | 2.5    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 9.3    | 9.4    | 7.9    | 2.2    | 0.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.2    | 4      | 2.4    | 0.9    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.9    | 3.3    | 2.5    | 0.7    | 0.1    | -      |
| U3 - Original non-TITE     | 2.5    | 4      | 2.3    | 0.8    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 3.3    | 3.6    | 2.3    | 0.5    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1121.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1141.3 |
| U3 - Original non-TITE     |        |        |        |        |        | 1114.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1119.1 |
| Scenario 26                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.3    | 0.5    | 0.6    |        |
| Utility 2                  | -0.1   | 0      | 0.1    | -0.2   | -0.2   |        |
| Utility 3                  | 40     | 43.2   | 49     | 42.2   | 41     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 18.7   | 29.8   | 32.9   | 7.8    | 0.1    | 10.7   |
| U2 - TITE, 56-day accrual  | 11.9   | 24.9   | 31.8   | 7.9    | 0.1    | 23.4   |
| U3 - Original non-TITE     | 21.6   | 28.7   | 31     | 7.3    | 0.1    | 11.3   |
| U3 - TITE, 56-day accrual  | 10.8   | 25.5   | 32.5   | 7.4    | 0.1    | 23.7   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8      | 8.6    | 8.3    | 3.2    | 0.4    | -      |
| U2 - TITE, 56-day accrual  | 7      | 8.2    | 7.8    | 3.1    | 0.4    | -      |
| U3 - Original non-TITE     | 8.3    | 8.7    | 8.2    | 3      | 0.4    | -      |
| U3 - TITE, 56-day accrual  | 7.8    | 8.6    | 7.2    | 2.5    | 0.3    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.9    | 4.1    | 2.3    | 1.1    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.5    | 3.2    | 2.4    | 0.8    | 0.1    | -      |
| U3 - Original non-TITE     | 2      | 4.2    | 2.3    | 1      | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 2.8    | 3.4    | 2.2    | 0.6    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1045.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1022.7 |
| U3 - Original non-TITE     |        |        |        |        |        | 1041.9 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1000.5 |



Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 27                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.5    | 0.6    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.4    | 0.4    | 0.5    |        |
| Utility 2                  | 0      | 0      | 0.1    | -0.1   | -0.2   |        |
| Utility 3                  | 41.6   | 45.2   | 52     | 45.2   | 42.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 12.9   | 23.4   | 46.3   | 11.8   | 0.7    | 4.9    |
| U2 - TITE, 56-day accrual  | 9      | 19.1   | 47.5   | 10.8   | 0.8    | 12.8   |
| U3 - Original non-TITE     | 15.8   | 25.7   | 42.3   | 11     | 0.5    | 4.7    |
| U3 - TITE, 56-day accrual  | 7.7    | 20.8   | 47.9   | 10.6   | 0.4    | 12.6   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 6.2    | 8      | 10.3   | 4.1    | 0.9    | -      |
| U2 - TITE, 56-day accrual  | 5.8    | 7.4    | 9.5    | 4.3    | 0.8    | -      |
| U3 - Original non-TITE     | 6.5    | 8.2    | 10.1   | 3.9    | 0.7    | -      |
| U3 - TITE, 56-day accrual  | 6.5    | 8.2    | 9.1    | 3.5    | 0.5    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.2    | 3.9    | 2.9    | 1.3    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 2      | 3      | 2.8    | 1.1    | 0.2    | -      |
| U3 - Original non-TITE     | 1.4    | 4      | 2.9    | 1.3    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 2.4    | 3.3    | 2.7    | 0.9    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1087.9 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1096.5 |
| U3 - Original non-TITE     |        |        |        |        |        | 1085.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1080.5 |
| Scenario 28                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.5    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.4    |        |
| Utility 2                  | -0.1   | 0      | -0.2   | -0.2   | -0.4   |        |
| Utility 3                  | 35     | 46     | 39.2   | 37     | 33.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9      | 44.6   | 9.1    | 0.6    | 0      | 36.7   |
| U2 - TITE, 56-day accrual  | 5.7    | 34.7   | 9.1    | 0.7    | 0      | 49.8   |
| U3 - Original non-TITE     | 8.9    | 45.4   | 7.9    | 0.1    | 0      | 37.7   |
| U3 - TITE, 56-day accrual  | 4      | 35.2   | 9.3    | 0.8    | 0      | 50.7   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.5    | 11.2   | 4.1    | 1.2    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 7.3    | 9.9    | 3.9    | 1.1    | 0.1    | -      |
| U3 - Original non-TITE     | 8.7    | 11.2   | 4      | 1.1    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 7.5    | 10.3   | 3.4    | 0.9    | 0.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.9    | 4.8    | 1.2    | 0.4    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.4    | 3.5    | 1.1    | 0.3    | 0      | -      |
| U3 - Original non-TITE     | 2      | 4.8    | 1.2    | 0.4    | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.5    | 3.6    | 1      | 0.2    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 928    |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 859.9  |
| U3 - Original non-TITE     |        |        |        |        |        | 921.7  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 852.5  |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 29                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.6    | 0.7    | 0.9    |        |
| Efficacy rate              | 0.4    | 0.4    | 0.4    | 0.4    | 0.4    |        |
| Utility 2                  | 0.2    | 0.1    | -0.2   | -0.3   | -0.5   |        |
| Utility 3                  | 56.4   | 52     | 41.6   | 34.4   | 29.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 63.1   | 30     | 4.4    | 0.2    | 0      | 2.3    |
| U2 - TITE, 56-day accrual  | 58     | 31.4   | 5.2    | 0.1    | 0      | 5.3    |
| U3 - Original non-TITE     | 67.2   | 27.3   | 3      | 0.2    | 0      | 2.3    |
| U3 - TITE, 56-day accrual  | 61.1   | 29     | 4.6    | 0.1    | 0      | 5.2    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 17.3   | 8.9    | 2.7    | 0.6    | 0      | -      |
| U2 - TITE, 56-day accrual  | 17.1   | 9      | 2.5    | 0.6    | 0.1    | -      |
| U3 - Original non-TITE     | 18.2   | 8.6    | 2.2    | 0.5    | 0      | -      |
| U3 - TITE, 56-day accrual  | 18.8   | 8.3    | 1.7    | 0.3    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.2    | 3.1    | 0.7    | 0.2    | 0      | -      |
| U2 - TITE, 56-day accrual  | 5      | 2.8    | 0.6    | 0.1    | 0      | -      |
| U3 - Original non-TITE     | 4.6    | 3      | 0.6    | 0.1    | 0      | -      |
| U3 - TITE, 56-day accrual  | 5.6    | 2.6    | 0.4    | 0.1    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1177.9 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1180.9 |
| U3 - Original non-TITE     |        |        |        |        |        | 1172.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1173.6 |
| Scenario 30                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.4    | 0.5    |        |
| Utility 2                  | 0.1    | 0.1    | 0      | 0.1    | 0      |        |
| Utility 3                  | 45.2   | 45.8   | 45.2   | 53.2   | 48.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 17.2   | 12.2   | 12.2   | 43.7   | 14.3   | 0.4    |
| U2 - TITE, 56-day accrual  | 12.5   | 11.3   | 12.3   | 46     | 15.6   | 2.3    |
| U3 - Original non-TITE     | 25.6   | 14.5   | 10.1   | 38.4   | 10.9   | 0.5    |
| U3 - TITE, 56-day accrual  | 11.5   | 10.6   | 14     | 47.2   | 14.1   | 2.6    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.3    | 4.8    | 5.9    | 10.4   | 4.6    | -      |
| U2 - TITE, 56-day accrual  | 4.2    | 4.8    | 5.9    | 10     | 4.5    | -      |
| U3 - Original non-TITE     | 4.5    | 5      | 6      | 10.3   | 4.3    | -      |
| U3 - TITE, 56-day accrual  | 5      | 5.5    | 5.7    | 9.6    | 3.6    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.6    | 2.9    | 1.9    | 3.4    | 1.3    | -      |
| U2 - TITE, 56-day accrual  | 1.4    | 2.2    | 2.3    | 3.1    | 1.1    | -      |
| U3 - Original non-TITE     | 0.6    | 3      | 1.9    | 3.4    | 1.2    | -      |
| U3 - TITE, 56-day accrual  | 1.8    | 2.5    | 2.3    | 3      | 0.9    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1096.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1173.7 |
| U3 - Original non-TITE     |        |        |        |        |        | 1091.3 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1149.5 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 31                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.1    | 0.2    | 0.6    |        |
| Efficacy rate              | 0.2    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.2    | 0.4    | 0.4    | 0.3    | -0.1   |        |
| Utility 3                  | 50.4   | 67.6   | 66     | 62     | 46     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.3    | 34.7   | 27     | 25.9   | 7.1    | 0      |
| U2 - TITE, 56-day accrual  | 2.5    | 32.4   | 32.8   | 24.6   | 7.5    | 0.2    |
| U3 - Original non-TITE     | 6.8    | 41.2   | 26.4   | 21.2   | 4.4    | 0      |
| U3 - TITE, 56-day accrual  | 2.4    | 40.6   | 31     | 21.8   | 4      | 0.2    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.8    | 11     | 7.4    | 5.9    | 2      | -      |
| U2 - TITE, 56-day accrual  | 3.8    | 10.9   | 8      | 5.4    | 1.9    | -      |
| U3 - Original non-TITE     | 3.9    | 11.9   | 7.2    | 5.4    | 1.6    | -      |
| U3 - TITE, 56-day accrual  | 4.1    | 12.9   | 7.4    | 4.4    | 1.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.3    | 4.4    | 2.2    | 1.7    | 0.6    | -      |
| U2 - TITE, 56-day accrual  | 1.1    | 3.7    | 2.4    | 1.5    | 0.4    | -      |
| U3 - Original non-TITE     | 0.3    | 4.7    | 2.1    | 1.6    | 0.5    | -      |
| U3 - TITE, 56-day accrual  | 1.3    | 4.3    | 2.3    | 1.3    | 0.3    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1153.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1239.5 |
| U3 - Original non-TITE     |        |        |        |        |        | 1147.9 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1219.4 |
| Scenario 32                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.1    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.3    | 0.3    | 0.3    |        |
| Utility 2                  | 0.1    | 0.1    | 0.2    | 0      | -0.1   |        |
| Utility 3                  | 44     | 47     | 53.6   | 46     | 43.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 13.6   | 14.2   | 34.4   | 25.7   | 12     | 0.1    |
| U2 - TITE, 56-day accrual  | 8.2    | 11.3   | 31.4   | 29.8   | 18.8   | 0.5    |
| U3 - Original non-TITE     | 20     | 16.5   | 32.5   | 23.6   | 7.3    | 0.1    |
| U3 - TITE, 56-day accrual  | 8.4    | 11.4   | 30.6   | 32     | 17.2   | 0.4    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.5    | 4.3    | 8.5    | 8.4    | 5.3    | -      |
| U2 - TITE, 56-day accrual  | 3.4    | 4.4    | 8.3    | 9      | 4.8    | -      |
| U3 - Original non-TITE     | 3.6    | 4.5    | 8.8    | 8.4    | 4.7    | -      |
| U3 - TITE, 56-day accrual  | 3.7    | 4.9    | 8.8    | 8.6    | 3.8    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.2    | 2.9    | 2.8    | 3.2    | 1.7    | -      |
| U2 - TITE, 56-day accrual  | 1      | 2.1    | 3.1    | 3      | 1.6    | -      |
| U3 - Original non-TITE     | 0.3    | 2.9    | 2.9    | 3.2    | 1.5    | -      |
| U3 - TITE, 56-day accrual  | 1.2    | 2.3    | 3.3    | 3      | 1.3    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1057.6 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1160.8 |
| U3 - Original non-TITE     |        |        |        |        |        | 1054.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1141.7 |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 33                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0      | 0.1    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.4    | 0.5    |        |
| Utility 2                  | 0      | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 3                  | 42.6   | 44     | 48.4   | 51.2   | 54.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.9    | 5.6    | 12.1   | 43.7   | 30.6   | 0.1    |
| U2 - TITE, 56-day accrual  | 3.9    | 5.2    | 9.6    | 48     | 33.1   | 0.2    |
| U3 - Original non-TITE     | 12     | 7.6    | 11     | 43.6   | 25.7   | 0.1    |
| U3 - TITE, 56-day accrual  | 3.9    | 5.2    | 9.6    | 51.9   | 29.2   | 0.2    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.3    | 3.6    | 5.9    | 10.5   | 6.7    | -      |
| U2 - TITE, 56-day accrual  | 3.2    | 3.6    | 5.6    | 10.7   | 6.7    | -      |
| U3 - Original non-TITE     | 3.4    | 3.8    | 6      | 10.6   | 6.2    | -      |
| U3 - TITE, 56-day accrual  | 3.4    | 3.9    | 6      | 11     | 5.6    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.1    | 2.7    | 1.8    | 3.7    | 1.8    | -      |
| U2 - TITE, 56-day accrual  | 1      | 1.9    | 2.2    | 3.3    | 1.7    | -      |
| U3 - Original non-TITE     | 0.2    | 2.7    | 1.8    | 3.8    | 1.6    | -      |
| U3 - TITE, 56-day accrual  | 1.1    | 2      | 2.4    | 3.4    | 1.4    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1094.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1200   |
| U3 - Original non-TITE     |        |        |        |        |        | 1090.6 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1183   |
| Scenario 34                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.3    | 0.4    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.3    | 0.3    | 0.3    |        |
| Utility 2                  | 0      | 0      | 0      | 0      | -0.1   |        |
| Utility 3                  | 41     | 40.8   | 46     | 44.8   | 44.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.5   | 12.3   | 44.5   | 23     | 5.1    | 3.6    |
| U2 - TITE, 56-day accrual  | 8.7    | 10.9   | 42.8   | 20.8   | 7.3    | 9.5    |
| U3 - Original non-TITE     | 15.8   | 14.3   | 42.1   | 20.9   | 3.3    | 3.6    |
| U3 - TITE, 56-day accrual  | 6.4    | 10.4   | 44.7   | 22.6   | 6.6    | 9.3    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5      | 6.2    | 9.6    | 6.3    | 2.8    | -      |
| U2 - TITE, 56-day accrual  | 4.4    | 5.7    | 9.2    | 6.4    | 2.6    | -      |
| U3 - Original non-TITE     | 5.2    | 6.3    | 9.7    | 6.1    | 2.4    | -      |
| U3 - TITE, 56-day accrual  | 5      | 6.2    | 9.3    | 5.7    | 2      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.8    | 3.5    | 2.9    | 2.2    | 0.9    | -      |
| U2 - TITE, 56-day accrual  | 1.5    | 2.6    | 3.1    | 2      | 0.8    | -      |
| U3 - Original non-TITE     | 1      | 3.6    | 2.9    | 2.1    | 0.8    | -      |
| U3 - TITE, 56-day accrual  | 1.8    | 2.8    | 3.1    | 1.8    | 0.6    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1065.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1089.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1062.1 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1070.2 |



Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 35                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.2    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.2    | 0.4    | 0.1    | 0.1    | 0      |        |
| Utility 3                  | 50.8   | 63.4   | 55     | 51     | 49     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9.2    | 40     | 31.6   | 15.2   | 3.9    | 0.1    |
| U2 - TITE, 56-day accrual  | 5.5    | 37.2   | 35.5   | 17.4   | 4      | 0.4    |
| U3 - Original non-TITE     | 13.6   | 45.6   | 27.4   | 10.6   | 2.7    | 0.1    |
| U3 - TITE, 56-day accrual  | 5.1    | 45.5   | 34     | 13.2   | 1.8    | 0.4    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.4    | 11.1   | 8.4    | 4.5    | 1.5    | -      |
| U2 - TITE, 56-day accrual  | 4.3    | 11.5   | 8.7    | 4.3    | 1.1    | -      |
| U3 - Original non-TITE     | 4.6    | 12     | 8.1    | 4      | 1.3    | -      |
| U3 - TITE, 56-day accrual  | 5      | 13.3   | 7.8    | 3.2    | 0.6    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.5    | 4.4    | 2.3    | 1.3    | 0.4    | -      |
| U2 - TITE, 56-day accrual  | 1.4    | 3.9    | 2.5    | 1.1    | 0.3    | -      |
| U3 - Original non-TITE     | 0.6    | 4.8    | 2.2    | 1.2    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 1.7    | 4.5    | 2.3    | 0.8    | 0.2    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1154.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1227.9 |
| U3 - Original non-TITE     |        |        |        |        |        | 1147.4 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1212.4 |
| Scenario 36                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.3    | 0.4    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.3    | 0.3    |        |
| Utility 2                  | -0.1   | -0.1   | -0.1   | -0.1   | -0.1   |        |
| Utility 3                  | 37.8   | 40.4   | 39.2   | 42     | 43.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 12.2   | 41.6   | 16.1   | 7.9    | 1.7    | 20.5   |
| U2 - TITE, 56-day accrual  | 7.3    | 30.4   | 17.5   | 7.2    | 2.7    | 34.9   |
| U3 - Original non-TITE     | 16     | 43.1   | 11.6   | 7.6    | 0.8    | 20.9   |
| U3 - TITE, 56-day accrual  | 5.9    | 29.8   | 18.2   | 7.9    | 2.2    | 36     |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.5    | 9.8    | 5.6    | 3.6    | 1.2    | -      |
| U2 - TITE, 56-day accrual  | 6.3    | 8.4    | 5.3    | 3.4    | 1.3    | -      |
| U3 - Original non-TITE     | 7.8    | 10     | 5.4    | 3.4    | 1.1    | -      |
| U3 - TITE, 56-day accrual  | 6.8    | 8.8    | 4.8    | 3.1    | 1      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.6    | 4.8    | 1.7    | 1.3    | 0.4    | -      |
| U2 - TITE, 56-day accrual  | 2.2    | 3.3    | 1.8    | 1.1    | 0.4    | -      |
| U3 - Original non-TITE     | 1.8    | 4.8    | 1.7    | 1.2    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 2.4    | 3.4    | 1.7    | 1      | 0.3    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 976.9  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 934.7  |
| U3 - Original non-TITE     |        |        |        |        |        | 974.4  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 918.5  |

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 37                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.4    | 0.5    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0      | -0.1   | -0.2   | -0.2   | -0.3   |        |
| Utility 3                  | 39.8   | 40     | 36     | 34     | 32     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 12.2   | 48.8   | 16.7   | 4.1    | 0.8    | 17.4   |
| U2 - TITE, 56-day accrual  | 8.6    | 38.3   | 18.7   | 3.9    | 0.9    | 29.6   |
| U3 - Original non-TITE     | 16     | 50.2   | 13.5   | 2.6    | 0.5    | 17.2   |
| U3 - TITE, 56-day accrual  | 5.6    | 38.3   | 19.7   | 4.6    | 1      | 30.8   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.4    | 11.2   | 5.8    | 3      | 0.9    | -      |
| U2 - TITE, 56-day accrual  | 6.5    | 9.8    | 5.5    | 2.9    | 1      | -      |
| U3 - Original non-TITE     | 7.8    | 11.2   | 5.6    | 2.9    | 0.8    | -      |
| U3 - TITE, 56-day accrual  | 6.9    | 10.5   | 4.9    | 2.5    | 0.8    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.6    | 5.4    | 1.8    | 1.1    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 2.3    | 3.8    | 1.9    | 0.9    | 0.3    | -      |
| U3 - Original non-TITE     | 1.8    | 5.3    | 1.7    | 1.1    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 2.5    | 4.1    | 1.7    | 0.8    | 0.3    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 993.5  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 967.3  |
| U3 - Original non-TITE     |        |        |        |        |        | 992.2  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 950.9  |