

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	14.7	7.2	1	0.2	0	76.9
U2 - TITE, 56-day accrual	4.7	6.6	3.6	0.5	0	84.6
U3 - Original non-TITE	15.8	6.2	1.1	0.1	0	76.8
U3 - TITE, 56-day accrual	4.7	7.7	2.9	0.5	0	84.2
Mean administrations						
U2 - Original non-TITE	11.3	3.3	1.7	0.6	0.2	-
U2 - TITE, 56-day accrual	8.7	3.3	1.4	0.4	0.1	-
U3 - Original non-TITE	11.3	3.3	1.7	0.6	0.2	-
U3 - TITE, 56-day accrual	8.7	3.2	1.4	0.4	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	3.3	1.7	0.6	0.3	0.1	-
U2 - TITE, 56-day accrual	2.9	1.4	0.5	0.2	0	-
U3 - Original non-TITE	3.3	1.7	0.6	0.3	0.1	-
U3 - TITE, 56-day accrual	2.9	1.4	0.5	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						607.9
U2 - TITE, 56-day accrual						516
U3 - Original non-TITE						608.2
U3 - TITE, 56-day accrual						512.2
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	34.3	17.3	31.6	9.9	2.1	4.8
U2 - TITE, 56-day accrual	21.9	20.4	33.3	10.8	1.5	12.1
U3 - Original non-TITE	36.9	18.6	29.4	8.9	1.3	4.9
U3 - TITE, 56-day accrual	22.3	20.6	32.8	11.4	1.4	11.5
Mean administrations						
U2 - Original non-TITE	11.5	5.3	7.1	3.6	1.6	-
U2 - TITE, 56-day accrual	11.1	6.1	7	2.6	0.9	-
U3 - Original non-TITE	11.6	5.3	7.1	3.7	1.6	-
U3 - TITE, 56-day accrual	11.2	6.2	7	2.5	0.9	-
Mean IPDE administrations						
U2 - Original non-TITE	3.3	2.5	2	1	0.4	-
U2 - TITE, 56-day accrual	3.9	2.4	1.9	0.7	0.2	-
U3 - Original non-TITE	3.4	2.5	1.9	1	0.4	-
U3 - TITE, 56-day accrual	4	2.4	1.9	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1098.9
U2 - TITE, 56-day accrual						1085.6
U3 - Original non-TITE						1099.3
U3 - TITE, 56-day accrual						1088.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	12.7	41.7	18.3	6.9	1.9	18.5
U2 - TITE, 56-day accrual	5	40.1	23.6	8.2	1.8	21.3
U3 - Original non-TITE	13.7	43.3	17	6.1	1.3	18.6
U3 - TITE, 56-day accrual	5	39.7	24.3	8.4	1.8	20.8
Mean administrations						
U2 - Original non-TITE	8.6	7.7	5.9	3.3	1.5	-
U2 - TITE, 56-day accrual	7.5	9.7	5.6	2.1	0.9	-
U3 - Original non-TITE	8.6	7.7	5.8	3.4	1.5	-
U3 - TITE, 56-day accrual	7.5	9.7	5.6	2.2	0.9	-
Mean IPDE administrations						
U2 - Original non-TITE	2.3	3.3	1.7	1.1	0.4	-
U2 - TITE, 56-day accrual	2.7	3.4	1.6	0.6	0.2	-
U3 - Original non-TITE	2.3	3.3	1.6	1.1	0.4	-
U3 - TITE, 56-day accrual	2.7	3.4	1.6	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1004.8
U2 - TITE, 56-day accrual						1005.5
U3 - Original non-TITE						1005
U3 - TITE, 56-day accrual						1005.1
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	7.2	7.6	23.4	42.8	15.4	3.6
U2 - TITE, 56-day accrual	2.7	8.4	25.7	39.1	16.7	7.4
U3 - Original non-TITE	11.1	9.2	21.4	41.2	13.5	3.6
U3 - TITE, 56-day accrual	2	9.2	25.6	38	17.3	7.9
Mean administrations						
U2 - Original non-TITE	4.4	4.3	6.8	8.1	5.8	-
U2 - TITE, 56-day accrual	4.8	5.2	6.7	7.1	4	-
U3 - Original non-TITE	4.4	4.3	6.7	8.1	5.8	-
U3 - TITE, 56-day accrual	4.9	5.3	6.6	7.1	3.9	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	2.8	2.1	2.7	1.4	-
U2 - TITE, 56-day accrual	1.7	2.4	2.5	2	0.9	-
U3 - Original non-TITE	0.7	2.8	2.1	2.7	1.4	-
U3 - TITE, 56-day accrual	1.8	2.5	2.5	2	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1089.2
U2 - TITE, 56-day accrual						1097.5
U3 - Original non-TITE						1088.5
U3 - TITE, 56-day accrual						1091.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	3.9	36.4	25.8	18.4	9.4	6.1
U2 - TITE, 56-day accrual	1.2	27.2	30.1	21.7	12.7	7.1
U3 - Original non-TITE	6.8	41.1	24.5	16.3	5.2	6.1
U3 - TITE, 56-day accrual	1	27.9	29.5	22.1	12.6	6.9
Mean administrations						
U2 - Original non-TITE	4.6	6.6	6.7	5.8	5.2	-
U2 - TITE, 56-day accrual	4.9	9.6	6.8	4.3	2.5	-
U3 - Original non-TITE	4.5	6.6	6.7	5.8	5.1	-
U3 - TITE, 56-day accrual	4.9	9.7	6.7	4.2	2.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	3.5	2.1	2.2	1.8	-
U2 - TITE, 56-day accrual	1.7	3.9	2.5	1.5	0.8	-
U3 - Original non-TITE	0.7	3.5	2.2	2.2	1.8	-
U3 - TITE, 56-day accrual	1.7	4	2.4	1.5	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1014.1
U2 - TITE, 56-day accrual						1049.8
U3 - Original non-TITE						1014.8
U3 - TITE, 56-day accrual						1048.5
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	66.6	11.3	3	0.6	0.2	18.3
U2 - TITE, 56-day accrual	56.5	16.7	5.2	0.7	0.2	20.7
U3 - Original non-TITE	67.9	11.2	2.5	0.2	0.2	18
U3 - TITE, 56-day accrual	56.6	17.2	4.4	0.7	0.2	20.9
Mean administrations						
U2 - Original non-TITE	19.6	3.8	2.2	0.8	0.2	-
U2 - TITE, 56-day accrual	18.7	4.8	2	0.6	0.1	-
U3 - Original non-TITE	19.7	3.8	2.1	0.9	0.3	-
U3 - TITE, 56-day accrual	18.6	4.9	2	0.5	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	5.4	1.5	0.6	0.3	0.1	-
U2 - TITE, 56-day accrual	5.7	1.6	0.6	0.2	0	-
U3 - Original non-TITE	5.4	1.5	0.6	0.3	0.1	-
U3 - TITE, 56-day accrual	5.7	1.6	0.6	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1034.5
U2 - TITE, 56-day accrual						1032.6
U3 - Original non-TITE						1037
U3 - TITE, 56-day accrual						1033.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	25.2	36.8	19.6	10.6	2.2	5.6
U2 - TITE, 56-day accrual	14.4	38.2	24.3	9.6	2.3	11.2
U3 - Original non-TITE	27.4	39.8	17	8.8	1.4	5.6
U3 - TITE, 56-day accrual	15.1	38.1	23.7	9.8	2.2	11.1
Mean administrations						
U2 - Original non-TITE	10.9	7	5.5	3.7	1.9	-
U2 - TITE, 56-day accrual	9.4	9.8	5.3	2.3	1	-
U3 - Original non-TITE	10.8	7.1	5.5	3.6	2	-
U3 - TITE, 56-day accrual	9.5	9.8	5.3	2.3	1	-
Mean IPDE administrations						
U2 - Original non-TITE	3	2.8	1.3	1	0.5	-
U2 - TITE, 56-day accrual	3.2	3	1.5	0.6	0.2	-
U3 - Original non-TITE	3	2.8	1.3	1	0.5	-
U3 - TITE, 56-day accrual	3.3	3	1.5	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1114.9
U2 - TITE, 56-day accrual						1114.9
U3 - Original non-TITE						1114.4
U3 - TITE, 56-day accrual						1116.3
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	28.7	5.7	1.9	0.7	0.2	62.8
U2 - TITE, 56-day accrual	16.7	8.2	3.5	0.3	0.1	71.2
U3 - Original non-TITE	29.8	5.4	1.2	0.5	0.2	62.9
U3 - TITE, 56-day accrual	15.8	7.4	3.9	0.5	0.1	72.3
Mean administrations						
U2 - Original non-TITE	14	3.3	1.5	0.4	0.1	-
U2 - TITE, 56-day accrual	11	3.7	1.7	0.4	0.1	-
U3 - Original non-TITE	14	3.3	1.5	0.4	0.1	-
U3 - TITE, 56-day accrual	11.1	3.7	1.6	0.4	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	4.2	1.6	0.5	0.2	0	-
U2 - TITE, 56-day accrual	3.7	1.4	0.5	0.1	0	-
U3 - Original non-TITE	4.2	1.6	0.5	0.2	0	-
U3 - TITE, 56-day accrual	3.7	1.4	0.5	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						705.9
U2 - TITE, 56-day accrual						637.6
U3 - Original non-TITE						704.7
U3 - TITE, 56-day accrual						640

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	9.3	9.8	16.8	12.4	22.2	29.5
U2 - TITE, 56-day accrual	3.9	10.9	23.3	13.9	14.7	33.3
U3 - Original non-TITE	13.6	10.8	15.5	10	21	29.1
U3 - TITE, 56-day accrual	3.2	11.7	23.1	13.5	15.3	33.2
Mean administrations						
U2 - Original non-TITE	7.3	4.3	5.3	3.7	4.5	-
U2 - TITE, 56-day accrual	6.8	5	5.5	3.1	2.5	-
U3 - Original non-TITE	7.2	4.3	5.4	3.6	4.6	-
U3 - TITE, 56-day accrual	6.8	5	5.5	3	2.6	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	2.5	1.8	1.5	1.3	-
U2 - TITE, 56-day accrual	2.4	2.3	2.1	1.1	0.7	-
U3 - Original non-TITE	1.9	2.5	1.9	1.5	1.3	-
U3 - TITE, 56-day accrual	2.5	2.3	2.1	1.1	0.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						882.4
U2 - TITE, 56-day accrual						845.1
U3 - Original non-TITE						882.7
U3 - TITE, 56-day accrual						847.6
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	7.8	25.1	10.8	3.9	1.2	51.2
U2 - TITE, 56-day accrual	4.7	30.3	12.8	3.3	0.7	48.2
U3 - Original non-TITE	8.1	26.4	10	2.9	1.1	51.5
U3 - TITE, 56-day accrual	4.8	30.5	12.5	3.5	0.6	48.1
Mean administrations						
U2 - Original non-TITE	9.2	5.5	3.7	1.8	0.8	-
U2 - TITE, 56-day accrual	7.1	8.2	3.6	1.2	0.3	-
U3 - Original non-TITE	9.2	5.5	3.7	1.8	0.7	-
U3 - TITE, 56-day accrual	7.2	8.1	3.6	1.2	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	2.5	2.4	1	0.6	0.2	-
U2 - TITE, 56-day accrual	2.4	2.7	1	0.3	0.1	-
U3 - Original non-TITE	2.5	2.4	1	0.6	0.2	-
U3 - TITE, 56-day accrual	2.4	2.7	1	0.3	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						776.2
U2 - TITE, 56-day accrual						800.9
U3 - Original non-TITE						776.4
U3 - TITE, 56-day accrual						804.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	63.8	18.9	2.6	0.2	0	14.5
U2 - TITE, 56-day accrual	42.1	22.9	6.4	0.9	0	27.7
U3 - Original non-TITE	65.6	17.8	2	0.1	0	14.5
U3 - TITE, 56-day accrual	42.3	22.7	6.2	0.9	0	27.9
Mean administrations						
U2 - Original non-TITE	18.1	5.7	2.9	0.7	0.1	-
U2 - TITE, 56-day accrual	15.7	6.2	2.6	0.5	0.1	-
U3 - Original non-TITE	18.1	5.7	2.9	0.7	0.1	-
U3 - TITE, 56-day accrual	15.8	6	2.6	0.5	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	5.6	2.5	0.9	0.3	0	-
U2 - TITE, 56-day accrual	5.4	2.3	0.8	0.2	0	-
U3 - Original non-TITE	5.6	2.5	0.9	0.3	0	-
U3 - TITE, 56-day accrual	5.5	2.2	0.9	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						998.9
U2 - TITE, 56-day accrual						939.1
U3 - Original non-TITE						997.9
U3 - TITE, 56-day accrual						938.4
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	13.8	13.9	11.2	38.9	16.8	5.4
U2 - TITE, 56-day accrual	3.6	15	17.4	34.1	20.2	9.7
U3 - Original non-TITE	19.7	13.5	10.3	35.2	15.8	5.5
U3 - TITE, 56-day accrual	3.9	15.3	18.9	32	19.5	10.4
Mean administrations						
U2 - Original non-TITE	4.9	4.7	5.6	7.4	6.5	-
U2 - TITE, 56-day accrual	5.3	5.5	5	6.6	4.6	-
U3 - Original non-TITE	4.9	4.8	5.6	7.3	6.5	-
U3 - TITE, 56-day accrual	5.3	5.5	4.8	6.8	4.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	2.9	1.8	2.8	1.4	-
U2 - TITE, 56-day accrual	1.9	2.6	2	2.1	0.9	-
U3 - Original non-TITE	0.9	3	1.8	2.7	1.5	-
U3 - TITE, 56-day accrual	1.9	2.6	1.9	2.2	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1059.8
U2 - TITE, 56-day accrual						1051.6
U3 - Original non-TITE						1058.9
U3 - TITE, 56-day accrual						1053.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	9.3	28.1	11.1	4	1.2	46.3
U2 - TITE, 56-day accrual	5.2	32	10.8	4.1	0.6	47.3
U3 - Original non-TITE	11	28.8	9.9	3.1	1.1	46.1
U3 - TITE, 56-day accrual	5.1	30.9	12.7	3.5	1	46.8
Mean administrations						
U2 - Original non-TITE	9	6	4	1.9	0.8	-
U2 - TITE, 56-day accrual	7.4	8.3	3.4	1.4	0.5	-
U3 - Original non-TITE	9	5.9	4	2	0.8	-
U3 - TITE, 56-day accrual	7.4	8.2	3.6	1.3	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	2.4	2.8	1.2	0.7	0.2	-
U2 - TITE, 56-day accrual	2.5	3	1.1	0.5	0.1	-
U3 - Original non-TITE	2.5	2.7	1.2	0.7	0.2	-
U3 - TITE, 56-day accrual	2.6	3	1.2	0.4	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						788
U2 - TITE, 56-day accrual						795.1
U3 - Original non-TITE						788.7
U3 - TITE, 56-day accrual						797
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	18.7	13.6	15.4	24.5	13.2	14.6
U2 - TITE, 56-day accrual	4.2	17.6	21.2	25.9	10.5	20.6
U3 - Original non-TITE	25.2	15.6	11.1	23.9	9.7	14.5
U3 - TITE, 56-day accrual	4.6	17.2	21.5	26.8	10.7	19.2
Mean administrations						
U2 - Original non-TITE	6.3	5.3	5.9	5.7	4.6	-
U2 - TITE, 56-day accrual	6.4	5.8	5.3	4.7	2.8	-
U3 - Original non-TITE	6.2	5.3	6	5.7	4.6	-
U3 - TITE, 56-day accrual	6.4	5.9	5.3	4.8	2.8	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	3.1	2	2.2	1.4	-
U2 - TITE, 56-day accrual	2.4	2.7	2.1	1.7	0.7	-
U3 - Original non-TITE	1.4	3.1	2.1	2.2	1.4	-
U3 - TITE, 56-day accrual	2.4	2.7	2.1	1.7	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						967.2
U2 - TITE, 56-day accrual						928
U3 - Original non-TITE						966.2
U3 - TITE, 56-day accrual						930.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	42.8	24.7	9.6	3.1	0.2	19.6
U2 - TITE, 56-day accrual	15.3	27.2	18.8	7.3	0.9	30.5
U3 - Original non-TITE	50.2	21.9	6.5	1.5	0.3	19.6
U3 - TITE, 56-day accrual	15.6	25.7	20.2	6.8	1	30.7
Mean administrations						
U2 - Original non-TITE	10.6	7.1	5.7	2.9	1.1	-
U2 - TITE, 56-day accrual	9.9	6.9	4.4	2	0.8	-
U3 - Original non-TITE	10.5	7	5.7	3	1.2	-
U3 - TITE, 56-day accrual	10	6.8	4.3	1.9	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	3.2	3.6	2	1.3	0.5	-
U2 - TITE, 56-day accrual	3.7	3	1.6	0.8	0.3	-
U3 - Original non-TITE	3.2	3.5	2	1.3	0.5	-
U3 - TITE, 56-day accrual	3.8	3	1.6	0.8	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						929.1
U2 - TITE, 56-day accrual						846.8
U3 - Original non-TITE						928.9
U3 - TITE, 56-day accrual						847.7
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	29	26	16.2	15.7	13	0.1
U2 - TITE, 56-day accrual	9.6	19	23.1	24.2	23.8	0.3
U3 - Original non-TITE	38.9	28.3	13.5	13	6.2	0.1
U3 - TITE, 56-day accrual	10	18.6	20.6	25	25.5	0.3
Mean administrations						
U2 - Original non-TITE	5.8	5.7	5.5	5.8	7.2	-
U2 - TITE, 56-day accrual	8.8	7.4	5.4	4.5	3.6	-
U3 - Original non-TITE	5.8	5.7	5.5	5.8	7.1	-
U3 - TITE, 56-day accrual	8.8	7.4	5.4	4.5	3.6	-
Mean IPDE administrations						
U2 - Original non-TITE	1.2	3.2	1.9	2.6	2.7	-
U2 - TITE, 56-day accrual	3.3	3.3	2.2	1.8	1.4	-
U3 - Original non-TITE	1.2	3.2	1.9	2.7	2.7	-
U3 - TITE, 56-day accrual	3.3	3.3	2.2	1.9	1.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1007.4
U2 - TITE, 56-day accrual						1064.9
U3 - Original non-TITE						1008
U3 - TITE, 56-day accrual						1065.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	31.2	51.8	14.6	1.5	0	0.9
U2 - TITE, 56-day accrual	21	50.2	22.6	2.4	0	3.8
U3 - Original non-TITE	33.3	51.9	12.8	1.1	0	0.9
U3 - TITE, 56-day accrual	20.6	51.4	21.8	2.4	0	3.8
Mean administrations						
U2 - Original non-TITE	10.6	10.1	6.8	2	0.3	-
U2 - TITE, 56-day accrual	10.4	11.2	5.9	1.5	0.3	-
U3 - Original non-TITE	10.6	10.1	6.9	2	0.3	-
U3 - TITE, 56-day accrual	10.5	11.1	6	1.4	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.7	3.5	1.5	0.6	0.1	-
U2 - TITE, 56-day accrual	3.4	3.2	1.4	0.3	0	-
U3 - Original non-TITE	2.7	3.5	1.5	0.6	0.1	-
U3 - TITE, 56-day accrual	3.5	3.2	1.4	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1187.6
U2 - TITE, 56-day accrual						1195.9
U3 - Original non-TITE						1187.2
U3 - TITE, 56-day accrual						1192.8
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	9.1	9.2	10.8	14	55.8	1.1
U2 - TITE, 56-day accrual	1.8	7.3	14	19	56.5	1.4
U3 - Original non-TITE	16.1	12.7	9.4	12.6	48.1	1.1
U3 - TITE, 56-day accrual	1.9	6.4	14.4	20	55.9	1.4
Mean administrations						
U2 - Original non-TITE	3.7	3.9	4.7	5.6	12	-
U2 - TITE, 56-day accrual	4.6	5.2	5.4	5.2	8.8	-
U3 - Original non-TITE	3.7	3.9	4.7	5.6	12	-
U3 - TITE, 56-day accrual	4.7	5.1	5.4	5.2	8.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	2.7	1.5	2.5	3.3	-
U2 - TITE, 56-day accrual	1.7	2.6	2.2	2.1	2.3	-
U3 - Original non-TITE	0.3	2.7	1.6	2.5	3.3	-
U3 - TITE, 56-day accrual	1.7	2.6	2.2	2.1	2.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1070.3
U2 - TITE, 56-day accrual						1113.5
U3 - Original non-TITE						1070.3
U3 - TITE, 56-day accrual						1113.2

Fixed priors: CRM toxicity Beta(0.15, 0.85); efficacy Beta(0.5, 0.5); efficacy additive discount Beta(0.15, 0.85).
Non-TITE: efficacy threshold = 0.20, futility cutoff = 0.85. TITE uses the shared previous-dose additive efficacy model; 28- and 14-day results are pending.

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	18.4	49.9	13.7	0.9	0	17.1
U2 - TITE, 56-day accrual	9.4	46.2	20.1	2.2	0	22.1
U3 - Original non-TITE	20.3	50.7	11.2	0.6	0	17.2
U3 - TITE, 56-day accrual	9.2	47.3	19.7	2.4	0	21.4
Mean administrations						
U2 - Original non-TITE	8.2	10.5	6.5	1.7	0.3	-
U2 - TITE, 56-day accrual	7.6	11.1	5.6	1.3	0.2	-
U3 - Original non-TITE	8.1	10.6	6.4	1.7	0.3	-
U3 - TITE, 56-day accrual	7.4	11.2	5.6	1.4	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	4.5	1.8	0.6	0.1	-
U2 - TITE, 56-day accrual	2.8	4.1	1.7	0.3	0	-
U3 - Original non-TITE	2.1	4.6	1.8	0.6	0.1	-
U3 - TITE, 56-day accrual	2.7	4.1	1.7	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						986.3
U2 - TITE, 56-day accrual						985.2
U3 - Original non-TITE						986.1
U3 - TITE, 56-day accrual						986.1
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	9.8	45.8	28.8	8.1	0.7	6.8
U2 - TITE, 56-day accrual	4	38.3	34.1	12	2.6	9
U3 - Original non-TITE	15.5	48.2	21.6	7.2	0.7	6.8
U3 - TITE, 56-day accrual	3.7	37.7	35.9	11.8	2.2	8.7
Mean administrations						
U2 - Original non-TITE	5.3	9	8.5	4.1	1.8	-
U2 - TITE, 56-day accrual	5.5	10.4	7.6	3.1	1.1	-
U3 - Original non-TITE	5.3	9.1	8.3	4.1	1.7	-
U3 - TITE, 56-day accrual	5.4	10.4	7.6	3.1	1.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1	4.4	2.6	1.5	0.6	-
U2 - TITE, 56-day accrual	2	4.2	2.6	1	0.3	-
U3 - Original non-TITE	1.1	4.4	2.6	1.6	0.6	-
U3 - TITE, 56-day accrual	2	4.3	2.6	1	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1015.6
U2 - TITE, 56-day accrual						1030.3
U3 - Original non-TITE						1014.8
U3 - TITE, 56-day accrual						1028.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	54.9	0.7	0	0	0	44.4
U2 - TITE, 56-day accrual	59	1.9	0.1	0	0	39
U3 - Original non-TITE	54.5	0.8	0	0	0	44.7
U3 - TITE, 56-day accrual	59.9	2.1	0	0	0	38
Mean administrations						
U2 - Original non-TITE	20.4	1.9	0.4	0	0	-
U2 - TITE, 56-day accrual	20.8	2.3	0.4	0	0	-
U3 - Original non-TITE	20.4	1.9	0.4	0	0	-
U3 - TITE, 56-day accrual	21	2.3	0.4	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.2	0.6	0.1	0	0	-
U2 - TITE, 56-day accrual	4.5	0.5	0.1	0	0	-
U3 - Original non-TITE	4.1	0.6	0.1	0	0	-
U3 - TITE, 56-day accrual	4.6	0.5	0.1	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						987.5
U2 - TITE, 56-day accrual						1039.4
U3 - Original non-TITE						988
U3 - TITE, 56-day accrual						1045.9
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	23.3	54.3	10.5	1.3	0	10.6
U2 - TITE, 56-day accrual	12.8	47.2	15.9	1.6	0.1	22.4
U3 - Original non-TITE	27.9	52.5	8.2	1.1	0	10.3
U3 - TITE, 56-day accrual	12.3	48.1	16.1	1.4	0.1	22
Mean administrations						
U2 - Original non-TITE	8.1	12.6	5.9	1.3	0.2	-
U2 - TITE, 56-day accrual	8	11.5	5.3	1.1	0.2	-
U3 - Original non-TITE	8	12.7	5.9	1.3	0.2	-
U3 - TITE, 56-day accrual	7.9	11.4	5.5	1.1	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2	5.4	1.8	0.5	0	-
U2 - TITE, 56-day accrual	3	4.3	1.5	0.3	0	-
U3 - Original non-TITE	2	5.5	1.7	0.5	0	-
U3 - TITE, 56-day accrual	3	4.3	1.5	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1005.7
U2 - TITE, 56-day accrual						978.1
U3 - Original non-TITE						1007.6
U3 - TITE, 56-day accrual						975.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	6.3	3.1	0	0	0	90.6
U2 - TITE, 56-day accrual	3	3	0.1	0	0	93.9
U3 - Original non-TITE	6.3	3.1	0	0	0	90.6
U3 - TITE, 56-day accrual	2.9	3.4	0.3	0	0	93.4
Mean administrations						
U2 - Original non-TITE	11.7	2.1	0.4	0	0	-
U2 - TITE, 56-day accrual	9.1	2.5	0.4	0	0	-
U3 - Original non-TITE	11.7	2.1	0.4	0	0	-
U3 - TITE, 56-day accrual	9	2.5	0.5	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.4	1.1	0.1	0	0	-
U2 - TITE, 56-day accrual	3	0.9	0.1	0	0	-
U3 - Original non-TITE	3.3	1.1	0.1	0	0	-
U3 - TITE, 56-day accrual	2.9	0.9	0.1	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						517.6
U2 - TITE, 56-day accrual						448.5
U3 - Original non-TITE						517.5
U3 - TITE, 56-day accrual						447.5
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	0.5	1.7	4.4	46.4	46.9	0.1
U2 - TITE, 56-day accrual	0.2	0.7	4	44.2	50.8	0.1
U3 - Original non-TITE	2.1	2.6	6	48.2	41	0.1
U3 - TITE, 56-day accrual	0	0.6	4.1	43.2	52.1	0
Mean administrations						
U2 - Original non-TITE	3.2	3.2	3.7	8.3	11.5	-
U2 - TITE, 56-day accrual	3.6	3.7	5	10.1	7.6	-
U3 - Original non-TITE	3.2	3.2	3.7	8.4	11.5	-
U3 - TITE, 56-day accrual	3.5	3.7	4.9	10	7.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	2.4	1.2	3.2	3.2	-
U2 - TITE, 56-day accrual	1.2	1.9	2.1	3.3	2	-
U3 - Original non-TITE	0.1	2.4	1.2	3.3	3.1	-
U3 - TITE, 56-day accrual	1.2	1.9	2	3.3	2.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1097.9
U2 - TITE, 56-day accrual						1195.1
U3 - Original non-TITE						1098.5
U3 - TITE, 56-day accrual						1200.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	33.3	32.2	28.4	4.1	0	2
U2 - TITE, 56-day accrual	21.3	32.9	34.2	4.7	0.2	6.7
U3 - Original non-TITE	39.7	31.5	23.8	3.1	0	1.9
U3 - TITE, 56-day accrual	20.6	32.4	34.8	5.1	0.1	7
Mean administrations						
U2 - Original non-TITE	9.4	8.5	9	2.3	0.4	-
U2 - TITE, 56-day accrual	10.1	8.5	7.6	2	0.3	-
U3 - Original non-TITE	9.5	8.5	9	2.3	0.4	-
U3 - TITE, 56-day accrual	10.2	8.4	7.6	2.1	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	2.6	3.7	2.5	0.8	0.1	-
U2 - TITE, 56-day accrual	3.7	3.2	2.1	0.4	0.1	-
U3 - Original non-TITE	2.6	3.7	2.5	0.8	0.1	-
U3 - TITE, 56-day accrual	3.7	3.2	2.1	0.4	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1105.9
U2 - TITE, 56-day accrual						1109.3
U3 - Original non-TITE						1105.5
U3 - TITE, 56-day accrual						1109.9
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	22.2	29.6	25.2	3.1	0	19.9
U2 - TITE, 56-day accrual	9.8	32.1	26.4	5	0	26.7
U3 - Original non-TITE	26	28	21.8	3.8	0	20.4
U3 - TITE, 56-day accrual	9.8	31.4	27.7	4.4	0.2	26.5
Mean administrations						
U2 - Original non-TITE	9.9	6.9	7.5	2.3	0.3	-
U2 - TITE, 56-day accrual	8.6	7.7	6.2	2	0.3	-
U3 - Original non-TITE	9.9	6.8	7.6	2.3	0.3	-
U3 - TITE, 56-day accrual	8.6	7.6	6.2	2	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.9	3.3	2.2	0.8	0.1	-
U2 - TITE, 56-day accrual	3.1	3.1	1.9	0.5	0	-
U3 - Original non-TITE	2.9	3.3	2.2	0.8	0.1	-
U3 - TITE, 56-day accrual	3.2	3.1	1.9	0.5	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						973.6
U2 - TITE, 56-day accrual						930.7
U3 - Original non-TITE						971.7
U3 - TITE, 56-day accrual						929.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	18	25.1	37.4	6.9	0.3	12.3
U2 - TITE, 56-day accrual	7.3	27.2	39.2	10.2	1	15.1
U3 - Original non-TITE	20.8	25.2	36.4	5.4	0.1	12.1
U3 - TITE, 56-day accrual	8.1	25.6	39.4	10.4	0.9	15.6
Mean administrations						
U2 - Original non-TITE	7.6	6.7	9.1	3.6	1.1	-
U2 - TITE, 56-day accrual	7.4	7.2	8.2	3.1	0.7	-
U3 - Original non-TITE	7.6	6.7	9.1	3.6	1.1	-
U3 - TITE, 56-day accrual	7.5	7.3	8.1	3	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	2	3.3	2.6	1.1	0.3	-
U2 - TITE, 56-day accrual	2.8	3	2.5	0.8	0.2	-
U3 - Original non-TITE	2	3.3	2.6	1.1	0.3	-
U3 - TITE, 56-day accrual	2.8	3	2.5	0.7	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1037.9
U2 - TITE, 56-day accrual						1028.8
U3 - Original non-TITE						1037.9
U3 - TITE, 56-day accrual						1030.3
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	16.7	31.1	4.8	0.1	0	47.3
U2 - TITE, 56-day accrual	8.7	33.8	6.1	0.1	0	51.3
U3 - Original non-TITE	17.3	31.9	3.6	0	0	47.2
U3 - TITE, 56-day accrual	8.3	33.2	5.9	0.2	0	52.4
Mean administrations						
U2 - Original non-TITE	9.4	8.1	3.5	0.6	0.1	-
U2 - TITE, 56-day accrual	7.7	8.9	3.5	0.5	0.1	-
U3 - Original non-TITE	9.4	8.2	3.5	0.6	0.1	-
U3 - TITE, 56-day accrual	7.7	8.8	3.6	0.6	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.6	3.4	1	0.2	0	-
U2 - TITE, 56-day accrual	2.7	3.1	1	0.1	0	-
U3 - Original non-TITE	2.6	3.4	1	0.2	0	-
U3 - TITE, 56-day accrual	2.7	3.1	1	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						797.4
U2 - TITE, 56-day accrual						796.7
U3 - Original non-TITE						798.2
U3 - TITE, 56-day accrual						794.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	71	23	3	0.1	0	2.9
U2 - TITE, 56-day accrual	58.1	31.2	5.4	0.3	0	5
U3 - Original non-TITE	72.8	21.7	2.3	0.2	0	3
U3 - TITE, 56-day accrual	57.1	32.4	5.3	0.3	0	4.9
Mean administrations						
U2 - Original non-TITE	18.6	7.2	3.1	0.4	0	-
U2 - TITE, 56-day accrual	18.5	7.7	2.5	0.4	0	-
U3 - Original non-TITE	18.7	7.2	3.1	0.4	0	-
U3 - TITE, 56-day accrual	18.5	7.7	2.5	0.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.8	2.4	0.9	0.1	0	-
U2 - TITE, 56-day accrual	5.5	2.3	0.6	0.1	0	-
U3 - Original non-TITE	4.8	2.4	0.8	0.1	0	-
U3 - TITE, 56-day accrual	5.5	2.3	0.6	0.1	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1170.1
U2 - TITE, 56-day accrual						1171.3
U3 - Original non-TITE						1170.3
U3 - TITE, 56-day accrual						1171
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	18.8	15.5	15.6	37.6	10.9	1.6
U2 - TITE, 56-day accrual	7.6	16.6	20.3	36.4	15.2	3.9
U3 - Original non-TITE	26.2	17.5	13.8	32.5	8.4	1.6
U3 - TITE, 56-day accrual	8.2	16.6	19.9	36.7	14.7	3.9
Mean administrations						
U2 - Original non-TITE	5.2	4.6	6.2	8.1	5.6	-
U2 - TITE, 56-day accrual	6.5	6	5.3	6.7	4.2	-
U3 - Original non-TITE	5.2	4.6	6.2	8.1	5.7	-
U3 - TITE, 56-day accrual	6.4	6	5.3	6.7	4.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1	2.8	2	2.8	1.4	-
U2 - TITE, 56-day accrual	2.4	2.7	2.1	2.1	0.8	-
U3 - Original non-TITE	1	2.8	2	2.8	1.4	-
U3 - TITE, 56-day accrual	2.4	2.7	2.1	2.2	0.8	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1089.8
U2 - TITE, 56-day accrual						1121.2
U3 - Original non-TITE						1090.9
U3 - TITE, 56-day accrual						1119.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	6	34.7	27	24.5	7.5	0.3
U2 - TITE, 56-day accrual	2.4	26.7	31.1	26.1	12.9	0.8
U3 - Original non-TITE	8.9	39.9	26	21	3.9	0.3
U3 - TITE, 56-day accrual	2.8	26.8	30.5	26	13.1	0.8
Mean administrations						
U2 - Original non-TITE	4.1	5.7	6.4	7.9	5.8	-
U2 - TITE, 56-day accrual	5	8.8	7.1	5.6	3.3	-
U3 - Original non-TITE	4.1	5.7	6.4	7.9	5.7	-
U3 - TITE, 56-day accrual	5	8.9	7	5.7	3.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	2.8	1.6	2	1.5	-
U2 - TITE, 56-day accrual	1.7	3	2.2	1.5	0.7	-
U3 - Original non-TITE	0.5	2.8	1.7	2	1.5	-
U3 - TITE, 56-day accrual	1.7	3	2.1	1.5	0.7	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1185.1
U2 - TITE, 56-day accrual						1236
U3 - Original non-TITE						1184.3
U3 - TITE, 56-day accrual						1235.9
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	8.4	12.8	37.1	28.4	12.5	0.8
U2 - TITE, 56-day accrual	2.2	7.3	32.5	35.3	21.7	1
U3 - Original non-TITE	13.5	18.5	36.1	25	6.1	0.8
U3 - TITE, 56-day accrual	2.1	8	32.4	35.2	21.6	0.7
Mean administrations						
U2 - Original non-TITE	3.9	4.3	7.8	7.3	6.5	-
U2 - TITE, 56-day accrual	5.1	6.1	8.2	6.5	3.7	-
U3 - Original non-TITE	4	4.3	7.8	7.3	6.5	-
U3 - TITE, 56-day accrual	5.1	6.1	8	6.5	3.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.4	2.8	2.5	2.8	2.2	-
U2 - TITE, 56-day accrual	1.9	2.8	3.1	2.2	1.2	-
U3 - Original non-TITE	0.4	2.8	2.5	2.7	2.2	-
U3 - TITE, 56-day accrual	1.9	2.9	3.1	2.2	1.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1056.2
U2 - TITE, 56-day accrual						1113
U3 - Original non-TITE						1054.6
U3 - TITE, 56-day accrual						1113.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	7.9	7.2	13.7	41.9	29.2	0.1
U2 - TITE, 56-day accrual	2.5	5.7	12.5	41.9	36.7	0.7
U3 - Original non-TITE	12.4	8.9	14	39.8	24.8	0.1
U3 - TITE, 56-day accrual	2.3	5	13	41.9	37.2	0.6
Mean administrations						
U2 - Original non-TITE	3.5	3.7	5.3	8.2	9.4	-
U2 - TITE, 56-day accrual	4.1	4.1	6	8.6	6.8	-
U3 - Original non-TITE	3.5	3.6	5.2	8.2	9.4	-
U3 - TITE, 56-day accrual	4	4.1	6	8.5	6.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	2.7	1.6	3.1	2.4	-
U2 - TITE, 56-day accrual	1.4	2.1	2.4	2.7	1.6	-
U3 - Original non-TITE	0.2	2.6	1.6	3.1	2.3	-
U3 - TITE, 56-day accrual	1.4	2.1	2.4	2.7	1.6	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1105.5
U2 - TITE, 56-day accrual						1173
U3 - Original non-TITE						1106.4
U3 - TITE, 56-day accrual						1166.6
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	13.8	12.8	49.5	15.6	3.4	4.9
U2 - TITE, 56-day accrual	3.9	14	45.8	18.8	5.6	11.9
U3 - Original non-TITE	18.6	13.5	46.9	13.5	2.2	5.3
U3 - TITE, 56-day accrual	4.5	14.2	46.8	17.1	5.8	11.6
Mean administrations						
U2 - Original non-TITE	5.1	5.9	10	5.3	2.8	-
U2 - TITE, 56-day accrual	5.5	6	9.7	4.3	1.8	-
U3 - Original non-TITE	5.2	5.9	10	5.2	2.8	-
U3 - TITE, 56-day accrual	5.5	6.1	9.6	4.3	1.9	-
Mean IPDE administrations						
U2 - Original non-TITE	1	3.3	3.2	1.8	0.9	-
U2 - TITE, 56-day accrual	2	2.8	3.2	1.4	0.5	-
U3 - Original non-TITE	1	3.3	3.2	1.8	0.9	-
U3 - TITE, 56-day accrual	2	2.8	3.2	1.4	0.6	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1039.1
U2 - TITE, 56-day accrual						1039.9
U3 - Original non-TITE						1039.3
U3 - TITE, 56-day accrual						1037.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	11	42.5	33	10.8	2.5	0.2
U2 - TITE, 56-day accrual	4.2	34.8	41.5	14.8	4.1	0.6
U3 - Original non-TITE	15.8	47.4	26.1	8.8	1.7	0.2
U3 - TITE, 56-day accrual	4.4	35.1	39.3	15.5	5.1	0.6
Mean administrations						
U2 - Original non-TITE	4.5	8.8	9	5.1	2.7	-
U2 - TITE, 56-day accrual	5.9	10.6	8.1	3.8	1.5	-
U3 - Original non-TITE	4.5	8.7	9	5.1	2.6	-
U3 - TITE, 56-day accrual	5.8	10.5	8.1	3.9	1.4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.8	2.2	1.5	0.7	-
U2 - TITE, 56-day accrual	2.1	3.7	2.3	1	0.3	-
U3 - Original non-TITE	0.6	3.8	2.3	1.5	0.7	-
U3 - TITE, 56-day accrual	2	3.6	2.3	1	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1165.9
U2 - TITE, 56-day accrual						1201.5
U3 - Original non-TITE						1165.3
U3 - TITE, 56-day accrual						1201.5
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	16.5	37.1	12.9	5.3	0.8	27.4
U2 - TITE, 56-day accrual	7.4	33.5	17.2	5.1	1.6	35.2
U3 - Original non-TITE	20.6	36.2	10.6	4.3	0.7	27.6
U3 - TITE, 56-day accrual	7.6	32.9	17.6	5.5	1.4	35
Mean administrations						
U2 - Original non-TITE	8.3	8.4	5.2	2.3	1	-
U2 - TITE, 56-day accrual	7.1	8.9	4.7	1.7	0.7	-
U3 - Original non-TITE	8.3	8.4	5.2	2.4	0.9	-
U3 - TITE, 56-day accrual	7.1	8.8	4.9	1.7	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	4	1.7	0.9	0.3	-
U2 - TITE, 56-day accrual	2.5	3.4	1.6	0.6	0.2	-
U3 - Original non-TITE	2.2	4	1.7	0.9	0.3	-
U3 - TITE, 56-day accrual	2.5	3.4	1.7	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						890.1
U2 - TITE, 56-day accrual						859.1
U3 - Original non-TITE						892.1
U3 - TITE, 56-day accrual						861.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	21	47.2	12	1.5	0.2	18.1
U2 - TITE, 56-day accrual	8.7	41.5	17.2	3.3	0.1	29.2
U3 - Original non-TITE	25.4	46	9.4	1.2	0	18
U3 - TITE, 56-day accrual	10.1	41	17.1	3.2	0.1	28.5
Mean administrations						
U2 - Original non-TITE	7.7	10.6	5.8	2	0.7	-
U2 - TITE, 56-day accrual	7	10.8	5.1	1.3	0.4	-
U3 - Original non-TITE	7.7	10.6	5.9	1.9	0.7	-
U3 - TITE, 56-day accrual	7	10.8	5.1	1.4	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	4.9	1.8	0.8	0.2	-
U2 - TITE, 56-day accrual	2.6	4.1	1.7	0.5	0.1	-
U3 - Original non-TITE	1.9	4.9	1.8	0.8	0.2	-
U3 - TITE, 56-day accrual	2.6	4.1	1.7	0.4	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						940.9
U2 - TITE, 56-day accrual						916.6
U3 - Original non-TITE						939.8
U3 - TITE, 56-day accrual						917.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	15.2	8	1.6	0.4	0.1	74.7
U2 - TITE, 56-day accrual	8	3.7	2.8	0.9	0.2	84.4
U3 - Original non-TITE	15	9.3	1.2	0.1	0	74.4
U3 - TITE, 56-day accrual	5.5	4	3.1	1.1	0.3	86
Mean administrations						
U2 - Original non-TITE	11.2	5.3	1.9	1	0.2	-
U2 - TITE, 56-day accrual	8.4	5	1.9	1	0.2	-
U3 - Original non-TITE	11.3	5.2	1.9	1	0.2	-
U3 - TITE, 56-day accrual	8.5	5	1.7	0.8	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	3	2.8	0.6	0.4	0.1	-
U2 - TITE, 56-day accrual	2.7	2	0.7	0.4	0.1	-
U3 - Original non-TITE	3.1	2.7	0.6	0.4	0.1	-
U3 - TITE, 56-day accrual	2.8	2	0.6	0.3	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						688.8
U2 - TITE, 56-day accrual						607.9
U3 - Original non-TITE						686.5
U3 - TITE, 56-day accrual						594.4
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	26.9	19.4	38.3	11.5	1	2.9
U2 - TITE, 56-day accrual	17.7	18.6	41.2	12.6	0.7	9.2
U3 - Original non-TITE	31.1	19.8	35.2	10.2	0.9	2.8
U3 - TITE, 56-day accrual	18.8	22.6	38.8	9.6	0.5	9.7
Mean administrations						
U2 - Original non-TITE	9.6	7.6	8.8	3.1	0.5	-
U2 - TITE, 56-day accrual	8.3	7.6	9.1	2.9	0.4	-
U3 - Original non-TITE	10.1	7.7	8.5	2.8	0.4	-
U3 - TITE, 56-day accrual	9.6	8.1	8.2	2.2	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.4	3.4	2.4	0.9	0.1	-
U2 - TITE, 56-day accrual	2.9	2.8	2.5	0.8	0.1	-
U3 - Original non-TITE	2.6	3.5	2.4	0.9	0.1	-
U3 - TITE, 56-day accrual	3.3	3.1	2.3	0.6	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1113
U2 - TITE, 56-day accrual						1119.3
U3 - Original non-TITE						1111.1
U3 - TITE, 56-day accrual						1103.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	8	47	24.8	9.7	1.3	9.2
U2 - TITE, 56-day accrual	4	41.7	27.6	8.9	2.1	15.7
U3 - Original non-TITE	9.2	51.6	21.9	7.2	1	9.1
U3 - TITE, 56-day accrual	3.5	46.1	25.9	8	0.8	15.7
Mean administrations						
U2 - Original non-TITE	6.8	11.6	6.6	3	0.7	-
U2 - TITE, 56-day accrual	5.7	11.2	6.7	3	0.6	-
U3 - Original non-TITE	6.9	12.4	6.1	2.7	0.5	-
U3 - TITE, 56-day accrual	6.2	12.7	5.8	2.1	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.3	4.7	2	1	0.2	-
U2 - TITE, 56-day accrual	1.9	3.8	2	0.9	0.2	-
U3 - Original non-TITE	1.4	5	1.8	0.9	0.2	-
U3 - TITE, 56-day accrual	2.1	4.3	1.8	0.6	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1070
U2 - TITE, 56-day accrual						1075.9
U3 - Original non-TITE						1065.9
U3 - TITE, 56-day accrual						1056.2
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	6.7	5.4	18.8	55.1	12.4	1.6
U2 - TITE, 56-day accrual	3.7	6	19.3	50.2	15.5	5.3
U3 - Original non-TITE	8.6	6.8	19.4	54	9.6	1.6
U3 - TITE, 56-day accrual	3.2	6.9	20.7	50.7	13.2	5.3
Mean administrations						
U2 - Original non-TITE	4.2	4.7	7.1	10.7	3.1	-
U2 - TITE, 56-day accrual	3.8	4.5	6.8	10.5	3.3	-
U3 - Original non-TITE	4.4	4.8	7.2	10.8	2.7	-
U3 - TITE, 56-day accrual	4.3	5.1	6.8	10.1	2.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	3.1	2.1	3.4	0.9	-
U2 - TITE, 56-day accrual	1.3	2.2	2.5	3	0.8	-
U3 - Original non-TITE	0.6	3.1	2.1	3.4	0.7	-
U3 - TITE, 56-day accrual	1.5	2.4	2.5	2.9	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1098.6
U2 - TITE, 56-day accrual						1160.6
U3 - Original non-TITE						1093.2
U3 - TITE, 56-day accrual						1133.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	5.2	33.4	26.4	23.1	10.4	1.5
U2 - TITE, 56-day accrual	3.8	26	29.5	23.7	13.7	3.3
U3 - Original non-TITE	6.9	44.3	23.2	18.4	5.7	1.5
U3 - TITE, 56-day accrual	3.2	27.1	30.7	23.2	12.3	3.5
Mean administrations						
U2 - Original non-TITE	4	7.5	7.2	7.2	3.9	-
U2 - TITE, 56-day accrual	3.8	7.5	7.6	6.9	3.5	-
U3 - Original non-TITE	4.1	8.2	7.4	6.8	3.3	-
U3 - TITE, 56-day accrual	4.1	9.1	7.6	6	2.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	3.9	2.3	2.7	1.4	-
U2 - TITE, 56-day accrual	1.2	3	2.7	2.5	1.2	-
U3 - Original non-TITE	0.4	4.2	2.4	2.6	1.2	-
U3 - TITE, 56-day accrual	1.3	3.7	2.8	2.1	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1047.9
U2 - TITE, 56-day accrual						1113.2
U3 - Original non-TITE						1046.7
U3 - TITE, 56-day accrual						1098.5
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	66	12.8	3.6	1.1	0.2	16.3
U2 - TITE, 56-day accrual	54.2	18.2	5	1.1	0.4	21.1
U3 - Original non-TITE	66.4	12.4	3	1.1	0.2	16.9
U3 - TITE, 56-day accrual	53.4	18.6	4.4	0.9	0.2	22.5
Mean administrations						
U2 - Original non-TITE	18.3	5.7	2.2	0.8	0.2	-
U2 - TITE, 56-day accrual	16.3	6.7	2.3	0.8	0.2	-
U3 - Original non-TITE	18.7	5.6	1.9	0.7	0.2	-
U3 - TITE, 56-day accrual	17.1	6.8	1.7	0.6	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	4.7	2.3	0.7	0.3	0.1	-
U2 - TITE, 56-day accrual	4.9	2.2	0.7	0.2	0.1	-
U3 - Original non-TITE	4.9	2.3	0.6	0.3	0.1	-
U3 - TITE, 56-day accrual	5.1	2.2	0.5	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1059
U2 - TITE, 56-day accrual						1048.8
U3 - Original non-TITE						1054.9
U3 - TITE, 56-day accrual						1042.1

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	12.4	51	24.4	7.8	1.5	2.9
U2 - TITE, 56-day accrual	7.3	46.8	25.8	10.4	1.5	8.2
U3 - Original non-TITE	14.2	55.8	19	6.8	1.2	3
U3 - TITE, 56-day accrual	7.2	56.9	21.3	5.9	0.6	8.1
Mean administrations						
U2 - Original non-TITE	7.9	13.7	5.6	2	0.4	-
U2 - TITE, 56-day accrual	6.6	13.3	6.1	2.1	0.4	-
U3 - Original non-TITE	8.2	14.2	5	1.8	0.3	-
U3 - TITE, 56-day accrual	7.1	14.9	5	1.3	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.6	4.9	1.6	0.6	0.1	-
U2 - TITE, 56-day accrual	2.1	4	1.7	0.6	0.1	-
U3 - Original non-TITE	1.7	5.1	1.3	0.6	0.1	-
U3 - TITE, 56-day accrual	2.3	4.5	1.4	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1145.7
U2 - TITE, 56-day accrual						1158.4
U3 - Original non-TITE						1143.1
U3 - TITE, 56-day accrual						1147.3
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	29.4	8.3	1.7	0.4	0.2	60
U2 - TITE, 56-day accrual	16	8.7	3.4	0.6	0	71.3
U3 - Original non-TITE	29.4	8.1	1.6	0.3	0.2	60.4
U3 - TITE, 56-day accrual	15	9.1	3.2	0.6	0	72.1
Mean administrations						
U2 - Original non-TITE	13.4	5.3	1.8	0.8	0.1	-
U2 - TITE, 56-day accrual	10.4	5.3	1.9	0.8	0.2	-
U3 - Original non-TITE	13.6	5.2	1.6	0.7	0.1	-
U3 - TITE, 56-day accrual	10.8	5.3	1.6	0.7	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	3.6	2.6	0.6	0.3	0.1	-
U2 - TITE, 56-day accrual	3.4	1.9	0.6	0.3	0.1	-
U3 - Original non-TITE	3.7	2.5	0.5	0.3	0	-
U3 - TITE, 56-day accrual	3.5	1.9	0.5	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						775.8
U2 - TITE, 56-day accrual						703.4
U3 - Original non-TITE						773.1
U3 - TITE, 56-day accrual						701.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	11.6	11.7	21.5	17.5	21.8	15.9
U2 - TITE, 56-day accrual	6.5	7.8	19.6	14.6	23.3	28.2
U3 - Original non-TITE	15.5	13.9	19.7	16	17.8	17.1
U3 - TITE, 56-day accrual	4.8	8.9	20.8	16.1	20.5	28.9
Mean administrations						
U2 - Original non-TITE	6.7	5.8	6	5.2	4.2	-
U2 - TITE, 56-day accrual	5.6	5.2	5.7	4.9	3.9	-
U3 - Original non-TITE	6.9	5.9	6	5.2	3.9	-
U3 - TITE, 56-day accrual	6.3	5.7	5.4	4.5	3.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	3.4	2	2.1	1.3	-
U2 - TITE, 56-day accrual	2	2.3	2.2	1.8	1.1	-
U3 - Original non-TITE	1.6	3.4	2	2	1.2	-
U3 - TITE, 56-day accrual	2.2	2.5	2.1	1.6	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						977.8
U2 - TITE, 56-day accrual						951.2
U3 - Original non-TITE						974.9
U3 - TITE, 56-day accrual						929.9
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	7.6	31.5	14.2	4	0.9	41.8
U2 - TITE, 56-day accrual	3.8	27.9	17	5	0.4	45.9
U3 - Original non-TITE	8.1	33.7	12.5	3.4	0.8	41.5
U3 - TITE, 56-day accrual	3.5	31.4	14.8	3.7	0	46.6
Mean administrations						
U2 - Original non-TITE	8.6	9.6	4	1.6	0.4	-
U2 - TITE, 56-day accrual	6.5	9.1	4.6	1.6	0.2	-
U3 - Original non-TITE	8.7	9.9	3.8	1.5	0.3	-
U3 - TITE, 56-day accrual	6.7	10.1	4	1.1	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.8	4.1	1.1	0.5	0.1	-
U2 - TITE, 56-day accrual	2	3.1	1.3	0.4	0.1	-
U3 - Original non-TITE	1.9	4.2	1.1	0.5	0.1	-
U3 - TITE, 56-day accrual	2.1	3.4	1.1	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						903.3
U2 - TITE, 56-day accrual						872.8
U3 - Original non-TITE						900.6
U3 - TITE, 56-day accrual						857.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	60.9	21.5	3.3	0.1	0	14.2
U2 - TITE, 56-day accrual	42.3	23.2	5.2	0.4	0	28.9
U3 - Original non-TITE	62.6	20.6	2.4	0.1	0	14.3
U3 - TITE, 56-day accrual	39.3	24.6	6.9	0.3	0	28.9
Mean administrations						
U2 - Original non-TITE	16.8	7.5	2.7	1	0.1	-
U2 - TITE, 56-day accrual	13.8	7.6	3	1	0.1	-
U3 - Original non-TITE	17.2	7.4	2.5	0.9	0.1	-
U3 - TITE, 56-day accrual	14.5	7.6	2.5	0.8	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	4.9	3.4	0.8	0.4	0	-
U2 - TITE, 56-day accrual	4.7	2.7	1	0.3	0	-
U3 - Original non-TITE	5	3.4	0.8	0.3	0	-
U3 - TITE, 56-day accrual	5	2.8	0.8	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1022.3
U2 - TITE, 56-day accrual						965.2
U3 - Original non-TITE						1020.2
U3 - TITE, 56-day accrual						952.3
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	11.4	10.8	11.9	47	16.4	2.5
U2 - TITE, 56-day accrual	5.9	9.2	13	43.7	20.7	7.5
U3 - Original non-TITE	15.3	13.8	9.2	43.7	15.5	2.5
U3 - TITE, 56-day accrual	5.2	9.4	13.5	44.4	19.6	7.9
Mean administrations						
U2 - Original non-TITE	4.6	5.3	5.9	9.5	4.5	-
U2 - TITE, 56-day accrual	4.2	5.2	5.4	9.3	4.6	-
U3 - Original non-TITE	4.8	5.4	5.8	9.5	4.2	-
U3 - TITE, 56-day accrual	4.7	5.6	5.2	9.1	3.9	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	3.3	1.7	3.4	1.2	-
U2 - TITE, 56-day accrual	1.4	2.4	2.1	2.9	1	-
U3 - Original non-TITE	0.8	3.4	1.7	3.4	1.1	-
U3 - TITE, 56-day accrual	1.7	2.6	2.1	2.9	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1071.1
U2 - TITE, 56-day accrual						1121.1
U3 - Original non-TITE						1068.5
U3 - TITE, 56-day accrual						1105.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	9	32	14.2	4.8	1.2	38.8
U2 - TITE, 56-day accrual	4.9	28.3	16.5	5.1	0.9	44.3
U3 - Original non-TITE	10.5	32.6	13.8	3.5	0.8	38.8
U3 - TITE, 56-day accrual	4.4	28.4	16.5	4.5	0.6	45.6
Mean administrations						
U2 - Original non-TITE	8.6	8.8	4.5	2.3	0.6	-
U2 - TITE, 56-day accrual	6.7	8.4	4.7	2.1	0.5	-
U3 - Original non-TITE	8.7	9.1	4.3	2.1	0.5	-
U3 - TITE, 56-day accrual	6.9	9.1	4.2	1.7	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	4.1	1.4	0.8	0.2	-
U2 - TITE, 56-day accrual	2.2	3	1.6	0.7	0.2	-
U3 - Original non-TITE	2	4.2	1.3	0.8	0.2	-
U3 - TITE, 56-day accrual	2.3	3.2	1.4	0.5	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						894.6
U2 - TITE, 56-day accrual						866.8
U3 - Original non-TITE						890.5
U3 - TITE, 56-day accrual						855.4
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	16.3	17.2	15.7	31.7	12.3	6.8
U2 - TITE, 56-day accrual	9.6	10.7	16.9	29.9	13.7	19.2
U3 - Original non-TITE	23	20.1	14.6	27	8.3	7
U3 - TITE, 56-day accrual	6.2	11.9	20.5	29.7	12.9	18.8
Mean administrations						
U2 - Original non-TITE	6	6.4	5.9	7.4	3.6	-
U2 - TITE, 56-day accrual	5.2	5.7	5.7	7.1	3.4	-
U3 - Original non-TITE	6.4	6.5	5.8	7.3	3.4	-
U3 - TITE, 56-day accrual	6	6.2	5.2	6.7	2.9	-
Mean IPDE administrations						
U2 - Original non-TITE	1.3	3.7	1.9	2.8	1.2	-
U2 - TITE, 56-day accrual	1.9	2.6	2.3	2.5	1	-
U3 - Original non-TITE	1.4	3.8	1.8	2.8	1.1	-
U3 - TITE, 56-day accrual	2.2	2.9	2.1	2.3	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1014.7
U2 - TITE, 56-day accrual						1012.7
U3 - Original non-TITE						1014.2
U3 - TITE, 56-day accrual						993

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	41.2	29	11.8	4.9	0.5	12.6
U2 - TITE, 56-day accrual	24.4	21.6	16.5	6.4	1.1	30
U3 - Original non-TITE	45.7	30.6	7.3	3.5	0.1	12.8
U3 - TITE, 56-day accrual	21.1	22.2	18.9	6.1	0.6	31.1
Mean administrations						
U2 - Original non-TITE	9.7	8.5	5.8	3.6	1.2	-
U2 - TITE, 56-day accrual	8.3	7.6	5.5	3.5	1.1	-
U3 - Original non-TITE	10.4	8.3	5.5	3.5	1.1	-
U3 - TITE, 56-day accrual	9.1	7.8	5	3.1	0.9	-
Mean IPDE administrations						
U2 - Original non-TITE	2.8	4.3	2	1.5	0.4	-
U2 - TITE, 56-day accrual	3.1	3.2	2.1	1.3	0.4	-
U3 - Original non-TITE	3.1	4.2	1.8	1.5	0.4	-
U3 - TITE, 56-day accrual	3.4	3.3	1.9	1.2	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						972.4
U2 - TITE, 56-day accrual						934.1
U3 - Original non-TITE						971
U3 - TITE, 56-day accrual						920.3
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	37.8	27.2	16	12.1	6.9	0
U2 - TITE, 56-day accrual	27.6	27.9	17.5	12.8	13.8	0.4
U3 - Original non-TITE	42	30	13.7	10.2	4.1	0
U3 - TITE, 56-day accrual	25	25.6	18.9	15.7	14.6	0.2
Mean administrations						
U2 - Original non-TITE	4.3	5	5.9	8.4	6.3	-
U2 - TITE, 56-day accrual	4.1	5.1	6.2	8.2	6.2	-
U3 - Original non-TITE	4.7	5.4	6.2	8.1	5.7	-
U3 - TITE, 56-day accrual	4.9	5.7	6.5	7.8	5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	2.9	2.3	3.6	2.4	-
U2 - TITE, 56-day accrual	1.3	2.3	2.6	3.3	2.4	-
U3 - Original non-TITE	0.7	3.1	2.3	3.5	2.1	-
U3 - TITE, 56-day accrual	1.7	2.5	2.7	3.2	1.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1009.1
U2 - TITE, 56-day accrual						1095.1
U3 - Original non-TITE						1007.1
U3 - TITE, 56-day accrual						1082.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	18.4	65.1	14.8	1.2	0	0.5
U2 - TITE, 56-day accrual	12.8	62.1	20.7	1.4	0	3
U3 - Original non-TITE	20.9	65.7	12.1	0.6	0	0.7
U3 - TITE, 56-day accrual	14	65.9	16	1	0	3.1
Mean administrations						
U2 - Original non-TITE	9.4	15.4	4.4	0.7	0.1	-
U2 - TITE, 56-day accrual	8.5	15	5	0.9	0.1	-
U3 - Original non-TITE	10	15.6	3.8	0.5	0	-
U3 - TITE, 56-day accrual	9.5	15.7	3.7	0.5	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	5.1	1.2	0.2	0	-
U2 - TITE, 56-day accrual	2.7	4.3	1.3	0.2	0	-
U3 - Original non-TITE	2.3	5.2	1	0.2	0	-
U3 - TITE, 56-day accrual	3	4.6	0.9	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1180.1
U2 - TITE, 56-day accrual						1222.7
U3 - Original non-TITE						1173.4
U3 - TITE, 56-day accrual						1199.6
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	10.3	10.2	8.8	15.7	54.9	0.1
U2 - TITE, 56-day accrual	5.2	7.5	9.9	15.3	61.2	0.9
U3 - Original non-TITE	16.2	13.1	10.2	13.3	47.1	0.1
U3 - TITE, 56-day accrual	4.7	7.5	12.4	17.4	57.1	0.9
Mean administrations						
U2 - Original non-TITE	3.4	4.1	5.2	7.1	10.2	-
U2 - TITE, 56-day accrual	3.3	3.9	5.1	6.8	10.7	-
U3 - Original non-TITE	3.5	4.2	5.4	7.2	9.7	-
U3 - TITE, 56-day accrual	3.7	4.4	5.4	6.9	9.4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	2.8	1.8	3	2.9	-
U2 - TITE, 56-day accrual	1.1	2	2.1	2.6	2.9	-
U3 - Original non-TITE	0.2	2.9	1.9	3	2.8	-
U3 - TITE, 56-day accrual	1.2	2.2	2.2	2.7	2.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1060.7
U2 - TITE, 56-day accrual						1165
U3 - Original non-TITE						1057.3
U3 - TITE, 56-day accrual						1148.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	11.7	56.2	16.7	1.2	0	14.2
U2 - TITE, 56-day accrual	8.5	43.3	21.4	2.5	0	24.3
U3 - Original non-TITE	13.2	57.8	13.6	0.8	0	14.6
U3 - TITE, 56-day accrual	7.1	45.1	22	1.9	0	23.9
Mean administrations						
U2 - Original non-TITE	7.9	12.6	5.9	1.9	0.2	-
U2 - TITE, 56-day accrual	6.9	11.3	6.2	1.8	0.2	-
U3 - Original non-TITE	8.2	12.8	5.6	1.7	0.2	-
U3 - TITE, 56-day accrual	7.3	12.2	5.4	1.4	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	5.5	1.7	0.7	0.1	-
U2 - TITE, 56-day accrual	2.4	4.1	1.9	0.5	0	-
U3 - Original non-TITE	1.8	5.6	1.6	0.6	0.1	-
U3 - TITE, 56-day accrual	2.6	4.4	1.6	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1033.5
U2 - TITE, 56-day accrual						1015.9
U3 - Original non-TITE						1029.4
U3 - TITE, 56-day accrual						1007.1
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	8	49.8	29.1	9.7	0.9	2.5
U2 - TITE, 56-day accrual	6.5	36.7	34.3	12.6	1.3	8.6
U3 - Original non-TITE	10.2	53	25.3	8.2	0.7	2.6
U3 - TITE, 56-day accrual	4.4	36.7	34.5	13.9	1.8	8.7
Mean administrations						
U2 - Original non-TITE	4.9	10.6	8.2	4.6	1.4	-
U2 - TITE, 56-day accrual	4.5	9.9	8.2	4.7	1.4	-
U3 - Original non-TITE	5.1	11.1	7.8	4.4	1.3	-
U3 - TITE, 56-day accrual	4.9	11	7.6	4.1	1.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	5	2.6	1.7	0.5	-
U2 - TITE, 56-day accrual	1.5	4	2.8	1.5	0.4	-
U3 - Original non-TITE	0.8	5.2	2.5	1.6	0.4	-
U3 - TITE, 56-day accrual	1.7	4.4	2.6	1.4	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1052.6
U2 - TITE, 56-day accrual						1083.6
U3 - Original non-TITE						1048.1
U3 - TITE, 56-day accrual						1069.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	52.5	1	0	0	0	46.5
U2 - TITE, 56-day accrual	58.3	1.8	0	0	0	39.9
U3 - Original non-TITE	52.9	1	0	0	0	46.1
U3 - TITE, 56-day accrual	59.3	1.2	0	0	0	39.5
Mean administrations						
U2 - Original non-TITE	19.8	2.3	0.1	0	0	-
U2 - TITE, 56-day accrual	20.2	2.8	0.2	0	0	-
U3 - Original non-TITE	20	2.2	0.1	0	0	-
U3 - TITE, 56-day accrual	20.6	2.6	0.1	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.8	0.9	0	0	0	-
U2 - TITE, 56-day accrual	4.3	0.7	0	0	0	-
U3 - Original non-TITE	3.8	0.9	0	0	0	-
U3 - TITE, 56-day accrual	4.4	0.7	0	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						968.5
U2 - TITE, 56-day accrual						1030.1
U3 - Original non-TITE						968.8
U3 - TITE, 56-day accrual						1034
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	15	60.2	12.3	1.3	0	11.2
U2 - TITE, 56-day accrual	9.2	48.8	14.9	2.2	0	24.9
U3 - Original non-TITE	16.3	61.4	9.9	1.3	0	11.1
U3 - TITE, 56-day accrual	7.9	47.6	16.7	2.8	0	25
Mean administrations						
U2 - Original non-TITE	8.4	13.3	5.3	1.8	0.1	-
U2 - TITE, 56-day accrual	7.3	11.9	5.5	1.8	0.2	-
U3 - Original non-TITE	8.7	13.4	5	1.7	0.1	-
U3 - TITE, 56-day accrual	7.8	12.4	4.8	1.5	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2	5.9	1.5	0.7	0	-
U2 - TITE, 56-day accrual	2.6	4.4	1.6	0.4	0	-
U3 - Original non-TITE	2.1	5.9	1.5	0.6	0	-
U3 - TITE, 56-day accrual	2.9	4.6	1.4	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1038.6
U2 - TITE, 56-day accrual						1018.5
U3 - Original non-TITE						1034.5
U3 - TITE, 56-day accrual						1006.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	7.5	0.6	0	0	0	91.9
U2 - TITE, 56-day accrual	2.7	1	0	0	0	96.3
U3 - Original non-TITE	7.5	1.1	0	0	0	91.4
U3 - TITE, 56-day accrual	2.9	0.9	0.2	0	0	96
Mean administrations						
U2 - Original non-TITE	11.1	3.8	0.5	0	0	-
U2 - TITE, 56-day accrual	8.6	3.8	0.5	0	0	-
U3 - Original non-TITE	11.1	3.8	0.5	0	0	-
U3 - TITE, 56-day accrual	8.6	3.8	0.5	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.9	2.1	0.2	0	0	-
U2 - TITE, 56-day accrual	2.7	1.3	0.2	0	0	-
U3 - Original non-TITE	2.9	2.1	0.2	0	0	-
U3 - TITE, 56-day accrual	2.7	1.3	0.2	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						557.9
U2 - TITE, 56-day accrual						495.4
U3 - Original non-TITE						557.2
U3 - TITE, 56-day accrual						496.2
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	1.5	1	3	59.1	35.4	0
U2 - TITE, 56-day accrual	1	0.2	2.6	51.8	44.3	0.1
U3 - Original non-TITE	2.7	1.9	2.7	62.6	30.1	0
U3 - TITE, 56-day accrual	0.8	0.6	2.5	60.5	35.6	0
Mean administrations						
U2 - Original non-TITE	3.1	3.1	3.8	13	6.9	-
U2 - TITE, 56-day accrual	3.1	3.2	3.9	12.2	7.7	-
U3 - Original non-TITE	3.1	3.2	3.9	13.6	6.2	-
U3 - TITE, 56-day accrual	3.2	3.3	4.2	13.3	6	-
Mean IPDE administrations						
U2 - Original non-TITE	0	2.4	1.2	4.5	2.1	-
U2 - TITE, 56-day accrual	0.9	1.7	1.6	3.9	2.2	-
U3 - Original non-TITE	0	2.4	1.2	4.7	1.8	-
U3 - TITE, 56-day accrual	1	1.7	1.7	4.3	1.7	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1090.8
U2 - TITE, 56-day accrual						1209.8
U3 - Original non-TITE						1088.3
U3 - TITE, 56-day accrual						1201.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	28.2	33.2	33	4.1	0.1	1.4
U2 - TITE, 56-day accrual	21.5	30	37.9	4.9	0.1	5.6
U3 - Original non-TITE	32.2	34.2	29.5	2.8	0	1.3
U3 - TITE, 56-day accrual	22.8	26.7	40.5	4.4	0.2	5.4
Mean administrations						
U2 - Original non-TITE	8.8	9.9	8.5	2.4	0.2	-
U2 - TITE, 56-day accrual	8.3	9.5	8.7	2.4	0.2	-
U3 - Original non-TITE	9.4	10	8.2	2.1	0.2	-
U3 - TITE, 56-day accrual	9.4	10	7.7	1.9	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	4.3	2.4	0.8	0.1	-
U2 - TITE, 56-day accrual	2.9	3.6	2.5	0.6	0.1	-
U3 - Original non-TITE	2.5	4.3	2.2	0.8	0.1	-
U3 - TITE, 56-day accrual	3.4	3.8	2.2	0.5	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1109.8
U2 - TITE, 56-day accrual						1144
U3 - Original non-TITE						1103.1
U3 - TITE, 56-day accrual						1117.9
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	20.6	33.2	28.6	5.2	0.3	12.1
U2 - TITE, 56-day accrual	12.2	26.6	30.2	5.9	0.2	24.9
U3 - Original non-TITE	23.7	33.1	26.7	4.1	0.2	12.2
U3 - TITE, 56-day accrual	11.8	25	32.5	4.6	0.1	26
Mean administrations						
U2 - Original non-TITE	8.7	9.2	7.7	2.7	0.3	-
U2 - TITE, 56-day accrual	7.2	8.6	7.5	2.6	0.2	-
U3 - Original non-TITE	9.1	9.4	7.5	2.4	0.2	-
U3 - TITE, 56-day accrual	8	9	6.9	2.1	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	4.3	2.2	1	0.1	-
U2 - TITE, 56-day accrual	2.5	3.4	2.3	0.7	0.1	-
U3 - Original non-TITE	2.3	4.4	2.1	0.9	0.1	-
U3 - TITE, 56-day accrual	2.9	3.5	2.1	0.5	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1030
U2 - TITE, 56-day accrual						1004.2
U3 - Original non-TITE						1024.5
U3 - TITE, 56-day accrual						989.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	14.4	25.7	45.5	9.3	0.4	4.7
U2 - TITE, 56-day accrual	7.5	22.5	46.1	10	0.8	13.1
U3 - Original non-TITE	17.4	27.7	42.3	7.5	0.2	4.9
U3 - TITE, 56-day accrual	7.9	19.4	48	10.7	0.4	13.6
Mean administrations						
U2 - Original non-TITE	6.7	8.6	10	3.5	0.6	-
U2 - TITE, 56-day accrual	6	8	9.6	3.8	0.5	-
U3 - Original non-TITE	7	8.8	9.8	3.2	0.5	-
U3 - TITE, 56-day accrual	6.7	8.6	9.2	3.1	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	4.1	2.9	1.2	0.2	-
U2 - TITE, 56-day accrual	2.1	3.2	2.9	1	0.1	-
U3 - Original non-TITE	1.6	4.2	2.9	1.1	0.2	-
U3 - TITE, 56-day accrual	2.4	3.4	2.8	0.8	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1077.5
U2 - TITE, 56-day accrual						1087.5
U3 - Original non-TITE						1071.9
U3 - TITE, 56-day accrual						1067.2
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	11.2	39.2	5.4	0.1	0	44.1
U2 - TITE, 56-day accrual	6.4	32	7.8	0.4	0	53.4
U3 - Original non-TITE	11.6	38.7	5.1	0	0	44.6
U3 - TITE, 56-day accrual	5.3	33.9	8.5	0.1	0	52.2
Mean administrations						
U2 - Original non-TITE	9.4	10.7	3.3	0.8	0.1	-
U2 - TITE, 56-day accrual	7.5	9.8	3.5	0.9	0.1	-
U3 - Original non-TITE	9.6	10.8	3.2	0.8	0.1	-
U3 - TITE, 56-day accrual	7.7	10.2	3.1	0.7	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.3	4.7	1	0.3	0	-
U2 - TITE, 56-day accrual	2.5	3.5	1	0.2	0	-
U3 - Original non-TITE	2.3	4.7	0.9	0.3	0	-
U3 - TITE, 56-day accrual	2.6	3.6	0.9	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						880.4
U2 - TITE, 56-day accrual						832.3
U3 - Original non-TITE						883.8
U3 - TITE, 56-day accrual						832.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	63.7	31.4	2.1	0.1	0	2.7
U2 - TITE, 56-day accrual	54	36	4.7	0	0	5.3
U3 - Original non-TITE	67.5	28.1	1.8	0.1	0	2.5
U3 - TITE, 56-day accrual	56.3	36	2.9	0	0	4.8
Mean administrations						
U2 - Original non-TITE	18.1	9	2	0.4	0	-
U2 - TITE, 56-day accrual	16.6	9.8	2.2	0.3	0	-
U3 - Original non-TITE	19	8.6	1.6	0.3	0	-
U3 - TITE, 56-day accrual	18.3	9.1	1.4	0.2	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.4	3.2	0.6	0.1	0	-
U2 - TITE, 56-day accrual	4.8	3	0.6	0.1	0	-
U3 - Original non-TITE	4.8	3.1	0.5	0.1	0	-
U3 - TITE, 56-day accrual	5.3	2.8	0.4	0.1	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1166.3
U2 - TITE, 56-day accrual						1166.5
U3 - Original non-TITE						1164.5
U3 - TITE, 56-day accrual						1163.2
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	16.3	10.8	15.6	46	10.9	0.4
U2 - TITE, 56-day accrual	10.5	12.7	14.3	47	13.1	2.4
U3 - Original non-TITE	23.5	14.2	12.9	39.7	9.2	0.5
U3 - TITE, 56-day accrual	9.8	12.8	15	48.1	11.6	2.7
Mean administrations						
U2 - Original non-TITE	4.4	5.2	6.4	10.1	3.8	-
U2 - TITE, 56-day accrual	4.2	5.2	6.2	9.8	4	-
U3 - Original non-TITE	4.7	5.5	6.4	10	3.4	-
U3 - TITE, 56-day accrual	5	5.8	6	9.4	3.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.1	2	3.3	1.1	-
U2 - TITE, 56-day accrual	1.4	2.4	2.4	3	1	-
U3 - Original non-TITE	0.7	3.2	2	3.3	1	-
U3 - TITE, 56-day accrual	1.8	2.6	2.4	2.9	0.8	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1085.8
U2 - TITE, 56-day accrual						1164.1
U3 - Original non-TITE						1081.6
U3 - TITE, 56-day accrual						1148.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	2.9	38.1	31.3	23.2	4.5	0
U2 - TITE, 56-day accrual	0.6	34.1	34.4	26.9	3.9	0.1
U3 - Original non-TITE	4.8	44.8	28.3	20	2.1	0
U3 - TITE, 56-day accrual	1.1	44.7	31.3	20.8	2	0.1
Mean administrations						
U2 - Original non-TITE	3.8	12.5	7.6	4.8	1.2	-
U2 - TITE, 56-day accrual	3.7	11.9	8.4	4.8	1.1	-
U3 - Original non-TITE	4	13.6	7.3	4.3	0.8	-
U3 - TITE, 56-day accrual	4	13.8	7.7	3.8	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	4.9	2.3	1.4	0.4	-
U2 - TITE, 56-day accrual	1.1	4	2.7	1.4	0.3	-
U3 - Original non-TITE	0.3	5.2	2.2	1.3	0.3	-
U3 - TITE, 56-day accrual	1.2	4.6	2.4	1.1	0.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1145.8
U2 - TITE, 56-day accrual						1213.1
U3 - Original non-TITE						1140.5
U3 - TITE, 56-day accrual						1189.6
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	11.4	14	35	29.1	10.4	0.1
U2 - TITE, 56-day accrual	8.7	10.4	33.8	31.5	15.2	0.4
U3 - Original non-TITE	16.5	18.3	33.6	25.8	5.7	0.1
U3 - TITE, 56-day accrual	7.4	9.6	32.7	34.1	15.7	0.5
Mean administrations						
U2 - Original non-TITE	3.5	4.3	8.7	8.7	4.7	-
U2 - TITE, 56-day accrual	3.3	4.4	8.4	9.1	4.5	-
U3 - Original non-TITE	3.6	4.6	9.1	8.6	4	-
U3 - TITE, 56-day accrual	3.8	5	9	8.5	3.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	2.9	2.9	3.3	1.5	-
U2 - TITE, 56-day accrual	1	2.1	3.1	3.1	1.5	-
U3 - Original non-TITE	0.3	3	3	3.2	1.3	-
U3 - TITE, 56-day accrual	1.2	2.4	3.4	2.9	1.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1055.9
U2 - TITE, 56-day accrual						1150.3
U3 - Original non-TITE						1052.1
U3 - TITE, 56-day accrual						1135

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	8.8	5.9	11.6	47.3	26.3	0.1
U2 - TITE, 56-day accrual	4.4	5.1	10.3	48.3	31.8	0.1
U3 - Original non-TITE	12.2	8.2	12	46.1	21.4	0.1
U3 - TITE, 56-day accrual	4.2	4.5	10.8	52.2	28.2	0.1
Mean administrations						
U2 - Original non-TITE	3.4	3.7	6	10.7	6.2	-
U2 - TITE, 56-day accrual	3.2	3.6	5.7	10.9	6.4	-
U3 - Original non-TITE	3.5	3.8	6.2	10.9	5.7	-
U3 - TITE, 56-day accrual	3.5	4	6	11.2	5.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	2.7	1.8	3.8	1.7	-
U2 - TITE, 56-day accrual	1	1.9	2.2	3.3	1.7	-
U3 - Original non-TITE	0.2	2.8	1.9	3.8	1.5	-
U3 - TITE, 56-day accrual	1.2	2	2.3	3.4	1.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1090.3
U2 - TITE, 56-day accrual						1200.2
U3 - Original non-TITE						1087
U3 - TITE, 56-day accrual						1178.6
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	12.7	13.2	47.5	19.2	3.1	4.3
U2 - TITE, 56-day accrual	8.4	10	45.5	19.8	6.1	10.2
U3 - Original non-TITE	15.8	16	44.1	17.9	2.2	4
U3 - TITE, 56-day accrual	6.9	9.5	46.3	22.2	4.6	10.5
Mean administrations						
U2 - Original non-TITE	5.1	6.7	9.9	5.9	2.1	-
U2 - TITE, 56-day accrual	4.5	6.1	9.5	6	2.2	-
U3 - Original non-TITE	5.5	6.8	9.9	5.8	1.7	-
U3 - TITE, 56-day accrual	5	6.5	9.6	5.6	1.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	3.7	3.1	2.1	0.7	-
U2 - TITE, 56-day accrual	1.5	2.7	3.2	1.9	0.7	-
U3 - Original non-TITE	1.1	3.8	3.1	2	0.6	-
U3 - TITE, 56-day accrual	1.8	2.9	3.2	1.8	0.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1054
U2 - TITE, 56-day accrual						1090.7
U3 - Original non-TITE						1050.1
U3 - TITE, 56-day accrual						1070.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	7.3	43.9	35.2	11.5	2	0.1
U2 - TITE, 56-day accrual	4.7	38.6	41.8	12.6	2.2	0.1
U3 - Original non-TITE	11	46.5	30.8	9.7	1.9	0.1
U3 - TITE, 56-day accrual	4.5	47.5	37.8	8.7	1.4	0.1
Mean administrations						
U2 - Original non-TITE	4.4	12.3	8.6	3.7	0.9	-
U2 - TITE, 56-day accrual	4.2	12	9.4	3.5	0.8	-
U3 - Original non-TITE	4.6	13.2	8	3.4	0.8	-
U3 - TITE, 56-day accrual	4.7	14.2	8.2	2.4	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	4.8	2.4	1.2	0.3	-
U2 - TITE, 56-day accrual	1.3	4.1	2.7	0.9	0.2	-
U3 - Original non-TITE	0.6	5.2	2.2	1	0.2	-
U3 - TITE, 56-day accrual	1.5	4.8	2.4	0.7	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1149
U2 - TITE, 56-day accrual						1223.3
U3 - Original non-TITE						1142.2
U3 - TITE, 56-day accrual						1203.3
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	13.4	41.4	15.4	5.1	1	23.7
U2 - TITE, 56-day accrual	8	29.5	17.5	6.4	0.8	37.8
U3 - Original non-TITE	16.8	42.4	13.5	4	0.5	22.8
U3 - TITE, 56-day accrual	5.7	30	18	7	1.3	38
Mean administrations						
U2 - Original non-TITE	8.1	10.2	5.3	2.9	0.8	-
U2 - TITE, 56-day accrual	6.5	8.8	5.2	2.9	0.9	-
U3 - Original non-TITE	8.4	10.3	5.1	2.7	0.7	-
U3 - TITE, 56-day accrual	6.9	9.3	4.7	2.5	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	4.9	1.7	1.1	0.3	-
U2 - TITE, 56-day accrual	2.3	3.4	1.8	1	0.3	-
U3 - Original non-TITE	2	5	1.6	1	0.2	-
U3 - TITE, 56-day accrual	2.4	3.6	1.6	0.8	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						958.5
U2 - TITE, 56-day accrual						918.4
U3 - Original non-TITE						957
U3 - TITE, 56-day accrual						900.9

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	13.4	50.2	13.7	2.5	0.4	19.8
U2 - TITE, 56-day accrual	8.4	38.2	17.9	2.9	0	32.6
U3 - Original non-TITE	16.1	50.3	11.6	2.4	0.2	19.4
U3 - TITE, 56-day accrual	6.3	37.5	20.6	2.4	0	33.2
Mean administrations						
U2 - Original non-TITE	7.9	11.6	5.4	2.5	0.7	-
U2 - TITE, 56-day accrual	6.6	10.3	5.5	2.4	0.6	-
U3 - Original non-TITE	8.3	11.5	5.2	2.4	0.6	-
U3 - TITE, 56-day accrual	7.1	10.7	4.9	2.1	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	1.8	5.5	1.7	1	0.2	-
U2 - TITE, 56-day accrual	2.3	3.9	1.8	0.8	0.2	-
U3 - Original non-TITE	2	5.5	1.6	0.9	0.2	-
U3 - TITE, 56-day accrual	2.6	4.1	1.7	0.7	0.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						979.6
U2 - TITE, 56-day accrual						957.8
U3 - Original non-TITE						975.8
U3 - TITE, 56-day accrual						938.7