

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	11.5	2.8	0.2	0	0	85.5
U2 - TITE, 56-day accrual	5	7	2.4	0.1	0	85.5
U3 - Original non-TITE	11.7	2.3	0.2	0	0	85.8
U3 - TITE, 56-day accrual	5.2	7.1	2.1	0.1	0	85.5
Mean administrations						
U2 - Original non-TITE	11.7	2.4	1	0.2	0	-
U2 - TITE, 56-day accrual	8.9	3.3	1.2	0.2	0	-
U3 - Original non-TITE	11.7	2.4	1	0.2	0	-
U3 - TITE, 56-day accrual	8.9	3.3	1.3	0.2	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.5	1.3	0.4	0.1	0	-
U2 - TITE, 56-day accrual	3	1.4	0.5	0.1	0	-
U3 - Original non-TITE	3.5	1.3	0.4	0.1	0	-
U3 - TITE, 56-day accrual	3	1.4	0.5	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						543.2
U2 - TITE, 56-day accrual						495.7
U3 - Original non-TITE						542.6
U3 - TITE, 56-day accrual						496.6
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	42.1	22.5	27.3	5	0.5	2.6
U2 - TITE, 56-day accrual	22.3	27.2	31.4	6.9	0.5	11.7
U3 - Original non-TITE	45	22.5	24.9	4.4	0.5	2.7
U3 - TITE, 56-day accrual	21.9	27.3	31.9	6.3	0.6	12
Mean administrations						
U2 - Original non-TITE	13.6	6	6.3	2.7	0.8	-
U2 - TITE, 56-day accrual	11.5	7	6.7	2	0.5	-
U3 - Original non-TITE	13.6	6	6.3	2.7	0.8	-
U3 - TITE, 56-day accrual	11.4	6.9	6.8	2	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	4.1	2.8	1.8	0.7	0.2	-
U2 - TITE, 56-day accrual	4.1	2.7	1.8	0.5	0.1	-
U3 - Original non-TITE	4.1	2.8	1.8	0.8	0.2	-
U3 - TITE, 56-day accrual	4.1	2.7	1.9	0.5	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1092.7
U2 - TITE, 56-day accrual						1066.4
U3 - Original non-TITE						1093.2
U3 - TITE, 56-day accrual						1068.9

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	19	41.3	17.3	3.6	0.5	18.3
U2 - TITE, 56-day accrual	5.4	39.1	25	6.1	0.6	23.8
U3 - Original non-TITE	20.5	44.1	13.5	3.5	0.3	18.1
U3 - TITE, 56-day accrual	5.3	38.1	25.2	6.6	0.6	24.2
Mean administrations						
U2 - Original non-TITE	10.4	8	5.3	2.5	0.8	-
U2 - TITE, 56-day accrual	7.6	10	5.5	1.9	0.5	-
U3 - Original non-TITE	10.4	8.1	5.2	2.5	0.8	-
U3 - TITE, 56-day accrual	7.5	9.9	5.6	1.9	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	3.1	3.4	1.5	0.8	0.2	-
U2 - TITE, 56-day accrual	2.7	3.5	1.6	0.5	0.1	-
U3 - Original non-TITE	3.1	3.4	1.5	0.8	0.2	-
U3 - TITE, 56-day accrual	2.7	3.5	1.6	0.5	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						987.2
U2 - TITE, 56-day accrual						979.9
U3 - Original non-TITE						987.3
U3 - TITE, 56-day accrual						976.5
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	7.4	12.3	27.2	40.5	8	4.6
U2 - TITE, 56-day accrual	2.4	12	27.1	37.5	13.2	7.8
U3 - Original non-TITE	12.9	11.7	25.3	38.6	6.9	4.6
U3 - TITE, 56-day accrual	2.6	10.3	29.1	37.8	12.1	8.1
Mean administrations						
U2 - Original non-TITE	4.6	4.8	7.5	7.8	4.5	-
U2 - TITE, 56-day accrual	4.9	5.4	7	7.1	3.5	-
U3 - Original non-TITE	4.6	4.8	7.5	7.9	4.4	-
U3 - TITE, 56-day accrual	4.9	5.4	7	7.1	3.4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	3	2.4	2.6	1.1	-
U2 - TITE, 56-day accrual	1.8	2.6	2.6	2	0.7	-
U3 - Original non-TITE	0.7	3	2.4	2.6	1.1	-
U3 - TITE, 56-day accrual	1.8	2.6	2.6	2	0.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1067.1
U2 - TITE, 56-day accrual						1093.4
U3 - Original non-TITE						1065.5
U3 - TITE, 56-day accrual						1096.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	3.6	35.1	26.6	19.6	7	8.1
U2 - TITE, 56-day accrual	0.6	23.4	34.9	23	10.4	7.7
U3 - Original non-TITE	6.1	40.8	24.2	16.1	4.7	8.1
U3 - TITE, 56-day accrual	1	24.1	33.3	23.2	10.7	7.7
Mean administrations						
U2 - Original non-TITE	4.8	6.8	6.9	5.8	4.3	-
U2 - TITE, 56-day accrual	4.7	9.6	7.6	4.2	2	-
U3 - Original non-TITE	4.8	6.8	6.9	5.8	4.3	-
U3 - TITE, 56-day accrual	4.8	9.6	7.6	4.2	2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.8	3.6	2.2	2.2	1.5	-
U2 - TITE, 56-day accrual	1.7	3.9	2.7	1.5	0.6	-
U3 - Original non-TITE	0.8	3.6	2.2	2.2	1.6	-
U3 - TITE, 56-day accrual	1.7	3.9	2.7	1.5	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1000.9
U2 - TITE, 56-day accrual						1048.2
U3 - Original non-TITE						1001
U3 - TITE, 56-day accrual						1046.1
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	64.6	6.5	1.3	0.1	0	27.5
U2 - TITE, 56-day accrual	60.9	13.8	3.1	0.1	0	22.1
U3 - Original non-TITE	66	6	0.8	0.2	0	27
U3 - TITE, 56-day accrual	61	13.8	2.9	0.2	0	22.1
Mean administrations						
U2 - Original non-TITE	20.5	3.2	1.4	0.3	0	-
U2 - TITE, 56-day accrual	19	4.9	1.6	0.4	0	-
U3 - Original non-TITE	20.5	3.2	1.4	0.3	0	-
U3 - TITE, 56-day accrual	19	5	1.6	0.4	0	-
Mean IPDE administrations						
U2 - Original non-TITE	5.7	1.3	0.4	0.1	0	-
U2 - TITE, 56-day accrual	5.8	1.6	0.5	0.1	0	-
U3 - Original non-TITE	5.7	1.3	0.4	0.1	0	-
U3 - TITE, 56-day accrual	5.8	1.6	0.5	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						978.2
U2 - TITE, 56-day accrual						1008.6
U3 - Original non-TITE						979.3
U3 - TITE, 56-day accrual						1012.8

Fixed priors: CRM toxicity Beta(0.15, 0.85); efficacy Beta(0.5, 0.5); efficacy additive discount Beta(0.15, 0.85).
Non-TITE: efficacy threshold = 0.20, futility cutoff = 0.85. TITE uses the shared previous-dose additive efficacy model; 28- and 14-day results are pending.

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	35.4	39.2	15.9	4.8	1.3	3.4
U2 - TITE, 56-day accrual	14.8	36.5	26.6	8.1	1.8	12.2
U3 - Original non-TITE	36	41.6	13.4	4.8	0.7	3.5
U3 - TITE, 56-day accrual	14.2	37.5	26.6	8	1.4	12.3
Mean administrations						
U2 - Original non-TITE	13	7.5	4.9	2.7	1.3	-
U2 - TITE, 56-day accrual	9.4	9.8	5.6	2.1	0.7	-
U3 - Original non-TITE	13	7.5	5.1	2.6	1.2	-
U3 - TITE, 56-day accrual	9.3	9.9	5.6	2.1	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	3.8	3	1.2	0.8	0.4	-
U2 - TITE, 56-day accrual	3.2	3	1.6	0.5	0.2	-
U3 - Original non-TITE	3.8	3	1.3	0.8	0.4	-
U3 - TITE, 56-day accrual	3.2	3	1.5	0.5	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1110.4
U2 - TITE, 56-day accrual						1101.1
U3 - Original non-TITE						1110.2
U3 - TITE, 56-day accrual						1101.5
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	26.9	2.3	0.6	0	0	70.2
U2 - TITE, 56-day accrual	16.8	7.8	1.1	0.1	0	74.2
U3 - Original non-TITE	27.2	2.3	0.4	0	0	70.1
U3 - TITE, 56-day accrual	17	6.5	1.4	0	0	75.1
Mean administrations						
U2 - Original non-TITE	14.9	2.3	0.8	0.1	0	-
U2 - TITE, 56-day accrual	11.3	3.9	1.2	0.1	0	-
U3 - Original non-TITE	14.9	2.3	0.8	0.1	0	-
U3 - TITE, 56-day accrual	11.2	3.9	1.2	0.1	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.6	1.2	0.3	0.1	0	-
U2 - TITE, 56-day accrual	3.7	1.5	0.4	0.1	0	-
U3 - Original non-TITE	4.6	1.2	0.3	0.1	0	-
U3 - TITE, 56-day accrual	3.7	1.5	0.4	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						656.6
U2 - TITE, 56-day accrual						617.1
U3 - Original non-TITE						656.6
U3 - TITE, 56-day accrual						614.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	12.5	13.9	17.2	9.9	11.2	35.3
U2 - TITE, 56-day accrual	4.5	15.8	22.6	10.6	9.6	36.9
U3 - Original non-TITE	16.8	13.3	16.2	9	9.3	35.4
U3 - TITE, 56-day accrual	4.4	15.2	22.1	11.7	9.4	37.2
Mean administrations						
U2 - Original non-TITE	8.5	5	5.1	3.1	2.6	-
U2 - TITE, 56-day accrual	7	5.6	5.2	2.7	1.7	-
U3 - Original non-TITE	8.5	4.9	5.1	3.1	2.6	-
U3 - TITE, 56-day accrual	7.1	5.5	5.3	2.7	1.7	-
Mean IPDE administrations						
U2 - Original non-TITE	2.3	2.8	1.8	1.3	0.8	-
U2 - TITE, 56-day accrual	2.5	2.5	2	1	0.5	-
U3 - Original non-TITE	2.3	2.8	1.8	1.3	0.8	-
U3 - TITE, 56-day accrual	2.6	2.5	2	1	0.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						837.8
U2 - TITE, 56-day accrual						812.1
U3 - Original non-TITE						837.2
U3 - TITE, 56-day accrual						815.8
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	11	20.9	6.7	1.5	0.4	59.5
U2 - TITE, 56-day accrual	7	26.5	10.5	1.5	0.3	54.2
U3 - Original non-TITE	11.6	21.2	5.8	1.6	0.3	59.5
U3 - TITE, 56-day accrual	6.7	27.2	9.9	1.7	0.4	54.1
Mean administrations						
U2 - Original non-TITE	10.4	5.1	2.9	1	0.3	-
U2 - TITE, 56-day accrual	7.5	8	3.2	0.8	0.2	-
U3 - Original non-TITE	10.3	5.2	2.9	1	0.2	-
U3 - TITE, 56-day accrual	7.5	7.9	3.3	0.8	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	3	2.3	0.8	0.3	0.1	-
U2 - TITE, 56-day accrual	2.5	2.7	0.9	0.2	0.1	-
U3 - Original non-TITE	2.9	2.3	0.8	0.3	0.1	-
U3 - TITE, 56-day accrual	2.5	2.6	0.9	0.2	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						714.5
U2 - TITE, 56-day accrual						765.6
U3 - Original non-TITE						714.8
U3 - TITE, 56-day accrual						768.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	72.1	13.4	0.5	0.1	0	13.9
U2 - TITE, 56-day accrual	43.2	23.5	3.7	0.2	0	29.4
U3 - Original non-TITE	73	12.6	0.5	0.1	0	13.8
U3 - TITE, 56-day accrual	43.9	23.4	3.6	0.2	0	28.9
Mean administrations						
U2 - Original non-TITE	20.3	5.2	1.9	0.3	0	-
U2 - TITE, 56-day accrual	16	6.6	2.2	0.3	0	-
U3 - Original non-TITE	20.3	5.2	1.9	0.3	0	-
U3 - TITE, 56-day accrual	16	6.5	2.2	0.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	6.4	2.4	0.7	0.1	0	-
U2 - TITE, 56-day accrual	5.5	2.4	0.7	0.1	0	-
U3 - Original non-TITE	6.4	2.4	0.7	0.1	0	-
U3 - TITE, 56-day accrual	5.5	2.4	0.7	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						995.1
U2 - TITE, 56-day accrual						928.7
U3 - Original non-TITE						995.5
U3 - TITE, 56-day accrual						926.3
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	16.3	17.9	15.5	34	9.9	6.4
U2 - TITE, 56-day accrual	5.7	15.2	20.9	32.6	14.1	11.5
U3 - Original non-TITE	21.5	18.7	10.7	33.5	9.1	6.5
U3 - TITE, 56-day accrual	4.9	15.3	22.8	33.3	13.4	10.3
Mean administrations						
U2 - Original non-TITE	5.2	5.5	6.3	7.3	4.7	-
U2 - TITE, 56-day accrual	5.3	5.9	5.4	6.3	4.2	-
U3 - Original non-TITE	5.2	5.5	6.3	7.2	4.7	-
U3 - TITE, 56-day accrual	5.3	5.9	5.3	6.3	4.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1	3.3	2.1	2.7	1.1	-
U2 - TITE, 56-day accrual	1.9	2.8	2.2	2	0.9	-
U3 - Original non-TITE	1	3.3	2.1	2.7	1.1	-
U3 - TITE, 56-day accrual	1.9	2.8	2.2	2.1	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1030.6
U2 - TITE, 56-day accrual						1045.4
U3 - Original non-TITE						1030.9
U3 - TITE, 56-day accrual						1038

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	13.6	23.6	6.4	1.2	0.3	54.9
U2 - TITE, 56-day accrual	6.8	28.3	11.5	1.9	0.1	51.4
U3 - Original non-TITE	14.8	23.5	6.1	1	0.3	54.3
U3 - TITE, 56-day accrual	6.4	29.6	11.1	1.8	0	51.1
Mean administrations						
U2 - Original non-TITE	10.4	5.7	3.1	1.1	0.3	-
U2 - TITE, 56-day accrual	7.7	8.2	3.3	1	0.3	-
U3 - Original non-TITE	10.3	5.6	3.1	1.1	0.3	-
U3 - TITE, 56-day accrual	7.7	8.2	3.3	1	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	3	2.7	1	0.4	0.1	-
U2 - TITE, 56-day accrual	2.7	3	1.1	0.3	0.1	-
U3 - Original non-TITE	3	2.7	1	0.4	0.1	-
U3 - TITE, 56-day accrual	2.6	3	1.1	0.3	0.1	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						733
U3 - Original non-TITE						772.4
U3 - TITE, 56-day accrual						730.9
						769
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	20.1	20.3	16.9	18.9	6	17.8
U2 - TITE, 56-day accrual	5.4	19.8	26.2	19.1	6.7	22.8
U3 - Original non-TITE	28	20.2	11.3	17.7	4.9	17.9
U3 - TITE, 56-day accrual	5	19.5	26.2	19.4	7.5	22.4
Mean administrations						
U2 - Original non-TITE	7	6	6.3	5	3	-
U2 - TITE, 56-day accrual	6.6	6.7	5.6	4.2	1.9	-
U3 - Original non-TITE	7	6	6.3	5	3	-
U3 - TITE, 56-day accrual	6.6	6.6	5.5	4.3	1.9	-
Mean IPDE administrations						
U2 - Original non-TITE	1.8	3.4	2.2	2	0.9	-
U2 - TITE, 56-day accrual	2.5	3	2.2	1.5	0.5	-
U3 - Original non-TITE	1.8	3.4	2.2	2	0.9	-
U3 - TITE, 56-day accrual	2.5	3	2.2	1.5	0.5	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						930.3
U3 - Original non-TITE						909.9
U3 - TITE, 56-day accrual						931.3
						904.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	44.9	26.9	7.9	1.6	0.1	18.6
U2 - TITE, 56-day accrual	14.7	29.3	17.7	4.7	0.3	33.3
U3 - Original non-TITE	50.8	24.9	4.4	1.4	0.1	18.4
U3 - TITE, 56-day accrual	15	28.8	18.9	4.5	0.4	32.4
Mean administrations						
U2 - Original non-TITE	12	7.6	5.1	1.9	0.6	-
U2 - TITE, 56-day accrual	9.8	7.6	4.5	1.4	0.4	-
U3 - Original non-TITE	12.1	7.6	5.1	2	0.6	-
U3 - TITE, 56-day accrual	10	7.5	4.4	1.5	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	3.8	3.8	1.8	0.9	0.2	-
U2 - TITE, 56-day accrual	3.7	3.3	1.7	0.6	0.1	-
U3 - Original non-TITE	3.8	3.8	1.8	0.9	0.2	-
U3 - TITE, 56-day accrual	3.8	3.2	1.7	0.6	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						915.8
U2 - TITE, 56-day accrual						834.8
U3 - Original non-TITE						915.5
U3 - TITE, 56-day accrual						835.1
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	23.9	33	18.5	14.4	10.2	0
U2 - TITE, 56-day accrual	7.6	19.5	24.2	25.3	23.1	0.3
U3 - Original non-TITE	31.8	36	14.9	10.9	6.4	0
U3 - TITE, 56-day accrual	6.5	20.2	24.6	26.4	22	0.3
Mean administrations						
U2 - Original non-TITE	5.6	6.2	5.5	5.9	6.8	-
U2 - TITE, 56-day accrual	7.9	8	5.8	4.6	3.5	-
U3 - Original non-TITE	5.6	6.1	5.5	6	6.8	-
U3 - TITE, 56-day accrual	7.9	8.1	5.7	4.6	3.4	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	3.4	1.9	2.6	2.7	-
U2 - TITE, 56-day accrual	3	3.5	2.4	1.9	1.3	-
U3 - Original non-TITE	1.1	3.4	1.9	2.7	2.6	-
U3 - TITE, 56-day accrual	3	3.6	2.3	1.9	1.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1007.3
U2 - TITE, 56-day accrual						1072.1
U3 - Original non-TITE						1007.7
U3 - TITE, 56-day accrual						1069.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	34	55.2	10	0.3	0	0.5
U2 - TITE, 56-day accrual	21	54.8	18.3	1.6	0	4.3
U3 - Original non-TITE	36.6	54.9	8	0.1	0	0.4
U3 - TITE, 56-day accrual	21.2	55.1	17.8	1.2	0	4.7
Mean administrations						
U2 - Original non-TITE	11.7	10.6	6.2	1.2	0.1	-
U2 - TITE, 56-day accrual	10.4	11.6	5.8	1.1	0.2	-
U3 - Original non-TITE	11.7	10.7	6.1	1.2	0.1	-
U3 - TITE, 56-day accrual	10.5	11.4	5.9	1.1	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	3.1	3.6	1.4	0.4	0	-
U2 - TITE, 56-day accrual	3.4	3.4	1.3	0.2	0	-
U3 - Original non-TITE	3.1	3.7	1.4	0.4	0	-
U3 - TITE, 56-day accrual	3.4	3.3	1.3	0.2	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1177.3
U2 - TITE, 56-day accrual						1189
U3 - Original non-TITE						1177.8
U3 - TITE, 56-day accrual						1188.8
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	9	14.3	12.5	19.9	43.4	0.9
U2 - TITE, 56-day accrual	2.3	7.6	16.5	22.7	49.2	1.7
U3 - Original non-TITE	14	15.9	13.4	17.5	38.3	0.9
U3 - TITE, 56-day accrual	2	7.5	17.8	23.1	48.1	1.5
Mean administrations						
U2 - Original non-TITE	3.7	4.1	5	6	11.1	-
U2 - TITE, 56-day accrual	4.5	5.3	5.6	5.6	8.3	-
U3 - Original non-TITE	3.7	4.1	5	6	11	-
U3 - TITE, 56-day accrual	4.6	5.3	5.5	5.6	8.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	2.8	1.6	2.6	3.1	-
U2 - TITE, 56-day accrual	1.6	2.6	2.3	2.3	2.1	-
U3 - Original non-TITE	0.3	2.8	1.7	2.7	3.1	-
U3 - TITE, 56-day accrual	1.7	2.6	2.3	2.2	2.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1063
U2 - TITE, 56-day accrual						1118.7
U3 - Original non-TITE						1062.5
U3 - TITE, 56-day accrual						1116.2

Fixed priors: CRM toxicity Beta(0.15, 0.85); efficacy Beta(0.5, 0.5); efficacy additive discount Beta(0.15, 0.85).
Non-TITE: efficacy threshold = 0.20, futility cutoff = 0.85. TITE uses the shared previous-dose additive efficacy model; 28- and 14-day results are pending.

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	25.1	49.1	7.2	0.3	0	18.3
U2 - TITE, 56-day accrual	11.3	46.2	15.3	1	0	26.2
U3 - Original non-TITE	26.9	47.9	6.3	0.3	0	18.6
U3 - TITE, 56-day accrual	10.2	46	16.4	1.1	0	26.3
Mean administrations						
U2 - Original non-TITE	9.9	10.7	5.3	1	0.1	-
U2 - TITE, 56-day accrual	7.6	11.4	5.4	0.9	0.1	-
U3 - Original non-TITE	9.9	10.6	5.3	1	0.1	-
U3 - TITE, 56-day accrual	7.7	11.3	5.4	0.9	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.8	4.6	1.6	0.4	0	-
U2 - TITE, 56-day accrual	2.8	4.2	1.6	0.2	0	-
U3 - Original non-TITE	2.8	4.6	1.6	0.4	0	-
U3 - TITE, 56-day accrual	2.8	4.1	1.6	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						964.5
U2 - TITE, 56-day accrual						952.2
U3 - Original non-TITE						963.2
U3 - TITE, 56-day accrual						952.6
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	10.7	50.6	25	4.4	0	9.3
U2 - TITE, 56-day accrual	3.7	37.4	38.6	9.3	1	10
U3 - Original non-TITE	14	51.1	22	3.8	0.1	9
U3 - TITE, 56-day accrual	3.8	38.4	38.2	9	0.8	9.8
Mean administrations						
U2 - Original non-TITE	5.8	9.8	8.4	3.3	1	-
U2 - TITE, 56-day accrual	5.5	10.4	8.1	2.8	0.8	-
U3 - Original non-TITE	5.7	9.8	8.6	3.3	1	-
U3 - TITE, 56-day accrual	5.5	10.4	8.1	2.9	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	1.2	4.7	2.6	1.3	0.4	-
U2 - TITE, 56-day accrual	2	4.2	2.8	0.9	0.2	-
U3 - Original non-TITE	1.2	4.8	2.7	1.3	0.4	-
U3 - TITE, 56-day accrual	2	4.3	2.7	0.9	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						993.2
U2 - TITE, 56-day accrual						1030
U3 - Original non-TITE						994
U3 - TITE, 56-day accrual						1031.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	37.4	0.2	0	0	0	62.4
U2 - TITE, 56-day accrual	58.3	3	0	0	0	38.7
U3 - Original non-TITE	37.8	0.2	0	0	0	62
U3 - TITE, 56-day accrual	58.7	2.7	0	0	0	38.6
Mean administrations						
U2 - Original non-TITE	18.7	1.4	0.2	0	0	-
U2 - TITE, 56-day accrual	21.3	2	0.3	0	0	-
U3 - Original non-TITE	18.8	1.4	0.2	0	0	-
U3 - TITE, 56-day accrual	21.3	2.1	0.3	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.8	0.5	0.1	0	0	-
U2 - TITE, 56-day accrual	4.7	0.5	0.1	0	0	-
U3 - Original non-TITE	3.8	0.5	0.1	0	0	-
U3 - TITE, 56-day accrual	4.7	0.5	0.1	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						878.7
U2 - TITE, 56-day accrual						1035.8
U3 - Original non-TITE						882.7
U3 - TITE, 56-day accrual						1042.2
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	30.2	52	5.6	0.1	0	12.1
U2 - TITE, 56-day accrual	13.2	47.3	15.6	1.4	0	22.5
U3 - Original non-TITE	33	49.8	5.1	0.1	0	12
U3 - TITE, 56-day accrual	12.5	47.2	16.2	1.1	0	23
Mean administrations						
U2 - Original non-TITE	9.6	12.8	4.8	0.7	0	-
U2 - TITE, 56-day accrual	7.9	12.4	5.1	0.7	0.1	-
U3 - Original non-TITE	9.5	12.8	4.8	0.7	0	-
U3 - TITE, 56-day accrual	7.9	12.5	5	0.7	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.7	5.6	1.4	0.3	0	-
U2 - TITE, 56-day accrual	3	4.6	1.4	0.2	0	-
U3 - Original non-TITE	2.7	5.6	1.4	0.3	0	-
U3 - TITE, 56-day accrual	3	4.7	1.4	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						980.3
U2 - TITE, 56-day accrual						974.1
U3 - Original non-TITE						981
U3 - TITE, 56-day accrual						977.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	5.6	1	0	0	0	93.4
U2 - TITE, 56-day accrual	3.6	2.7	0.1	0	0	93.6
U3 - Original non-TITE	5.6	1	0	0	0	93.4
U3 - TITE, 56-day accrual	3.1	3	0.1	0	0	93.8
Mean administrations						
U2 - Original non-TITE	11.8	1.4	0.2	0	0	-
U2 - TITE, 56-day accrual	9.2	2.3	0.3	0	0	-
U3 - Original non-TITE	11.8	1.4	0.2	0	0	-
U3 - TITE, 56-day accrual	9.2	2.3	0.3	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.5	0.9	0.1	0	0	-
U2 - TITE, 56-day accrual	3	0.9	0.1	0	0	-
U3 - Original non-TITE	3.5	0.9	0.1	0	0	-
U3 - TITE, 56-day accrual	3	0.9	0.1	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						477.3
U2 - TITE, 56-day accrual						434.8
U3 - Original non-TITE						477.4
U3 - TITE, 56-day accrual						436.9
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	0.3	1.7	3.9	46.9	47.1	0.1
U2 - TITE, 56-day accrual	0.3	0.7	2.2	36.1	60.5	0.2
U3 - Original non-TITE	1.5	2.2	4.5	48.6	43.1	0.1
U3 - TITE, 56-day accrual	0.2	0.6	2.5	35.3	61.2	0.2
Mean administrations						
U2 - Original non-TITE	3.1	3.1	3.5	8.3	11.9	-
U2 - TITE, 56-day accrual	3.4	3.6	4.5	9.9	8.5	-
U3 - Original non-TITE	3.1	3.1	3.5	8.2	12	-
U3 - TITE, 56-day accrual	3.4	3.6	4.4	9.9	8.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	2.4	1.1	3.2	3.3	-
U2 - TITE, 56-day accrual	1.1	1.9	1.9	3.3	2.2	-
U3 - Original non-TITE	0.1	2.4	1.1	3.2	3.3	-
U3 - TITE, 56-day accrual	1.1	1.9	1.8	3.3	2.3	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1102.4
U2 - TITE, 56-day accrual						1196.3
U3 - Original non-TITE						1102.6
U3 - TITE, 56-day accrual						1195.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	37.1	37.3	22.1	1.8	0	1.7
U2 - TITE, 56-day accrual	20.8	38.6	31.3	2.7	0	6.6
U3 - Original non-TITE	39.9	36.4	20.3	1.6	0	1.8
U3 - TITE, 56-day accrual	20.5	38.9	31.2	2.8	0	6.6
Mean administrations						
U2 - Original non-TITE	10.7	9.3	8	1.6	0.2	-
U2 - TITE, 56-day accrual	10	9.4	7.5	1.6	0.2	-
U3 - Original non-TITE	10.6	9.3	7.9	1.6	0.2	-
U3 - TITE, 56-day accrual	10	9.4	7.5	1.6	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	3.1	4.1	2.2	0.6	0	-
U2 - TITE, 56-day accrual	3.7	3.6	2.1	0.4	0	-
U3 - Original non-TITE	3.1	4.1	2.2	0.6	0	-
U3 - TITE, 56-day accrual	3.7	3.5	2.1	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1090.9
U2 - TITE, 56-day accrual						1098.8
U3 - Original non-TITE						1090
U3 - TITE, 56-day accrual						1099.9
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	31.5	29.1	17.7	1.9	0	19.8
U2 - TITE, 56-day accrual	10.6	32.1	25.6	2.7	0	29
U3 - Original non-TITE	34.1	28	16.6	1.5	0	19.8
U3 - TITE, 56-day accrual	10.9	30.6	25.9	2.6	0	30
Mean administrations						
U2 - Original non-TITE	11.8	7.2	6.3	1.5	0.1	-
U2 - TITE, 56-day accrual	8.8	7.9	6.2	1.4	0.2	-
U3 - Original non-TITE	11.8	7.3	6.2	1.5	0.1	-
U3 - TITE, 56-day accrual	8.8	7.9	6.2	1.3	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	3.6	3.4	1.9	0.6	0	-
U2 - TITE, 56-day accrual	3.2	3.2	1.9	0.3	0	-
U3 - Original non-TITE	3.7	3.4	1.9	0.6	0	-
U3 - TITE, 56-day accrual	3.2	3.2	1.9	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						951.4
U2 - TITE, 56-day accrual						912.3
U3 - Original non-TITE						950.7
U3 - TITE, 56-day accrual						906.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	21.2	31	32.8	3.3	0	11.7
U2 - TITE, 56-day accrual	7.4	30.1	40.9	5.4	0.1	16.1
U3 - Original non-TITE	24.6	30.1	30.4	3	0	11.9
U3 - TITE, 56-day accrual	7.9	30.3	39.6	5.8	0.2	16.2
Mean administrations						
U2 - Original non-TITE	8.9	7.5	8.7	2.6	0.5	-
U2 - TITE, 56-day accrual	7.4	7.8	8.6	2.4	0.5	-
U3 - Original non-TITE	8.9	7.5	8.7	2.6	0.5	-
U3 - TITE, 56-day accrual	7.5	7.9	8.6	2.3	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	2.5	3.6	2.5	0.8	0.1	-
U2 - TITE, 56-day accrual	2.7	3.2	2.6	0.6	0.1	-
U3 - Original non-TITE	2.5	3.6	2.5	0.8	0.1	-
U3 - TITE, 56-day accrual	2.8	3.2	2.6	0.6	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1019.3
U2 - TITE, 56-day accrual						1019.6
U3 - Original non-TITE						1019.8
U3 - TITE, 56-day accrual						1022.5
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	20	22.4	0.5	0	0	57.1
U2 - TITE, 56-day accrual	9.9	29.9	3.7	0.2	0	56.3
U3 - Original non-TITE	20.1	21.7	0.5	0	0	57.7
U3 - TITE, 56-day accrual	9.4	29.9	3.8	0.1	0	56.8
Mean administrations						
U2 - Original non-TITE	10.9	6.9	2.3	0.3	0	-
U2 - TITE, 56-day accrual	8	9.3	2.7	0.3	0	-
U3 - Original non-TITE	10.9	6.9	2.3	0.3	0	-
U3 - TITE, 56-day accrual	8	9.3	2.8	0.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.2	3	0.7	0.1	0	-
U2 - TITE, 56-day accrual	2.8	3.3	0.8	0.1	0	-
U3 - Original non-TITE	3.2	3	0.7	0.1	0	-
U3 - TITE, 56-day accrual	2.8	3.3	0.8	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						731.7
U2 - TITE, 56-day accrual						774.9
U3 - Original non-TITE						730.6
U3 - TITE, 56-day accrual						777

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	75.7	19.2	1.4	0	0	3.7
U2 - TITE, 56-day accrual	55.5	34	5	0	0	5.5
U3 - Original non-TITE	78.2	17.1	1	0	0	3.7
U3 - TITE, 56-day accrual	55.2	35.1	4.9	0	0	4.8
Mean administrations						
U2 - Original non-TITE	20.1	6.7	2.4	0.2	0	-
U2 - TITE, 56-day accrual	17.8	8.5	2.4	0.2	0	-
U3 - Original non-TITE	20.1	6.7	2.3	0.2	0	-
U3 - TITE, 56-day accrual	17.9	8.5	2.4	0.2	0	-
Mean IPDE administrations						
U2 - Original non-TITE	5.3	2.3	0.7	0.1	0	-
U2 - TITE, 56-day accrual	5.3	2.6	0.6	0	0	-
U3 - Original non-TITE	5.3	2.3	0.7	0.1	0	-
U3 - TITE, 56-day accrual	5.3	2.6	0.6	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1158.7
U2 - TITE, 56-day accrual						1163.7
U3 - Original non-TITE						1158.9
U3 - TITE, 56-day accrual						1167.3
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	17.4	20.3	20.6	35.1	5	1.6
U2 - TITE, 56-day accrual	6.4	18.1	23.6	36	12	3.9
U3 - Original non-TITE	24.5	21.4	17.7	31.5	3.3	1.6
U3 - TITE, 56-day accrual	7.4	17.4	23.2	35.3	12.8	3.9
Mean administrations						
U2 - Original non-TITE	5.4	5.3	6.8	8	4.2	-
U2 - TITE, 56-day accrual	6.3	6.4	6	6.6	3.6	-
U3 - Original non-TITE	5.4	5.3	6.8	8	4.2	-
U3 - TITE, 56-day accrual	6.4	6.3	6	6.7	3.5	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	3.1	2.2	2.8	1.1	-
U2 - TITE, 56-day accrual	2.3	2.9	2.3	2.1	0.8	-
U3 - Original non-TITE	1.1	3.1	2.2	2.8	1.1	-
U3 - TITE, 56-day accrual	2.4	2.9	2.4	2.2	0.7	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1073.2
U2 - TITE, 56-day accrual						1099.9
U3 - Original non-TITE						1072.2
U3 - TITE, 56-day accrual						1097

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	4.5	34.5	30.5	25.6	4.8	0.1
U2 - TITE, 56-day accrual	2.1	19.9	36.3	29.5	11.4	0.8
U3 - Original non-TITE	6.1	41.2	28.7	20.9	3	0.1
U3 - TITE, 56-day accrual	1.9	21.6	35.3	29.3	11.1	0.8
Mean administrations						
U2 - Original non-TITE	4.2	5.9	6.7	8.2	5.1	-
U2 - TITE, 56-day accrual	4.6	8.5	7.9	5.7	3.1	-
U3 - Original non-TITE	4.2	5.8	6.8	8.1	5.1	-
U3 - TITE, 56-day accrual	4.6	8.5	7.9	5.8	3.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	2.9	1.7	2.1	1.4	-
U2 - TITE, 56-day accrual	1.5	2.9	2.4	1.5	0.6	-
U3 - Original non-TITE	0.5	2.9	1.7	2.1	1.4	-
U3 - TITE, 56-day accrual	1.5	2.9	2.4	1.6	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1180.7
U2 - TITE, 56-day accrual						1252.8
U3 - Original non-TITE						1180.9
U3 - TITE, 56-day accrual						1253.8
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	9.4	13.5	35.1	31.5	9.7	0.8
U2 - TITE, 56-day accrual	3.1	9.1	30.9	37.6	18.5	0.8
U3 - Original non-TITE	13.1	19.3	34.2	26.9	5.8	0.7
U3 - TITE, 56-day accrual	2.3	8.7	31.1	38.4	18.8	0.7
Mean administrations						
U2 - Original non-TITE	3.8	4.5	7.8	7.9	5.9	-
U2 - TITE, 56-day accrual	4.8	6.1	8.3	6.8	3.6	-
U3 - Original non-TITE	3.8	4.5	7.9	7.9	5.9	-
U3 - TITE, 56-day accrual	4.8	6.1	8.2	6.9	3.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.4	2.9	2.5	2.9	2	-
U2 - TITE, 56-day accrual	1.7	2.9	3.2	2.3	1.1	-
U3 - Original non-TITE	0.3	2.9	2.5	2.9	2	-
U3 - TITE, 56-day accrual	1.7	2.9	3.2	2.4	1.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1055.8
U2 - TITE, 56-day accrual						1115.5
U3 - Original non-TITE						1057.4
U3 - TITE, 56-day accrual						1120.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	8.6	9.7	18.5	45.3	17.8	0.1
U2 - TITE, 56-day accrual	3.2	6.4	16.1	41.7	31.9	0.7
U3 - Original non-TITE	13.7	11.7	15.8	43.2	15.5	0.1
U3 - TITE, 56-day accrual	2.7	6.8	17	41.7	31.1	0.7
Mean administrations						
U2 - Original non-TITE	3.5	3.7	5.5	8.4	8.9	-
U2 - TITE, 56-day accrual	3.9	4.2	6.3	8.5	6.8	-
U3 - Original non-TITE	3.4	3.7	5.6	8.4	8.8	-
U3 - TITE, 56-day accrual	3.9	4.3	6.2	8.6	6.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	2.7	1.7	3.1	2.2	-
U2 - TITE, 56-day accrual	1.3	2.2	2.5	2.7	1.6	-
U3 - Original non-TITE	0.2	2.7	1.8	3.1	2.2	-
U3 - TITE, 56-day accrual	1.3	2.2	2.5	2.8	1.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1101
U2 - TITE, 56-day accrual						1171.8
U3 - Original non-TITE						1100.8
U3 - TITE, 56-day accrual						1174.9
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	15.4	20.3	44.6	12	1.7	6
U2 - TITE, 56-day accrual	6.6	17.8	44.8	16.7	2.7	11.4
U3 - Original non-TITE	21	21	41.1	9.7	1	6.2
U3 - TITE, 56-day accrual	5.6	17.9	45.8	16.3	2.7	11.7
Mean administrations						
U2 - Original non-TITE	5.5	6.7	10.3	4.6	1.9	-
U2 - TITE, 56-day accrual	5.5	6.6	9.8	4.2	1.3	-
U3 - Original non-TITE	5.5	6.7	10.3	4.5	1.9	-
U3 - TITE, 56-day accrual	5.5	6.6	9.8	4.2	1.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.2	3.6	3.3	1.6	0.6	-
U2 - TITE, 56-day accrual	2	3	3.3	1.3	0.4	-
U3 - Original non-TITE	1.2	3.6	3.3	1.6	0.6	-
U3 - TITE, 56-day accrual	2	3	3.3	1.3	0.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1022.8
U2 - TITE, 56-day accrual						1032.2
U3 - Original non-TITE						1022.9
U3 - TITE, 56-day accrual						1033.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	10.2	47.3	32.2	9.4	0.8	0.1
U2 - TITE, 56-day accrual	2.4	32.8	45	15.1	3.9	0.8
U3 - Original non-TITE	12.1	50.4	29.7	7.2	0.5	0.1
U3 - TITE, 56-day accrual	2.5	33.4	46.3	13.3	3.5	1
Mean administrations						
U2 - Original non-TITE	4.6	9.6	9.5	4.5	1.8	-
U2 - TITE, 56-day accrual	5.4	10.6	9.1	3.4	1.3	-
U3 - Original non-TITE	4.7	9.6	9.5	4.4	1.8	-
U3 - TITE, 56-day accrual	5.5	10.6	9.2	3.4	1.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	4	2.4	1.4	0.5	-
U2 - TITE, 56-day accrual	1.9	3.7	2.5	0.9	0.3	-
U3 - Original non-TITE	0.7	4	2.3	1.4	0.5	-
U3 - TITE, 56-day accrual	1.9	3.7	2.6	0.9	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1161.8
U2 - TITE, 56-day accrual						1200.5
U3 - Original non-TITE						1160.7
U3 - TITE, 56-day accrual						1198.6
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	21.6	35.5	7.9	1.3	0.5	33.2
U2 - TITE, 56-day accrual	9.7	32.6	16.1	1.9	0.2	39.5
U3 - Original non-TITE	24	34.9	7	1.3	0.3	32.5
U3 - TITE, 56-day accrual	8.1	34.2	16.9	1.8	0.2	38.8
Mean administrations						
U2 - Original non-TITE	9.6	8.4	4.5	1.3	0.4	-
U2 - TITE, 56-day accrual	7.3	9.3	4.9	1	0.3	-
U3 - Original non-TITE	9.6	8.4	4.6	1.4	0.4	-
U3 - TITE, 56-day accrual	7.4	9.1	5	1.1	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	2.7	4	1.5	0.6	0.1	-
U2 - TITE, 56-day accrual	2.6	3.6	1.7	0.4	0.1	-
U3 - Original non-TITE	2.7	4	1.5	0.6	0.1	-
U3 - TITE, 56-day accrual	2.7	3.5	1.7	0.4	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						844.4
U2 - TITE, 56-day accrual						833.1
U3 - Original non-TITE						846.7
U3 - TITE, 56-day accrual						835.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	27.5	43.5	7.4	0.2	0	21.4
U2 - TITE, 56-day accrual	12.4	38.5	15.6	0.9	0	32.6
U3 - Original non-TITE	30.5	42.3	5.2	0.2	0	21.8
U3 - TITE, 56-day accrual	11.4	39	16.1	0.6	0	32.9
Mean administrations						
U2 - Original non-TITE	8.9	11	5	1.2	0.2	-
U2 - TITE, 56-day accrual	7.2	10.9	5.3	0.9	0.2	-
U3 - Original non-TITE	8.9	11	5	1.2	0.2	-
U3 - TITE, 56-day accrual	7.2	10.9	5.2	0.9	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.4	5.1	1.6	0.6	0.1	-
U2 - TITE, 56-day accrual	2.6	4.2	1.7	0.3	0.1	-
U3 - Original non-TITE	2.4	5.1	1.6	0.6	0.1	-
U3 - TITE, 56-day accrual	2.6	4.2	1.7	0.3	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						907.5
U2 - TITE, 56-day accrual						902.4
U3 - Original non-TITE						908.9
U3 - TITE, 56-day accrual						900.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	12	3.2	0.3	0	0	84.5
U2 - TITE, 56-day accrual	5.4	3.9	2.2	0.1	0	88.4
U3 - Original non-TITE	11.8	2.7	0.3	0	0	85.2
U3 - TITE, 56-day accrual	5	4.4	2.4	0.1	0	88.1
Mean administrations						
U2 - Original non-TITE	11.6	4.3	1	0.4	0	-
U2 - TITE, 56-day accrual	8.6	4.9	1.4	0.5	0	-
U3 - Original non-TITE	11.7	4.2	1	0.4	0	-
U3 - TITE, 56-day accrual	8.8	4.8	1.3	0.4	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.2	2.4	0.3	0.2	0	-
U2 - TITE, 56-day accrual	2.9	2	0.5	0.2	0	-
U3 - Original non-TITE	3.3	2.4	0.3	0.2	0	-
U3 - TITE, 56-day accrual	2.9	1.9	0.5	0.2	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						607.2
U2 - TITE, 56-day accrual						563.1
U3 - Original non-TITE						606.2
U3 - TITE, 56-day accrual						556.5
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	32.9	25.9	32.6	5.9	0.2	2.5
U2 - TITE, 56-day accrual	16.5	26.9	40.4	6.2	0.1	9.9
U3 - Original non-TITE	35.3	27.5	29.9	4.8	0.1	2.4
U3 - TITE, 56-day accrual	17.2	28.5	38.7	5.4	0	10.2
Mean administrations						
U2 - Original non-TITE	11.5	8.9	7.5	1.7	0.1	-
U2 - TITE, 56-day accrual	8.8	8.8	8.5	2	0.1	-
U3 - Original non-TITE	12.1	9	7.1	1.4	0	-
U3 - TITE, 56-day accrual	9.9	9.4	7.4	1.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3	3.9	2.2	0.6	0	-
U2 - TITE, 56-day accrual	3	3.3	2.4	0.6	0	-
U3 - Original non-TITE	3.3	4	2.1	0.5	0	-
U3 - TITE, 56-day accrual	3.5	3.5	2.1	0.3	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1093.5
U2 - TITE, 56-day accrual						1100.6
U3 - Original non-TITE						1090.5
U3 - TITE, 56-day accrual						1082.3

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	12.1	53.7	18.8	4	0.2	11.2
U2 - TITE, 56-day accrual	4.2	40.6	29.7	6	0.4	19.1
U3 - Original non-TITE	13.2	56.7	16.3	3	0	10.8
U3 - TITE, 56-day accrual	4.2	45.1	26.7	4.1	0.2	19.7
Mean administrations						
U2 - Original non-TITE	8.5	12.9	5.3	1.7	0.1	-
U2 - TITE, 56-day accrual	6.1	11.6	6.9	1.9	0.2	-
U3 - Original non-TITE	8.7	13.6	4.8	1.5	0.1	-
U3 - TITE, 56-day accrual	6.5	12.8	5.9	1.2	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	5.3	1.6	0.7	0.1	-
U2 - TITE, 56-day accrual	2	3.9	2.1	0.6	0.1	-
U3 - Original non-TITE	2	5.6	1.4	0.6	0	-
U3 - TITE, 56-day accrual	2.2	4.4	1.8	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1043.4
U2 - TITE, 56-day accrual						1039.5
U3 - Original non-TITE						1042
U3 - TITE, 56-day accrual						1018.1
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	6.2	9.5	25.3	51.4	5.5	2.1
U2 - TITE, 56-day accrual	3.3	6.2	23.7	51.2	9.5	6.1
U3 - Original non-TITE	8.2	10.8	24.6	50.3	4.1	2
U3 - TITE, 56-day accrual	2.9	7.6	23.9	53.7	5.8	6.1
Mean administrations						
U2 - Original non-TITE	4.5	5.3	8.1	10.2	1.7	-
U2 - TITE, 56-day accrual	4	5	7.3	10.3	2.2	-
U3 - Original non-TITE	4.7	5.5	8.1	10	1.4	-
U3 - TITE, 56-day accrual	4.5	5.6	7.3	9.8	1.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.3	2.4	3.3	0.6	-
U2 - TITE, 56-day accrual	1.3	2.4	2.7	3	0.6	-
U3 - Original non-TITE	0.7	3.4	2.5	3.3	0.5	-
U3 - TITE, 56-day accrual	1.6	2.6	2.7	2.8	0.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1074.5
U2 - TITE, 56-day accrual						1127
U3 - Original non-TITE						1070.9
U3 - TITE, 56-day accrual						1105.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	4.1	31.7	29.4	24.5	8.1	2.2
U2 - TITE, 56-day accrual	1.6	23.1	36.6	25.3	9.4	4
U3 - Original non-TITE	6	40.9	27.2	18.8	5	2.1
U3 - TITE, 56-day accrual	1.6	23.5	40.1	25.5	5.2	4.1
Mean administrations						
U2 - Original non-TITE	4.2	8.5	7.6	6.6	2.7	-
U2 - TITE, 56-day accrual	3.9	8.1	8.6	6.2	2.4	-
U3 - Original non-TITE	4.4	9.4	7.6	6.2	2.1	-
U3 - TITE, 56-day accrual	4.1	9.7	8.7	5.2	1.3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.4	4.3	2.5	2.5	1	-
U2 - TITE, 56-day accrual	1.2	3.3	3.1	2.2	0.8	-
U3 - Original non-TITE	0.5	4.6	2.5	2.4	0.8	-
U3 - TITE, 56-day accrual	1.4	3.9	3.2	1.9	0.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1039.2
U2 - TITE, 56-day accrual						1104.8
U3 - Original non-TITE						1037.1
U3 - TITE, 56-day accrual						1095.6
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	63.8	8.7	1	0.3	0	26.2
U2 - TITE, 56-day accrual	54.4	17.6	3.1	0.1	0	24.8
U3 - Original non-TITE	64.3	8.1	0.5	0.3	0	26.8
U3 - TITE, 56-day accrual	55.2	17.7	2.3	0.3	0	24.5
Mean administrations						
U2 - Original non-TITE	19.8	5	1	0.2	0	-
U2 - TITE, 56-day accrual	17.1	6.6	1.5	0.3	0	-
U3 - Original non-TITE	20	4.9	0.8	0.2	0	-
U3 - TITE, 56-day accrual	17.9	6.5	1.1	0.2	0	-
Mean IPDE administrations						
U2 - Original non-TITE	5.2	2.1	0.3	0.1	0	-
U2 - TITE, 56-day accrual	5.1	2.2	0.5	0.1	0	-
U3 - Original non-TITE	5.3	2.1	0.3	0.1	0	-
U3 - TITE, 56-day accrual	5.4	2.1	0.4	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1006.2
U2 - TITE, 56-day accrual						1007.5
U3 - Original non-TITE						998.6
U3 - TITE, 56-day accrual						1010.1

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	17.4	62.1	14.8	2.5	0.4	2.8
U2 - TITE, 56-day accrual	7.3	51.3	27.4	3.7	0.2	10.1
U3 - Original non-TITE	20	63.5	11.8	1.9	0.2	2.6
U3 - TITE, 56-day accrual	7.5	58.8	21.4	2.1	0	10.2
Mean administrations						
U2 - Original non-TITE	9.8	15.4	3.6	0.7	0.1	-
U2 - TITE, 56-day accrual	7	14	6.1	0.8	0	-
U3 - Original non-TITE	10.2	15.8	3	0.6	0	-
U3 - TITE, 56-day accrual	7.6	15.2	4.8	0.5	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	5.6	1.1	0.2	0	-
U2 - TITE, 56-day accrual	2.2	4.2	1.7	0.2	0	-
U3 - Original non-TITE	2.4	5.7	0.9	0.2	0	-
U3 - TITE, 56-day accrual	2.4	4.6	1.4	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1130.8
U2 - TITE, 56-day accrual						1129.3
U3 - Original non-TITE						1129.2
U3 - TITE, 56-day accrual						1115.2
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	26.6	3.4	0.3	0	0	69.7
U2 - TITE, 56-day accrual	15.6	5.9	0.9	0	0	77.6
U3 - Original non-TITE	27.2	2.8	0.3	0	0	69.7
U3 - TITE, 56-day accrual	14.9	6.9	1.1	0	0	77.1
Mean administrations						
U2 - Original non-TITE	14.3	4.3	0.8	0.2	0	-
U2 - TITE, 56-day accrual	10.8	5.2	1.2	0.3	0	-
U3 - Original non-TITE	14.5	4.2	0.8	0.2	0	-
U3 - TITE, 56-day accrual	11	5.2	1.1	0.2	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.1	2.2	0.3	0.1	0	-
U2 - TITE, 56-day accrual	3.5	1.9	0.5	0.1	0	-
U3 - Original non-TITE	4.1	2.2	0.3	0.1	0	-
U3 - TITE, 56-day accrual	3.6	1.9	0.4	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						709.2
U2 - TITE, 56-day accrual						657.7
U3 - Original non-TITE						711.6
U3 - TITE, 56-day accrual						654.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	16.8	16.1	22.1	11.9	10.6	22.5
U2 - TITE, 56-day accrual	6.3	10.1	22.5	15	11.8	34.3
U3 - Original non-TITE	19.6	17.1	20.3	11.4	8.6	23
U3 - TITE, 56-day accrual	5.9	10.6	23.9	14.7	9.2	35.7
Mean administrations						
U2 - Original non-TITE	8.1	6.6	5.9	4.2	2.2	-
U2 - TITE, 56-day accrual	6	5.6	5.8	4.6	2.4	-
U3 - Original non-TITE	8.4	6.6	5.8	4.2	2.1	-
U3 - TITE, 56-day accrual	6.7	6.2	5.5	4	1.9	-
Mean IPDE administrations						
U2 - Original non-TITE	2	3.7	2.1	1.7	0.7	-
U2 - TITE, 56-day accrual	2.1	2.5	2.2	1.7	0.7	-
U3 - Original non-TITE	2.1	3.7	2	1.7	0.7	-
U3 - TITE, 56-day accrual	2.4	2.7	2.1	1.5	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						930.3
U2 - TITE, 56-day accrual						900.2
U3 - Original non-TITE						928.2
U3 - TITE, 56-day accrual						882.4
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	14.2	23.3	7.8	1.3	0.1	53.3
U2 - TITE, 56-day accrual	5.3	26	13.4	1.2	0.1	54
U3 - Original non-TITE	14.5	23.8	6.8	1.3	0	53.6
U3 - TITE, 56-day accrual	5.1	27.6	11.7	0.6	0.1	54.9
Mean administrations						
U2 - Original non-TITE	10.7	8.6	2.6	0.6	0	-
U2 - TITE, 56-day accrual	7.1	9.3	3.8	0.6	0.1	-
U3 - Original non-TITE	10.8	8.7	2.4	0.6	0	-
U3 - TITE, 56-day accrual	7.3	9.9	3.3	0.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.7	3.9	0.8	0.3	0	-
U2 - TITE, 56-day accrual	2.2	3.1	1.2	0.2	0	-
U3 - Original non-TITE	2.7	4	0.7	0.2	0	-
U3 - TITE, 56-day accrual	2.3	3.3	1	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						820.8
U2 - TITE, 56-day accrual						816.1
U3 - Original non-TITE						819
U3 - TITE, 56-day accrual						808.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	69.5	14.9	0.5	0.1	0	15
U2 - TITE, 56-day accrual	41.9	25	2.9	0.1	0	30.1
U3 - Original non-TITE	71.1	13.9	0.2	0	0	14.8
U3 - TITE, 56-day accrual	40.4	25.6	2.9	0.1	0	31
Mean administrations						
U2 - Original non-TITE	18.9	6.8	1.6	0.5	0	-
U2 - TITE, 56-day accrual	14.5	8.1	2.2	0.6	0	-
U3 - Original non-TITE	19.2	6.6	1.5	0.5	0	-
U3 - TITE, 56-day accrual	15.2	7.9	1.9	0.4	0	-
Mean IPDE administrations						
U2 - Original non-TITE	5.6	3.3	0.5	0.2	0	-
U2 - TITE, 56-day accrual	5	2.9	0.8	0.2	0	-
U3 - Original non-TITE	5.7	3.2	0.5	0.2	0	-
U3 - TITE, 56-day accrual	5.3	2.9	0.6	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1002
U2 - TITE, 56-day accrual						948.1
U3 - Original non-TITE						1001.9
U3 - TITE, 56-day accrual						934.2
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	12.8	16.2	16.2	43.3	9	2.5
U2 - TITE, 56-day accrual	6.8	11.8	16.2	42.3	14.5	8.4
U3 - Original non-TITE	16.2	17.5	14.3	41.8	7.8	2.4
U3 - TITE, 56-day accrual	5.1	12.4	17.5	44.3	12.6	8.1
Mean administrations						
U2 - Original non-TITE	5	6.3	6.5	9.1	2.9	-
U2 - TITE, 56-day accrual	4.3	5.5	6.2	8.8	3.7	-
U3 - Original non-TITE	5.4	6.4	6.3	8.9	2.7	-
U3 - TITE, 56-day accrual	4.9	6	5.8	8.7	3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.8	3.8	2	3.3	0.9	-
U2 - TITE, 56-day accrual	1.5	2.6	2.4	2.9	0.8	-
U3 - Original non-TITE	1	3.9	1.9	3.2	0.8	-
U3 - TITE, 56-day accrual	1.7	2.8	2.3	2.8	0.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1046.7
U2 - TITE, 56-day accrual						1102.6
U3 - Original non-TITE						1041.5
U3 - TITE, 56-day accrual						1080.8

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	14.2	24.7	7.9	1.7	0.1	51.4
U2 - TITE, 56-day accrual	4.8	28.2	13.1	1.5	0.1	52.3
U3 - Original non-TITE	14.9	25.7	6.4	1.3	0.1	51.6
U3 - TITE, 56-day accrual	4.8	26.7	13.2	1.8	0	53.5
Mean administrations						
U2 - Original non-TITE	10.6	8.1	3	1.2	0.2	-
U2 - TITE, 56-day accrual	7.2	8.7	4.2	1.2	0.2	-
U3 - Original non-TITE	10.7	8.3	2.9	1.1	0.1	-
U3 - TITE, 56-day accrual	7.5	9.3	3.6	0.9	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.7	3.9	1	0.5	0.1	-
U2 - TITE, 56-day accrual	2.4	3.1	1.4	0.4	0	-
U3 - Original non-TITE	2.8	4	0.9	0.5	0.1	-
U3 - TITE, 56-day accrual	2.5	3.4	1.2	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						817.6
U2 - TITE, 56-day accrual						805.9
U3 - Original non-TITE						818
U3 - TITE, 56-day accrual						792.2
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	20	21.3	20.3	23.7	5.9	8.8
U2 - TITE, 56-day accrual	10.4	13.7	21.5	23.7	7.8	22.9
U3 - Original non-TITE	25	24	16	21.4	4.7	8.9
U3 - TITE, 56-day accrual	6.7	14.2	24	25.3	7.1	22.7
Mean administrations						
U2 - Original non-TITE	6.7	7.3	6.6	6.4	2.2	-
U2 - TITE, 56-day accrual	5.6	6.4	6.3	6.2	2.2	-
U3 - Original non-TITE	7.2	7.3	6.4	6.2	2.1	-
U3 - TITE, 56-day accrual	6.2	7	5.7	5.8	1.8	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	4.1	2.2	2.5	0.7	-
U2 - TITE, 56-day accrual	2	2.9	2.5	2.2	0.7	-
U3 - Original non-TITE	1.8	4.2	2.1	2.4	0.7	-
U3 - TITE, 56-day accrual	2.3	3.2	2.3	2	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						988.1
U2 - TITE, 56-day accrual						976.4
U3 - Original non-TITE						986.6
U3 - TITE, 56-day accrual						959.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	41.9	31.5	9.6	1.9	0.1	15
U2 - TITE, 56-day accrual	21.7	24.7	17.4	5.4	0.2	30.6
U3 - Original non-TITE	45.5	30.3	7.4	1.2	0.1	15.5
U3 - TITE, 56-day accrual	17	26	19.6	5.2	0.2	32
Mean administrations						
U2 - Original non-TITE	11.3	9	4.8	2.6	0.6	-
U2 - TITE, 56-day accrual	8.6	8.5	5.4	2.6	0.6	-
U3 - Original non-TITE	11.8	8.8	4.6	2.6	0.6	-
U3 - TITE, 56-day accrual	9.3	8.7	4.7	2.3	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	3.3	4.6	1.7	1.2	0.3	-
U2 - TITE, 56-day accrual	3.2	3.6	2.1	1	0.2	-
U3 - Original non-TITE	3.6	4.5	1.6	1.1	0.3	-
U3 - TITE, 56-day accrual	3.5	3.7	1.8	0.9	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						953
U2 - TITE, 56-day accrual						911.3
U3 - Original non-TITE						952.2
U3 - TITE, 56-day accrual						897.2
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	31	30.6	16.4	13.8	8.2	0
U2 - TITE, 56-day accrual	20.5	27.8	20.6	17.6	13.4	0.1
U3 - Original non-TITE	36.5	33.7	14.7	10.9	4.2	0
U3 - TITE, 56-day accrual	16.9	27.5	22.9	17.9	14.7	0.1
Mean administrations						
U2 - Original non-TITE	4.4	5.6	6.2	8.1	5.7	-
U2 - TITE, 56-day accrual	4	5.6	6.4	8.2	5.7	-
U3 - Original non-TITE	4.9	6.2	6.3	7.7	5	-
U3 - TITE, 56-day accrual	4.9	6.7	6.8	7.4	4.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.1	2.4	3.5	2.2	-
U2 - TITE, 56-day accrual	1.3	2.4	2.7	3.3	2.2	-
U3 - Original non-TITE	0.8	3.3	2.4	3.3	1.9	-
U3 - TITE, 56-day accrual	1.7	2.9	2.8	3	1.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1006.7
U2 - TITE, 56-day accrual						1088.4
U3 - Original non-TITE						1004.7
U3 - TITE, 56-day accrual						1068.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	22.5	70.1	7	0.1	0	0.3
U2 - TITE, 56-day accrual	11	69.5	15.7	0.3	0	3.5
U3 - Original non-TITE	24.2	70.3	5.1	0.1	0	0.3
U3 - TITE, 56-day accrual	12	73.6	10.6	0.2	0	3.6
Mean administrations						
U2 - Original non-TITE	10.9	16.6	2.3	0.2	0	-
U2 - TITE, 56-day accrual	8.5	16.7	3.9	0.2	0	-
U3 - Original non-TITE	11.4	16.7	1.7	0.1	0	-
U3 - TITE, 56-day accrual	9.4	17.1	2.8	0.1	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.5	5.6	0.7	0.1	0	-
U2 - TITE, 56-day accrual	2.6	4.8	1.1	0.1	0	-
U3 - Original non-TITE	2.7	5.6	0.5	0.1	0	-
U3 - TITE, 56-day accrual	2.9	5	0.7	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1165.1
U2 - TITE, 56-day accrual						1191.2
U3 - Original non-TITE						1162.1
U3 - TITE, 56-day accrual						1180.9
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	9.3	12.1	13.4	20.1	44.9	0.2
U2 - TITE, 56-day accrual	4.7	8.8	11.4	23.6	50.8	0.7
U3 - Original non-TITE	14.2	13.6	11.8	17.8	42.4	0.2
U3 - TITE, 56-day accrual	4.4	9.4	12.4	24.3	48.9	0.6
Mean administrations						
U2 - Original non-TITE	3.5	4.2	5.4	7.9	8.9	-
U2 - TITE, 56-day accrual	3.4	4.1	5.5	7.5	9.2	-
U3 - Original non-TITE	3.5	4.4	5.6	7.9	8.5	-
U3 - TITE, 56-day accrual	3.8	4.6	5.6	7.5	8.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	2.9	1.9	3.2	2.7	-
U2 - TITE, 56-day accrual	1.1	2.1	2.3	2.9	2.6	-
U3 - Original non-TITE	0.2	3	1.9	3.2	2.6	-
U3 - TITE, 56-day accrual	1.3	2.3	2.3	2.9	2.3	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1052
U2 - TITE, 56-day accrual						1146.2
U3 - Original non-TITE						1046.9
U3 - TITE, 56-day accrual						1131.4

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	17.2	55.1	9.8	0.2	0	17.7
U2 - TITE, 56-day accrual	7.4	46.2	17.7	1.1	0	27.6
U3 - Original non-TITE	18.6	55.2	8.6	0.2	0	17.4
U3 - TITE, 56-day accrual	6.2	45.7	19.7	1.1	0	27.3
Mean administrations						
U2 - Original non-TITE	9.6	13	4.6	1.1	0.1	-
U2 - TITE, 56-day accrual	7.3	11.9	5.6	1.1	0	-
U3 - Original non-TITE	9.7	13.3	4.3	0.9	0.1	-
U3 - TITE, 56-day accrual	7.6	12.6	4.9	0.8	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.3	5.7	1.5	0.5	0	-
U2 - TITE, 56-day accrual	2.5	4.3	1.7	0.4	0	-
U3 - Original non-TITE	2.4	5.9	1.3	0.4	0	-
U3 - TITE, 56-day accrual	2.7	4.6	1.5	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1003.2
U2 - TITE, 56-day accrual						990.1
U3 - Original non-TITE						1000.6
U3 - TITE, 56-day accrual						980.5
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	9	57	25.6	5.6	0	2.8
U2 - TITE, 56-day accrual	5.2	38.6	35.8	10.8	0.6	9
U3 - Original non-TITE	11	57.9	22.8	5.6	0	2.7
U3 - TITE, 56-day accrual	4.3	34.9	40.7	11.7	0.4	8
Mean administrations						
U2 - Original non-TITE	5.3	11.8	8.2	3.6	0.7	-
U2 - TITE, 56-day accrual	4.7	10.4	8.7	3.9	0.7	-
U3 - Original non-TITE	5.6	12.4	7.7	3.3	0.6	-
U3 - TITE, 56-day accrual	5.1	11.5	8.2	3.2	0.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	5.5	2.7	1.4	0.3	-
U2 - TITE, 56-day accrual	1.6	4.2	3	1.3	0.3	-
U3 - Original non-TITE	1	5.7	2.5	1.3	0.2	-
U3 - TITE, 56-day accrual	1.8	4.6	2.8	1.1	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1037.3
U2 - TITE, 56-day accrual						1064.2
U3 - Original non-TITE						1032.9
U3 - TITE, 56-day accrual						1056.1

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	37	0.1	0	0	0	62.9
U2 - TITE, 56-day accrual	57.6	1.6	0.1	0	0	40.7
U3 - Original non-TITE	37.7	0	0	0	0	62.3
U3 - TITE, 56-day accrual	58.2	1.4	0	0	0	40.4
Mean administrations						
U2 - Original non-TITE	18.2	1.7	0	0	0	-
U2 - TITE, 56-day accrual	20.5	2.6	0	0	0	-
U3 - Original non-TITE	18.3	1.6	0	0	0	-
U3 - TITE, 56-day accrual	20.6	2.4	0	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.5	0.8	0	0	0	-
U2 - TITE, 56-day accrual	4.4	0.7	0	0	0	-
U3 - Original non-TITE	3.5	0.8	0	0	0	-
U3 - TITE, 56-day accrual	4.4	0.6	0	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						858.9
U2 - TITE, 56-day accrual						1016.6
U3 - Original non-TITE						861.1
U3 - TITE, 56-day accrual						1014.8
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	19.8	58.9	6.9	0.2	0	14.2
U2 - TITE, 56-day accrual	8.5	49.3	14.8	1.4	0	26
U3 - Original non-TITE	21.5	57.4	6.8	0.3	0	14
U3 - TITE, 56-day accrual	7.2	51.2	15.2	1.1	0	25.3
Mean administrations						
U2 - Original non-TITE	9.7	13.5	4.3	1.1	0	-
U2 - TITE, 56-day accrual	7.6	12.5	5.1	1.2	0	-
U3 - Original non-TITE	10	13.5	4.1	1	0	-
U3 - TITE, 56-day accrual	8	13.2	4.5	0.9	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.5	6.1	1.3	0.5	0	-
U2 - TITE, 56-day accrual	2.8	4.7	1.5	0.3	0	-
U3 - Original non-TITE	2.6	6.1	1.2	0.4	0	-
U3 - TITE, 56-day accrual	2.9	4.9	1.3	0.3	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1006.4
U2 - TITE, 56-day accrual						1002.6
U3 - Original non-TITE						1002.1
U3 - TITE, 56-day accrual						992.6

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	5.3	0.1	0	0	0	94.6
U2 - TITE, 56-day accrual	2.7	0.4	0.1	0	0	96.8
U3 - Original non-TITE	5.6	0.1	0	0	0	94.3
U3 - TITE, 56-day accrual	2.9	1.2	0.1	0	0	95.8
Mean administrations						
U2 - Original non-TITE	10.7	3.2	0.2	0	0	-
U2 - TITE, 56-day accrual	8.4	3.5	0.3	0	0	-
U3 - Original non-TITE	10.8	3.2	0.2	0	0	-
U3 - TITE, 56-day accrual	8.5	3.5	0.3	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.8	1.9	0.1	0	0	-
U2 - TITE, 56-day accrual	2.6	1.2	0.1	0	0	-
U3 - Original non-TITE	2.9	1.9	0.1	0	0	-
U3 - TITE, 56-day accrual	2.7	1.2	0.1	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						501.7
U2 - TITE, 56-day accrual						470.6
U3 - Original non-TITE						505
U3 - TITE, 56-day accrual						469.9
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	0.2	0.5	1.6	64.6	33.1	0
U2 - TITE, 56-day accrual	0.1	0.2	1	50.1	48.6	0
U3 - Original non-TITE	0.7	1	1.8	68.3	28.2	0
U3 - TITE, 56-day accrual	0.1	0.6	1.3	61.9	36	0.1
Mean administrations						
U2 - Original non-TITE	3.1	3.2	3.8	14	5.9	-
U2 - TITE, 56-day accrual	3.1	3.2	3.8	12.5	7.4	-
U3 - Original non-TITE	3.1	3.2	3.9	14.5	5.3	-
U3 - TITE, 56-day accrual	3.2	3.3	4.1	13.6	5.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0	2.4	1.2	4.8	1.8	-
U2 - TITE, 56-day accrual	0.9	1.7	1.6	4	2.1	-
U3 - Original non-TITE	0	2.5	1.2	5	1.6	-
U3 - TITE, 56-day accrual	1	1.7	1.7	4.4	1.6	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1087.8
U2 - TITE, 56-day accrual						1206.2
U3 - Original non-TITE						1085.7
U3 - TITE, 56-day accrual						1190.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	28.8	40.6	28.4	1.2	0	1
U2 - TITE, 56-day accrual	18.1	36.6	35.6	3.3	0.1	6.3
U3 - Original non-TITE	32.9	40.3	25.2	0.6	0	1
U3 - TITE, 56-day accrual	17.5	36.9	37.3	2.3	0	6
Mean administrations						
U2 - Original non-TITE	9.5	11.2	7.7	1.4	0.1	-
U2 - TITE, 56-day accrual	8.2	10.7	8.4	1.6	0.1	-
U3 - Original non-TITE	10.2	11.4	7.2	1.1	0	-
U3 - TITE, 56-day accrual	9.2	11.5	7.2	1.1	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.4	4.7	2.4	0.5	0	-
U2 - TITE, 56-day accrual	2.9	4	2.4	0.4	0	-
U3 - Original non-TITE	2.7	4.9	2.2	0.5	0	-
U3 - TITE, 56-day accrual	3.3	4.3	2.1	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1090.1
U2 - TITE, 56-day accrual						1114.9
U3 - Original non-TITE						1084
U3 - TITE, 56-day accrual						1099.1
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	26.5	35.4	20.9	1.6	0	15.6
U2 - TITE, 56-day accrual	9.4	28.1	30.5	2.9	0	29.1
U3 - Original non-TITE	29	34.8	19.2	1.6	0	15.4
U3 - TITE, 56-day accrual	8.9	28.5	30.7	3.4	0	28.5
Mean administrations						
U2 - Original non-TITE	10.4	9.8	6.2	1.6	0.1	-
U2 - TITE, 56-day accrual	7.7	8.8	7.2	1.7	0.1	-
U3 - Original non-TITE	10.7	9.8	6	1.5	0.1	-
U3 - TITE, 56-day accrual	8.1	9.3	6.7	1.4	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.8	4.7	1.9	0.7	0	-
U2 - TITE, 56-day accrual	2.7	3.5	2.3	0.5	0	-
U3 - Original non-TITE	2.9	4.7	1.8	0.6	0	-
U3 - TITE, 56-day accrual	2.9	3.7	2.1	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						991.3
U2 - TITE, 56-day accrual						971.4
U3 - Original non-TITE						989.8
U3 - TITE, 56-day accrual						956.2

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	17.2	33.7	39	3.7	0	6.4
U2 - TITE, 56-day accrual	8.9	23.1	45.3	7.1	0	15.6
U3 - Original non-TITE	19.3	34.4	36.7	2.9	0	6.7
U3 - TITE, 56-day accrual	7.8	23.4	48	5.4	0	15.4
Mean administrations						
U2 - Original non-TITE	7.7	9.7	9.4	2.3	0.2	-
U2 - TITE, 56-day accrual	6.3	8.8	9.7	2.7	0.2	-
U3 - Original non-TITE	8	9.9	9.1	2.2	0.2	-
U3 - TITE, 56-day accrual	6.9	9.3	9.2	2.1	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.8	4.5	2.8	0.9	0.1	-
U2 - TITE, 56-day accrual	2.2	3.5	3	0.7	0.1	-
U3 - Original non-TITE	1.9	4.6	2.7	0.9	0.1	-
U3 - TITE, 56-day accrual	2.5	3.7	2.8	0.6	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1051.4
U2 - TITE, 56-day accrual						1063.3
U3 - Original non-TITE						1046.3
U3 - TITE, 56-day accrual						1045
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	18.4	23.4	1.5	0	0	56.7
U2 - TITE, 56-day accrual	5.6	30.7	4.1	0	0	59.6
U3 - Original non-TITE	17.7	24.3	1.5	0	0	56.5
U3 - TITE, 56-day accrual	4.5	32.1	4.6	0	0	58.8
Mean administrations						
U2 - Original non-TITE	11.7	8.8	2.1	0.4	0	-
U2 - TITE, 56-day accrual	7.9	9.9	2.7	0.4	0	-
U3 - Original non-TITE	11.6	8.9	2	0.4	0	-
U3 - TITE, 56-day accrual	8	10.1	2.4	0.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.1	4.1	0.7	0.2	0	-
U2 - TITE, 56-day accrual	2.6	3.5	0.8	0.1	0	-
U3 - Original non-TITE	3.1	4.2	0.6	0.2	0	-
U3 - TITE, 56-day accrual	2.7	3.6	0.7	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						814.2
U2 - TITE, 56-day accrual						800.9
U3 - Original non-TITE						813.3
U3 - TITE, 56-day accrual						796

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	69.9	25.6	0.7	0	0	3.8
U2 - TITE, 56-day accrual	48.7	42.9	2.8	0	0	5.6
U3 - Original non-TITE	72.9	23.2	0.5	0	0	3.4
U3 - TITE, 56-day accrual	53	39.9	1.5	0	0	5.6
Mean administrations						
U2 - Original non-TITE	20.1	8.2	0.9	0.1	0	-
U2 - TITE, 56-day accrual	16.2	11.1	1.4	0.1	0	-
U3 - Original non-TITE	20.7	8	0.6	0.1	0	-
U3 - TITE, 56-day accrual	17.8	10.2	0.8	0.1	0	-
Mean IPDE administrations						
U2 - Original non-TITE	5	3.1	0.3	0	0	-
U2 - TITE, 56-day accrual	4.7	3.4	0.4	0	0	-
U3 - Original non-TITE	5.2	3.1	0.2	0	0	-
U3 - TITE, 56-day accrual	5.2	3.2	0.2	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1149.2
U2 - TITE, 56-day accrual						1161.6
U3 - Original non-TITE						1149.4
U3 - TITE, 56-day accrual						1157.9
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	14.3	17.2	18.6	43.1	6.4	0.4
U2 - TITE, 56-day accrual	9.9	12.5	18.7	49.3	7.4	2.2
U3 - Original non-TITE	19.5	18.9	16.1	40.6	4.4	0.5
U3 - TITE, 56-day accrual	9.6	12.1	19.4	48.6	7.8	2.5
Mean administrations						
U2 - Original non-TITE	4.7	6.1	7	9.9	2.3	-
U2 - TITE, 56-day accrual	4.4	5.8	6.8	9.7	2.9	-
U3 - Original non-TITE	4.8	6.5	6.9	9.7	2.1	-
U3 - TITE, 56-day accrual	5.1	6.6	6.6	9	2.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	3.4	2.3	3.4	0.8	-
U2 - TITE, 56-day accrual	1.5	2.6	2.6	3.1	0.7	-
U3 - Original non-TITE	0.8	3.6	2.3	3.3	0.7	-
U3 - TITE, 56-day accrual	1.8	2.9	2.5	2.9	0.6	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1064.2
U2 - TITE, 56-day accrual						1142.7
U3 - Original non-TITE						1060.5
U3 - TITE, 56-day accrual						1116

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	1.5	54.5	31.8	11.6	0.6	0
U2 - TITE, 56-day accrual	0.5	39.8	45.6	13.5	0.4	0.2
U3 - Original non-TITE	2.3	59.9	27.7	9.6	0.5	0
U3 - TITE, 56-day accrual	0.7	50.2	40.9	8	0.1	0.1
Mean administrations						
U2 - Original non-TITE	4.1	16.2	7.3	2.3	0.2	-
U2 - TITE, 56-day accrual	3.7	14	10	2.1	0.1	-
U3 - Original non-TITE	4.1	17.3	6.5	1.9	0.1	-
U3 - TITE, 56-day accrual	4	15.7	8.9	1.3	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.4	6	2.3	0.7	0.1	-
U2 - TITE, 56-day accrual	1.1	4.6	3.2	0.7	0	-
U3 - Original non-TITE	0.4	6.4	2	0.6	0	-
U3 - TITE, 56-day accrual	1.2	5.1	2.8	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1132.7
U2 - TITE, 56-day accrual						1187.4
U3 - Original non-TITE						1130.7
U3 - TITE, 56-day accrual						1183
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	9.2	11.5	35.7	35.3	8.1	0.2
U2 - TITE, 56-day accrual	5.3	9.5	33.2	39.8	11.3	0.9
U3 - Original non-TITE	13	17.3	36.4	28.5	4.7	0.1
U3 - TITE, 56-day accrual	4.6	8.7	35.1	41.8	8.8	1
Mean administrations						
U2 - Original non-TITE	3.5	4.7	9.1	9	3.6	-
U2 - TITE, 56-day accrual	3.4	4.4	9	9.3	3.7	-
U3 - Original non-TITE	3.6	4.9	9.5	8.9	3.1	-
U3 - TITE, 56-day accrual	3.8	5.1	9.6	8.8	2.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	3	3	3.4	1.3	-
U2 - TITE, 56-day accrual	1.1	2.1	3.3	3.2	1.2	-
U3 - Original non-TITE	0.3	3.1	3.2	3.3	1.1	-
U3 - TITE, 56-day accrual	1.2	2.4	3.6	3	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1049.7
U2 - TITE, 56-day accrual						1147.6
U3 - Original non-TITE						1048
U3 - TITE, 56-day accrual						1132.5

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	6.6	7.9	16.3	53.2	15.9	0.1
U2 - TITE, 56-day accrual	3.3	6	13.2	48.8	28.1	0.6
U3 - Original non-TITE	12.6	7.9	13.9	52.7	12.8	0.1
U3 - TITE, 56-day accrual	3.3	5.4	13.3	55.6	21.8	0.6
Mean administrations						
U2 - Original non-TITE	3.3	3.9	6.6	11.7	4.5	-
U2 - TITE, 56-day accrual	3.2	3.7	6	11.2	5.8	-
U3 - Original non-TITE	3.4	4	6.7	11.8	4.1	-
U3 - TITE, 56-day accrual	3.5	4	6.3	11.4	4.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	2.8	2	4.1	1.3	-
U2 - TITE, 56-day accrual	1	1.9	2.3	3.5	1.5	-
U3 - Original non-TITE	0.2	2.8	2	4.2	1.2	-
U3 - TITE, 56-day accrual	1.1	2.1	2.5	3.6	1.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1081.5
U2 - TITE, 56-day accrual						1191
U3 - Original non-TITE						1078.7
U3 - TITE, 56-day accrual						1173.7
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	13.2	18.8	49.4	12.5	1.5	4.6
U2 - TITE, 56-day accrual	7.9	12.9	47.9	18.7	1.2	11.4
U3 - Original non-TITE	17.4	20.9	43.6	12.4	0.9	4.8
U3 - TITE, 56-day accrual	6.9	11.3	49.5	19.3	1.3	11.7
Mean administrations						
U2 - Original non-TITE	5.6	7.7	10.2	5	1.1	-
U2 - TITE, 56-day accrual	4.7	6.7	9.8	5.6	1.1	-
U3 - Original non-TITE	6	7.8	10.1	4.8	0.9	-
U3 - TITE, 56-day accrual	5.3	7.2	9.6	5.1	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	4.1	3.3	1.9	0.4	-
U2 - TITE, 56-day accrual	1.7	3	3.3	1.8	0.4	-
U3 - Original non-TITE	1.3	4.2	3.2	1.8	0.3	-
U3 - TITE, 56-day accrual	1.9	3.2	3.2	1.6	0.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1037
U2 - TITE, 56-day accrual						1073.6
U3 - Original non-TITE						1033
U3 - TITE, 56-day accrual						1050.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	4.9	55.1	35.3	4.4	0.2	0.1
U2 - TITE, 56-day accrual	1.9	38.4	50.9	8	0.5	0.3
U3 - Original non-TITE	6.4	61.7	28.3	3.5	0	0.1
U3 - TITE, 56-day accrual	2.1	51	42.2	4.1	0.2	0.4
Mean administrations						
U2 - Original non-TITE	4.4	15.5	8.2	1.7	0.2	-
U2 - TITE, 56-day accrual	4	13.5	10.3	1.9	0.2	-
U3 - Original non-TITE	4.8	16.5	7.2	1.4	0.1	-
U3 - TITE, 56-day accrual	4.5	15.6	8.6	1.1	0	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	5.8	2.4	0.6	0.1	-
U2 - TITE, 56-day accrual	1.3	4.6	3	0.6	0.1	-
U3 - Original non-TITE	0.6	6.3	2.1	0.5	0	-
U3 - TITE, 56-day accrual	1.5	5.3	2.5	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1135.7
U2 - TITE, 56-day accrual						1203.2
U3 - Original non-TITE						1129.6
U3 - TITE, 56-day accrual						1182.1
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	16.9	36.7	9.5	2.1	0.3	34.5
U2 - TITE, 56-day accrual	5.9	34.5	15.9	1.9	0.3	41.5
U3 - Original non-TITE	20.1	35.9	8	1.7	0.1	34.2
U3 - TITE, 56-day accrual	5.3	33.5	17.2	2.1	0.2	41.7
Mean administrations						
U2 - Original non-TITE	9.8	9.9	4.2	1.9	0.3	-
U2 - TITE, 56-day accrual	7.1	9.3	4.9	1.8	0.3	-
U3 - Original non-TITE	10	10	4.1	1.8	0.3	-
U3 - TITE, 56-day accrual	7.4	9.8	4.6	1.5	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.5	4.9	1.4	0.8	0.1	-
U2 - TITE, 56-day accrual	2.5	3.6	1.7	0.6	0.1	-
U3 - Original non-TITE	2.5	5	1.3	0.7	0.1	-
U3 - TITE, 56-day accrual	2.6	3.8	1.6	0.5	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						904.5
U2 - TITE, 56-day accrual						864.7
U3 - Original non-TITE						900.3
U3 - TITE, 56-day accrual						852.7

Phase I/II Operating Characteristics

Original non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	18.1	47	7.8	0.2	0	26.9
U2 - TITE, 56-day accrual	7.4	39.1	14.3	1.5	0	37.7
U3 - Original non-TITE	20.2	45.9	7.1	0.4	0	26.4
U3 - TITE, 56-day accrual	4.9	38.4	17.6	1.7	0	37.4
Mean administrations						
U2 - Original non-TITE	9.4	11.6	4.4	1.7	0.3	-
U2 - TITE, 56-day accrual	7.2	10.8	4.9	1.6	0.2	-
U3 - Original non-TITE	9.7	11.6	4.2	1.6	0.2	-
U3 - TITE, 56-day accrual	7.5	11.1	4.6	1.3	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.3	5.7	1.4	0.8	0.1	-
U2 - TITE, 56-day accrual	2.6	4.1	1.6	0.5	0.1	-
U3 - Original non-TITE	2.4	5.7	1.3	0.7	0.1	-
U3 - TITE, 56-day accrual	2.7	4.3	1.5	0.5	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						940
U2 - TITE, 56-day accrual						921.9
U3 - Original non-TITE						938.7
U3 - TITE, 56-day accrual						905.4