

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	18.7	7.6	2.7	0.5	0.1	70.4
U2 - TITE, 56-day accrual	5	6.8	4.4	1.2	0.2	82.4
U3 - Original non-TITE	20.1	7.9	2	0.1	0	69.9
U3 - TITE, 56-day accrual	4.3	7.5	3.6	1.6	0.2	82.8
Mean administrations						
U2 - Original non-TITE	10.7	3.9	2.4	1.1	0.4	-
U2 - TITE, 56-day accrual	8.7	3.3	1.5	0.6	0.2	-
U3 - Original non-TITE	10.7	3.9	2.4	1.1	0.4	-
U3 - TITE, 56-day accrual	8.7	3.3	1.6	0.6	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	3.1	2	0.7	0.5	0.1	-
U2 - TITE, 56-day accrual	2.9	1.4	0.6	0.2	0.1	-
U3 - Original non-TITE	3.1	2.1	0.7	0.5	0.1	-
U3 - TITE, 56-day accrual	2.9	1.4	0.6	0.2	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						804
U2 - TITE, 56-day accrual						530.9
U3 - Original non-TITE						801.7
U3 - TITE, 56-day accrual						529.9
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	26.5	16.9	35.4	11.8	3.1	6.3
U2 - TITE, 56-day accrual	21.8	18.8	34.9	10.5	3.3	10.7
U3 - Original non-TITE	28.8	18.4	33.2	11.3	1.9	6.4
U3 - TITE, 56-day accrual	21.2	18.9	34.5	11.1	3.2	11.1
Mean administrations						
U2 - Original non-TITE	9.7	5.5	7.5	3.8	2.2	-
U2 - TITE, 56-day accrual	11.2	6	7	2.8	1	-
U3 - Original non-TITE	9.7	5.6	7.5	3.8	2.3	-
U3 - TITE, 56-day accrual	11.1	5.9	6.9	2.8	1.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.7	2.8	1.8	1.1	0.6	-
U2 - TITE, 56-day accrual	4	2.3	1.9	0.7	0.2	-
U3 - Original non-TITE	2.6	2.8	1.8	1	0.6	-
U3 - TITE, 56-day accrual	3.9	2.3	1.8	0.7	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1337.3
U2 - TITE, 56-day accrual						1099.6
U3 - Original non-TITE						1335.2
U3 - TITE, 56-day accrual						1096.2

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	10.8	43.5	21.7	6.7	3.1	14.2
U2 - TITE, 56-day accrual	5.1	39.1	23.5	9.2	2.4	20.7
U3 - Original non-TITE	13.3	45.4	19.7	5.9	1.5	14.2
U3 - TITE, 56-day accrual	4.9	40.5	23	8.9	2.3	20.4
Mean administrations						
U2 - Original non-TITE	7.7	8	6.1	3.5	2.2	-
U2 - TITE, 56-day accrual	7.5	9.7	5.2	2.3	1	-
U3 - Original non-TITE	7.7	8	6	3.6	2.2	-
U3 - TITE, 56-day accrual	7.4	9.8	5.2	2.3	1	-
Mean IPDE administrations						
U2 - Original non-TITE	2	3.6	1.4	1.2	0.6	-
U2 - TITE, 56-day accrual	2.7	3.4	1.5	0.7	0.3	-
U3 - Original non-TITE	2	3.6	1.4	1.2	0.6	-
U3 - TITE, 56-day accrual	2.7	3.5	1.5	0.7	0.3	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1253.6
U2 - TITE, 56-day accrual						1005.7
U3 - Original non-TITE						1254.4
U3 - TITE, 56-day accrual						1009.4
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	8.1	7.2	21	41.3	18.5	3.9
U2 - TITE, 56-day accrual	2.6	8.4	23	42	17	7
U3 - Original non-TITE	10.3	8.9	19.7	41.8	15.4	3.9
U3 - TITE, 56-day accrual	2.8	7.9	22.9	42.2	17.3	6.9
Mean administrations						
U2 - Original non-TITE	4.3	4	6.6	8	6.5	-
U2 - TITE, 56-day accrual	4.7	5	6.5	7.6	4.1	-
U3 - Original non-TITE	4.3	4	6.6	8.1	6.4	-
U3 - TITE, 56-day accrual	4.8	5.1	6.5	7.7	4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3	1.6	2.9	1.4	-
U2 - TITE, 56-day accrual	1.7	2.4	2.4	2.1	0.9	-
U3 - Original non-TITE	0.6	3	1.6	2.9	1.4	-
U3 - TITE, 56-day accrual	1.7	2.4	2.4	2.1	0.9	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1336.8
U2 - TITE, 56-day accrual						1107.9
U3 - Original non-TITE						1336.4
U3 - TITE, 56-day accrual						1107.8

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	4.4	35.6	25.7	19.1	9.6	5.6
U2 - TITE, 56-day accrual	1.4	27.2	27.4	23	14.5	6.5
U3 - Original non-TITE	7.9	41	24.8	15.4	5.3	5.6
U3 - TITE, 56-day accrual	1.6	26.6	27.9	22.7	14.7	6.5
Mean administrations						
U2 - Original non-TITE	4.6	6.4	6.8	5.8	5.4	-
U2 - TITE, 56-day accrual	5	9.8	6.2	4.3	2.8	-
U3 - Original non-TITE	4.6	6.4	6.8	5.7	5.5	-
U3 - TITE, 56-day accrual	5	9.8	6.3	4.3	2.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	3.8	1.7	2.5	1.8	-
U2 - TITE, 56-day accrual	1.8	4	2.2	1.5	0.9	-
U3 - Original non-TITE	0.7	3.8	1.7	2.4	1.9	-
U3 - TITE, 56-day accrual	1.7	4	2.3	1.5	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1247.5
U2 - TITE, 56-day accrual						1048.5
U3 - Original non-TITE						1247.8
U3 - TITE, 56-day accrual						1051.6
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	62.8	14.8	4.9	2.1	0	15.4
U2 - TITE, 56-day accrual	55.9	16.6	5.8	1.4	0.1	20.2
U3 - Original non-TITE	64.9	13.5	4.7	1.6	0	15.3
U3 - TITE, 56-day accrual	56	16.3	5.7	1.4	0.2	20.4
Mean administrations						
U2 - Original non-TITE	18.3	4.2	2.7	1.3	0.5	-
U2 - TITE, 56-day accrual	18.5	4.5	2	0.7	0.3	-
U3 - Original non-TITE	18.3	4.2	2.7	1.3	0.5	-
U3 - TITE, 56-day accrual	18.6	4.5	2	0.7	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	5.1	1.7	0.7	0.4	0.1	-
U2 - TITE, 56-day accrual	5.6	1.5	0.6	0.2	0.1	-
U3 - Original non-TITE	5.1	1.7	0.7	0.4	0.1	-
U3 - TITE, 56-day accrual	5.6	1.5	0.6	0.2	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1267.7
U2 - TITE, 56-day accrual						1034.6
U3 - Original non-TITE						1268
U3 - TITE, 56-day accrual						1032.8

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	19.7	37.3	21.9	10.1	4.3	6.7
U2 - TITE, 56-day accrual	14.3	37.4	23.2	9.3	4.4	11.4
U3 - Original non-TITE	22.2	40.7	19.3	9	2.2	6.6
U3 - TITE, 56-day accrual	14.2	38	22.1	9.6	4.7	11.4
Mean administrations						
U2 - Original non-TITE	9.2	7.2	5.9	3.7	2.6	-
U2 - TITE, 56-day accrual	9.9	9.3	5	2.4	1.2	-
U3 - Original non-TITE	9.2	7.2	5.9	3.8	2.6	-
U3 - TITE, 56-day accrual	9.9	9.1	5.1	2.5	1.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.4	3.1	1.2	1.1	0.7	-
U2 - TITE, 56-day accrual	3.4	2.9	1.3	0.6	0.3	-
U3 - Original non-TITE	2.5	3.1	1.2	1.2	0.7	-
U3 - TITE, 56-day accrual	3.4	2.8	1.4	0.6	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1344.4
U2 - TITE, 56-day accrual						1117.4
U3 - Original non-TITE						1346.9
U3 - TITE, 56-day accrual						1117.3
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	28.8	8.9	5.2	0.8	0.3	56
U2 - TITE, 56-day accrual	15.9	9.1	4.2	0.9	0	69.9
U3 - Original non-TITE	30.7	9	3.5	0.5	0.1	56.2
U3 - TITE, 56-day accrual	16.2	9	4.3	0.8	0	69.7
Mean administrations						
U2 - Original non-TITE	13.5	3.8	2.3	0.8	0.3	-
U2 - TITE, 56-day accrual	11	3.5	1.8	0.6	0.2	-
U3 - Original non-TITE	13.5	3.8	2.3	0.9	0.3	-
U3 - TITE, 56-day accrual	10.9	3.5	1.8	0.6	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	4	1.9	0.6	0.3	0.1	-
U2 - TITE, 56-day accrual	3.6	1.3	0.6	0.2	0	-
U3 - Original non-TITE	4	1.9	0.6	0.4	0.1	-
U3 - TITE, 56-day accrual	3.6	1.3	0.6	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						924.4
U2 - TITE, 56-day accrual						649.2
U3 - Original non-TITE						923.3
U3 - TITE, 56-day accrual						646.1

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	9.4	9	17.5	13.9	26.7	23.5
U2 - TITE, 56-day accrual	4.1	10.2	22.3	13	19.5	30.9
U3 - Original non-TITE	16	10.1	17.2	11	22.3	23.4
U3 - TITE, 56-day accrual	2.6	10.8	22.5	13.1	19.7	31.3
Mean administrations						
U2 - Original non-TITE	6.7	4.5	5.4	4.2	5.3	-
U2 - TITE, 56-day accrual	6.7	4.8	5.6	3.1	3.1	-
U3 - Original non-TITE	6.8	4.4	5.4	4.2	5.3	-
U3 - TITE, 56-day accrual	6.6	4.8	5.5	3.1	3.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.6	2.8	1.5	1.8	1.5	-
U2 - TITE, 56-day accrual	2.4	2.2	2.1	1.1	0.9	-
U3 - Original non-TITE	1.7	2.8	1.5	1.8	1.5	-
U3 - TITE, 56-day accrual	2.4	2.2	2.1	1.1	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1128.4
U2 - TITE, 56-day accrual						873.1
U3 - Original non-TITE						1127.1
U3 - TITE, 56-day accrual						865.3
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	6.7	30.8	14.9	5	1.6	41
U2 - TITE, 56-day accrual	4.1	32.1	13.1	3.9	1	45.8
U3 - Original non-TITE	7	31.8	14.1	4.7	1.3	41.1
U3 - TITE, 56-day accrual	4.2	32.5	13.4	3.4	1.1	45.4
Mean administrations						
U2 - Original non-TITE	7.9	6.4	4.6	2.3	1.1	-
U2 - TITE, 56-day accrual	6.9	8.2	3.6	1.4	0.6	-
U3 - Original non-TITE	7.9	6.4	4.5	2.3	1.2	-
U3 - TITE, 56-day accrual	7	8.2	3.6	1.4	0.6	-
Mean IPDE administrations						
U2 - Original non-TITE	2	2.9	1	0.8	0.3	-
U2 - TITE, 56-day accrual	2.3	2.7	1	0.4	0.1	-
U3 - Original non-TITE	2	2.9	1	0.8	0.3	-
U3 - TITE, 56-day accrual	2.4	2.7	1	0.4	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1026.1
U2 - TITE, 56-day accrual						813.6
U3 - Original non-TITE						1025
U3 - TITE, 56-day accrual						815.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	58.8	21.4	4.4	0.3	0	15.1
U2 - TITE, 56-day accrual	42.7	22.7	6.7	1.4	0	26.5
U3 - Original non-TITE	60.5	20.5	3.3	0.1	0	15.6
U3 - TITE, 56-day accrual	41.2	23.3	6.8	1.2	0	27.5
Mean administrations						
U2 - Original non-TITE	16.2	6.2	3.7	1.1	0.2	-
U2 - TITE, 56-day accrual	15.9	5.7	2.8	0.7	0.1	-
U3 - Original non-TITE	16.2	6.2	3.7	1.1	0.2	-
U3 - TITE, 56-day accrual	15.9	5.8	2.7	0.7	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	5	2.8	1	0.5	0.1	-
U2 - TITE, 56-day accrual	5.5	2.1	0.9	0.2	0	-
U3 - Original non-TITE	5	2.8	1	0.4	0.1	-
U3 - TITE, 56-day accrual	5.5	2.1	0.9	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1221.9
U2 - TITE, 56-day accrual						948.5
U3 - Original non-TITE						1221.5
U3 - TITE, 56-day accrual						948.3
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	14.2	11.4	11	35.5	23.3	4.6
U2 - TITE, 56-day accrual	4.3	14.2	16.3	34.6	21.8	8.8
U3 - Original non-TITE	19.1	11.7	8.7	35.5	20.1	4.9
U3 - TITE, 56-day accrual	4.5	13.2	16.7	34.7	21.9	9
Mean administrations						
U2 - Original non-TITE	4.7	4.4	5.2	7.4	7.4	-
U2 - TITE, 56-day accrual	5.2	5.3	4.7	6.9	5.2	-
U3 - Original non-TITE	4.8	4.4	5.3	7.5	7.3	-
U3 - TITE, 56-day accrual	5.2	5.3	4.7	6.9	5.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.8	3.1	1.2	3	1.5	-
U2 - TITE, 56-day accrual	1.9	2.5	1.9	2.2	1.1	-
U3 - Original non-TITE	0.8	3.1	1.2	3.1	1.4	-
U3 - TITE, 56-day accrual	1.9	2.5	1.9	2.2	1.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1312.8
U2 - TITE, 56-day accrual						1071.7
U3 - Original non-TITE						1310.2
U3 - TITE, 56-day accrual						1071.6

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	8.3	29.7	16.6	5.6	1.6	38.2
U2 - TITE, 56-day accrual	4.2	30.9	14.7	4	1.2	45
U3 - Original non-TITE	9.1	32.7	13.8	5.4	0.9	38.1
U3 - TITE, 56-day accrual	4.4	30.4	14.9	4.3	1.2	44.8
Mean administrations						
U2 - Original non-TITE	7.9	6.4	4.9	2.5	1.2	-
U2 - TITE, 56-day accrual	7.2	8.2	3.5	1.7	0.7	-
U3 - Original non-TITE	7.9	6.4	4.8	2.6	1.2	-
U3 - TITE, 56-day accrual	7.2	8.2	3.6	1.7	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	2	3.1	1.2	0.9	0.3	-
U2 - TITE, 56-day accrual	2.5	3	1.1	0.5	0.2	-
U3 - Original non-TITE	2	3.1	1.1	0.9	0.3	-
U3 - TITE, 56-day accrual	2.5	3	1.2	0.5	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1026
U2 - TITE, 56-day accrual						814.7
U3 - Original non-TITE						1028.5
U3 - TITE, 56-day accrual						814.4
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	16.8	13.2	12.3	27.9	16.6	13.2
U2 - TITE, 56-day accrual	5	15.6	19.5	26.6	14.6	18.7
U3 - Original non-TITE	24.7	13.9	10.1	25.5	12.9	12.9
U3 - TITE, 56-day accrual	4	15.8	20.3	27	13.8	19.1
Mean administrations						
U2 - Original non-TITE	6	5	5.6	6.2	5.2	-
U2 - TITE, 56-day accrual	6.3	5.7	5.3	5	3.1	-
U3 - Original non-TITE	6	4.9	5.7	6.2	5.2	-
U3 - TITE, 56-day accrual	6.4	5.6	5.2	5	3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	3.2	1.5	2.7	1.5	-
U2 - TITE, 56-day accrual	2.4	2.6	2.1	1.8	0.8	-
U3 - Original non-TITE	1.4	3.2	1.5	2.7	1.4	-
U3 - TITE, 56-day accrual	2.4	2.6	2.1	1.7	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1210.8
U2 - TITE, 56-day accrual						942.4
U3 - Original non-TITE						1212.4
U3 - TITE, 56-day accrual						937

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	43.7	23.7	11.2	5.2	0.9	15.3
U2 - TITE, 56-day accrual	16.4	24.7	19.8	7.1	2.4	29.6
U3 - Original non-TITE	53.1	20.6	7.7	2.6	0.3	15.7
U3 - TITE, 56-day accrual	16.2	24.6	20	7.5	2.5	29.2
Mean administrations						
U2 - Original non-TITE	10	6.6	5.8	3.4	1.8	-
U2 - TITE, 56-day accrual	10	6.5	4.4	2.1	1	-
U3 - Original non-TITE	9.9	6.7	5.9	3.4	1.8	-
U3 - TITE, 56-day accrual	10.1	6.4	4.4	2	1	-
Mean IPDE administrations						
U2 - Original non-TITE	3	3.7	1.7	1.6	0.6	-
U2 - TITE, 56-day accrual	3.8	2.8	1.7	0.8	0.3	-
U3 - Original non-TITE	2.9	3.7	1.7	1.6	0.6	-
U3 - TITE, 56-day accrual	3.8	2.7	1.7	0.8	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1171.3
U2 - TITE, 56-day accrual						855.1
U3 - Original non-TITE						1170.1
U3 - TITE, 56-day accrual						852.8
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	28.3	24.3	18.5	17.1	11.7	0.1
U2 - TITE, 56-day accrual	12.6	18.2	21.5	24.4	23	0.3
U3 - Original non-TITE	35	26.1	17.6	15.3	5.9	0.1
U3 - TITE, 56-day accrual	12.6	16.9	21.3	25.1	23.8	0.3
Mean administrations						
U2 - Original non-TITE	5.8	5.3	5.7	5.7	7.4	-
U2 - TITE, 56-day accrual	9	7.1	5.4	4.6	3.7	-
U3 - Original non-TITE	5.8	5.3	5.8	5.8	7.4	-
U3 - TITE, 56-day accrual	9	7	5.4	4.6	3.7	-
Mean IPDE administrations						
U2 - Original non-TITE	1.2	3.4	1.6	2.9	2.7	-
U2 - TITE, 56-day accrual	3.4	3.1	2.2	1.9	1.4	-
U3 - Original non-TITE	1.1	3.3	1.6	2.9	2.7	-
U3 - TITE, 56-day accrual	3.4	3.1	2.2	1.9	1.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1254.2
U2 - TITE, 56-day accrual						1068.8
U3 - Original non-TITE						1254.1
U3 - TITE, 56-day accrual						1068.2

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	30.5	46.9	18.5	2.2	0.1	1.8
U2 - TITE, 56-day accrual	22.8	49.4	21.2	2.6	0	4
U3 - Original non-TITE	32.4	47	17	1.7	0.1	1.8
U3 - TITE, 56-day accrual	22.2	48.7	22.2	2.8	0.1	4
Mean administrations						
U2 - Original non-TITE	9.6	9.8	7.3	2.3	0.5	-
U2 - TITE, 56-day accrual	11.2	10.5	5.6	1.6	0.4	-
U3 - Original non-TITE	9.7	9.8	7.3	2.3	0.5	-
U3 - TITE, 56-day accrual	11.1	10.6	5.6	1.6	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	2.4	3.6	1.5	0.7	0.1	-
U2 - TITE, 56-day accrual	3.7	3	1.3	0.3	0	-
U3 - Original non-TITE	2.4	3.6	1.5	0.7	0.1	-
U3 - TITE, 56-day accrual	3.7	3.1	1.3	0.3	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1425.1
U2 - TITE, 56-day accrual						1204.7
U3 - Original non-TITE						1426.6
U3 - TITE, 56-day accrual						1204.3
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	7.2	11	10	12.9	58.2	0.7
U2 - TITE, 56-day accrual	2	7.4	14.2	16.8	58.2	1.4
U3 - Original non-TITE	13.5	12.4	11.6	12	49.8	0.7
U3 - TITE, 56-day accrual	2.2	6.5	13.7	18.6	57.5	1.5
Mean administrations						
U2 - Original non-TITE	3.7	3.8	4.7	5.3	12.3	-
U2 - TITE, 56-day accrual	4.7	4.9	5.3	5.3	9	-
U3 - Original non-TITE	3.7	3.8	4.8	5.3	12.3	-
U3 - TITE, 56-day accrual	4.6	4.9	5.2	5.3	9.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	3.1	0.9	2.9	3.2	-
U2 - TITE, 56-day accrual	1.7	2.5	2.2	2.1	2.3	-
U3 - Original non-TITE	0.3	3.1	0.9	2.9	3.2	-
U3 - TITE, 56-day accrual	1.7	2.4	2.2	2.1	2.4	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1323
U2 - TITE, 56-day accrual						1123.4
U3 - Original non-TITE						1320.7
U3 - TITE, 56-day accrual						1126.2

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	17.8	47.2	18.5	2.7	0	13.8
U2 - TITE, 56-day accrual	9.6	45.4	20.9	2.4	0	21.7
U3 - Original non-TITE	20.5	47.2	16.7	1.9	0	13.7
U3 - TITE, 56-day accrual	8.1	46.3	20.8	2.9	0	21.9
Mean administrations						
U2 - Original non-TITE	7.6	10.1	7.2	2.2	0.5	-
U2 - TITE, 56-day accrual	7.5	11	5.6	1.6	0.3	-
U3 - Original non-TITE	7.6	10.1	7.2	2.2	0.5	-
U3 - TITE, 56-day accrual	7.5	10.9	5.6	1.6	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	4.7	1.7	0.8	0.1	-
U2 - TITE, 56-day accrual	2.8	4	1.7	0.4	0	-
U3 - Original non-TITE	1.9	4.6	1.7	0.8	0.1	-
U3 - TITE, 56-day accrual	2.8	4	1.7	0.4	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1244.8
U2 - TITE, 56-day accrual						996.2
U3 - Original non-TITE						1241.5
U3 - TITE, 56-day accrual						989.2
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	10	44.2	28.8	10	1.2	5.8
U2 - TITE, 56-day accrual	4.1	36.4	32.6	14.5	3.8	8.6
U3 - Original non-TITE	15.8	47.8	22.4	7.6	0.6	5.8
U3 - TITE, 56-day accrual	3.8	36.5	33.2	13.6	3.6	9.3
Mean administrations						
U2 - Original non-TITE	5	8.4	8.2	4.8	2.5	-
U2 - TITE, 56-day accrual	5.4	10.2	7.1	3.4	1.5	-
U3 - Original non-TITE	5	8.4	8.3	4.8	2.5	-
U3 - TITE, 56-day accrual	5.5	10.3	7.1	3.4	1.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	4.5	2.1	2	0.8	-
U2 - TITE, 56-day accrual	2	4.2	2.4	1.1	0.4	-
U3 - Original non-TITE	0.9	4.5	2.1	2	0.8	-
U3 - TITE, 56-day accrual	2	4.2	2.4	1.1	0.4	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1250.8
U2 - TITE, 56-day accrual						1041.7
U3 - Original non-TITE						1249.6
U3 - TITE, 56-day accrual						1040

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	61.2	1.2	0	0	0	37.6
U2 - TITE, 56-day accrual	60.7	1.3	0.1	0	0	37.9
U3 - Original non-TITE	61.7	1.1	0	0	0	37.2
U3 - TITE, 56-day accrual	60.9	1.5	0.1	0	0	37.5
Mean administrations						
U2 - Original non-TITE	20.4	2.3	0.6	0.1	0	-
U2 - TITE, 56-day accrual	20.9	2.3	0.5	0	0	-
U3 - Original non-TITE	20.5	2.3	0.6	0.1	0	-
U3 - TITE, 56-day accrual	20.8	2.3	0.5	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.1	0.7	0.1	0	0	-
U2 - TITE, 56-day accrual	4.6	0.5	0.1	0	0	-
U3 - Original non-TITE	4.1	0.7	0.1	0	0	-
U3 - TITE, 56-day accrual	4.5	0.5	0.1	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1193.4
U2 - TITE, 56-day accrual						1040.2
U3 - Original non-TITE						1194.3
U3 - TITE, 56-day accrual						1039.6
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	24.6	50.5	13.7	1.3	0	9.9
U2 - TITE, 56-day accrual	11.7	48.2	15	2.7	0	22.4
U3 - Original non-TITE	28.9	49.7	10.4	1.4	0	9.6
U3 - TITE, 56-day accrual	11.4	47.8	15.1	3.2	0	22.5
Mean administrations						
U2 - Original non-TITE	7.7	12	6.6	1.7	0.4	-
U2 - TITE, 56-day accrual	7.7	11.4	5.2	1.6	0.2	-
U3 - Original non-TITE	7.7	12	6.6	1.7	0.4	-
U3 - TITE, 56-day accrual	7.7	11.3	5.1	1.5	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.8	5.5	1.6	0.6	0.1	-
U2 - TITE, 56-day accrual	2.9	4.3	1.5	0.4	0	-
U3 - Original non-TITE	1.9	5.5	1.5	0.6	0.1	-
U3 - TITE, 56-day accrual	2.9	4.2	1.4	0.4	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1264.7
U2 - TITE, 56-day accrual						992
U3 - Original non-TITE						1265
U3 - TITE, 56-day accrual						984.3

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	7.6	4.1	0.1	0	0	88.2
U2 - TITE, 56-day accrual	3.2	2.6	0.6	0	0	93.6
U3 - Original non-TITE	7.5	4.1	0.1	0	0	88.3
U3 - TITE, 56-day accrual	3.1	2.8	1	0	0	93.1
Mean administrations						
U2 - Original non-TITE	11.8	2.8	0.6	0	0	-
U2 - TITE, 56-day accrual	9	2.6	0.5	0	0	-
U3 - Original non-TITE	11.8	2.8	0.6	0	0	-
U3 - TITE, 56-day accrual	9	2.6	0.5	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.3	1.6	0.1	0	0	-
U2 - TITE, 56-day accrual	3	1	0.2	0	0	-
U3 - Original non-TITE	3.3	1.6	0.1	0	0	-
U3 - TITE, 56-day accrual	2.9	1	0.2	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						666.4
U2 - TITE, 56-day accrual						458.4
U3 - Original non-TITE						666.3
U3 - TITE, 56-day accrual						457.5
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	1.4	2	5.6	47.8	43	0.2
U2 - TITE, 56-day accrual	0.3	1.1	4.4	45.8	48.3	0.1
U3 - Original non-TITE	3	3.1	7.4	48.9	37.4	0.2
U3 - TITE, 56-day accrual	0.4	1.1	4.2	44.6	49.7	0
Mean administrations						
U2 - Original non-TITE	3.2	3.2	4	8.4	11.2	-
U2 - TITE, 56-day accrual	3.7	3.7	5.1	10.2	7.1	-
U3 - Original non-TITE	3.2	3.2	4	8.4	11.1	-
U3 - TITE, 56-day accrual	3.7	3.7	5.1	10.3	7.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	2.9	0.6	3.7	2.9	-
U2 - TITE, 56-day accrual	1.3	1.9	2.1	3.4	1.9	-
U3 - Original non-TITE	0.1	2.9	0.6	3.8	2.8	-
U3 - TITE, 56-day accrual	1.2	1.9	2.1	3.4	1.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1339.7
U2 - TITE, 56-day accrual						1191.5
U3 - Original non-TITE						1341.3
U3 - TITE, 56-day accrual						1192.9

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	30.9	27.3	35.3	3.5	0.1	2.9
U2 - TITE, 56-day accrual	21.8	29.5	35	6.7	0.3	6.7
U3 - Original non-TITE	36.5	27.6	29.7	3.4	0	2.8
U3 - TITE, 56-day accrual	22	28.9	35.4	6.6	0.2	6.9
Mean administrations						
U2 - Original non-TITE	8.4	7.9	9.6	2.9	0.6	-
U2 - TITE, 56-day accrual	10.3	8.1	7.5	2.3	0.4	-
U3 - Original non-TITE	8.4	8	9.6	2.9	0.6	-
U3 - TITE, 56-day accrual	10.4	8.1	7.4	2.3	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	3.7	2.3	0.9	0.1	-
U2 - TITE, 56-day accrual	3.8	3.1	2.1	0.5	0.1	-
U3 - Original non-TITE	2.2	3.7	2.3	0.9	0.1	-
U3 - TITE, 56-day accrual	3.8	3.1	2.1	0.5	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1349.8
U2 - TITE, 56-day accrual						1104
U3 - Original non-TITE						1349.5
U3 - TITE, 56-day accrual						1103.5
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	19.7	27.2	31.1	5.8	0	16.2
U2 - TITE, 56-day accrual	11.6	28.1	28.7	5.2	0.3	26.1
U3 - Original non-TITE	24.2	29.1	26.2	4.8	0	15.7
U3 - TITE, 56-day accrual	11.1	28.3	29.4	5.1	0.4	25.7
Mean administrations						
U2 - Original non-TITE	8.6	7	8.1	3	0.5	-
U2 - TITE, 56-day accrual	8.6	7.2	6.4	2.2	0.4	-
U3 - Original non-TITE	8.7	7.1	8.1	3	0.5	-
U3 - TITE, 56-day accrual	8.6	7.2	6.3	2.3	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	2.4	3.6	2	1	0.1	-
U2 - TITE, 56-day accrual	3.1	2.9	1.9	0.5	0.1	-
U3 - Original non-TITE	2.4	3.6	2	1	0.1	-
U3 - TITE, 56-day accrual	3.1	2.9	1.9	0.5	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1228
U2 - TITE, 56-day accrual						953.5
U3 - Original non-TITE						1230
U3 - TITE, 56-day accrual						952.1

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	14.8	23.7	42.4	8.7	0.8	9.6
U2 - TITE, 56-day accrual	8.4	24.3	40.2	10.3	1.7	15.1
U3 - Original non-TITE	20	24.7	37	7.3	1	10
U3 - TITE, 56-day accrual	8.4	24.7	40.7	9.3	1.2	15.7
Mean administrations						
U2 - Original non-TITE	7	6.6	9.3	4.1	1.5	-
U2 - TITE, 56-day accrual	7.4	6.9	8.2	3.3	0.9	-
U3 - Original non-TITE	7.1	6.6	9.3	4	1.5	-
U3 - TITE, 56-day accrual	7.3	7.2	7.9	3.4	1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	3.5	2.3	1.3	0.3	-
U2 - TITE, 56-day accrual	2.7	2.9	2.5	0.8	0.2	-
U3 - Original non-TITE	1.8	3.5	2.2	1.3	0.3	-
U3 - TITE, 56-day accrual	2.7	3	2.4	0.8	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1296.2
U2 - TITE, 56-day accrual						1040.3
U3 - Original non-TITE						1295.2
U3 - TITE, 56-day accrual						1039.3
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	15.6	35.8	7.5	0.3	0	40.8
U2 - TITE, 56-day accrual	9	34.4	7.2	0.8	0	48.6
U3 - Original non-TITE	16.1	36.2	6.5	0.5	0	40.7
U3 - TITE, 56-day accrual	9.1	32.9	7.9	0.7	0	49.4
Mean administrations						
U2 - Original non-TITE	8.6	8.7	4.4	0.9	0.2	-
U2 - TITE, 56-day accrual	7.6	9	3.5	0.7	0.1	-
U3 - Original non-TITE	8.6	8.8	4.4	0.9	0.1	-
U3 - TITE, 56-day accrual	7.7	9	3.5	0.7	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	3.8	1	0.3	0	-
U2 - TITE, 56-day accrual	2.6	3.2	1	0.2	0	-
U3 - Original non-TITE	2.3	3.8	1	0.3	0	-
U3 - TITE, 56-day accrual	2.7	3.2	1	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1030.1
U2 - TITE, 56-day accrual						800.8
U3 - Original non-TITE						1026.1
U3 - TITE, 56-day accrual						804

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	67	26.7	3.6	0.1	0	2.6
U2 - TITE, 56-day accrual	63.6	25.1	6.4	0.2	0	4.7
U3 - Original non-TITE	68.8	24.9	3.6	0.1	0	2.6
U3 - TITE, 56-day accrual	62.9	25.7	6.4	0.2	0	4.8
Mean administrations						
U2 - Original non-TITE	17	7.9	3.7	0.7	0.1	-
U2 - TITE, 56-day accrual	18.7	7.1	2.9	0.5	0	-
U3 - Original non-TITE	17	7.9	3.8	0.6	0.1	-
U3 - TITE, 56-day accrual	18.7	7.1	2.8	0.5	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.4	2.7	0.9	0.2	0	-
U2 - TITE, 56-day accrual	5.5	2.1	0.7	0.1	0	-
U3 - Original non-TITE	4.4	2.7	0.9	0.2	0	-
U3 - TITE, 56-day accrual	5.5	2.2	0.7	0.1	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1403.9
U2 - TITE, 56-day accrual						1191
U3 - Original non-TITE						1403.8
U3 - TITE, 56-day accrual						1191.2
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	16.3	15.3	16.2	37.8	12.7	1.7
U2 - TITE, 56-day accrual	8.5	15.2	20.2	34.8	18.1	3.2
U3 - Original non-TITE	23.9	15.8	13.9	34.5	10.1	1.8
U3 - TITE, 56-day accrual	7.9	15.1	20.5	34.6	18.3	3.6
Mean administrations						
U2 - Original non-TITE	5	4.3	6	8.1	6.5	-
U2 - TITE, 56-day accrual	6.5	5.8	5.3	6.8	4.4	-
U3 - Original non-TITE	5	4.3	6	8	6.4	-
U3 - TITE, 56-day accrual	6.5	5.8	5.3	6.9	4.3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	2.9	1.4	3	1.5	-
U2 - TITE, 56-day accrual	2.4	2.6	2.1	2.2	0.9	-
U3 - Original non-TITE	0.9	2.9	1.5	3	1.5	-
U3 - TITE, 56-day accrual	2.4	2.6	2.1	2.2	0.9	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1351.7
U2 - TITE, 56-day accrual						1119.1
U3 - Original non-TITE						1346.4
U3 - TITE, 56-day accrual						1118.9

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	7.2	33.7	28.2	23	7.4	0.5
U2 - TITE, 56-day accrual	2.6	28.1	28.5	25.8	14.2	0.8
U3 - Original non-TITE	10.6	40	26.7	18.3	3.9	0.5
U3 - TITE, 56-day accrual	3.3	27.4	28.9	24.3	15.3	0.8
Mean administrations						
U2 - Original non-TITE	4.1	5.5	6.4	7.4	6.5	-
U2 - TITE, 56-day accrual	5.3	8.7	6.8	5.5	3.5	-
U3 - Original non-TITE	4.1	5.5	6.4	7.4	6.4	-
U3 - TITE, 56-day accrual	5.3	8.7	6.9	5.5	3.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	3	1.3	2.1	1.5	-
U2 - TITE, 56-day accrual	1.8	3	2	1.5	0.7	-
U3 - Original non-TITE	0.5	3	1.3	2.1	1.5	-
U3 - TITE, 56-day accrual	1.8	3	2.1	1.5	0.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1430.9
U2 - TITE, 56-day accrual						1250.8
U3 - Original non-TITE						1432.3
U3 - TITE, 56-day accrual						1249
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	10.7	14.8	35.1	26.7	12.2	0.5
U2 - TITE, 56-day accrual	2.8	7.2	31.4	34	23.4	1.2
U3 - Original non-TITE	16.3	16.5	34.1	23.1	9.5	0.5
U3 - TITE, 56-day accrual	2.3	7.9	32.2	34.4	22.3	0.9
Mean administrations						
U2 - Original non-TITE	4	4.4	7.7	7.1	6.7	-
U2 - TITE, 56-day accrual	5.2	6	8.2	6.1	4	-
U3 - Original non-TITE	4	4.3	7.7	7	6.9	-
U3 - TITE, 56-day accrual	5.3	6	8.1	6.1	4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	3.2	1.9	3	2	-
U2 - TITE, 56-day accrual	1.9	2.8	3.1	2.1	1.2	-
U3 - Original non-TITE	0.5	3.2	1.9	3	2.1	-
U3 - TITE, 56-day accrual	2	2.8	3.1	2.1	1.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1301.2
U2 - TITE, 56-day accrual						1118.4
U3 - Original non-TITE						1301.1
U3 - TITE, 56-day accrual						1117.9

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	8.8	5.6	14	35.9	35.5	0.2
U2 - TITE, 56-day accrual	1.4	6.2	12.8	40.7	38.4	0.5
U3 - Original non-TITE	14.2	7.1	15.2	35.3	28	0.2
U3 - TITE, 56-day accrual	1.4	4.8	13.2	42.3	37.8	0.5
Mean administrations						
U2 - Original non-TITE	3.5	3.5	5.4	7.9	9.8	-
U2 - TITE, 56-day accrual	4.1	4	6.1	8.3	7.1	-
U3 - Original non-TITE	3.5	3.6	5.2	8	9.7	-
U3 - TITE, 56-day accrual	4.1	4.1	6	8.3	7.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	3	1	3.5	2.3	-
U2 - TITE, 56-day accrual	1.4	2.1	2.5	2.7	1.7	-
U3 - Original non-TITE	0.2	3	0.9	3.5	2.3	-
U3 - TITE, 56-day accrual	1.4	2.1	2.4	2.7	1.7	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1353.8
U2 - TITE, 56-day accrual						1173
U3 - Original non-TITE						1348.7
U3 - TITE, 56-day accrual						1177.8
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	13.1	12.8	45	17.6	5.6	5.9
U2 - TITE, 56-day accrual	5.7	13.1	42.8	20.8	7	10.6
U3 - Original non-TITE	19.6	12.6	42.9	15.6	3.3	6
U3 - TITE, 56-day accrual	6.6	11.9	42.6	21.1	7.4	10.4
Mean administrations						
U2 - Original non-TITE	5	5.5	9.7	5.4	3.6	-
U2 - TITE, 56-day accrual	5.6	6	9.5	4.3	2.1	-
U3 - Original non-TITE	5	5.4	9.6	5.4	3.6	-
U3 - TITE, 56-day accrual	5.6	6	9.6	4.3	2.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	3.5	2.6	2	1	-
U2 - TITE, 56-day accrual	2.1	2.7	3.2	1.4	0.6	-
U3 - Original non-TITE	0.9	3.5	2.6	2	1	-
U3 - TITE, 56-day accrual	2.1	2.7	3.2	1.3	0.6	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1278.6
U2 - TITE, 56-day accrual						1041
U3 - Original non-TITE						1279.1
U3 - TITE, 56-day accrual						1044.4

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	10	39	31.6	15.2	4	0.2
U2 - TITE, 56-day accrual	4.1	38.7	34.7	16	5.8	0.7
U3 - Original non-TITE	12.7	46.2	28.1	10.9	1.9	0.2
U3 - TITE, 56-day accrual	4.5	37.4	35	16.1	6.2	0.8
Mean administrations						
U2 - Original non-TITE	4.5	7.8	9	5.3	3.4	-
U2 - TITE, 56-day accrual	6.3	10.5	7.6	3.7	1.7	-
U3 - Original non-TITE	4.5	7.8	9	5.3	3.4	-
U3 - TITE, 56-day accrual	6.2	10.4	7.7	3.7	1.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.8	2	1.7	0.8	-
U2 - TITE, 56-day accrual	2.3	3.6	2.1	1	0.4	-
U3 - Original non-TITE	0.6	3.8	2	1.7	0.8	-
U3 - TITE, 56-day accrual	2.2	3.6	2.2	1	0.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1407.3
U2 - TITE, 56-day accrual						1214.8
U3 - Original non-TITE						1407.5
U3 - TITE, 56-day accrual						1216.6
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	15.7	37	16.2	7.5	1.9	21.7
U2 - TITE, 56-day accrual	5.4	32.5	18.6	6.4	2.3	34.8
U3 - Original non-TITE	20.7	36	13.3	6.7	1.3	22
U3 - TITE, 56-day accrual	5.9	32.2	18.5	6.9	2.1	34.4
Mean administrations						
U2 - Original non-TITE	7.3	8.1	5.7	3.1	1.6	-
U2 - TITE, 56-day accrual	7.1	8.7	4.7	1.9	0.9	-
U3 - Original non-TITE	7.3	8.1	5.7	3	1.7	-
U3 - TITE, 56-day accrual	7.1	8.7	4.7	1.9	0.9	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	4.2	1.5	1.2	0.5	-
U2 - TITE, 56-day accrual	2.5	3.4	1.6	0.6	0.2	-
U3 - Original non-TITE	1.8	4.2	1.5	1.2	0.5	-
U3 - TITE, 56-day accrual	2.5	3.4	1.6	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1122.5
U2 - TITE, 56-day accrual						866.6
U3 - Original non-TITE						1123.5
U3 - TITE, 56-day accrual						868.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	21.2	42.7	17.1	3.4	0.3	15.3
U2 - TITE, 56-day accrual	9	39.3	17.7	5.1	1	27.9
U3 - Original non-TITE	27.4	42.4	12.3	2.5	0.1	15.3
U3 - TITE, 56-day accrual	8	41.4	16.7	4.6	1.1	28.2
Mean administrations						
U2 - Original non-TITE	7.2	10	6.4	2.4	1	-
U2 - TITE, 56-day accrual	6.9	10.7	5	1.6	0.6	-
U3 - Original non-TITE	7.2	9.9	6.5	2.5	1	-
U3 - TITE, 56-day accrual	7	10.6	5.1	1.6	0.6	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	5.1	1.6	1	0.3	-
U2 - TITE, 56-day accrual	2.6	4.1	1.7	0.5	0.2	-
U3 - Original non-TITE	1.6	5	1.6	1	0.3	-
U3 - TITE, 56-day accrual	2.6	4	1.7	0.5	0.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1166
U2 - TITE, 56-day accrual						915.8
U3 - Original non-TITE						1164.9
U3 - TITE, 56-day accrual						918.6

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	17.5	11.4	4.7	1.2	0.1	65.1
U2 - TITE, 56-day accrual	8.5	4.2	3.7	0.9	0.4	82.3
U3 - Original non-TITE	18.6	11.8	3.2	0.8	0	65.6
U3 - TITE, 56-day accrual	6.2	5.1	3.9	0.9	0.5	83.4
Mean administrations						
U2 - Original non-TITE	10.7	6	2.8	1.6	0.5	-
U2 - TITE, 56-day accrual	8.3	5.1	2.1	1.2	0.4	-
U3 - Original non-TITE	10.9	6	2.7	1.5	0.4	-
U3 - TITE, 56-day accrual	8.6	5.1	1.9	1	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	2.8	3.3	0.7	0.8	0.1	-
U2 - TITE, 56-day accrual	2.7	2	0.8	0.4	0.1	-
U3 - Original non-TITE	2.9	3.3	0.6	0.8	0.1	-
U3 - TITE, 56-day accrual	2.8	2	0.7	0.4	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						931.8
U2 - TITE, 56-day accrual						636.6
U3 - Original non-TITE						930.1
U3 - TITE, 56-day accrual						629.5
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	20.6	17.8	42.6	13.7	2.5	2.8
U2 - TITE, 56-day accrual	15.7	15.7	42.7	14.7	2.4	8.8
U3 - Original non-TITE	24.1	18.8	40.6	12.6	1.1	2.8
U3 - TITE, 56-day accrual	18.8	18.8	40.2	11.7	1.8	8.7
Mean administrations						
U2 - Original non-TITE	8.2	7.1	9.3	3.9	1	-
U2 - TITE, 56-day accrual	7.9	6.9	9	3.8	0.8	-
U3 - Original non-TITE	8.6	7.3	9.2	3.7	0.8	-
U3 - TITE, 56-day accrual	9.5	7.4	8.4	2.9	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	3.5	2.3	1.2	0.3	-
U2 - TITE, 56-day accrual	2.7	2.6	2.4	1	0.2	-
U3 - Original non-TITE	2	3.5	2.2	1.2	0.2	-
U3 - TITE, 56-day accrual	3.3	2.8	2.3	0.8	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1365.5
U2 - TITE, 56-day accrual						1133.5
U3 - Original non-TITE						1359.2
U3 - TITE, 56-day accrual						1111.9

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	7.1	49.4	24.7	10.2	2.5	6.1
U2 - TITE, 56-day accrual	3.9	40.6	26.3	12	2.9	14.3
U3 - Original non-TITE	9.5	52.7	22.5	7.8	1.2	6.3
U3 - TITE, 56-day accrual	3.7	45	25.3	9.3	2.8	13.9
Mean administrations						
U2 - Original non-TITE	6	11.1	6.8	3.7	1.4	-
U2 - TITE, 56-day accrual	5.5	10.6	6.6	3.6	1	-
U3 - Original non-TITE	6.1	11.9	6.6	3.4	1.1	-
U3 - TITE, 56-day accrual	6.1	12.3	5.8	2.7	0.6	-
Mean IPDE administrations						
U2 - Original non-TITE	1	4.8	1.8	1.2	0.4	-
U2 - TITE, 56-day accrual	1.8	3.7	2	1	0.3	-
U3 - Original non-TITE	1	5.2	1.7	1.2	0.3	-
U3 - TITE, 56-day accrual	2	4.2	1.8	0.8	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1325.4
U2 - TITE, 56-day accrual						1082.8
U3 - Original non-TITE						1322.2
U3 - TITE, 56-day accrual						1067.4
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	7.6	7.7	17.9	52.8	13.2	0.8
U2 - TITE, 56-day accrual	3.4	5	17.9	52.8	16.8	4.1
U3 - Original non-TITE	10.6	9.1	16.9	51.7	10.8	0.9
U3 - TITE, 56-day accrual	2.8	4.2	18.6	55	15.3	4.1
Mean administrations						
U2 - Original non-TITE	3.9	4.4	7	11.1	3.6	-
U2 - TITE, 56-day accrual	3.7	4.4	6.4	10.7	3.8	-
U3 - Original non-TITE	4.1	4.5	7	11.1	3.2	-
U3 - TITE, 56-day accrual	4.3	4.8	6.3	10.5	3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	3.3	1.5	3.8	0.8	-
U2 - TITE, 56-day accrual	1.2	2.1	2.4	3	0.9	-
U3 - Original non-TITE	0.4	3.4	1.5	3.9	0.7	-
U3 - TITE, 56-day accrual	1.5	2.3	2.3	2.9	0.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1347.3
U2 - TITE, 56-day accrual						1169.8
U3 - Original non-TITE						1343.5
U3 - TITE, 56-day accrual						1142.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	7.8	36	26.2	19.9	9	1.1
U2 - TITE, 56-day accrual	4.5	30	25	22.9	14.5	3.1
U3 - Original non-TITE	10	41.9	24.6	16.2	6.2	1.1
U3 - TITE, 56-day accrual	3.8	29.5	27.9	22.2	13.5	3.1
Mean administrations						
U2 - Original non-TITE	3.8	7.1	7.2	7.2	4.5	-
U2 - TITE, 56-day accrual	3.8	7.3	7	7.2	4.2	-
U3 - Original non-TITE	3.9	7.7	7.4	6.8	4	-
U3 - TITE, 56-day accrual	4.1	8.8	7	6.4	3.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	4.1	2	2.9	1.5	-
U2 - TITE, 56-day accrual	1.2	3	2.6	2.6	1.4	-
U3 - Original non-TITE	0.3	4.3	2	2.8	1.3	-
U3 - TITE, 56-day accrual	1.3	3.5	2.6	2.3	1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1289.3
U2 - TITE, 56-day accrual						1119.4
U3 - Original non-TITE						1287.1
U3 - TITE, 56-day accrual						1102.2
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	60	18.2	6.4	2.1	0	13.3
U2 - TITE, 56-day accrual	54.3	18.1	5.6	2.1	0.6	19.3
U3 - Original non-TITE	62.8	18.2	4.1	1.4	0.1	13.4
U3 - TITE, 56-day accrual	54.6	18.5	6.3	1.4	0.5	18.7
Mean administrations						
U2 - Original non-TITE	16.5	6.4	2.9	1.5	0.3	-
U2 - TITE, 56-day accrual	15.9	6.6	2.7	1.1	0.3	-
U3 - Original non-TITE	17.1	6.4	2.6	1.3	0.3	-
U3 - TITE, 56-day accrual	17.3	6.4	2	0.8	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	4.2	2.7	0.8	0.5	0.1	-
U2 - TITE, 56-day accrual	4.8	2.1	0.8	0.3	0.1	-
U3 - Original non-TITE	4.4	2.7	0.7	0.5	0.1	-
U3 - TITE, 56-day accrual	5.2	2.1	0.6	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1296.9
U2 - TITE, 56-day accrual						1060.5
U3 - Original non-TITE						1291.1
U3 - TITE, 56-day accrual						1063.1

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	9.4	47.4	23.3	13.3	3.4	3.2
U2 - TITE, 56-day accrual	6.6	45.7	25.2	10.8	3.2	8.5
U3 - Original non-TITE	11.2	53.7	19.6	10.2	2	3.3
U3 - TITE, 56-day accrual	7.7	53.4	21.8	7	2.1	8
Mean administrations						
U2 - Original non-TITE	6.7	12.4	6.2	3.1	1	-
U2 - TITE, 56-day accrual	6.7	12.4	5.9	2.6	0.7	-
U3 - Original non-TITE	6.9	13.3	5.6	2.8	0.8	-
U3 - TITE, 56-day accrual	7.3	14	4.9	1.8	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	4.7	1.6	1	0.3	-
U2 - TITE, 56-day accrual	2.1	3.7	1.6	0.7	0.2	-
U3 - Original non-TITE	1.2	5	1.4	0.9	0.2	-
U3 - TITE, 56-day accrual	2.4	4.2	1.4	0.5	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1384.5
U2 - TITE, 56-day accrual						1169.4
U3 - Original non-TITE						1383.4
U3 - TITE, 56-day accrual						1152.2
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	27.7	14.2	5.7	1.6	0.1	50.7
U2 - TITE, 56-day accrual	16.5	9.7	3.6	1.2	0.2	68.8
U3 - Original non-TITE	29.6	13.5	4.1	1.3	0.2	51.3
U3 - TITE, 56-day accrual	15.2	8.7	3.5	0.8	0.3	71.5
Mean administrations						
U2 - Original non-TITE	12.6	5.9	2.7	1.4	0.3	-
U2 - TITE, 56-day accrual	10.1	5.3	2	1.1	0.3	-
U3 - Original non-TITE	12.7	5.9	2.6	1.4	0.3	-
U3 - TITE, 56-day accrual	10.5	5.1	1.8	0.9	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	3.3	3	0.7	0.6	0.1	-
U2 - TITE, 56-day accrual	3.3	1.9	0.6	0.3	0.1	-
U3 - Original non-TITE	3.4	3	0.6	0.6	0.1	-
U3 - TITE, 56-day accrual	3.4	1.9	0.6	0.3	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1014.2
U2 - TITE, 56-day accrual						719.6
U3 - Original non-TITE						1015.5
U3 - TITE, 56-day accrual						708.6

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	13.4	9.8	21.6	13.8	29.6	11.8
U2 - TITE, 56-day accrual	6	7.2	19.3	17.3	25.4	24.8
U3 - Original non-TITE	16.5	13.7	20.4	13.3	24.2	11.9
U3 - TITE, 56-day accrual	4.7	7.7	22	17.8	22.4	25.4
Mean administrations						
U2 - Original non-TITE	5.6	5.5	6.2	5.5	5.6	-
U2 - TITE, 56-day accrual	5.4	4.9	5.7	5.1	4.5	-
U3 - Original non-TITE	5.9	5.6	6.2	5.4	5.3	-
U3 - TITE, 56-day accrual	6	5.4	5.6	4.7	3.7	-
Mean IPDE administrations						
U2 - Original non-TITE	1	3.5	1.7	2.4	1.6	-
U2 - TITE, 56-day accrual	1.9	2.2	2.2	1.8	1.3	-
U3 - Original non-TITE	1.1	3.6	1.6	2.4	1.5	-
U3 - TITE, 56-day accrual	2.1	2.4	2.1	1.7	1.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1228.2
U2 - TITE, 56-day accrual						972
U3 - Original non-TITE						1226.4
U3 - TITE, 56-day accrual						950
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	6.2	38.7	17.5	6	2.3	29.3
U2 - TITE, 56-day accrual	2.4	31	17	5.8	1.5	42.3
U3 - Original non-TITE	7.3	41.3	15.8	4.5	1.3	29.8
U3 - TITE, 56-day accrual	2.7	33.8	14.9	4.7	0.7	43.2
Mean administrations						
U2 - Original non-TITE	7.2	10.3	5	2.4	0.8	-
U2 - TITE, 56-day accrual	6.2	9.5	4.6	2	0.4	-
U3 - Original non-TITE	7.3	10.8	4.7	2.2	0.6	-
U3 - TITE, 56-day accrual	6.4	10.3	4	1.5	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.3	4.5	1.2	0.8	0.2	-
U2 - TITE, 56-day accrual	1.9	3.1	1.4	0.6	0.1	-
U3 - Original non-TITE	1.3	4.7	1.1	0.8	0.2	-
U3 - TITE, 56-day accrual	2.1	3.4	1.2	0.4	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1189.2
U2 - TITE, 56-day accrual						905.8
U3 - Original non-TITE						1184.1
U3 - TITE, 56-day accrual						890.5

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	54.2	25.4	5.7	0.6	0	14.1
U2 - TITE, 56-day accrual	44.6	21.6	6.4	0.9	0	26.5
U3 - Original non-TITE	56.9	23.9	4.3	0.5	0	14.4
U3 - TITE, 56-day accrual	42	21.4	7	0.8	0	28.8
Mean administrations						
U2 - Original non-TITE	14.8	7.8	3.7	1.5	0.3	-
U2 - TITE, 56-day accrual	13.7	7.4	3.3	1.3	0.2	-
U3 - Original non-TITE	15	7.8	3.5	1.4	0.3	-
U3 - TITE, 56-day accrual	14.5	7.3	2.8	1	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	4.2	3.7	0.9	0.7	0.1	-
U2 - TITE, 56-day accrual	4.7	2.7	1.1	0.4	0.1	-
U3 - Original non-TITE	4.3	3.7	0.8	0.6	0.1	-
U3 - TITE, 56-day accrual	5	2.6	0.9	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1257
U2 - TITE, 56-day accrual						988.8
U3 - Original non-TITE						1253.3
U3 - TITE, 56-day accrual						975.9
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	11.3	11.9	9.8	44.4	21.5	1.1
U2 - TITE, 56-day accrual	4.9	8	10.3	46.3	24.3	6.2
U3 - Original non-TITE	15.2	15.9	8	40.8	19	1.1
U3 - TITE, 56-day accrual	4.4	7.3	13.1	47.5	21.2	6.5
Mean administrations						
U2 - Original non-TITE	4.3	4.9	5.6	9.6	5.5	-
U2 - TITE, 56-day accrual	4.1	4.7	5.3	9.4	5.3	-
U3 - Original non-TITE	4.4	5.1	5.5	9.8	5.1	-
U3 - TITE, 56-day accrual	4.6	5.2	5	9.4	4.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	3.6	1.1	3.7	1.3	-
U2 - TITE, 56-day accrual	1.4	2.2	2.1	2.9	1.2	-
U3 - Original non-TITE	0.6	3.6	1.1	3.8	1.2	-
U3 - TITE, 56-day accrual	1.6	2.5	2	2.9	1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1326.1
U2 - TITE, 56-day accrual						1141.5
U3 - Original non-TITE						1323.7
U3 - TITE, 56-day accrual						1113.6

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	10	37.7	17.4	5.4	1.6	27.9
U2 - TITE, 56-day accrual	5.4	29.6	15.6	7.5	2.1	39.8
U3 - Original non-TITE	10.9	39.5	15.6	4.9	0.9	28.2
U3 - TITE, 56-day accrual	3.8	30.1	16.5	7.3	1.1	41.2
Mean administrations						
U2 - Original non-TITE	7.3	9.2	5.3	3.1	1	-
U2 - TITE, 56-day accrual	6.3	8.1	5	3	0.8	-
U3 - Original non-TITE	7.5	9.5	5.2	2.9	0.9	-
U3 - TITE, 56-day accrual	6.6	9	4.5	2.5	0.6	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	4.5	1.3	1.1	0.3	-
U2 - TITE, 56-day accrual	2	3	1.6	0.9	0.2	-
U3 - Original non-TITE	1.5	4.6	1.3	1.1	0.2	-
U3 - TITE, 56-day accrual	2.2	3.2	1.5	0.7	0.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1161.9
U2 - TITE, 56-day accrual						900.4
U3 - Original non-TITE						1159.8
U3 - TITE, 56-day accrual						886.5
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	17.2	14.3	17.4	30.3	15.5	5.3
U2 - TITE, 56-day accrual	9.7	11.4	15	31.5	16.2	16.2
U3 - Original non-TITE	24.5	16.7	14	27.7	11.5	5.6
U3 - TITE, 56-day accrual	7	10.8	18.9	31.1	15.6	16.6
Mean administrations						
U2 - Original non-TITE	5.4	5.6	6	7.9	4.4	-
U2 - TITE, 56-day accrual	5.1	5.4	5.6	7.4	4	-
U3 - Original non-TITE	5.6	5.7	5.8	8	4.2	-
U3 - TITE, 56-day accrual	5.7	5.8	5.3	7.1	3.4	-
Mean IPDE administrations						
U2 - Original non-TITE	1	3.8	1.4	3.3	1.3	-
U2 - TITE, 56-day accrual	1.8	2.5	2.2	2.6	1.2	-
U3 - Original non-TITE	1.1	3.8	1.3	3.4	1.2	-
U3 - TITE, 56-day accrual	2.1	2.7	2.1	2.5	1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1267.8
U2 - TITE, 56-day accrual						1033.4
U3 - Original non-TITE						1262.9
U3 - TITE, 56-day accrual						1014

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	38.8	28.4	14.4	7.5	0.6	10.3
U2 - TITE, 56-day accrual	25.5	20.4	15.6	7.1	2.2	29.2
U3 - Original non-TITE	45.7	27.8	11.6	4.5	0.3	10.1
U3 - TITE, 56-day accrual	20.8	22	19.2	6.1	2.5	29.4
Mean administrations						
U2 - Original non-TITE	9	7.7	6.3	4.3	1.7	-
U2 - TITE, 56-day accrual	8.1	7.2	5.6	3.8	1.4	-
U3 - Original non-TITE	9.6	7.7	5.9	4.1	1.6	-
U3 - TITE, 56-day accrual	9	7.5	4.9	3.4	1.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.5	4.4	1.7	2	0.5	-
U2 - TITE, 56-day accrual	3	3	2.1	1.4	0.5	-
U3 - Original non-TITE	2.7	4.4	1.5	1.9	0.5	-
U3 - TITE, 56-day accrual	3.4	3.2	1.9	1.2	0.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1224.4
U2 - TITE, 56-day accrual						947.6
U3 - Original non-TITE						1222
U3 - TITE, 56-day accrual						932.1
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	37.4	26.6	15.4	12.1	8.5	0
U2 - TITE, 56-day accrual	31.2	24.1	16.7	13.9	13.7	0.4
U3 - Original non-TITE	42.8	25.9	15.8	10	5.5	0
U3 - TITE, 56-day accrual	29.2	23.2	18.6	14.9	13.8	0.3
Mean administrations						
U2 - Original non-TITE	4.4	4.7	6.1	8.2	6.5	-
U2 - TITE, 56-day accrual	4.2	5	6.2	8.2	6.3	-
U3 - Original non-TITE	4.7	5	6.2	8.2	5.8	-
U3 - TITE, 56-day accrual	5.2	5.6	6.3	7.9	5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.1	1.9	3.9	2.3	-
U2 - TITE, 56-day accrual	1.3	2.2	2.6	3.3	2.4	-
U3 - Original non-TITE	0.7	3.2	1.9	3.9	2	-
U3 - TITE, 56-day accrual	1.8	2.4	2.7	3.2	1.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1258.7
U2 - TITE, 56-day accrual						1099.6
U3 - Original non-TITE						1254.9
U3 - TITE, 56-day accrual						1092

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	18.5	58.2	19	3.1	0.1	1.1
U2 - TITE, 56-day accrual	15.9	57.1	21.8	2.3	0	2.9
U3 - Original non-TITE	21	60.4	15.4	2	0.1	1.1
U3 - TITE, 56-day accrual	17	63.6	15.6	1.2	0	2.6
Mean administrations						
U2 - Original non-TITE	8.6	14	5.5	1.6	0.2	-
U2 - TITE, 56-day accrual	8.8	14	5.3	1.2	0.1	-
U3 - Original non-TITE	9.2	14.5	4.7	1.2	0.1	-
U3 - TITE, 56-day accrual	10.1	14.6	4	0.8	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.8	4.9	1.3	0.5	0	-
U2 - TITE, 56-day accrual	2.8	4	1.3	0.3	0	-
U3 - Original non-TITE	2	5.1	1.1	0.4	0	-
U3 - TITE, 56-day accrual	3.2	4.2	1	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1422.9
U2 - TITE, 56-day accrual						1231
U3 - Original non-TITE						1414
U3 - TITE, 56-day accrual						1208.6
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	10.2	10.5	10.6	13.5	55.1	0.1
U2 - TITE, 56-day accrual	5.7	8.8	10.5	13.8	60.2	1
U3 - Original non-TITE	14.5	14.2	11.2	11.1	48.9	0.1
U3 - TITE, 56-day accrual	4.9	8.6	12.1	15.4	58.2	0.8
Mean administrations						
U2 - Original non-TITE	3.5	3.9	5.3	6.6	10.7	-
U2 - TITE, 56-day accrual	3.3	3.9	4.9	6.9	10.8	-
U3 - Original non-TITE	3.6	4	5.4	6.8	10.3	-
U3 - TITE, 56-day accrual	3.7	4.2	5.1	6.9	9.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	3.2	1.2	3.3	2.8	-
U2 - TITE, 56-day accrual	1.1	2	2	2.7	2.9	-
U3 - Original non-TITE	0.3	3.2	1.2	3.4	2.6	-
U3 - TITE, 56-day accrual	1.2	2.1	2.1	2.7	2.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1318.5
U2 - TITE, 56-day accrual						1171.9
U3 - Original non-TITE						1316
U3 - TITE, 56-day accrual						1157.1

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	13.6	54	20.2	2	0	10.2
U2 - TITE, 56-day accrual	8.5	45.5	20.1	2.4	0.1	23.4
U3 - Original non-TITE	15.5	51.8	20	2.1	0	10.6
U3 - TITE, 56-day accrual	8.1	44.4	21.2	2.8	0.1	23.4
Mean administrations						
U2 - Original non-TITE	7.2	11.8	6.8	2.4	0.4	-
U2 - TITE, 56-day accrual	6.6	11.2	6.3	2.2	0.3	-
U3 - Original non-TITE	7.4	12	6.5	2.3	0.4	-
U3 - TITE, 56-day accrual	7.2	12	5.5	1.7	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	5.5	1.6	0.9	0.1	-
U2 - TITE, 56-day accrual	2.3	4	1.9	0.6	0.1	-
U3 - Original non-TITE	1.5	5.6	1.5	0.9	0.1	-
U3 - TITE, 56-day accrual	2.5	4.3	1.6	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1288.4
U2 - TITE, 56-day accrual						1034.8
U3 - Original non-TITE						1283.6
U3 - TITE, 56-day accrual						1019.2
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	10.6	44.1	29.1	12.4	1.8	2
U2 - TITE, 56-day accrual	6.6	40.4	29.5	13.6	2.1	7.8
U3 - Original non-TITE	14.3	48.8	24	9.5	1.6	1.8
U3 - TITE, 56-day accrual	4.9	35	35.5	14.2	2.9	7.5
Mean administrations						
U2 - Original non-TITE	4.6	9.3	8.3	5.5	2.1	-
U2 - TITE, 56-day accrual	4.3	9.4	8	5.4	1.8	-
U3 - Original non-TITE	4.7	9.8	8.1	5.3	1.9	-
U3 - TITE, 56-day accrual	4.9	10.5	7.4	4.6	1.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	5	2.2	2.2	0.6	-
U2 - TITE, 56-day accrual	1.4	3.8	2.7	1.7	0.5	-
U3 - Original non-TITE	0.7	5.2	2.1	2.1	0.6	-
U3 - TITE, 56-day accrual	1.7	4.3	2.5	1.5	0.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1293.5
U2 - TITE, 56-day accrual						1102.8
U3 - Original non-TITE						1290.2
U3 - TITE, 56-day accrual						1076.1

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	60.8	2.2	0	0	0	37
U2 - TITE, 56-day accrual	58.8	0.7	0.1	0	0	40.4
U3 - Original non-TITE	60.8	1.9	0	0	0	37.3
U3 - TITE, 56-day accrual	59.3	0.9	0.1	0	0	39.7
Mean administrations						
U2 - Original non-TITE	20.3	2.8	0.3	0	0	-
U2 - TITE, 56-day accrual	20.1	2.9	0.2	0	0	-
U3 - Original non-TITE	20.5	2.7	0.2	0	0	-
U3 - TITE, 56-day accrual	20.5	2.6	0.1	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.9	1.1	0.1	0	0	-
U2 - TITE, 56-day accrual	4.3	0.7	0.1	0	0	-
U3 - Original non-TITE	3.9	1.1	0	0	0	-
U3 - TITE, 56-day accrual	4.4	0.6	0	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1194.2
U2 - TITE, 56-day accrual						1024.3
U3 - Original non-TITE						1194.9
U3 - TITE, 56-day accrual						1030.7
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	16.7	56.6	13.5	3.8	0	9.4
U2 - TITE, 56-day accrual	9.8	45.2	15.7	3.7	0	25.6
U3 - Original non-TITE	18.7	56.5	11.6	3.6	0	9.6
U3 - TITE, 56-day accrual	8.3	45.7	17.8	2.8	0	25.4
Mean administrations						
U2 - Original non-TITE	7.8	12.6	6	2.4	0.2	-
U2 - TITE, 56-day accrual	7	11.7	5.5	2.2	0.2	-
U3 - Original non-TITE	8.2	12.6	5.8	2.3	0.2	-
U3 - TITE, 56-day accrual	7.5	12.3	4.9	1.9	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	6	1.3	0.9	0.1	-
U2 - TITE, 56-day accrual	2.5	4.3	1.6	0.5	0	-
U3 - Original non-TITE	1.9	6	1.3	0.9	0.1	-
U3 - TITE, 56-day accrual	2.7	4.6	1.4	0.5	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1294.9
U2 - TITE, 56-day accrual						1025.3
U3 - Original non-TITE						1291.2
U3 - TITE, 56-day accrual						1010.5

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	8.1	2	0.2	0	0	89.7
U2 - TITE, 56-day accrual	3.1	0.8	0.3	0	0	95.8
U3 - Original non-TITE	8.1	1.7	0.2	0	0	90
U3 - TITE, 56-day accrual	2.9	1.2	0.3	0	0	95.6
Mean administrations						
U2 - Original non-TITE	11.5	4.4	0.6	0.1	0	-
U2 - TITE, 56-day accrual	8.6	3.9	0.6	0.1	0	-
U3 - Original non-TITE	11.4	4.4	0.6	0.1	0	-
U3 - TITE, 56-day accrual	8.6	3.9	0.6	0.1	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3	2.5	0.1	0	0	-
U2 - TITE, 56-day accrual	2.7	1.3	0.2	0	0	-
U3 - Original non-TITE	3	2.5	0.1	0	0	-
U3 - TITE, 56-day accrual	2.7	1.3	0.2	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						724.8
U2 - TITE, 56-day accrual						511
U3 - Original non-TITE						722.7
U3 - TITE, 56-day accrual						508.7
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	2.8	1.4	3.8	56.4	35.6	0
U2 - TITE, 56-day accrual	0.8	0.7	3	54.7	40.8	0
U3 - Original non-TITE	4.8	2.8	4.6	59.1	28.7	0
U3 - TITE, 56-day accrual	0.7	1	3.5	60.1	34.7	0
Mean administrations						
U2 - Original non-TITE	3.1	3.1	3.9	12.3	7.5	-
U2 - TITE, 56-day accrual	3.1	3.2	4	12.4	7.4	-
U3 - Original non-TITE	3.1	3.1	4.1	13	6.6	-
U3 - TITE, 56-day accrual	3.2	3.3	4.2	13.1	6.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0	2.9	0.6	4.7	2.1	-
U2 - TITE, 56-day accrual	0.9	1.7	1.6	4	2.1	-
U3 - Original non-TITE	0	2.9	0.6	5	1.8	-
U3 - TITE, 56-day accrual	1	1.7	1.7	4.2	1.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1337.2
U2 - TITE, 56-day accrual						1217.4
U3 - Original non-TITE						1332.7
U3 - TITE, 56-day accrual						1210.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	26.8	29.1	36.9	5.6	0.1	1.5
U2 - TITE, 56-day accrual	22.5	27	37.6	6.5	0.2	6.2
U3 - Original non-TITE	34.2	29.3	30.2	4.9	0	1.4
U3 - TITE, 56-day accrual	22.4	25.3	38.8	7.8	0.1	5.6
Mean administrations						
U2 - Original non-TITE	7.7	9.1	9.6	3	0.4	-
U2 - TITE, 56-day accrual	8.1	9	8.7	2.7	0.4	-
U3 - Original non-TITE	8.4	9.3	9.1	2.7	0.3	-
U3 - TITE, 56-day accrual	9.5	9.2	7.9	2.3	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.8	4.2	2.4	1.1	0.1	-
U2 - TITE, 56-day accrual	2.9	3.4	2.5	0.7	0.1	-
U3 - Original non-TITE	2.1	4.3	2.2	1	0.1	-
U3 - TITE, 56-day accrual	3.4	3.5	2.2	0.5	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1361.2
U2 - TITE, 56-day accrual						1141.7
U3 - Original non-TITE						1353.2
U3 - TITE, 56-day accrual						1118.1
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	19.7	30.8	34.8	5.8	0.1	8.8
U2 - TITE, 56-day accrual	12.5	24.5	32.7	6.9	0.1	23.3
U3 - Original non-TITE	21.3	33	31	5.3	0.1	9.3
U3 - TITE, 56-day accrual	11.5	23.6	32.6	8.4	0.1	23.8
Mean administrations						
U2 - Original non-TITE	8	8.6	8.5	3.2	0.4	-
U2 - TITE, 56-day accrual	7.1	8.1	7.8	3	0.4	-
U3 - Original non-TITE	8.2	8.8	8.4	3.1	0.4	-
U3 - TITE, 56-day accrual	7.6	8.5	7.2	2.6	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	4.4	2	1.2	0.1	-
U2 - TITE, 56-day accrual	2.5	3.2	2.4	0.8	0.1	-
U3 - Original non-TITE	2	4.5	2	1.2	0.1	-
U3 - TITE, 56-day accrual	2.7	3.4	2.2	0.7	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1293.5
U2 - TITE, 56-day accrual						1024.2
U3 - Original non-TITE						1288.8
U3 - TITE, 56-day accrual						1006.4

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	14.3	22	48.4	9.9	0.7	4.7
U2 - TITE, 56-day accrual	9.1	20.1	47.1	9.8	0.6	13.3
U3 - Original non-TITE	16.9	23.9	45.1	8.8	0.9	4.4
U3 - TITE, 56-day accrual	8.1	21	47.5	10.7	0.4	12.3
Mean administrations						
U2 - Original non-TITE	6.2	7.6	10.5	4.2	0.9	-
U2 - TITE, 56-day accrual	5.7	7.5	9.6	4.2	0.8	-
U3 - Original non-TITE	6.4	7.7	10.5	4	0.8	-
U3 - TITE, 56-day accrual	6.4	8.2	9.2	3.5	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	1.2	4.1	2.6	1.5	0.2	-
U2 - TITE, 56-day accrual	2	3	2.9	1.1	0.2	-
U3 - Original non-TITE	1.3	4.1	2.7	1.4	0.2	-
U3 - TITE, 56-day accrual	2.3	3.3	2.8	0.9	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1329.5
U2 - TITE, 56-day accrual						1095.6
U3 - Original non-TITE						1321.3
U3 - TITE, 56-day accrual						1083.5
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	11.3	46.5	6.1	0.6	0	35.5
U2 - TITE, 56-day accrual	6	35.6	8.5	0.7	0	49.2
U3 - Original non-TITE	11.6	44.8	6.3	0.6	0	36.7
U3 - TITE, 56-day accrual	5.1	35	9.5	0.8	0	49.6
Mean administrations						
U2 - Original non-TITE	8.5	11.2	4.2	1.4	0.2	-
U2 - TITE, 56-day accrual	7.2	9.9	3.8	1.1	0.1	-
U3 - Original non-TITE	8.6	11.3	4.1	1.3	0.2	-
U3 - TITE, 56-day accrual	7.5	10.3	3.4	0.9	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.8	5.1	1	0.5	0.1	-
U2 - TITE, 56-day accrual	2.4	3.5	1.1	0.3	0	-
U3 - Original non-TITE	1.9	5.1	0.9	0.5	0	-
U3 - TITE, 56-day accrual	2.5	3.6	1	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1145.4
U2 - TITE, 56-day accrual						860.9
U3 - Original non-TITE						1144.3
U3 - TITE, 56-day accrual						847.4

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	60.3	31.7	5	0.2	0	2.8
U2 - TITE, 56-day accrual	57.5	31.1	5.9	0.1	0	5.4
U3 - Original non-TITE	64.8	29.5	2.5	0.2	0	3
U3 - TITE, 56-day accrual	60.7	30.1	4	0.1	0	5.1
Mean administrations						
U2 - Original non-TITE	16.5	9.5	2.9	0.6	0	-
U2 - TITE, 56-day accrual	17	9	2.6	0.5	0	-
U3 - Original non-TITE	17.4	9.1	2.3	0.5	0	-
U3 - TITE, 56-day accrual	19	8.3	1.6	0.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.1	3.4	0.7	0.2	0	-
U2 - TITE, 56-day accrual	5	2.8	0.7	0.1	0	-
U3 - Original non-TITE	4.4	3.3	0.6	0.2	0	-
U3 - TITE, 56-day accrual	5.6	2.5	0.4	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1402.4
U2 - TITE, 56-day accrual						1183.5
U3 - Original non-TITE						1398.4
U3 - TITE, 56-day accrual						1173.5
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	18.7	13.3	14	40.5	13.5	0
U2 - TITE, 56-day accrual	11.5	11.4	12.6	47.3	15	2.2
U3 - Original non-TITE	24.3	15.2	12.9	37	10.6	0
U3 - TITE, 56-day accrual	11.9	10.6	15.2	47.2	12.8	2.3
Mean administrations						
U2 - Original non-TITE	4.4	4.8	6.3	10	4.5	-
U2 - TITE, 56-day accrual	4.2	4.8	5.9	10.1	4.4	-
U3 - Original non-TITE	4.6	5	6.4	10	4	-
U3 - TITE, 56-day accrual	5	5.5	5.7	9.7	3.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.2	1.5	3.5	1.2	-
U2 - TITE, 56-day accrual	1.4	2.2	2.3	3.1	1.1	-
U3 - Original non-TITE	0.7	3.4	1.5	3.6	1.1	-
U3 - TITE, 56-day accrual	1.7	2.5	2.2	3	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1336.2
U2 - TITE, 56-day accrual						1172
U3 - Original non-TITE						1330.1
U3 - TITE, 56-day accrual						1150.9

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	4.6	34.6	29.8	25.4	5.6	0
U2 - TITE, 56-day accrual	2.9	34.6	30.7	24.2	7.4	0.2
U3 - Original non-TITE	6.6	39.9	26.7	23.3	3.5	0
U3 - TITE, 56-day accrual	3	40	32	20.9	3.9	0.2
Mean administrations						
U2 - Original non-TITE	3.9	10.7	7.7	5.8	2	-
U2 - TITE, 56-day accrual	3.8	11.1	7.8	5.4	1.9	-
U3 - Original non-TITE	4	11.6	7.4	5.5	1.5	-
U3 - TITE, 56-day accrual	4.3	12.8	7.4	4.3	1.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	4.4	2.2	1.8	0.5	-
U2 - TITE, 56-day accrual	1.1	3.7	2.4	1.5	0.4	-
U3 - Original non-TITE	0.4	4.8	2	1.7	0.4	-
U3 - TITE, 56-day accrual	1.4	4.3	2.3	1.2	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1390.4
U2 - TITE, 56-day accrual						1237.4
U3 - Original non-TITE						1384.7
U3 - TITE, 56-day accrual						1217.9
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	16.2	13.9	33.3	25	11.6	0
U2 - TITE, 56-day accrual	9	11.6	32.1	29.7	17.1	0.5
U3 - Original non-TITE	21	16.3	31.8	22.4	8.5	0
U3 - TITE, 56-day accrual	8.4	11.3	30.8	31	18	0.5
Mean administrations						
U2 - Original non-TITE	3.5	4.3	8.3	8.5	5.3	-
U2 - TITE, 56-day accrual	3.4	4.4	8.4	8.8	4.8	-
U3 - Original non-TITE	3.7	4.5	8.6	8.4	4.8	-
U3 - TITE, 56-day accrual	3.7	4.8	8.8	8.6	3.9	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	3.2	2.2	3.5	1.6	-
U2 - TITE, 56-day accrual	1.1	2.1	3.1	3	1.6	-
U3 - Original non-TITE	0.3	3.3	2.3	3.5	1.4	-
U3 - TITE, 56-day accrual	1.2	2.3	3.3	3	1.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1306.8
U2 - TITE, 56-day accrual						1157.9
U3 - Original non-TITE						1304.1
U3 - TITE, 56-day accrual						1140.1

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	10.5	5.4	12.3	40.6	31.2	0
U2 - TITE, 56-day accrual	4	4.9	9.4	48.3	33.1	0.3
U3 - Original non-TITE	16	7.9	11.1	40.4	24.6	0
U3 - TITE, 56-day accrual	4	5	9.4	52.1	29.3	0.2
Mean administrations						
U2 - Original non-TITE	3.3	3.6	5.6	10.3	7.2	-
U2 - TITE, 56-day accrual	3.2	3.6	5.6	10.7	6.8	-
U3 - Original non-TITE	3.4	3.7	5.9	10.7	6.3	-
U3 - TITE, 56-day accrual	3.5	3.9	5.9	10.9	5.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	3.1	1	4.1	1.8	-
U2 - TITE, 56-day accrual	1	1.9	2.2	3.3	1.8	-
U3 - Original non-TITE	0.2	3.1	1.1	4.2	1.5	-
U3 - TITE, 56-day accrual	1.1	2	2.3	3.4	1.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1341.8
U2 - TITE, 56-day accrual						1201.7
U3 - Original non-TITE						1336.7
U3 - TITE, 56-day accrual						1186.9
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	14.9	11.7	44.5	19.9	5.8	3.2
U2 - TITE, 56-day accrual	8.5	10.4	42.6	21.6	6.9	10
U3 - Original non-TITE	19.7	14.8	40.3	18.7	4	2.5
U3 - TITE, 56-day accrual	6.7	9	45.2	22.1	7.1	9.9
Mean administrations						
U2 - Original non-TITE	4.8	6.1	9.6	6.3	2.8	-
U2 - TITE, 56-day accrual	4.4	5.7	9.2	6.4	2.6	-
U3 - Original non-TITE	5.1	6.2	9.7	6.2	2.6	-
U3 - TITE, 56-day accrual	5	6.2	9.2	5.8	2.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.8	3.9	2.4	2.4	0.8	-
U2 - TITE, 56-day accrual	1.5	2.6	3.1	2	0.8	-
U3 - Original non-TITE	0.9	4	2.4	2.4	0.7	-
U3 - TITE, 56-day accrual	1.8	2.8	3.1	1.8	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1302.5
U2 - TITE, 56-day accrual						1087.6
U3 - Original non-TITE						1302.7
U3 - TITE, 56-day accrual						1071

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	8.5	39.4	33	15	4.1	0
U2 - TITE, 56-day accrual	5.3	38.8	34.4	17.6	3.5	0.4
U3 - Original non-TITE	12.7	45.5	26.9	12.5	2.3	0.1
U3 - TITE, 56-day accrual	6.4	46	33.6	11.5	2.1	0.4
Mean administrations						
U2 - Original non-TITE	4.3	11.3	8.4	4.4	1.5	-
U2 - TITE, 56-day accrual	4.3	11.5	8.7	4.3	1.1	-
U3 - Original non-TITE	4.5	12	8.2	4.1	1.3	-
U3 - TITE, 56-day accrual	5	13.4	7.7	3.1	0.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	4.7	2.1	1.4	0.4	-
U2 - TITE, 56-day accrual	1.3	3.9	2.5	1.2	0.3	-
U3 - Original non-TITE	0.6	5	2	1.3	0.3	-
U3 - TITE, 56-day accrual	1.7	4.6	2.2	0.8	0.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1396.2
U2 - TITE, 56-day accrual						1229.3
U3 - Original non-TITE						1391
U3 - TITE, 56-day accrual						1208.4
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	13.1	37.6	19	8.1	2.5	19.7
U2 - TITE, 56-day accrual	7	29.6	17.6	8.1	2.6	35.1
U3 - Original non-TITE	16.5	40	14.9	6.5	1.7	20.4
U3 - TITE, 56-day accrual	5.4	31.3	16.8	8.6	2.1	35.8
Mean administrations						
U2 - Original non-TITE	7.2	9.3	5.8	3.7	1.5	-
U2 - TITE, 56-day accrual	6.3	8.3	5.3	3.5	1.3	-
U3 - Original non-TITE	7.5	9.4	5.5	3.6	1.4	-
U3 - TITE, 56-day accrual	6.7	9	4.8	3.1	0.9	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	4.9	1.4	1.5	0.4	-
U2 - TITE, 56-day accrual	2.2	3.2	1.8	1.1	0.4	-
U3 - Original non-TITE	1.6	5	1.3	1.5	0.4	-
U3 - TITE, 56-day accrual	2.3	3.5	1.7	1	0.3	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1192.1
U2 - TITE, 56-day accrual						931.1
U3 - Original non-TITE						1190.2
U3 - TITE, 56-day accrual						915.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	16	45.9	17.2	3.4	0.3	17.2
U2 - TITE, 56-day accrual	9	38.2	17.8	3.7	0.7	30.6
U3 - Original non-TITE	18.6	46.3	14.7	2.5	0.2	17.7
U3 - TITE, 56-day accrual	6.1	38.4	20.9	4.1	1.1	29.4
Mean administrations						
U2 - Original non-TITE	7.4	10.6	5.9	3.3	1	-
U2 - TITE, 56-day accrual	6.5	9.7	5.5	2.9	1	-
U3 - Original non-TITE	7.8	10.5	5.8	3.2	1	-
U3 - TITE, 56-day accrual	6.9	10.4	4.8	2.5	0.8	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	5.6	1.4	1.4	0.3	-
U2 - TITE, 56-day accrual	2.3	3.7	1.9	0.9	0.3	-
U3 - Original non-TITE	1.7	5.6	1.3	1.4	0.3	-
U3 - TITE, 56-day accrual	2.5	4.1	1.6	0.8	0.3	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1222.5
U2 - TITE, 56-day accrual						965.2
U3 - Original non-TITE						1218.7
U3 - TITE, 56-day accrual						951.2