

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	15.2	6	1.3	0.3	0	77.2
U2 - TITE, 56-day accrual	4.7	6.6	3.3	0.5	0	84.9
U3 - Original non-TITE	17.5	5.2	0.9	0.1	0	76.3
U3 - TITE, 56-day accrual	4.9	7.7	3.3	0.5	0	83.6
Mean administrations						
U2 - Original non-TITE	11.3	3.5	1.9	0.6	0.1	-
U2 - TITE, 56-day accrual	8.7	3.3	1.4	0.5	0.1	-
U3 - Original non-TITE	11.3	3.5	1.9	0.7	0.1	-
U3 - TITE, 56-day accrual	8.8	3.3	1.4	0.5	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	3.3	1.9	0.5	0.3	0.1	-
U2 - TITE, 56-day accrual	2.9	1.4	0.5	0.2	0	-
U3 - Original non-TITE	3.3	1.9	0.5	0.4	0.1	-
U3 - TITE, 56-day accrual	2.9	1.4	0.5	0.2	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						757
U2 - TITE, 56-day accrual						516.9
U3 - Original non-TITE						757.2
U3 - TITE, 56-day accrual						519
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	30.2	18.4	33.8	9.9	2.4	5.3
U2 - TITE, 56-day accrual	22.2	19.7	34.2	10.3	1.7	11.9
U3 - Original non-TITE	33.6	19.5	31.7	8.4	1.6	5.2
U3 - TITE, 56-day accrual	22.2	19.3	33.6	11.4	1.6	11.9
Mean administrations						
U2 - Original non-TITE	10.6	5.7	7.5	3.5	1.7	-
U2 - TITE, 56-day accrual	11.1	6.1	7	2.6	0.9	-
U3 - Original non-TITE	10.6	5.7	7.5	3.5	1.7	-
U3 - TITE, 56-day accrual	11.1	6.2	7	2.6	0.9	-
Mean IPDE administrations						
U2 - Original non-TITE	3	2.9	1.8	1	0.4	-
U2 - TITE, 56-day accrual	3.9	2.4	1.9	0.7	0.2	-
U3 - Original non-TITE	3	2.9	1.8	1	0.4	-
U3 - TITE, 56-day accrual	3.9	2.4	1.9	0.7	0.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1334.7
U2 - TITE, 56-day accrual						1088.2
U3 - Original non-TITE						1335.1
U3 - TITE, 56-day accrual						1084.2

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	12.9	43.9	19.9	6.9	2	14.4
U2 - TITE, 56-day accrual	4.6	41.3	23.5	7.9	1.4	21.3
U3 - Original non-TITE	15.4	46	17.6	6	0.6	14.4
U3 - TITE, 56-day accrual	5.5	39.8	23.3	8.9	1.4	21.1
Mean administrations						
U2 - Original non-TITE	8.4	8	6.2	3.1	1.7	-
U2 - TITE, 56-day accrual	7.5	9.8	5.5	2.1	0.8	-
U3 - Original non-TITE	8.4	8	6.2	3.2	1.7	-
U3 - TITE, 56-day accrual	7.4	9.7	5.6	2.2	0.8	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	3.7	1.4	1.1	0.5	-
U2 - TITE, 56-day accrual	2.7	3.4	1.6	0.6	0.2	-
U3 - Original non-TITE	2.2	3.7	1.4	1.1	0.5	-
U3 - TITE, 56-day accrual	2.6	3.4	1.6	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1239.1
U2 - TITE, 56-day accrual						1002.9
U3 - Original non-TITE						1239
U3 - TITE, 56-day accrual						1005.7
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	7.5	8.5	21.7	42.3	15.9	4.1
U2 - TITE, 56-day accrual	3.1	7.9	25.3	37.8	17.9	8
U3 - Original non-TITE	10.5	10	20.3	41.9	13	4.3
U3 - TITE, 56-day accrual	2.5	8	26.5	38.9	16.6	7.5
Mean administrations						
U2 - Original non-TITE	4.4	4.2	6.9	8	5.8	-
U2 - TITE, 56-day accrual	4.9	5.3	6.7	7.1	3.9	-
U3 - Original non-TITE	4.3	4.2	6.9	8.1	5.8	-
U3 - TITE, 56-day accrual	4.9	5.3	6.7	7.1	3.9	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.1	1.7	2.9	1.3	-
U2 - TITE, 56-day accrual	1.8	2.5	2.5	2	0.9	-
U3 - Original non-TITE	0.6	3.1	1.6	2.9	1.3	-
U3 - TITE, 56-day accrual	1.7	2.5	2.5	2	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1327.1
U2 - TITE, 56-day accrual						1094.7
U3 - Original non-TITE						1329.6
U3 - TITE, 56-day accrual						1094.2

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	4.4	34	26.4	20.9	7.9	6.4
U2 - TITE, 56-day accrual	0.8	27.9	29.8	21.7	12.7	7.1
U3 - Original non-TITE	7.5	40.7	24.1	16.7	4.7	6.3
U3 - TITE, 56-day accrual	1	28.6	29.2	22.1	12.1	7
Mean administrations						
U2 - Original non-TITE	4.7	6.6	6.8	5.6	5.2	-
U2 - TITE, 56-day accrual	5	9.6	6.8	4.2	2.5	-
U3 - Original non-TITE	4.7	6.7	6.8	5.6	5.1	-
U3 - TITE, 56-day accrual	5	9.7	6.8	4.2	2.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	3.9	1.7	2.4	1.7	-
U2 - TITE, 56-day accrual	1.8	3.9	2.4	1.5	0.8	-
U3 - Original non-TITE	0.7	3.9	1.7	2.4	1.7	-
U3 - TITE, 56-day accrual	1.8	4	2.4	1.5	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1241.3
U2 - TITE, 56-day accrual						1050.9
U3 - Original non-TITE						1241.7
U3 - TITE, 56-day accrual						1053.7
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	66.5	12.3	2.9	0.9	0	17.4
U2 - TITE, 56-day accrual	56.7	16.2	4.8	1	0.2	21.1
U3 - Original non-TITE	68.5	11.6	2	0.5	0	17.4
U3 - TITE, 56-day accrual	56.5	16.8	4.6	0.8	0.2	21.1
Mean administrations						
U2 - Original non-TITE	19	4.1	2.3	0.9	0.3	-
U2 - TITE, 56-day accrual	18.6	4.8	2	0.6	0.1	-
U3 - Original non-TITE	19.1	4.1	2.3	0.9	0.3	-
U3 - TITE, 56-day accrual	18.6	4.8	1.9	0.6	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	5.3	1.7	0.6	0.3	0.1	-
U2 - TITE, 56-day accrual	5.6	1.6	0.6	0.2	0	-
U3 - Original non-TITE	5.3	1.7	0.6	0.3	0.1	-
U3 - TITE, 56-day accrual	5.7	1.6	0.5	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1248.1
U2 - TITE, 56-day accrual						1032.2
U3 - Original non-TITE						1248.3
U3 - TITE, 56-day accrual						1029

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	21.9	37.8	22.1	9.3	3	5.9
U2 - TITE, 56-day accrual	15	37.9	24	10.2	1.9	11
U3 - Original non-TITE	22.9	41.8	18.5	8.9	2	5.9
U3 - TITE, 56-day accrual	15.2	37	24.9	9.6	2.3	11
Mean administrations						
U2 - Original non-TITE	10	7.3	5.8	3.7	2.1	-
U2 - TITE, 56-day accrual	9.4	9.8	5.3	2.3	1	-
U3 - Original non-TITE	10	7.3	5.9	3.6	2	-
U3 - TITE, 56-day accrual	9.4	9.7	5.3	2.4	1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.8	3.1	1.2	1.1	0.6	-
U2 - TITE, 56-day accrual	3.2	3	1.5	0.6	0.2	-
U3 - Original non-TITE	2.7	3.1	1.2	1.1	0.5	-
U3 - TITE, 56-day accrual	3.2	3	1.4	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1344.6
U2 - TITE, 56-day accrual						1115.1
U3 - Original non-TITE						1345
U3 - TITE, 56-day accrual						1112.8
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	31.1	6.6	2.4	0.2	0	59.7
U2 - TITE, 56-day accrual	15.5	8.4	3.4	0.6	0.1	72
U3 - Original non-TITE	32.4	6.3	1.3	0.3	0	59.7
U3 - TITE, 56-day accrual	15.8	9.2	3.2	0.4	0.1	71.3
Mean administrations						
U2 - Original non-TITE	14.1	3.5	1.7	0.6	0.1	-
U2 - TITE, 56-day accrual	10.9	3.7	1.7	0.4	0.1	-
U3 - Original non-TITE	14.1	3.6	1.8	0.6	0.1	-
U3 - TITE, 56-day accrual	11	3.7	1.7	0.4	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	4.2	1.8	0.4	0.3	0	-
U2 - TITE, 56-day accrual	3.6	1.4	0.5	0.1	0	-
U3 - Original non-TITE	4.2	1.8	0.4	0.2	0	-
U3 - TITE, 56-day accrual	3.6	1.4	0.5	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						891.3
U2 - TITE, 56-day accrual						638.3
U3 - Original non-TITE						890.8
U3 - TITE, 56-day accrual						634.2

Fixed priors: toxicity Beta(0.15, 0.85); efficacy Beta(0.5, 0.5); efficacy additive discount Beta(0.15, 0.85).
Non-TITE: IPDE-first enrollment, efficacy threshold = 0.20, futility cutoff = 0.85. TITE: shared previous-dose additive efficacy model, min. efficacy n = 3.

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	13.4	9.6	18.9	14.2	18.4	25.5
U2 - TITE, 56-day accrual	3.6	11.8	21.4	13.3	16.1	33.8
U3 - Original non-TITE	18.9	11.5	16.6	10.8	16.7	25.5
U3 - TITE, 56-day accrual	3.7	12	23	13.4	15.3	32.6
Mean administrations						
U2 - Original non-TITE	7.2	4.7	5.4	4.1	4.1	-
U2 - TITE, 56-day accrual	6.9	5.1	5.2	3	2.6	-
U3 - Original non-TITE	7.3	4.7	5.4	4.1	4.2	-
U3 - TITE, 56-day accrual	6.9	4.9	5.4	2.9	2.7	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	3	1.6	1.8	1.2	-
U2 - TITE, 56-day accrual	2.5	2.3	2	1.1	0.7	-
U3 - Original non-TITE	1.9	3	1.6	1.8	1.2	-
U3 - TITE, 56-day accrual	2.5	2.3	2.1	1.1	0.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1101.7
U2 - TITE, 56-day accrual						846.1
U3 - Original non-TITE						1100.1
U3 - TITE, 56-day accrual						846.7
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	8.8	28.8	12.2	4	0.6	45.6
U2 - TITE, 56-day accrual	4.8	29.8	13	3.3	0.6	48.5
U3 - Original non-TITE	9.1	29.9	10.7	4.2	0.5	45.6
U3 - TITE, 56-day accrual	5	30.1	12.9	3.2	0.7	48.1
Mean administrations						
U2 - Original non-TITE	8.6	6.3	4	2	0.8	-
U2 - TITE, 56-day accrual	7.2	8.1	3.6	1.2	0.3	-
U3 - Original non-TITE	8.6	6.2	4	1.9	0.8	-
U3 - TITE, 56-day accrual	7.2	8.1	3.7	1.2	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	2.3	2.9	0.8	0.7	0.2	-
U2 - TITE, 56-day accrual	2.4	2.7	1	0.3	0.1	-
U3 - Original non-TITE	2.3	2.9	0.9	0.7	0.2	-
U3 - TITE, 56-day accrual	2.4	2.7	1	0.3	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						981.7
U2 - TITE, 56-day accrual						806.7
U3 - Original non-TITE						981.8
U3 - TITE, 56-day accrual						804.9

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	64.5	17.8	2.8	0.4	0	14.5
U2 - TITE, 56-day accrual	41.6	22.9	6.5	1.1	0	27.9
U3 - Original non-TITE	66	17.2	2.3	0.2	0	14.3
U3 - TITE, 56-day accrual	42.7	22.1	6.5	0.9	0	27.8
Mean administrations						
U2 - Original non-TITE	17.2	6.2	3.1	0.7	0.1	-
U2 - TITE, 56-day accrual	15.9	6.1	2.6	0.5	0.1	-
U3 - Original non-TITE	17.2	6.2	3.1	0.8	0.1	-
U3 - TITE, 56-day accrual	15.7	6.1	2.6	0.5	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	5.4	2.8	0.8	0.3	0	-
U2 - TITE, 56-day accrual	5.5	2.2	0.8	0.2	0	-
U3 - Original non-TITE	5.4	2.8	0.8	0.3	0	-
U3 - TITE, 56-day accrual	5.4	2.2	0.9	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1218.4
U2 - TITE, 56-day accrual						941
U3 - Original non-TITE						1221.7
U3 - TITE, 56-day accrual						938.8
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	13.5	14.9	12.5	36.2	17.1	5.8
U2 - TITE, 56-day accrual	4.5	14.6	18	33.4	19.5	10
U3 - Original non-TITE	22	14.3	9.2	34	14.4	6.1
U3 - TITE, 56-day accrual	4.3	14.9	18.2	33.1	19.6	9.9
Mean administrations						
U2 - Original non-TITE	4.8	4.7	5.8	7.3	6.5	-
U2 - TITE, 56-day accrual	5.3	5.6	4.9	6.5	4.7	-
U3 - Original non-TITE	4.8	4.6	5.7	7.4	6.5	-
U3 - TITE, 56-day accrual	5.2	5.5	4.9	6.7	4.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	3.3	1.4	3.1	1.3	-
U2 - TITE, 56-day accrual	1.9	2.7	2	2.1	1	-
U3 - Original non-TITE	0.9	3.2	1.4	3.1	1.3	-
U3 - TITE, 56-day accrual	1.9	2.6	2	2.1	1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1294.2
U2 - TITE, 56-day accrual						1051.8
U3 - Original non-TITE						1295.5
U3 - TITE, 56-day accrual						1053.5

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	9.5	29.6	14.3	3.4	1.1	42.1
U2 - TITE, 56-day accrual	5.3	31	12	3.8	0.9	47
U3 - Original non-TITE	11.3	30.3	12.7	3	0.5	42.2
U3 - TITE, 56-day accrual	5	30.8	12	3.7	0.7	47.8
Mean administrations						
U2 - Original non-TITE	8.5	6.4	4.4	2.1	0.8	-
U2 - TITE, 56-day accrual	7.3	8.3	3.6	1.4	0.4	-
U3 - Original non-TITE	8.5	6.3	4.5	2.1	0.8	-
U3 - TITE, 56-day accrual	7.3	8.2	3.5	1.4	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	2.3	3.1	1	0.8	0.2	-
U2 - TITE, 56-day accrual	2.5	3	1.2	0.4	0.1	-
U3 - Original non-TITE	2.3	3.1	1.1	0.8	0.2	-
U3 - TITE, 56-day accrual	2.5	3	1.1	0.4	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						990.1
U2 - TITE, 56-day accrual						798.1
U3 - Original non-TITE						990.8
U3 - TITE, 56-day accrual						795.1
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	18.6	15.8	14.5	26.7	10.4	14
U2 - TITE, 56-day accrual	3.9	16.3	22.1	26.7	11.3	19.7
U3 - Original non-TITE	26.1	16	10.3	25.3	8.3	14
U3 - TITE, 56-day accrual	4.4	16.2	22.3	26.6	9.9	20.6
Mean administrations						
U2 - Original non-TITE	6.5	5.4	5.9	6	4.1	-
U2 - TITE, 56-day accrual	6.4	6	5.3	4.8	2.8	-
U3 - Original non-TITE	6.4	5.5	5.9	6	4.2	-
U3 - TITE, 56-day accrual	6.5	6	5.2	4.7	2.8	-
Mean IPDE administrations						
U2 - Original non-TITE	1.6	3.5	1.6	2.6	1.2	-
U2 - TITE, 56-day accrual	2.4	2.7	2.1	1.7	0.8	-
U3 - Original non-TITE	1.5	3.5	1.6	2.6	1.2	-
U3 - TITE, 56-day accrual	2.4	2.7	2.1	1.7	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1188.2
U2 - TITE, 56-day accrual						937
U3 - Original non-TITE						1191
U3 - TITE, 56-day accrual						938.8

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	43.3	25.8	11.1	3.8	0.1	15.9
U2 - TITE, 56-day accrual	14.9	26.3	20.3	6.9	1.1	30.5
U3 - Original non-TITE	53.2	21.3	7.5	2.2	0.1	15.7
U3 - TITE, 56-day accrual	15.8	25.8	18.3	7.3	1.1	31.7
Mean administrations						
U2 - Original non-TITE	10.5	6.9	5.7	3.2	1.3	-
U2 - TITE, 56-day accrual	9.9	6.8	4.5	2	0.8	-
U3 - Original non-TITE	10.4	7	5.8	3.1	1.3	-
U3 - TITE, 56-day accrual	10	6.8	4.4	2	0.8	-
Mean IPDE administrations						
U2 - Original non-TITE	3.2	3.8	1.7	1.5	0.5	-
U2 - TITE, 56-day accrual	3.8	2.9	1.7	0.8	0.3	-
U3 - Original non-TITE	3.2	3.8	1.7	1.5	0.5	-
U3 - TITE, 56-day accrual	3.8	2.9	1.6	0.8	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1159.5
U2 - TITE, 56-day accrual						853.2
U3 - Original non-TITE						1158.7
U3 - TITE, 56-day accrual						850.3
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	27.1	26.4	18.1	17.4	10.9	0.1
U2 - TITE, 56-day accrual	11.7	17.4	23.4	24	23.2	0.3
U3 - Original non-TITE	34.7	29.6	16.3	13.4	5.9	0.1
U3 - TITE, 56-day accrual	9.8	18.8	22	23.7	25.4	0.3
Mean administrations						
U2 - Original non-TITE	5.8	5.6	5.6	5.7	7.2	-
U2 - TITE, 56-day accrual	8.7	7.4	5.5	4.6	3.6	-
U3 - Original non-TITE	5.7	5.6	5.6	5.8	7.2	-
U3 - TITE, 56-day accrual	8.7	7.5	5.5	4.6	3.6	-
Mean IPDE administrations						
U2 - Original non-TITE	1.2	3.5	1.6	2.9	2.6	-
U2 - TITE, 56-day accrual	3.3	3.3	2.3	1.9	1.4	-
U3 - Original non-TITE	1.2	3.4	1.6	2.9	2.6	-
U3 - TITE, 56-day accrual	3.3	3.3	2.3	1.9	1.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1254.2
U2 - TITE, 56-day accrual						1071.1
U3 - Original non-TITE						1253.6
U3 - TITE, 56-day accrual						1066.5

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	29.9	54.2	13.1	1.2	0.1	1.5
U2 - TITE, 56-day accrual	20.8	50.8	22.3	2.3	0	3.8
U3 - Original non-TITE	33.2	52	12.1	1.2	0	1.5
U3 - TITE, 56-day accrual	21.1	51.1	21.8	2.2	0	3.8
Mean administrations						
U2 - Original non-TITE	10.1	10.4	6.7	2	0.3	-
U2 - TITE, 56-day accrual	10.4	11.2	5.9	1.4	0.2	-
U3 - Original non-TITE	10	10.4	6.9	2	0.3	-
U3 - TITE, 56-day accrual	10.5	11.1	6	1.4	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.6	3.8	1.4	0.6	0.1	-
U2 - TITE, 56-day accrual	3.4	3.2	1.4	0.3	0	-
U3 - Original non-TITE	2.5	3.7	1.4	0.6	0.1	-
U3 - TITE, 56-day accrual	3.5	3.2	1.4	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1420.5
U2 - TITE, 56-day accrual						1195.2
U3 - Original non-TITE						1419.7
U3 - TITE, 56-day accrual						1195.9
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	7.1	10.5	11.3	14.5	55.7	0.9
U2 - TITE, 56-day accrual	1.7	7.6	14.2	18.1	56.9	1.5
U3 - Original non-TITE	14.9	13.2	11.2	12.3	47.6	0.8
U3 - TITE, 56-day accrual	1.7	6.5	15.3	20.1	54.9	1.5
Mean administrations						
U2 - Original non-TITE	3.7	3.8	4.7	5.5	12.1	-
U2 - TITE, 56-day accrual	4.6	5.1	5.3	5.3	8.8	-
U3 - Original non-TITE	3.7	3.9	4.7	5.6	12.1	-
U3 - TITE, 56-day accrual	4.6	5	5.3	5.3	8.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	3.1	0.9	2.9	3.1	-
U2 - TITE, 56-day accrual	1.7	2.6	2.2	2.1	2.3	-
U3 - Original non-TITE	0.3	3.1	0.9	2.9	3.1	-
U3 - TITE, 56-day accrual	1.7	2.5	2.2	2.1	2.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1314.3
U2 - TITE, 56-day accrual						1114.7
U3 - Original non-TITE						1315.8
U3 - TITE, 56-day accrual						1111.2

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	21.1	48.1	14.6	1.5	0	14.7
U2 - TITE, 56-day accrual	9.5	46.1	19.9	2.4	0	22.1
U3 - Original non-TITE	23.2	49.7	11.1	1.2	0	14.8
U3 - TITE, 56-day accrual	9.6	46.6	19.3	2.5	0	22
Mean administrations						
U2 - Original non-TITE	8.3	10.2	6.7	1.8	0.3	-
U2 - TITE, 56-day accrual	7.6	11.1	5.6	1.3	0.2	-
U3 - Original non-TITE	8.3	10.2	6.7	1.8	0.3	-
U3 - TITE, 56-day accrual	7.5	11.3	5.6	1.3	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	4.7	1.6	0.7	0.1	-
U2 - TITE, 56-day accrual	2.8	4.1	1.7	0.4	0	-
U3 - Original non-TITE	2.1	4.7	1.6	0.7	0.1	-
U3 - TITE, 56-day accrual	2.7	4.1	1.7	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1219.7
U2 - TITE, 56-day accrual						985
U3 - Original non-TITE						1219.8
U3 - TITE, 56-day accrual						989.4
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	10.5	47.1	26.8	8.2	0.5	6.9
U2 - TITE, 56-day accrual	3.9	37.9	34.9	11.1	3	9.2
U3 - Original non-TITE	15.6	49.1	21.8	6.6	0.2	6.7
U3 - TITE, 56-day accrual	3.2	36.4	37	11.9	2.6	8.9
Mean administrations						
U2 - Original non-TITE	5.2	8.8	8.4	4.4	1.9	-
U2 - TITE, 56-day accrual	5.5	10.5	7.5	3	1.2	-
U3 - Original non-TITE	5.2	8.8	8.5	4.4	1.9	-
U3 - TITE, 56-day accrual	5.5	10.3	7.6	3.1	1.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1	4.6	2.2	1.8	0.6	-
U2 - TITE, 56-day accrual	2	4.3	2.5	1	0.3	-
U3 - Original non-TITE	1	4.6	2.2	1.8	0.6	-
U3 - TITE, 56-day accrual	2	4.2	2.5	1	0.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1240.5
U2 - TITE, 56-day accrual						1027.7
U3 - Original non-TITE						1241
U3 - TITE, 56-day accrual						1030.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	56.7	0.2	0	0	0	43.1
U2 - TITE, 56-day accrual	59.5	1.7	0	0	0	38.8
U3 - Original non-TITE	56.6	0.2	0	0	0	43.2
U3 - TITE, 56-day accrual	59.9	1.9	0	0	0	38.2
Mean administrations						
U2 - Original non-TITE	20.3	1.9	0.4	0	0	-
U2 - TITE, 56-day accrual	20.8	2.3	0.4	0	0	-
U3 - Original non-TITE	20.3	1.9	0.4	0	0	-
U3 - TITE, 56-day accrual	21	2.3	0.4	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.1	0.6	0.1	0	0	-
U2 - TITE, 56-day accrual	4.5	0.5	0.1	0	0	-
U3 - Original non-TITE	4.1	0.6	0.1	0	0	-
U3 - TITE, 56-day accrual	4.6	0.5	0.1	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1150.6
U2 - TITE, 56-day accrual						1040.3
U3 - Original non-TITE						1151.1
U3 - TITE, 56-day accrual						1048.4
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	29.3	48.7	10.4	1.1	0	10.5
U2 - TITE, 56-day accrual	11.9	48.4	15.8	1.3	0.1	22.5
U3 - Original non-TITE	33	47.4	8	0.9	0	10.7
U3 - TITE, 56-day accrual	12.4	47.9	16	1.5	0	22.2
Mean administrations						
U2 - Original non-TITE	8.3	12.2	6.1	1.4	0.2	-
U2 - TITE, 56-day accrual	7.9	11.6	5.4	1.1	0.2	-
U3 - Original non-TITE	8.3	12.2	6.1	1.5	0.2	-
U3 - TITE, 56-day accrual	7.9	11.4	5.4	1.1	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	5.6	1.4	0.5	0	-
U2 - TITE, 56-day accrual	3	4.3	1.5	0.3	0	-
U3 - Original non-TITE	2.1	5.6	1.4	0.5	0	-
U3 - TITE, 56-day accrual	3	4.3	1.5	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1247.2
U2 - TITE, 56-day accrual						979.1
U3 - Original non-TITE						1245.7
U3 - TITE, 56-day accrual						977.3

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	7	2.6	0	0	0	90.4
U2 - TITE, 56-day accrual	2.6	3.1	0.4	0	0	93.9
U3 - Original non-TITE	7	2.5	0	0	0	90.5
U3 - TITE, 56-day accrual	2.6	3	0.4	0	0	94
Mean administrations						
U2 - Original non-TITE	11.9	2.3	0.4	0	0	-
U2 - TITE, 56-day accrual	9.1	2.5	0.4	0	0	-
U3 - Original non-TITE	11.9	2.3	0.4	0	0	-
U3 - TITE, 56-day accrual	9	2.5	0.4	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.4	1.4	0.1	0	0	-
U2 - TITE, 56-day accrual	3	0.9	0.1	0	0	-
U3 - Original non-TITE	3.4	1.4	0.1	0	0	-
U3 - TITE, 56-day accrual	2.9	0.9	0.1	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						635.9
U2 - TITE, 56-day accrual						448
U3 - Original non-TITE						634.8
U3 - TITE, 56-day accrual						447.2
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	1	1.6	4.4	46.8	46	0.2
U2 - TITE, 56-day accrual	0.3	1	3.8	43.7	51.2	0
U3 - Original non-TITE	2.1	3.6	5.2	49.2	39.7	0.2
U3 - TITE, 56-day accrual	0.1	0.8	4.3	43.3	51.5	0
Mean administrations						
U2 - Original non-TITE	3.2	3.2	3.7	8.4	11.5	-
U2 - TITE, 56-day accrual	3.6	3.7	4.9	10	7.7	-
U3 - Original non-TITE	3.2	3.2	3.7	8.5	11.4	-
U3 - TITE, 56-day accrual	3.6	3.7	4.8	10	7.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	2.9	0.5	3.7	2.9	-
U2 - TITE, 56-day accrual	1.2	1.9	2	3.3	2	-
U3 - Original non-TITE	0.1	2.9	0.5	3.8	2.9	-
U3 - TITE, 56-day accrual	1.2	1.9	2	3.3	2.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1345.6
U2 - TITE, 56-day accrual						1197.7
U3 - Original non-TITE						1345.9
U3 - TITE, 56-day accrual						1195.9

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	32.7	30.3	31.7	2.5	0	2.8
U2 - TITE, 56-day accrual	20.3	33.8	33.7	4.8	0.2	7.2
U3 - Original non-TITE	38.4	30.4	25.6	2.8	0	2.8
U3 - TITE, 56-day accrual	20	34.2	34.2	3.9	0.4	7.3
Mean administrations						
U2 - Original non-TITE	8.9	8.6	9	2.5	0.4	-
U2 - TITE, 56-day accrual	10.1	8.6	7.5	2	0.3	-
U3 - Original non-TITE	8.9	8.6	9	2.6	0.4	-
U3 - TITE, 56-day accrual	10	8.5	7.8	2	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	2.4	4	2.2	0.8	0.1	-
U2 - TITE, 56-day accrual	3.7	3.3	2.1	0.4	0.1	-
U3 - Original non-TITE	2.4	4	2.2	0.8	0.1	-
U3 - TITE, 56-day accrual	3.7	3.2	2.1	0.4	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1337.6
U2 - TITE, 56-day accrual						1113.5
U3 - Original non-TITE						1337.6
U3 - TITE, 56-day accrual						1111.8
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	23.7	29.9	26.6	3.6	0	16.2
U2 - TITE, 56-day accrual	10.6	30.8	26.9	4.7	0	27
U3 - Original non-TITE	27.1	28.7	24.1	3.7	0	16.4
U3 - TITE, 56-day accrual	9	31.8	27.8	4.7	0.1	26.6
Mean administrations						
U2 - Original non-TITE	9.4	7.3	7.8	2.4	0.3	-
U2 - TITE, 56-day accrual	8.6	7.7	6.1	2	0.3	-
U3 - Original non-TITE	9.4	7.3	7.8	2.4	0.3	-
U3 - TITE, 56-day accrual	8.6	7.7	6.2	2	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	2.7	3.7	1.9	0.9	0.1	-
U2 - TITE, 56-day accrual	3.1	3.1	1.9	0.4	0	-
U3 - Original non-TITE	2.6	3.7	1.9	0.9	0.1	-
U3 - TITE, 56-day accrual	3.1	3.1	1.9	0.5	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1214.9
U2 - TITE, 56-day accrual						931.6
U3 - Original non-TITE						1216
U3 - TITE, 56-day accrual						928.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	18.5	27.7	38.1	5.4	0.2	10.1
U2 - TITE, 56-day accrual	7.7	26.9	39.9	9.2	0.9	15.4
U3 - Original non-TITE	20.5	27.6	36.7	4.9	0.3	10
U3 - TITE, 56-day accrual	6.9	26.4	40.9	9.7	0.8	15.3
Mean administrations						
U2 - Original non-TITE	7.5	7	9.1	3.7	1	-
U2 - TITE, 56-day accrual	7.5	7.3	8.2	3.1	0.7	-
U3 - Original non-TITE	7.5	7.1	9	3.6	1.1	-
U3 - TITE, 56-day accrual	7.4	7.2	8.3	3.1	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	3.7	2.2	1.2	0.2	-
U2 - TITE, 56-day accrual	2.8	3	2.5	0.7	0.2	-
U3 - Original non-TITE	1.9	3.7	2.2	1.2	0.2	-
U3 - TITE, 56-day accrual	2.8	3	2.5	0.8	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1276.7
U2 - TITE, 56-day accrual						1033.6
U3 - Original non-TITE						1275.7
U3 - TITE, 56-day accrual						1029.2
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	17.7	32.4	4	0.2	0	45.7
U2 - TITE, 56-day accrual	9	33.2	6	0	0	51.8
U3 - Original non-TITE	18.6	32.7	3.2	0.1	0	45.4
U3 - TITE, 56-day accrual	8.5	33.5	5.8	0.3	0	51.9
Mean administrations						
U2 - Original non-TITE	9.1	8.4	3.9	0.6	0.1	-
U2 - TITE, 56-day accrual	7.7	9	3.5	0.5	0.1	-
U3 - Original non-TITE	9.2	8.4	3.8	0.6	0.1	-
U3 - TITE, 56-day accrual	7.7	8.9	3.4	0.5	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.5	3.7	0.9	0.3	0	-
U2 - TITE, 56-day accrual	2.7	3.2	0.9	0.1	0	-
U3 - Original non-TITE	2.5	3.7	0.9	0.3	0	-
U3 - TITE, 56-day accrual	2.7	3.1	0.9	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						982.7
U2 - TITE, 56-day accrual						797.4
U3 - Original non-TITE						986.6
U3 - TITE, 56-day accrual						794.3

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	67.3	26.3	3	0.1	0	3.3
U2 - TITE, 56-day accrual	57.7	32.4	5	0.4	0	4.5
U3 - Original non-TITE	71.1	23.4	2.1	0.1	0	3.3
U3 - TITE, 56-day accrual	57.8	31.6	5.3	0.3	0	5
Mean administrations						
U2 - Original non-TITE	17.9	7.6	3.2	0.5	0	-
U2 - TITE, 56-day accrual	18.6	7.7	2.5	0.3	0	-
U3 - Original non-TITE	17.8	7.6	3.3	0.5	0	-
U3 - TITE, 56-day accrual	18.5	7.7	2.5	0.4	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.7	2.6	0.8	0.2	0	-
U2 - TITE, 56-day accrual	5.5	2.3	0.6	0.1	0	-
U3 - Original non-TITE	4.7	2.6	0.8	0.2	0	-
U3 - TITE, 56-day accrual	5.5	2.3	0.6	0.1	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1389.4
U2 - TITE, 56-day accrual						1175.5
U3 - Original non-TITE						1389.7
U3 - TITE, 56-day accrual						1169.7
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	18.4	16.9	16.7	36.7	9.8	1.5
U2 - TITE, 56-day accrual	8.2	16.1	20.6	36.4	14.9	3.8
U3 - Original non-TITE	24.8	19	14.3	33	7.4	1.5
U3 - TITE, 56-day accrual	8.2	16	21	36.8	14.1	3.9
Mean administrations						
U2 - Original non-TITE	5	4.7	6.2	8	6	-
U2 - TITE, 56-day accrual	6.4	6	5.3	6.8	4.3	-
U3 - Original non-TITE	5	4.6	6.2	8.1	6	-
U3 - TITE, 56-day accrual	6.5	6	5.4	6.7	4.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	3.1	1.6	3	1.4	-
U2 - TITE, 56-day accrual	2.4	2.7	2.1	2.2	0.8	-
U3 - Original non-TITE	0.9	3	1.6	3	1.4	-
U3 - TITE, 56-day accrual	2.4	2.7	2.1	2.2	0.8	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1344.2
U2 - TITE, 56-day accrual						1120.6
U3 - Original non-TITE						1344.2
U3 - TITE, 56-day accrual						1118.8

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	5.4	33.4	30.3	24.4	5.9	0.6
U2 - TITE, 56-day accrual	2.8	27.1	30.5	26.6	12.2	0.8
U3 - Original non-TITE	8.7	39.6	26.6	20.7	3.8	0.6
U3 - TITE, 56-day accrual	2.5	26.5	31.3	26.5	12.4	0.8
Mean administrations						
U2 - Original non-TITE	4.1	5.4	6.4	7.8	6.1	-
U2 - TITE, 56-day accrual	5	8.9	7	5.6	3.4	-
U3 - Original non-TITE	4.1	5.4	6.5	7.9	6	-
U3 - TITE, 56-day accrual	4.9	9	7.2	5.5	3.3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	3	1.3	2.2	1.5	-
U2 - TITE, 56-day accrual	1.7	3	2.1	1.5	0.7	-
U3 - Original non-TITE	0.5	3	1.3	2.2	1.5	-
U3 - TITE, 56-day accrual	1.7	3	2.2	1.5	0.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1427.5
U2 - TITE, 56-day accrual						1231.1
U3 - Original non-TITE						1429.3
U3 - TITE, 56-day accrual						1232.4
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	10.4	14.3	35.6	29	10.4	0.3
U2 - TITE, 56-day accrual	2.1	8.1	32.9	34.3	21.8	0.8
U3 - Original non-TITE	15.2	18	35.1	25.2	6.2	0.3
U3 - TITE, 56-day accrual	2.2	7	31.3	37.1	21.3	1.1
Mean administrations						
U2 - Original non-TITE	4	4.3	7.8	7.3	6.5	-
U2 - TITE, 56-day accrual	5.1	6.2	8.1	6.4	3.8	-
U3 - Original non-TITE	4	4.3	7.7	7.3	6.5	-
U3 - TITE, 56-day accrual	5.1	6.2	8.1	6.4	3.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	3.2	2	3	2	-
U2 - TITE, 56-day accrual	1.9	2.9	3.1	2.2	1.2	-
U3 - Original non-TITE	0.5	3.2	2	3	2	-
U3 - TITE, 56-day accrual	1.9	2.9	3.1	2.2	1.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1303.2
U2 - TITE, 56-day accrual						1114.6
U3 - Original non-TITE						1303.6
U3 - TITE, 56-day accrual						1112.6

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	8.3	8	14.6	37.9	31	0.2
U2 - TITE, 56-day accrual	2.8	5.4	13.3	40.5	37.3	0.7
U3 - Original non-TITE	13.5	9	13.9	36.8	26.6	0.2
U3 - TITE, 56-day accrual	2.7	5	13.1	41.4	37.1	0.7
Mean administrations						
U2 - Original non-TITE	3.4	3.5	5.3	8.3	9.4	-
U2 - TITE, 56-day accrual	4	4.1	6.1	8.5	6.7	-
U3 - Original non-TITE	3.5	3.6	5.3	8.3	9.3	-
U3 - TITE, 56-day accrual	4	4.1	6.1	8.6	6.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	3	0.9	3.6	2.2	-
U2 - TITE, 56-day accrual	1.4	2.1	2.5	2.7	1.6	-
U3 - Original non-TITE	0.2	3	1	3.6	2.2	-
U3 - TITE, 56-day accrual	1.4	2.1	2.5	2.7	1.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1350.9
U2 - TITE, 56-day accrual						1172.5
U3 - Original non-TITE						1352.5
U3 - TITE, 56-day accrual						1169
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	13.4	16.2	44.3	16.3	3.5	6.3
U2 - TITE, 56-day accrual	4.5	13.9	47.3	16.8	6.4	11.1
U3 - Original non-TITE	19.4	17.7	39.5	14.2	2.7	6.5
U3 - TITE, 56-day accrual	4.7	15.3	46.8	16.2	6.3	10.7
Mean administrations						
U2 - Original non-TITE	5.2	5.9	9.8	5.1	3.1	-
U2 - TITE, 56-day accrual	5.5	6.1	9.6	4.4	1.8	-
U3 - Original non-TITE	5.2	5.8	9.9	5.2	3	-
U3 - TITE, 56-day accrual	5.5	6.1	9.8	4.3	1.9	-
Mean IPDE administrations						
U2 - Original non-TITE	1	3.7	2.7	1.9	0.9	-
U2 - TITE, 56-day accrual	2.1	2.8	3.2	1.4	0.5	-
U3 - Original non-TITE	1	3.6	2.7	1.9	0.9	-
U3 - TITE, 56-day accrual	2	2.8	3.3	1.4	0.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1272.5
U2 - TITE, 56-day accrual						1040.4
U3 - Original non-TITE						1272.9
U3 - TITE, 56-day accrual						1042.4

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	11	41.9	32.5	12.3	2.1	0.2
U2 - TITE, 56-day accrual	3.6	35.9	40.8	14.5	4.6	0.6
U3 - Original non-TITE	14	47.9	28.1	8.6	1.2	0.2
U3 - TITE, 56-day accrual	4.3	34.4	41.6	14.6	4.4	0.7
Mean administrations						
U2 - Original non-TITE	4.5	8.3	9.2	5	2.9	-
U2 - TITE, 56-day accrual	5.8	10.5	8.2	3.8	1.5	-
U3 - Original non-TITE	4.5	8.3	9.2	5	2.9	-
U3 - TITE, 56-day accrual	5.8	10.5	8	3.9	1.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.9	2	1.6	0.7	-
U2 - TITE, 56-day accrual	2.1	3.6	2.3	1	0.3	-
U3 - Original non-TITE	0.6	3.9	2	1.6	0.7	-
U3 - TITE, 56-day accrual	2.1	3.7	2.3	1	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1404.8
U2 - TITE, 56-day accrual						1203.6
U3 - Original non-TITE						1402.9
U3 - TITE, 56-day accrual						1198.3
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	17.5	37.1	15.6	3.7	0.8	25.3
U2 - TITE, 56-day accrual	7.2	33	18.2	5.7	1.1	34.8
U3 - Original non-TITE	21.8	36.8	11.6	3.3	0.9	25.6
U3 - TITE, 56-day accrual	7.5	33.2	17.2	5.5	1.4	35.2
Mean administrations						
U2 - Original non-TITE	7.9	8.3	5.7	2.4	1.1	-
U2 - TITE, 56-day accrual	7.1	8.8	4.8	1.7	0.7	-
U3 - Original non-TITE	7.9	8.4	5.5	2.4	1.1	-
U3 - TITE, 56-day accrual	7.1	8.9	4.8	1.7	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	2	4.3	1.5	1	0.3	-
U2 - TITE, 56-day accrual	2.6	3.4	1.6	0.6	0.2	-
U3 - Original non-TITE	2	4.3	1.4	1	0.3	-
U3 - TITE, 56-day accrual	2.6	3.4	1.6	0.5	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1096
U2 - TITE, 56-day accrual						861.7
U3 - Original non-TITE						1096.7
U3 - TITE, 56-day accrual						864.8

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	23.1	43.1	15.2	2	0.1	16.5
U2 - TITE, 56-day accrual	9.8	39.8	17.1	3.3	0.3	29.7
U3 - Original non-TITE	28.4	41.1	11.8	1.4	0	17.3
U3 - TITE, 56-day accrual	9.1	40	17.9	4.2	0.1	28.7
Mean administrations						
U2 - Original non-TITE	7.7	10.2	6.2	1.9	0.7	-
U2 - TITE, 56-day accrual	7.1	10.8	5.1	1.2	0.4	-
U3 - Original non-TITE	7.7	10.2	6.3	1.9	0.7	-
U3 - TITE, 56-day accrual	7	10.7	5.2	1.4	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	5.1	1.6	0.9	0.2	-
U2 - TITE, 56-day accrual	2.6	4.1	1.7	0.4	0.1	-
U3 - Original non-TITE	1.9	5.1	1.6	0.9	0.2	-
U3 - TITE, 56-day accrual	2.6	4.1	1.7	0.5	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1148
U2 - TITE, 56-day accrual						911.5
U3 - Original non-TITE						1147.5
U3 - TITE, 56-day accrual						912.3

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	16	9.7	1.9	0.2	0	72.2
U2 - TITE, 56-day accrual	7.6	4.1	3.1	0.8	0.2	84.2
U3 - Original non-TITE	16.3	9.1	1.3	0	0	73.3
U3 - TITE, 56-day accrual	5.2	4.3	3.4	1.2	0.3	85.6
Mean administrations						
U2 - Original non-TITE	11.2	5.6	2	1.1	0.2	-
U2 - TITE, 56-day accrual	8.3	5	1.9	1	0.2	-
U3 - Original non-TITE	11.2	5.5	2	1	0.2	-
U3 - TITE, 56-day accrual	8.6	5	1.6	0.8	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	3	3.1	0.5	0.5	0.1	-
U2 - TITE, 56-day accrual	2.7	2	0.7	0.4	0.1	-
U3 - Original non-TITE	3	3.1	0.5	0.5	0.1	-
U3 - TITE, 56-day accrual	2.8	2	0.6	0.3	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						864.2
U2 - TITE, 56-day accrual						603.7
U3 - Original non-TITE						859.2
U3 - TITE, 56-day accrual						595.4
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	22.7	21.7	39.4	11.7	1	3.5
U2 - TITE, 56-day accrual	17.7	19	40.1	12.6	0.9	9.7
U3 - Original non-TITE	27.3	22.7	36.1	9.6	0.6	3.7
U3 - TITE, 56-day accrual	17.5	22.4	39.3	10.4	0.4	10
Mean administrations						
U2 - Original non-TITE	9	7.7	9.1	3.2	0.5	-
U2 - TITE, 56-day accrual	8.4	7.6	8.9	3	0.4	-
U3 - Original non-TITE	9.5	7.8	8.7	2.9	0.4	-
U3 - TITE, 56-day accrual	9.5	8.1	8.2	2.3	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	3.6	2.3	1	0.2	-
U2 - TITE, 56-day accrual	2.9	2.8	2.5	0.8	0.1	-
U3 - Original non-TITE	2.4	3.7	2.3	0.9	0.1	-
U3 - TITE, 56-day accrual	3.3	3	2.3	0.6	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1352.8
U2 - TITE, 56-day accrual						1116
U3 - Original non-TITE						1345.6
U3 - TITE, 56-day accrual						1108.4

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	8.8	47.6	24.9	9.6	1.2	7.9
U2 - TITE, 56-day accrual	3.8	40.1	28.6	9.9	2	15.6
U3 - Original non-TITE	10.4	53	21.7	6.6	0.4	7.9
U3 - TITE, 56-day accrual	3.2	46.9	25.6	7.6	1	15.7
Mean administrations						
U2 - Original non-TITE	6.5	11.7	6.7	3.1	0.8	-
U2 - TITE, 56-day accrual	5.6	11.2	6.8	3	0.6	-
U3 - Original non-TITE	6.8	12.5	6.2	2.7	0.7	-
U3 - TITE, 56-day accrual	6.1	12.7	5.8	2.1	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	5.1	1.8	1.1	0.3	-
U2 - TITE, 56-day accrual	1.8	3.8	2	0.9	0.2	-
U3 - Original non-TITE	1.2	5.4	1.6	1	0.2	-
U3 - TITE, 56-day accrual	2	4.3	1.8	0.6	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1301.7
U2 - TITE, 56-day accrual						1073
U3 - Original non-TITE						1302.5
U3 - TITE, 56-day accrual						1059.8
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	6.5	7.3	20.6	52.5	11.9	1.2
U2 - TITE, 56-day accrual	3.5	6.2	18.7	50.1	16.6	4.9
U3 - Original non-TITE	9.3	8.9	19.2	52.1	9	1.5
U3 - TITE, 56-day accrual	3	6.6	20.2	51.5	13.2	5.5
Mean administrations						
U2 - Original non-TITE	4	4.9	7.2	10.8	3	-
U2 - TITE, 56-day accrual	3.8	4.5	6.7	10.6	3.4	-
U3 - Original non-TITE	4.2	5	7.3	10.8	2.5	-
U3 - TITE, 56-day accrual	4.4	5.1	6.8	10.1	2.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.4	3.5	1.6	3.8	0.8	-
U2 - TITE, 56-day accrual	1.3	2.2	2.5	3	0.8	-
U3 - Original non-TITE	0.5	3.6	1.6	3.8	0.6	-
U3 - TITE, 56-day accrual	1.5	2.4	2.5	2.8	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1333.6
U2 - TITE, 56-day accrual						1163.1
U3 - Original non-TITE						1331.2
U3 - TITE, 56-day accrual						1136.2

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	7.1	34.8	26.8	21.5	8.3	1.5
U2 - TITE, 56-day accrual	3.4	25.8	29.8	23.9	13.7	3.4
U3 - Original non-TITE	9.1	39.7	27.3	17.7	4.7	1.5
U3 - TITE, 56-day accrual	3	28.3	29.2	23.3	13	3.2
Mean administrations						
U2 - Original non-TITE	3.9	7.4	7.4	7.2	3.8	-
U2 - TITE, 56-day accrual	3.8	7.4	7.6	6.9	3.5	-
U3 - Original non-TITE	4.1	8.1	7.5	6.8	3.3	-
U3 - TITE, 56-day accrual	4	9.3	7.5	6.1	2.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	4.2	2.1	2.9	1.3	-
U2 - TITE, 56-day accrual	1.2	3	2.8	2.5	1.2	-
U3 - Original non-TITE	0.4	4.5	2.1	2.8	1.1	-
U3 - TITE, 56-day accrual	1.3	3.7	2.8	2.2	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1282.1
U2 - TITE, 56-day accrual						1114.4
U3 - Original non-TITE						1280.2
U3 - TITE, 56-day accrual						1095.8
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	63.9	15.6	3.1	1.1	0.2	16.1
U2 - TITE, 56-day accrual	53.8	18.2	5.4	0.8	0.5	21.3
U3 - Original non-TITE	64.4	16.3	2.2	1	0.1	16
U3 - TITE, 56-day accrual	54.3	18.3	4.6	0.9	0.2	21.7
Mean administrations						
U2 - Original non-TITE	17.7	6.2	2.2	0.9	0.2	-
U2 - TITE, 56-day accrual	16.3	6.6	2.3	0.9	0.2	-
U3 - Original non-TITE	18.2	6.2	1.9	0.8	0.2	-
U3 - TITE, 56-day accrual	17.3	6.7	1.7	0.6	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	4.5	2.6	0.6	0.3	0.1	-
U2 - TITE, 56-day accrual	4.9	2.2	0.7	0.3	0.1	-
U3 - Original non-TITE	4.7	2.6	0.5	0.3	0.1	-
U3 - TITE, 56-day accrual	5.2	2.2	0.5	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1274
U2 - TITE, 56-day accrual						1048.9
U3 - Original non-TITE						1270.7
U3 - TITE, 56-day accrual						1045

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	9.9	52.1	23.3	9.1	1.8	3.8
U2 - TITE, 56-day accrual	6.9	47.7	25.5	10.6	1.3	8
U3 - Original non-TITE	12.4	56.2	18.9	7.7	0.8	4
U3 - TITE, 56-day accrual	7.7	56.8	20.5	6.4	0.7	7.9
Mean administrations						
U2 - Original non-TITE	7.2	13.6	5.7	2.3	0.5	-
U2 - TITE, 56-day accrual	6.6	13.3	6	2.2	0.4	-
U3 - Original non-TITE	7.6	14.4	4.9	2	0.3	-
U3 - TITE, 56-day accrual	7.1	14.9	4.9	1.4	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.3	5	1.5	0.7	0.2	-
U2 - TITE, 56-day accrual	2.1	4	1.7	0.6	0.1	-
U3 - Original non-TITE	1.5	5.3	1.2	0.7	0.1	-
U3 - TITE, 56-day accrual	2.3	4.5	1.3	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1372.8
U2 - TITE, 56-day accrual						1159.6
U3 - Original non-TITE						1369.3
U3 - TITE, 56-day accrual						1145
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	27.3	9.8	2.9	0.8	0	59.2
U2 - TITE, 56-day accrual	16.4	8.6	3.2	0.7	0.1	71
U3 - Original non-TITE	27.8	10.1	1.9	0.8	0	59.4
U3 - TITE, 56-day accrual	15.1	9.3	3.2	0.5	0	71.9
Mean administrations						
U2 - Original non-TITE	13.5	5.4	2	0.8	0.1	-
U2 - TITE, 56-day accrual	10.5	5.2	1.9	0.8	0.2	-
U3 - Original non-TITE	13.6	5.4	1.9	0.8	0.1	-
U3 - TITE, 56-day accrual	10.6	5.3	1.7	0.7	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	3.7	2.8	0.5	0.4	0	-
U2 - TITE, 56-day accrual	3.4	1.9	0.6	0.3	0.1	-
U3 - Original non-TITE	3.7	2.8	0.4	0.4	0	-
U3 - TITE, 56-day accrual	3.5	1.9	0.6	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						959.5
U2 - TITE, 56-day accrual						706.8
U3 - Original non-TITE						957.6
U3 - TITE, 56-day accrual						697.3

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	14.2	13	21.7	14.7	21.3	15.1
U2 - TITE, 56-day accrual	6.2	8.2	18.5	15.7	22.9	28.5
U3 - Original non-TITE	17.7	15.7	20.5	13.6	17.1	15.4
U3 - TITE, 56-day accrual	4.6	8.7	21.7	15.8	20.1	29.1
Mean administrations						
U2 - Original non-TITE	6.3	6	6.3	5.2	4.1	-
U2 - TITE, 56-day accrual	5.6	5.2	5.7	4.9	3.9	-
U3 - Original non-TITE	6.5	6.1	6.2	5.3	3.8	-
U3 - TITE, 56-day accrual	6.3	5.6	5.5	4.5	3.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.3	3.8	1.7	2.3	1.2	-
U2 - TITE, 56-day accrual	1.9	2.3	2.2	1.8	1.1	-
U3 - Original non-TITE	1.4	3.8	1.7	2.3	1.1	-
U3 - TITE, 56-day accrual	2.2	2.5	2.1	1.6	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1194.6
U2 - TITE, 56-day accrual						950.5
U3 - Original non-TITE						1193
U3 - TITE, 56-day accrual						931.8
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	7.4	34.2	15.7	4.1	0.9	37.7
U2 - TITE, 56-day accrual	3.4	28.7	17.2	4.8	0.5	45.4
U3 - Original non-TITE	8	36.8	13.9	3.4	0.4	37.5
U3 - TITE, 56-day accrual	3.3	29.1	15.8	4	0	47.8
Mean administrations						
U2 - Original non-TITE	8.2	10	4.5	1.7	0.4	-
U2 - TITE, 56-day accrual	6.4	9.2	4.6	1.6	0.2	-
U3 - Original non-TITE	8.3	10.3	4.3	1.6	0.3	-
U3 - TITE, 56-day accrual	6.6	9.9	4.1	1.1	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	4.5	1.1	0.6	0.1	-
U2 - TITE, 56-day accrual	2	3.1	1.3	0.4	0.1	-
U3 - Original non-TITE	1.7	4.6	1	0.6	0.1	-
U3 - TITE, 56-day accrual	2.1	3.3	1.2	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1130.2
U2 - TITE, 56-day accrual						871.8
U3 - Original non-TITE						1127.2
U3 - TITE, 56-day accrual						854.5

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	58.3	22.8	3.9	0.8	0	14.2
U2 - TITE, 56-day accrual	42.4	22.3	5.4	0.5	0	29.4
U3 - Original non-TITE	61.9	21.1	2.4	0.4	0	14.2
U3 - TITE, 56-day accrual	41.2	22.5	6.7	0.6	0	29
Mean administrations						
U2 - Original non-TITE	16	7.8	3	1.1	0.1	-
U2 - TITE, 56-day accrual	13.7	7.7	3	1	0.1	-
U3 - Original non-TITE	16.4	7.6	2.8	1.1	0.1	-
U3 - TITE, 56-day accrual	14.7	7.5	2.6	0.7	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	4.6	3.8	0.7	0.5	0	-
U2 - TITE, 56-day accrual	4.7	2.8	1	0.3	0	-
U3 - Original non-TITE	4.7	3.7	0.7	0.5	0	-
U3 - TITE, 56-day accrual	5.1	2.7	0.8	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1240.6
U2 - TITE, 56-day accrual						969
U3 - Original non-TITE						1241.5
U3 - TITE, 56-day accrual						961.8
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	12.4	12.9	11.4	44.6	17.3	1.4
U2 - TITE, 56-day accrual	5.8	9	12.7	42.3	22.6	7.6
U3 - Original non-TITE	17.1	15.2	8.7	42.6	15	1.4
U3 - TITE, 56-day accrual	5.5	10.3	13.5	43.6	19.3	7.8
Mean administrations						
U2 - Original non-TITE	4.4	5.4	6	9.5	4.6	-
U2 - TITE, 56-day accrual	4.2	5.2	5.4	9.3	4.6	-
U3 - Original non-TITE	4.6	5.5	5.9	9.7	4.2	-
U3 - TITE, 56-day accrual	4.8	5.6	5.1	9.1	3.9	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.7	1.3	3.7	1.1	-
U2 - TITE, 56-day accrual	1.4	2.4	2.1	2.9	1	-
U3 - Original non-TITE	0.7	3.8	1.2	3.8	1	-
U3 - TITE, 56-day accrual	1.7	2.6	2	2.9	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1310.9
U2 - TITE, 56-day accrual						1123.5
U3 - Original non-TITE						1305.9
U3 - TITE, 56-day accrual						1104.2

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	9.6	34.9	16.5	5	0.7	33.3
U2 - TITE, 56-day accrual	4.9	26.9	17	5.7	1	44.5
U3 - Original non-TITE	11.9	36.8	13.3	3.3	0.4	34.3
U3 - TITE, 56-day accrual	4.1	27.9	17.1	4.7	0.7	45.5
Mean administrations						
U2 - Original non-TITE	8.2	9	5	2.5	0.6	-
U2 - TITE, 56-day accrual	6.6	8.4	4.7	2.2	0.6	-
U3 - Original non-TITE	8.3	9.4	4.8	2.3	0.5	-
U3 - TITE, 56-day accrual	7	9.1	4.1	1.7	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	4.5	1.3	1	0.2	-
U2 - TITE, 56-day accrual	2.1	3	1.6	0.7	0.2	-
U3 - Original non-TITE	1.8	4.6	1.2	0.9	0.1	-
U3 - TITE, 56-day accrual	2.3	3.3	1.4	0.5	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1120.4
U2 - TITE, 56-day accrual						870
U3 - Original non-TITE						1115.2
U3 - TITE, 56-day accrual						856.3
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	17.6	17.5	16.9	30.1	11.2	6.7
U2 - TITE, 56-day accrual	9.2	10.7	16.9	31.2	13.5	18.5
U3 - Original non-TITE	24.1	19.6	14.1	28	7.8	6.4
U3 - TITE, 56-day accrual	7.3	11.7	19.5	29.1	13.3	19.1
Mean administrations						
U2 - Original non-TITE	5.7	6.2	6.2	7.6	3.6	-
U2 - TITE, 56-day accrual	5.3	5.7	5.7	7.1	3.5	-
U3 - Original non-TITE	6	6.3	6.1	7.6	3.3	-
U3 - TITE, 56-day accrual	6	6.2	5.3	6.7	2.9	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	4.1	1.5	3.2	1	-
U2 - TITE, 56-day accrual	1.9	2.6	2.2	2.4	1	-
U3 - Original non-TITE	1.2	4.1	1.4	3.3	0.9	-
U3 - TITE, 56-day accrual	2.2	2.9	2.1	2.3	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1250.8
U2 - TITE, 56-day accrual						1012.7
U3 - Original non-TITE						1251
U3 - TITE, 56-day accrual						995.1

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	39.1	30.6	13.1	5.1	0.7	11.4
U2 - TITE, 56-day accrual	25.2	21.8	16	6.3	0.9	29.8
U3 - Original non-TITE	45.4	30.1	9.3	2.7	0.5	12
U3 - TITE, 56-day accrual	20.1	22.6	20.3	5.9	0.9	30.2
Mean administrations						
U2 - Original non-TITE	9.7	8.4	5.9	3.7	1.2	-
U2 - TITE, 56-day accrual	8.3	7.4	5.5	3.5	1.1	-
U3 - Original non-TITE	10.1	8.3	5.6	3.6	1.2	-
U3 - TITE, 56-day accrual	9.2	7.7	4.9	3.1	0.9	-
Mean IPDE administrations						
U2 - Original non-TITE	2.7	4.7	1.6	1.7	0.4	-
U2 - TITE, 56-day accrual	3.1	3.1	2.1	1.3	0.4	-
U3 - Original non-TITE	2.9	4.6	1.5	1.7	0.3	-
U3 - TITE, 56-day accrual	3.5	3.3	1.9	1.2	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1210.6
U2 - TITE, 56-day accrual						931.1
U3 - Original non-TITE						1208.7
U3 - TITE, 56-day accrual						923.1
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	35.8	28.2	15.1	12.6	8.3	0
U2 - TITE, 56-day accrual	27.4	27.2	17.4	14.2	13.6	0.2
U3 - Original non-TITE	40.2	29.1	14.9	10.2	5.6	0
U3 - TITE, 56-day accrual	25.1	25.7	18.2	16.4	14.4	0.2
Mean administrations						
U2 - Original non-TITE	4.6	5.2	5.9	8.2	6.1	-
U2 - TITE, 56-day accrual	4.1	5.1	6.2	8.3	6.3	-
U3 - Original non-TITE	4.9	5.5	6.1	8	5.5	-
U3 - TITE, 56-day accrual	5	5.8	6.4	7.8	4.9	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.2	1.9	3.8	2.2	-
U2 - TITE, 56-day accrual	1.3	2.2	2.6	3.4	2.4	-
U3 - Original non-TITE	0.8	3.4	2	3.7	1.9	-
U3 - TITE, 56-day accrual	1.7	2.5	2.7	3.2	1.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1258.4
U2 - TITE, 56-day accrual						1097.8
U3 - Original non-TITE						1252.8
U3 - TITE, 56-day accrual						1083

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	17.7	62.3	17.7	1.3	0	1
U2 - TITE, 56-day accrual	12.8	61.1	21.2	1.6	0	3.3
U3 - Original non-TITE	21.5	64.2	12.6	0.8	0	0.9
U3 - TITE, 56-day accrual	13.3	66.2	16.1	1	0	3.4
Mean administrations						
U2 - Original non-TITE	9	15	4.8	1	0.1	-
U2 - TITE, 56-day accrual	8.5	14.9	5.1	0.9	0.1	-
U3 - Original non-TITE	9.8	15.4	3.8	0.8	0.1	-
U3 - TITE, 56-day accrual	9.5	15.6	3.7	0.5	0	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	5.1	1.2	0.3	0	-
U2 - TITE, 56-day accrual	2.7	4.3	1.3	0.2	0	-
U3 - Original non-TITE	2.2	5.3	0.9	0.3	0	-
U3 - TITE, 56-day accrual	3.1	4.5	0.9	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1414.2
U2 - TITE, 56-day accrual						1218.1
U3 - Original non-TITE						1410.9
U3 - TITE, 56-day accrual						1200.9
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	11.4	10.3	10.7	16.7	50.8	0.1
U2 - TITE, 56-day accrual	4.9	6.8	10.2	15.9	61.3	0.9
U3 - Original non-TITE	15.2	13.7	11.3	15	44.7	0.1
U3 - TITE, 56-day accrual	4.2	7.2	11.9	17.4	58.3	1
Mean administrations						
U2 - Original non-TITE	3.4	3.9	5.2	7.2	10.2	-
U2 - TITE, 56-day accrual	3.3	4	5	6.7	10.7	-
U3 - Original non-TITE	3.5	4.1	5.3	7.4	9.6	-
U3 - TITE, 56-day accrual	3.7	4.3	5.3	6.9	9.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	3.2	1.2	3.5	2.7	-
U2 - TITE, 56-day accrual	1.1	2	2.1	2.6	2.9	-
U3 - Original non-TITE	0.2	3.3	1.2	3.5	2.5	-
U3 - TITE, 56-day accrual	1.2	2.2	2.2	2.7	2.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1314.1
U2 - TITE, 56-day accrual						1168.5
U3 - Original non-TITE						1310.4
U3 - TITE, 56-day accrual						1151.5

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	17.4	53.9	15.2	1.7	0	11.8
U2 - TITE, 56-day accrual	8.9	45.1	20.2	1.9	0	23.9
U3 - Original non-TITE	17.7	55.2	13.8	1.5	0	11.8
U3 - TITE, 56-day accrual	7.2	44	22.5	2	0	24.3
Mean administrations						
U2 - Original non-TITE	7.9	12.3	6.1	2	0.3	-
U2 - TITE, 56-day accrual	7	11.3	6.1	1.8	0.2	-
U3 - Original non-TITE	8.1	12.4	5.9	1.9	0.2	-
U3 - TITE, 56-day accrual	7.4	12.2	5.2	1.3	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	5.7	1.5	0.8	0.1	-
U2 - TITE, 56-day accrual	2.5	4.1	1.8	0.5	0	-
U3 - Original non-TITE	1.8	5.7	1.4	0.8	0.1	-
U3 - TITE, 56-day accrual	2.6	4.4	1.6	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1267.3
U2 - TITE, 56-day accrual						1016.6
U3 - Original non-TITE						1262.3
U3 - TITE, 56-day accrual						999.5
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	10.6	47	30.6	8.8	0.8	2.2
U2 - TITE, 56-day accrual	6.8	37.2	33.2	13.3	1.1	8.4
U3 - Original non-TITE	12.9	51.5	24.9	7.4	0.9	2.4
U3 - TITE, 56-day accrual	4.2	35.8	35.9	13.5	2	8.6
Mean administrations						
U2 - Original non-TITE	4.7	10	8.4	5	1.5	-
U2 - TITE, 56-day accrual	4.5	10	8.1	4.7	1.3	-
U3 - Original non-TITE	4.9	10.4	8.1	4.8	1.4	-
U3 - TITE, 56-day accrual	5	11	7.5	4.1	1.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	5.2	2.3	2	0.5	-
U2 - TITE, 56-day accrual	1.5	4	2.7	1.6	0.4	-
U3 - Original non-TITE	0.7	5.4	2.2	1.9	0.4	-
U3 - TITE, 56-day accrual	1.7	4.5	2.6	1.4	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1280.4
U2 - TITE, 56-day accrual						1079.5
U3 - Original non-TITE						1277.6
U3 - TITE, 56-day accrual						1070.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	55	1.1	0	0	0	43.9
U2 - TITE, 56-day accrual	58.7	1.7	0	0	0	39.6
U3 - Original non-TITE	55.5	1.1	0	0	0	43.4
U3 - TITE, 56-day accrual	58.8	1.4	0	0	0	39.8
Mean administrations						
U2 - Original non-TITE	19.9	2.5	0.1	0	0	-
U2 - TITE, 56-day accrual	20.3	2.8	0.2	0	0	-
U3 - Original non-TITE	20.1	2.4	0.1	0	0	-
U3 - TITE, 56-day accrual	20.5	2.6	0.1	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.8	1	0	0	0	-
U2 - TITE, 56-day accrual	4.4	0.7	0	0	0	-
U3 - Original non-TITE	3.9	1	0	0	0	-
U3 - TITE, 56-day accrual	4.4	0.7	0	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1142
U2 - TITE, 56-day accrual						1038.3
U3 - Original non-TITE						1144.5
U3 - TITE, 56-day accrual						1030.6
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	18.6	56.1	10.1	2.4	0	12.8
U2 - TITE, 56-day accrual	9.4	47.7	15.9	2.1	0	24.9
U3 - Original non-TITE	20.8	54.1	10.4	2	0	12.7
U3 - TITE, 56-day accrual	7.5	47.9	17.6	1.7	0	25.3
Mean administrations						
U2 - Original non-TITE	8.4	12.9	5.5	1.9	0.1	-
U2 - TITE, 56-day accrual	7.3	11.9	5.5	1.8	0.2	-
U3 - Original non-TITE	8.8	12.8	5.3	1.8	0.1	-
U3 - TITE, 56-day accrual	7.7	12.4	4.9	1.5	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2	6.1	1.2	0.7	0	-
U2 - TITE, 56-day accrual	2.6	4.4	1.6	0.5	0	-
U3 - Original non-TITE	2.1	6.1	1.1	0.7	0	-
U3 - TITE, 56-day accrual	2.8	4.6	1.4	0.4	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1274.7
U2 - TITE, 56-day accrual						1015.7
U3 - Original non-TITE						1266
U3 - TITE, 56-day accrual						1005.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	8	0.8	0.1	0	0	91.1
U2 - TITE, 56-day accrual	2.9	0.7	0.2	0	0	96.2
U3 - Original non-TITE	8.1	1.1	0.1	0	0	90.7
U3 - TITE, 56-day accrual	2.6	0.9	0.1	0	0	96.4
Mean administrations						
U2 - Original non-TITE	11.5	3.9	0.4	0	0	-
U2 - TITE, 56-day accrual	8.6	3.8	0.5	0	0	-
U3 - Original non-TITE	11.5	3.9	0.4	0	0	-
U3 - TITE, 56-day accrual	8.6	3.8	0.5	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3	2.3	0.1	0	0	-
U2 - TITE, 56-day accrual	2.7	1.3	0.2	0	0	-
U3 - Original non-TITE	3	2.3	0.1	0	0	-
U3 - TITE, 56-day accrual	2.7	1.3	0.1	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						687.6
U2 - TITE, 56-day accrual						495.8
U3 - Original non-TITE						685.8
U3 - TITE, 56-day accrual						495.7
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	1.7	0.9	2.6	58.1	36.7	0
U2 - TITE, 56-day accrual	1	0.6	2.1	52.1	44.2	0
U3 - Original non-TITE	2.8	2.2	3.4	61.2	30.4	0
U3 - TITE, 56-day accrual	0.9	0.6	2.2	60.4	35.9	0
Mean administrations						
U2 - Original non-TITE	3.1	3.2	3.8	12.9	7	-
U2 - TITE, 56-day accrual	3.1	3.2	4	12.2	7.6	-
U3 - Original non-TITE	3.1	3.2	4	13.6	6.2	-
U3 - TITE, 56-day accrual	3.2	3.3	4.2	13.3	6	-
Mean IPDE administrations						
U2 - Original non-TITE	0	2.9	0.5	4.9	2	-
U2 - TITE, 56-day accrual	0.9	1.7	1.6	3.9	2.2	-
U3 - Original non-TITE	0	2.9	0.6	5.1	1.7	-
U3 - TITE, 56-day accrual	1	1.7	1.7	4.3	1.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1336.4
U2 - TITE, 56-day accrual						1209.6
U3 - Original non-TITE						1334.4
U3 - TITE, 56-day accrual						1199.1

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	26.5	35	32.4	4.1	0	2
U2 - TITE, 56-day accrual	21.6	31.5	36.8	3.9	0.2	6
U3 - Original non-TITE	33.6	33.2	27	4.2	0	2
U3 - TITE, 56-day accrual	22.5	28.3	38.6	5.1	0.2	5.3
Mean administrations						
U2 - Original non-TITE	8.1	9.8	9.1	2.5	0.2	-
U2 - TITE, 56-day accrual	8.3	9.6	8.6	2.3	0.2	-
U3 - Original non-TITE	8.7	10.1	8.5	2.3	0.2	-
U3 - TITE, 56-day accrual	9.2	10.1	7.7	2	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	4.5	2.3	0.9	0.1	-
U2 - TITE, 56-day accrual	2.9	3.6	2.5	0.5	0.1	-
U3 - Original non-TITE	2.2	4.6	2.2	0.9	0	-
U3 - TITE, 56-day accrual	3.3	3.8	2.2	0.5	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1343.5
U2 - TITE, 56-day accrual						1138.1
U3 - Original non-TITE						1341.8
U3 - TITE, 56-day accrual						1117.5
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	22.4	31.3	31.7	3.8	0	10.8
U2 - TITE, 56-day accrual	11.6	26.6	30.7	5.4	0.2	25.5
U3 - Original non-TITE	24	33.9	26.9	3.7	0	11.5
U3 - TITE, 56-day accrual	11.5	24.4	32.2	5.3	0.1	26.5
Mean administrations						
U2 - Original non-TITE	8.6	9.1	7.8	2.8	0.2	-
U2 - TITE, 56-day accrual	7.3	8.7	7.4	2.5	0.2	-
U3 - Original non-TITE	8.9	9.1	7.7	2.6	0.2	-
U3 - TITE, 56-day accrual	7.9	9	6.8	2.1	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	4.6	1.9	1.1	0.1	-
U2 - TITE, 56-day accrual	2.6	3.4	2.3	0.7	0.1	-
U3 - Original non-TITE	2.2	4.6	1.9	1.1	0.1	-
U3 - TITE, 56-day accrual	2.8	3.5	2.1	0.5	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1269.7
U2 - TITE, 56-day accrual						1004.6
U3 - Original non-TITE						1261.3
U3 - TITE, 56-day accrual						978.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	15.1	26.2	45.4	7.8	0.3	5.2
U2 - TITE, 56-day accrual	7.9	21.3	45.8	10.6	0.5	13.9
U3 - Original non-TITE	17.9	28.3	41.5	6.8	0.3	5.2
U3 - TITE, 56-day accrual	7.9	19.5	48.2	10.5	0.3	13.6
Mean administrations						
U2 - Original non-TITE	6.6	8.5	10.1	3.6	0.5	-
U2 - TITE, 56-day accrual	6	7.9	9.7	3.7	0.5	-
U3 - Original non-TITE	6.8	8.6	10	3.5	0.5	-
U3 - TITE, 56-day accrual	6.6	8.6	9.2	3.1	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	4.4	2.6	1.3	0.1	-
U2 - TITE, 56-day accrual	2.1	3.1	2.9	1	0.1	-
U3 - Original non-TITE	1.5	4.4	2.6	1.3	0.1	-
U3 - TITE, 56-day accrual	2.4	3.4	2.8	0.8	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1306.9
U2 - TITE, 56-day accrual						1082.9
U3 - Original non-TITE						1305
U3 - TITE, 56-day accrual						1066
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	14.8	38	5.2	0.2	0	41.8
U2 - TITE, 56-day accrual	6	32.3	8.3	0.2	0	53.2
U3 - Original non-TITE	14.9	39.9	4.2	0.2	0	40.8
U3 - TITE, 56-day accrual	5.9	34.6	7.8	0.3	0	51.4
Mean administrations						
U2 - Original non-TITE	9.5	10.6	3.6	1	0.1	-
U2 - TITE, 56-day accrual	7.5	9.7	3.5	0.9	0.1	-
U3 - Original non-TITE	9.6	10.7	3.6	0.9	0.1	-
U3 - TITE, 56-day accrual	7.6	10.3	3.2	0.7	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	4.9	0.9	0.4	0	-
U2 - TITE, 56-day accrual	2.5	3.4	1	0.2	0	-
U3 - Original non-TITE	2.3	5	0.8	0.4	0	-
U3 - TITE, 56-day accrual	2.6	3.6	0.9	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1104
U2 - TITE, 56-day accrual						833.2
U3 - Original non-TITE						1104.3
U3 - TITE, 56-day accrual						831.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	62.4	31.8	3.1	0.1	0	2.6
U2 - TITE, 56-day accrual	53.7	36.6	4.3	0	0	5.4
U3 - Original non-TITE	65.4	29.3	2.3	0.2	0	2.8
U3 - TITE, 56-day accrual	56.1	36.1	2.6	0	0	5.2
Mean administrations						
U2 - Original non-TITE	17.4	9.4	2.2	0.4	0	-
U2 - TITE, 56-day accrual	16.6	9.8	2.2	0.4	0	-
U3 - Original non-TITE	18.1	9.3	1.7	0.3	0	-
U3 - TITE, 56-day accrual	18.4	9	1.4	0.2	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.3	3.4	0.6	0.1	0	-
U2 - TITE, 56-day accrual	4.8	3	0.6	0.1	0	-
U3 - Original non-TITE	4.5	3.4	0.4	0.1	0	-
U3 - TITE, 56-day accrual	5.4	2.8	0.3	0.1	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1400.6
U2 - TITE, 56-day accrual						1167.7
U3 - Original non-TITE						1394.6
U3 - TITE, 56-day accrual						1155.4
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	16.5	14.5	13.5	44	11.5	0
U2 - TITE, 56-day accrual	11.1	12.9	13.7	47.3	12.6	2.4
U3 - Original non-TITE	22	17.2	12.4	40.1	8.3	0
U3 - TITE, 56-day accrual	10.5	12.8	15.3	47.1	11.7	2.6
Mean administrations						
U2 - Original non-TITE	4.4	5.3	6.5	10	3.9	-
U2 - TITE, 56-day accrual	4.3	5.2	6.2	9.8	4	-
U3 - Original non-TITE	4.6	5.5	6.5	10	3.4	-
U3 - TITE, 56-day accrual	4.9	6	6.1	9.3	3.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.4	1.6	3.5	1	-
U2 - TITE, 56-day accrual	1.4	2.4	2.4	3	0.9	-
U3 - Original non-TITE	0.7	3.5	1.7	3.5	0.9	-
U3 - TITE, 56-day accrual	1.7	2.7	2.4	2.9	0.8	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1329.6
U2 - TITE, 56-day accrual						1164.9
U3 - Original non-TITE						1324.3
U3 - TITE, 56-day accrual						1142.2

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	3.4	37.3	30.6	24.8	3.9	0
U2 - TITE, 56-day accrual	0.8	34.4	34.3	26.4	4	0.1
U3 - Original non-TITE	5.3	43.3	26.7	22.7	2	0
U3 - TITE, 56-day accrual	1	44.5	32	19.9	2.5	0.1
Mean administrations						
U2 - Original non-TITE	3.8	12.4	7.6	5	1.2	-
U2 - TITE, 56-day accrual	3.6	12	8.5	4.8	1.1	-
U3 - Original non-TITE	4.1	13.4	7	4.7	0.9	-
U3 - TITE, 56-day accrual	4	13.8	7.7	3.7	0.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	4.9	2.2	1.6	0.3	-
U2 - TITE, 56-day accrual	1.1	4	2.7	1.4	0.3	-
U3 - Original non-TITE	0.4	5.3	2	1.5	0.2	-
U3 - TITE, 56-day accrual	1.2	4.6	2.5	1.1	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1382.1
U2 - TITE, 56-day accrual						1215.4
U3 - Original non-TITE						1381.2
U3 - TITE, 56-day accrual						1190.4
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	14	13.8	33.5	27.7	11	0
U2 - TITE, 56-day accrual	8.8	11	32.1	31.9	15.8	0.4
U3 - Original non-TITE	19	18.2	31.7	23.6	7.5	0
U3 - TITE, 56-day accrual	8	9.3	31.8	34.2	16	0.7
Mean administrations						
U2 - Original non-TITE	3.5	4.5	8.3	8.8	4.8	-
U2 - TITE, 56-day accrual	3.4	4.4	8.4	9.1	4.5	-
U3 - Original non-TITE	3.7	4.8	8.8	8.6	4.2	-
U3 - TITE, 56-day accrual	3.8	5	9	8.5	3.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	3.3	2.2	3.6	1.4	-
U2 - TITE, 56-day accrual	1.1	2.1	3.1	3.1	1.5	-
U3 - Original non-TITE	0.3	3.4	2.4	3.5	1.2	-
U3 - TITE, 56-day accrual	1.2	2.4	3.3	2.9	1.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1302.6
U2 - TITE, 56-day accrual						1149.5
U3 - Original non-TITE						1297.5
U3 - TITE, 56-day accrual						1137.9

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	8.7	6.5	12.5	43.6	28.7	0
U2 - TITE, 56-day accrual	4.2	4.5	9.8	49.5	31.9	0.1
U3 - Original non-TITE	13.4	9.2	13.1	42.3	22	0
U3 - TITE, 56-day accrual	3.3	4.7	10.8	53.4	27.7	0.1
Mean administrations						
U2 - Original non-TITE	3.3	3.7	5.9	10.5	6.5	-
U2 - TITE, 56-day accrual	3.2	3.7	5.6	10.8	6.5	-
U3 - Original non-TITE	3.4	3.8	6.2	11	5.6	-
U3 - TITE, 56-day accrual	3.5	3.9	6	11.1	5.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	3.2	1.2	4.1	1.6	-
U2 - TITE, 56-day accrual	1	1.9	2.2	3.3	1.7	-
U3 - Original non-TITE	0.2	3.2	1.2	4.3	1.4	-
U3 - TITE, 56-day accrual	1.2	2	2.4	3.4	1.4	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						1336.1
U3 - Original non-TITE						1199.2
U3 - TITE, 56-day accrual						1332.8
						1180.6
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	13.3	16.8	46.8	15.5	3.7	3.9
U2 - TITE, 56-day accrual	8.4	10.1	44.1	20.9	6	10.5
U3 - Original non-TITE	18.1	18	41.3	16.6	2.4	3.6
U3 - TITE, 56-day accrual	6.2	8.7	48.4	21.9	4.7	10.1
Mean administrations						
U2 - Original non-TITE	4.9	6.6	9.9	6.1	2.1	-
U2 - TITE, 56-day accrual	4.5	6.1	9.5	6	2.2	-
U3 - Original non-TITE	5.3	6.8	9.8	5.9	1.9	-
U3 - TITE, 56-day accrual	5	6.5	9.5	5.5	1.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.8	4.1	2.6	2.4	0.6	-
U2 - TITE, 56-day accrual	1.5	2.7	3.2	1.9	0.7	-
U3 - Original non-TITE	1	4.2	2.5	2.3	0.6	-
U3 - TITE, 56-day accrual	1.8	2.9	3.2	1.8	0.5	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						1292.2
U3 - Original non-TITE						1089.5
U3 - TITE, 56-day accrual						1290.6
						1066.8

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	7.5	45.1	32.2	13.1	2.1	0
U2 - TITE, 56-day accrual	4.3	39	41.8	12.7	2.2	0
U3 - Original non-TITE	9.8	50.9	27.2	10.7	1.4	0
U3 - TITE, 56-day accrual	4.4	46	38.5	9.8	1.3	0
Mean administrations						
U2 - Original non-TITE	4.3	12.5	8.6	3.8	0.9	-
U2 - TITE, 56-day accrual	4.2	12	9.5	3.5	0.8	-
U3 - Original non-TITE	4.5	13.5	8	3.3	0.7	-
U3 - TITE, 56-day accrual	4.8	14.1	8.1	2.5	0.4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	5	2.3	1.2	0.3	-
U2 - TITE, 56-day accrual	1.3	4.1	2.7	0.9	0.2	-
U3 - Original non-TITE	0.6	5.4	2.1	1.1	0.2	-
U3 - TITE, 56-day accrual	1.6	4.8	2.3	0.7	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1387.8
U2 - TITE, 56-day accrual						1222.8
U3 - Original non-TITE						1382.7
U3 - TITE, 56-day accrual						1203.6
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	15.9	38.5	14.5	5.3	1.1	24.7
U2 - TITE, 56-day accrual	7.9	30.6	17.3	6.3	1	36.9
U3 - Original non-TITE	18.4	38.4	12.7	5	0.6	24.9
U3 - TITE, 56-day accrual	5.9	31	18.2	6	0.9	38
Mean administrations						
U2 - Original non-TITE	8	9.6	5.3	3.1	1	-
U2 - TITE, 56-day accrual	6.5	8.8	5.2	2.9	0.8	-
U3 - Original non-TITE	8.3	9.6	5.2	3.1	0.9	-
U3 - TITE, 56-day accrual	6.8	9.3	4.7	2.6	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	1.8	5.1	1.3	1.3	0.3	-
U2 - TITE, 56-day accrual	2.3	3.4	1.8	1	0.3	-
U3 - Original non-TITE	1.9	5.1	1.2	1.3	0.3	-
U3 - TITE, 56-day accrual	2.4	3.6	1.6	0.9	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1165.4
U2 - TITE, 56-day accrual						916.3
U3 - Original non-TITE						1160.2
U3 - TITE, 56-day accrual						900.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.3 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	16.2	47.3	15.6	1.6	0	19.3
U2 - TITE, 56-day accrual	9.6	36.8	18.2	3	0.1	32.3
U3 - Original non-TITE	17.7	47.2	13.8	1.6	0	19.7
U3 - TITE, 56-day accrual	6.9	37.4	19.6	3	0	33.1
Mean administrations						
U2 - Original non-TITE	8	11.2	5.6	2.6	0.6	-
U2 - TITE, 56-day accrual	6.7	10.2	5.5	2.5	0.6	-
U3 - Original non-TITE	8.4	11.1	5.4	2.6	0.7	-
U3 - TITE, 56-day accrual	7.1	10.7	4.9	2.1	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	1.8	5.8	1.3	1.2	0.2	-
U2 - TITE, 56-day accrual	2.4	3.9	1.8	0.8	0.2	-
U3 - Original non-TITE	2	5.8	1.2	1.2	0.2	-
U3 - TITE, 56-day accrual	2.6	4.1	1.7	0.7	0.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1209.6
U2 - TITE, 56-day accrual						954.2
U3 - Original non-TITE						1205.8
U3 - TITE, 56-day accrual						940.5