

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	14.1	4.4	0.4	0	0	81.1
U2 - TITE, 56-day accrual	4.8	7.8	2.2	0.6	0	84.6
U3 - Original non-TITE	15.2	3.7	0.2	0	0	80.9
U3 - TITE, 56-day accrual	5.2	6.9	2.6	0.7	0	84.6
Mean administrations						
U2 - Original non-TITE	11.8	3.1	1.3	0.4	0	-
U2 - TITE, 56-day accrual	8.8	3.2	1.4	0.4	0.1	-
U3 - Original non-TITE	11.8	3.1	1.3	0.4	0	-
U3 - TITE, 56-day accrual	8.7	3.3	1.4	0.4	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	3.5	1.8	0.3	0.2	0	-
U2 - TITE, 56-day accrual	3	1.4	0.5	0.2	0	-
U3 - Original non-TITE	3.5	1.8	0.3	0.2	0	-
U3 - TITE, 56-day accrual	2.9	1.4	0.5	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						713
U2 - TITE, 56-day accrual						508.9
U3 - Original non-TITE						714.7
U3 - TITE, 56-day accrual						509.9
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	35.5	21.6	30.3	6.8	1.2	4.6
U2 - TITE, 56-day accrual	21.1	23	35.1	8.6	0.9	11.3
U3 - Original non-TITE	38.8	21.9	28.1	5.7	0.8	4.7
U3 - TITE, 56-day accrual	21.7	22.5	34.8	8.5	0.9	11.6
Mean administrations						
U2 - Original non-TITE	11.8	5.9	6.9	3.1	1.2	-
U2 - TITE, 56-day accrual	11.3	6.6	6.9	2.3	0.7	-
U3 - Original non-TITE	11.8	5.8	7	3.1	1.2	-
U3 - TITE, 56-day accrual	11.2	6.6	6.9	2.3	0.6	-
Mean IPDE administrations						
U2 - Original non-TITE	3.5	2.9	1.7	0.9	0.3	-
U2 - TITE, 56-day accrual	4	2.6	1.9	0.6	0.2	-
U3 - Original non-TITE	3.5	2.9	1.7	0.9	0.3	-
U3 - TITE, 56-day accrual	4	2.6	1.9	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1324.5
U2 - TITE, 56-day accrual						1082.8
U3 - Original non-TITE						1324.1
U3 - TITE, 56-day accrual						1079.5

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	14.5	44.4	19.6	5	0.7	15.8
U2 - TITE, 56-day accrual	5	39.5	24.1	7.7	1.1	22.6
U3 - Original non-TITE	16.5	45.7	17.5	4.2	0.5	15.6
U3 - TITE, 56-day accrual	5.4	38.9	24.5	7.3	1	22.9
Mean administrations						
U2 - Original non-TITE	9.2	8	5.9	2.8	1.2	-
U2 - TITE, 56-day accrual	7.5	9.7	5.6	2.1	0.6	-
U3 - Original non-TITE	9.1	8	6	2.8	1.2	-
U3 - TITE, 56-day accrual	7.4	9.8	5.5	2.1	0.6	-
Mean IPDE administrations						
U2 - Original non-TITE	2.6	3.7	1.4	1	0.4	-
U2 - TITE, 56-day accrual	2.7	3.5	1.7	0.6	0.2	-
U3 - Original non-TITE	2.5	3.7	1.4	1	0.4	-
U3 - TITE, 56-day accrual	2.6	3.5	1.6	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1215.8
U2 - TITE, 56-day accrual						986.5
U3 - Original non-TITE						1217.9
U3 - TITE, 56-day accrual						983.4
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	8.1	9.4	26.3	40.4	11.1	4.7
U2 - TITE, 56-day accrual	3.3	9.9	27	37	14.6	8.2
U3 - Original non-TITE	12.9	11.2	22.5	39.2	9.6	4.6
U3 - TITE, 56-day accrual	3.3	10.1	28.1	36.4	14.6	7.5
Mean administrations						
U2 - Original non-TITE	4.6	4.6	7	7.8	5.2	-
U2 - TITE, 56-day accrual	4.8	5.4	6.7	7.2	3.7	-
U3 - Original non-TITE	4.5	4.6	7	7.8	5.2	-
U3 - TITE, 56-day accrual	4.9	5.3	6.7	7.1	3.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	3.2	1.7	2.8	1.2	-
U2 - TITE, 56-day accrual	1.7	2.5	2.5	2.1	0.8	-
U3 - Original non-TITE	0.7	3.3	1.7	2.8	1.2	-
U3 - TITE, 56-day accrual	1.7	2.5	2.5	2	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1309.9
U2 - TITE, 56-day accrual						1091
U3 - Original non-TITE						1311.4
U3 - TITE, 56-day accrual						1091.2

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	4.5	36.9	26.4	18.4	7.3	6.5
U2 - TITE, 56-day accrual	0.9	26.7	31.7	20.6	12.8	7.3
U3 - Original non-TITE	6.5	41.6	24.7	16.1	4.6	6.5
U3 - TITE, 56-day accrual	0.6	26.4	31.8	21.4	12.5	7.3
Mean administrations						
U2 - Original non-TITE	4.9	6.7	6.8	5.8	4.6	-
U2 - TITE, 56-day accrual	4.9	9.7	7.1	4	2.4	-
U3 - Original non-TITE	4.8	6.8	6.8	5.7	4.6	-
U3 - TITE, 56-day accrual	4.9	9.6	7.2	4	2.4	-
Mean IPDE administrations						
U2 - Original non-TITE	0.8	3.9	1.7	2.4	1.6	-
U2 - TITE, 56-day accrual	1.7	4	2.6	1.4	0.8	-
U3 - Original non-TITE	0.8	4	1.7	2.4	1.5	-
U3 - TITE, 56-day accrual	1.7	3.9	2.6	1.5	0.8	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1238.6
U2 - TITE, 56-day accrual						1049.7
U3 - Original non-TITE						1240
U3 - TITE, 56-day accrual						1047.4
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	68.9	9.6	1.4	0.4	0	19.7
U2 - TITE, 56-day accrual	58.3	16.7	3.6	0.6	0	20.8
U3 - Original non-TITE	69.3	9.2	1.4	0.3	0	19.8
U3 - TITE, 56-day accrual	59.1	16.6	3.8	0.5	0	20
Mean administrations						
U2 - Original non-TITE	19.8	3.8	1.9	0.6	0.2	-
U2 - TITE, 56-day accrual	18.4	5.1	1.9	0.5	0.1	-
U3 - Original non-TITE	19.8	3.8	2	0.6	0.2	-
U3 - TITE, 56-day accrual	18.6	5.1	1.9	0.5	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	5.5	1.6	0.5	0.2	0	-
U2 - TITE, 56-day accrual	5.6	1.7	0.6	0.1	0	-
U3 - Original non-TITE	5.5	1.6	0.5	0.2	0	-
U3 - TITE, 56-day accrual	5.7	1.7	0.5	0.1	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1225.2
U2 - TITE, 56-day accrual						1019.2
U3 - Original non-TITE						1224.7
U3 - TITE, 56-day accrual						1027.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	24.4	41.1	19.8	8.1	1.1	5.5
U2 - TITE, 56-day accrual	14.6	35.4	26.9	9	2.3	11.8
U3 - Original non-TITE	25.9	43.8	17.9	6	0.8	5.6
U3 - TITE, 56-day accrual	14.8	36.4	27	8.3	2	11.5
Mean administrations						
U2 - Original non-TITE	11.3	7.3	5.5	3.3	1.5	-
U2 - TITE, 56-day accrual	9.3	9.8	5.5	2.3	0.8	-
U3 - Original non-TITE	11.2	7.3	5.5	3.2	1.5	-
U3 - TITE, 56-day accrual	9.3	9.7	5.6	2.2	0.8	-
Mean IPDE administrations						
U2 - Original non-TITE	3.2	3.1	1.2	1	0.4	-
U2 - TITE, 56-day accrual	3.2	3	1.5	0.6	0.2	-
U3 - Original non-TITE	3.2	3.1	1.2	1	0.4	-
U3 - TITE, 56-day accrual	3.2	3	1.6	0.6	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1336.3
U2 - TITE, 56-day accrual						1104.4
U3 - Original non-TITE						1336.3
U3 - TITE, 56-day accrual						1108.4
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	31.8	3.5	1.1	0.1	0	63.5
U2 - TITE, 56-day accrual	15.9	8.1	2	0.4	0	73.6
U3 - Original non-TITE	32.5	3.3	0.8	0.1	0	63.3
U3 - TITE, 56-day accrual	16	8.4	1.7	0.4	0	73.5
Mean administrations						
U2 - Original non-TITE	15	3	1.1	0.3	0	-
U2 - TITE, 56-day accrual	11.2	3.7	1.3	0.2	0.1	-
U3 - Original non-TITE	14.9	3.1	1.1	0.3	0	-
U3 - TITE, 56-day accrual	11.1	3.8	1.3	0.3	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	4.5	1.6	0.3	0.1	0	-
U2 - TITE, 56-day accrual	3.7	1.4	0.4	0.1	0	-
U3 - Original non-TITE	4.5	1.7	0.3	0.1	0	-
U3 - TITE, 56-day accrual	3.7	1.4	0.4	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						853.7
U2 - TITE, 56-day accrual						612.2
U3 - Original non-TITE						852
U3 - TITE, 56-day accrual						615

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	13	14.8	17.5	10.9	14.9	28.9
U2 - TITE, 56-day accrual	4.3	13.6	21.6	12.9	12.3	35.3
U3 - Original non-TITE	17.6	15.2	16.1	10.1	12.3	28.7
U3 - TITE, 56-day accrual	4.5	13.8	20.8	14.1	11.9	34.9
Mean administrations						
U2 - Original non-TITE	7.8	4.9	5.3	3.6	3.4	-
U2 - TITE, 56-day accrual	6.9	5.3	5.5	2.8	2.2	-
U3 - Original non-TITE	7.8	4.9	5.4	3.6	3.3	-
U3 - TITE, 56-day accrual	6.9	5.3	5.5	2.8	2.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	3.1	1.5	1.6	1	-
U2 - TITE, 56-day accrual	2.5	2.4	2.1	1	0.6	-
U3 - Original non-TITE	2.1	3.1	1.5	1.6	1	-
U3 - TITE, 56-day accrual	2.5	2.4	2.1	1	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1065.6
U2 - TITE, 56-day accrual						833.1
U3 - Original non-TITE						1064.1
U3 - TITE, 56-day accrual						832.7
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	11.2	25.1	10.1	1.8	0.4	51.4
U2 - TITE, 56-day accrual	5.4	29.8	12.2	2.2	0.6	49.8
U3 - Original non-TITE	12.1	25.4	9.2	1.7	0.1	51.5
U3 - TITE, 56-day accrual	6	28.9	11.6	3	0.5	50
Mean administrations						
U2 - Original non-TITE	9.5	6	3.5	1.4	0.5	-
U2 - TITE, 56-day accrual	7.2	8.1	3.6	0.9	0.3	-
U3 - Original non-TITE	9.5	5.9	3.5	1.4	0.5	-
U3 - TITE, 56-day accrual	7.3	8	3.6	1	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	2.6	2.8	0.7	0.5	0.1	-
U2 - TITE, 56-day accrual	2.4	2.7	1	0.2	0.1	-
U3 - Original non-TITE	2.6	2.8	0.7	0.5	0.1	-
U3 - TITE, 56-day accrual	2.5	2.7	1	0.3	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						934.1
U2 - TITE, 56-day accrual						787.8
U3 - Original non-TITE						934.6
U3 - TITE, 56-day accrual						790.6

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	68.5	13.9	2.2	0.1	0	15.3
U2 - TITE, 56-day accrual	42.7	23.2	5.7	0.2	0	28.2
U3 - Original non-TITE	70.4	13	1.4	0.1	0	15.1
U3 - TITE, 56-day accrual	43.3	22.8	5.6	0.3	0	28
Mean administrations						
U2 - Original non-TITE	18.4	5.9	2.5	0.4	0	-
U2 - TITE, 56-day accrual	15.9	6.3	2.4	0.4	0	-
U3 - Original non-TITE	18.5	5.8	2.5	0.5	0	-
U3 - TITE, 56-day accrual	16	6.3	2.4	0.4	0	-
Mean IPDE administrations						
U2 - Original non-TITE	5.8	2.8	0.7	0.2	0	-
U2 - TITE, 56-day accrual	5.5	2.3	0.8	0.1	0	-
U3 - Original non-TITE	5.9	2.7	0.6	0.3	0	-
U3 - TITE, 56-day accrual	5.6	2.3	0.8	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1209.9
U2 - TITE, 56-day accrual						935.8
U3 - Original non-TITE						1212.7
U3 - TITE, 56-day accrual						940.6
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	14.3	18.1	14.1	36.1	11.6	5.8
U2 - TITE, 56-day accrual	5.4	16	19.4	33.3	15.8	10.1
U3 - Original non-TITE	21.7	17.4	11.2	34.1	9.5	6.1
U3 - TITE, 56-day accrual	4.1	15.9	19.8	33.4	16.2	10.6
Mean administrations						
U2 - Original non-TITE	5.1	5.1	6.1	7.1	5.7	-
U2 - TITE, 56-day accrual	5.3	5.7	5	6.6	4.3	-
U3 - Original non-TITE	5.1	5.1	6.1	7.1	5.6	-
U3 - TITE, 56-day accrual	5.3	5.8	5	6.4	4.5	-
Mean IPDE administrations						
U2 - Original non-TITE	1	3.4	1.5	3	1.2	-
U2 - TITE, 56-day accrual	2	2.7	2	2.1	0.9	-
U3 - Original non-TITE	1	3.4	1.5	3	1.2	-
U3 - TITE, 56-day accrual	1.9	2.7	2	2	0.9	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1277.5
U2 - TITE, 56-day accrual						1041
U3 - Original non-TITE						1277.7
U3 - TITE, 56-day accrual						1039.5

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	12.7	25.6	11.1	2.1	0.3	48.2
U2 - TITE, 56-day accrual	5.3	32.3	10.7	2.7	0.1	48.9
U3 - Original non-TITE	13.6	26.2	9.8	2	0.2	48.2
U3 - TITE, 56-day accrual	5.1	31.8	11.3	2.9	0	48.9
Mean administrations						
U2 - Original non-TITE	9.5	6.1	3.8	1.6	0.5	-
U2 - TITE, 56-day accrual	7.6	8.3	3.3	1.2	0.3	-
U3 - Original non-TITE	9.5	6.2	3.8	1.6	0.5	-
U3 - TITE, 56-day accrual	7.6	8.4	3.3	1.2	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	2.6	3.1	0.9	0.6	0.1	-
U2 - TITE, 56-day accrual	2.6	3	1.1	0.4	0.1	-
U3 - Original non-TITE	2.6	3.1	0.9	0.6	0.1	-
U3 - TITE, 56-day accrual	2.6	3	1.1	0.4	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						949.9
U2 - TITE, 56-day accrual						782.8
U3 - Original non-TITE						947.2
U3 - TITE, 56-day accrual						786
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	20.8	19.9	13.1	22.9	8.1	15.2
U2 - TITE, 56-day accrual	4.9	17.4	23.7	23.2	9.4	21.4
U3 - Original non-TITE	28	20.3	10.1	20.7	5.7	15.2
U3 - TITE, 56-day accrual	4.3	18.1	22.8	23.4	10.5	20.9
Mean administrations						
U2 - Original non-TITE	6.8	6	6	5.4	3.5	-
U2 - TITE, 56-day accrual	6.5	6.3	5.5	4.6	2.2	-
U3 - Original non-TITE	6.9	5.9	6	5.5	3.3	-
U3 - TITE, 56-day accrual	6.5	6.3	5.5	4.6	2.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.7	3.7	1.7	2.3	1	-
U2 - TITE, 56-day accrual	2.4	2.9	2.2	1.6	0.6	-
U3 - Original non-TITE	1.7	3.7	1.7	2.4	1	-
U3 - TITE, 56-day accrual	2.4	2.9	2.2	1.6	0.6	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1165.8
U2 - TITE, 56-day accrual						918
U3 - Original non-TITE						1168
U3 - TITE, 56-day accrual						916.5

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	45.6	26.1	9.1	2.5	0.1	16.6
U2 - TITE, 56-day accrual	16.1	26.3	18.8	5.3	1.1	32.4
U3 - Original non-TITE	51.3	24.2	6.1	1.6	0.1	16.7
U3 - TITE, 56-day accrual	16.3	25.7	18.9	5.4	1	32.7
Mean administrations						
U2 - Original non-TITE	11.2	7.3	5.5	2.5	0.9	-
U2 - TITE, 56-day accrual	9.9	7.1	4.4	1.7	0.5	-
U3 - Original non-TITE	11.2	7.2	5.6	2.5	0.9	-
U3 - TITE, 56-day accrual	9.8	7.2	4.5	1.7	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	3.5	3.9	1.6	1.2	0.3	-
U2 - TITE, 56-day accrual	3.8	3.1	1.7	0.7	0.2	-
U3 - Original non-TITE	3.5	3.9	1.7	1.2	0.3	-
U3 - TITE, 56-day accrual	3.7	3.1	1.7	0.7	0.2	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1152
U2 - TITE, 56-day accrual						844.2
U3 - Original non-TITE						1148.7
U3 - TITE, 56-day accrual						844
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	27.2	29.6	17.7	16.8	8.6	0.1
U2 - TITE, 56-day accrual	8.5	18.9	23	25.4	23.9	0.3
U3 - Original non-TITE	32.8	33.5	14.7	13.7	5.2	0.1
U3 - TITE, 56-day accrual	9.2	19.5	22.7	24.8	23.5	0.3
Mean administrations						
U2 - Original non-TITE	5.7	5.8	5.6	5.9	7	-
U2 - TITE, 56-day accrual	8.3	7.8	5.5	4.5	3.6	-
U3 - Original non-TITE	5.6	5.8	5.6	5.9	7	-
U3 - TITE, 56-day accrual	8.4	7.8	5.4	4.5	3.6	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	3.6	1.5	2.9	2.5	-
U2 - TITE, 56-day accrual	3.1	3.4	2.3	1.9	1.4	-
U3 - Original non-TITE	1.1	3.5	1.5	2.9	2.6	-
U3 - TITE, 56-day accrual	3.2	3.4	2.3	1.8	1.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1254.6
U2 - TITE, 56-day accrual						1063.9
U3 - Original non-TITE						1253.2
U3 - TITE, 56-day accrual						1060.4

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	30.2	55	12.7	0.6	0	1.5
U2 - TITE, 56-day accrual	20.8	53.7	19.7	1.4	0.1	4.3
U3 - Original non-TITE	33.8	54.3	9.8	0.5	0	1.6
U3 - TITE, 56-day accrual	20.8	53.8	19.3	1.7	0	4.4
Mean administrations						
U2 - Original non-TITE	10.5	10.8	6.4	1.7	0.2	-
U2 - TITE, 56-day accrual	10.5	11.2	5.9	1.3	0.2	-
U3 - Original non-TITE	10.6	10.7	6.5	1.6	0.2	-
U3 - TITE, 56-day accrual	10.7	11.1	5.9	1.3	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.7	3.9	1.3	0.5	0.1	-
U2 - TITE, 56-day accrual	3.5	3.2	1.4	0.3	0	-
U3 - Original non-TITE	2.7	3.8	1.3	0.5	0.1	-
U3 - TITE, 56-day accrual	3.5	3.2	1.4	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1411.1
U2 - TITE, 56-day accrual						1199.9
U3 - Original non-TITE						1410.8
U3 - TITE, 56-day accrual						1197.2
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	9.2	10.9	12	17.1	50.1	0.7
U2 - TITE, 56-day accrual	1.6	7	16.2	20.8	52.8	1.6
U3 - Original non-TITE	13.8	15.3	12.3	14.9	43	0.7
U3 - TITE, 56-day accrual	1.8	7	16	21.4	51.9	1.9
Mean administrations						
U2 - Original non-TITE	3.7	3.9	4.8	5.7	11.7	-
U2 - TITE, 56-day accrual	4.6	5.2	5.4	5.3	8.6	-
U3 - Original non-TITE	3.7	3.9	4.8	5.7	11.7	-
U3 - TITE, 56-day accrual	4.5	5.3	5.4	5.4	8.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	3.1	0.9	3	3	-
U2 - TITE, 56-day accrual	1.7	2.6	2.3	2.1	2.3	-
U3 - Original non-TITE	0.3	3.2	0.9	3	3	-
U3 - TITE, 56-day accrual	1.6	2.6	2.2	2.1	2.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1314.2
U2 - TITE, 56-day accrual						1112.4
U3 - Original non-TITE						1314.2
U3 - TITE, 56-day accrual						1114.8

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	24.5	50.1	9.9	0.6	0	14.9
U2 - TITE, 56-day accrual	9.7	46.4	17.9	1.5	0	24.5
U3 - Original non-TITE	27.7	49.2	8.4	0.3	0	14.4
U3 - TITE, 56-day accrual	10.6	46.7	16.7	1.5	0	24.5
Mean administrations						
U2 - Original non-TITE	8.9	10.6	6.1	1.5	0.1	-
U2 - TITE, 56-day accrual	7.3	11.6	5.7	1.1	0.1	-
U3 - Original non-TITE	8.9	10.6	6.1	1.5	0.1	-
U3 - TITE, 56-day accrual	7.3	11.5	5.7	1.1	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.4	4.9	1.4	0.6	0	-
U2 - TITE, 56-day accrual	2.6	4.2	1.7	0.3	0	-
U3 - Original non-TITE	2.4	4.9	1.4	0.6	0	-
U3 - TITE, 56-day accrual	2.6	4.2	1.7	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1206.1
U2 - TITE, 56-day accrual						979.2
U3 - Original non-TITE						1209
U3 - TITE, 56-day accrual						978.2
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	11.8	49.3	26.3	5.7	0.1	6.8
U2 - TITE, 56-day accrual	3.7	36.4	38.5	10.1	1.5	9.8
U3 - Original non-TITE	15.2	50.3	22.4	5.3	0.1	6.7
U3 - TITE, 56-day accrual	3.6	36.4	39	9.7	1.1	10.2
Mean administrations						
U2 - Original non-TITE	5.5	9.5	8.6	3.8	1.4	-
U2 - TITE, 56-day accrual	5.5	10.5	7.7	3	1	-
U3 - Original non-TITE	5.5	9.5	8.6	3.8	1.4	-
U3 - TITE, 56-day accrual	5.4	10.4	7.8	3	1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	4.9	2.3	1.6	0.4	-
U2 - TITE, 56-day accrual	2	4.3	2.6	1	0.3	-
U3 - Original non-TITE	1.1	4.9	2.3	1.6	0.5	-
U3 - TITE, 56-day accrual	2	4.2	2.6	1	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1234.2
U2 - TITE, 56-day accrual						1027.2
U3 - Original non-TITE						1232.6
U3 - TITE, 56-day accrual						1031

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	48.9	0.1	0	0	0	51
U2 - TITE, 56-day accrual	59.5	2.4	0	0	0	38.1
U3 - Original non-TITE	49.1	0.1	0	0	0	50.8
U3 - TITE, 56-day accrual	58.6	2.5	0	0	0	38.9
Mean administrations						
U2 - Original non-TITE	19.9	1.6	0.3	0	0	-
U2 - TITE, 56-day accrual	21.1	2.1	0.4	0	0	-
U3 - Original non-TITE	19.8	1.6	0.3	0	0	-
U3 - TITE, 56-day accrual	21.1	2.1	0.4	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.1	0.6	0.1	0	0	-
U2 - TITE, 56-day accrual	4.6	0.5	0.1	0	0	-
U3 - Original non-TITE	4	0.6	0.1	0	0	-
U3 - TITE, 56-day accrual	4.6	0.5	0.1	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1101.6
U2 - TITE, 56-day accrual						1041.1
U3 - Original non-TITE						1101.5
U3 - TITE, 56-day accrual						1046.3
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	30.1	51.2	6.8	0.7	0	11.2
U2 - TITE, 56-day accrual	12.8	48	15.4	1.6	0	22.2
U3 - Original non-TITE	33.3	49.1	6.2	0.5	0	10.9
U3 - TITE, 56-day accrual	12.4	47.1	16.4	1.5	0	22.6
Mean administrations						
U2 - Original non-TITE	8.8	12.5	5.5	1.1	0.1	-
U2 - TITE, 56-day accrual	7.8	11.8	5.3	0.9	0.1	-
U3 - Original non-TITE	8.9	12.4	5.6	1.1	0.1	-
U3 - TITE, 56-day accrual	7.9	11.8	5.3	0.9	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.3	5.7	1.2	0.5	0	-
U2 - TITE, 56-day accrual	2.9	4.5	1.5	0.3	0	-
U3 - Original non-TITE	2.3	5.7	1.3	0.5	0	-
U3 - TITE, 56-day accrual	2.9	4.4	1.5	0.3	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1231.6
U2 - TITE, 56-day accrual						969.1
U3 - Original non-TITE						1234.3
U3 - TITE, 56-day accrual						975.6

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	6.8	1.5	0	0	0	91.7
U2 - TITE, 56-day accrual	3	2.7	0.1	0	0	94.2
U3 - Original non-TITE	7.1	1.4	0	0	0	91.5
U3 - TITE, 56-day accrual	3.1	2.8	0.1	0	0	94
Mean administrations						
U2 - Original non-TITE	12.1	1.8	0.2	0	0	-
U2 - TITE, 56-day accrual	9.1	2.4	0.4	0	0	-
U3 - Original non-TITE	12.1	1.8	0.2	0	0	-
U3 - TITE, 56-day accrual	9.1	2.4	0.4	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.5	1.3	0	0	0	-
U2 - TITE, 56-day accrual	3	0.9	0.1	0	0	-
U3 - Original non-TITE	3.5	1.3	0	0	0	-
U3 - TITE, 56-day accrual	3	0.9	0.1	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						613.5
U2 - TITE, 56-day accrual						444.5
U3 - Original non-TITE						613.9
U3 - TITE, 56-day accrual						444.8
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	0.7	1	4.8	48.7	44.6	0.2
U2 - TITE, 56-day accrual	0.1	0.6	3.4	40	55.8	0.1
U3 - Original non-TITE	1.7	2.2	5.4	51.5	39	0.2
U3 - TITE, 56-day accrual	0.1	0.6	3.4	39.6	56.3	0
Mean administrations						
U2 - Original non-TITE	3.2	3.1	3.6	8.6	11.4	-
U2 - TITE, 56-day accrual	3.5	3.6	4.6	10	8.3	-
U3 - Original non-TITE	3.2	3.1	3.6	8.6	11.4	-
U3 - TITE, 56-day accrual	3.5	3.7	4.5	9.9	8.3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.1	2.8	0.4	3.8	2.9	-
U2 - TITE, 56-day accrual	1.1	1.9	1.9	3.3	2.2	-
U3 - Original non-TITE	0.1	2.8	0.4	3.8	2.9	-
U3 - TITE, 56-day accrual	1.1	1.9	1.9	3.2	2.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1344.8
U2 - TITE, 56-day accrual						1201.4
U3 - Original non-TITE						1345.5
U3 - TITE, 56-day accrual						1198.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	33.4	35.1	27.5	1.6	0	2.4
U2 - TITE, 56-day accrual	19.1	37.5	31.8	3.6	0.1	7.9
U3 - Original non-TITE	39.3	34.3	22.4	1.6	0	2.4
U3 - TITE, 56-day accrual	19.8	36.4	32.7	3.3	0.1	7.7
Mean administrations						
U2 - Original non-TITE	9.4	9.1	8.5	2.1	0.3	-
U2 - TITE, 56-day accrual	10	8.8	7.7	1.7	0.2	-
U3 - Original non-TITE	9.4	9.2	8.4	2.2	0.3	-
U3 - TITE, 56-day accrual	10	8.9	7.7	1.7	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.6	4.2	2.1	0.7	0.1	-
U2 - TITE, 56-day accrual	3.7	3.4	2.1	0.4	0	-
U3 - Original non-TITE	2.6	4.2	2.1	0.8	0.1	-
U3 - TITE, 56-day accrual	3.7	3.4	2.1	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1327.7
U2 - TITE, 56-day accrual						1093.8
U3 - Original non-TITE						1327.4
U3 - TITE, 56-day accrual						1092.1
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	26.1	30.4	22.8	2.8	0	17.9
U2 - TITE, 56-day accrual	10.3	31.6	26.3	3.5	0	28.3
U3 - Original non-TITE	29.7	30.9	19	2.7	0	17.7
U3 - TITE, 56-day accrual	10.6	31.2	25.8	3.5	0.1	28.8
Mean administrations						
U2 - Original non-TITE	10.3	7.2	7.2	2	0.2	-
U2 - TITE, 56-day accrual	8.7	7.9	5.9	1.7	0.2	-
U3 - Original non-TITE	10.4	7.2	7.2	2	0.2	-
U3 - TITE, 56-day accrual	8.8	7.7	6	1.8	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	3	3.7	1.8	0.8	0	-
U2 - TITE, 56-day accrual	3.2	3.2	1.8	0.4	0	-
U3 - Original non-TITE	3	3.7	1.8	0.8	0	-
U3 - TITE, 56-day accrual	3.2	3.1	1.9	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1184.2
U2 - TITE, 56-day accrual						912.7
U3 - Original non-TITE						1187.1
U3 - TITE, 56-day accrual						916

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	20.7	29.5	35.4	4.4	0.1	9.9
U2 - TITE, 56-day accrual	8.5	29.4	38.4	6.9	0.4	16.4
U3 - Original non-TITE	23.7	29.6	32.3	4.3	0	10.1
U3 - TITE, 56-day accrual	8.7	28.6	39.5	7	0.3	15.9
Mean administrations						
U2 - Original non-TITE	8	7.4	9.1	3.2	0.6	-
U2 - TITE, 56-day accrual	7.4	7.6	8.6	2.6	0.6	-
U3 - Original non-TITE	8.1	7.4	9.1	3.1	0.7	-
U3 - TITE, 56-day accrual	7.4	7.7	8.6	2.6	0.6	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	3.8	2.3	1.1	0.2	-
U2 - TITE, 56-day accrual	2.8	3.1	2.6	0.7	0.1	-
U3 - Original non-TITE	2.2	3.8	2.3	1.1	0.2	-
U3 - TITE, 56-day accrual	2.7	3.1	2.6	0.6	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1259.3
U2 - TITE, 56-day accrual						1029.7
U3 - Original non-TITE						1259.2
U3 - TITE, 56-day accrual						1032.1
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	21.1	27.3	1.3	0	0	50.3
U2 - TITE, 56-day accrual	10.8	29.6	6	0	0	53.6
U3 - Original non-TITE	21.2	26.8	1.3	0.1	0	50.6
U3 - TITE, 56-day accrual	10.4	31.5	5.5	0	0	52.6
Mean administrations						
U2 - Original non-TITE	10.1	7.8	3.1	0.4	0	-
U2 - TITE, 56-day accrual	7.8	9	3.3	0.5	0.1	-
U3 - Original non-TITE	10.1	7.8	3.1	0.4	0	-
U3 - TITE, 56-day accrual	7.8	9.1	3.3	0.4	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.8	3.6	0.7	0.2	0	-
U2 - TITE, 56-day accrual	2.7	3.2	0.9	0.1	0	-
U3 - Original non-TITE	2.8	3.6	0.7	0.2	0	-
U3 - TITE, 56-day accrual	2.7	3.2	0.9	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						950.7
U2 - TITE, 56-day accrual						793.1
U3 - Original non-TITE						948.2
U3 - TITE, 56-day accrual						792.1

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	70.3	23.4	1.9	0.1	0	4.3
U2 - TITE, 56-day accrual	55.3	33.8	5.3	0.2	0	5.4
U3 - Original non-TITE	70.8	23.4	1.4	0.1	0	4.3
U3 - TITE, 56-day accrual	55.7	34	5.1	0.2	0	5
Mean administrations						
U2 - Original non-TITE	18.3	7.7	2.8	0.3	0	-
U2 - TITE, 56-day accrual	18.1	8.1	2.5	0.2	0	-
U3 - Original non-TITE	18.3	7.7	2.8	0.3	0	-
U3 - TITE, 56-day accrual	18.1	8.2	2.5	0.2	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.8	2.7	0.7	0.1	0	-
U2 - TITE, 56-day accrual	5.4	2.5	0.6	0.1	0	-
U3 - Original non-TITE	4.8	2.7	0.7	0.1	0	-
U3 - TITE, 56-day accrual	5.3	2.5	0.6	0.1	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1379.9
U2 - TITE, 56-day accrual						1168.8
U3 - Original non-TITE						1378.7
U3 - TITE, 56-day accrual						1175.2
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	18.4	17.6	19.9	36	6.4	1.7
U2 - TITE, 56-day accrual	7.6	16.9	22.6	35.5	13.6	3.8
U3 - Original non-TITE	23.5	20.2	16.1	33.4	5.1	1.7
U3 - TITE, 56-day accrual	6.5	16.9	22.8	35.9	13.9	4
Mean administrations						
U2 - Original non-TITE	5.2	5	6.5	7.8	5.3	-
U2 - TITE, 56-day accrual	6.4	5.9	5.8	6.7	4	-
U3 - Original non-TITE	5.2	5	6.5	7.9	5.2	-
U3 - TITE, 56-day accrual	6.4	6	5.8	6.7	3.9	-
Mean IPDE administrations						
U2 - Original non-TITE	1	3.2	1.7	2.9	1.2	-
U2 - TITE, 56-day accrual	2.4	2.7	2.3	2.1	0.8	-
U3 - Original non-TITE	1	3.2	1.7	2.9	1.2	-
U3 - TITE, 56-day accrual	2.4	2.7	2.3	2.2	0.8	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1336.4
U2 - TITE, 56-day accrual						1097.8
U3 - Original non-TITE						1331.5
U3 - TITE, 56-day accrual						1098.9

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	4.4	34	29.7	26.3	5.1	0.5
U2 - TITE, 56-day accrual	2.5	23.4	34.8	26.5	12	0.8
U3 - Original non-TITE	6.8	41.4	27.5	20.9	2.9	0.5
U3 - TITE, 56-day accrual	2.7	23.7	34.4	26.7	11.7	0.8
Mean administrations						
U2 - Original non-TITE	4.1	5.6	6.6	8	5.6	-
U2 - TITE, 56-day accrual	4.7	8.9	7.5	5.6	3.2	-
U3 - Original non-TITE	4.1	5.6	6.6	8	5.6	-
U3 - TITE, 56-day accrual	4.7	8.9	7.6	5.5	3.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.5	3	1.4	2.3	1.4	-
U2 - TITE, 56-day accrual	1.6	3	2.3	1.5	0.7	-
U3 - Original non-TITE	0.5	3	1.4	2.2	1.4	-
U3 - TITE, 56-day accrual	1.6	3	2.3	1.5	0.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1427.6
U2 - TITE, 56-day accrual						1245.6
U3 - Original non-TITE						1430.7
U3 - TITE, 56-day accrual						1244.1
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	10.2	16.2	35.1	28.8	9.4	0.3
U2 - TITE, 56-day accrual	2.3	8.6	30.7	38.5	19.1	0.8
U3 - Original non-TITE	14.4	19.9	33.6	25.6	6.2	0.3
U3 - TITE, 56-day accrual	2.7	8.8	30.9	37.3	19.6	0.7
Mean administrations						
U2 - Original non-TITE	4	4.4	7.9	7.6	6.1	-
U2 - TITE, 56-day accrual	5	6	8.3	6.7	3.5	-
U3 - Original non-TITE	4	4.5	7.8	7.6	6.1	-
U3 - TITE, 56-day accrual	5	6	8.5	6.5	3.6	-
Mean IPDE administrations						
U2 - Original non-TITE	0.4	3.2	2	3.1	1.9	-
U2 - TITE, 56-day accrual	1.8	2.8	3.2	2.2	1.1	-
U3 - Original non-TITE	0.4	3.3	2	3.1	1.9	-
U3 - TITE, 56-day accrual	1.8	2.8	3.2	2.2	1.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1304.4
U2 - TITE, 56-day accrual						1113.6
U3 - Original non-TITE						1303.1
U3 - TITE, 56-day accrual						1117.5

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	9	7.5	16.1	42.1	25.1	0.2
U2 - TITE, 56-day accrual	2.3	6.4	16.8	41.1	32.7	0.7
U3 - Original non-TITE	13.9	9.2	15.9	39.5	21.3	0.2
U3 - TITE, 56-day accrual	2.6	5.7	16.7	41.8	32.8	0.4
Mean administrations						
U2 - Original non-TITE	3.5	3.6	5.4	8.4	9	-
U2 - TITE, 56-day accrual	4	4.3	6	8.7	6.7	-
U3 - Original non-TITE	3.5	3.6	5.4	8.4	9.1	-
U3 - TITE, 56-day accrual	3.9	4.2	6.1	8.8	6.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	3.1	1	3.6	2.1	-
U2 - TITE, 56-day accrual	1.4	2.2	2.4	2.8	1.6	-
U3 - Original non-TITE	0.2	3.1	0.9	3.6	2.2	-
U3 - TITE, 56-day accrual	1.3	2.1	2.4	2.8	1.6	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1347.2
U2 - TITE, 56-day accrual						1176.6
U3 - Original non-TITE						1350
U3 - TITE, 56-day accrual						1173.5
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	16.5	18.6	43.5	12	2.6	6.8
U2 - TITE, 56-day accrual	5.9	14.6	45.2	18	4.5	11.8
U3 - Original non-TITE	21.6	19.7	38.9	11.6	1.5	6.7
U3 - TITE, 56-day accrual	6.5	16.4	44.3	17	4.8	11
Mean administrations						
U2 - Original non-TITE	5.5	6.3	9.9	4.9	2.5	-
U2 - TITE, 56-day accrual	5.5	6.3	9.8	4.2	1.6	-
U3 - Original non-TITE	5.4	6.3	9.9	4.8	2.4	-
U3 - TITE, 56-day accrual	5.5	6.3	9.7	4.2	1.5	-
Mean IPDE administrations						
U2 - Original non-TITE	1.1	3.8	2.7	1.9	0.7	-
U2 - TITE, 56-day accrual	2	2.9	3.3	1.3	0.5	-
U3 - Original non-TITE	1.1	3.9	2.7	1.9	0.7	-
U3 - TITE, 56-day accrual	2	2.9	3.2	1.3	0.4	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1262
U2 - TITE, 56-day accrual						1029.5
U3 - Original non-TITE						1261.7
U3 - TITE, 56-day accrual						1031.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	9.3	47.6	30.4	10.8	1.6	0.3
U2 - TITE, 56-day accrual	2.9	35.2	44	14.1	3.2	0.6
U3 - Original non-TITE	12.8	50.7	27.2	8.3	0.7	0.3
U3 - TITE, 56-day accrual	2.9	35.8	42.4	14.6	3.7	0.6
Mean administrations						
U2 - Original non-TITE	4.4	8.7	9.3	4.9	2.6	-
U2 - TITE, 56-day accrual	5.6	10.6	8.7	3.6	1.3	-
U3 - Original non-TITE	4.4	8.6	9.4	5	2.5	-
U3 - TITE, 56-day accrual	5.7	10.5	8.6	3.7	1.3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	4.1	2	1.6	0.7	-
U2 - TITE, 56-day accrual	2	3.7	2.5	0.9	0.3	-
U3 - Original non-TITE	0.6	4	2	1.6	0.6	-
U3 - TITE, 56-day accrual	2	3.7	2.4	1	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1402.4
U2 - TITE, 56-day accrual						1198.6
U3 - Original non-TITE						1402.1
U3 - TITE, 56-day accrual						1198.4
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	19.3	35.9	12.4	2.8	0.6	29
U2 - TITE, 56-day accrual	7.3	33.5	17.9	3	0.6	37.7
U3 - Original non-TITE	23.7	34.7	9.9	2.1	0.6	29
U3 - TITE, 56-day accrual	6.7	34.1	17.9	3.6	0.5	37.2
Mean administrations						
U2 - Original non-TITE	8.7	8.6	5	1.9	0.7	-
U2 - TITE, 56-day accrual	7.2	9	5	1.2	0.5	-
U3 - Original non-TITE	8.7	8.6	5	1.9	0.7	-
U3 - TITE, 56-day accrual	7.2	8.9	4.9	1.2	0.5	-
Mean IPDE administrations						
U2 - Original non-TITE	2.3	4.5	1.3	0.8	0.2	-
U2 - TITE, 56-day accrual	2.6	3.5	1.7	0.4	0.1	-
U3 - Original non-TITE	2.3	4.4	1.3	0.9	0.2	-
U3 - TITE, 56-day accrual	2.6	3.5	1.7	0.4	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1067.2
U2 - TITE, 56-day accrual						840.6
U3 - Original non-TITE						1062.5
U3 - TITE, 56-day accrual						843.9

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = two-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	25.6	43.9	10.5	0.8	0	19.2
U2 - TITE, 56-day accrual	10.7	40.5	17	1.2	0.2	30.4
U3 - Original non-TITE	29.2	44.1	7.3	0.7	0	18.7
U3 - TITE, 56-day accrual	9.6	39.3	18.7	1.2	0.1	31.1
Mean administrations						
U2 - Original non-TITE	8.3	10.7	5.6	1.6	0.4	-
U2 - TITE, 56-day accrual	7.2	10.8	5.2	1	0.2	-
U3 - Original non-TITE	8.2	10.8	5.6	1.6	0.4	-
U3 - TITE, 56-day accrual	7.1	10.9	5.3	1	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	5.4	1.4	0.8	0.1	-
U2 - TITE, 56-day accrual	2.7	4.1	1.7	0.3	0.1	-
U3 - Original non-TITE	2.1	5.4	1.4	0.8	0.1	-
U3 - TITE, 56-day accrual	2.6	4.2	1.8	0.4	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1133.4
U2 - TITE, 56-day accrual						912.8
U3 - Original non-TITE						1132.2
U3 - TITE, 56-day accrual						910.4

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 1						
DLT rate	0.3	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.2	-0.3	-0.3	-0.4	-0.4	
Utility 3	31	29.6	28.2	26.8	25.4	
OBD selection (%)						
U2 - Original non-TITE	14.5	5.1	1.2	0	0	79.2
U2 - TITE, 56-day accrual	6.5	6	3	0.5	0	84
U3 - Original non-TITE	15.1	5.4	0.4	0	0	79.1
U3 - TITE, 56-day accrual	5.9	5.5	2.5	0.4	0	85.7
Mean administrations						
U2 - Original non-TITE	11.7	4.9	1.5	0.7	0.1	-
U2 - TITE, 56-day accrual	8.6	5	1.8	0.7	0.1	-
U3 - Original non-TITE	11.8	4.9	1.4	0.7	0.1	-
U3 - TITE, 56-day accrual	8.7	5	1.6	0.6	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	3.2	2.9	0.3	0.4	0	-
U2 - TITE, 56-day accrual	2.8	2	0.7	0.3	0	-
U3 - Original non-TITE	3.2	2.9	0.3	0.4	0	-
U3 - TITE, 56-day accrual	2.9	2	0.6	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						807.4
U2 - TITE, 56-day accrual						590.4
U3 - Original non-TITE						807.6
U3 - TITE, 56-day accrual						581.5
Scenario 2						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.2	0.2	0.5	0.5	0.5	
Utility 2	0.1	0.1	0.2	0.1	0.1	
Utility 3	46	47	58	56	52	
OBD selection (%)						
U2 - Original non-TITE	26.8	23.7	36.5	8.6	0.7	3.7
U2 - TITE, 56-day accrual	16.8	20.6	43.3	9.4	0.4	9.5
U3 - Original non-TITE	30.8	24	34.1	7	0.4	3.7
U3 - TITE, 56-day accrual	17.4	24	41.4	7	0.4	9.8
Mean administrations						
U2 - Original non-TITE	9.9	8.3	8.5	2.5	0.3	-
U2 - TITE, 56-day accrual	8.5	8	9.1	2.6	0.3	-
U3 - Original non-TITE	10.5	8.5	7.9	2.3	0.2	-
U3 - TITE, 56-day accrual	9.8	8.6	8	1.7	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	2.5	3.8	2.3	0.8	0.1	-
U2 - TITE, 56-day accrual	2.9	3	2.5	0.7	0.1	-
U3 - Original non-TITE	2.7	3.9	2.1	0.8	0.1	-
U3 - TITE, 56-day accrual	3.4	3.3	2.3	0.5	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1339.9
U2 - TITE, 56-day accrual						1119.9
U3 - Original non-TITE						1332
U3 - TITE, 56-day accrual						1097.9

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 3						
DLT rate	0.1	0.2	0.3	0.3	0.5	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility 2	-0.1	0.2	0.1	0.1	-0.1	
Utility 3	40	56	52	50	46	
OBD selection (%)						
U2 - Original non-TITE	9.3	52.8	20.9	7	0.4	9.6
U2 - TITE, 56-day accrual	3.7	42	28.8	6.8	1.1	17.6
U3 - Original non-TITE	11	54.9	19	5.3	0.4	9.4
U3 - TITE, 56-day accrual	3	47.2	26.2	4.8	0.7	18.1
Mean administrations						
U2 - Original non-TITE	7.3	12.5	6.1	2.3	0.4	-
U2 - TITE, 56-day accrual	5.9	11.3	6.9	2.3	0.5	-
U3 - Original non-TITE	7.5	13.2	5.6	2	0.3	-
U3 - TITE, 56-day accrual	6.3	12.9	5.8	1.5	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.4	5.4	1.7	0.9	0.1	-
U2 - TITE, 56-day accrual	1.9	3.9	2.1	0.7	0.2	-
U3 - Original non-TITE	1.5	5.7	1.5	0.8	0.1	-
U3 - TITE, 56-day accrual	2.1	4.4	1.8	0.4	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1283.7
U2 - TITE, 56-day accrual						1069.7
U3 - Original non-TITE						1279.7
U3 - TITE, 56-day accrual						1044.6
Scenario 4						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.5	0.6	
Utility 2	0	0	0.1	0.2	0.1	
Utility 3	41	42	47.8	58	57	
OBD selection (%)						
U2 - Original non-TITE	6.9	9.7	23.9	49.8	8.4	1.3
U2 - TITE, 56-day accrual	3.9	5	22.2	50.7	12.6	5.6
U3 - Original non-TITE	9.6	10.5	21.6	50.2	6.8	1.3
U3 - TITE, 56-day accrual	3.6	5.9	22.4	53.4	9.4	5.3
Mean administrations						
U2 - Original non-TITE	4	5.2	7.7	10.6	2.2	-
U2 - TITE, 56-day accrual	3.9	4.7	6.9	10.6	2.8	-
U3 - Original non-TITE	4.4	5.4	7.6	10.5	1.9	-
U3 - TITE, 56-day accrual	4.5	5.3	7	10.1	2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.4	3.7	1.8	3.7	0.6	-
U2 - TITE, 56-day accrual	1.3	2.2	2.5	3	0.7	-
U3 - Original non-TITE	0.6	3.7	1.8	3.7	0.5	-
U3 - TITE, 56-day accrual	1.6	2.5	2.6	2.9	0.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1324.7
U2 - TITE, 56-day accrual						1138.1
U3 - Original non-TITE						1318.1
U3 - TITE, 56-day accrual						1111.3

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 5						
DLT rate	0.1	0.1	0.2	0.2	0.3	
Efficacy rate	0.1	0.3	0.3	0.3	0.3	
Utility 2	0	0.2	0.1	0.1	0	
Utility 3	40.2	53.2	51.2	49.2	46	
OBD selection (%)						
U2 - Original non-TITE	7	34.1	27.9	20.9	8.4	1.7
U2 - TITE, 56-day accrual	2.5	25.5	30.3	26.5	11.4	3.8
U3 - Original non-TITE	8.2	40.7	26.1	18.9	4.3	1.8
U3 - TITE, 56-day accrual	2.7	27.8	31.5	24.6	9.4	4
Mean administrations						
U2 - Original non-TITE	4	8	7.5	6.9	3.3	-
U2 - TITE, 56-day accrual	3.8	7.6	8	6.8	3.1	-
U3 - Original non-TITE	4.1	8.8	7.3	6.7	2.7	-
U3 - TITE, 56-day accrual	4	9.5	7.9	5.7	2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	4.4	2.1	2.8	1.1	-
U2 - TITE, 56-day accrual	1.2	3.1	2.9	2.4	1.1	-
U3 - Original non-TITE	0.4	4.8	2.1	2.8	0.9	-
U3 - TITE, 56-day accrual	1.3	3.8	2.9	2.1	0.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1277.3
U2 - TITE, 56-day accrual						1104.7
U3 - Original non-TITE						1274.1
U3 - TITE, 56-day accrual						1091.3
Scenario 6						
DLT rate	0.3	0.3	0.4	0.4	0.5	
Efficacy rate	0.3	0.3	0.3	0.4	0.4	
Utility 2	0	0	0	-0.1	-0.1	
Utility 3	46.4	45.6	45.8	45.6	43.2	
OBD selection (%)						
U2 - Original non-TITE	66.6	11.6	2	0.8	0	19
U2 - TITE, 56-day accrual	53.8	19.1	3.9	0.8	0	22.4
U3 - Original non-TITE	68.8	10.7	1.4	0.4	0	18.7
U3 - TITE, 56-day accrual	55.4	18.9	2.9	0.7	0	22.1
Mean administrations						
U2 - Original non-TITE	19	5.8	1.6	0.6	0.1	-
U2 - TITE, 56-day accrual	16.6	6.7	2	0.6	0.1	-
U3 - Original non-TITE	19.4	5.7	1.3	0.5	0.1	-
U3 - TITE, 56-day accrual	17.8	6.5	1.4	0.4	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.9	2.5	0.4	0.2	0	-
U2 - TITE, 56-day accrual	5	2.1	0.7	0.2	0	-
U3 - Original non-TITE	5.1	2.5	0.3	0.2	0	-
U3 - TITE, 56-day accrual	5.3	2.1	0.5	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1256.2
U2 - TITE, 56-day accrual						1028.3
U3 - Original non-TITE						1251.9
U3 - TITE, 56-day accrual						1025.8

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 7						
DLT rate	0.2	0.2	0.3	0.3	0.4	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0	0.3	0.2	0.2	0.1	
Utility 3	45.6	62	59.6	57.6	55.6	
OBD selection (%)						
U2 - Original non-TITE	11.5	58.5	19.3	5.6	0.6	4.5
U2 - TITE, 56-day accrual	6.6	50.1	28.1	5.6	1	8.6
U3 - Original non-TITE	13	62.4	15.9	4.1	0.3	4.3
U3 - TITE, 56-day accrual	6.7	59.6	21.5	3	0.2	9
Mean administrations						
U2 - Original non-TITE	8.1	14.9	4.7	1.3	0.2	-
U2 - TITE, 56-day accrual	6.7	14.1	6.1	1.4	0.2	-
U3 - Original non-TITE	8.4	15.5	4	1.2	0.1	-
U3 - TITE, 56-day accrual	7.2	15.3	4.9	0.8	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.6	5.5	1.3	0.5	0.1	-
U2 - TITE, 56-day accrual	2.1	4.2	1.7	0.4	0	-
U3 - Original non-TITE	1.7	5.7	1.1	0.4	0	-
U3 - TITE, 56-day accrual	2.3	4.6	1.4	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1361.5
U2 - TITE, 56-day accrual						1147.1
U3 - Original non-TITE						1358.5
U3 - TITE, 56-day accrual						1132.6
Scenario 8						
DLT rate	0.3	0.4	0.4	0.5	0.5	
Efficacy rate	0.1	0.1	0.2	0.3	0.4	
Utility 2	-0.2	-0.2	-0.2	-0.2	-0.1	
Utility 3	33.2	34.2	35.2	38.8	43.2	
OBD selection (%)						
U2 - Original non-TITE	30.3	5.7	0.9	0.1	0	63
U2 - TITE, 56-day accrual	15	8.4	1.9	0	0	74.7
U3 - Original non-TITE	30.5	5.6	0.4	0.2	0	63.3
U3 - TITE, 56-day accrual	13.9	8.4	1.3	0.2	0	76.2
Mean administrations						
U2 - Original non-TITE	14.3	4.9	1.3	0.5	0.1	-
U2 - TITE, 56-day accrual	10.6	5.4	1.5	0.5	0.1	-
U3 - Original non-TITE	14.3	4.8	1.3	0.5	0	-
U3 - TITE, 56-day accrual	10.8	5.3	1.3	0.4	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4	2.7	0.3	0.2	0	-
U2 - TITE, 56-day accrual	3.4	2	0.5	0.1	0	-
U3 - Original non-TITE	4	2.7	0.3	0.2	0	-
U3 - TITE, 56-day accrual	3.5	2	0.5	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						913
U2 - TITE, 56-day accrual						676.2
U3 - Original non-TITE						912.9
U3 - TITE, 56-day accrual						671.3

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 9						
DLT rate	0.1	0.2	0.2	0.3	0.3	
Efficacy rate	0.1	0.1	0.2	0.2	0.5	
Utility 2	-0.1	-0.1	0	0	0.2	
Utility 3	37	37.6	43.2	44.6	58.4	
OBD selection (%)						
U2 - Original non-TITE	14.2	16.2	21.4	12.9	16.3	19
U2 - TITE, 56-day accrual	5.7	9.6	20.7	12.8	19.7	31.5
U3 - Original non-TITE	18.5	18.3	19.7	10.7	13.1	19.7
U3 - TITE, 56-day accrual	4.5	9.9	23.1	14	16	32.5
Mean administrations						
U2 - Original non-TITE	6.9	6.4	6.1	4.9	3.2	-
U2 - TITE, 56-day accrual	5.8	5.4	5.8	4.6	3.3	-
U3 - Original non-TITE	7.1	6.5	6.1	4.8	3	-
U3 - TITE, 56-day accrual	6.4	5.9	5.6	4.1	2.6	-
Mean IPDE administrations						
U2 - Original non-TITE	1.5	4	1.7	2.1	1	-
U2 - TITE, 56-day accrual	2	2.4	2.2	1.7	1	-
U3 - Original non-TITE	1.6	4	1.7	2.1	0.9	-
U3 - TITE, 56-day accrual	2.3	2.6	2.1	1.5	0.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1168.6
U2 - TITE, 56-day accrual						926.8
U3 - Original non-TITE						1162.2
U3 - TITE, 56-day accrual						908.2
Scenario 10						
DLT rate	0.2	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.4	0.4	0.5	0.5	
Utility 2	-0.2	0.1	0.1	0.1	0.1	
Utility 3	33.8	52.8	52.4	51.4	52.8	
OBD selection (%)						
U2 - Original non-TITE	10.5	30.8	10.8	2.8	0.2	44.9
U2 - TITE, 56-day accrual	4.2	25.6	16.8	2.8	0.3	50.3
U3 - Original non-TITE	10.2	31.8	9.6	2.5	0.2	45.7
U3 - TITE, 56-day accrual	4.5	28.5	14.3	1.4	0.3	51
Mean administrations						
U2 - Original non-TITE	9.3	9.6	3.6	1.2	0.1	-
U2 - TITE, 56-day accrual	6.8	9	4.5	1.1	0.2	-
U3 - Original non-TITE	9.4	9.9	3.4	1.1	0.1	-
U3 - TITE, 56-day accrual	7	9.7	3.9	0.7	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	4.5	0.9	0.5	0.1	-
U2 - TITE, 56-day accrual	2.1	3.1	1.3	0.3	0.1	-
U3 - Original non-TITE	2.1	4.6	0.8	0.4	0	-
U3 - TITE, 56-day accrual	2.2	3.3	1.1	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1071.5
U2 - TITE, 56-day accrual						842
U3 - Original non-TITE						1068.4
U3 - TITE, 56-day accrual						830.8

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 11						
DLT rate	0.2	0.3	0.4	0.6	0.7	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.4	-0.5	
Utility 3	43.2	39.2	34.4	28.4	25.2	
OBD selection (%)						
U2 - Original non-TITE	61.3	19.7	2.1	0.1	0	16.8
U2 - TITE, 56-day accrual	42.5	22.7	5.6	0	0	29.2
U3 - Original non-TITE	64.5	17.4	0.8	0.1	0	17.2
U3 - TITE, 56-day accrual	40.6	24.2	4.5	0.1	0	30.6
Mean administrations						
U2 - Original non-TITE	16.9	7.5	2.4	0.7	0.1	-
U2 - TITE, 56-day accrual	14.3	7.7	2.7	0.8	0.1	-
U3 - Original non-TITE	17.3	7.3	2.2	0.7	0	-
U3 - TITE, 56-day accrual	14.9	7.6	2.2	0.6	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.9	3.7	0.6	0.4	0	-
U2 - TITE, 56-day accrual	4.9	2.8	0.9	0.2	0	-
U3 - Original non-TITE	5	3.6	0.5	0.3	0	-
U3 - TITE, 56-day accrual	5.1	2.7	0.7	0.2	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1221.1
U2 - TITE, 56-day accrual						960.6
U3 - Original non-TITE						1218.5
U3 - TITE, 56-day accrual						949.8
Scenario 12						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.4	0.6	
Utility 2	0	0	-0.1	0.1	0.2	
Utility 3	40.6	42.4	40	52.4	58.4	
OBD selection (%)						
U2 - Original non-TITE	13.8	15	13.6	45	11.2	1.4
U2 - TITE, 56-day accrual	5.8	10.2	15.7	42.7	17.7	7.9
U3 - Original non-TITE	18.4	17.8	11.4	40.7	10	1.7
U3 - TITE, 56-day accrual	4.1	11.1	15.9	44.3	16.2	8.4
Mean administrations						
U2 - Original non-TITE	4.7	5.9	6.3	9.2	3.7	-
U2 - TITE, 56-day accrual	4.3	5.3	5.7	9.1	4	-
U3 - Original non-TITE	4.9	6.1	6.2	9.2	3.4	-
U3 - TITE, 56-day accrual	4.9	5.9	5.4	8.7	3.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	4	1.4	3.7	0.9	-
U2 - TITE, 56-day accrual	1.5	2.5	2.3	2.9	0.9	-
U3 - Original non-TITE	0.8	4.1	1.3	3.6	0.8	-
U3 - TITE, 56-day accrual	1.8	2.8	2.1	2.7	0.8	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1296.7
U2 - TITE, 56-day accrual						1111.2
U3 - Original non-TITE						1293.9
U3 - TITE, 56-day accrual						1084.9

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 13						
DLT rate	0.2	0.3	0.3	0.4	0.5	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.2	0	0	0	-0.1	
Utility 3	34.6	46.4	47.2	45.4	45.6	
OBD selection (%)						
U2 - Original non-TITE	13.8	30.4	11.2	3.2	0.2	41.2
U2 - TITE, 56-day accrual	5	27.2	15.4	4.7	0.3	47.4
U3 - Original non-TITE	15	30.4	10.4	2.7	0.1	41.4
U3 - TITE, 56-day accrual	4.4	29.1	13.8	3.1	0.2	49.4
Mean administrations						
U2 - Original non-TITE	9.4	8.9	4.1	1.8	0.3	-
U2 - TITE, 56-day accrual	7	8.5	4.6	1.8	0.3	-
U3 - Original non-TITE	9.5	9.1	4	1.6	0.2	-
U3 - TITE, 56-day accrual	7.3	9.3	3.8	1.4	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	4.5	1.1	0.7	0.1	-
U2 - TITE, 56-day accrual	2.3	3.1	1.5	0.6	0.1	-
U3 - Original non-TITE	2.2	4.6	1	0.7	0.1	-
U3 - TITE, 56-day accrual	2.4	3.3	1.3	0.4	0	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						1073.5
U3 - Original non-TITE						832.5
U3 - TITE, 56-day accrual						1070.4
						814.8
Scenario 14						
DLT rate	0.1	0.1	0.2	0.3	0.4	
Efficacy rate	0.1	0.1	0.1	0.3	0.4	
Utility 2	0	-0.1	-0.1	0	0	
Utility 3	39.4	38.8	38	46.8	48.4	
OBD selection (%)						
U2 - Original non-TITE	18.8	22.1	17.9	25.8	7.4	8
U2 - TITE, 56-day accrual	9.2	12.2	20	27.8	10.3	20.5
U3 - Original non-TITE	25.6	23.4	14.4	23.3	5.3	8
U3 - TITE, 56-day accrual	6.5	11.6	22.6	28.5	10.2	20.6
Mean administrations						
U2 - Original non-TITE	6.1	6.8	6.3	7.1	2.7	-
U2 - TITE, 56-day accrual	5.5	6.1	6	6.6	2.9	-
U3 - Original non-TITE	6.3	6.9	6.2	7.2	2.5	-
U3 - TITE, 56-day accrual	6.1	6.6	5.5	6.3	2.3	-
Mean IPDE administrations						
U2 - Original non-TITE	1.2	4.3	1.5	3.1	0.8	-
U2 - TITE, 56-day accrual	2	2.8	2.3	2.3	0.9	-
U3 - Original non-TITE	1.3	4.4	1.5	3.1	0.8	-
U3 - TITE, 56-day accrual	2.3	3	2.2	2.2	0.7	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						1231.2
U3 - Original non-TITE						1003
U3 - TITE, 56-day accrual						1228.5
						982.1

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 15						
DLT rate	0.1	0.2	0.3	0.4	0.5	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	0	-0.1	-0.2	-0.3	-0.4	
Utility 3	40.8	38	33.2	30.4	27.6	
OBD selection (%)						
U2 - Original non-TITE	40.3	31.1	12.3	2.8	0.2	13.3
U2 - TITE, 56-day accrual	21.2	23	18.4	6.2	0.8	30.4
U3 - Original non-TITE	45.7	30.1	9	1.9	0.1	13.2
U3 - TITE, 56-day accrual	18.9	21.8	20.2	6.9	0.6	31.6
Mean administrations						
U2 - Original non-TITE	10.4	8.7	5.5	3.2	0.9	-
U2 - TITE, 56-day accrual	8.4	8	5.6	3	0.9	-
U3 - Original non-TITE	10.8	8.6	5.3	3.1	0.8	-
U3 - TITE, 56-day accrual	9.1	8.2	4.9	2.7	0.7	-
Mean IPDE administrations						
U2 - Original non-TITE	3	4.8	1.5	1.6	0.3	-
U2 - TITE, 56-day accrual	3.1	3.4	2.1	1.1	0.3	-
U3 - Original non-TITE	3.2	4.7	1.4	1.5	0.2	-
U3 - TITE, 56-day accrual	3.4	3.4	1.9	1	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1200.4
U2 - TITE, 56-day accrual						930.9
U3 - Original non-TITE						1198.2
U3 - TITE, 56-day accrual						919.9
Scenario 16						
DLT rate	0	0.1	0.1	0.1	0.3	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility 2	0.2	0.1	0.1	0.1	-0.1	
Utility 3	51.2	49.6	48.4	46.4	41.6	
OBD selection (%)						
U2 - Original non-TITE	32.7	29.9	15.1	15.2	7.1	0
U2 - TITE, 56-day accrual	23.1	28.6	19.9	15.1	13.2	0.1
U3 - Original non-TITE	38.1	31.5	14.7	10.8	4.9	0
U3 - TITE, 56-day accrual	20.5	26.5	19.1	17.7	16.1	0.1
Mean administrations						
U2 - Original non-TITE	4.6	5.4	6.1	8.3	5.6	-
U2 - TITE, 56-day accrual	4	5.3	6.4	8.2	6	-
U3 - Original non-TITE	5	5.8	6.2	8.1	4.9	-
U3 - TITE, 56-day accrual	5	6.3	6.5	7.6	4.5	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.3	2	3.8	2.1	-
U2 - TITE, 56-day accrual	1.3	2.3	2.7	3.3	2.3	-
U3 - Original non-TITE	0.8	3.5	2	3.7	1.8	-
U3 - TITE, 56-day accrual	1.7	2.7	2.7	3.1	1.8	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1256.5
U2 - TITE, 56-day accrual						1090.8
U3 - Original non-TITE						1250.5
U3 - TITE, 56-day accrual						1078.5

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 17						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.3	0.1	-0.1	-0.3	
Utility 3	53.6	60.8	54.4	46.8	39.6	
OBD selection (%)						
U2 - Original non-TITE	18.9	67.4	11.9	0.7	0	1.1
U2 - TITE, 56-day accrual	12.3	65.7	18	0.8	0	3.2
U3 - Original non-TITE	21.8	68.3	8.8	0.1	0	1
U3 - TITE, 56-day accrual	13.9	69.3	13.1	0.4	0	3.3
Mean administrations						
U2 - Original non-TITE	9.5	16.2	3.5	0.5	0	-
U2 - TITE, 56-day accrual	8.4	16	4.5	0.6	0	-
U3 - Original non-TITE	10.3	16.3	2.8	0.4	0	-
U3 - TITE, 56-day accrual	9.4	16.4	3.2	0.3	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	5.5	0.9	0.2	0	-
U2 - TITE, 56-day accrual	2.6	4.6	1.2	0.2	0	-
U3 - Original non-TITE	2.4	5.6	0.7	0.2	0	-
U3 - TITE, 56-day accrual	3	4.8	0.9	0.1	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1401.8
U2 - TITE, 56-day accrual						1208.3
U3 - Original non-TITE						1400.1
U3 - TITE, 56-day accrual						1191.9
Scenario 18						
DLT rate	0	0	0.1	0.2	0.3	
Efficacy rate	0.1	0.1	0.1	0.2	0.5	
Utility 2	0	0.1	0.1	0	0.1	
Utility 3	42.2	44.4	45	44	56	
OBD selection (%)						
U2 - Original non-TITE	10	10.7	10.7	18.8	49.7	0.1
U2 - TITE, 56-day accrual	4.5	8.3	11	19.4	56.1	0.7
U3 - Original non-TITE	14.4	15.2	10.4	17.3	42.6	0.1
U3 - TITE, 56-day accrual	3.7	8.1	11.9	19.9	55.6	0.8
Mean administrations						
U2 - Original non-TITE	3.5	4	5.3	7.7	9.5	-
U2 - TITE, 56-day accrual	3.3	4	5.2	7	10.2	-
U3 - Original non-TITE	3.5	4.2	5.5	7.9	8.9	-
U3 - TITE, 56-day accrual	3.6	4.4	5.5	7.1	9.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	3.2	1.2	3.5	2.6	-
U2 - TITE, 56-day accrual	1	2	2.2	2.7	2.8	-
U3 - Original non-TITE	0.2	3.3	1.3	3.6	2.4	-
U3 - TITE, 56-day accrual	1.2	2.2	2.3	2.7	2.5	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1306.8
U2 - TITE, 56-day accrual						1165.6
U3 - Original non-TITE						1303.7
U3 - TITE, 56-day accrual						1149.4

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 19						
DLT rate	0.1	0.3	0.4	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	0	0	-0.1	-0.2	-0.4	
Utility 3	40.4	47.6	43.6	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	17.6	54.5	12.6	1.2	0	14.1
U2 - TITE, 56-day accrual	6.7	45	20.8	1	0	26.5
U3 - Original non-TITE	17.7	55.2	10.7	1.5	0	14.9
U3 - TITE, 56-day accrual	6.4	45.4	20.8	1.2	0	26.2
Mean administrations						
U2 - Original non-TITE	8.5	12.8	5.3	1.5	0.1	-
U2 - TITE, 56-day accrual	7.1	11.6	5.8	1.5	0.1	-
U3 - Original non-TITE	8.6	12.9	5.2	1.4	0.1	-
U3 - TITE, 56-day accrual	7.5	12.3	5.2	1.1	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	1.9	5.9	1.3	0.7	0	-
U2 - TITE, 56-day accrual	2.5	4.2	1.8	0.4	0	-
U3 - Original non-TITE	1.9	6	1.2	0.6	0	-
U3 - TITE, 56-day accrual	2.7	4.5	1.6	0.3	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1246.8
U2 - TITE, 56-day accrual						1002.8
U3 - Original non-TITE						1239.3
U3 - TITE, 56-day accrual						994.2
Scenario 20						
DLT rate	0.1	0.1	0.3	0.4	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	0.1	-0.1	-0.2	-0.3	
Utility 3	40.2	49.4	42.6	38.6	34.2	
OBD selection (%)						
U2 - Original non-TITE	9.8	50.5	29.4	7.2	0.2	2.9
U2 - TITE, 56-day accrual	5.2	38	34.1	13.5	0.6	8.6
U3 - Original non-TITE	13.3	53.1	24	6.3	0.3	3
U3 - TITE, 56-day accrual	4.1	34.5	38	14.3	0.7	8.4
Mean administrations						
U2 - Original non-TITE	4.9	10.7	8.5	4.4	1.1	-
U2 - TITE, 56-day accrual	4.5	10.2	8.4	4.4	1.1	-
U3 - Original non-TITE	5.1	11.2	8.2	4.2	1	-
U3 - TITE, 56-day accrual	4.9	11.3	7.8	3.7	0.8	-
Mean IPDE administrations						
U2 - Original non-TITE	0.7	5.5	2.3	1.8	0.4	-
U2 - TITE, 56-day accrual	1.5	4.1	2.8	1.5	0.3	-
U3 - Original non-TITE	0.8	5.7	2.2	1.8	0.3	-
U3 - TITE, 56-day accrual	1.7	4.5	2.7	1.2	0.3	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1272
U2 - TITE, 56-day accrual						1074.6
U3 - Original non-TITE						1268.1
U3 - TITE, 56-day accrual						1060.6

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 21						
DLT rate	0.4	0.6	0.7	0.8	0.9	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility 2	0.1	-0.1	-0.2	-0.3	-0.4	
Utility 3	55.2	47.6	42.4	36.8	34.8	
OBD selection (%)						
U2 - Original non-TITE	48.2	0	0	0	0	51.8
U2 - TITE, 56-day accrual	57.6	1.8	0.1	0	0	40.5
U3 - Original non-TITE	47.6	0.2	0	0	0	52.2
U3 - TITE, 56-day accrual	58.7	1.8	0	0	0	39.5
Mean administrations						
U2 - Original non-TITE	19.4	2.1	0	0	0	-
U2 - TITE, 56-day accrual	20.4	2.7	0.1	0	0	-
U3 - Original non-TITE	19.4	2	0	0	0	-
U3 - TITE, 56-day accrual	20.7	2.6	0.1	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3.8	0.9	0	0	0	-
U2 - TITE, 56-day accrual	4.3	0.7	0	0	0	-
U3 - Original non-TITE	3.8	0.9	0	0	0	-
U3 - TITE, 56-day accrual	4.5	0.6	0	0	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1083.6
U2 - TITE, 56-day accrual						1028.4
U3 - Original non-TITE						1082.9
U3 - TITE, 56-day accrual						1034
Scenario 22						
DLT rate	0.1	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.2	0.2	0.5	0.5	
Utility 2	0	0	-0.2	-0.1	-0.3	
Utility 3	42	44.2	35	47.6	38.8	
OBD selection (%)						
U2 - Original non-TITE	21.6	56	7.3	1.1	0	14
U2 - TITE, 56-day accrual	8.2	50.6	14.7	1.5	0	25
U3 - Original non-TITE	20.7	56.6	7.5	1.2	0	14
U3 - TITE, 56-day accrual	6.7	48.8	17.9	1.1	0	25.5
Mean administrations						
U2 - Original non-TITE	9	13.1	5.1	1.5	0.1	-
U2 - TITE, 56-day accrual	7.5	12.4	5.2	1.4	0.1	-
U3 - Original non-TITE	9.4	13	4.9	1.5	0.1	-
U3 - TITE, 56-day accrual	7.8	12.8	4.7	1.2	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.2	6.2	1.1	0.7	0	-
U2 - TITE, 56-day accrual	2.7	4.6	1.5	0.4	0	-
U3 - Original non-TITE	2.4	6.2	1	0.6	0	-
U3 - TITE, 56-day accrual	2.9	4.7	1.4	0.3	0	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1253.9
U2 - TITE, 56-day accrual						1006.8
U3 - Original non-TITE						1250.2
U3 - TITE, 56-day accrual						990.7

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 23						
DLT rate	0.3	0.6	0.8	0.9	1	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility 2	-0.3	-0.5	-0.8	-0.9	-0.9	
Utility 3	30.2	21	11	5.4	4.2	
OBD selection (%)						
U2 - Original non-TITE	7.4	0.5	0	0	0	92.1
U2 - TITE, 56-day accrual	2.9	1.1	0.1	0	0	95.9
U3 - Original non-TITE	7.2	0.7	0	0	0	92.1
U3 - TITE, 56-day accrual	2.7	1	0	0	0	96.3
Mean administrations						
U2 - Original non-TITE	11.5	3.5	0.3	0	0	-
U2 - TITE, 56-day accrual	8.5	3.7	0.4	0	0	-
U3 - Original non-TITE	11.4	3.5	0.3	0	0	-
U3 - TITE, 56-day accrual	8.5	3.7	0.4	0	0	-
Mean IPDE administrations						
U2 - Original non-TITE	3	2.2	0	0	0	-
U2 - TITE, 56-day accrual	2.6	1.3	0.1	0	0	-
U3 - Original non-TITE	3	2.2	0	0	0	-
U3 - TITE, 56-day accrual	2.7	1.3	0.1	0	0	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						659.3
U3 - Original non-TITE						488.4
U3 - TITE, 56-day accrual						654.6
						485.9
Scenario 24						
DLT rate	0	0	0.1	0.1	0.2	
Efficacy rate	0.1	0.1	0.2	0.5	0.5	
Utility 2	0	0.1	0.1	0.4	0.2	
Utility 3	42.6	44	50	66	60	
OBD selection (%)						
U2 - Original non-TITE	1.4	0.6	1.7	62.6	33.7	0
U2 - TITE, 56-day accrual	0.4	0.5	1.9	50.3	46.8	0.1
U3 - Original non-TITE	2.1	1	2.5	65.8	28.6	0
U3 - TITE, 56-day accrual	0.5	0.6	1.8	61.5	35.5	0.1
Mean administrations						
U2 - Original non-TITE	3.1	3.2	3.8	13.8	6.2	-
U2 - TITE, 56-day accrual	3.1	3.2	3.9	12.3	7.5	-
U3 - Original non-TITE	3.1	3.2	3.9	14.4	5.4	-
U3 - TITE, 56-day accrual	3.2	3.3	4.2	13.4	5.9	-
Mean IPDE administrations						
U2 - Original non-TITE	0	2.9	0.5	5.1	1.8	-
U2 - TITE, 56-day accrual	0.9	1.7	1.6	4	2.1	-
U3 - Original non-TITE	0.1	2.9	0.6	5.3	1.5	-
U3 - TITE, 56-day accrual	1	1.7	1.7	4.3	1.7	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						1337.1
U3 - Original non-TITE						1203.3
U3 - TITE, 56-day accrual						1335.1
						1193.9

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 25						
DLT rate	0.1	0.2	0.4	0.6	0.8	
Efficacy rate	0.2	0.2	0.4	0.5	0.5	
Utility 2	0.1	0.1	0	-0.2	-0.3	
Utility 3	48.4	47.8	49.2	41.8	39.2	
OBD selection (%)						
U2 - Original non-TITE	28.3	35.3	31.7	2.5	0	2.2
U2 - TITE, 56-day accrual	19.5	31.6	37.3	4.5	0.1	7
U3 - Original non-TITE	33.3	36	26	2.5	0	2.2
U3 - TITE, 56-day accrual	18.6	32.1	38	4.3	0	7
Mean administrations						
U2 - Original non-TITE	8.6	10.5	8.5	2	0.1	-
U2 - TITE, 56-day accrual	8.1	10.2	8.5	2	0.1	-
U3 - Original non-TITE	9.1	10.9	7.9	1.7	0.1	-
U3 - TITE, 56-day accrual	9.1	10.7	7.5	1.5	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	4.7	2.3	0.8	0	-
U2 - TITE, 56-day accrual	2.9	3.8	2.5	0.5	0	-
U3 - Original non-TITE	2.4	4.9	2.1	0.7	0	-
U3 - TITE, 56-day accrual	3.3	4.1	2.2	0.4	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1324.9
U2 - TITE, 56-day accrual						1121.4
U3 - Original non-TITE						1319.4
U3 - TITE, 56-day accrual						1098.8
Scenario 26						
DLT rate	0.1	0.2	0.3	0.6	0.8	
Efficacy rate	0.1	0.2	0.3	0.5	0.6	
Utility 2	-0.1	0	0.1	-0.2	-0.2	
Utility 3	40	43.2	49	42.2	41	
OBD selection (%)						
U2 - Original non-TITE	24.9	33.9	26.5	2.2	0	12.5
U2 - TITE, 56-day accrual	12.5	27.6	28	4.7	0	27.2
U3 - Original non-TITE	27	33.2	24.2	2	0	13.6
U3 - TITE, 56-day accrual	10.1	28.4	28.8	4.4	0	28.3
Mean administrations						
U2 - Original non-TITE	9.4	9.5	7.1	2.2	0.1	-
U2 - TITE, 56-day accrual	7.6	8.8	7	2.2	0.2	-
U3 - Original non-TITE	9.6	9.5	7	2.1	0.1	-
U3 - TITE, 56-day accrual	8.2	9.2	6.4	1.8	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	2.4	4.7	1.8	1	0	-
U2 - TITE, 56-day accrual	2.7	3.4	2.2	0.6	0	-
U3 - Original non-TITE	2.5	4.8	1.7	0.9	0	-
U3 - TITE, 56-day accrual	2.9	3.6	2	0.5	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1246.9
U2 - TITE, 56-day accrual						978.2
U3 - Original non-TITE						1245
U3 - TITE, 56-day accrual						956.6

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 27						
DLT rate	0.1	0.2	0.3	0.5	0.6	
Efficacy rate	0.1	0.2	0.4	0.4	0.5	
Utility 2	0	0	0.1	-0.1	-0.2	
Utility 3	41.6	45.2	52	45.2	42.2	
OBD selection (%)						
U2 - Original non-TITE	17.3	27.6	43.4	4.8	0	6.9
U2 - TITE, 56-day accrual	8.7	22	47.6	7.7	0.2	13.8
U3 - Original non-TITE	19.9	29.4	38.8	4.9	0	7
U3 - TITE, 56-day accrual	7.4	22.9	47.6	8.5	0.1	13.5
Mean administrations						
U2 - Original non-TITE	7.2	9.1	9.8	2.9	0.3	-
U2 - TITE, 56-day accrual	6.1	8.4	9.7	3.3	0.4	-
U3 - Original non-TITE	7.5	9.1	9.6	2.7	0.3	-
U3 - TITE, 56-day accrual	6.7	9	9.1	2.7	0.2	-
Mean IPDE administrations						
U2 - Original non-TITE	1.6	4.5	2.6	1.1	0.1	-
U2 - TITE, 56-day accrual	2.2	3.3	3	0.9	0.1	-
U3 - Original non-TITE	1.7	4.6	2.6	1.1	0.1	-
U3 - TITE, 56-day accrual	2.4	3.6	2.8	0.7	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1286.9
U2 - TITE, 56-day accrual						1078.3
U3 - Original non-TITE						1284.9
U3 - TITE, 56-day accrual						1061.9
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.8	
Efficacy rate	0.1	0.3	0.3	0.3	0.4	
Utility 2	-0.1	0	-0.2	-0.2	-0.4	
Utility 3	35	46	39.2	37	33.2	
OBD selection (%)						
U2 - Original non-TITE	17	31.7	3.1	0.1	0	48.1
U2 - TITE, 56-day accrual	6.1	31.1	6.8	0.3	0	55.7
U3 - Original non-TITE	17.4	32.4	2.5	0	0	47.7
U3 - TITE, 56-day accrual	5.1	31.9	7.2	0.3	0	55.5
Mean administrations						
U2 - Original non-TITE	10.5	10.1	2.8	0.6	0	-
U2 - TITE, 56-day accrual	7.7	9.8	3.2	0.7	0	-
U3 - Original non-TITE	10.6	10.1	2.8	0.6	0	-
U3 - TITE, 56-day accrual	7.9	10.1	3	0.5	0	-
Mean IPDE administrations						
U2 - Original non-TITE	2.6	4.9	0.7	0.3	0	-
U2 - TITE, 56-day accrual	2.6	3.5	0.9	0.2	0	-
U3 - Original non-TITE	2.6	4.9	0.6	0.3	0	-
U3 - TITE, 56-day accrual	2.7	3.6	0.9	0.2	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1056.5
U2 - TITE, 56-day accrual						814.8
U3 - Original non-TITE						1052.4
U3 - TITE, 56-day accrual						813.6

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 29						
DLT rate	0.2	0.3	0.6	0.7	0.9	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility 2	0.2	0.1	-0.2	-0.3	-0.5	
Utility 3	56.4	52	41.6	34.4	29.6	
OBD selection (%)						
U2 - Original non-TITE	65.4	29.4	1.5	0.2	0	3.5
U2 - TITE, 56-day accrual	51.5	39.3	4.1	0	0	5.1
U3 - Original non-TITE	67.6	27.7	1.1	0.2	0	3.4
U3 - TITE, 56-day accrual	55.1	37	2.2	0	0	5.7
Mean administrations						
U2 - Original non-TITE	18.6	9	1.5	0.2	0	-
U2 - TITE, 56-day accrual	16.4	10.4	1.9	0.3	0	-
U3 - Original non-TITE	19.4	8.7	1	0.1	0	-
U3 - TITE, 56-day accrual	18	9.6	1.2	0.1	0	-
Mean IPDE administrations						
U2 - Original non-TITE	4.7	3.3	0.5	0.1	0	-
U2 - TITE, 56-day accrual	4.7	3.1	0.5	0.1	0	-
U3 - Original non-TITE	5	3.3	0.3	0.1	0	-
U3 - TITE, 56-day accrual	5.2	2.9	0.3	0	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1382.7
U2 - TITE, 56-day accrual						1170.1
U3 - Original non-TITE						1379.4
U3 - TITE, 56-day accrual						1161.6
Scenario 30						
DLT rate	0.1	0.1	0.2	0.3	0.5	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0.1	0.1	0	0.1	0	
Utility 3	45.2	45.8	45.2	53.2	48.4	
OBD selection (%)						
U2 - Original non-TITE	14.8	18.2	16.6	41.9	8.4	0.1
U2 - TITE, 56-day accrual	10.5	12.4	16.3	47.5	11	2.3
U3 - Original non-TITE	21.2	20	13.8	39	5.9	0.1
U3 - TITE, 56-day accrual	9	11.4	17.7	49.7	9.6	2.6
Mean administrations						
U2 - Original non-TITE	4.5	5.7	6.7	9.9	3.1	-
U2 - TITE, 56-day accrual	4.3	5.3	6.6	10	3.3	-
U3 - Original non-TITE	4.8	6	6.7	9.7	2.8	-
U3 - TITE, 56-day accrual	5.1	6	6.4	9.2	2.7	-
Mean IPDE administrations						
U2 - Original non-TITE	0.6	3.6	1.8	3.5	0.9	-
U2 - TITE, 56-day accrual	1.4	2.4	2.6	3.1	0.8	-
U3 - Original non-TITE	0.7	3.7	1.8	3.5	0.8	-
U3 - TITE, 56-day accrual	1.8	2.7	2.5	2.9	0.7	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1318.9
U2 - TITE, 56-day accrual						1154.3
U3 - Original non-TITE						1316.3
U3 - TITE, 56-day accrual						1131

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 31						
DLT rate	0	0.1	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.4	0.3	-0.1	
Utility 3	50.4	67.6	66	62	46	
OBD selection (%)						
U2 - Original non-TITE	1.3	45.7	31.4	19.5	2.1	0
U2 - TITE, 56-day accrual	0.6	37.5	40	19.9	1.9	0.1
U3 - Original non-TITE	3	52	28.6	15.8	0.6	0
U3 - TITE, 56-day accrual	0.8	48.8	35.8	13.6	0.9	0.1
Mean administrations						
U2 - Original non-TITE	3.8	14.5	7.4	3.7	0.6	-
U2 - TITE, 56-day accrual	3.7	13.2	9.2	3.3	0.6	-
U3 - Original non-TITE	4.1	15.5	6.8	3.2	0.4	-
U3 - TITE, 56-day accrual	4	15	8.3	2.4	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	5.5	2.2	1.2	0.2	-
U2 - TITE, 56-day accrual	1.1	4.3	2.9	1	0.1	-
U3 - Original non-TITE	0.4	5.9	2	1.1	0.1	-
U3 - TITE, 56-day accrual	1.2	4.9	2.7	0.7	0.1	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						1379
U3 - Original non-TITE						1198.6
U3 - TITE, 56-day accrual						1373.9
						1186.1
Scenario 32						
DLT rate	0	0.1	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0.1	0.1	0.2	0	-0.1	
Utility 3	44	47	53.6	46	43.6	
OBD selection (%)						
U2 - Original non-TITE	11.1	15.4	34.7	29.5	9.3	0
U2 - TITE, 56-day accrual	7.5	10.4	30.5	35.3	15.8	0.5
U3 - Original non-TITE	18.4	17.6	31.1	26.6	6.3	0
U3 - TITE, 56-day accrual	6.5	8.8	33.8	36.8	13.6	0.5
Mean administrations						
U2 - Original non-TITE	3.6	4.6	8.5	9.2	4.2	-
U2 - TITE, 56-day accrual	3.4	4.4	8.7	9	4.3	-
U3 - Original non-TITE	3.7	4.9	8.9	9	3.5	-
U3 - TITE, 56-day accrual	3.8	5	9.4	8.4	3.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.3	3.3	2.3	3.6	1.3	-
U2 - TITE, 56-day accrual	1.1	2.1	3.2	3.1	1.4	-
U3 - Original non-TITE	0.3	3.4	2.4	3.6	1.1	-
U3 - TITE, 56-day accrual	1.2	2.4	3.5	2.9	1.1	-
Mean trial duration (days)						
U2 - Original non-TITE						Days
U2 - TITE, 56-day accrual						1298.9
U3 - Original non-TITE						1140.7
U3 - TITE, 56-day accrual						1295.2
						1127.9

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 33						
DLT rate	0	0	0.1	0.3	0.4	
Efficacy rate	0.1	0.1	0.2	0.4	0.5	
Utility 2	0	0.1	0.1	0.1	0.1	
Utility 3	42.6	44	48.4	51.2	54.8	
OBD selection (%)						
U2 - Original non-TITE	9.4	5.9	13.1	49.3	22.3	0
U2 - TITE, 56-day accrual	3.3	5.3	11.8	47.9	31.4	0.3
U3 - Original non-TITE	13	9.3	12.5	47.8	17.4	0
U3 - TITE, 56-day accrual	3.9	4.9	12.4	54.3	24	0.5
Mean administrations						
U2 - Original non-TITE	3.3	3.9	6.2	11.2	5.3	-
U2 - TITE, 56-day accrual	3.2	3.6	5.9	11.1	6.1	-
U3 - Original non-TITE	3.5	4	6.3	11.5	4.7	-
U3 - TITE, 56-day accrual	3.5	3.9	6.2	11.4	4.9	-
Mean IPDE administrations						
U2 - Original non-TITE	0.2	3.2	1.3	4.3	1.4	-
U2 - TITE, 56-day accrual	1	1.9	2.3	3.4	1.6	-
U3 - Original non-TITE	0.2	3.3	1.3	4.4	1.2	-
U3 - TITE, 56-day accrual	1.1	2	2.4	3.6	1.2	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1330.7
U2 - TITE, 56-day accrual						1202.6
U3 - Original non-TITE						1328.6
U3 - TITE, 56-day accrual						1186.3
Scenario 34						
DLT rate	0.1	0.1	0.3	0.4	0.4	
Efficacy rate	0.1	0.1	0.3	0.3	0.3	
Utility 2	0	0	0	0	-0.1	
Utility 3	41	40.8	46	44.8	44.2	
OBD selection (%)						
U2 - Original non-TITE	14.7	19.1	45.9	13.9	2.5	3.9
U2 - TITE, 56-day accrual	7.2	11.9	46	18.4	3.9	12.6
U3 - Original non-TITE	18.7	19.7	42.1	14	1.6	3.9
U3 - TITE, 56-day accrual	5.5	10.9	49.4	19.1	3.1	12
Mean administrations						
U2 - Original non-TITE	5.2	7.3	10	5.7	1.5	-
U2 - TITE, 56-day accrual	4.8	6.4	9.5	5.7	1.6	-
U3 - Original non-TITE	5.5	7.3	9.9	5.6	1.3	-
U3 - TITE, 56-day accrual	5.3	7.1	9.3	5.1	1.2	-
Mean IPDE administrations						
U2 - Original non-TITE	0.9	4.3	2.6	2.3	0.5	-
U2 - TITE, 56-day accrual	1.7	2.9	3.2	1.8	0.5	-
U3 - Original non-TITE	1.1	4.4	2.5	2.2	0.4	-
U3 - TITE, 56-day accrual	1.9	3.1	3.1	1.7	0.4	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1282.1
U2 - TITE, 56-day accrual						1061.4
U3 - Original non-TITE						1278.7
U3 - TITE, 56-day accrual						1046

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 35						
DLT rate	0	0.1	0.3	0.4	0.5	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility 2	0.2	0.4	0.1	0.1	0	
Utility 3	50.8	63.4	55	51	49	
OBD selection (%)						
U2 - Original non-TITE	5.4	49.6	33.3	10.5	1.2	0
U2 - TITE, 56-day accrual	3.8	37.5	45.4	12.3	0.9	0.1
U3 - Original non-TITE	7.2	55.6	29.5	7.2	0.5	0
U3 - TITE, 56-day accrual	3.5	46.8	41.1	8.3	0.1	0.2
Mean administrations						
U2 - Original non-TITE	4.2	14.1	8.4	2.8	0.5	-
U2 - TITE, 56-day accrual	4.1	12.6	10	2.9	0.3	-
U3 - Original non-TITE	4.5	15.3	7.5	2.4	0.4	-
U3 - TITE, 56-day accrual	4.6	14.8	8.7	1.8	0.1	-
Mean IPDE administrations						
U2 - Original non-TITE	0.4	5.5	2.3	0.9	0.1	-
U2 - TITE, 56-day accrual	1.3	4.3	2.9	0.8	0.1	-
U3 - Original non-TITE	0.6	6	2	0.8	0.1	-
U3 - TITE, 56-day accrual	1.5	5	2.5	0.5	0	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1380.8
U2 - TITE, 56-day accrual						1212.3
U3 - Original non-TITE						1376
U3 - TITE, 56-day accrual						1196.1
Scenario 36						
DLT rate	0.1	0.3	0.3	0.4	0.4	
Efficacy rate	0.1	0.2	0.2	0.3	0.3	
Utility 2	-0.1	-0.1	-0.1	-0.1	-0.1	
Utility 3	37.8	40.4	39.2	42	43.8	
OBD selection (%)						
U2 - Original non-TITE	16.4	36.4	13.2	3.2	0.5	30.3
U2 - TITE, 56-day accrual	6.8	30.3	19.4	3.2	0.2	40.1
U3 - Original non-TITE	17.1	37.8	11.2	3.1	0.2	30.6
U3 - TITE, 56-day accrual	5.4	31.9	19.6	3	0.2	39.9
Mean administrations						
U2 - Original non-TITE	8.8	9.8	4.9	2.5	0.6	-
U2 - TITE, 56-day accrual	6.8	9	5.2	2.2	0.5	-
U3 - Original non-TITE	9	9.7	4.8	2.4	0.5	-
U3 - TITE, 56-day accrual	7.2	9.7	4.7	1.9	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	2.1	5.2	1.2	1.1	0.2	-
U2 - TITE, 56-day accrual	2.4	3.5	1.8	0.8	0.2	-
U3 - Original non-TITE	2.2	5.2	1.1	1.1	0.2	-
U3 - TITE, 56-day accrual	2.6	3.8	1.6	0.6	0.1	-
Mean trial duration (days)						
						Days
U2 - Original non-TITE						1126.8
U2 - TITE, 56-day accrual						891.2
U3 - Original non-TITE						1121.9
U3 - TITE, 56-day accrual						880.4

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.6 - allocation = one-stage - N = 30

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	Stop %
Scenario 37						
DLT rate	0.1	0.3	0.4	0.5	0.5	
Efficacy rate	0.1	0.2	0.2	0.2	0.2	
Utility 2	0	-0.1	-0.2	-0.2	-0.3	
Utility 3	39.8	40	36	34	32	
OBD selection (%)						
U2 - Original non-TITE	16.7	46.2	12.5	1.1	0	23.5
U2 - TITE, 56-day accrual	8.1	39.1	15.5	1.9	0	35.4
U3 - Original non-TITE	18.2	46	10.5	0.9	0	24.4
U3 - TITE, 56-day accrual	4.8	39.5	18.8	2.4	0	34.5
Mean administrations						
U2 - Original non-TITE	8.7	11.3	5.1	2.2	0.4	-
U2 - TITE, 56-day accrual	6.9	10.5	5.4	1.9	0.4	-
U3 - Original non-TITE	9	11.2	5	2.1	0.4	-
U3 - TITE, 56-day accrual	7.4	11	4.8	1.6	0.3	-
Mean IPDE administrations						
U2 - Original non-TITE	2	5.9	1.2	1	0.1	-
U2 - TITE, 56-day accrual	2.5	4	1.8	0.7	0.1	-
U3 - Original non-TITE	2.2	5.9	1.1	1	0.1	-
U3 - TITE, 56-day accrual	2.7	4.2	1.6	0.5	0.1	-
Mean trial duration (days)						Days
U2 - Original non-TITE						1180.3
U2 - TITE, 56-day accrual						944.3
U3 - Original non-TITE						1174.8
U3 - TITE, 56-day accrual						926.7