

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 1                 |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.3    | 0.4    | 0.5    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 2                  | -0.2   | -0.3   | -0.3   | -0.4   | -0.4   |        |
| Utility 3                  | 31     | 29.6   | 28.2   | 26.8   | 25.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 13.2   | 2.6    | 0.1    | 0      | 0      | 84.1   |
| U2 - TITE, 56-day accrual  | 5      | 7.4    | 2      | 0.2    | 0      | 85.4   |
| U3 - Original non-TITE     | 12.9   | 2.6    | 0      | 0      | 0      | 84.5   |
| U3 - TITE, 56-day accrual  | 5      | 7      | 2.1    | 0.1    | 0      | 85.8   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 12     | 2.6    | 0.9    | 0.2    | 0      | -      |
| U2 - TITE, 56-day accrual  | 8.9    | 3.2    | 1.3    | 0.2    | 0      | -      |
| U3 - Original non-TITE     | 12     | 2.6    | 0.9    | 0.2    | 0      | -      |
| U3 - TITE, 56-day accrual  | 8.9    | 3.3    | 1.3    | 0.2    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.6    | 1.6    | 0.2    | 0.1    | 0      | -      |
| U2 - TITE, 56-day accrual  | 3      | 1.4    | 0.5    | 0.1    | 0      | -      |
| U3 - Original non-TITE     | 3.6    | 1.6    | 0.2    | 0.1    | 0      | -      |
| U3 - TITE, 56-day accrual  | 3      | 1.4    | 0.5    | 0.1    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 671.7  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 496.1  |
| U3 - Original non-TITE     |        |        |        |        |        | 669.9  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 497.1  |
| Scenario 2                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.3    | 0.5    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.1    | 0.1    | 0.2    | 0.1    | 0.1    |        |
| Utility 3                  | 46     | 47     | 58     | 56     | 52     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 37.9   | 24.4   | 27.3   | 4.8    | 0.5    | 5.1    |
| U2 - TITE, 56-day accrual  | 22.4   | 27     | 31.5   | 6.9    | 0.6    | 11.6   |
| U3 - Original non-TITE     | 40.6   | 24.2   | 25.4   | 4.4    | 0.3    | 5.1    |
| U3 - TITE, 56-day accrual  | 22.2   | 27     | 31.8   | 6.7    | 0.5    | 11.8   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 12.6   | 6.1    | 6.7    | 2.7    | 0.8    | -      |
| U2 - TITE, 56-day accrual  | 11.5   | 6.9    | 6.7    | 2      | 0.5    | -      |
| U3 - Original non-TITE     | 12.6   | 6.2    | 6.6    | 2.7    | 0.8    | -      |
| U3 - TITE, 56-day accrual  | 11.5   | 7      | 6.7    | 2      | 0.5    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.8    | 3      | 1.6    | 0.8    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 4.1    | 2.7    | 1.8    | 0.5    | 0.1    | -      |
| U3 - Original non-TITE     | 3.8    | 3      | 1.6    | 0.8    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 4.1    | 2.7    | 1.8    | 0.5    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1311.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1067.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1311.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1065.9 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 3                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.3    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.4    | 0.4    | 0.4    | 0.4    |        |
| Utility 2                  | -0.1   | 0.2    | 0.1    | 0.1    | -0.1   |        |
| Utility 3                  | 40     | 56     | 52     | 50     | 46     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 18.6   | 44.5   | 17.1   | 3.7    | 0.5    | 15.6   |
| U2 - TITE, 56-day accrual  | 5.3    | 39.4   | 24.4   | 6.7    | 0.5    | 23.7   |
| U3 - Original non-TITE     | 19.7   | 46.1   | 14.7   | 3.5    | 0.3    | 15.7   |
| U3 - TITE, 56-day accrual  | 5.4    | 38.1   | 25.8   | 6.3    | 0.5    | 23.9   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.1   | 8      | 5.8    | 2.4    | 0.9    | -      |
| U2 - TITE, 56-day accrual  | 7.5    | 10     | 5.5    | 1.8    | 0.5    | -      |
| U3 - Original non-TITE     | 10     | 8.1    | 5.7    | 2.4    | 0.9    | -      |
| U3 - TITE, 56-day accrual  | 7.4    | 10     | 5.6    | 1.8    | 0.5    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.9    | 3.7    | 1.4    | 0.9    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 2.7    | 3.5    | 1.6    | 0.5    | 0.1    | -      |
| U3 - Original non-TITE     | 2.9    | 3.8    | 1.3    | 0.9    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 2.6    | 3.5    | 1.6    | 0.5    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1205.5 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 976.8  |
| U3 - Original non-TITE     |        |        |        |        |        | 1205.6 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 977.8  |
| Scenario 4                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.5    | 0.6    |        |
| Utility 2                  | 0      | 0      | 0.1    | 0.2    | 0.1    |        |
| Utility 3                  | 41     | 42     | 47.8   | 58     | 57     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.6    | 12.4   | 26.8   | 38.5   | 8.9    | 4.8    |
| U2 - TITE, 56-day accrual  | 2.6    | 10.1   | 28.3   | 37     | 13.1   | 8.9    |
| U3 - Original non-TITE     | 11.5   | 13.1   | 24.3   | 38.2   | 8.2    | 4.7    |
| U3 - TITE, 56-day accrual  | 2      | 12.1   | 28.7   | 36.7   | 12.3   | 8.2    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.7    | 5      | 7.3    | 7.7    | 4.4    | -      |
| U2 - TITE, 56-day accrual  | 4.8    | 5.4    | 7      | 7.2    | 3.4    | -      |
| U3 - Original non-TITE     | 4.8    | 4.9    | 7.3    | 7.6    | 4.5    | -      |
| U3 - TITE, 56-day accrual  | 5      | 5.4    | 7      | 7.1    | 3.4    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.8    | 3.4    | 1.8    | 2.8    | 1      | -      |
| U2 - TITE, 56-day accrual  | 1.7    | 2.6    | 2.7    | 2      | 0.7    | -      |
| U3 - Original non-TITE     | 0.8    | 3.4    | 1.8    | 2.7    | 1      | -      |
| U3 - TITE, 56-day accrual  | 1.8    | 2.5    | 2.6    | 2      | 0.7    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1297.4 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1097.6 |
| U3 - Original non-TITE     |        |        |        |        |        | 1294.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1094.4 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 5                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.2    | 0.3    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.3    |        |
| Utility 2                  | 0      | 0.2    | 0.1    | 0.1    | 0      |        |
| Utility 3                  | 40.2   | 53.2   | 51.2   | 49.2   | 46     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.5    | 35.2   | 27.8   | 18.7   | 7      | 6.8    |
| U2 - TITE, 56-day accrual  | 0.9    | 24.5   | 34.6   | 22.2   | 10.1   | 7.7    |
| U3 - Original non-TITE     | 6.4    | 40     | 26.9   | 15.6   | 4.3    | 6.8    |
| U3 - TITE, 56-day accrual  | 0.8    | 24.8   | 34.8   | 21.7   | 10.4   | 7.5    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5      | 6.8    | 7      | 5.8    | 4.1    | -      |
| U2 - TITE, 56-day accrual  | 4.7    | 9.5    | 7.7    | 4.2    | 2      | -      |
| U3 - Original non-TITE     | 5      | 6.8    | 7      | 5.9    | 4      | -      |
| U3 - TITE, 56-day accrual  | 4.8    | 9.6    | 7.5    | 4.2    | 2      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.9    | 4      | 1.8    | 2.4    | 1.4    | -      |
| U2 - TITE, 56-day accrual  | 1.6    | 3.9    | 2.8    | 1.5    | 0.7    | -      |
| U3 - Original non-TITE     | 0.9    | 4      | 1.8    | 2.4    | 1.4    | -      |
| U3 - TITE, 56-day accrual  | 1.7    | 3.9    | 2.7    | 1.5    | 0.7    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1233.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1045.3 |
| U3 - Original non-TITE     |        |        |        |        |        | 1234.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1043.1 |
| Scenario 6                 |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.3    | 0.4    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.3    | 0.3    | 0.3    | 0.4    | 0.4    |        |
| Utility 2                  | 0      | 0      | 0      | -0.1   | -0.1   |        |
| Utility 3                  | 46.4   | 45.6   | 45.8   | 45.6   | 43.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 66.6   | 6.9    | 0.8    | 0      | 0      | 25.7   |
| U2 - TITE, 56-day accrual  | 61.2   | 14.3   | 2.7    | 0.2    | 0      | 21.6   |
| U3 - Original non-TITE     | 66.9   | 6.3    | 0.4    | 0      | 0      | 26.4   |
| U3 - TITE, 56-day accrual  | 60.8   | 14.1   | 3      | 0.2    | 0      | 21.9   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 20.3   | 3.5    | 1.4    | 0.3    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 19     | 4.9    | 1.6    | 0.4    | 0      | -      |
| U3 - Original non-TITE     | 20.3   | 3.5    | 1.4    | 0.4    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 19     | 5      | 1.6    | 0.4    | 0.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.7    | 1.6    | 0.4    | 0.1    | 0      | -      |
| U2 - TITE, 56-day accrual  | 5.8    | 1.6    | 0.5    | 0.1    | 0      | -      |
| U3 - Original non-TITE     | 5.7    | 1.6    | 0.4    | 0.1    | 0      | -      |
| U3 - TITE, 56-day accrual  | 5.8    | 1.6    | 0.5    | 0.1    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1190.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1014.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1190   |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1013.6 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 7                 |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.2    | 0.3    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.2    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0      | 0.3    | 0.2    | 0.2    | 0.1    |        |
| Utility 3                  | 45.6   | 62     | 59.6   | 57.6   | 55.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 26.8   | 41.1   | 18.1   | 7      | 1.3    | 5.7    |
| U2 - TITE, 56-day accrual  | 15.4   | 36.5   | 26.9   | 7.9    | 1.3    | 12     |
| U3 - Original non-TITE     | 28     | 43.8   | 15.3   | 6.3    | 0.8    | 5.8    |
| U3 - TITE, 56-day accrual  | 15.2   | 36.4   | 26.4   | 8.3    | 1.5    | 12.2   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.9   | 7.4    | 5.2    | 3.1    | 1.2    | -      |
| U2 - TITE, 56-day accrual  | 9.4    | 9.8    | 5.7    | 2      | 0.7    | -      |
| U3 - Original non-TITE     | 11.9   | 7.4    | 5.2    | 3.1    | 1.2    | -      |
| U3 - TITE, 56-day accrual  | 9.4    | 9.9    | 5.6    | 2      | 0.7    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.4    | 3.2    | 1.1    | 1      | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 3.2    | 3      | 1.6    | 0.5    | 0.2    | -      |
| U3 - Original non-TITE     | 3.5    | 3.2    | 1.1    | 1      | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 3.2    | 3      | 1.5    | 0.5    | 0.2    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1326.2 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1097.8 |
| U3 - Original non-TITE     |        |        |        |        |        | 1325.7 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1097.8 |
| Scenario 8                 |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.4    | 0.4    | 0.5    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Utility 2                  | -0.2   | -0.2   | -0.2   | -0.2   | -0.1   |        |
| Utility 3                  | 33.2   | 34.2   | 35.2   | 38.8   | 43.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 27.9   | 2.5    | 0.6    | 0      | 0      | 69     |
| U2 - TITE, 56-day accrual  | 16.5   | 7.1    | 1.3    | 0      | 0      | 75.1   |
| U3 - Original non-TITE     | 28     | 2.1    | 0.6    | 0      | 0      | 69.3   |
| U3 - TITE, 56-day accrual  | 17.2   | 7.2    | 1.1    | 0.1    | 0      | 74.4   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 15.1   | 2.4    | 0.8    | 0.2    | 0      | -      |
| U2 - TITE, 56-day accrual  | 11.4   | 3.8    | 1.2    | 0.1    | 0      | -      |
| U3 - Original non-TITE     | 15.2   | 2.4    | 0.9    | 0.1    | 0      | -      |
| U3 - TITE, 56-day accrual  | 11.2   | 3.8    | 1.2    | 0.1    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.6    | 1.4    | 0.2    | 0.1    | 0      | -      |
| U2 - TITE, 56-day accrual  | 3.7    | 1.4    | 0.4    | 0.1    | 0      | -      |
| U3 - Original non-TITE     | 4.6    | 1.4    | 0.2    | 0.1    | 0      | -      |
| U3 - TITE, 56-day accrual  | 3.7    | 1.4    | 0.4    | 0.1    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 807.4  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 614.2  |
| U3 - Original non-TITE     |        |        |        |        |        | 809.3  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 614.1  |



Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 9                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.2    | 0.3    | 0.3    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.2    | 0.5    |        |
| Utility 2                  | -0.1   | -0.1   | 0      | 0      | 0.2    |        |
| Utility 3                  | 37     | 37.6   | 43.2   | 44.6   | 58.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 15.8   | 17.4   | 15.4   | 10.1   | 10.8   | 30.5   |
| U2 - TITE, 56-day accrual  | 4.4    | 15     | 22     | 11.4   | 9.9    | 37.3   |
| U3 - Original non-TITE     | 19.8   | 16.8   | 13.8   | 9.7    | 9.1    | 30.8   |
| U3 - TITE, 56-day accrual  | 4.3    | 15.3   | 21.6   | 11.5   | 10.2   | 37.1   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.6    | 5.1    | 5.1    | 3.3    | 2.6    | -      |
| U2 - TITE, 56-day accrual  | 7.1    | 5.5    | 5.2    | 2.7    | 1.8    | -      |
| U3 - Original non-TITE     | 8.6    | 5.1    | 5.1    | 3.4    | 2.6    | -      |
| U3 - TITE, 56-day accrual  | 7      | 5.6    | 5.2    | 2.7    | 1.8    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.4    | 3.2    | 1.5    | 1.5    | 0.7    | -      |
| U2 - TITE, 56-day accrual  | 2.6    | 2.5    | 2      | 1      | 0.5    | -      |
| U3 - Original non-TITE     | 2.4    | 3.2    | 1.5    | 1.5    | 0.7    | -      |
| U3 - TITE, 56-day accrual  | 2.5    | 2.5    | 2      | 1      | 0.5    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1045.4 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 810.6  |
| U3 - Original non-TITE     |        |        |        |        |        | 1045   |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 814.6  |
| Scenario 10                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.3    | 0.4    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.4    | 0.4    | 0.5    | 0.5    |        |
| Utility 2                  | -0.2   | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 3                  | 33.8   | 52.8   | 52.4   | 51.4   | 52.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 14.7   | 20.9   | 7.5    | 1.1    | 0.1    | 55.7   |
| U2 - TITE, 56-day accrual  | 6.5    | 27.4   | 9.7    | 1.4    | 0.6    | 54.4   |
| U3 - Original non-TITE     | 14.9   | 21.7   | 6.7    | 0.9    | 0.1    | 55.7   |
| U3 - TITE, 56-day accrual  | 6.4    | 27.9   | 9.2    | 1.7    | 0.5    | 54.3   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.4   | 5.5    | 2.9    | 1.1    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 7.5    | 8      | 3.2    | 0.8    | 0.2    | -      |
| U3 - Original non-TITE     | 10.4   | 5.4    | 3      | 1.2    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 7.5    | 8      | 3.2    | 0.9    | 0.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.9    | 2.7    | 0.6    | 0.4    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.5    | 2.7    | 0.9    | 0.2    | 0.1    | -      |
| U3 - Original non-TITE     | 2.9    | 2.7    | 0.6    | 0.4    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 2.5    | 2.7    | 0.9    | 0.2    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 892.2  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 765.9  |
| U3 - Original non-TITE     |        |        |        |        |        | 893.6  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 767.7  |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 11                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.4    | 0.6    | 0.7    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0      | -0.1   | -0.2   | -0.4   | -0.5   |        |
| Utility 3                  | 43.2   | 39.2   | 34.4   | 28.4   | 25.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 72.3   | 10.9   | 1.1    | 0      | 0      | 15.7   |
| U2 - TITE, 56-day accrual  | 44.1   | 23.1   | 3.6    | 0      | 0      | 29.2   |
| U3 - Original non-TITE     | 72.5   | 10.4   | 1      | 0      | 0      | 16.1   |
| U3 - TITE, 56-day accrual  | 44     | 23.6   | 3.5    | 0.1    | 0      | 28.8   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 19.6   | 5.5    | 1.9    | 0.3    | 0      | -      |
| U2 - TITE, 56-day accrual  | 15.9   | 6.6    | 2.2    | 0.3    | 0      | -      |
| U3 - Original non-TITE     | 19.5   | 5.5    | 1.9    | 0.3    | 0      | -      |
| U3 - TITE, 56-day accrual  | 15.9   | 6.7    | 2.2    | 0.3    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 6.3    | 2.6    | 0.5    | 0.2    | 0      | -      |
| U2 - TITE, 56-day accrual  | 5.5    | 2.4    | 0.7    | 0.1    | 0      | -      |
| U3 - Original non-TITE     | 6.2    | 2.7    | 0.5    | 0.2    | 0      | -      |
| U3 - TITE, 56-day accrual  | 5.5    | 2.4    | 0.7    | 0.1    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1200.5 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 927.8  |
| U3 - Original non-TITE     |        |        |        |        |        | 1198.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 927    |
| Scenario 12                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.4    | 0.6    |        |
| Utility 2                  | 0      | 0      | -0.1   | 0.1    | 0.2    |        |
| Utility 3                  | 40.6   | 42.4   | 40     | 52.4   | 58.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 16.7   | 22     | 14.5   | 33.2   | 7.5    | 6.1    |
| U2 - TITE, 56-day accrual  | 5.5    | 15.4   | 21.4   | 33.5   | 13     | 11.2   |
| U3 - Original non-TITE     | 23     | 21.7   | 11.2   | 31.6   | 6.6    | 5.9    |
| U3 - TITE, 56-day accrual  | 5.1    | 15     | 22.3   | 33.1   | 13.6   | 10.9   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.4    | 5.6    | 6.1    | 7.1    | 4.8    | -      |
| U2 - TITE, 56-day accrual  | 5.4    | 6      | 5.4    | 6.2    | 4.1    | -      |
| U3 - Original non-TITE     | 5.4    | 5.5    | 6.2    | 7.1    | 4.8    | -      |
| U3 - TITE, 56-day accrual  | 5.3    | 6      | 5.3    | 6.3    | 4.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.1    | 3.7    | 1.5    | 2.9    | 1      | -      |
| U2 - TITE, 56-day accrual  | 2      | 2.8    | 2.2    | 2      | 0.8    | -      |
| U3 - Original non-TITE     | 1.1    | 3.6    | 1.5    | 2.9    | 1      | -      |
| U3 - TITE, 56-day accrual  | 1.9    | 2.8    | 2.2    | 2      | 0.9    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1261.5 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1034.9 |
| U3 - Original non-TITE     |        |        |        |        |        | 1263.4 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1040.6 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 13                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.4    |        |
| Utility 2                  | -0.2   | 0      | 0      | 0      | -0.1   |        |
| Utility 3                  | 34.6   | 46.4   | 47.2   | 45.4   | 45.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 15.4   | 23.4   | 7.2    | 1.3    | 0      | 52.7   |
| U2 - TITE, 56-day accrual  | 6.3    | 28.3   | 12.1   | 1.5    | 0      | 51.8   |
| U3 - Original non-TITE     | 16.7   | 22.7   | 6.4    | 1.1    | 0      | 53.1   |
| U3 - TITE, 56-day accrual  | 6.4    | 28.6   | 11.9   | 1.7    | 0.1    | 51.3   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.4   | 5.8    | 3.3    | 1.2    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 7.7    | 8.1    | 3.3    | 1      | 0.3    | -      |
| U3 - Original non-TITE     | 10.4   | 5.9    | 3.3    | 1.2    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 7.7    | 8.1    | 3.3    | 1      | 0.3    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.9    | 3      | 0.8    | 0.5    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.7    | 3      | 1.1    | 0.3    | 0.1    | -      |
| U3 - Original non-TITE     | 3      | 3      | 0.8    | 0.5    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 2.6    | 3      | 1.1    | 0.3    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 914.9  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 769.9  |
| U3 - Original non-TITE     |        |        |        |        |        | 915.3  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 769.8  |
| Scenario 14                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.3    | 0.4    |        |
| Utility 2                  | 0      | -0.1   | -0.1   | 0      | 0      |        |
| Utility 3                  | 39.4   | 38.8   | 38     | 46.8   | 48.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 20.4   | 22.3   | 15.2   | 21.6   | 5.5    | 15     |
| U2 - TITE, 56-day accrual  | 5.6    | 18.6   | 27.1   | 19.4   | 7      | 22.3   |
| U3 - Original non-TITE     | 29.6   | 22.5   | 10.5   | 17.8   | 4.4    | 15.2   |
| U3 - TITE, 56-day accrual  | 5.4    | 18.4   | 26.9   | 19.2   | 7.3    | 22.8   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.1    | 6.4    | 6.3    | 5.2    | 2.5    | -      |
| U2 - TITE, 56-day accrual  | 6.6    | 6.7    | 5.7    | 4.3    | 1.9    | -      |
| U3 - Original non-TITE     | 7.1    | 6.5    | 6.2    | 5.2    | 2.6    | -      |
| U3 - TITE, 56-day accrual  | 6.5    | 6.7    | 5.6    | 4.3    | 1.9    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.8    | 3.9    | 1.8    | 2.3    | 0.8    | -      |
| U2 - TITE, 56-day accrual  | 2.4    | 3      | 2.3    | 1.5    | 0.5    | -      |
| U3 - Original non-TITE     | 1.8    | 4      | 1.7    | 2.3    | 0.8    | -      |
| U3 - TITE, 56-day accrual  | 2.4    | 3      | 2.2    | 1.5    | 0.5    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1152.6 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 906.7  |
| U3 - Original non-TITE     |        |        |        |        |        | 1152.3 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 907.5  |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 15                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 2                  | 0      | -0.1   | -0.2   | -0.3   | -0.4   |        |
| Utility 3                  | 40.8   | 38     | 33.2   | 30.4   | 27.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 43.5   | 29.6   | 7.7    | 1.6    | 0      | 17.6   |
| U2 - TITE, 56-day accrual  | 16.1   | 29.5   | 16.6   | 4.5    | 0.4    | 32.9   |
| U3 - Original non-TITE     | 50.7   | 26.1   | 4.8    | 1      | 0      | 17.4   |
| U3 - TITE, 56-day accrual  | 15.4   | 28.7   | 17.9   | 4.8    | 0.2    | 33     |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.8   | 7.6    | 5.2    | 2.1    | 0.6    | -      |
| U2 - TITE, 56-day accrual  | 10     | 7.6    | 4.4    | 1.5    | 0.4    | -      |
| U3 - Original non-TITE     | 11.8   | 7.5    | 5.3    | 2.1    | 0.6    | -      |
| U3 - TITE, 56-day accrual  | 9.9    | 7.6    | 4.4    | 1.5    | 0.4    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.7    | 4.1    | 1.5    | 1.1    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 3.8    | 3.3    | 1.7    | 0.6    | 0.1    | -      |
| U3 - Original non-TITE     | 3.7    | 4      | 1.5    | 1.1    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 3.8    | 3.3    | 1.7    | 0.6    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1136.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 838.7  |
| U3 - Original non-TITE     |        |        |        |        |        | 1135.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 834.4  |
| Scenario 16                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.1    | 0.1    | 0.3    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0.2    | 0.1    | 0.1    | 0.1    | -0.1   |        |
| Utility 3                  | 51.2   | 49.6   | 48.4   | 46.4   | 41.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 26.1   | 32.3   | 15.6   | 16.4   | 9.5    | 0.1    |
| U2 - TITE, 56-day accrual  | 7.8    | 19.2   | 23.6   | 26.1   | 23     | 0.3    |
| U3 - Original non-TITE     | 32.2   | 36.9   | 14     | 12.6   | 4.2    | 0.1    |
| U3 - TITE, 56-day accrual  | 6.9    | 20.5   | 23.2   | 24.7   | 24.3   | 0.4    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.4    | 6.1    | 5.6    | 6.2    | 6.7    | -      |
| U2 - TITE, 56-day accrual  | 8      | 8.1    | 5.7    | 4.6    | 3.4    | -      |
| U3 - Original non-TITE     | 5.4    | 6.1    | 5.5    | 6.2    | 6.7    | -      |
| U3 - TITE, 56-day accrual  | 8      | 8.1    | 5.7    | 4.6    | 3.4    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1      | 3.6    | 1.5    | 3      | 2.5    | -      |
| U2 - TITE, 56-day accrual  | 3      | 3.5    | 2.4    | 1.9    | 1.3    | -      |
| U3 - Original non-TITE     | 1      | 3.7    | 1.5    | 3      | 2.5    | -      |
| U3 - TITE, 56-day accrual  | 3      | 3.5    | 2.3    | 1.9    | 1.3    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1251.6 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1074.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1251.6 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1071.8 |



Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 17                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.4    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.3    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.2    | 0.3    | 0.1    | -0.1   | -0.3   |        |
| Utility 3                  | 53.6   | 60.8   | 54.4   | 46.8   | 39.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 33.7   | 56.5   | 7.9    | 0.4    | 0      | 1.5    |
| U2 - TITE, 56-day accrual  | 20.7   | 55     | 17.9   | 1.6    | 0      | 4.8    |
| U3 - Original non-TITE     | 36     | 55.5   | 6.6    | 0.4    | 0      | 1.5    |
| U3 - TITE, 56-day accrual  | 20.8   | 54.5   | 18.6   | 1.4    | 0      | 4.7    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.1   | 11.2   | 5.8    | 1.4    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 10.5   | 11.4   | 5.9    | 1.1    | 0.2    | -      |
| U3 - Original non-TITE     | 11.2   | 11.1   | 5.9    | 1.3    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 10.4   | 11.5   | 5.9    | 1.1    | 0.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.9    | 4      | 1.2    | 0.5    | 0      | -      |
| U2 - TITE, 56-day accrual  | 3.4    | 3.3    | 1.4    | 0.2    | 0      | -      |
| U3 - Original non-TITE     | 2.9    | 4      | 1.2    | 0.5    | 0      | -      |
| U3 - TITE, 56-day accrual  | 3.4    | 3.3    | 1.4    | 0.2    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1397.4 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1187.7 |
| U3 - Original non-TITE     |        |        |        |        |        | 1396.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1193   |
| Scenario 18                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0      | 0.1    | 0.2    | 0.3    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.2    | 0.5    |        |
| Utility 2                  | 0      | 0.1    | 0.1    | 0      | 0.1    |        |
| Utility 3                  | 42.2   | 44.4   | 45     | 44     | 56     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.3    | 14.5   | 13.1   | 18.6   | 44.9   | 0.6    |
| U2 - TITE, 56-day accrual  | 2.1    | 7.7    | 15.8   | 23.5   | 49.1   | 1.8    |
| U3 - Original non-TITE     | 14.4   | 15.6   | 13.7   | 15.5   | 40.3   | 0.5    |
| U3 - TITE, 56-day accrual  | 1.9    | 7.9    | 17.9   | 23.3   | 47.5   | 1.5    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.7    | 3.9    | 5      | 6.1    | 11.3   | -      |
| U2 - TITE, 56-day accrual  | 4.6    | 5.4    | 5.5    | 5.6    | 8.2    | -      |
| U3 - Original non-TITE     | 3.7    | 3.9    | 5      | 6      | 11.3   | -      |
| U3 - TITE, 56-day accrual  | 4.6    | 5.3    | 5.5    | 5.6    | 8.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.3    | 3.1    | 1      | 3.1    | 2.9    | -      |
| U2 - TITE, 56-day accrual  | 1.6    | 2.7    | 2.3    | 2.2    | 2.1    | -      |
| U3 - Original non-TITE     | 0.3    | 3.1    | 1      | 3.1    | 2.9    | -      |
| U3 - TITE, 56-day accrual  | 1.7    | 2.6    | 2.3    | 2.3    | 2.1    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1311.8 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1116.5 |
| U3 - Original non-TITE     |        |        |        |        |        | 1311.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1117.1 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 19                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.4    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.4    |        |
| Utility 2                  | 0      | 0      | -0.1   | -0.2   | -0.4   |        |
| Utility 3                  | 40.4   | 47.6   | 43.6   | 37     | 33.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 27.6   | 48.8   | 7      | 0.4    | 0      | 16.2   |
| U2 - TITE, 56-day accrual  | 11     | 46.4   | 15.6   | 1      | 0      | 26     |
| U3 - Original non-TITE     | 29.2   | 48     | 5.9    | 0.4    | 0      | 16.5   |
| U3 - TITE, 56-day accrual  | 11.6   | 45.5   | 15.7   | 0.9    | 0      | 26.3   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9.7    | 10.7   | 5.4    | 1.1    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 7.7    | 11.4   | 5.4    | 0.9    | 0.1    | -      |
| U3 - Original non-TITE     | 9.7    | 10.7   | 5.5    | 1.1    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 7.6    | 11.4   | 5.5    | 0.8    | 0.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.7    | 4.9    | 1.2    | 0.5    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.8    | 4.2    | 1.6    | 0.2    | 0      | -      |
| U3 - Original non-TITE     | 2.7    | 4.9    | 1.2    | 0.5    | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.8    | 4.2    | 1.6    | 0.2    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1188.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 956.7  |
| U3 - Original non-TITE     |        |        |        |        |        | 1185.9 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 957.8  |
| Scenario 20                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0      | 0.1    | -0.1   | -0.2   | -0.3   |        |
| Utility 3                  | 40.2   | 49.4   | 42.6   | 38.6   | 34.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.5   | 50.6   | 25.4   | 4.5    | 0.1    | 7.9    |
| U2 - TITE, 56-day accrual  | 3.6    | 37.6   | 38.7   | 8.9    | 1.1    | 10.1   |
| U3 - Original non-TITE     | 14.5   | 52.6   | 21     | 4.3    | 0.1    | 7.5    |
| U3 - TITE, 56-day accrual  | 3.9    | 37.8   | 38.1   | 9      | 1      | 10.2   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.8    | 9.9    | 8.4    | 3.4    | 1      | -      |
| U2 - TITE, 56-day accrual  | 5.5    | 10.5   | 8.1    | 2.8    | 0.7    | -      |
| U3 - Original non-TITE     | 5.8    | 10     | 8.4    | 3.4    | 1      | -      |
| U3 - TITE, 56-day accrual  | 5.5    | 10.5   | 8.1    | 2.8    | 0.8    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.2    | 5.1    | 2.2    | 1.5    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 2      | 4.3    | 2.7    | 0.9    | 0.2    | -      |
| U3 - Original non-TITE     | 1.2    | 5.2    | 2.2    | 1.5    | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 2      | 4.3    | 2.7    | 0.9    | 0.2    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1225.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1032.9 |
| U3 - Original non-TITE     |        |        |        |        |        | 1224.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1031.1 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 21                |        |        |        |        |        |        |
| DLT rate                   | 0.4    | 0.6    | 0.7    | 0.8    | 0.9    |        |
| Efficacy rate              | 0.5    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.1    | -0.1   | -0.2   | -0.3   | -0.4   |        |
| Utility 3                  | 55.2   | 47.6   | 42.4   | 36.8   | 34.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 39.9   | 0.2    | 0      | 0      | 0      | 59.9   |
| U2 - TITE, 56-day accrual  | 58.3   | 2.5    | 0      | 0      | 0      | 39.2   |
| U3 - Original non-TITE     | 39.9   | 0.1    | 0      | 0      | 0      | 60     |
| U3 - TITE, 56-day accrual  | 58.1   | 2.6    | 0      | 0      | 0      | 39.3   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 18.9   | 1.3    | 0.2    | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 21.2   | 2      | 0.3    | 0      | 0      | -      |
| U3 - Original non-TITE     | 19     | 1.3    | 0.2    | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 21.3   | 2      | 0.3    | 0      | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.9    | 0.5    | 0.1    | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 4.6    | 0.5    | 0.1    | 0      | 0      | -      |
| U3 - Original non-TITE     | 3.9    | 0.5    | 0.1    | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 4.7    | 0.5    | 0.1    | 0      | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1028.9 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1031.8 |
| U3 - Original non-TITE     |        |        |        |        |        | 1029.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1035.4 |
| Scenario 22                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.5    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.5    | 0.5    |        |
| Utility 2                  | 0      | 0      | -0.2   | -0.1   | -0.3   |        |
| Utility 3                  | 42     | 44.2   | 35     | 47.6   | 38.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 33.5   | 48.4   | 6.1    | 0.2    | 0      | 11.8   |
| U2 - TITE, 56-day accrual  | 13.3   | 47.6   | 15.1   | 0.9    | 0      | 23.1   |
| U3 - Original non-TITE     | 35.6   | 47.3   | 5.3    | 0      | 0      | 11.8   |
| U3 - TITE, 56-day accrual  | 12.8   | 47.8   | 14.9   | 1.5    | 0      | 23     |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9.5    | 12.6   | 5      | 0.8    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 7.8    | 12.3   | 5.1    | 0.7    | 0.1    | -      |
| U3 - Original non-TITE     | 9.5    | 12.5   | 5.1    | 0.8    | 0      | -      |
| U3 - TITE, 56-day accrual  | 7.9    | 12.4   | 5      | 0.7    | 0.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.6    | 5.8    | 1.1    | 0.4    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.9    | 4.6    | 1.4    | 0.2    | 0      | -      |
| U3 - Original non-TITE     | 2.6    | 5.8    | 1.1    | 0.4    | 0      | -      |
| U3 - TITE, 56-day accrual  | 3      | 4.7    | 1.4    | 0.2    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1218.4 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 968.8  |
| U3 - Original non-TITE     |        |        |        |        |        | 1216.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 976.9  |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 23                |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.6    | 0.8    | 0.9    | 1      |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 2                  | -0.3   | -0.5   | -0.8   | -0.9   | -0.9   |        |
| Utility 3                  | 30.2   | 21     | 11     | 5.4    | 4.2    |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 6.3    | 0.8    | 0      | 0      | 0      | 92.9   |
| U2 - TITE, 56-day accrual  | 2.9    | 3      | 0      | 0      | 0      | 94.1   |
| U3 - Original non-TITE     | 6.2    | 0.9    | 0      | 0      | 0      | 92.9   |
| U3 - TITE, 56-day accrual  | 3      | 3      | 0      | 0      | 0      | 94     |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 12.1   | 1.5    | 0.1    | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 9.2    | 2.3    | 0.3    | 0      | 0      | -      |
| U3 - Original non-TITE     | 12.1   | 1.5    | 0.1    | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 9.2    | 2.3    | 0.3    | 0      | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.6    | 1.1    | 0      | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 3      | 0.9    | 0.1    | 0      | 0      | -      |
| U3 - Original non-TITE     | 3.6    | 1.1    | 0      | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 3      | 0.9    | 0.1    | 0      | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 587.6  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 433.2  |
| U3 - Original non-TITE     |        |        |        |        |        | 588.2  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 436.6  |
| Scenario 24                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0      | 0.1    | 0.1    | 0.2    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.5    | 0.5    |        |
| Utility 2                  | 0      | 0.1    | 0.1    | 0.4    | 0.2    |        |
| Utility 3                  | 42.6   | 44     | 50     | 66     | 60     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.3    | 0.8    | 3.3    | 51.5   | 43.9   | 0.2    |
| U2 - TITE, 56-day accrual  | 0.3    | 0.6    | 2.4    | 36     | 60.4   | 0.3    |
| U3 - Original non-TITE     | 0.9    | 1.7    | 4.5    | 54     | 38.7   | 0.2    |
| U3 - TITE, 56-day accrual  | 0.1    | 0.8    | 2.4    | 35.9   | 60.7   | 0.1    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.1    | 3.1    | 3.5    | 8.7    | 11.5   | -      |
| U2 - TITE, 56-day accrual  | 3.4    | 3.6    | 4.4    | 9.9    | 8.5    | -      |
| U3 - Original non-TITE     | 3.1    | 3.1    | 3.5    | 8.7    | 11.5   | -      |
| U3 - TITE, 56-day accrual  | 3.4    | 3.5    | 4.5    | 9.9    | 8.5    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.1    | 2.8    | 0.4    | 3.8    | 3      | -      |
| U2 - TITE, 56-day accrual  | 1.1    | 1.9    | 1.9    | 3.3    | 2.3    | -      |
| U3 - Original non-TITE     | 0.1    | 2.8    | 0.4    | 3.8    | 3      | -      |
| U3 - TITE, 56-day accrual  | 1.1    | 1.9    | 1.9    | 3.3    | 2.3    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1348.6 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1195.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1348.4 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1199.1 |



Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 25                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.4    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.4    | 0.5    | 0.5    |        |
| Utility 2                  | 0.1    | 0.1    | 0      | -0.2   | -0.3   |        |
| Utility 3                  | 48.4   | 47.8   | 49.2   | 41.8   | 39.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 36.8   | 37.5   | 22     | 1.6    | 0      | 2.1    |
| U2 - TITE, 56-day accrual  | 19.9   | 39.3   | 31.1   | 2.7    | 0      | 7      |
| U3 - Original non-TITE     | 39.6   | 37.2   | 19.3   | 1.8    | 0      | 2.1    |
| U3 - TITE, 56-day accrual  | 19.7   | 39     | 30.9   | 3.2    | 0      | 7.2    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.1   | 9.5    | 8      | 1.7    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 9.9    | 9.4    | 7.5    | 1.5    | 0.2    | -      |
| U3 - Original non-TITE     | 10.2   | 9.4    | 8      | 1.8    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 10     | 9.3    | 7.5    | 1.5    | 0.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.9    | 4.3    | 2      | 0.7    | 0      | -      |
| U2 - TITE, 56-day accrual  | 3.7    | 3.6    | 2.1    | 0.4    | 0      | -      |
| U3 - Original non-TITE     | 2.9    | 4.3    | 2      | 0.7    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 3.7    | 3.5    | 2.1    | 0.4    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1320.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1095   |
| U3 - Original non-TITE     |        |        |        |        |        | 1323.1 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1095.9 |
| Scenario 26                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.3    | 0.5    | 0.6    |        |
| Utility 2                  | -0.1   | 0      | 0.1    | -0.2   | -0.2   |        |
| Utility 3                  | 40     | 43.2   | 49     | 42.2   | 41     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 28.8   | 33.7   | 17.1   | 2      | 0      | 18.4   |
| U2 - TITE, 56-day accrual  | 10.1   | 30.6   | 26.8   | 2.9    | 0      | 29.6   |
| U3 - Original non-TITE     | 32.3   | 32.5   | 14.9   | 2.2    | 0      | 18.1   |
| U3 - TITE, 56-day accrual  | 10.6   | 30.7   | 26.2   | 2.9    | 0      | 29.6   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.3   | 7.4    | 6.6    | 1.5    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 8.8    | 7.9    | 6.2    | 1.3    | 0.1    | -      |
| U3 - Original non-TITE     | 11.3   | 7.5    | 6.5    | 1.4    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 8.8    | 7.9    | 6.2    | 1.3    | 0.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.4    | 3.8    | 1.7    | 0.6    | 0      | -      |
| U2 - TITE, 56-day accrual  | 3.2    | 3.2    | 1.9    | 0.3    | 0      | -      |
| U3 - Original non-TITE     | 3.4    | 3.9    | 1.7    | 0.6    | 0      | -      |
| U3 - TITE, 56-day accrual  | 3.2    | 3.2    | 1.9    | 0.3    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1170.2 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 907.7  |
| U3 - Original non-TITE     |        |        |        |        |        | 1173.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 907.5  |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 27                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.5    | 0.6    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.4    | 0.4    | 0.5    |        |
| Utility 2                  | 0      | 0      | 0.1    | -0.1   | -0.2   |        |
| Utility 3                  | 41.6   | 45.2   | 52     | 45.2   | 42.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 22.9   | 32.9   | 31.1   | 3.1    | 0      | 10     |
| U2 - TITE, 56-day accrual  | 7.5    | 30.2   | 40.3   | 5.4    | 0.2    | 16.4   |
| U3 - Original non-TITE     | 26.3   | 32.2   | 28.8   | 2.6    | 0      | 10.1   |
| U3 - TITE, 56-day accrual  | 7.3    | 30.6   | 39.7   | 5.5    | 0.3    | 16.6   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.7    | 7.7    | 8.6    | 2.7    | 0.5    | -      |
| U2 - TITE, 56-day accrual  | 7.5    | 7.8    | 8.6    | 2.4    | 0.4    | -      |
| U3 - Original non-TITE     | 8.7    | 7.8    | 8.6    | 2.7    | 0.5    | -      |
| U3 - TITE, 56-day accrual  | 7.4    | 7.9    | 8.7    | 2.4    | 0.5    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.4    | 4      | 2.2    | 1      | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.8    | 3.2    | 2.6    | 0.6    | 0.1    | -      |
| U3 - Original non-TITE     | 2.4    | 4      | 2.2    | 1      | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 2.7    | 3.3    | 2.6    | 0.6    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1248.5 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1020.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1250.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1027.5 |
| Scenario 28                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.5    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.4    |        |
| Utility 2                  | -0.1   | 0      | -0.2   | -0.2   | -0.4   |        |
| Utility 3                  | 35     | 46     | 39.2   | 37     | 33.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 22.9   | 21.9   | 1.3    | 0      | 0      | 53.9   |
| U2 - TITE, 56-day accrual  | 9.4    | 29.8   | 4      | 0.2    | 0      | 56.6   |
| U3 - Original non-TITE     | 23.5   | 21.9   | 1      | 0      | 0      | 53.6   |
| U3 - TITE, 56-day accrual  | 10.2   | 29.9   | 3.3    | 0      | 0      | 56.6   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.1   | 7.2    | 2.4    | 0.3    | 0      | -      |
| U2 - TITE, 56-day accrual  | 8      | 9.4    | 2.7    | 0.3    | 0      | -      |
| U3 - Original non-TITE     | 11     | 7.2    | 2.4    | 0.3    | 0      | -      |
| U3 - TITE, 56-day accrual  | 8      | 9.1    | 2.9    | 0.3    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.2    | 3.4    | 0.5    | 0.1    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.8    | 3.3    | 0.7    | 0.1    | 0      | -      |
| U3 - Original non-TITE     | 3.2    | 3.4    | 0.5    | 0.1    | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.8    | 3.2    | 0.8    | 0.1    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 915.6  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 775.4  |
| U3 - Original non-TITE     |        |        |        |        |        | 915.1  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 776.6  |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 29                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.6    | 0.7    | 0.9    |        |
| Efficacy rate              | 0.4    | 0.4    | 0.4    | 0.4    | 0.4    |        |
| Utility 2                  | 0.2    | 0.1    | -0.2   | -0.3   | -0.5   |        |
| Utility 3                  | 56.4   | 52     | 41.6   | 34.4   | 29.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 73.2   | 20.6   | 1.6    | 0      | 0      | 4.6    |
| U2 - TITE, 56-day accrual  | 54.8   | 35.2   | 4.5    | 0      | 0      | 5.5    |
| U3 - Original non-TITE     | 75     | 19.4   | 1      | 0      | 0      | 4.6    |
| U3 - TITE, 56-day accrual  | 54.8   | 35.6   | 4.5    | 0      | 0      | 5.1    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 19.2   | 7.3    | 2.3    | 0.2    | 0      | -      |
| U2 - TITE, 56-day accrual  | 18     | 8.4    | 2.3    | 0.2    | 0      | -      |
| U3 - Original non-TITE     | 19.2   | 7.3    | 2.3    | 0.2    | 0      | -      |
| U3 - TITE, 56-day accrual  | 18     | 8.4    | 2.3    | 0.2    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.2    | 2.6    | 0.6    | 0.1    | 0      | -      |
| U2 - TITE, 56-day accrual  | 5.3    | 2.5    | 0.6    | 0      | 0      | -      |
| U3 - Original non-TITE     | 5.2    | 2.6    | 0.6    | 0.1    | 0      | -      |
| U3 - TITE, 56-day accrual  | 5.3    | 2.5    | 0.6    | 0      | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1369.9 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1164.9 |
| U3 - Original non-TITE     |        |        |        |        |        | 1369.9 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1164.3 |
| Scenario 30                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.4    | 0.5    |        |
| Utility 2                  | 0.1    | 0.1    | 0      | 0.1    | 0      |        |
| Utility 3                  | 45.2   | 45.8   | 45.2   | 53.2   | 48.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 17.4   | 20.5   | 21.4   | 34.1   | 4.9    | 1.7    |
| U2 - TITE, 56-day accrual  | 7.1    | 18.1   | 23.9   | 35.2   | 12     | 3.7    |
| U3 - Original non-TITE     | 23.3   | 21.8   | 16.7   | 32.1   | 4.4    | 1.7    |
| U3 - TITE, 56-day accrual  | 7.4    | 17.8   | 22.4   | 36.4   | 12.1   | 3.9    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.3    | 5.4    | 6.7    | 7.8    | 4.5    | -      |
| U2 - TITE, 56-day accrual  | 6.4    | 6.3    | 6      | 6.7    | 3.5    | -      |
| U3 - Original non-TITE     | 5.4    | 5.4    | 6.6    | 7.9    | 4.4    | -      |
| U3 - TITE, 56-day accrual  | 6.3    | 6.4    | 5.9    | 6.6    | 3.6    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1      | 3.5    | 1.7    | 2.9    | 1.1    | -      |
| U2 - TITE, 56-day accrual  | 2.4    | 2.9    | 2.3    | 2.2    | 0.7    | -      |
| U3 - Original non-TITE     | 1.1    | 3.5    | 1.7    | 2.9    | 1.1    | -      |
| U3 - TITE, 56-day accrual  | 2.4    | 2.9    | 2.3    | 2.1    | 0.8    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1317.2 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1094.9 |
| U3 - Original non-TITE     |        |        |        |        |        | 1317.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1101.5 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 31                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.1    | 0.2    | 0.6    |        |
| Efficacy rate              | 0.2    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.2    | 0.4    | 0.4    | 0.3    | -0.1   |        |
| Utility 3                  | 50.4   | 67.6   | 66     | 62     | 46     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.2    | 29.8   | 31     | 28.6   | 5      | 0.4    |
| U2 - TITE, 56-day accrual  | 1.9    | 20.2   | 37.1   | 29.2   | 10.8   | 0.8    |
| U3 - Original non-TITE     | 7      | 38.1   | 29.2   | 23     | 2.3    | 0.4    |
| U3 - TITE, 56-day accrual  | 2.1    | 20.1   | 36.6   | 29.2   | 11.2   | 0.8    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.2    | 5.6    | 6.6    | 8.4    | 5.2    | -      |
| U2 - TITE, 56-day accrual  | 4.6    | 8.5    | 7.9    | 5.8    | 3      | -      |
| U3 - Original non-TITE     | 4.1    | 5.6    | 6.6    | 8.4    | 5.1    | -      |
| U3 - TITE, 56-day accrual  | 4.6    | 8.4    | 8      | 5.8    | 3.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.5    | 3.1    | 1.4    | 2.4    | 1.3    | -      |
| U2 - TITE, 56-day accrual  | 1.5    | 2.9    | 2.4    | 1.6    | 0.6    | -      |
| U3 - Original non-TITE     | 0.5    | 3.1    | 1.4    | 2.4    | 1.3    | -      |
| U3 - TITE, 56-day accrual  | 1.5    | 2.9    | 2.4    | 1.5    | 0.6    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1422.9 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1249.5 |
| U3 - Original non-TITE     |        |        |        |        |        | 1424.3 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1252.2 |
| Scenario 32                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.1    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.3    | 0.3    | 0.3    |        |
| Utility 2                  | 0.1    | 0.1    | 0.2    | 0      | -0.1   |        |
| Utility 3                  | 44     | 47     | 53.6   | 46     | 43.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.6   | 17.3   | 37.1   | 27.2   | 7.5    | 0.3    |
| U2 - TITE, 56-day accrual  | 2.2    | 8.8    | 31.1   | 37.7   | 19.3   | 0.9    |
| U3 - Original non-TITE     | 14.9   | 20.3   | 35.6   | 23.9   | 5      | 0.3    |
| U3 - TITE, 56-day accrual  | 2.3    | 8.5    | 31.8   | 37.3   | 19.4   | 0.7    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.9    | 4.6    | 7.9    | 7.6    | 5.9    | -      |
| U2 - TITE, 56-day accrual  | 4.8    | 6.1    | 8.4    | 6.8    | 3.4    | -      |
| U3 - Original non-TITE     | 3.9    | 4.5    | 7.9    | 7.7    | 5.9    | -      |
| U3 - TITE, 56-day accrual  | 4.9    | 6      | 8.3    | 6.8    | 3.5    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.4    | 3.3    | 2      | 3.1    | 1.9    | -      |
| U2 - TITE, 56-day accrual  | 1.7    | 2.9    | 3.2    | 2.3    | 1.1    | -      |
| U3 - Original non-TITE     | 0.4    | 3.3    | 2      | 3.2    | 1.8    | -      |
| U3 - TITE, 56-day accrual  | 1.8    | 2.9    | 3.2    | 2.3    | 1.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1300.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1116.9 |
| U3 - Original non-TITE     |        |        |        |        |        | 1301.3 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1119.9 |



Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 33                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0      | 0.1    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.4    | 0.5    |        |
| Utility 2                  | 0      | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 3                  | 42.6   | 44     | 48.4   | 51.2   | 54.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.1    | 10.1   | 17     | 42     | 22.6   | 0.2    |
| U2 - TITE, 56-day accrual  | 2.9    | 5      | 17.6   | 41.8   | 32     | 0.7    |
| U3 - Original non-TITE     | 12.8   | 9.1    | 17.3   | 41.1   | 19.5   | 0.2    |
| U3 - TITE, 56-day accrual  | 2.7    | 6.3    | 17.9   | 40.9   | 31.4   | 0.8    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.4    | 3.7    | 5.5    | 8.6    | 8.7    | -      |
| U2 - TITE, 56-day accrual  | 3.9    | 4.3    | 6.1    | 8.4    | 7      | -      |
| U3 - Original non-TITE     | 3.4    | 3.7    | 5.7    | 8.5    | 8.7    | -      |
| U3 - TITE, 56-day accrual  | 3.8    | 4.2    | 6.2    | 8.5    | 6.9    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.2    | 3.1    | 1      | 3.6    | 2.1    | -      |
| U2 - TITE, 56-day accrual  | 1.3    | 2.2    | 2.5    | 2.7    | 1.6    | -      |
| U3 - Original non-TITE     | 0.2    | 3.1    | 1.1    | 3.6    | 2      | -      |
| U3 - TITE, 56-day accrual  | 1.3    | 2.2    | 2.5    | 2.7    | 1.6    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
| U2 - Original non-TITE     |        |        |        |        |        | Days   |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1348   |
| U3 - Original non-TITE     |        |        |        |        |        | 1172.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1345.8 |
|                            |        |        |        |        |        | 1174.5 |
| Scenario 34                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.3    | 0.4    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.3    | 0.3    | 0.3    |        |
| Utility 2                  | 0      | 0      | 0      | 0      | -0.1   |        |
| Utility 3                  | 41     | 40.8   | 46     | 44.8   | 44.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 16.8   | 23.9   | 41.9   | 9.3    | 1.7    | 6.4    |
| U2 - TITE, 56-day accrual  | 5.7    | 18.8   | 45.6   | 16.3   | 2.9    | 10.7   |
| U3 - Original non-TITE     | 23.3   | 23.3   | 37.5   | 8.1    | 1.5    | 6.3    |
| U3 - TITE, 56-day accrual  | 5.8    | 17     | 46.4   | 16.9   | 2.5    | 11.4   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.8    | 6.9    | 10     | 4.4    | 1.9    | -      |
| U2 - TITE, 56-day accrual  | 5.5    | 6.6    | 9.7    | 4.2    | 1.3    | -      |
| U3 - Original non-TITE     | 5.8    | 7      | 9.9    | 4.4    | 1.9    | -      |
| U3 - TITE, 56-day accrual  | 5.5    | 6.7    | 9.7    | 4.2    | 1.3    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.3    | 4.1    | 2.7    | 1.8    | 0.5    | -      |
| U2 - TITE, 56-day accrual  | 2      | 3      | 3.3    | 1.3    | 0.4    | -      |
| U3 - Original non-TITE     | 1.3    | 4.1    | 2.7    | 1.7    | 0.6    | -      |
| U3 - TITE, 56-day accrual  | 2      | 3.1    | 3.3    | 1.3    | 0.4    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
| U2 - Original non-TITE     |        |        |        |        |        | Days   |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1251.5 |
| U3 - Original non-TITE     |        |        |        |        |        | 1035.4 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1254.5 |
|                            |        |        |        |        |        | 1034.8 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 35                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.2    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.2    | 0.4    | 0.1    | 0.1    | 0      |        |
| Utility 3                  | 50.8   | 63.4   | 55     | 51     | 49     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9.6    | 49.2   | 30.7   | 9.2    | 1      | 0.3    |
| U2 - TITE, 56-day accrual  | 2.6    | 33.6   | 45.5   | 13.4   | 4.2    | 0.7    |
| U3 - Original non-TITE     | 12.5   | 54.1   | 25.2   | 7.6    | 0.3    | 0.3    |
| U3 - TITE, 56-day accrual  | 2.6    | 34.1   | 45.8   | 12.8   | 3.8    | 0.9    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.4    | 9.2    | 9.5    | 4.7    | 2      | -      |
| U2 - TITE, 56-day accrual  | 5.4    | 10.7   | 9.1    | 3.4    | 1.2    | -      |
| U3 - Original non-TITE     | 4.5    | 9.2    | 9.4    | 4.7    | 2.1    | -      |
| U3 - TITE, 56-day accrual  | 5.4    | 10.7   | 9.1    | 3.4    | 1.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.6    | 4.2    | 2.1    | 1.6    | 0.5    | -      |
| U2 - TITE, 56-day accrual  | 1.9    | 3.7    | 2.5    | 0.9    | 0.3    | -      |
| U3 - Original non-TITE     | 0.6    | 4.2    | 2      | 1.6    | 0.5    | -      |
| U3 - TITE, 56-day accrual  | 1.9    | 3.7    | 2.6    | 0.9    | 0.3    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1397.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1203   |
| U3 - Original non-TITE     |        |        |        |        |        | 1397.3 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1200.9 |
| Scenario 36                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.3    | 0.4    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.3    | 0.3    |        |
| Utility 2                  | -0.1   | -0.1   | -0.1   | -0.1   | -0.1   |        |
| Utility 3                  | 37.8   | 40.4   | 39.2   | 42     | 43.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 23.4   | 33.4   | 8.8    | 1.7    | 0.2    | 32.5   |
| U2 - TITE, 56-day accrual  | 8.7    | 34.2   | 16.4   | 2      | 0.1    | 38.6   |
| U3 - Original non-TITE     | 27.7   | 31.1   | 7.6    | 1.3    | 0.2    | 32.1   |
| U3 - TITE, 56-day accrual  | 9      | 32     | 16.6   | 1.9    | 0.2    | 40.3   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9.3    | 8.6    | 4.6    | 1.6    | 0.4    | -      |
| U2 - TITE, 56-day accrual  | 7.3    | 9.1    | 4.9    | 1      | 0.3    | -      |
| U3 - Original non-TITE     | 9.3    | 8.5    | 4.6    | 1.6    | 0.4    | -      |
| U3 - TITE, 56-day accrual  | 7.4    | 9      | 4.9    | 1      | 0.3    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.5    | 4.5    | 1.2    | 0.7    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.6    | 3.6    | 1.7    | 0.4    | 0.1    | -      |
| U3 - Original non-TITE     | 2.5    | 4.4    | 1.2    | 0.7    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 2.6    | 3.5    | 1.7    | 0.4    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1036.2 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 830.7  |
| U3 - Original non-TITE     |        |        |        |        |        | 1038   |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 829.7  |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = two-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 37                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.4    | 0.5    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0      | -0.1   | -0.2   | -0.2   | -0.3   |        |
| Utility 3                  | 39.8   | 40     | 36     | 34     | 32     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 28.3   | 43     | 6.9    | 0.4    | 0      | 21.4   |
| U2 - TITE, 56-day accrual  | 12.1   | 38.4   | 16     | 1      | 0      | 32.5   |
| U3 - Original non-TITE     | 32.1   | 41.2   | 5.2    | 0.2    | 0      | 21.3   |
| U3 - TITE, 56-day accrual  | 11.8   | 39.2   | 16     | 0.4    | 0      | 32.6   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.8    | 10.8   | 5.2    | 1.3    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 7.2    | 10.9   | 5.2    | 0.9    | 0.1    | -      |
| U3 - Original non-TITE     | 8.8    | 10.7   | 5.2    | 1.3    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 7.2    | 10.9   | 5.3    | 0.9    | 0.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.3    | 5.5    | 1.2    | 0.7    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.6    | 4.2    | 1.7    | 0.3    | 0.1    | -      |
| U3 - Original non-TITE     | 2.3    | 5.4    | 1.3    | 0.7    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 2.6    | 4.2    | 1.7    | 0.3    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1112.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 897.7  |
| U3 - Original non-TITE     |        |        |        |        |        | 1110.6 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 900    |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 1                 |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.3    | 0.4    | 0.5    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 2                  | -0.2   | -0.3   | -0.3   | -0.4   | -0.4   |        |
| Utility 3                  | 31     | 29.6   | 28.2   | 26.8   | 25.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 12.2   | 2.9    | 0.2    | 0      | 0      | 84.7   |
| U2 - TITE, 56-day accrual  | 5.4    | 4.1    | 2.1    | 0.1    | 0      | 88.3   |
| U3 - Original non-TITE     | 11.8   | 3.1    | 0.2    | 0      | 0      | 84.9   |
| U3 - TITE, 56-day accrual  | 5      | 5.4    | 1.9    | 0.3    | 0      | 87.4   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.9   | 4.3    | 0.9    | 0.4    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 8.7    | 4.9    | 1.4    | 0.5    | 0      | -      |
| U3 - Original non-TITE     | 12     | 4.2    | 0.9    | 0.4    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 8.8    | 4.9    | 1.3    | 0.4    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.3    | 2.7    | 0.2    | 0.2    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.9    | 2      | 0.6    | 0.2    | 0      | -      |
| U3 - Original non-TITE     | 3.3    | 2.6    | 0.2    | 0.2    | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.9    | 1.9    | 0.5    | 0.2    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 749.1  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 565.2  |
| U3 - Original non-TITE     |        |        |        |        |        | 747    |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 558.8  |
| Scenario 2                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.3    | 0.5    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.1    | 0.1    | 0.2    | 0.1    | 0.1    |        |
| Utility 3                  | 46     | 47     | 58     | 56     | 52     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 31.3   | 27.3   | 32.4   | 4.7    | 0      | 4.3    |
| U2 - TITE, 56-day accrual  | 15.8   | 26.8   | 39.9   | 7.4    | 0.1    | 10     |
| U3 - Original non-TITE     | 35.5   | 26.9   | 29.2   | 4.4    | 0      | 4      |
| U3 - TITE, 56-day accrual  | 17.3   | 29.5   | 38.1   | 5.3    | 0      | 9.8    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.9   | 9      | 7.7    | 1.7    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 8.9    | 8.7    | 8.4    | 2.1    | 0.1    | -      |
| U3 - Original non-TITE     | 11.6   | 9.3    | 6.9    | 1.5    | 0      | -      |
| U3 - TITE, 56-day accrual  | 10     | 9.4    | 7.4    | 1.4    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.8    | 4.1    | 2.2    | 0.6    | 0      | -      |
| U2 - TITE, 56-day accrual  | 3.1    | 3.2    | 2.4    | 0.6    | 0      | -      |
| U3 - Original non-TITE     | 3.1    | 4.2    | 1.9    | 0.6    | 0      | -      |
| U3 - TITE, 56-day accrual  | 3.5    | 3.5    | 2.1    | 0.4    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1323.8 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1097.6 |
| U3 - Original non-TITE     |        |        |        |        |        | 1319.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1081.5 |



Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 3                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.3    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.4    | 0.4    | 0.4    | 0.4    |        |
| Utility 2                  | -0.1   | 0.2    | 0.1    | 0.1    | -0.1   |        |
| Utility 3                  | 40     | 56     | 52     | 50     | 46     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 12.1   | 54.6   | 18.2   | 4.6    | 0.2    | 10.3   |
| U2 - TITE, 56-day accrual  | 3.4    | 41.4   | 30.4   | 4.9    | 0.5    | 19.4   |
| U3 - Original non-TITE     | 13.7   | 57.1   | 14.6   | 4.3    | 0.1    | 10.2   |
| U3 - TITE, 56-day accrual  | 3.5    | 46.3   | 26     | 4      | 0.2    | 20     |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.2    | 13.1   | 5.3    | 1.7    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 6.1    | 11.7   | 6.9    | 1.8    | 0.2    | -      |
| U3 - Original non-TITE     | 8.3    | 13.8   | 4.7    | 1.6    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 6.5    | 13     | 5.8    | 1.2    | 0.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.8    | 5.6    | 1.5    | 0.7    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2      | 4      | 2.1    | 0.5    | 0.1    | -      |
| U3 - Original non-TITE     | 1.8    | 5.9    | 1.3    | 0.6    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 2.2    | 4.5    | 1.8    | 0.4    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1268.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1038.9 |
| U3 - Original non-TITE     |        |        |        |        |        | 1267.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1016.8 |
| Scenario 4                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.5    | 0.6    |        |
| Utility 2                  | 0      | 0      | 0.1    | 0.2    | 0.1    |        |
| Utility 3                  | 41     | 42     | 47.8   | 58     | 57     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.6    | 9.1    | 26.7   | 50.1   | 5.3    | 1.2    |
| U2 - TITE, 56-day accrual  | 3.6    | 6.9    | 24.2   | 49.7   | 9.6    | 6      |
| U3 - Original non-TITE     | 9.6    | 12.2   | 23.5   | 49.4   | 4.1    | 1.2    |
| U3 - TITE, 56-day accrual  | 2.6    | 8.2    | 25.5   | 51.4   | 6.1    | 6.2    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.2    | 5.7    | 8      | 10.4   | 1.6    | -      |
| U2 - TITE, 56-day accrual  | 4      | 5      | 7.3    | 10.3   | 2.2    | -      |
| U3 - Original non-TITE     | 4.4    | 5.9    | 7.9    | 10.4   | 1.3    | -      |
| U3 - TITE, 56-day accrual  | 4.5    | 5.6    | 7.3    | 9.8    | 1.6    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.5    | 3.9    | 1.9    | 3.7    | 0.5    | -      |
| U2 - TITE, 56-day accrual  | 1.3    | 2.4    | 2.7    | 2.9    | 0.5    | -      |
| U3 - Original non-TITE     | 0.6    | 3.9    | 1.8    | 3.7    | 0.4    | -      |
| U3 - TITE, 56-day accrual  | 1.6    | 2.6    | 2.7    | 2.8    | 0.4    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1314.6 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1128   |
| U3 - Original non-TITE     |        |        |        |        |        | 1309.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1104.3 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 5                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.2    | 0.3    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.3    |        |
| Utility 2                  | 0      | 0.2    | 0.1    | 0.1    | 0      |        |
| Utility 3                  | 40.2   | 53.2   | 51.2   | 49.2   | 46     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.5    | 34.1   | 29.7   | 22.2   | 6.7    | 1.8    |
| U2 - TITE, 56-day accrual  | 1.3    | 23.3   | 35.8   | 26.3   | 9.2    | 4.1    |
| U3 - Original non-TITE     | 6.9    | 42.8   | 26     | 19.1   | 3.4    | 1.8    |
| U3 - TITE, 56-day accrual  | 1.6    | 23.4   | 38.1   | 27.2   | 5.5    | 4.2    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.2    | 8.5    | 7.7    | 6.7    | 2.6    | -      |
| U2 - TITE, 56-day accrual  | 3.9    | 8      | 8.6    | 6.3    | 2.4    | -      |
| U3 - Original non-TITE     | 4.3    | 9.5    | 7.5    | 6.3    | 2      | -      |
| U3 - TITE, 56-day accrual  | 4.2    | 9.8    | 8.6    | 5.3    | 1.4    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.3    | 4.6    | 2.2    | 2.7    | 1      | -      |
| U2 - TITE, 56-day accrual  | 1.2    | 3.3    | 3.1    | 2.3    | 0.8    | -      |
| U3 - Original non-TITE     | 0.4    | 5.1    | 2.1    | 2.6    | 0.7    | -      |
| U3 - TITE, 56-day accrual  | 1.4    | 3.9    | 3.1    | 1.9    | 0.5    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1276.9 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1103.5 |
| U3 - Original non-TITE     |        |        |        |        |        | 1273.1 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1093.4 |
| Scenario 6                 |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.3    | 0.4    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.3    | 0.3    | 0.3    | 0.4    | 0.4    |        |
| Utility 2                  | 0      | 0      | 0      | -0.1   | -0.1   |        |
| Utility 3                  | 46.4   | 45.6   | 45.8   | 45.6   | 43.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 67.1   | 7.2    | 1.5    | 0      | 0      | 24.2   |
| U2 - TITE, 56-day accrual  | 54.3   | 17.6   | 2.9    | 0.2    | 0      | 25     |
| U3 - Original non-TITE     | 68     | 7      | 0.5    | 0.1    | 0      | 24.4   |
| U3 - TITE, 56-day accrual  | 55.4   | 17.1   | 2.6    | 0.2    | 0      | 24.7   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 19.9   | 5.1    | 1      | 0.2    | 0      | -      |
| U2 - TITE, 56-day accrual  | 17.2   | 6.6    | 1.5    | 0.3    | 0      | -      |
| U3 - Original non-TITE     | 20.2   | 5.1    | 0.8    | 0.2    | 0      | -      |
| U3 - TITE, 56-day accrual  | 17.9   | 6.4    | 1.1    | 0.2    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.2    | 2.3    | 0.3    | 0.1    | 0      | -      |
| U2 - TITE, 56-day accrual  | 5.1    | 2.2    | 0.5    | 0.1    | 0      | -      |
| U3 - Original non-TITE     | 5.4    | 2.3    | 0.2    | 0.1    | 0      | -      |
| U3 - TITE, 56-day accrual  | 5.4    | 2.1    | 0.4    | 0.1    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1217.9 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1012.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1216   |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1011.2 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 7                 |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.2    | 0.3    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.2    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0      | 0.3    | 0.2    | 0.2    | 0.1    |        |
| Utility 3                  | 45.6   | 62     | 59.6   | 57.6   | 55.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 14.8   | 61.9   | 15.2   | 3.2    | 0.1    | 4.8    |
| U2 - TITE, 56-day accrual  | 7.3    | 50.7   | 27.9   | 3.9    | 0.1    | 10.1   |
| U3 - Original non-TITE     | 16.5   | 64.1   | 12.7   | 1.9    | 0.1    | 4.7    |
| U3 - TITE, 56-day accrual  | 7      | 59.4   | 21     | 2      | 0      | 10.6   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9      | 15.6   | 3.7    | 0.8    | 0      | -      |
| U2 - TITE, 56-day accrual  | 7      | 14     | 6.2    | 0.8    | 0      | -      |
| U3 - Original non-TITE     | 9.6    | 15.8   | 3.2    | 0.6    | 0      | -      |
| U3 - TITE, 56-day accrual  | 7.5    | 15.3   | 4.8    | 0.5    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.9    | 5.7    | 1.1    | 0.3    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.2    | 4.2    | 1.8    | 0.2    | 0      | -      |
| U3 - Original non-TITE     | 2.1    | 5.8    | 0.9    | 0.2    | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.4    | 4.6    | 1.4    | 0.1    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1350.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1127.5 |
| U3 - Original non-TITE     |        |        |        |        |        | 1347.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1117.7 |
| Scenario 8                 |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.4    | 0.4    | 0.5    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Utility 2                  | -0.2   | -0.2   | -0.2   | -0.2   | -0.1   |        |
| Utility 3                  | 33.2   | 34.2   | 35.2   | 38.8   | 43.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 29.5   | 2.3    | 0.6    | 0      | 0      | 67.6   |
| U2 - TITE, 56-day accrual  | 15.2   | 7.3    | 0.9    | 0      | 0      | 76.6   |
| U3 - Original non-TITE     | 29.3   | 1.9    | 0.5    | 0      | 0      | 68.3   |
| U3 - TITE, 56-day accrual  | 15.5   | 6.8    | 0.9    | 0      | 0      | 76.8   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 14.6   | 4.2    | 0.8    | 0.3    | 0      | -      |
| U2 - TITE, 56-day accrual  | 10.8   | 5.2    | 1.3    | 0.3    | 0      | -      |
| U3 - Original non-TITE     | 14.6   | 4.2    | 0.8    | 0.3    | 0      | -      |
| U3 - TITE, 56-day accrual  | 11     | 5.2    | 1.1    | 0.2    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.1    | 2.4    | 0.2    | 0.2    | 0      | -      |
| U2 - TITE, 56-day accrual  | 3.5    | 2      | 0.5    | 0.1    | 0      | -      |
| U3 - Original non-TITE     | 4.1    | 2.4    | 0.2    | 0.2    | 0      | -      |
| U3 - TITE, 56-day accrual  | 3.5    | 1.9    | 0.4    | 0.1    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 862.1  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 663.6  |
| U3 - Original non-TITE     |        |        |        |        |        | 859.3  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 654    |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 9                 |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.2    | 0.3    | 0.3    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.2    | 0.5    |        |
| Utility 2                  | -0.1   | -0.1   | 0      | 0      | 0.2    |        |
| Utility 3                  | 37     | 37.6   | 43.2   | 44.6   | 58.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 17.3   | 17.6   | 20.8   | 12     | 10.8   | 21.5   |
| U2 - TITE, 56-day accrual  | 6.7    | 9      | 22.3   | 15.1   | 11.9   | 35     |
| U3 - Original non-TITE     | 21.3   | 18.8   | 17.2   | 10.7   | 9.4    | 22.6   |
| U3 - TITE, 56-day accrual  | 5.3    | 11.4   | 23.7   | 15.1   | 9.3    | 35.2   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.7    | 6.7    | 5.8    | 4.6    | 2.3    | -      |
| U2 - TITE, 56-day accrual  | 6.1    | 5.6    | 5.7    | 4.6    | 2.4    | -      |
| U3 - Original non-TITE     | 8      | 6.8    | 5.8    | 4.5    | 2.1    | -      |
| U3 - TITE, 56-day accrual  | 6.7    | 6.2    | 5.5    | 4      | 1.9    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.9    | 4.1    | 1.6    | 2      | 0.7    | -      |
| U2 - TITE, 56-day accrual  | 2.1    | 2.5    | 2.1    | 1.7    | 0.7    | -      |
| U3 - Original non-TITE     | 2      | 4.1    | 1.6    | 2      | 0.7    | -      |
| U3 - TITE, 56-day accrual  | 2.4    | 2.7    | 2.1    | 1.5    | 0.6    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1140.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 897.6  |
| U3 - Original non-TITE     |        |        |        |        |        | 1138.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 884.4  |
| Scenario 10                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.3    | 0.4    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.4    | 0.4    | 0.5    | 0.5    |        |
| Utility 2                  | -0.2   | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 3                  | 33.8   | 52.8   | 52.4   | 51.4   | 52.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 14.9   | 26     | 6.4    | 1.5    | 0.1    | 51.1   |
| U2 - TITE, 56-day accrual  | 5.2    | 25.7   | 13.3   | 1.3    | 0.1    | 54.4   |
| U3 - Original non-TITE     | 15.3   | 27     | 5.2    | 1.3    | 0      | 51.2   |
| U3 - TITE, 56-day accrual  | 4.8    | 27.7   | 11.1   | 0.5    | 0.1    | 55.8   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.5   | 8.9    | 2.7    | 0.8    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 7.1    | 9.3    | 3.8    | 0.6    | 0.1    | -      |
| U3 - Original non-TITE     | 10.6   | 9      | 2.5    | 0.7    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 7.3    | 9.9    | 3.2    | 0.3    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.5    | 4.3    | 0.6    | 0.3    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.3    | 3.1    | 1.1    | 0.2    | 0      | -      |
| U3 - Original non-TITE     | 2.5    | 4.4    | 0.6    | 0.3    | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.3    | 3.3    | 1      | 0.1    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1014.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 814.5  |
| U3 - Original non-TITE     |        |        |        |        |        | 1013.4 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 804.6  |



Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 11                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.4    | 0.6    | 0.7    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0      | -0.1   | -0.2   | -0.4   | -0.5   |        |
| Utility 3                  | 43.2   | 39.2   | 34.4   | 28.4   | 25.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 65.9   | 14.8   | 1.2    | 0      | 0      | 18.1   |
| U2 - TITE, 56-day accrual  | 42.7   | 25.1   | 3      | 0      | 0      | 29.2   |
| U3 - Original non-TITE     | 67.6   | 14.1   | 0.7    | 0      | 0      | 17.6   |
| U3 - TITE, 56-day accrual  | 40.7   | 26.3   | 3.1    | 0      | 0      | 29.9   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 18     | 7.2    | 1.7    | 0.5    | 0      | -      |
| U2 - TITE, 56-day accrual  | 14.7   | 8      | 2.3    | 0.6    | 0      | -      |
| U3 - Original non-TITE     | 18.5   | 7      | 1.6    | 0.5    | 0      | -      |
| U3 - TITE, 56-day accrual  | 15.2   | 8      | 1.9    | 0.4    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.3    | 3.6    | 0.4    | 0.3    | 0      | -      |
| U2 - TITE, 56-day accrual  | 5      | 2.9    | 0.8    | 0.2    | 0      | -      |
| U3 - Original non-TITE     | 5.4    | 3.5    | 0.4    | 0.2    | 0      | -      |
| U3 - TITE, 56-day accrual  | 5.3    | 2.9    | 0.6    | 0.1    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1206.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 951.5  |
| U3 - Original non-TITE     |        |        |        |        |        | 1209   |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 933.9  |
| Scenario 12                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.4    | 0.6    |        |
| Utility 2                  | 0      | 0      | -0.1   | 0.1    | 0.2    |        |
| Utility 3                  | 40.6   | 42.4   | 40     | 52.4   | 58.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 14.3   | 18.4   | 14.7   | 43.6   | 7.4    | 1.6    |
| U2 - TITE, 56-day accrual  | 5.8    | 11.9   | 16.7   | 42.2   | 14.9   | 8.5    |
| U3 - Original non-TITE     | 18     | 18.4   | 13.1   | 41.8   | 7      | 1.7    |
| U3 - TITE, 56-day accrual  | 4.4    | 12.5   | 16.9   | 44.9   | 13     | 8.3    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.9    | 6.3    | 6.5    | 9.2    | 3      | -      |
| U2 - TITE, 56-day accrual  | 4.3    | 5.5    | 6.2    | 8.8    | 3.7    | -      |
| U3 - Original non-TITE     | 5.1    | 6.4    | 6.3    | 9.2    | 2.7    | -      |
| U3 - TITE, 56-day accrual  | 4.9    | 6      | 5.9    | 8.7    | 3      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.8    | 4.2    | 1.5    | 3.7    | 0.7    | -      |
| U2 - TITE, 56-day accrual  | 1.5    | 2.6    | 2.4    | 2.8    | 0.9    | -      |
| U3 - Original non-TITE     | 0.9    | 4.2    | 1.4    | 3.6    | 0.7    | -      |
| U3 - TITE, 56-day accrual  | 1.7    | 2.8    | 2.3    | 2.8    | 0.7    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1283.2 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1100.4 |
| U3 - Original non-TITE     |        |        |        |        |        | 1281.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1079.9 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 13                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.4    |        |
| Utility 2                  | -0.2   | 0      | 0      | 0      | -0.1   |        |
| Utility 3                  | 34.6   | 46.4   | 47.2   | 45.4   | 45.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 18     | 25.1   | 7.7    | 1.9    | 0      | 47.3   |
| U2 - TITE, 56-day accrual  | 4.8    | 26.7   | 13.9   | 2.1    | 0      | 52.5   |
| U3 - Original non-TITE     | 18.5   | 25.3   | 6.2    | 2      | 0      | 48     |
| U3 - TITE, 56-day accrual  | 5      | 26     | 13.4   | 2.3    | 0      | 53.3   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.7   | 8.5    | 3.2    | 1.2    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 7.2    | 8.8    | 4.1    | 1.2    | 0.1    | -      |
| U3 - Original non-TITE     | 10.8   | 8.6    | 3.1    | 1.2    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 7.5    | 9.2    | 3.6    | 0.9    | 0.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.7    | 4.4    | 0.8    | 0.5    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.4    | 3.2    | 1.4    | 0.4    | 0      | -      |
| U3 - Original non-TITE     | 2.7    | 4.4    | 0.8    | 0.5    | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.5    | 3.3    | 1.2    | 0.3    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1030.4 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 808    |
| U3 - Original non-TITE     |        |        |        |        |        | 1029.6 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 795.3  |
| Scenario 14                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.3    | 0.4    |        |
| Utility 2                  | 0      | -0.1   | -0.1   | 0      | 0      |        |
| Utility 3                  | 39.4   | 38.8   | 38     | 46.8   | 48.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 19.7   | 24.7   | 17.4   | 23.6   | 5.2    | 9.4    |
| U2 - TITE, 56-day accrual  | 9.1    | 13.7   | 22.4   | 24.3   | 7.6    | 22.9   |
| U3 - Original non-TITE     | 24.4   | 25.9   | 14.5   | 22     | 3.8    | 9.4    |
| U3 - TITE, 56-day accrual  | 6.8    | 14.1   | 23.9   | 25.4   | 7.1    | 22.7   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 6.5    | 7.3    | 6.4    | 6.6    | 2      | -      |
| U2 - TITE, 56-day accrual  | 5.6    | 6.4    | 6.3    | 6.1    | 2.3    | -      |
| U3 - Original non-TITE     | 6.9    | 7.4    | 6.2    | 6.6    | 1.9    | -      |
| U3 - TITE, 56-day accrual  | 6.4    | 6.9    | 5.7    | 5.8    | 1.8    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.4    | 4.6    | 1.5    | 3      | 0.6    | -      |
| U2 - TITE, 56-day accrual  | 2      | 2.9    | 2.5    | 2.1    | 0.7    | -      |
| U3 - Original non-TITE     | 1.6    | 4.6    | 1.4    | 2.9    | 0.6    | -      |
| U3 - TITE, 56-day accrual  | 2.4    | 3.1    | 2.3    | 2      | 0.6    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1212.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 977.8  |
| U3 - Original non-TITE     |        |        |        |        |        | 1210.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 964.3  |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 15                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 2                  | 0      | -0.1   | -0.2   | -0.3   | -0.4   |        |
| Utility 3                  | 40.8   | 38     | 33.2   | 30.4   | 27.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 42.3   | 33.3   | 9.1    | 2.4    | 0      | 12.9   |
| U2 - TITE, 56-day accrual  | 21.1   | 25.7   | 16.4   | 5.2    | 0.2    | 31.4   |
| U3 - Original non-TITE     | 47.3   | 32.2   | 6.2    | 1.3    | 0      | 13     |
| U3 - TITE, 56-day accrual  | 17.2   | 25.9   | 18.3   | 5.1    | 0.3    | 33.2   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.1   | 9.2    | 5      | 2.6    | 0.6    | -      |
| U2 - TITE, 56-day accrual  | 8.5    | 8.5    | 5.5    | 2.6    | 0.6    | -      |
| U3 - Original non-TITE     | 11.7   | 9      | 4.8    | 2.5    | 0.6    | -      |
| U3 - TITE, 56-day accrual  | 9.2    | 8.7    | 4.7    | 2.3    | 0.5    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.2    | 5      | 1.4    | 1.3    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 3.2    | 3.6    | 2.1    | 1      | 0.2    | -      |
| U3 - Original non-TITE     | 3.5    | 4.9    | 1.3    | 1.3    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 3.5    | 3.7    | 1.8    | 0.9    | 0.2    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1186   |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 912.8  |
| U3 - Original non-TITE     |        |        |        |        |        | 1185.6 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 902.2  |
| Scenario 16                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.1    | 0.1    | 0.3    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0.2    | 0.1    | 0.1    | 0.1    | -0.1   |        |
| Utility 3                  | 51.2   | 49.6   | 48.4   | 46.4   | 41.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 30.6   | 31.6   | 16.5   | 14     | 7.3    | 0      |
| U2 - TITE, 56-day accrual  | 20.7   | 27.7   | 21.3   | 15.6   | 14.6   | 0.1    |
| U3 - Original non-TITE     | 36.2   | 33.5   | 14.9   | 10.2   | 5.2    | 0      |
| U3 - TITE, 56-day accrual  | 17.4   | 27.3   | 20.9   | 19.8   | 14.5   | 0.1    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.5    | 5.8    | 6.1    | 8.3    | 5.3    | -      |
| U2 - TITE, 56-day accrual  | 4      | 5.6    | 6.6    | 8.1    | 5.7    | -      |
| U3 - Original non-TITE     | 5      | 6.3    | 6.3    | 7.7    | 4.7    | -      |
| U3 - TITE, 56-day accrual  | 5      | 6.6    | 6.7    | 7.4    | 4.3    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.6    | 3.4    | 2.1    | 3.7    | 2      | -      |
| U2 - TITE, 56-day accrual  | 1.3    | 2.4    | 2.7    | 3.2    | 2.2    | -      |
| U3 - Original non-TITE     | 0.8    | 3.6    | 2.2    | 3.5    | 1.7    | -      |
| U3 - TITE, 56-day accrual  | 1.7    | 2.9    | 2.8    | 3      | 1.6    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1252.2 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1090.1 |
| U3 - Original non-TITE     |        |        |        |        |        | 1249.1 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1070.3 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 17                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.4    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.3    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.2    | 0.3    | 0.1    | -0.1   | -0.3   |        |
| Utility 3                  | 53.6   | 60.8   | 54.4   | 46.8   | 39.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 19.9   | 70.6   | 8.4    | 0.2    | 0      | 0.9    |
| U2 - TITE, 56-day accrual  | 10.1   | 70.1   | 16.1   | 0.1    | 0      | 3.6    |
| U3 - Original non-TITE     | 21.8   | 72.3   | 4.9    | 0.2    | 0      | 0.8    |
| U3 - TITE, 56-day accrual  | 12.3   | 73.6   | 10.3   | 0.1    | 0      | 3.7    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.1   | 16.9   | 2.6    | 0.2    | 0      | -      |
| U2 - TITE, 56-day accrual  | 8.4    | 16.8   | 3.9    | 0.2    | 0      | -      |
| U3 - Original non-TITE     | 10.7   | 17.1   | 1.8    | 0.2    | 0      | -      |
| U3 - TITE, 56-day accrual  | 9.4    | 17.2   | 2.7    | 0.1    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.2    | 5.9    | 0.7    | 0.1    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.6    | 4.8    | 1.1    | 0.1    | 0      | -      |
| U3 - Original non-TITE     | 2.5    | 5.9    | 0.5    | 0.1    | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.9    | 5      | 0.7    | 0      | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1397.5 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1184.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1394.9 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1177.1 |
| Scenario 18                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0      | 0.1    | 0.2    | 0.3    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.2    | 0.5    |        |
| Utility 2                  | 0      | 0.1    | 0.1    | 0      | 0.1    |        |
| Utility 3                  | 42.2   | 44.4   | 45     | 44     | 56     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9.1    | 11.9   | 11.9   | 21.3   | 45.7   | 0.1    |
| U2 - TITE, 56-day accrual  | 5.1    | 9      | 10.9   | 22.6   | 51.6   | 0.8    |
| U3 - Original non-TITE     | 14.8   | 14.1   | 11.2   | 19.8   | 40     | 0.1    |
| U3 - TITE, 56-day accrual  | 4.1    | 9.8    | 13.1   | 23.5   | 48.8   | 0.7    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.5    | 4.1    | 5.4    | 8      | 9      | -      |
| U2 - TITE, 56-day accrual  | 3.4    | 4.1    | 5.5    | 7.5    | 9.3    | -      |
| U3 - Original non-TITE     | 3.6    | 4.3    | 5.5    | 8.3    | 8.3    | -      |
| U3 - TITE, 56-day accrual  | 3.7    | 4.6    | 5.7    | 7.5    | 8.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.2    | 3.2    | 1.2    | 3.6    | 2.5    | -      |
| U2 - TITE, 56-day accrual  | 1.1    | 2.1    | 2.3    | 2.9    | 2.6    | -      |
| U3 - Original non-TITE     | 0.3    | 3.3    | 1.3    | 3.7    | 2.3    | -      |
| U3 - TITE, 56-day accrual  | 1.3    | 2.3    | 2.4    | 2.9    | 2.3    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1305.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1147.6 |
| U3 - Original non-TITE     |        |        |        |        |        | 1296.4 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1133.6 |



Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 19                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.4    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.4    |        |
| Utility 2                  | 0      | 0      | -0.1   | -0.2   | -0.4   |        |
| Utility 3                  | 40.4   | 47.6   | 43.6   | 37     | 33.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 19.1   | 54.2   | 10.2   | 0.5    | 0      | 16     |
| U2 - TITE, 56-day accrual  | 8.2    | 45     | 19     | 0.6    | 0      | 27.2   |
| U3 - Original non-TITE     | 20.7   | 53.7   | 8.3    | 0.5    | 0      | 16.8   |
| U3 - TITE, 56-day accrual  | 7      | 46.2   | 20     | 1      | 0      | 25.8   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9.3    | 13.1   | 4.6    | 1.1    | 0      | -      |
| U2 - TITE, 56-day accrual  | 7.3    | 12     | 5.6    | 1.1    | 0      | -      |
| U3 - Original non-TITE     | 9.5    | 13.2   | 4.4    | 1.1    | 0      | -      |
| U3 - TITE, 56-day accrual  | 7.6    | 12.6   | 5      | 0.9    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.2    | 6.1    | 1.1    | 0.6    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.5    | 4.3    | 1.7    | 0.4    | 0      | -      |
| U3 - Original non-TITE     | 2.3    | 6.1    | 1      | 0.5    | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.7    | 4.6    | 1.5    | 0.3    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1229.5 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 987.8  |
| U3 - Original non-TITE     |        |        |        |        |        | 1224.6 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 981.1  |
| Scenario 20                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0      | 0.1    | -0.1   | -0.2   | -0.3   |        |
| Utility 3                  | 40.2   | 49.4   | 42.6   | 38.6   | 34.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.5   | 53.2   | 26.6   | 6.3    | 0      | 3.4    |
| U2 - TITE, 56-day accrual  | 5.1    | 37     | 36.8   | 11.7   | 0.7    | 8.7    |
| U3 - Original non-TITE     | 11.7   | 54.6   | 24.1   | 5.6    | 0.1    | 3.9    |
| U3 - TITE, 56-day accrual  | 3.8    | 34.5   | 40.6   | 11.8   | 0.6    | 8.7    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.3    | 11.5   | 8.3    | 3.8    | 0.8    | -      |
| U2 - TITE, 56-day accrual  | 4.7    | 10.4   | 8.8    | 3.9    | 0.8    | -      |
| U3 - Original non-TITE     | 5.5    | 11.9   | 7.9    | 3.5    | 0.7    | -      |
| U3 - TITE, 56-day accrual  | 5.1    | 11.6   | 8      | 3.2    | 0.6    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.8    | 5.8    | 2.3    | 1.6    | 0.3    | -      |
| U2 - TITE, 56-day accrual  | 1.6    | 4.2    | 3      | 1.3    | 0.3    | -      |
| U3 - Original non-TITE     | 0.9    | 6      | 2.1    | 1.6    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 1.8    | 4.6    | 2.8    | 1.1    | 0.2    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1262.8 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1064.1 |
| U3 - Original non-TITE     |        |        |        |        |        | 1259.6 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1051.9 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 21                |        |        |        |        |        |        |
| DLT rate                   | 0.4    | 0.6    | 0.7    | 0.8    | 0.9    |        |
| Efficacy rate              | 0.5    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.1    | -0.1   | -0.2   | -0.3   | -0.4   |        |
| Utility 3                  | 55.2   | 47.6   | 42.4   | 36.8   | 34.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 38.4   | 0.1    | 0      | 0      | 0      | 61.5   |
| U2 - TITE, 56-day accrual  | 57.6   | 1.6    | 0.1    | 0      | 0      | 40.7   |
| U3 - Original non-TITE     | 38.4   | 0.1    | 0      | 0      | 0      | 61.5   |
| U3 - TITE, 56-day accrual  | 57.4   | 2      | 0      | 0      | 0      | 40.6   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 18.3   | 1.7    | 0      | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 20.4   | 2.6    | 0      | 0      | 0      | -      |
| U3 - Original non-TITE     | 18.4   | 1.7    | 0      | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 20.6   | 2.4    | 0      | 0      | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.6    | 0.8    | 0      | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 4.4    | 0.7    | 0      | 0      | 0      | -      |
| U3 - Original non-TITE     | 3.6    | 0.8    | 0      | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 4.4    | 0.6    | 0      | 0      | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1005.4 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1015.8 |
| U3 - Original non-TITE     |        |        |        |        |        | 1005.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1016   |
| Scenario 22                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.5    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.5    | 0.5    |        |
| Utility 2                  | 0      | 0      | -0.2   | -0.1   | -0.3   |        |
| Utility 3                  | 42     | 44.2   | 35     | 47.6   | 38.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 22.3   | 58.1   | 5.7    | 0.7    | 0      | 13.2   |
| U2 - TITE, 56-day accrual  | 7.9    | 51     | 14.4   | 1.8    | 0      | 24.9   |
| U3 - Original non-TITE     | 24.9   | 54.5   | 6.2    | 0.7    | 0      | 13.7   |
| U3 - TITE, 56-day accrual  | 7.4    | 51.6   | 15.9   | 0.9    | 0      | 24.2   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9.6    | 13.4   | 4.5    | 1.2    | 0      | -      |
| U2 - TITE, 56-day accrual  | 7.6    | 12.6   | 5.1    | 1.2    | 0.1    | -      |
| U3 - Original non-TITE     | 10     | 13.3   | 4.3    | 1.2    | 0      | -      |
| U3 - TITE, 56-day accrual  | 7.9    | 13.1   | 4.5    | 1      | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.4    | 6.4    | 1.1    | 0.6    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.7    | 4.7    | 1.5    | 0.3    | 0      | -      |
| U3 - Original non-TITE     | 2.6    | 6.4    | 1      | 0.6    | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.9    | 4.9    | 1.4    | 0.3    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1244.4 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1001.1 |
| U3 - Original non-TITE     |        |        |        |        |        | 1244.7 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 989.7  |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 23                |        |        |        |        |        |        |
| DLT rate                   | 0.3    | 0.6    | 0.8    | 0.9    | 1      |        |
| Efficacy rate              | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 2                  | -0.3   | -0.5   | -0.8   | -0.9   | -0.9   |        |
| Utility 3                  | 30.2   | 21     | 11     | 5.4    | 4.2    |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8      | 0.3    | 0      | 0      | 0      | 91.7   |
| U2 - TITE, 56-day accrual  | 2.7    | 1.1    | 0      | 0      | 0      | 96.2   |
| U3 - Original non-TITE     | 8.3    | 0.1    | 0      | 0      | 0      | 91.6   |
| U3 - TITE, 56-day accrual  | 2.9    | 0.9    | 0.1    | 0      | 0      | 96.1   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.2   | 3.2    | 0.1    | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 8.5    | 3.5    | 0.3    | 0      | 0      | -      |
| U3 - Original non-TITE     | 11.2   | 3.2    | 0.1    | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 8.5    | 3.5    | 0.3    | 0      | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3      | 2.1    | 0      | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.6    | 1.2    | 0.1    | 0      | 0      | -      |
| U3 - Original non-TITE     | 3      | 2.1    | 0      | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.7    | 1.2    | 0.1    | 0      | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 624.5  |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 471.1  |
| U3 - Original non-TITE     |        |        |        |        |        | 624.3  |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 471.2  |
| Scenario 24                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0      | 0.1    | 0.1    | 0.2    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.5    | 0.5    |        |
| Utility 2                  | 0      | 0.1    | 0.1    | 0.4    | 0.2    |        |
| Utility 3                  | 42.6   | 44     | 50     | 66     | 60     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.8    | 0.3    | 1.2    | 68.3   | 29.4   | 0      |
| U2 - TITE, 56-day accrual  | 0.1    | 0.6    | 0.7    | 49.8   | 48.7   | 0.1    |
| U3 - Original non-TITE     | 0.6    | 0.4    | 1.9    | 72.8   | 24.3   | 0      |
| U3 - TITE, 56-day accrual  | 0.3    | 0.2    | 1.1    | 61.2   | 37     | 0.2    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.1    | 3.2    | 3.7    | 14.6   | 5.4    | -      |
| U2 - TITE, 56-day accrual  | 3.1    | 3.2    | 3.8    | 12.4   | 7.5    | -      |
| U3 - Original non-TITE     | 3.1    | 3.2    | 3.8    | 15.4   | 4.5    | -      |
| U3 - TITE, 56-day accrual  | 3.2    | 3.3    | 4.1    | 13.5   | 5.9    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0      | 2.8    | 0.5    | 5.3    | 1.6    | -      |
| U2 - TITE, 56-day accrual  | 0.9    | 1.7    | 1.6    | 4      | 2.1    | -      |
| U3 - Original non-TITE     | 0      | 2.9    | 0.6    | 5.6    | 1.3    | -      |
| U3 - TITE, 56-day accrual  | 1      | 1.7    | 1.7    | 4.4    | 1.7    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1334.5 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1204.6 |
| U3 - Original non-TITE     |        |        |        |        |        | 1332.1 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1191.5 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 25                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.4    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.2    | 0.2    | 0.4    | 0.5    | 0.5    |        |
| Utility 2                  | 0.1    | 0.1    | 0      | -0.2   | -0.3   |        |
| Utility 3                  | 48.4   | 47.8   | 49.2   | 41.8   | 39.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 28.2   | 40     | 27.6   | 2      | 0      | 2.2    |
| U2 - TITE, 56-day accrual  | 18.2   | 37.1   | 35.5   | 3.4    | 0      | 5.8    |
| U3 - Original non-TITE     | 33.5   | 38.7   | 23.5   | 2.3    | 0      | 2      |
| U3 - TITE, 56-day accrual  | 17.3   | 37     | 36.6   | 3      | 0      | 6.1    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9      | 11.2   | 7.9    | 1.5    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 8.3    | 10.7   | 8.5    | 1.6    | 0.1    | -      |
| U3 - Original non-TITE     | 9.6    | 11.6   | 7.2    | 1.3    | 0      | -      |
| U3 - TITE, 56-day accrual  | 9.2    | 11.4   | 7.3    | 1.1    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.2    | 4.9    | 2.2    | 0.6    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.9    | 4      | 2.5    | 0.4    | 0      | -      |
| U3 - Original non-TITE     | 2.5    | 5.2    | 2      | 0.6    | 0      | -      |
| U3 - TITE, 56-day accrual  | 3.3    | 4.3    | 2.1    | 0.3    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1319.4 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1119.9 |
| U3 - Original non-TITE     |        |        |        |        |        | 1312   |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1099.9 |
| Scenario 26                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.3    | 0.5    | 0.6    |        |
| Utility 2                  | -0.1   | 0      | 0.1    | -0.2   | -0.2   |        |
| Utility 3                  | 40     | 43.2   | 49     | 42.2   | 41     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 28.5   | 35     | 22.1   | 1      | 0      | 13.4   |
| U2 - TITE, 56-day accrual  | 10.3   | 28.7   | 29.9   | 2.6    | 0      | 28.5   |
| U3 - Original non-TITE     | 30.9   | 33.8   | 20.6   | 0.9    | 0      | 13.8   |
| U3 - TITE, 56-day accrual  | 8.5    | 29.8   | 29.6   | 3.2    | 0      | 28.9   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 10.3   | 9.7    | 6.6    | 1.6    | 0      | -      |
| U2 - TITE, 56-day accrual  | 7.7    | 8.8    | 7.2    | 1.8    | 0.1    | -      |
| U3 - Original non-TITE     | 10.6   | 9.7    | 6.4    | 1.5    | 0      | -      |
| U3 - TITE, 56-day accrual  | 8.2    | 9.3    | 6.6    | 1.4    | 0.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.7    | 4.9    | 1.7    | 0.8    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.7    | 3.5    | 2.3    | 0.5    | 0      | -      |
| U3 - Original non-TITE     | 2.8    | 4.8    | 1.6    | 0.7    | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.9    | 3.7    | 2.1    | 0.4    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1229.4 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 973    |
| U3 - Original non-TITE     |        |        |        |        |        | 1225   |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 955.6  |



Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 27                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.2    | 0.3    | 0.5    | 0.6    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.4    | 0.4    | 0.5    |        |
| Utility 2                  | 0      | 0      | 0.1    | -0.1   | -0.2   |        |
| Utility 3                  | 41.6   | 45.2   | 52     | 45.2   | 42.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 19     | 32.8   | 37.6   | 3.2    | 0      | 7.4    |
| U2 - TITE, 56-day accrual  | 8.6    | 24.6   | 44.2   | 7.3    | 0      | 15.3   |
| U3 - Original non-TITE     | 22.2   | 32.7   | 35.3   | 2.4    | 0      | 7.4    |
| U3 - TITE, 56-day accrual  | 7.6    | 22.6   | 48.3   | 6.2    | 0      | 15.3   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 7.7    | 9.6    | 9.2    | 2.3    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 6.2    | 8.7    | 9.8    | 2.7    | 0.2    | -      |
| U3 - Original non-TITE     | 8.1    | 9.7    | 9.1    | 2.2    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 6.8    | 9.2    | 9.3    | 2.1    | 0.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.8    | 4.7    | 2.5    | 1      | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.2    | 3.5    | 3      | 0.8    | 0.1    | -      |
| U3 - Original non-TITE     | 2      | 4.8    | 2.5    | 0.9    | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.4    | 3.7    | 2.9    | 0.6    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1272.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1065   |
| U3 - Original non-TITE     |        |        |        |        |        | 1272.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1047.9 |
| Scenario 28                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.5    | 0.6    | 0.8    |        |
| Efficacy rate              | 0.1    | 0.3    | 0.3    | 0.3    | 0.4    |        |
| Utility 2                  | -0.1   | 0      | -0.2   | -0.2   | -0.4   |        |
| Utility 3                  | 35     | 46     | 39.2   | 37     | 33.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 20.2   | 24.9   | 1.5    | 0      | 0      | 53.4   |
| U2 - TITE, 56-day accrual  | 5.9    | 29.9   | 4.3    | 0      | 0      | 59.9   |
| U3 - Original non-TITE     | 20.4   | 24.3   | 1.7    | 0      | 0      | 53.6   |
| U3 - TITE, 56-day accrual  | 5      | 30.1   | 4.1    | 0.1    | 0      | 60.7   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11.5   | 9.2    | 2.2    | 0.5    | 0      | -      |
| U2 - TITE, 56-day accrual  | 7.9    | 9.8    | 2.7    | 0.4    | 0      | -      |
| U3 - Original non-TITE     | 11.6   | 9.3    | 2.1    | 0.5    | 0      | -      |
| U3 - TITE, 56-day accrual  | 8      | 10.1   | 2.5    | 0.3    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3      | 4.6    | 0.5    | 0.2    | 0      | -      |
| U2 - TITE, 56-day accrual  | 2.6    | 3.5    | 0.8    | 0.1    | 0      | -      |
| U3 - Original non-TITE     | 3      | 4.7    | 0.5    | 0.2    | 0      | -      |
| U3 - TITE, 56-day accrual  | 2.7    | 3.6    | 0.7    | 0.1    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1015.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 803.9  |
| U3 - Original non-TITE     |        |        |        |        |        | 1016.7 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 794.9  |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 29                |        |        |        |        |        |        |
| DLT rate                   | 0.2    | 0.3    | 0.6    | 0.7    | 0.9    |        |
| Efficacy rate              | 0.4    | 0.4    | 0.4    | 0.4    | 0.4    |        |
| Utility 2                  | 0.2    | 0.1    | -0.2   | -0.3   | -0.5   |        |
| Utility 3                  | 56.4   | 52     | 41.6   | 34.4   | 29.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 68.7   | 26.5   | 0.9    | 0      | 0      | 3.9    |
| U2 - TITE, 56-day accrual  | 49.8   | 42.1   | 2.6    | 0      | 0      | 5.5    |
| U3 - Original non-TITE     | 71.1   | 24.6   | 0.5    | 0      | 0      | 3.8    |
| U3 - TITE, 56-day accrual  | 52.9   | 39.8   | 1.3    | 0      | 0      | 6      |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 19.6   | 8.7    | 0.9    | 0.1    | 0      | -      |
| U2 - TITE, 56-day accrual  | 16.3   | 11.1   | 1.4    | 0.1    | 0      | -      |
| U3 - Original non-TITE     | 20.3   | 8.4    | 0.6    | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 17.6   | 10.3   | 0.8    | 0.1    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5      | 3.3    | 0.3    | 0      | 0      | -      |
| U2 - TITE, 56-day accrual  | 4.7    | 3.4    | 0.4    | 0      | 0      | -      |
| U3 - Original non-TITE     | 5.2    | 3.3    | 0.2    | 0      | 0      | -      |
| U3 - TITE, 56-day accrual  | 5.1    | 3.2    | 0.2    | 0      | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1374.8 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1163.3 |
| U3 - Original non-TITE     |        |        |        |        |        | 1371.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1154   |
| Scenario 30                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.2    | 0.3    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.4    | 0.5    |        |
| Utility 2                  | 0.1    | 0.1    | 0      | 0.1    | 0      |        |
| Utility 3                  | 45.2   | 45.8   | 45.2   | 53.2   | 48.4   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 14.3   | 19.4   | 18.3   | 42.7   | 5.3    | 0      |
| U2 - TITE, 56-day accrual  | 9.4    | 13.6   | 18.2   | 47.9   | 8.7    | 2.2    |
| U3 - Original non-TITE     | 20.4   | 21     | 13.9   | 40     | 4.7    | 0      |
| U3 - TITE, 56-day accrual  | 9.1    | 12.1   | 18.4   | 50.3   | 7.7    | 2.4    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.6    | 6.4    | 7.1    | 9.4    | 2.5    | -      |
| U2 - TITE, 56-day accrual  | 4.4    | 5.8    | 6.9    | 9.6    | 2.9    | -      |
| U3 - Original non-TITE     | 4.9    | 6.6    | 7      | 9.2    | 2.2    | -      |
| U3 - TITE, 56-day accrual  | 5.1    | 6.4    | 6.6    | 9.2    | 2.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.6    | 3.9    | 1.9    | 3.4    | 0.8    | -      |
| U2 - TITE, 56-day accrual  | 1.5    | 2.6    | 2.6    | 3.1    | 0.7    | -      |
| U3 - Original non-TITE     | 0.8    | 4      | 1.9    | 3.3    | 0.7    | -      |
| U3 - TITE, 56-day accrual  | 1.8    | 2.9    | 2.6    | 3      | 0.5    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1309.2 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1142   |
| U3 - Original non-TITE     |        |        |        |        |        | 1305.1 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1115.2 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 31                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.1    | 0.2    | 0.6    |        |
| Efficacy rate              | 0.2    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.2    | 0.4    | 0.4    | 0.3    | -0.1   |        |
| Utility 3                  | 50.4   | 67.6   | 66     | 62     | 46     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1.1    | 56.1   | 29.4   | 13.1   | 0.3    | 0      |
| U2 - TITE, 56-day accrual  | 0.3    | 39.4   | 45.9   | 13.7   | 0.5    | 0.2    |
| U3 - Original non-TITE     | 1.9    | 61.5   | 25.1   | 11.5   | 0      | 0      |
| U3 - TITE, 56-day accrual  | 0.9    | 50.3   | 40.6   | 7.8    | 0.2    | 0.2    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.9    | 16.5   | 6.9    | 2.5    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 3.7    | 14     | 10     | 2.2    | 0.1    | -      |
| U3 - Original non-TITE     | 4.2    | 17.7   | 5.8    | 2.3    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 4      | 15.7   | 8.9    | 1.3    | 0.1    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.3    | 6.2    | 2.1    | 0.8    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 1.1    | 4.6    | 3.2    | 0.7    | 0      | -      |
| U3 - Original non-TITE     | 0.4    | 6.6    | 1.7    | 0.8    | 0      | -      |
| U3 - TITE, 56-day accrual  | 1.2    | 5.1    | 2.8    | 0.4    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1369.9 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1189.3 |
| U3 - Original non-TITE     |        |        |        |        |        | 1369.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1182   |
| Scenario 32                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.1    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.3    | 0.3    | 0.3    |        |
| Utility 2                  | 0.1    | 0.1    | 0.2    | 0      | -0.1   |        |
| Utility 3                  | 44     | 47     | 53.6   | 46     | 43.6   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 11     | 13.9   | 35.5   | 31.5   | 8.1    | 0      |
| U2 - TITE, 56-day accrual  | 5.7    | 10.3   | 33.3   | 38.4   | 11.4   | 0.9    |
| U3 - Original non-TITE     | 16     | 17.9   | 34.9   | 27     | 4.2    | 0      |
| U3 - TITE, 56-day accrual  | 4.6    | 8.9    | 34.2   | 42.5   | 9      | 0.8    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.5    | 4.8    | 8.9    | 9.3    | 3.4    | -      |
| U2 - TITE, 56-day accrual  | 3.3    | 4.4    | 9      | 9.4    | 3.7    | -      |
| U3 - Original non-TITE     | 3.7    | 5.2    | 9.4    | 9      | 2.7    | -      |
| U3 - TITE, 56-day accrual  | 3.7    | 5.1    | 9.5    | 8.9    | 2.5    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.2    | 3.4    | 2.4    | 3.6    | 1.1    | -      |
| U2 - TITE, 56-day accrual  | 1      | 2.1    | 3.3    | 3.2    | 1.2    | -      |
| U3 - Original non-TITE     | 0.3    | 3.5    | 2.6    | 3.6    | 0.9    | -      |
| U3 - TITE, 56-day accrual  | 1.2    | 2.4    | 3.6    | 3      | 0.9    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1296.9 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1155.7 |
| U3 - Original non-TITE     |        |        |        |        |        | 1293.1 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1133.3 |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 33                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0      | 0.1    | 0.3    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.2    | 0.4    | 0.5    |        |
| Utility 2                  | 0      | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 3                  | 42.6   | 44     | 48.4   | 51.2   | 54.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 8.8    | 6.3    | 15.4   | 52     | 17.5   | 0      |
| U2 - TITE, 56-day accrual  | 3.7    | 5.2    | 11.8   | 50.3   | 28.6   | 0.4    |
| U3 - Original non-TITE     | 11.4   | 8.6    | 14.5   | 51.5   | 14     | 0      |
| U3 - TITE, 56-day accrual  | 2.8    | 6      | 13.8   | 56.3   | 20.7   | 0.4    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 3.3    | 4      | 6.5    | 11.5   | 4.7    | -      |
| U2 - TITE, 56-day accrual  | 3.2    | 3.7    | 5.9    | 11.3   | 5.8    | -      |
| U3 - Original non-TITE     | 3.5    | 4.2    | 6.6    | 11.9   | 3.9    | -      |
| U3 - TITE, 56-day accrual  | 3.4    | 4      | 6.3    | 11.4   | 4.6    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.2    | 3.2    | 1.3    | 4.4    | 1.3    | -      |
| U2 - TITE, 56-day accrual  | 1      | 1.9    | 2.3    | 3.5    | 1.5    | -      |
| U3 - Original non-TITE     | 0.2    | 3.3    | 1.4    | 4.6    | 1      | -      |
| U3 - TITE, 56-day accrual  | 1.1    | 2.1    | 2.5    | 3.5    | 1.2    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1325.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1192.3 |
| U3 - Original non-TITE     |        |        |        |        |        | 1321.4 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1178.3 |
| Scenario 34                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.1    | 0.3    | 0.4    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.1    | 0.3    | 0.3    | 0.3    |        |
| Utility 2                  | 0      | 0      | 0      | 0      | -0.1   |        |
| Utility 3                  | 41     | 40.8   | 46     | 44.8   | 44.2   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 14.5   | 23.6   | 44.7   | 12.1   | 1      | 4.1    |
| U2 - TITE, 56-day accrual  | 8.1    | 12.9   | 48.2   | 18.3   | 1.3    | 11.2   |
| U3 - Original non-TITE     | 18.7   | 22.5   | 41.7   | 12.5   | 0.7    | 3.9    |
| U3 - TITE, 56-day accrual  | 5.9    | 12.1   | 49.3   | 20.3   | 1.2    | 11.2   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 5.4    | 7.8    | 10.2   | 5.1    | 1      | -      |
| U2 - TITE, 56-day accrual  | 4.7    | 6.8    | 9.8    | 5.6    | 1.2    | -      |
| U3 - Original non-TITE     | 5.8    | 8      | 10.1   | 4.9    | 0.9    | -      |
| U3 - TITE, 56-day accrual  | 5.3    | 7.2    | 9.6    | 5.2    | 0.7    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 1      | 4.6    | 2.7    | 2.1    | 0.4    | -      |
| U2 - TITE, 56-day accrual  | 1.7    | 3      | 3.3    | 1.8    | 0.4    | -      |
| U3 - Original non-TITE     | 1.2    | 4.7    | 2.6    | 2      | 0.3    | -      |
| U3 - TITE, 56-day accrual  | 1.9    | 3.2    | 3.2    | 1.7    | 0.2    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1274.3 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1074.2 |
| U3 - Original non-TITE     |        |        |        |        |        | 1272.5 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1056.1 |



Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 35                |        |        |        |        |        |        |
| DLT rate                   | 0      | 0.1    | 0.3    | 0.4    | 0.5    |        |
| Efficacy rate              | 0.2    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                  | 0.2    | 0.4    | 0.1    | 0.1    | 0      |        |
| Utility 3                  | 50.8   | 63.4   | 55     | 51     | 49     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.2    | 57.3   | 33.3   | 5      | 0.2    | 0      |
| U2 - TITE, 56-day accrual  | 1.9    | 38.5   | 50.3   | 8.4    | 0.6    | 0.3    |
| U3 - Original non-TITE     | 5.9    | 64.4   | 25.7   | 3.9    | 0.1    | 0      |
| U3 - TITE, 56-day accrual  | 2.5    | 50.5   | 42.1   | 4.4    | 0.1    | 0.4    |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 4.2    | 16     | 7.8    | 1.7    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 4      | 13.6   | 10.3   | 1.9    | 0.2    | -      |
| U3 - Original non-TITE     | 4.5    | 17.2   | 6.7    | 1.5    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 4.6    | 15.6   | 8.6    | 1.1    | 0      | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 0.4    | 6.1    | 2.2    | 0.6    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 1.3    | 4.6    | 3      | 0.6    | 0      | -      |
| U3 - Original non-TITE     | 0.6    | 6.6    | 1.9    | 0.5    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 1.5    | 5.3    | 2.5    | 0.3    | 0      | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1370.1 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 1199.3 |
| U3 - Original non-TITE     |        |        |        |        |        | 1364.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 1180.7 |
| Scenario 36                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.3    | 0.4    | 0.4    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.3    | 0.3    |        |
| Utility 2                  | -0.1   | -0.1   | -0.1   | -0.1   | -0.1   |        |
| Utility 3                  | 37.8   | 40.4   | 39.2   | 42     | 43.8   |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 19.3   | 34.8   | 9.8    | 1.5    | 0      | 34.6   |
| U2 - TITE, 56-day accrual  | 7      | 33.9   | 16.1   | 2.1    | 0.3    | 40.6   |
| U3 - Original non-TITE     | 21.1   | 35.3   | 7.4    | 1.5    | 0      | 34.7   |
| U3 - TITE, 56-day accrual  | 6.1    | 32     | 17.5   | 1.5    | 0.1    | 42.8   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9.7    | 9.8    | 4.3    | 1.9    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 7.1    | 9.4    | 5      | 1.8    | 0.3    | -      |
| U3 - Original non-TITE     | 9.8    | 9.8    | 4.2    | 1.9    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 7.4    | 9.8    | 4.6    | 1.5    | 0.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.4    | 5.3    | 1.1    | 0.9    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.5    | 3.6    | 1.7    | 0.6    | 0.1    | -      |
| U3 - Original non-TITE     | 2.5    | 5.3    | 1      | 0.9    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 2.6    | 3.8    | 1.6    | 0.5    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        |        |
|                            |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1095.5 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 871    |
| U3 - Original non-TITE     |        |        |        |        |        | 1090.2 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 859.9  |

Phase I/II Operating Characteristics

IPDE-first non-TITE vs TITE - 56-day accrual - IPDE alpha = 0.9 - allocation = one-stage - N = 30

|                            | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|----------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 37                |        |        |        |        |        |        |
| DLT rate                   | 0.1    | 0.3    | 0.4    | 0.5    | 0.5    |        |
| Efficacy rate              | 0.1    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                  | 0      | -0.1   | -0.2   | -0.2   | -0.3   |        |
| Utility 3                  | 39.8   | 40     | 36     | 34     | 32     |        |
| OBD selection (%)          |        |        |        |        |        |        |
| U2 - Original non-TITE     | 18     | 44.3   | 9.2    | 0.7    | 0      | 27.8   |
| U2 - TITE, 56-day accrual  | 6.8    | 39.7   | 15.1   | 1.2    | 0      | 37.2   |
| U3 - Original non-TITE     | 20.7   | 44.4   | 6.7    | 0.5    | 0      | 27.7   |
| U3 - TITE, 56-day accrual  | 4.9    | 38.2   | 17.9   | 1.7    | 0      | 37.3   |
| Mean administrations       |        |        |        |        |        |        |
| U2 - Original non-TITE     | 9.4    | 11.4   | 4.6    | 1.8    | 0.2    | -      |
| U2 - TITE, 56-day accrual  | 7.2    | 10.8   | 5      | 1.6    | 0.3    | -      |
| U3 - Original non-TITE     | 9.7    | 11.3   | 4.5    | 1.7    | 0.2    | -      |
| U3 - TITE, 56-day accrual  | 7.5    | 11.2   | 4.6    | 1.3    | 0.2    | -      |
| Mean IPDE administrations  |        |        |        |        |        |        |
| U2 - Original non-TITE     | 2.3    | 6      | 1.1    | 0.9    | 0.1    | -      |
| U2 - TITE, 56-day accrual  | 2.6    | 4.1    | 1.7    | 0.6    | 0.1    | -      |
| U3 - Original non-TITE     | 2.4    | 6      | 1      | 0.9    | 0.1    | -      |
| U3 - TITE, 56-day accrual  | 2.8    | 4.3    | 1.5    | 0.5    | 0.1    | -      |
| Mean trial duration (days) |        |        |        |        |        | Days   |
| U2 - Original non-TITE     |        |        |        |        |        | 1153.7 |
| U2 - TITE, 56-day accrual  |        |        |        |        |        | 923.1  |
| U3 - Original non-TITE     |        |        |        |        |        | 1153.8 |
| U3 - TITE, 56-day accrual  |        |        |        |        |        | 916.3  |