



Operating Characteristics Across Six Scenarios (BOIN; Carryover alpha = 0)




Operating Characteristics Across Six Scenarios (BOIN; Carryover alpha = 0.3)


A. Percentage of correct MTD selection




B. Percentage of overdosing selection




C. Percentage of patients allocated to the MTD




D. Percentage of patients overdosed




E. Percentage of patients underdosed




F. Average total number of IPDE



G. Average sample size



H. Average trial duration




Legend:
- Oracle BOIN (dashed blue line)
- AIDE-BOIN, r = 0 (solid orange line)
- AIDE-BOIN Approx. 1, r = 0.1 (solid green line)
- AIDE-BOIN Approx. 1, r = 0.2 (solid red line)
- AIDE-BOIN Approx. 1, r_MLE (solid magenta line)
- AIDE-BOIN Approx. 2, r = 0.1 (solid purple line)
- AIDE-BOIN Approx. 2, r = 0.2 (solid brown line)
- AIDE-BOIN Approx. 2, r_MLE (solid grey line)


Scenario 6: early stop is treated as correct MTD selection; non-stop selections are treated as overdosing. Oracle BOIN line added for alpha > 0; its PDF did not report duration, so it is omitted from panel H.

Operating Characteristics Across Six Scenarios (BOIN; Carryover alpha = 0.6)


A. Percentage of correct MTD selection




B. Percentage of overdosing selection




C. Percentage of patients allocated to the MTD




D. Percentage of patients overdosed




E. Percentage of patients underdosed




F. Average total number of IPDE



G. Average sample size



H. Average trial duration




Legend for all panels:

- Oracle BOIN (dashed blue line)
- AIDE-BOIN, r = 0 (solid orange line)
- AIDE-BOIN Approx. 1, r = 0.1 (solid green line)
- AIDE-BOIN Approx. 1, r = 0.2 (solid red line)
- AIDE-BOIN Approx. 1, r_MLE (solid pink line)
- AIDE-BOIN Approx. 2, r = 0.1 (solid purple line)
- AIDE-BOIN Approx. 2, r = 0.2 (solid brown line)
- AIDE-BOIN Approx. 2, r_MLE (solid grey line)


Scenario 6: early stop is treated as correct MTD selection; non-stop selections are treated as overdosing. Oracle BOIN line added for alpha > 0; its PDF did not report duration, so it is omitted from panel H.

Operating Characteristics Across Six Scenarios (BOIN; Carryover alpha = 0.9)


A. Percentage of correct MTD selection




B. Percentage of overdosing selection




C. Percentage of patients allocated to the MTD




D. Percentage of patients overdosed




E. Percentage of patients underdosed




F. Average total number of IPDE



G. Average sample size



H. Average trial duration



Legend for all panels:

- Oracle BOIN (dashed blue line)
- AIDE-BOIN, r = 0 (solid orange line)
- AIDE-BOIN Approx. 1, r = 0.1 (solid green line)
- AIDE-BOIN Approx. 1, r = 0.2 (solid red line)
- AIDE-BOIN Approx. 1, r_MLE (solid pink line)
- AIDE-BOIN Approx. 2, r = 0.1 (solid purple line)
- AIDE-BOIN Approx. 2, r = 0.2 (solid brown line)
- AIDE-BOIN Approx. 2, r_MLE (solid grey line)

Scenario 6: early stop is treated as correct MTD selection; non-stop selections are treated as overdosing. Oracle BOIN line added for alpha > 0; its PDF did not report duration, so it is omitted from panel H.