

# Phase I/II Operating Characteristics

Toxicity prior comparison - allocation = one\_stage - IPDE alpha = 0.6 - N = 30

|                                 | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|---------------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 1                      |        |        |        |        |        |        |
| DLT rate                        | 0.3    | 0.35   | 0.4    | 0.45   | 0.5    |        |
| Efficacy rate                   | 0.05   | 0.06   | 0.07   | 0.08   | 0.09   |        |
| Utility 2                       | -0.2   | -0.3   | -0.3   | -0.4   | -0.4   |        |
| Utility 3                       | 31     | 29.6   | 28.2   | 26.8   | 25.4   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 29.8   | 9.9    | 1.1    | 0      | 0      | 59.2   |
| Toxicity prior Beta(0.3, 0.7)   | 30     | 11     | 1.2    | 0.2    | 0      | 57.6   |
| Toxicity prior Beta(0.5, 0.5)   | 31.3   | 13.6   | 2.7    | 0.3    | 0      | 52.1   |
| Toxicity prior Beta(1, 1)       | 31.7   | 12.9   | 2      | 0.3    | 0      | 53.1   |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 15.5   | 5.7    | 1.4    | 0.6    | 0.1    |        |
| Toxicity prior Beta(0.3, 0.7)   | 15.5   | 5.9    | 1.5    | 0.7    | 0.1    |        |
| Toxicity prior Beta(0.5, 0.5)   | 14.9   | 6.3    | 2.2    | 0.9    | 0.2    |        |
| Toxicity prior Beta(1, 1)       | 15     | 6.3    | 2.2    | 0.9    | 0.2    |        |
| Scenario 2                      |        |        |        |        |        |        |
| DLT rate                        | 0.15   | 0.2    | 0.3    | 0.35   | 0.45   |        |
| Efficacy rate                   | 0.2    | 0.25   | 0.5    | 0.5    | 0.5    |        |
| Utility 2                       | 0.1    | 0.1    | 0.2    | 0.1    | 0.1    |        |
| Utility 3                       | 46     | 47     | 58     | 56     | 52     |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 29     | 24.8   | 36.2   | 8.5    | 0.8    | 0.7    |
| Toxicity prior Beta(0.3, 0.7)   | 25.8   | 25.7   | 38.2   | 8.8    | 0.8    | 0.7    |
| Toxicity prior Beta(0.5, 0.5)   | 21.5   | 23.3   | 41.6   | 11.9   | 1.1    | 0.6    |
| Toxicity prior Beta(1, 1)       | 20.3   | 24.2   | 41.6   | 12.1   | 1.1    | 0.7    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 10.4   | 8.5    | 8.2    | 2.5    | 0.3    |        |
| Toxicity prior Beta(0.3, 0.7)   | 10     | 8.5    | 8.4    | 2.7    | 0.3    |        |
| Toxicity prior Beta(0.5, 0.5)   | 8.7    | 8.7    | 9      | 3.1    | 0.4    |        |
| Toxicity prior Beta(1, 1)       | 8.4    | 8.7    | 9.2    | 3.2    | 0.4    |        |
| Scenario 3                      |        |        |        |        |        |        |
| DLT rate                        | 0.15   | 0.2    | 0.3    | 0.35   | 0.45   |        |
| Efficacy rate                   | 0.1    | 0.4    | 0.4    | 0.4    | 0.4    |        |
| Utility 2                       | -0.1   | 0.2    | 0.1    | 0.1    | -0.1   |        |
| Utility 3                       | 40     | 56     | 52     | 50     | 46     |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 11.8   | 51.6   | 25.3   | 7.5    | 0.8    | 3      |
| Toxicity prior Beta(0.3, 0.7)   | 10.8   | 51.9   | 26.3   | 7.3    | 1.1    | 2.6    |
| Toxicity prior Beta(0.5, 0.5)   | 9.3    | 49     | 28.7   | 9.5    | 1.2    | 2.3    |
| Toxicity prior Beta(1, 1)       | 9.3    | 48.8   | 28.6   | 9.4    | 1.6    | 2.3    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 8      | 12.4   | 6.4    | 2.5    | 0.4    |        |
| Toxicity prior Beta(0.3, 0.7)   | 7.6    | 12.3   | 6.7    | 2.6    | 0.4    |        |
| Toxicity prior Beta(0.5, 0.5)   | 6.4    | 12.7   | 7.2    | 3      | 0.5    |        |
| Toxicity prior Beta(1, 1)       | 6.4    | 12.6   | 7.2    | 3      | 0.6    |        |

# Phase I/II Operating Characteristics

Toxicity prior comparison - allocation = one\_stage - IPDE alpha = 0.6 - N = 30

|                                 | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|---------------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 4                      |        |        |        |        |        |        |
| DLT rate                        | 0.05   | 0.1    | 0.18   | 0.3    | 0.4    |        |
| Efficacy rate                   | 0.05   | 0.1    | 0.25   | 0.5    | 0.55   |        |
| Utility 2                       | 0      | 0      | 0.1    | 0.2    | 0.1    |        |
| Utility 3                       | 41     | 42     | 47.8   | 58     | 57     |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 6.4    | 8.4    | 21.1   | 53.3   | 10.6   | 0.2    |
| Toxicity prior Beta(0.3, 0.7)   | 6.8    | 8.1    | 18.7   | 53.4   | 12.8   | 0.2    |
| Toxicity prior Beta(0.5, 0.5)   | 5.2    | 7.1    | 14.7   | 58.6   | 14.1   | 0.3    |
| Toxicity prior Beta(1, 1)       | 5.5    | 7.2    | 15.6   | 56.8   | 14.7   | 0.2    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 4.5    | 5.1    | 7.4    | 10.4   | 2.6    |        |
| Toxicity prior Beta(0.3, 0.7)   | 4.3    | 4.9    | 7.2    | 10.6   | 3      |        |
| Toxicity prior Beta(0.5, 0.5)   | 3.9    | 4.7    | 6.8    | 11.3   | 3.3    |        |
| Toxicity prior Beta(1, 1)       | 3.9    | 4.6    | 6.9    | 11.3   | 3.3    |        |
| Scenario 5                      |        |        |        |        |        |        |
| DLT rate                        | 0.07   | 0.12   | 0.17   | 0.22   | 0.3    |        |
| Efficacy rate                   | 0.05   | 0.3    | 0.3    | 0.3    | 0.3    |        |
| Utility 2                       | 0      | 0.2    | 0.1    | 0.1    | 0      |        |
| Utility 3                       | 40.2   | 53.2   | 51.2   | 49.2   | 46     |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 4.5    | 35.9   | 26.5   | 23.3   | 9.4    | 0.4    |
| Toxicity prior Beta(0.3, 0.7)   | 4.8    | 35.2   | 26.5   | 22.8   | 10.3   | 0.4    |
| Toxicity prior Beta(0.5, 0.5)   | 5.3    | 31.9   | 26.7   | 24.1   | 11.6   | 0.4    |
| Toxicity prior Beta(1, 1)       | 5.1    | 32.5   | 26.1   | 24.1   | 11.8   | 0.4    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 4.1    | 8.1    | 7.3    | 7      | 3.5    |        |
| Toxicity prior Beta(0.3, 0.7)   | 4.1    | 7.7    | 7.2    | 7.2    | 3.8    |        |
| Toxicity prior Beta(0.5, 0.5)   | 3.7    | 7.5    | 7.2    | 7.4    | 4.1    |        |
| Toxicity prior Beta(1, 1)       | 3.7    | 7.5    | 7.2    | 7.4    | 4.2    |        |
| Scenario 6                      |        |        |        |        |        |        |
| DLT rate                        | 0.29   | 0.34   | 0.38   | 0.43   | 0.52   |        |
| Efficacy rate                   | 0.3    | 0.32   | 0.35   | 0.38   | 0.4    |        |
| Utility 2                       | 0      | 0      | 0      | -0.1   | -0.1   |        |
| Utility 3                       | 46.4   | 45.6   | 45.8   | 45.6   | 43.2   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 65.4   | 16.4   | 1.9    | 1      | 0.1    | 15.2   |
| Toxicity prior Beta(0.3, 0.7)   | 66.1   | 16.5   | 2.3    | 0.8    | 0.1    | 14.2   |
| Toxicity prior Beta(0.5, 0.5)   | 63.5   | 20.2   | 2.8    | 0.8    | 0.1    | 12.6   |
| Toxicity prior Beta(1, 1)       | 63.8   | 19.8   | 3      | 0.7    | 0.1    | 12.6   |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 19     | 6.2    | 1.6    | 0.6    | 0.1    |        |
| Toxicity prior Beta(0.3, 0.7)   | 18.9   | 6.3    | 1.7    | 0.6    | 0.1    |        |
| Toxicity prior Beta(0.5, 0.5)   | 17.8   | 7      | 2.1    | 0.7    | 0.1    |        |
| Toxicity prior Beta(1, 1)       | 17.8   | 7      | 2.2    | 0.7    | 0.1    |        |

# Phase I/II Operating Characteristics

Toxicity prior comparison - allocation = one\_stage - IPDE alpha = 0.6 - N = 30

|                                 | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|---------------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 7                      |        |        |        |        |        |        |
| DLT rate                        | 0.16   | 0.2    | 0.26   | 0.31   | 0.36   |        |
| Efficacy rate                   | 0.2    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                       | 0      | 0.3    | 0.2    | 0.2    | 0.1    |        |
| Utility 3                       | 45.6   | 62     | 59.6   | 57.6   | 55.6   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 13.2   | 55.8   | 22.4   | 6.8    | 0.5    | 1.3    |
| Toxicity prior Beta(0.3, 0.7)   | 12.1   | 55.8   | 23.8   | 6.6    | 0.7    | 1      |
| Toxicity prior Beta(0.5, 0.5)   | 9.8    | 54.3   | 26.1   | 8.3    | 0.7    | 0.8    |
| Toxicity prior Beta(1, 1)       | 9.9    | 54.7   | 25.9   | 7.9    | 0.7    | 0.9    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 8.6    | 14.5   | 5.1    | 1.4    | 0.2    |        |
| Toxicity prior Beta(0.3, 0.7)   | 8.5    | 14.4   | 5.3    | 1.5    | 0.2    |        |
| Toxicity prior Beta(0.5, 0.5)   | 7.2    | 14.9   | 5.9    | 1.7    | 0.2    |        |
| Toxicity prior Beta(1, 1)       | 7.2    | 14.8   | 6      | 1.6    | 0.2    |        |
| Scenario 8                      |        |        |        |        |        |        |
| DLT rate                        | 0.32   | 0.37   | 0.42   | 0.48   | 0.52   |        |
| Efficacy rate                   | 0.1    | 0.15   | 0.2    | 0.3    | 0.4    |        |
| Utility 2                       | -0.2   | -0.2   | -0.2   | -0.2   | -0.1   |        |
| Utility 3                       | 33.2   | 34.2   | 35.2   | 38.8   | 43.2   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 44.6   | 9.5    | 0.9    | 0.1    | 0.1    | 44.8   |
| Toxicity prior Beta(0.3, 0.7)   | 45.4   | 10.2   | 1.2    | 0.5    | 0.1    | 42.6   |
| Toxicity prior Beta(0.5, 0.5)   | 45.6   | 13     | 1.8    | 0.4    | 0.1    | 39.1   |
| Toxicity prior Beta(1, 1)       | 46.1   | 12.5   | 2      | 0.4    | 0.1    | 38.9   |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 17.1   | 5.4    | 1.2    | 0.4    | 0.1    |        |
| Toxicity prior Beta(0.3, 0.7)   | 17.1   | 5.5    | 1.4    | 0.5    | 0.1    |        |
| Toxicity prior Beta(0.5, 0.5)   | 16.3   | 6.1    | 2      | 0.6    | 0.1    |        |
| Toxicity prior Beta(1, 1)       | 16.2   | 6.1    | 2.1    | 0.6    | 0.1    |        |
| Scenario 9                      |        |        |        |        |        |        |
| DLT rate                        | 0.15   | 0.18   | 0.22   | 0.26   | 0.29   |        |
| Efficacy rate                   | 0.05   | 0.08   | 0.2    | 0.25   | 0.5    |        |
| Utility 2                       | -0.1   | -0.1   | 0      | 0      | 0.2    |        |
| Utility 3                       | 37     | 37.6   | 43.2   | 44.6   | 58.4   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 18.9   | 20.1   | 23.3   | 14.5   | 16.2   | 7      |
| Toxicity prior Beta(0.3, 0.7)   | 17.5   | 19.8   | 23.7   | 14.6   | 18.3   | 6.1    |
| Toxicity prior Beta(0.5, 0.5)   | 14.5   | 18.1   | 25.1   | 15.3   | 23.2   | 3.8    |
| Toxicity prior Beta(1, 1)       | 15.7   | 17.8   | 24.5   | 15.8   | 22.6   | 3.6    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 8.3    | 7      | 5.9    | 4.9    | 3.2    |        |
| Toxicity prior Beta(0.3, 0.7)   | 8.1    | 6.8    | 5.9    | 5      | 3.6    |        |
| Toxicity prior Beta(0.5, 0.5)   | 7      | 6.5    | 6.6    | 5.3    | 4.2    |        |
| Toxicity prior Beta(1, 1)       | 6.9    | 6.5    | 6.6    | 5.3    | 4.2    |        |

# Phase I/II Operating Characteristics

Toxicity prior comparison - allocation = one\_stage - IPDE alpha = 0.6 - N = 30

|                                 | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|---------------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 10                     |        |        |        |        |        |        |
| DLT rate                        | 0.23   | 0.28   | 0.32   | 0.39   | 0.43   |        |
| Efficacy rate                   | 0.05   | 0.4    | 0.42   | 0.45   | 0.5    |        |
| Utility 2                       | -0.2   | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 3                       | 33.8   | 52.8   | 52.4   | 51.4   | 52.8   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 18.4   | 38.3   | 12.4   | 2.9    | 0.4    | 27.6   |
| Toxicity prior Beta(0.3, 0.7)   | 16.3   | 39.6   | 13.5   | 3.6    | 0.4    | 26.6   |
| Toxicity prior Beta(0.5, 0.5)   | 15     | 43.2   | 15.7   | 4.6    | 0.5    | 21     |
| Toxicity prior Beta(1, 1)       | 15     | 43.2   | 15.9   | 4.8    | 0.5    | 20.6   |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 11.9   | 10.2   | 3.8    | 1.2    | 0.2    |        |
| Toxicity prior Beta(0.3, 0.7)   | 11.5   | 10.3   | 4      | 1.4    | 0.2    |        |
| Toxicity prior Beta(0.5, 0.5)   | 9.8    | 11.4   | 4.8    | 1.6    | 0.2    |        |
| Toxicity prior Beta(1, 1)       | 9.8    | 11.3   | 4.8    | 1.6    | 0.2    |        |
| Scenario 11                     |        |        |        |        |        |        |
| DLT rate                        | 0.22   | 0.32   | 0.44   | 0.59   | 0.67   |        |
| Efficacy rate                   | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                       | 0      | -0.1   | -0.2   | -0.4   | -0.5   |        |
| Utility 3                       | 43.2   | 39.2   | 34.4   | 28.4   | 25.2   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 68.4   | 21.5   | 2.5    | 0.1    | 0      | 7.5    |
| Toxicity prior Beta(0.3, 0.7)   | 66.9   | 23.8   | 2.8    | 0.2    | 0      | 6.3    |
| Toxicity prior Beta(0.5, 0.5)   | 64.2   | 25.2   | 5.1    | 0.2    | 0      | 5.3    |
| Toxicity prior Beta(1, 1)       | 64.7   | 25.7   | 4.5    | 0.2    | 0      | 4.9    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 18.1   | 7.7    | 2.4    | 0.8    | 0.1    |        |
| Toxicity prior Beta(0.3, 0.7)   | 17.8   | 7.9    | 2.5    | 0.8    | 0.1    |        |
| Toxicity prior Beta(0.5, 0.5)   | 16.6   | 8.4    | 3.1    | 0.9    | 0.1    |        |
| Toxicity prior Beta(1, 1)       | 16.7   | 8.4    | 3.1    | 0.9    | 0.1    |        |
| Scenario 12                     |        |        |        |        |        |        |
| DLT rate                        | 0.06   | 0.09   | 0.18   | 0.29   | 0.44   |        |
| Efficacy rate                   | 0.05   | 0.1    | 0.12   | 0.4    | 0.6    |        |
| Utility 2                       | 0      | 0      | -0.1   | 0.1    | 0.2    |        |
| Utility 3                       | 40.6   | 42.4   | 40     | 52.4   | 58.4   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 11.7   | 16.3   | 11.4   | 44.7   | 15.6   | 0.3    |
| Toxicity prior Beta(0.3, 0.7)   | 11     | 15.7   | 11.5   | 43.8   | 17.7   | 0.3    |
| Toxicity prior Beta(0.5, 0.5)   | 9.5    | 13.3   | 9.7    | 46.1   | 21.2   | 0.2    |
| Toxicity prior Beta(1, 1)       | 10.2   | 13     | 10.7   | 45.5   | 20.3   | 0.3    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 4.9    | 5.8    | 6.1    | 9.1    | 4.1    |        |
| Toxicity prior Beta(0.3, 0.7)   | 4.7    | 5.6    | 5.8    | 9.4    | 4.4    |        |
| Toxicity prior Beta(0.5, 0.5)   | 4.4    | 5.2    | 5.6    | 9.9    | 4.9    |        |
| Toxicity prior Beta(1, 1)       | 4.3    | 5.2    | 5.6    | 10     | 4.9    |        |

# Phase I/II Operating Characteristics

Toxicity prior comparison - allocation = one\_stage - IPDE alpha = 0.6 - N = 30

|                                 | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|---------------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 13                     |        |        |        |        |        |        |
| DLT rate                        | 0.21   | 0.29   | 0.3    | 0.39   | 0.46   |        |
| Efficacy rate                   | 0.05   | 0.3    | 0.32   | 0.35   | 0.4    |        |
| Utility 2                       | -0.2   | 0      | 0      | 0      | -0.1   |        |
| Utility 3                       | 34.6   | 46.4   | 47.2   | 45.4   | 45.6   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 20.3   | 40.3   | 11.4   | 3.5    | 0.5    | 24     |
| Toxicity prior Beta(0.3, 0.7)   | 18.7   | 41.2   | 12.9   | 3.9    | 0.7    | 22.6   |
| Toxicity prior Beta(0.5, 0.5)   | 17.4   | 42.4   | 14.8   | 5.5    | 0.8    | 19.1   |
| Toxicity prior Beta(1, 1)       | 16.9   | 44.5   | 14     | 5.3    | 0.8    | 18.5   |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 12     | 9.6    | 4.1    | 1.7    | 0.3    |        |
| Toxicity prior Beta(0.3, 0.7)   | 11.5   | 9.9    | 4.2    | 1.9    | 0.4    |        |
| Toxicity prior Beta(0.5, 0.5)   | 9.8    | 10.5   | 5.2    | 2.3    | 0.5    |        |
| Toxicity prior Beta(1, 1)       | 9.8    | 10.6   | 5.2    | 2.3    | 0.5    |        |
| Scenario 14                     |        |        |        |        |        |        |
| DLT rate                        | 0.09   | 0.15   | 0.23   | 0.28   | 0.39   |        |
| Efficacy rate                   | 0.05   | 0.08   | 0.12   | 0.3    | 0.4    |        |
| Utility 2                       | 0      | -0.1   | -0.1   | 0      | 0      |        |
| Utility 3                       | 39.4   | 38.8   | 38     | 46.8   | 48.4   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 19.6   | 21.2   | 19.6   | 28.5   | 9.6    | 1.5    |
| Toxicity prior Beta(0.3, 0.7)   | 17.8   | 20.7   | 18.8   | 30.5   | 11     | 1.2    |
| Toxicity prior Beta(0.5, 0.5)   | 15.9   | 20     | 18.7   | 32     | 12.5   | 0.9    |
| Toxicity prior Beta(1, 1)       | 15.1   | 21.4   | 17.7   | 31.4   | 13.4   | 1      |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 6.7    | 7      | 6.3    | 6.8    | 3.1    |        |
| Toxicity prior Beta(0.3, 0.7)   | 6.4    | 6.8    | 6.1    | 7.1    | 3.5    |        |
| Toxicity prior Beta(0.5, 0.5)   | 5.9    | 6.3    | 6.1    | 7.7    | 4      |        |
| Toxicity prior Beta(1, 1)       | 5.8    | 6.4    | 6      | 7.7    | 4      |        |
| Scenario 15                     |        |        |        |        |        |        |
| DLT rate                        | 0.13   | 0.2    | 0.32   | 0.39   | 0.46   |        |
| Efficacy rate                   | 0.1    | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 2                       | 0      | -0.1   | -0.2   | -0.3   | -0.4   |        |
| Utility 3                       | 40.8   | 38     | 33.2   | 30.4   | 27.6   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 46.8   | 35.2   | 12.3   | 3      | 0.1    | 2.6    |
| Toxicity prior Beta(0.3, 0.7)   | 45.9   | 35.7   | 12.9   | 3.5    | 0.3    | 1.7    |
| Toxicity prior Beta(0.5, 0.5)   | 45.2   | 36.3   | 12.5   | 4.2    | 0.7    | 1.1    |
| Toxicity prior Beta(1, 1)       | 46.4   | 34.2   | 13     | 4.6    | 0.5    | 1.3    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 11.2   | 9.2    | 5.4    | 3.1    | 0.8    |        |
| Toxicity prior Beta(0.3, 0.7)   | 10.7   | 9.1    | 5.6    | 3.4    | 1.1    |        |
| Toxicity prior Beta(0.5, 0.5)   | 9.9    | 9      | 6      | 3.7    | 1.3    |        |
| Toxicity prior Beta(1, 1)       | 9.8    | 9      | 6.1    | 3.7    | 1.3    |        |

# Phase I/II Operating Characteristics

Toxicity prior comparison - allocation = one\_stage - IPDE alpha = 0.6 - N = 30

|                                 | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|---------------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 16                     |        |        |        |        |        |        |
| DLT rate                        | 0.02   | 0.06   | 0.09   | 0.14   | 0.26   |        |
| Efficacy rate                   | 0.2    | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                       | 0.2    | 0.1    | 0.1    | 0.1    | -0.1   |        |
| Utility 3                       | 51.2   | 49.6   | 48.4   | 46.4   | 41.6   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 36     | 27.9   | 14.9   | 13.9   | 7.3    | 0      |
| Toxicity prior Beta(0.3, 0.7)   | 36.4   | 27.9   | 15.4   | 13.2   | 7.1    | 0      |
| Toxicity prior Beta(0.5, 0.5)   | 35.6   | 27     | 16.1   | 13.3   | 8      | 0      |
| Toxicity prior Beta(1, 1)       | 36.2   | 27.3   | 16     | 13     | 7.5    | 0      |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 4.3    | 5.3    | 6.1    | 8.2    | 6.1    |        |
| Toxicity prior Beta(0.3, 0.7)   | 4.2    | 5.2    | 6.1    | 8.2    | 6.3    |        |
| Toxicity prior Beta(0.5, 0.5)   | 4.1    | 5.1    | 6      | 8.3    | 6.4    |        |
| Toxicity prior Beta(1, 1)       | 4.1    | 5.1    | 5.9    | 8.3    | 6.4    |        |
| Scenario 17                     |        |        |        |        |        |        |
| DLT rate                        | 0.11   | 0.23   | 0.39   | 0.58   | 0.76   |        |
| Efficacy rate                   | 0.3    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                       | 0.2    | 0.3    | 0.1    | -0.1   | -0.3   |        |
| Utility 3                       | 53.6   | 60.8   | 54.4   | 46.8   | 39.6   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 18.7   | 66.5   | 14     | 0.7    | 0      | 0.1    |
| Toxicity prior Beta(0.3, 0.7)   | 16.8   | 66.8   | 15     | 1.3    | 0      | 0.1    |
| Toxicity prior Beta(0.5, 0.5)   | 15.9   | 65.5   | 17.1   | 1.4    | 0      | 0.1    |
| Toxicity prior Beta(1, 1)       | 15.3   | 66.6   | 16.8   | 1.2    | 0      | 0.1    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 9.6    | 15.9   | 4.1    | 0.4    | 0      |        |
| Toxicity prior Beta(0.3, 0.7)   | 9.4    | 15.9   | 4.1    | 0.5    | 0      |        |
| Toxicity prior Beta(0.5, 0.5)   | 8.6    | 16.2   | 4.7    | 0.5    | 0      |        |
| Toxicity prior Beta(1, 1)       | 8.4    | 16.3   | 4.7    | 0.6    | 0      |        |
| Scenario 18                     |        |        |        |        |        |        |
| DLT rate                        | 0.02   | 0.04   | 0.1    | 0.2    | 0.35   |        |
| Efficacy rate                   | 0.05   | 0.1    | 0.15   | 0.2    | 0.5    |        |
| Utility 2                       | 0      | 0.1    | 0.1    | 0      | 0.1    |        |
| Utility 3                       | 42.2   | 44.4   | 45     | 44     | 56     |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 9.7    | 11.6   | 10.6   | 18.4   | 49.7   | 0      |
| Toxicity prior Beta(0.3, 0.7)   | 9.7    | 11.3   | 9.3    | 17     | 52.7   | 0      |
| Toxicity prior Beta(0.5, 0.5)   | 8.5    | 8.8    | 10     | 16.6   | 56.1   | 0      |
| Toxicity prior Beta(1, 1)       | 8      | 9      | 9.1    | 16.3   | 57.6   | 0      |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 3.4    | 4.1    | 5.2    | 7.3    | 9.9    |        |
| Toxicity prior Beta(0.3, 0.7)   | 3.3    | 4      | 5.2    | 7.3    | 10.2   |        |
| Toxicity prior Beta(0.5, 0.5)   | 3.3    | 3.8    | 5      | 7.3    | 10.7   |        |
| Toxicity prior Beta(1, 1)       | 3.3    | 3.8    | 4.9    | 7.1    | 10.9   |        |

# Phase I/II Operating Characteristics

Toxicity prior comparison - allocation = one\_stage - IPDE alpha = 0.6 - N = 30

|                                 | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|---------------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 19                     |        |        |        |        |        |        |
| DLT rate                        | 0.11   | 0.26   | 0.39   | 0.6    | 0.77   |        |
| Efficacy rate                   | 0.08   | 0.3    | 0.32   | 0.35   | 0.4    |        |
| Utility 2                       | 0      | 0      | -0.1   | -0.2   | -0.4   |        |
| Utility 3                       | 40.4   | 47.6   | 43.6   | 37     | 33.2   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 18.2   | 60     | 16.7   | 0.7    | 0      | 4.4    |
| Toxicity prior Beta(0.3, 0.7)   | 16     | 62.6   | 17.3   | 0.8    | 0      | 3.3    |
| Toxicity prior Beta(0.5, 0.5)   | 14.8   | 63.1   | 18.4   | 1.1    | 0      | 2.6    |
| Toxicity prior Beta(1, 1)       | 14.3   | 63.6   | 18.7   | 1      | 0      | 2.4    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 9.3    | 13.2   | 5.6    | 1.5    | 0.1    |        |
| Toxicity prior Beta(0.3, 0.7)   | 8.7    | 13.3   | 6      | 1.7    | 0.2    |        |
| Toxicity prior Beta(0.5, 0.5)   | 7.7    | 13.7   | 6.4    | 1.9    | 0.2    |        |
| Toxicity prior Beta(1, 1)       | 7.7    | 13.6   | 6.5    | 1.9    | 0.2    |        |
| Scenario 20                     |        |        |        |        |        |        |
| DLT rate                        | 0.07   | 0.14   | 0.31   | 0.41   | 0.52   |        |
| Efficacy rate                   | 0.05   | 0.25   | 0.25   | 0.25   | 0.25   |        |
| Utility 2                       | 0      | 0.1    | -0.1   | -0.2   | -0.3   |        |
| Utility 3                       | 40.2   | 49.4   | 42.6   | 38.6   | 34.2   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 9.2    | 50.5   | 30.2   | 8.9    | 0.7    | 0.5    |
| Toxicity prior Beta(0.3, 0.7)   | 10.2   | 46.4   | 31.9   | 10     | 1      | 0.5    |
| Toxicity prior Beta(0.5, 0.5)   | 10.5   | 46.1   | 31     | 10.5   | 1.4    | 0.5    |
| Toxicity prior Beta(1, 1)       | 10.1   | 45.6   | 32.3   | 10.3   | 1.1    | 0.6    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 5.2    | 11     | 8.4    | 4.2    | 1.1    |        |
| Toxicity prior Beta(0.3, 0.7)   | 5.1    | 10.3   | 8.6    | 4.7    | 1.3    |        |
| Toxicity prior Beta(0.5, 0.5)   | 4.5    | 10.1   | 8.6    | 5.2    | 1.5    |        |
| Toxicity prior Beta(1, 1)       | 4.5    | 10.1   | 8.6    | 5.2    | 1.5    |        |
| Scenario 21                     |        |        |        |        |        |        |
| DLT rate                        | 0.37   | 0.56   | 0.69   | 0.83   | 0.88   |        |
| Efficacy rate                   | 0.5    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                       | 0.1    | -0.1   | -0.2   | -0.3   | -0.4   |        |
| Utility 3                       | 55.2   | 47.6   | 42.4   | 36.8   | 34.8   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 54     | 1.2    | 0      | 0      | 0      | 44.8   |
| Toxicity prior Beta(0.3, 0.7)   | 55.4   | 1      | 0      | 0      | 0      | 43.6   |
| Toxicity prior Beta(0.5, 0.5)   | 55.7   | 1.5    | 0      | 0      | 0      | 42.8   |
| Toxicity prior Beta(1, 1)       | 55     | 1.4    | 0      | 0      | 0      | 43.6   |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 19.9   | 2.3    | 0      | 0      | 0      |        |
| Toxicity prior Beta(0.3, 0.7)   | 20.1   | 2.3    | 0      | 0      | 0      |        |
| Toxicity prior Beta(0.5, 0.5)   | 20     | 2.5    | 0.1    | 0      | 0      |        |
| Toxicity prior Beta(1, 1)       | 19.9   | 2.5    | 0.1    | 0      | 0      |        |

# Phase I/II Operating Characteristics

Toxicity prior comparison - allocation = one\_stage - IPDE alpha = 0.6 - N = 30

|                                 | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|---------------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 22                     |        |        |        |        |        |        |
| DLT rate                        | 0.07   | 0.27   | 0.5    | 0.56   | 0.78   |        |
| Efficacy rate                   | 0.08   | 0.25   | 0.25   | 0.5    | 0.5    |        |
| Utility 2                       | 0      | 0      | -0.2   | -0.1   | -0.3   |        |
| Utility 3                       | 42     | 44.2   | 35     | 47.6   | 38.8   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 21.6   | 64.9   | 10     | 1.4    | 0      | 2.1    |
| Toxicity prior Beta(0.3, 0.7)   | 20.5   | 64.2   | 12.3   | 1.6    | 0      | 1.4    |
| Toxicity prior Beta(0.5, 0.5)   | 20     | 62     | 15.1   | 1.4    | 0      | 1.5    |
| Toxicity prior Beta(1, 1)       | 19.2   | 62.2   | 15.4   | 1.6    | 0      | 1.6    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 9.4    | 13.9   | 5.1    | 1.5    | 0.1    |        |
| Toxicity prior Beta(0.3, 0.7)   | 8.9    | 13.7   | 5.4    | 1.7    | 0.1    |        |
| Toxicity prior Beta(0.5, 0.5)   | 8.3    | 13.7   | 5.9    | 1.9    | 0.1    |        |
| Toxicity prior Beta(1, 1)       | 8.3    | 13.7   | 5.8    | 1.9    | 0.1    |        |
| Scenario 23                     |        |        |        |        |        |        |
| DLT rate                        | 0.32   | 0.55   | 0.8    | 0.94   | 0.97   |        |
| Efficacy rate                   | 0.05   | 0.05   | 0.05   | 0.05   | 0.05   |        |
| Utility 2                       | -0.3   | -0.5   | -0.8   | -0.9   | -0.9   |        |
| Utility 3                       | 30.2   | 21     | 11     | 5.4    | 4.2    |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 17.5   | 2      | 0      | 0      | 0      | 80.5   |
| Toxicity prior Beta(0.3, 0.7)   | 18     | 2.2    | 0      | 0      | 0      | 79.8   |
| Toxicity prior Beta(0.5, 0.5)   | 18.2   | 2.1    | 0      | 0      | 0      | 79.7   |
| Toxicity prior Beta(1, 1)       | 18.2   | 1.8    | 0      | 0      | 0      | 80     |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 15.4   | 4      | 0.3    | 0      | 0      |        |
| Toxicity prior Beta(0.3, 0.7)   | 15.5   | 4.1    | 0.4    | 0      | 0      |        |
| Toxicity prior Beta(0.5, 0.5)   | 15.5   | 4.2    | 0.7    | 0      | 0      |        |
| Toxicity prior Beta(1, 1)       | 15.5   | 4.2    | 0.8    | 0      | 0      |        |
| Scenario 24                     |        |        |        |        |        |        |
| DLT rate                        | 0.01   | 0.02   | 0.05   | 0.1    | 0.25   |        |
| Efficacy rate                   | 0.05   | 0.08   | 0.2    | 0.5    | 0.5    |        |
| Utility 2                       | 0      | 0.1    | 0.1    | 0.4    | 0.2    |        |
| Utility 3                       | 42.6   | 44     | 50     | 66     | 60     |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 1.3    | 0.8    | 3      | 53.4   | 41.5   | 0      |
| Toxicity prior Beta(0.3, 0.7)   | 1.3    | 0.7    | 2.8    | 53.5   | 41.7   | 0      |
| Toxicity prior Beta(0.5, 0.5)   | 1      | 1      | 3.1    | 52.8   | 42.1   | 0      |
| Toxicity prior Beta(1, 1)       | 1.2    | 1.1    | 3.1    | 53     | 41.6   | 0      |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 3.1    | 3.2    | 3.8    | 12.7   | 7.2    |        |
| Toxicity prior Beta(0.3, 0.7)   | 3.1    | 3.2    | 3.8    | 12.8   | 7.2    |        |
| Toxicity prior Beta(0.5, 0.5)   | 3.1    | 3.1    | 3.8    | 12.8   | 7.2    |        |
| Toxicity prior Beta(1, 1)       | 3      | 3.1    | 3.8    | 12.8   | 7.2    |        |

# Phase I/II Operating Characteristics

Toxicity prior comparison - allocation = one\_stage - IPDE alpha = 0.6 - N = 30

|                                 | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|---------------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 25                     |        |        |        |        |        |        |
| DLT rate                        | 0.09   | 0.18   | 0.37   | 0.63   | 0.77   |        |
| Efficacy rate                   | 0.2    | 0.25   | 0.4    | 0.45   | 0.5    |        |
| Utility 2                       | 0.1    | 0.1    | 0      | -0.2   | -0.3   |        |
| Utility 3                       | 48.4   | 47.8   | 49.2   | 41.8   | 39.2   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 26.6   | 37.4   | 32.6   | 3.3    | 0      | 0.1    |
| Toxicity prior Beta(0.3, 0.7)   | 25.7   | 35.4   | 34.9   | 3.9    | 0      | 0.1    |
| Toxicity prior Beta(0.5, 0.5)   | 24.4   | 34.3   | 37.1   | 4      | 0      | 0.2    |
| Toxicity prior Beta(1, 1)       | 25     | 33.3   | 37.4   | 4.2    | 0      | 0.1    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 9.1    | 10.5   | 8.2    | 2      | 0.1    |        |
| Toxicity prior Beta(0.3, 0.7)   | 8.8    | 10.4   | 8.5    | 2.2    | 0.2    |        |
| Toxicity prior Beta(0.5, 0.5)   | 7.9    | 10.2   | 9.2    | 2.4    | 0.2    |        |
| Toxicity prior Beta(1, 1)       | 8      | 10.3   | 9.1    | 2.4    | 0.2    |        |
| Scenario 26                     |        |        |        |        |        |        |
| DLT rate                        | 0.15   | 0.22   | 0.3    | 0.62   | 0.8    |        |
| Efficacy rate                   | 0.1    | 0.2    | 0.35   | 0.45   | 0.55   |        |
| Utility 2                       | -0.1   | 0      | 0.1    | -0.2   | -0.2   |        |
| Utility 3                       | 40     | 43.2   | 49     | 42.2   | 41     |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 25.2   | 40.6   | 27.3   | 3      | 0      | 3.9    |
| Toxicity prior Beta(0.3, 0.7)   | 23.7   | 39.4   | 30.7   | 3      | 0      | 3.2    |
| Toxicity prior Beta(0.5, 0.5)   | 21.3   | 37.8   | 34.5   | 3.5    | 0.1    | 2.8    |
| Toxicity prior Beta(1, 1)       | 22.4   | 37.6   | 33     | 3.9    | 0.1    | 3      |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 10.1   | 10.1   | 7.1    | 2.2    | 0.2    |        |
| Toxicity prior Beta(0.3, 0.7)   | 9.6    | 10     | 7.6    | 2.4    | 0.2    |        |
| Toxicity prior Beta(0.5, 0.5)   | 8.4    | 10.1   | 8.4    | 2.6    | 0.3    |        |
| Toxicity prior Beta(1, 1)       | 8.3    | 10     | 8.5    | 2.7    | 0.3    |        |
| Scenario 27                     |        |        |        |        |        |        |
| DLT rate                        | 0.11   | 0.17   | 0.3    | 0.5    | 0.62   |        |
| Efficacy rate                   | 0.1    | 0.2    | 0.4    | 0.42   | 0.45   |        |
| Utility 2                       | 0      | 0      | 0.1    | -0.1   | -0.2   |        |
| Utility 3                       | 41.6   | 45.2   | 52     | 45.2   | 42.2   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 17.1   | 30.6   | 43.4   | 7.6    | 0      | 1.3    |
| Toxicity prior Beta(0.3, 0.7)   | 15.2   | 28.7   | 46.4   | 8.6    | 0.1    | 1      |
| Toxicity prior Beta(0.5, 0.5)   | 14     | 25.4   | 48.8   | 10.7   | 0.4    | 0.7    |
| Toxicity prior Beta(1, 1)       | 14.6   | 25.6   | 48.5   | 10.3   | 0.4    | 0.6    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 7.3    | 9.3    | 9.7    | 3.2    | 0.4    |        |
| Toxicity prior Beta(0.3, 0.7)   | 6.9    | 9      | 10     | 3.5    | 0.5    |        |
| Toxicity prior Beta(0.5, 0.5)   | 6.1    | 8.7    | 10.7   | 3.9    | 0.5    |        |
| Toxicity prior Beta(1, 1)       | 6.1    | 8.7    | 10.7   | 4      | 0.6    |        |

# Phase I/II Operating Characteristics

Toxicity prior comparison - allocation = one\_stage - IPDE alpha = 0.6 - N = 30

|                                 | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|---------------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 28                     |        |        |        |        |        |        |
| DLT rate                        | 0.2    | 0.3    | 0.5    | 0.6    | 0.77   |        |
| Efficacy rate                   | 0.05   | 0.3    | 0.32   | 0.35   | 0.4    |        |
| Utility 2                       | -0.1   | 0      | -0.2   | -0.2   | -0.4   |        |
| Utility 3                       | 35     | 46     | 39.2   | 37     | 33.2   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 27.4   | 43.1   | 4.3    | 0.1    | 0      | 25.1   |
| Toxicity prior Beta(0.3, 0.7)   | 25.1   | 46.8   | 4.9    | 0.1    | 0      | 23.1   |
| Toxicity prior Beta(0.5, 0.5)   | 22.9   | 51.2   | 5.2    | 0.2    | 0      | 20.5   |
| Toxicity prior Beta(1, 1)       | 21.9   | 51.7   | 5.8    | 0.2    | 0      | 20.4   |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 13.1   | 11.2   | 2.8    | 0.6    | 0      |        |
| Toxicity prior Beta(0.3, 0.7)   | 12.6   | 11.5   | 3      | 0.7    | 0      |        |
| Toxicity prior Beta(0.5, 0.5)   | 11.4   | 12.4   | 3.8    | 0.7    | 0.1    |        |
| Toxicity prior Beta(1, 1)       | 11.4   | 12.4   | 3.8    | 0.7    | 0      |        |
| Scenario 29                     |        |        |        |        |        |        |
| DLT rate                        | 0.19   | 0.3    | 0.56   | 0.74   | 0.86   |        |
| Efficacy rate                   | 0.4    | 0.4    | 0.4    | 0.4    | 0.4    |        |
| Utility 2                       | 0.2    | 0.1    | -0.2   | -0.3   | -0.5   |        |
| Utility 3                       | 56.4   | 52     | 41.6   | 34.4   | 29.6   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 62.7   | 32     | 2.6    | 0.1    | 0      | 2.6    |
| Toxicity prior Beta(0.3, 0.7)   | 60.7   | 33.9   | 2.9    | 0.1    | 0      | 2.4    |
| Toxicity prior Beta(0.5, 0.5)   | 56.7   | 37     | 4      | 0.1    | 0      | 2.2    |
| Toxicity prior Beta(1, 1)       | 59.3   | 34.6   | 3.9    | 0.1    | 0      | 2.1    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 18.3   | 9.2    | 1.7    | 0.2    | 0      |        |
| Toxicity prior Beta(0.3, 0.7)   | 17.9   | 9.5    | 1.9    | 0.2    | 0      |        |
| Toxicity prior Beta(0.5, 0.5)   | 17.1   | 10.1   | 2      | 0.3    | 0      |        |
| Toxicity prior Beta(1, 1)       | 17.1   | 10.1   | 2.1    | 0.3    | 0      |        |
| Scenario 30                     |        |        |        |        |        |        |
| DLT rate                        | 0.05   | 0.08   | 0.17   | 0.27   | 0.54   |        |
| Efficacy rate                   | 0.12   | 0.15   | 0.2    | 0.4    | 0.5    |        |
| Utility 2                       | 0.1    | 0.1    | 0      | 0.1    | 0      |        |
| Utility 3                       | 45.2   | 45.8   | 45.2   | 53.2   | 48.4   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 15.9   | 14.2   | 15.5   | 42.8   | 11.6   | 0      |
| Toxicity prior Beta(0.3, 0.7)   | 15.6   | 12.9   | 15     | 43.1   | 13.4   | 0      |
| Toxicity prior Beta(0.5, 0.5)   | 14.9   | 13.2   | 12.2   | 45.5   | 14.2   | 0      |
| Toxicity prior Beta(1, 1)       | 15.7   | 12.9   | 11.5   | 45.8   | 14.1   | 0      |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 4.6    | 5.5    | 6.6    | 9.9    | 3.4    |        |
| Toxicity prior Beta(0.3, 0.7)   | 4.4    | 5.3    | 6.4    | 10.2   | 3.8    |        |
| Toxicity prior Beta(0.5, 0.5)   | 4.1    | 5.1    | 6.1    | 10.6   | 4.1    |        |
| Toxicity prior Beta(1, 1)       | 4.1    | 5.1    | 6.1    | 10.6   | 4.1    |        |

# Phase I/II Operating Characteristics

Toxicity prior comparison - allocation = one\_stage - IPDE alpha = 0.6 - N = 30

|                                 | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|---------------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 31                     |        |        |        |        |        |        |
| DLT rate                        | 0.04   | 0.06   | 0.1    | 0.2    | 0.6    |        |
| Efficacy rate                   | 0.2    | 0.5    | 0.5    | 0.5    | 0.5    |        |
| Utility 2                       | 0.2    | 0.4    | 0.4    | 0.3    | -0.1   |        |
| Utility 3                       | 50.4   | 67.6   | 66     | 62     | 46     |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 2.8    | 40.2   | 29.2   | 24.5   | 3.3    | 0      |
| Toxicity prior Beta(0.3, 0.7)   | 2.8    | 39.5   | 30.7   | 24.4   | 2.6    | 0      |
| Toxicity prior Beta(0.5, 0.5)   | 2.7    | 38.5   | 31     | 24.3   | 3.5    | 0      |
| Toxicity prior Beta(1, 1)       | 2.3    | 38.6   | 30.4   | 24.9   | 3.8    | 0      |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 3.9    | 13.3   | 7.7    | 4.4    | 0.6    |        |
| Toxicity prior Beta(0.3, 0.7)   | 3.9    | 13.2   | 7.7    | 4.5    | 0.7    |        |
| Toxicity prior Beta(0.5, 0.5)   | 3.8    | 13.1   | 7.9    | 4.5    | 0.7    |        |
| Toxicity prior Beta(1, 1)       | 3.7    | 13.1   | 7.9    | 4.5    | 0.7    |        |
| Scenario 32                     |        |        |        |        |        |        |
| DLT rate                        | 0.02   | 0.05   | 0.11   | 0.3    | 0.36   |        |
| Efficacy rate                   | 0.08   | 0.15   | 0.3    | 0.3    | 0.3    |        |
| Utility 2                       | 0.1    | 0.1    | 0.2    | 0      | -0.1   |        |
| Utility 3                       | 44     | 47     | 53.6   | 46     | 43.6   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 11.4   | 15.4   | 31.2   | 32.2   | 9.8    | 0      |
| Toxicity prior Beta(0.3, 0.7)   | 12.1   | 14.4   | 32.9   | 30.5   | 10.1   | 0      |
| Toxicity prior Beta(0.5, 0.5)   | 11.7   | 14.2   | 32.1   | 30.7   | 11.3   | 0      |
| Toxicity prior Beta(1, 1)       | 12.4   | 13.7   | 30     | 32.7   | 11.2   | 0      |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 3.5    | 4.5    | 8.6    | 9      | 4.4    |        |
| Toxicity prior Beta(0.3, 0.7)   | 3.5    | 4.4    | 8.5    | 9      | 4.7    |        |
| Toxicity prior Beta(0.5, 0.5)   | 3.4    | 4.2    | 8.1    | 9.3    | 5      |        |
| Toxicity prior Beta(1, 1)       | 3.3    | 4.2    | 8.2    | 9.4    | 4.9    |        |
| Scenario 33                     |        |        |        |        |        |        |
| DLT rate                        | 0.01   | 0.02   | 0.09   | 0.32   | 0.38   |        |
| Efficacy rate                   | 0.05   | 0.08   | 0.2    | 0.4    | 0.5    |        |
| Utility 2                       | 0      | 0.1    | 0.1    | 0.1    | 0.1    |        |
| Utility 3                       | 42.6   | 44     | 48.4   | 51.2   | 54.8   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 6.8    | 6.8    | 11.4   | 48.8   | 26.2   | 0      |
| Toxicity prior Beta(0.3, 0.7)   | 7.2    | 5.2    | 11.9   | 46.7   | 29     | 0      |
| Toxicity prior Beta(0.5, 0.5)   | 6.2    | 4.7    | 12     | 45.9   | 31.2   | 0      |
| Toxicity prior Beta(1, 1)       | 6.5    | 5.3    | 10.2   | 45.1   | 32.9   | 0      |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 3.3    | 3.8    | 6.1    | 10.8   | 5.9    |        |
| Toxicity prior Beta(0.3, 0.7)   | 3.3    | 3.7    | 5.8    | 11     | 6.2    |        |
| Toxicity prior Beta(0.5, 0.5)   | 3.3    | 3.6    | 5.5    | 11.2   | 6.4    |        |
| Toxicity prior Beta(1, 1)       | 3.2    | 3.6    | 5.4    | 11.2   | 6.5    |        |

# Phase I/II Operating Characteristics

Toxicity prior comparison - allocation = one\_stage - IPDE alpha = 0.6 - N = 30

|                                 | Dose 1 | Dose 2 | Dose 3 | Dose 4 | Dose 5 | Stop % |
|---------------------------------|--------|--------|--------|--------|--------|--------|
| Scenario 34                     |        |        |        |        |        |        |
| DLT rate                        | 0.05   | 0.13   | 0.3    | 0.36   | 0.42   |        |
| Efficacy rate                   | 0.05   | 0.1    | 0.3    | 0.32   | 0.35   |        |
| Utility 2                       | 0      | 0      | 0      | 0      | -0.1   |        |
| Utility 3                       | 41     | 40.8   | 46     | 44.8   | 44.2   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 13     | 17.8   | 49.2   | 17.1   | 2.6    | 0.3    |
| Toxicity prior Beta(0.3, 0.7)   | 13.6   | 15.2   | 47.7   | 19.9   | 3.4    | 0.2    |
| Toxicity prior Beta(0.5, 0.5)   | 12.3   | 15.7   | 44.6   | 23.1   | 4.1    | 0.2    |
| Toxicity prior Beta(1, 1)       | 11.4   | 16.6   | 43.9   | 23.8   | 4      | 0.3    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 5.6    | 7.1    | 10     | 5.7    | 1.6    |        |
| Toxicity prior Beta(0.3, 0.7)   | 5.3    | 6.8    | 10     | 6      | 1.9    |        |
| Toxicity prior Beta(0.5, 0.5)   | 4.8    | 6.5    | 9.7    | 6.7    | 2.3    |        |
| Toxicity prior Beta(1, 1)       | 4.9    | 6.5    | 9.6    | 6.7    | 2.3    |        |
| Scenario 35                     |        |        |        |        |        |        |
| DLT rate                        | 0.03   | 0.09   | 0.3    | 0.4    | 0.45   |        |
| Efficacy rate                   | 0.2    | 0.45   | 0.45   | 0.45   | 0.45   |        |
| Utility 2                       | 0.2    | 0.4    | 0.1    | 0.1    | 0      |        |
| Utility 3                       | 50.8   | 63.4   | 55     | 51     | 49     |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 7.8    | 44.5   | 35.2   | 11.1   | 1.4    | 0      |
| Toxicity prior Beta(0.3, 0.7)   | 8.1    | 43     | 35     | 12.2   | 1.7    | 0      |
| Toxicity prior Beta(0.5, 0.5)   | 6.9    | 41.4   | 36.5   | 13.6   | 1.6    | 0      |
| Toxicity prior Beta(1, 1)       | 7.2    | 41.1   | 34.7   | 15.5   | 1.5    | 0      |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 4.4    | 12.9   | 8.9    | 3.2    | 0.6    |        |
| Toxicity prior Beta(0.3, 0.7)   | 4.3    | 12.6   | 8.9    | 3.5    | 0.7    |        |
| Toxicity prior Beta(0.5, 0.5)   | 4.2    | 12.5   | 8.9    | 3.7    | 0.8    |        |
| Toxicity prior Beta(1, 1)       | 4.2    | 12.5   | 8.8    | 3.8    | 0.8    |        |
| Scenario 36                     |        |        |        |        |        |        |
| DLT rate                        | 0.13   | 0.29   | 0.35   | 0.4    | 0.43   |        |
| Efficacy rate                   | 0.05   | 0.2    | 0.22   | 0.3    | 0.35   |        |
| Utility 2                       | -0.1   | -0.1   | -0.1   | -0.1   | -0.1   |        |
| Utility 3                       | 37.8   | 40.4   | 39.2   | 42     | 43.8   |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 24     | 48.5   | 12.7   | 3.9    | 0.8    | 10.1   |
| Toxicity prior Beta(0.3, 0.7)   | 20.9   | 50.5   | 13.8   | 5      | 1.2    | 8.6    |
| Toxicity prior Beta(0.5, 0.5)   | 19.5   | 50.1   | 16.8   | 5.6    | 1      | 7      |
| Toxicity prior Beta(1, 1)       | 19     | 50.1   | 16.9   | 5.9    | 1      | 7.1    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 10.2   | 11.1   | 4.9    | 2.5    | 0.6    |        |
| Toxicity prior Beta(0.3, 0.7)   | 9.7    | 11.1   | 5.1    | 2.8    | 0.7    |        |
| Toxicity prior Beta(0.5, 0.5)   | 8.6    | 11.1   | 5.8    | 3      | 0.9    |        |
| Toxicity prior Beta(1, 1)       | 8.6    | 11.2   | 5.8    | 3      | 0.9    |        |
| Scenario 37                     |        |        |        |        |        |        |
| DLT rate                        | 0.08   | 0.3    | 0.4    | 0.45   | 0.5    |        |
| Efficacy rate                   | 0.05   | 0.2    | 0.2    | 0.2    | 0.2    |        |
| Utility 2                       | 0      | -0.1   | -0.2   | -0.2   | -0.3   |        |
| Utility 3                       | 39.8   | 40     | 36     | 34     | 32     |        |
| OBD selection (%)               |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 23.4   | 58.5   | 12.2   | 1.9    | 0      | 4      |
| Toxicity prior Beta(0.3, 0.7)   | 20.8   | 59.1   | 15.1   | 1.4    | 0.1    | 3.5    |
| Toxicity prior Beta(0.5, 0.5)   | 20.2   | 60.1   | 14.9   | 1.3    | 0.2    | 3.3    |
| Toxicity prior Beta(1, 1)       | 20.5   | 59.3   | 15.5   | 1.2    | 0.2    | 3.3    |
| Mean patients treated           |        |        |        |        |        |        |
| Toxicity prior Beta(0.15, 0.85) | 9.5    | 12.5   | 5.1    | 2.2    | 0.4    |        |
| Toxicity prior Beta(0.3, 0.7)   | 8.9    | 12.4   | 5.4    | 2.4    | 0.5    |        |
| Toxicity prior Beta(0.5, 0.5)   | 8.1    | 12.7   | 5.9    | 2.6    | 0.7    |        |
| Toxicity prior Beta(1, 1)       | 8.1    | 12.5   | 5.9    | 2.6    | 0.7    |        |