

Operating Characteristics

	Dose1	Dose2	Dose3	Dose4	Dose5	Stop %
Scenario 1						
DLT rate	0.3	0.35	0.4	0.45	0.5	
Efficacy rate	0.05	0.06	0.07	0.08	0.09	
Utility	31	29.6	28.2	26.8	25.4	
No. Pts treated	13.5	6	3.2	1.9	0.9	
Select %	36.1	14.4	5.9	1.5	0.7	41.4
Scenario 2						
DLT rate	0.15	0.2	0.3	0.35	0.45	
Efficacy rate	0.2	0.25	0.5	0.5	0.5	
Utility	46	47	58	56	52	
No. Pts treated	8.6	7.8	8.6	3.6	1.1	
Select %	29.2	24.7	33.9	9.2	1.5	1.5
Scenario 3						
DLT rate	0.15	0.2	0.3	0.35	0.45	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
Utility	40	56	52	50	46	
No. Pts treated	6.9	11.3	6.4	3.5	1.6	
Select %	13.2	56	20.6	6.9	1.2	2.1
Scenario 4						
DLT rate	0.05	0.1	0.18	0.3	0.4	
Efficacy rate	0.05	0.1	0.25	0.5	0.55	
Utility	41	42	47.8	58	57	
No. Pts treated	5.4	5.9	6.9	8.7	3.1	
Select %	15.6	14.2	25.6	36.9	7.4	0.3

	Dose1	Dose2	Dose3	Dose4	Dose5	Stop %
Scenario 5						
DLT rate	0.07	0.12	0.17	0.22	0.3	
Efficacy rate	0.05	0.3	0.3	0.3	0.3	
Utility	40.2	53.2	51.2	49.2	46	
No. Pts treated	4.5	7.8	6.7	6.7	4.4	
Select %	7	42.3	25.2	18	7	0.5
Scenario 6						
DLT rate	0.29	0.34	0.38	0.43	0.52	
Efficacy rate	0.3	0.32	0.35	0.38	0.4	
Utility	46.4	45.6	45.8	45.6	43.2	
No. Pts treated	15.9	6.4	3.3	1.8	0.6	
Select %	64.3	16.7	5.3	1.7	0.4	11.6
Scenario 7						
DLT rate	0.16	0.2	0.26	0.31	0.36	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility	45.6	62	59.6	57.6	55.6	
No. Pts treated	6.9	12.5	5.9	3.1	1.2	
Select %	12.8	51.1	20.7	9.8	3.4	2.2
Scenario 8						
DLT rate	0.32	0.37	0.42	0.48	0.52	
Efficacy rate	0.1	0.15	0.2	0.3	0.4	
Utility	33.2	34.2	35.2	38.8	43.2	
No. Pts treated	14.5	5.9	3.1	1.7	0.7	
Select %	46.2	15	5.1	1.6	0.5	31.6
Scenario 9						
DLT rate	0.15	0.18	0.22	0.26	0.29	

	Dose1	Dose2	Dose3	Dose4	Dose5	Stop %
Efficacy rate	0.05	0.08	0.2	0.25	0.5	
Utility	37	37.6	43.2	44.6	58.4	
No. Pts treated	6.6	5.9	5.7	5.2	6.2	
Select %	18.9	16.2	22.4	12.6	25.3	4.6
Scenario 10						
DLT rate	0.23	0.28	0.32	0.39	0.43	
Efficacy rate	0.05	0.4	0.42	0.45	0.5	
Utility	33.8	52.8	52.4	51.4	52.8	
No. Pts treated	8.8	10.4	5.1	2.5	1.1	
Select %	14.6	43.9	16.1	4	2.2	19.2
Scenario 11						
DLT rate	0.22	0.32	0.44	0.59	0.67	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility	43.2	39.2	34.4	28.4	25.2	
No. Pts treated	14.7	8	3.9	1.7	0.5	
Select %	64.7	23.1	4.4	0.2	0.1	7.5
Scenario 12						
DLT rate	0.06	0.09	0.18	0.29	0.44	
Efficacy rate	0.05	0.1	0.12	0.4	0.6	
Utility	40.6	42.4	40	52.4	58.4	
No. Pts treated	5.4	6.5	5.9	7.9	4.2	
Select %	20	26.2	13.1	31	9.5	0.2
Scenario 13						
DLT rate	0.21	0.29	0.3	0.39	0.46	
Efficacy rate	0.05	0.3	0.32	0.35	0.4	
Utility	34.6	46.4	47.2	45.4	45.6	

	Dose1	Dose2	Dose3	Dose4	Dose5	Stop %
No. Pts treated	9.5	9.1	5.3	3	1.3	
Select %	18.3	41.2	17.5	5	0.9	17.1
Scenario 14						
DLT rate	0.09	0.15	0.23	0.28	0.39	
Efficacy rate	0.05	0.08	0.12	0.3	0.4	
Utility	39.4	38.8	38	46.8	48.4	
No. Pts treated	6.6	6.8	5.8	6.6	4.1	
Select %	28.7	22.2	13.5	24.9	9	1.7
Scenario 15						
DLT rate	0.13	0.2	0.32	0.39	0.46	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
Utility	40.8	38	33.2	30.4	27.6	
No. Pts treated	10.3	8.4	5.5	3.6	2	
Select %	49.4	30.8	12.2	3.4	1.3	2.9
Scenario 16						
DLT rate	0.02	0.06	0.09	0.14	0.26	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
Utility	51.2	49.6	48.4	46.4	41.6	
No. Pts treated	5	5.7	6.5	7.4	5.4	
Select %	36.8	26.2	20.4	11.7	4.9	0
Scenario 17						
DLT rate	0.11	0.23	0.39	0.58	0.76	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
Utility	53.6	60.8	54.4	46.8	39.6	
No. Pts treated	10	13.6	4.7	1.3	0.2	
Select %	33.7	55.7	9.2	0.7	0	0.7

	Dose1	Dose2	Dose3	Dose4	Dose5	Stop %
Scenario 18						
DLT rate	0.02	0.04	0.1	0.2	0.35	
Efficacy rate	0.05	0.1	0.15	0.2	0.5	
Utility	42.2	44.4	45	44	56	
No. Pts treated	4.2	5.2	6	6.7	7.9	
Select %	15.8	19.6	21	15.5	28.1	0
Scenario 19						
DLT rate	0.11	0.26	0.39	0.6	0.77	
Efficacy rate	0.08	0.3	0.32	0.35	0.4	
Utility	40.4	47.6	43.6	37	33.2	
No. Pts treated	10	12.1	5.4	1.8	0.4	
Select %	26.7	57	11.2	0.7	0	4.4
Scenario 20						
DLT rate	0.07	0.14	0.31	0.41	0.52	
Efficacy rate	0.05	0.25	0.25	0.25	0.25	
Utility	40.2	49.4	42.6	38.6	34.2	
No. Pts treated	6.7	10.7	6.8	4.1	1.7	
Select %	16.7	58	18.5	5.2	0.7	0.9
Scenario 21						
DLT rate	0.37	0.56	0.69	0.83	0.88	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
Utility	55.2	47.6	42.4	36.8	34.8	
No. Pts treated	19.9	2.6	0.4	0	0	
Select %	58.5	0.9	0.1	0	0	40.5
Scenario 22						
DLT rate	0.07	0.27	0.5	0.56	0.78	

	Dose1	Dose2	Dose3	Dose4	Dose5	Stop %
Efficacy rate	0.08	0.25	0.25	0.5	0.5	
Utility	42	44.2	35	47.6	38.8	
No. Pts treated	11.6	11.4	4.4	2	0.3	
Select %	40.8	50.2	3.8	0.6	0	4.6
Scenario 23						
DLT rate	0.32	0.55	0.8	0.94	0.97	
Efficacy rate	0.05	0.05	0.05	0.05	0.05	
Utility	30.2	21	11	5.4	4.2	
No. Pts treated	16.1	4.7	1.1	0.1	0	
Select %	24.5	3	0	0	0	72.5
Scenario 24						
DLT rate	0.01	0.02	0.05	0.1	0.25	
Efficacy rate	0.05	0.08	0.2	0.5	0.5	
Utility	42.6	44	50	66	60	
No. Pts treated	3.2	3.4	4.5	12.5	6.3	
Select %	2.6	2.1	6.9	62.8	25.6	0
Scenario 25						
DLT rate	0.09	0.18	0.37	0.63	0.77	
Efficacy rate	0.2	0.25	0.4	0.45	0.5	
Utility	48.4	47.8	49.2	41.8	39.2	
No. Pts treated	10.2	9.8	7.5	2.2	0.3	
Select %	43.2	36	20.1	0.6	0	0.1
Scenario 26						
DLT rate	0.15	0.22	0.3	0.62	0.8	
Efficacy rate	0.1	0.2	0.35	0.45	0.55	
Utility	40	43.2	49	42.2	41	

	Dose1	Dose2	Dose3	Dose4	Dose5	Stop %
No. Pts treated	9.4	8.9	8.1	2.9	0.4	
Select %	31.1	32.3	32.3	0.9	0	3.4
Scenario 27						
DLT rate	0.11	0.17	0.3	0.5	0.62	
Efficacy rate	0.1	0.2	0.4	0.42	0.45	
Utility	41.6	45.2	52	45.2	42.2	
No. Pts treated	7.5	9	9.1	3.3	0.8	
Select %	22.1	32.1	40.3	3.5	0.2	1.8
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.77	
Efficacy rate	0.05	0.3	0.32	0.35	0.4	
Utility	35	46	39.2	37	33.2	
No. Pts treated	11.5	11.1	4	1.3	0.2	
Select %	25.1	50.6	4.4	0.5	0	19.4
Scenario 29						
DLT rate	0.19	0.3	0.56	0.74	0.86	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
Utility	56.4	52	41.6	34.4	29.6	
No. Pts treated	17.1	8.8	2.8	0.6	0	
Select %	71	24.8	1.2	0	0	3
Scenario 30						
DLT rate	0.05	0.08	0.17	0.27	0.54	
Efficacy rate	0.12	0.15	0.2	0.4	0.5	
Utility	45.2	45.8	45.2	53.2	48.4	
No. Pts treated	5.2	6.1	6.7	8.8	3.2	
Select %	22.4	21.9	19.1	33.7	2.9	0

	Dose1	Dose2	Dose3	Dose4	Dose5	Stop %
Scenario 31						
DLT rate	0.04	0.06	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
Utility	50.4	67.6	66	62	46	
No. Pts treated	3.8	12.3	8.1	4.6	1.1	
Select %	3.1	41.6	34.4	20.1	0.8	0
Scenario 32						
DLT rate	0.02	0.05	0.11	0.3	0.36	
Efficacy rate	0.08	0.15	0.3	0.3	0.3	
Utility	44	47	53.6	46	43.6	
No. Pts treated	4.3	5.9	9.5	6.7	3.6	
Select %	14.5	20.5	46.3	15	3.7	0
Scenario 33						
DLT rate	0.01	0.02	0.09	0.32	0.38	
Efficacy rate	0.05	0.08	0.2	0.4	0.5	
Utility	42.6	44	48.4	51.2	54.8	
No. Pts treated	4.5	5.6	7.3	8.2	4.4	
Select %	14.7	15.1	28.2	30.3	11.7	0
Scenario 34						
DLT rate	0.05	0.13	0.3	0.36	0.42	
Efficacy rate	0.05	0.1	0.3	0.32	0.35	
Utility	41	40.8	46	44.8	44.2	
No. Pts treated	7.4	8	7.6	4.7	2.3	
Select %	28.2	22.3	35.3	10.8	2.8	0.6
Scenario 35						
DLT rate	0.03	0.09	0.3	0.4	0.45	

	Dose1	Dose2	Dose3	Dose4	Dose5	Stop %
Efficacy rate	0.2	0.45	0.45	0.45	0.45	
Utility	50.8	63.4	55	51	49	
No. Pts treated	5.3	13.8	6.8	2.9	1.1	
Select %	10.5	62.5	21.7	4.1	1.2	0
Scenario 36						
DLT rate	0.13	0.29	0.35	0.4	0.43	
Efficacy rate	0.05	0.2	0.22	0.3	0.35	
Utility	37.8	40.4	39.2	42	43.8	
No. Pts treated	9.7	9.1	5.1	3.7	1.8	
Select %	29.9	38.9	13.5	6.3	2.8	8.6
Scenario 37						
DLT rate	0.08	0.3	0.4	0.45	0.5	
Efficacy rate	0.05	0.2	0.2	0.2	0.2	
Utility	39.8	40	36	34	32	
No. Pts treated	11.2	10.1	4.5	2.4	1.1	
Select %	39.2	39	8.9	1.5	0.5	10.9