

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 1						
DLT rate	0.3	0.35	0.4	0.45	0.5	
Efficacy rate	0.05	0.06	0.07	0.08	0.09	
OBD selection (%)						
New non-TITE one-stage	15.5	4	1	0.1	0.1	79.3
New non-TITE 2-stage highest utility	16.2	4.1	0.6	0	0.1	79
New non-TITE 2-stage top-2 randomized	15	4.8	0.7	0.1	0	79.4
U-BOIN	15.6	17.4	20.6	18.7	13.7	14
BOIN12	17.5	12	4.8	1.4	0.9	63.4
Mean administrations by dose						
New non-TITE one-stage	11.5	4	1.7	0.6	0.1	
New non-TITE 2-stage highest utility	11.4	3.9	1.8	0.6	0.2	
New non-TITE 2-stage top-2 randomized	11.3	4	1.7	0.6	0.1	
U-BOIN	9	5.4	4.7	3.9	3.7	
BOIN12	10	5.8	3.3	1.9	0.8	
Scenario 2						
DLT rate	0.15	0.2	0.3	0.35	0.45	
Efficacy rate	0.2	0.25	0.5	0.5	0.5	
OBD selection (%)						
New non-TITE one-stage	26.7	20.7	38.5	9.3	1.2	3.6
New non-TITE 2-stage highest utility	36.5	18.4	31.9	8.1	0.9	4.2
New non-TITE 2-stage top-2 randomized	24	21.3	39.1	10.8	1.2	3.6
U-BOIN	11.4	13.5	41.5	21.8	10.6	1.2
BOIN12	27.8	24.6	32.7	9.9	1.3	3.7
Mean administrations by dose						
New non-TITE one-stage	11	7.1	8.6	2.4	0.3	
New non-TITE 2-stage highest utility	12.5	6.3	6.9	2.9	0.8	
New non-TITE 2-stage top-2 randomized	11.1	7.6	6.6	3.2	1	
U-BOIN	8.8	7.2	8.2	4	1.6	
BOIN12	8.5	7.6	8.6	3.6	1.1	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 3						
DLT rate	0.15	0.2	0.3	0.35	0.45	
Efficacy rate	0.1	0.4	0.4	0.4	0.4	
OBD selection (%)						
New non-TITE one-stage	8.5	50.5	22.2	5.9	0.6	12.3
New non-TITE 2-stage highest utility	10.8	49.3	19.6	5.8	0.7	13.8
New non-TITE 2-stage top-2 randomized	6.2	52.2	21	7.6	1	12
U-BOIN	2.4	45	23.6	17.1	10.2	1.7
BOIN12	10.1	54	21.9	7.1	1.6	5.3
Mean administrations by dose						
New non-TITE one-stage	7.9	12.1	5.7	2	0.3	
New non-TITE 2-stage highest utility	8.8	10.7	5.4	2.4	0.8	
New non-TITE 2-stage top-2 randomized	8.8	9.3	6	3	1	
U-BOIN	7.2	10.6	6.5	3.7	1.7	
BOIN12	6.4	11.4	6.4	3.5	1.4	
Scenario 4						
DLT rate	0.05	0.1	0.18	0.3	0.4	
Efficacy rate	0.05	0.1	0.25	0.5	0.55	
OBD selection (%)						
New non-TITE one-stage	7.6	6.4	17.6	54	12.6	1.8
New non-TITE 2-stage highest utility	10.5	8.3	24.8	43.1	11.2	2.1
New non-TITE 2-stage top-2 randomized	6.6	5	17.4	54.9	14.1	2
U-BOIN	3.8	4	18.8	46.4	27	0
BOIN12	12.6	14.6	26.9	35.6	7.1	3.2
Mean administrations by dose						
New non-TITE one-stage	4.6	5	7.2	10.4	2.6	
New non-TITE 2-stage highest utility	4.7	5.1	8.1	8.5	3.4	
New non-TITE 2-stage top-2 randomized	4.8	5.5	7.4	8.1	4	
U-BOIN	4.9	6.1	7.6	7.8	3.8	
BOIN12	5	5.7	7.2	8.8	3.1	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 5						
DLT rate	0.07	0.12	0.17	0.22	0.3	
Efficacy rate	0.05	0.3	0.3	0.3	0.3	
OBD selection (%)						
New non-TITE one-stage	3.9	40.2	25.3	21.7	6.4	2.5
New non-TITE 2-stage highest utility	4.7	42	25.8	18.3	6.4	2.8
New non-TITE 2-stage top-2 randomized	3.2	39.4	26.9	19.4	8.4	2.7
U-BOIN	2.4	34.9	27.9	21.6	13.1	0.1
BOIN12	5.9	44.9	28.6	13.4	5.9	1.3
Mean administrations by dose						
New non-TITE one-stage	4.7	10	6.9	5.4	2.5	
New non-TITE 2-stage highest utility	4.9	9.9	7	5	2.7	
New non-TITE 2-stage top-2 randomized	5	8.2	7.2	5.6	3.4	
U-BOIN	5.3	8.5	7	5.6	3.8	
BOIN12	4.5	8.3	7.1	6	3.9	
Scenario 6						
DLT rate	0.29	0.34	0.38	0.43	0.52	
Efficacy rate	0.3	0.32	0.35	0.38	0.4	
OBD selection (%)						
New non-TITE one-stage	66.9	12.3	2.8	0.5	0	17.5
New non-TITE 2-stage highest utility	68.4	10.9	2.2	0.5	0	18
New non-TITE 2-stage top-2 randomized	65.4	13.3	2.5	0.3	0.2	18.3
U-BOIN	21.5	17.1	15.8	19.3	15.1	11.2
BOIN12	59	17	5.4	1.8	0.1	16.7
Mean administrations by dose						
New non-TITE one-stage	20.3	4.7	1.5	0.4	0	
New non-TITE 2-stage highest utility	20.6	4.1	1.5	0.5	0.1	
New non-TITE 2-stage top-2 randomized	19.5	4.7	1.8	0.6	0.2	
U-BOIN	11.7	6.3	4.4	3.1	1.9	
BOIN12	15.3	6.5	3.3	1.6	0.6	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 7						
DLT rate	0.16	0.2	0.26	0.31	0.36	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
OBD selection (%)						
New non-TITE one-stage	14.2	56.1	18.2	6.5	0.9	4.1
New non-TITE 2-stage highest utility	27	41.2	17.6	8.1	1.6	4.5
New non-TITE 2-stage top-2 randomized	11	52.6	21.8	8.8	1.6	4.2
U-BOIN	5.4	48.3	26.2	13.2	5.2	1.7
BOIN12	13.1	52.3	21.3	8.4	2.2	2.7
Mean administrations by dose						
New non-TITE one-stage	9.5	13.6	4.6	1.4	0.2	
New non-TITE 2-stage highest utility	11.2	9.4	5	2.7	1	
New non-TITE 2-stage top-2 randomized	10.2	9	5.9	3	1.1	
U-BOIN	7.9	10.8	6.5	3.2	1.3	
BOIN12	6.8	12.8	5.9	2.9	1.1	
Scenario 8						
DLT rate	0.32	0.37	0.42	0.48	0.52	
Efficacy rate	0.1	0.15	0.2	0.3	0.4	
OBD selection (%)						
New non-TITE one-stage	27.1	6.3	1.5	0.7	0.1	64.3
New non-TITE 2-stage highest utility	26.5	6	1.6	0.5	0.3	65.1
New non-TITE 2-stage top-2 randomized	26.4	8.5	0.6	0.4	0	64.1
U-BOIN	12.6	15.7	15.2	18	23.6	14.9
BOIN12	29.9	15.1	4.2	1.3	0.2	49.3
Mean administrations by dose						
New non-TITE one-stage	14.2	3.8	1.4	0.4	0.1	
New non-TITE 2-stage highest utility	14.5	3.6	1.3	0.4	0.1	
New non-TITE 2-stage top-2 randomized	14.1	3.8	1.4	0.4	0.1	
U-BOIN	8.8	5	4.3	4.2	4.2	
BOIN12	11.7	5.9	3.1	1.8	0.7	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 9						
DLT rate	0.15	0.18	0.22	0.26	0.29	
Efficacy rate	0.05	0.08	0.2	0.25	0.5	
OBD selection (%)						
New non-TITE one-stage	14.7	11.1	19.2	17.3	18.6	19.1
New non-TITE 2-stage highest utility	16.9	11.7	22.6	13.1	15.3	20.4
New non-TITE 2-stage top-2 randomized	13.3	12	20.4	13.2	21	20.1
U-BOIN	3.7	5.4	12.6	20.2	57.7	0.4
BOIN12	13.1	13.9	23.5	13	25.7	10.8
Mean administrations by dose						
New non-TITE one-stage	7.5	5.6	6.3	4.5	3.3	
New non-TITE 2-stage highest utility	7.7	5.7	6.9	3.8	3	
New non-TITE 2-stage top-2 randomized	7.6	6.1	6.1	4.3	2.9	
U-BOIN	6.6	5.7	6.3	5.4	6	
BOIN12	5.7	5.7	5.9	5	6.4	
Scenario 10						
DLT rate	0.23	0.28	0.32	0.39	0.43	
Efficacy rate	0.05	0.4	0.42	0.45	0.5	
OBD selection (%)						
New non-TITE one-stage	6	31.9	11.3	2.6	0.6	47.6
New non-TITE 2-stage highest utility	5.3	30.3	12.2	2.5	0.5	49.2
New non-TITE 2-stage top-2 randomized	4.7	32.3	12	3	0.6	47.4
U-BOIN	1	31.6	24.8	19.6	18.6	4.4
BOIN12	8.8	42.9	16.2	5.4	1.5	25.2
Mean administrations by dose						
New non-TITE one-stage	9.2	8.6	3.3	1.1	0.2	
New non-TITE 2-stage highest utility	9.5	7.7	3.4	1.3	0.4	
New non-TITE 2-stage top-2 randomized	9.7	7.1	3.6	1.5	0.4	
U-BOIN	7.7	9	6.3	3.8	2.1	
BOIN12	7.3	10.1	5.2	2.6	1	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 11						
DLT rate	0.22	0.32	0.44	0.59	0.67	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
OBD selection (%)						
New non-TITE one-stage	62.8	19.6	2.4	0.3	0	14.9
New non-TITE 2-stage highest utility	65.6	17.2	1.8	0.1	0	15.3
New non-TITE 2-stage top-2 randomized	57.8	24.8	2	0.2	0	15.2
U-BOIN	42.3	22.3	12.8	8.3	9.8	4.5
BOIN12	57.6	22.5	5.7	0.5	0	13.7
Mean administrations by dose						
New non-TITE one-stage	17.9	6.9	2.4	0.6	0	
New non-TITE 2-stage highest utility	18.8	6.1	2.3	0.5	0.1	
New non-TITE 2-stage top-2 randomized	17.1	7	2.8	0.7	0.1	
U-BOIN	11.6	6.7	4.7	3.3	2.7	
BOIN12	14.4	7.8	3.9	1.6	0.5	
Scenario 12						
DLT rate	0.06	0.09	0.18	0.29	0.44	
Efficacy rate	0.05	0.1	0.12	0.4	0.6	
OBD selection (%)						
New non-TITE one-stage	16	10.3	7.5	46.1	17.4	2.7
New non-TITE 2-stage highest utility	19.6	11.9	8.2	42.5	14.5	3.3
New non-TITE 2-stage top-2 randomized	12.3	9.6	7.9	43.4	23.6	3.2
U-BOIN	6.8	10.1	6.4	39.1	37.6	0
BOIN12	16.6	23.8	15.1	32.3	9.9	2.3
Mean administrations by dose						
New non-TITE one-stage	5	5.5	5.8	9.1	4.2	
New non-TITE 2-stage highest utility	5.1	5.6	6.5	8	4.3	
New non-TITE 2-stage top-2 randomized	5.1	5.9	6.4	7.8	4.4	
U-BOIN	5.2	6.3	6.5	7.4	4.8	
BOIN12	5.2	6.2	5.9	8.2	4.4	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 13						
DLT rate	0.21	0.29	0.3	0.39	0.46	
Efficacy rate	0.05	0.3	0.32	0.35	0.4	
OBD selection (%)						
New non-TITE one-stage	7.8	31.8	12.4	3.9	0.7	43.4
New non-TITE 2-stage highest utility	7.5	32	11.3	2.7	1.2	45.3
New non-TITE 2-stage top-2 randomized	5.5	33.4	11.6	3.6	0.9	45
U-BOIN	3.2	25.1	28.2	21	19.1	3.4
BOIN12	12.2	41.9	14.7	4.6	2	24.6
Mean administrations by dose						
New non-TITE one-stage	9.1	8.5	3.8	1.5	0.3	
New non-TITE 2-stage highest utility	9.3	8.2	3.7	1.4	0.5	
New non-TITE 2-stage top-2 randomized	9.6	7.2	3.9	1.8	0.5	
U-BOIN	7.8	7.5	6.5	4.4	3	
BOIN12	7.9	9.4	5.1	2.9	1.4	
Scenario 14						
DLT rate	0.09	0.15	0.23	0.28	0.39	
Efficacy rate	0.05	0.08	0.12	0.3	0.4	
OBD selection (%)						
New non-TITE one-stage	22.5	14.1	11.8	28.6	14.1	8.9
New non-TITE 2-stage highest utility	26	15.9	11.7	27	10.1	9.3
New non-TITE 2-stage top-2 randomized	19.7	12.4	12.4	33.3	13.3	8.9
U-BOIN	11.4	8.4	10.1	35.8	34.1	0.2
BOIN12	23.8	21.2	16.7	22.8	8.6	6.9
Mean administrations by dose						
New non-TITE one-stage	6.3	6.4	6.3	6.7	3.3	
New non-TITE 2-stage highest utility	6.5	6.5	6.9	6.1	2.8	
New non-TITE 2-stage top-2 randomized	6.4	6.6	6.7	6.2	3.1	
U-BOIN	6.2	6.3	6.1	6.6	5	
BOIN12	6.2	6.7	6	6.6	4	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 15						
DLT rate	0.13	0.2	0.32	0.39	0.46	
Efficacy rate	0.1	0.1	0.1	0.1	0.1	
OBD selection (%)						
New non-TITE one-stage	50.5	23.1	8.9	2.5	0.3	14.7
New non-TITE 2-stage highest utility	54.3	21.2	6.6	1.9	0.2	15.8
New non-TITE 2-stage top-2 randomized	44.9	24	11.5	3.4	0.3	15.9
U-BOIN	36.2	23.6	14.4	12.5	12.3	1
BOIN12	42.4	26.6	12.6	3.7	0.9	13.8
Mean administrations by dose						
New non-TITE one-stage	10.6	8.3	5.5	2.9	1	
New non-TITE 2-stage highest utility	10.9	8	5.8	2.7	0.9	
New non-TITE 2-stage top-2 randomized	9.9	8	6	3.2	1.1	
U-BOIN	9.2	7.5	5.6	4.2	3.4	
BOIN12	9.6	8.3	5.5	3.6	1.8	
Scenario 16						
DLT rate	0.02	0.06	0.09	0.14	0.26	
Efficacy rate	0.2	0.2	0.2	0.2	0.2	
OBD selection (%)						
New non-TITE one-stage	29.4	24	18.8	18	9.8	0
New non-TITE 2-stage highest utility	32.7	26.5	17	15.7	8.1	0
New non-TITE 2-stage top-2 randomized	32.1	24.6	17.4	14.7	11.2	0
U-BOIN	28.1	26.8	21.1	16.3	7.7	0
BOIN12	35.1	27.5	19.7	12.1	5.6	0
Mean administrations by dose						
New non-TITE one-stage	7.3	7	5.7	5.7	4.4	
New non-TITE 2-stage highest utility	7.5	7.4	5.7	5.5	4	
New non-TITE 2-stage top-2 randomized	6.6	6.5	5.7	5.9	5.3	
U-BOIN	6.1	6.2	6.4	6.4	5.4	
BOIN12	4.9	5.7	6.7	7.4	5.3	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 17						
DLT rate	0.11	0.23	0.39	0.58	0.76	
Efficacy rate	0.3	0.5	0.5	0.5	0.5	
OBD selection (%)						
New non-TITE one-stage	22	61.2	14.6	1.2	0	1
New non-TITE 2-stage highest utility	30.4	54.1	13.5	1	0	1
New non-TITE 2-stage top-2 randomized	20.9	58.6	17.9	1.4	0.1	1.1
U-BOIN	23.5	49.6	19.3	4.2	3.2	0.2
BOIN12	31.4	59	8.1	0.7	0	0.8
Mean administrations by dose						
New non-TITE one-stage	10.9	14.4	3.9	0.5	0	
New non-TITE 2-stage highest utility	11.3	11.5	5.4	1.5	0.2	
New non-TITE 2-stage top-2 randomized	11.1	10.5	6.2	1.8	0.3	
U-BOIN	10.1	11.9	5.9	1.7	0.4	
BOIN12	10.2	14	4.4	1.1	0.2	
Scenario 18						
DLT rate	0.02	0.04	0.1	0.2	0.35	
Efficacy rate	0.05	0.1	0.15	0.2	0.5	
OBD selection (%)						
New non-TITE one-stage	12.1	7.5	9.9	15.5	54.9	0.1
New non-TITE 2-stage highest utility	15.5	8.7	10.6	15.8	49.3	0.1
New non-TITE 2-stage top-2 randomized	8.4	6.7	10.7	14	60.2	0
U-BOIN	7.1	13.1	16.3	15.4	48.1	0
BOIN12	16.1	20.1	21.6	14.4	27.6	0.2
Mean administrations by dose						
New non-TITE one-stage	4	4.7	5.5	6.3	9.5	
New non-TITE 2-stage highest utility	4.1	4.7	5.6	6.5	9	
New non-TITE 2-stage top-2 randomized	4.1	4.8	5.8	7.4	8	
U-BOIN	4.2	5.5	6.8	7.1	6.7	
BOIN12	4.3	5.2	5.8	6.6	8.1	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 19						
DLT rate	0.11	0.26	0.39	0.6	0.77	
Efficacy rate	0.08	0.3	0.32	0.35	0.4	
OBD selection (%)						
New non-TITE one-stage	15	53.6	16.5	1.2	0	13.7
New non-TITE 2-stage highest utility	14.4	55.4	14	0.8	0	15.4
New non-TITE 2-stage top-2 randomized	8.5	57.4	16.3	2.7	0.1	15
U-BOIN	14	39.9	23	11.5	10.9	0.7
BOIN12	20.5	56.8	12.5	0.6	0	9.6
Mean administrations by dose						
New non-TITE one-stage	8.2	12.8	5.7	1.3	0.1	
New non-TITE 2-stage highest utility	8.6	12.5	5.5	1.4	0.2	
New non-TITE 2-stage top-2 randomized	9.3	10.9	6	1.7	0.3	
U-BOIN	8	10	6.3	3.5	2.1	
BOIN12	8.6	12	5.9	2	0.4	
Scenario 20						
DLT rate	0.07	0.14	0.31	0.41	0.52	
Efficacy rate	0.05	0.25	0.25	0.25	0.25	
OBD selection (%)						
New non-TITE one-stage	11	50.2	24.7	8.8	1.5	3.8
New non-TITE 2-stage highest utility	11.2	54.2	23.9	6	0.8	3.9
New non-TITE 2-stage top-2 randomized	9.4	51.4	24.7	9	1.7	3.8
U-BOIN	8.5	47.5	18.6	12.4	13	0
BOIN12	11.3	62.1	18.8	4.9	0.1	2.8
Mean administrations by dose						
New non-TITE one-stage	5.5	11.6	7.4	3.8	1	
New non-TITE 2-stage highest utility	5.6	11.6	7.9	3.3	1	
New non-TITE 2-stage top-2 randomized	5.9	9.9	8	4.2	1.3	
U-BOIN	5.9	10.8	7	4	2.4	
BOIN12	6.2	10.7	7	4.1	1.7	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 21						
DLT rate	0.37	0.56	0.69	0.83	0.88	
Efficacy rate	0.5	0.5	0.5	0.5	0.5	
OBD selection (%)						
New non-TITE one-stage	56.4	0.9	0	0	0	42.7
New non-TITE 2-stage highest utility	55.5	0.8	0	0	0	43.7
New non-TITE 2-stage top-2 randomized	53.3	1.4	0	0	0	45.3
U-BOIN	51.8	8.3	5.7	5.7	3.7	24.8
BOIN12	60.5	0.5	0	0	0	39
Mean administrations by dose						
New non-TITE one-stage	21.6	1.2	0.1	0	0	
New non-TITE 2-stage highest utility	20.7	1.7	0.3	0	0	
New non-TITE 2-stage top-2 randomized	20.3	2	0.4	0	0	
U-BOIN	17.2	4	1.5	1	0.8	
BOIN12	20.7	2.5	0.4	0	0	
Scenario 22						
DLT rate	0.07	0.27	0.5	0.56	0.78	
Efficacy rate	0.08	0.25	0.25	0.5	0.5	
OBD selection (%)						
New non-TITE one-stage	18.1	58.9	9	2.9	0.1	11
New non-TITE 2-stage highest utility	19.4	59.5	8	1.9	0	11.2
New non-TITE 2-stage top-2 randomized	14.4	58.2	12.3	2.2	0	12.9
U-BOIN	18.2	34.1	10.4	23.9	12.6	0.8
BOIN12	24.4	60.8	4	0.8	0	10
Mean administrations by dose						
New non-TITE one-stage	8.5	13.6	5	1.6	0.1	
New non-TITE 2-stage highest utility	8.6	13.9	5	1.1	0.2	
New non-TITE 2-stage top-2 randomized	9.5	12	5.7	1.3	0.2	
U-BOIN	8.2	9.8	5	4.5	2.5	
BOIN12	9.8	12.4	4.6	2	0.2	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 23						
DLT rate	0.32	0.55	0.8	0.94	0.97	
Efficacy rate	0.05	0.05	0.05	0.05	0.05	
OBD selection (%)						
New non-TITE one-stage	6.5	1	0	0	0	92.5
New non-TITE 2-stage highest utility	5.9	0.9	0	0	0	93.2
New non-TITE 2-stage top-2 randomized	6.8	0.5	0	0	0	92.7
U-BOIN	15.2	16.2	6	2.5	1.6	58.5
BOIN12	10.7	0.7	0	0	0	88.6
Mean administrations by dose						
New non-TITE one-stage	11.9	2.3	0.4	0	0	
New non-TITE 2-stage highest utility	11.8	2.4	0.4	0	0	
New non-TITE 2-stage top-2 randomized	11.7	2.5	0.4	0	0	
U-BOIN	10.6	5.6	3.5	2.7	2.6	
BOIN12	11.6	4.8	1.2	0.1	0	
Scenario 24						
DLT rate	0.01	0.02	0.05	0.1	0.25	
Efficacy rate	0.05	0.08	0.2	0.5	0.5	
OBD selection (%)						
New non-TITE one-stage	0.7	1.1	3.4	62.4	32.4	0
New non-TITE 2-stage highest utility	1.3	1.1	5.4	54.8	37.4	0
New non-TITE 2-stage top-2 randomized	0.7	0.6	4.3	54.7	39.7	0
U-BOIN	1.5	3.2	8.2	60.1	27	0
BOIN12	1.7	3.3	6.7	65.7	22.6	0
Mean administrations by dose						
New non-TITE one-stage	3.4	3.4	4.3	12.9	6	
New non-TITE 2-stage highest utility	3.4	3.4	4.3	10.8	8.1	
New non-TITE 2-stage top-2 randomized	3.5	3.7	4.8	9.4	8.5	
U-BOIN	3.5	4	5.1	9.8	7.9	
BOIN12	3.2	3.4	4.7	12.9	5.8	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 25						
DLT rate	0.09	0.18	0.37	0.63	0.77	
Efficacy rate	0.2	0.25	0.4	0.45	0.5	
OBD selection (%)						
New non-TITE one-stage	27.2	32.5	34.7	3.8	0.4	1.4
New non-TITE 2-stage highest utility	34.7	35.1	27.4	1.2	0	1.6
New non-TITE 2-stage top-2 randomized	26.4	32.9	33.9	5.1	0.1	1.6
U-BOIN	28.1	26.8	25.8	9.6	9.4	0.3
BOIN12	40.7	35.7	21.7	0.4	0	1.5
Mean administrations by dose						
New non-TITE one-stage	9.8	9.4	8.3	2.1	0.1	
New non-TITE 2-stage highest utility	10.4	9.4	7.8	2	0.3	
New non-TITE 2-stage top-2 randomized	9.7	9.3	7.8	2.6	0.4	
U-BOIN	9.4	9.3	7.2	2.8	1.2	
BOIN12	9.9	9.9	7.6	2.1	0.3	
Scenario 26						
DLT rate	0.15	0.22	0.3	0.62	0.8	
Efficacy rate	0.1	0.2	0.35	0.45	0.55	
OBD selection (%)						
New non-TITE one-stage	21.3	28.4	31.6	3.8	0.2	14.7
New non-TITE 2-stage highest utility	24.2	30.2	27.5	1.9	0	16.2
New non-TITE 2-stage top-2 randomized	19.1	32.2	28.2	5.4	0.1	15
U-BOIN	14.4	20.7	39.5	12.9	10.9	1.6
BOIN12	22.8	35.1	32.9	1	0	8.2
Mean administrations by dose						
New non-TITE one-stage	9.5	8.6	7.4	2.2	0.1	
New non-TITE 2-stage highest utility	10.3	8.5	6.9	1.9	0.3	
New non-TITE 2-stage top-2 randomized	10	8.6	6.5	2.5	0.3	
U-BOIN	7.8	7.7	8.2	4.1	2	
BOIN12	8.5	9.4	8	2.9	0.4	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 27						
DLT rate	0.11	0.17	0.3	0.5	0.62	
Efficacy rate	0.1	0.2	0.4	0.42	0.45	
OBD selection (%)						
New non-TITE one-stage	15.9	23.7	45.1	8.4	0.5	6.4
New non-TITE 2-stage highest utility	18.5	26.3	41.4	5.8	0.4	7.6
New non-TITE 2-stage top-2 randomized	10.9	27.3	43.3	10.4	0.7	7.4
U-BOIN	8.7	20.9	38.9	16.5	14.5	0.5
BOIN12	20.9	32.9	38	4.2	0	4
Mean administrations by dose						
New non-TITE one-stage	7.6	8.4	9.7	3	0.4	
New non-TITE 2-stage highest utility	8.3	8.2	9	2.8	0.7	
New non-TITE 2-stage top-2 randomized	8	8.5	8.2	3.6	0.8	
U-BOIN	6.9	8.1	8.8	4.3	1.8	
BOIN12	7.2	9	9.2	3.4	0.7	
Scenario 28						
DLT rate	0.2	0.3	0.5	0.6	0.77	
Efficacy rate	0.05	0.3	0.32	0.35	0.4	
OBD selection (%)						
New non-TITE one-stage	11.4	36.6	4.9	0.1	0	47
New non-TITE 2-stage highest utility	10.7	37	5.2	0.1	0	47
New non-TITE 2-stage top-2 randomized	8.3	35.7	5.7	0.1	0	50.2
U-BOIN	7.2	46	17.1	13.9	11.8	4
BOIN12	12.7	51.5	5.6	0.3	0.1	29.8
Mean administrations by dose						
New non-TITE one-stage	9.7	9.8	3	0.5	0	
New non-TITE 2-stage highest utility	9.9	9.7	2.9	0.5	0.1	
New non-TITE 2-stage top-2 randomized	10.7	8.3	3.2	0.6	0.1	
U-BOIN	8.2	9.5	5.4	3.6	2.6	
BOIN12	9.1	11.7	4.2	1.2	0.2	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 29						
DLT rate	0.19	0.3	0.56	0.74	0.86	
Efficacy rate	0.4	0.4	0.4	0.4	0.4	
OBD selection (%)						
New non-TITE one-stage	69.7	25.6	2.1	0.1	0	2.5
New non-TITE 2-stage highest utility	73.9	21.7	1.4	0	0	3
New non-TITE 2-stage top-2 randomized	66.7	27.2	3.1	0.1	0	2.9
U-BOIN	57.7	26.2	6.6	2.4	4.4	2.7
BOIN12	72.7	22.9	1.2	0	0	3.2
Mean administrations by dose						
New non-TITE one-stage	20.2	7.5	1.6	0.2	0	
New non-TITE 2-stage highest utility	19.7	6.9	2.4	0.3	0	
New non-TITE 2-stage top-2 randomized	17.6	8.4	3	0.5	0	
U-BOIN	16.2	8.5	3.2	1	0.5	
BOIN12	17.4	8.6	2.7	0.6	0	
Scenario 30						
DLT rate	0.05	0.08	0.17	0.27	0.54	
Efficacy rate	0.12	0.15	0.2	0.4	0.5	
OBD selection (%)						
New non-TITE one-stage	15.6	14.2	14.6	42.5	12.6	0.5
New non-TITE 2-stage highest utility	21	15	16.6	36.6	10	0.8
New non-TITE 2-stage top-2 randomized	14.1	13.6	13.2	43.2	15	0.9
U-BOIN	13	15.8	16.7	37.7	16.8	0
BOIN12	23.9	23.6	21.2	28.2	2.4	0.7
Mean administrations by dose						
New non-TITE one-stage	5.8	5.8	6.1	8.8	3.4	
New non-TITE 2-stage highest utility	6.1	6.1	6.6	7.6	3.5	
New non-TITE 2-stage top-2 randomized	5.6	6.2	6.5	7.6	4	
U-BOIN	5.8	6.8	7.1	7.2	3.4	
BOIN12	5.3	6.1	6.6	8.6	3.3	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 31						
DLT rate	0.04	0.06	0.1	0.2	0.6	
Efficacy rate	0.2	0.5	0.5	0.5	0.5	
OBD selection (%)						
New non-TITE one-stage	2.7	47.3	29.9	18.2	1.9	0
New non-TITE 2-stage highest utility	5.8	40.3	26.6	22.1	5.2	0
New non-TITE 2-stage top-2 randomized	3	40.7	27.9	21.8	6.6	0
U-BOIN	3.2	42.6	32.7	20	1.5	0
BOIN12	3.3	41.2	34.5	19.9	1	0.1
Mean administrations by dose						
New non-TITE one-stage	4.6	13.6	7.4	3.6	0.8	
New non-TITE 2-stage highest utility	4.5	8.8	6.9	6.5	3.3	
New non-TITE 2-stage top-2 randomized	4.6	7.8	6.9	6.8	3.8	
U-BOIN	4.4	7.7	7.8	7.4	2.9	
BOIN12	3.9	12.3	7.9	4.8	1.1	
Scenario 32						
DLT rate	0.02	0.05	0.11	0.3	0.36	
Efficacy rate	0.08	0.15	0.3	0.3	0.3	
OBD selection (%)						
New non-TITE one-stage	8.7	12.2	37.8	30.4	10.9	0
New non-TITE 2-stage highest utility	10.4	13.6	38.1	29.6	8.2	0.1
New non-TITE 2-stage top-2 randomized	8.6	11.2	36.6	31.3	12.3	0
U-BOIN	8.5	16	45.7	17.4	12.4	0
BOIN12	14.1	21.4	46.4	13.3	4.6	0.2
Mean administrations by dose						
New non-TITE one-stage	4.3	5.6	9	7.3	3.8	
New non-TITE 2-stage highest utility	4.4	5.5	8.8	7.3	4	
New non-TITE 2-stage top-2 randomized	4.4	5.5	8.1	7.4	4.6	
U-BOIN	4.5	6.1	9.8	6.5	3.3	
BOIN12	4.4	5.9	9.2	6.7	3.8	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 33						
DLT rate	0.01	0.02	0.09	0.32	0.38	
Efficacy rate	0.05	0.08	0.2	0.4	0.5	
OBD selection (%)						
New non-TITE one-stage	7.6	4.9	11.8	47.6	28.1	0
New non-TITE 2-stage highest utility	9.7	5	14.3	44.6	26.4	0
New non-TITE 2-stage top-2 randomized	5.9	2.6	11.8	51.2	28.5	0
U-BOIN	6.1	8.6	24.9	28.6	31.8	0
BOIN12	12.3	14.7	33.2	28.1	11.4	0.3
Mean administrations by dose						
New non-TITE one-stage	3.8	4.1	6	10.4	5.8	
New non-TITE 2-stage highest utility	3.7	4	6.2	9.6	6.5	
New non-TITE 2-stage top-2 randomized	3.8	4.4	6.5	9	6.3	
U-BOIN	3.8	5	8.8	7.8	4.6	
BOIN12	4.4	5.5	7.9	7.9	4.3	
Scenario 34						
DLT rate	0.05	0.13	0.3	0.36	0.42	
Efficacy rate	0.05	0.1	0.3	0.32	0.35	
OBD selection (%)						
New non-TITE one-stage	16.2	12.3	45.2	18.6	3.5	4.2
New non-TITE 2-stage highest utility	16.6	14.6	46.2	15.2	3	4.4
New non-TITE 2-stage top-2 randomized	12	13.9	44.5	20.5	4.7	4.4
U-BOIN	9.1	11.4	26	26.5	27	0
BOIN12	20.5	22.2	37.8	11	3	5.5
Mean administrations by dose						
New non-TITE one-stage	5.4	6.9	10.5	5.2	1.6	
New non-TITE 2-stage highest utility	5.4	7.1	10.9	4.5	1.6	
New non-TITE 2-stage top-2 randomized	5.7	7.3	9.3	5.4	2	
U-BOIN	5.9	7.5	7.8	5.3	3.6	
BOIN12	6.6	7.8	8	4.9	2.4	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 35						
DLT rate	0.03	0.09	0.3	0.4	0.45	
Efficacy rate	0.2	0.45	0.45	0.45	0.45	
OBD selection (%)						
New non-TITE one-stage	9.7	50.4	27.9	10.5	1.5	0
New non-TITE 2-stage highest utility	10	51.2	28.4	8.8	1.6	0
New non-TITE 2-stage top-2 randomized	7	46.2	30.5	12.8	3.5	0
U-BOIN	10.1	61.8	19.4	5.7	3	0
BOIN12	12.3	63.1	19.3	4.2	1.1	0
Mean administrations by dose						
New non-TITE one-stage	5.5	13.7	7.3	3	0.5	
New non-TITE 2-stage highest utility	5.3	11.2	8.1	4	1.4	
New non-TITE 2-stage top-2 randomized	5.7	9.4	8.4	4.7	1.9	
U-BOIN	5.8	13.2	7.5	2.7	0.8	
BOIN12	5.3	13.5	7.1	3	1.1	
Scenario 36						
DLT rate	0.13	0.29	0.35	0.4	0.43	
Efficacy rate	0.05	0.2	0.22	0.3	0.35	
OBD selection (%)						
New non-TITE one-stage	17	37.5	12.8	5.3	1.2	26.2
New non-TITE 2-stage highest utility	16	39.3	12.1	4.3	0.6	27.7
New non-TITE 2-stage top-2 randomized	13.3	39.5	13.6	4.7	1	27.9
U-BOIN	7.8	18.8	15.2	24.1	33.2	0.9
BOIN12	17.6	43.5	13.5	4.9	1.9	18.6
Mean administrations by dose						
New non-TITE one-stage	8.4	10.5	5.1	2.1	0.5	
New non-TITE 2-stage highest utility	8.7	10.6	5	1.8	0.5	
New non-TITE 2-stage top-2 randomized	9.1	9.4	5.2	2.2	0.6	
U-BOIN	7.9	7.5	5.4	5	4	
BOIN12	8.4	10.1	4.9	3.2	1.6	

Phase I/II Operating Characteristics

New non-TITE alpha = 0.3 versus U-BOIN and BOIN12 | scenarios 1-38

	Dose 1	Dose 2	Dose 3	Dose 4	Dose 5	No OBD %
Scenario 37						
DLT rate	0.08	0.3	0.4	0.45	0.5	
Efficacy rate	0.05	0.2	0.2	0.2	0.2	
OBD selection (%)						
New non-TITE one-stage	18.8	45.7	11.7	2.9	0.3	20.6
New non-TITE 2-stage highest utility	19.6	47.5	9.6	2.1	0.2	21
New non-TITE 2-stage top-2 randomized	13.3	52.3	11.2	2.2	0.1	20.9
U-BOIN	16.5	27.5	19.3	16.9	19.4	0.4
BOIN12	21	49.5	10	2.2	0.2	17.1
Mean administrations by dose						
New non-TITE one-stage	8.2	12.1	5.3	1.8	0.5	
New non-TITE 2-stage highest utility	8.1	12.5	5.2	1.6	0.4	
New non-TITE 2-stage top-2 randomized	8.8	10.9	5.6	1.9	0.5	
U-BOIN	8.4	8.3	5.5	4.3	3.5	
BOIN12	9.3	11	4.7	2.4	1	
Scenario 38						
DLT rate	0.05	0.1	0.12	0.15	0.3	
Efficacy rate	0.05	0.08	0.12	0.15	0.5	
OBD selection (%)						
New non-TITE one-stage	14.4	7.7	7.3	11	58.3	1.3
New non-TITE 2-stage highest utility	19.1	10.7	8.3	10.2	49.9	1.8
New non-TITE 2-stage top-2 randomized	12.2	6.9	7.9	10.7	60.9	1.4
U-BOIN	6.2	8.9	13	13.3	58.6	0
BOIN12	13.2	13.8	16.5	13.6	41.5	1.4
Mean administrations by dose						
New non-TITE one-stage	4.7	4.8	5.2	5.5	9.6	
New non-TITE 2-stage highest utility	4.9	4.9	5.6	5.6	8.7	
New non-TITE 2-stage top-2 randomized	4.8	5.1	5.5	6.8	7.5	
U-BOIN	5.2	5.5	5.6	6.3	7.8	
BOIN12	4.2	4.7	5.2	6.1	9.6	