
A TEMPLATE FOR ARXIV STYLE PAPERS

Author A

Department of BCD
EFG University
HIJ, China
email@main.com

Author B

Department of BCD
EFG University
HIJ, China
email@main.com

Author C

Department of BCD
EFG University
HIJ, China
email@main.com

ABSTRACT

This is the abstract.

Keywords First keyword · Second keyword · More

1 Introduction

This is the introduction.

This paper is organized as follows. Section 2 reviews related literature. Section 3 formulates the proposed method. Section 4 describes the dataset. Section 5 discusses the results. Section 6 concludes this paper.

2 Literature Review

Text [1, 2] and see [3].

2.1 Headings: second level

Text with second level heading.

2.1.1 Headings: third level

Text with third level heading.

Paragraph Text with fourth level heading.

Table 1: Sample table title

Part		
Name	Description	Size (μm)
Dendrite	Input terminal	~ 100
Axon	Output terminal	~ 10
Soma	Cell body	up to 10^6

3 Methodology

3.1 Formulas

As expressed by Equation 1.

$$\xi_{ij}(t) = P(x_t = i, x_{t+1} = j | y, v, w; \theta) = \frac{\alpha_i(t) a_{ij}^{w_t} \beta_j(t+1) b_j^{v_{t+1}}(y_{t+1})}{\sum_{i=1}^N \sum_{j=1}^N \alpha_i(t) a_{ij}^{w_t} \beta_j(t+1) b_j^{v_{t+1}}(y_{t+1})} \quad (1)$$

3.2 Figures

See Figure 1.

3.3 Tables

See awesome Table 1.

4 Data

Describe the dataset used in the study, including its source, characteristics, and any preprocessing steps taken before analysis.

5 Results and Discussion

Results and discussion go here.

6 Conclusion

Your conclusion here.

Acknowledgments

This work was supported in part by.




Figure 1: Sample figure caption.

References

- [1] George Kour and Raid Saabne. Real-time segmentation of on-line handwritten arabic script. In *Frontiers in Handwriting Recognition (ICFHR), 2014 14th International Conference on*, pages 417–422. IEEE, 2014.
- [2] George Kour and Raid Saabne. Fast classification of handwritten on-line arabic characters. In *Soft Computing and Pattern Recognition (SoCPaR), 2014 6th International Conference of*, pages 312–318. IEEE, 2014.
- [3] Guy Hadash, Einat Kermany, Boaz Carmeli, Ofer Lavi, George Kour, and Alon Jacovi. Estimate and replace: A novel approach to integrating deep neural networks with existing applications. *arXiv preprint arXiv:1804.09028*, 2018.