

RESTRICTED



**भारत सरकार
GOVERNMENT OF INDIA
रक्षा मंत्रालय
MINISTRY OF DEFENCE**

**मानकीकरण की नियमावली
MANUAL OF STANDARDISATION
(2023)**

**मानकीकरण निदेशालय
रक्षा उत्पादन विभाग, रक्षा मंत्रालय
छठी मंजिल, 'ए' ब्लॉक,
रक्षा कार्यालय परिसर,
के जी मार्ग, नई दिल्ली-११०००१**

**DIRECTORATE OF STANDARDISATION
DEPARTMENT OF DEFENCE PRODUCTION
MINISTRY OF DEFENCE
6th FLOOR, 'A' BLOCK,
DEFENCE OFFICES COMPLEX,
KG MARG, NEW DELHI-110001**

RESTRICTED

RESTRICTED

FOREWORD

The Defence Standardisation derives its ethos and spirit from the very need of 'Entry Control' and 'Variety Reduction' in Defence Inventory. A well defined standardisation procedure is the pre-requisite for giving an impetus to Standardisation in Defence. The present Manual of Standardisation (revised in 2023, superseding the last version of 1999) highlights the functional and operational processes in Directorate of Standardisation. Vast technological advancements and reshaping of Defence Services structure has necessitated a revision of roles and even concepts in Standardisation. New concepts have emerged causing various committees/Sub-Committees and Apex bodies to revise their compositions and representations. NBC Standardisation Sub-Committee and IT Standardisation Sub-Committee have been newly created.

The manual is to guide the activities of Standardisation within the Defence ecosystem. The implementation of various techniques and procedures enumerated herein will bring out benefits of standardisation such as rationalization, substantial savings, and reduction in inventory, higher quality and reliability.

I sincerely hope that the revised edition of Manual will render valuable assistance in systematic standardisation in Defence, so that the benefit of standardisation, rationalization and simplification reaches all concerned.

New Delhi
10 May 2023



(Dr G. Satheesh Reddy)
Chairman
Standardisation Committee

RESTRICTED

RESTRICTED

TABLE OF CONTENTS

S. No.	Chapter	Topic	Page No.
1.	0	INTRODUCTION	1-2
2.	I	DEFENCE STANDARDISATION ORGANISATION	3-18
3.	II	DEFENCE STANDARDISATION CELLS UNDER DIRECTORATE OF STANDARDISATION : ROLE AND RESPONSIBILITIES	19-20
4.	III	SERVICES STANDARDISATION CELLS	21-22
5.	IV	STANDARDISATION PROCEDURE	23-26
6.	V	JOINT SERVICES SPECIFICATIONS (JSS) & PUBLICATION OF DCs	27-35
7.	VI	APPROVAL NOTIFICATIONS	36-39
8.	VII	JOINT SERVICES PREFERRED RANGE OF STORES (JSPR)	40-44
9.	VIII	JOINT SERVICES RATIONALISATION LISTS (JSRL)	45-49
10.	IX	JOINT SERVICES GUIDE (JSG)	50-51
11.	X	INTER SERVICES EQUIPMENT POLICY COMMITTEE (ISEPC) & INTER SERVICES WORKING GROUPS (ISWGs)	52-64
12.	-	APPENDICES 'A' TO 'R'	65-127
13.	-	ABBREVIATIONS	128-136

RESTRICTED

RESTRICTED

INTRODUCTION

0. HISTORICAL BACKGROUND & RELEVANCE

0.1 Since the dawn of history of mankind, Standardisation has existed in some form or the other. Without standard units or measurement (e.g. length, mass and time etc.) any form of wide trade and manufacture would not have been possible. The necessity of Standardisation was even felt during the 2nd world war when the Allies could not implement interchangeability in their war equipment. This finally resulted in formation of International Standards Organisation (ISO) which has defined “Standardisation” as follows:

0.2 “Best technical application consensual wisdom inclusive of processes for selection in making appropriate choices for ratification coupled with consistent decisions for maintaining obtained standards. This view includes the case of “spontaneous standardization processes”, to produce de facto standards.

0.3 Both Logistically and Economically, a smaller inventory and variety (purchased, stocked, transported and used by the services) results in a better war preparedness and fighting fitness.

0.4 Hence “Defence Standardisation” is defined as:

‘The use of minimum number of parts to serve the maximum number of purposes consistent with economical manufacture, minimum whole life cost and the quality/reliability necessary to ensure maximum fighting effectiveness’.

0.5 The benefits of Standardisation were realized in the Ministry of Defence as early as 1959 when a Standardisation Committee was set up under SA to RM. Based on their recommendations, Directorate of Standardisation was set up in the year 1962. Experience gained over the subsequent years resulted in the issue of ‘Standardisation Directive’ by the Government, in Oct 1977 (Appendix ‘A’) which laid the foundation of Standardisation activities in Defence on a sound footing. It defines in clear terms the philosophy of Standardisation, the services and other participating organisations and setup Monitoring Committees. Basic aims of Standardisation therefore are:

- a) Variety reduction of existing inventory.
- b) Effective Means of Entry Control.
- c) Optimising the resources, saving of time, money and yet maintaining war preparedness.

0.6 Meaningful Standardisation activity can take place only when the whole Defence inventory is codified in such a manner that it is not only useful to procurement agencies and

the AsHSP but lends itself to Standardisation activity and interoperability between the services. Methodology of Codification of Defence inventory and their regular updating is laid down in the Manual of Codification issued by Directorate of Standardisation and may be referred separately.

0.7 This manual deals with Standardisation policies, Organisational set-up, Duties and Responsibilities of various connected organisations, procedures for the preparation of Standardisation Documents and Training Activities. Efforts have been made to present these activities in well-defined chapters.

CHAPTER - I

DEFENCE STANDARDISATION ORGANISATION

1. GENERAL INTRODUCTION

1.1 The objective and functions of Directorate of Standardisation issued as a Directive by the Ministry of Defence dated 05 Oct 1977, subsequently revised vide MoM Ref No. 5489/SC14/DDST/1STD dated 16 May 2023. Standardisation Directive is placed as Appendix 'A'. The Organisation Structure is also placed as Appendix 'B'.

1.2 Directorate of Standardisation (DOS) is responsible for conducting Standardisation activities in all fields in Ministry of Defence under the control of Department of Defence production within the broad policies formulated by Standardisation Committee.

1.3 For efficient functioning, DOS is required to interact with various Organisations/agencies within/outside the Ministry of Defence. A chart placed at Appendix 'C' indicates the interacting agencies.

1.4 Philosophy of the Preparation of Standardisation Documents

1.4.1 Two important activities of the Directorate of Standardisation as mentioned in policy Directive (Appendix 'A') are as follows:

- a) Entry Control
- b) Variety Reduction

1.4.2 To achieve 'Entry Control' the Directorate prepares Joint Services Catalogues based on NATO Codification system. Catalogues are being published group-class wise and circulated to all concerned AsHSP and the Standardisation Sub-Committees. When a new Store/Item is introduced into the Services these Catalogues are checked through Computer Media to prevent duplication thereby ensuring 'Entry Control'.

1.4.3 To achieve Variety Reduction, the following types of Standardisation documents are prepared:

- a) Standardisation Sub-Committees are required to prepare a Joint Services Preferred Range (JSPR) for a list of stores based on a series of preferred numbers (such as Renard Series) for a particular commodity/equipment/assembly/sub-assembly/item belonging to a specific discipline like Armament, Electronics etc. This permits use of minimum number of sizes/grades of an item to cover adequately, the current and future requirements. It also aims at helping future design development. It

RESTRICTED

has two parts. Part 'A' contains list of current eqpt while Part 'B' contains list of obsolete/obsolescent items.

b) Standardisation Sub-Committees are also required to prepare a Joint Services Rationalised List (JSRL). It is a list of existing inventory items, arrived at after elimination of superfluous variety from existing inventory, which is adequate to meet the present requirement of users. Once a JSRL is issued for any commodity/equipment/assembly/sub-assembly/item the corresponding JSPR on the subject would be suppressed.

1.4.4 In addition to the above documents, Standardisation Sub-Committees also prepare Joint Services Specifications (JSSs) and Joint Services Guides (JSGs) to ensure Standardisation of products and processes separately.

1.5 Role of DoS

Directorate of Standardisation is responsible for conducting standardisation activities in all fields in the Ministry of Defence under the control of Department of Defence Production within the broad policies formulated by Standardisation Committee.

1.6 Functions

1.6.1 The functions of the Directorate of Standardisation are broadly given as follows:

a) To provide Secretarial support to Standardisation Committee, Defence Equipment Codification Committee (DECC), the Committee of Chairmen Standardisation Sub-Committees (CCSSC), Inter Service Equipment Policy Sub-Committee (ISEPSC) and the Standardisation Sub-Committees (SSCs).

b) To execute and follow up all decisions of Standardisation Committee, the Defence Equipment Codification Committee and the Committee of Chairmen Standardisation Sub-Committee.

c) To create Standardisation Sub-Committees/Technical Panels/Working Groups/Specialist Working Groups for preparation of Standardisation documents pertaining to Standardisation and allied activities and to promulgate their composition.

d) To scrutinize all new introductions of Defence Stores in the Services thus preventing superfluous variety of items from entering the supply system and to have an effective check on proliferation of items.

e) To provide technical advice on Standardisation matters to various important Committees of the Services such as General Staff Equipment Policy Committee and

RESTRICTED

RESTRICTED

Sub-Committees, Air Staff Equipment Policy Committee and Sub-Committees, various Technical Groups and Technical Committees, various Research and Development Panels, Steering Committees, Technical Coordinating Authorities, Inter Service Equipment Policy Committee and Sub-Committees.

f) To co-ordinate and conduct Standardisation Programme at the following levels:

1) National - To nominate Officers from Defence Organisations/Services to Technical Divisional Council and Sectional Committees of the Bureau of Indian Standards (BIS) or any other National Body as deemed fit and to adopt Indian Standards wherever possible.

2) Inter Service - To lay down policies, targets and execute orders on Standardisation activities.

3) Intra Service - To coordinate Standardisation activities with Service Standardisation Cells and other connected Organisations with a aim of Intra-Service Standardisation.

g) To promote adoption of “SI” units in Ministry of Defence.

h) To codify all transactions under the Defence Inventory using NATO Codification System.

j) To maintain a Data Base of codified Defence Inventory for the purpose of Rationalisation, Standardisation, Simplification and ‘Entry Control’.

k) To host the codified data on to DOS website which can be accessed by registered users when required to be referred. The data can be filtered using search filter provided (like Gp CL, AHSP, Name, INC etc) for extracting required data and publishing e-catalogues.

m) To approve, notify, print, stock and issue Standardisation Documents, Compendiums for the Ministry of Defence Units.

n) To maintain and run Technical Information Centre for all Standardisation activities.

p) To have an active interface with BIS, Service Standardisation Cells, DRDO, DGQA, DGAQA, DGNAI, Defence Public Sector Undertakings (DPSUs) and Private manufacturers of Defence Stores on all Standardisation and Codification matters.


RESTRICTED

RESTRICTED

- q) To conduct training of Officers and Staff on specialised subjects such as Standardisation and Codification.
- r) To conduct Capsule Programme on Standardisation activities in various training establishments of Services, DRDO, DGQA, DGAQA, DGNAI, DPSUs in order to propagate the philosophy of Standardisation.
- s) To monitor implementation of Standardisation documents.
- t) To procure international Standardisation Documents as required by Defence organizations.
- u) To procure National Standard (ISs) from BIS for use of all Defence establishments.
- w) To maintain central data base for Standardisation documents for networking for use of all Defence establishments.

1.6.2 Various Committees forming part of the Apex Standardisation organisation are depicted below:

APEX STANDARDISATION ORGANISATION



1.7 Standardisation Committee

The Standardisation Committee is the foremost policy making body on all matters pertaining to Standardisation as per Ministry of Defence letter No. 20(1)/64/DP (Plg-1)612/SD (PA) dated 17 Apr 1965, as amended vide letter No. 86545/Coord/D/P&D dated 16 Nov 1997. The composition and functions are given in the succeeding paragraphs.

1.7.1 Composition

Chairman – Scientific Advisor to Raksha Mantri

Members

- Additional Secretary (Defence Production).
- Master General of Sustenance, Army HQ
- Chief of Material, Naval HQ
- Air Officer-in-Charge-Maintenance, Air HQ.
- Deputy Chief of Integrated Defence Staff (Perspective Planning and Force Development) (DCIDS (PP & FD)), HQIDS.
- Director General (PC & SI), DRDO.
- Director General of Quality Assurance (DGQA).
- Director General Aeronautical Quality Assurance(DGAQA)
- Joint Secretary (Planning & Coordination)
- Director General Naval Armament Inspection (DGNAI)
- Rep Indian Industry

Co-opted -- Director General (Acquisition) MoD
-- Director General of Bureau of Indian Standards

Member – Director, Directorate of Standardisation.
Secretary

The Defence Standardisation Committee may co-opt and invite representatives from various organisations as on required basis.

1.7.2 Functions

- a) To lay down policy guide lines concerning Standardisation and other matters coming within the scope of Standardisation Directive, for the purpose of evaluation, selection and introduction of major new weapons and equipment by the Defence Services.
- b) To lay down the policy of Joint Service Standardisation Documents.

- c) To review and guide the Defence Standardisation activities.
- d) To liaise with other National and International Standardisation Organisations.

1.8 Committee of Chairmen Standardisation Sub-Committees (CCSSC)

1.8.1 Composition

Chairman – Additional Secretary (Defence Production)

Members

- Chairman, Aero Stores Standardisation Sub-Committee.
- Chairman, Armament Standardisation Sub-Committee.
- Chairman, Electrical Standardisation Sub-Committee.
- Chairman, Electronic Standardisation Sub-Committee.
- Chairman, Engineering Equipment Standardisation Sub-Committee.
- Chairman, Guided Missiles Systems & Components Standardisation Sub-Committee.
- Chairman, Instrument Standardisation Sub-Committee.
- Chairman, Marine Equipment Standardisation Sub-Committee.
- Chairman, Material Standardisation Sub-Committee.
- Chairman, Medical Stores Standardisation Sub-Committee.
- Chairman, Stores Standardisation Sub-Committee.
- Chairman, Vehicles Standardisation Sub-Committee.
- Chairman, Information Technology Standardisation Sub-Committee.
- Chairman, Nuclear Biological Chemical Standardisation Sub-Committee

Co-opted Members

- Standardisation Cell (Air Force)
- Standardisation Cell (Army)
- Standardisation Cell (Navy)

Member Secretary

- Director of Standardisation.

1.8.2 Functions

- a) To progress the activities on preparation of Standardisation Documents.
- b) To lay down the norms for preparation of Standardisation Documents.
- c) To review the Five Year Roll-on-Plan for preparation of Standardisation Documents.
- d) To work in close liaison with Standardisation Committee.
- e) To resolve any controversial issues while preparing Standardisation Documents, through discussions in meetings.
- f) To lay norms for adoption of National Standards.

Authority - (Government of India, Ministry of Defence letter No. 1800/2/Coord/Std Dated 07 Apr 84 as amended from time to time). & GOI MOD letter no 1800/CCSSC/Coord/Std/2219/D(QA) dt 28 June 1999.

1.9 Standardisation Sub-Committee

1.9.1 To assist the Standardisation Committee in implementation of policy and execution of Standardisation targets, fourteen Standardisation Sub-Committees have been created with adequate representations from DGQA, DRDO, DGAQA, DGNAL, DPSUs, Services and Specialised Officers of Defence concerned with Standardisation task. Copy of original Govt. of India letter is placed as Appendix 'D'.

1.9.2 The names of Standardisation Sub-Committees are as under:

- a) Aero Stores Standardisation Sub-Committee (Aero SSSC).
- b) Armament Standardisation Sub-Committee (ASSC).
- c) Electrical Standardisation Sub-Committee (ESSC).
- d) Electronics Standardisation Sub-Committee (LSSC).
- e) Engineering Equipment Standardisation Sub-Committee (EESSC).
- f) Guided Missile Systems & Components Standardisation Sub-Committee (GMS& CSSC).
- g) Instruments Standardisation Sub-Committee (ISSC).
- h) Marine Equipment Standardisation Sub-Committee (MESSC).
- j) Material Standardisation Sub-Committee (MSSC).
- k) Medical Stores Standardisation Sub-Committee (Med SSSC).
- m) Stores Standardisation Sub-Committee (SSSC).
- n) Vehicles Standardisation Sub-Committee (VSSC).

- p) Information Technology Standardisation Sub-Committee (IT SSC).
- q) Nuclear Biological Chemical Standardisation Sub-Committee (NBC SSC).

1.9.3 Functions

- a) Selection of Components, Assemblies, Sub-Assemblies and Equipment for Standardisation based on a priority weighed system drawn up in accordance with operational and logistic considerations.
- b) To prepare and finalise, Joint Services Specifications (JSSs), Joint Services Guides (JSGs), Joint Services Rationalised List (JSRLs), Joint Services Preferred Ranges (JSPRs), and Approval Notifications (ANs) in respect of components, assemblies, Sub-assemblies, equipment and other Defence Stores.
- c) To carry out periodic review of JSPRs, JSRLs, JSSs, JSGs and ANs to incorporate latest developments in that particular field whenever possible or to withdraw/revise them.
- d) To carry out review of departmental/domestic specifications with the object of converting these specifications, when appropriated, to Joint Service Specifications as per JSG 031 format.
- e) To standardize equipment and stores for the Defence requirements for the purpose of variety reduction and reduction in cost of manufacture/procurement.
- f) To recommend the creation of Specialist Technical Panels and Working Groups to undertake the detailed task of preparation of JSSs, JSGs, JSRLs, JSPRs and of items/stores selected by the Sub-Committee for Standardisation.
- g) To assign specific tasks to the Specialised Technical Panels to be accomplished in a given time frame and monitor the progress of their work so as to ensure timely execution/completion of the tasks entrusted to them.
- h) To continuously review the requirement of Specialist Technical Panels and Working Groups formed as a result of recommendations and suggest creation of new or dissolution of the existing panels/Working groups.
- j) To continuously evaluate commercial products of inter service usage through the assistance of concerned Quality Assurance and Testing agencies such that a list of two to three nominated manufacturers for each one of these products is always available to guide/help procurement agencies.

- k) To formulate and recommend a system of assessing cost/benefits of Standardisation effort, in their respective discipline.
- m) To interact with Bureau of Indian Standard and other National Standard bodies for Harmonisation of Defence Standards with National Standards.
- n) To study ISs published by BIS in their respective field and identify standards for adoption for defence use.

Authority - Government of India Ministry of Defence letter No. 86545/Coord/Std/8410/D(R&D) dated 16 Nov 77. GOI MOD letter no 1800/CCSSC/Coord/Std/2219/D(QA) dt 28 June 1999 and GOI MoD letter No.1800/CCSSC/Coord/Std/1119/DS/IIII dated 06 Jul 2000.

1.10 Technical Panels

To assist the Sub-Committees, Technical Panels have been created. Authority to form the Technical panels rests with the Chairman of the Standardisation Committee. The composition of the Technical Panels, can however, be revised by the Chairmen of the Sub-Committees under the authority of Government of India Ministry of Defence letter No. 86545/Coord/Std/9350/D(R&D) dated 14 Nov 77. The letter is placed as Appendix 'D'.

1.11 Working Groups

The Chairman of Standardisation Sub-Committee and Technical Panels may constitute Working Groups within the Sub-Committee/Technical Panels for progressing specific standardisation tasks which need expert and detailed study. Such Working Groups will be dissolved on completion of the assigned task. Government of India, Ministry of Defence letter No. 1800//1/Coord/Std/ PC-2/5210/D(Insp) dated 31 Aug 1987 is placed at Appendix 'E'.

1.12 Specialist Technical Panels

To help the designers of equipment, an Equipment Technical Panel has been created known as 'Specialised Technical Panel for Human Factor for Designers of Equipment' vide letter No. 1811/1/Coord/Std/PC-3/D/10/D/(Insp) dated 31 Aug 88 enclosed as Appendix 'E'.

1.12.1 Priority of Standardisation rests with indigenous equipment/spares. However considering the quantum of foreign Defence hardware inducted imported equipment/spares will also be taken up for Standardisation.

1.13 Defence Equipment Codification Committee (DECC)

The importance of codification and cataloguing of Defence Stores on Joint Services basis under a uniform system was realized as early as 1959 when DECC was set up by the Government of India to give a practical shape to the principles of Standardisation and Codification of Defence Stores, DECC formed originally under the Government of India letter No. 86551/Std Sectt/5860/CG (Admin) dated 29 Jun 1959. The committee was reconstituted from time to time due to changes in organizational structures of establishments of stake holders and involved in codification activities.

1.13.1 This Committee is the paramount body dealing with Codification and Cataloguing activities of Defence stores. Committee functions under Standardisation Committee which is the Apex Body that lays down broad policies. All policy decisions on matters pertaining to codification and cataloguing and priorities for codification are taken by DECC. Joint Secretary (P&C) is the Chairman of the Committee and its members include representatives from all three services, DGQA, DGAQA, DGNAI, DRDO and DPSUs. Director, Directorate of Standardisation is the member secretary of DECC.

1.13.2 *Composition of Defence Equipment Codification Committee*

The present composition of Defence Equipment Codification Committee is as under:

- a) Chairman – JS (P&C) Department of Defence Production, Ministry of Defence.
- b) Member Secretary – Director, Directorate of Standardisation.
- c) Members
 - 1) Ministry of Defence – To be nominated by DG (Acq).
 - 2) DRDO
 - i) Director Inter-Services Business (DISB).
 - ii) As nominated by Chief Controller (Aeronautics & Service Interaction) (CC AE&SI).
 - 3) HQ IDS
 - i) Rep of Op Logistic Directorate.
 - ii) Rep of Director General Armed Forces Medical Services.

RESTRICTED

- 4) IHQ of MOD (Army)
 - i) Director General of Ordnance Services (DGOS).
 - ii) Engineer – in – Chief.
 - iii) Director General Weapons & System (DGWE).
 - iv) Officer-in-charge Army Standardisation Cell.
 - v) Master General of Sustenance (MGS).
 - vi) Representative of Master Inventory Scaling Organisation (MISO).

- 5) IHQ of MOD (Navy)
 - i) Chief of Material (COM).
 - ii) Director General of Naval Armt (DGONA).
 - iii) Director General Naval Armt Inspection (DGNAI).
 - iv) Director of Logistics Services (DLS).
 - v) Director Naval Air Material (DNAM).
 - vi) Director of Indigenization (DOI).
 - vii) Officer-in-charge Naval Standardisation Cell.

- 6) Air HQ
 - i) Director Procurement.
 - ii) PDMP/PD Indigenisation.
 - iii) D IMMOLS.
 - iv) C Eng O (C), HQ MC.
 - v) Officer-in-charge Air Force Standardisation Cell.

- 7) DGQA
 - i) Director General of Quality Assurance (Admin-19).
 - ii) Director of Quality Assurance (Vehicles) - DQA(V).
 - iii) Director of Quality Assurance (Electronics) - DQA(L).
 - iv) Director of Quality Assurance General Stores - DQA(GS).
 - v) Director of Quality Assurance Engineering Equipment-DQA(E).
 - vi) Director of Quality Assurance (Armament) - DQA(A).
 - vii) Director of Quality Assurance (Weapon) - DQA(W).
 - viii) Director of Quality Assurance (Naval) - DQAN*.
 - ix) Director of Quality Assurance (Warship Project) DQA(WP).
 - x) Director of Quality Assurance (Radar & Systems) - DQA (R&S).
 - xi) Director of Quality Assurance (Metal & explosives)-DQA. (M&E).
 - xii) Director Quality Assurance (Combat Vehicle) - DQA (CV).

* Decision & reassign AsHSP functions pending with IHQ of MOD (Navy)

- 8) DGAQA, DGNAI

RESTRICTED

- 9) DPSUs
 - i) Bharat Electronics Ltd (BEL)
 - ii) Bharat Earth & Movers Ltd (BEML)
 - iii) Hindustan Aeronautics Ltd (HAL)
 - iv) Electronic Corporation of India Ltd (ECIL)
 - v) Bharat Dynamics Ltd (BDL)
 - vi) Garden Reach Ship Builders & Engineers Ltd (GRSE)
 - vii) Goa Shipyard Ltd (GSL)
 - viii) Mazgaon Dock Ltd (MDL)
 - ix) Hindustan Shipyard Limited (HSL)
 - x) Munitions India Limited (MIL)
 - xi) Armoured Vehicles Nigam Limited (AVANI)
 - xii) Advanced Weapons and Equipment India Limited (AWE India)
 - xiii) Troop Comforts Limited (TCL) (Troop Comfort Items)
 - xiv) Yantra India Limited (YIL)
 - xv) India Optel Limited (IOL)
 - xvi) Gliders India Limited (GIL)
 - xvii) Cochin Shipyard Limited (CSL)

1.13.3 Functions of Defence Equipment Codification Committee

Functions of DECC are given below:

- a) To formulate and review a Joint Service Codification Policy and evolve a suitable Codification System taking into consideration international activities in the field.
- b) To make recommendations for the implementation of codification policy.
- c) To keep close liaison with the Standardisation Committee.
- d) To guide and monitor activities of the Defence Codification Authority.
- e) To formulate rules and procedures for Joint Services Cataloguing.

1.14 Entry Control Cell

1.14.1 Defence Standardisation is defined as ‘a means to provide the use of minimum number of parts to serve the maximum number of purposes consistent with economical manufacture, minimum whole life cost and the quality/reliability necessary to ensure maximum fighting effectiveness’. To achieve Defence Standardisation, two major activities which are being followed are:

- a) Effective means of entry control.
- b) Variety reduction of existing inventory.

1.14.2 'Entry Control' through Standardisation shall be planned and implemented for preventing variety of items from entering the supply system. When one service wishes to introduce any item, it shall first refer to the preferred Ranges or Joint Services Specifications issued on similar items. When any service wishes to introduce an item dissimilar to that listed in a preferred Range or Joint Services Specification, it shall do so only after referring to the Directorate of Standardisation. The above clearly lays down that introduction of the items to the service are to be selected from the preferred Ranges of the items so that proliferation of the items is checked. Further, in case any item is available in any of the service; the utility of the same is to be checked by the service which wishes to introduce the item. For effective Entry Control, it is desirable to codify the entire current Defence inventory.

1.14.3 *Functions*

The earliest stages of a development project or procurement of equipment where principles of Standardisation can be effectively applied are:

- a) Formulation of the qualitative requirements by the services.
- b) Design and development phase by DRDO.
- c) Procurement of commercial equipment from civil sources.

1.14.4 *Actions to be taken by Services*

- a) Finalise Qualitative Requirement (QR) keeping in view Inter-service commonality of equipment. They will consult their respective Standardisation Cell and Directorate of Standardisation at the conceptual stage and finalise the QR within 45 days.
- b) Incorporate a clause in the QR (Qualitative Requirement) to ensure:
 - 1) Use of Standard components, items, materials etc., quoting reference of relevant specifications wherever possible.
 - 2) Adopt Standard procedures on preparation of documents/ drawings.
 - 3) Implement Environmental testing as per specifications laid down in the relevant Joint Service Specifications (JSSs) wherever applicable.
 - 4) Use of only System International (SI) units and Standard sizes/ capacities of sub-assemblies and assemblies.

RESTRICTED

- c) Include Directorate of Standardisation as member of Technical Coordinating Authority (TCA) Steering Committees.
- d) Consult Directorate of Standardisation to ensure entry control and variety reduction wherever development of an item from the trade is contemplated.
- e) Furnish details of newly introduced items, equipment and weapons along with their spares, components and ancillaries to Directorate of Standardisation in case of items selected for introduction with specific Qualitative Requirements(QRs).

1.14.5 Action to be taken by Directorate of Standardisation for Effective Entry Control

- a) Scrutinise all statement of cases/draft QRs (Qualitative Requirements) and ensure that all standardisation aspects as under have been incorporated:
 - 1) Establish Inter-service commonality after obtaining comments from IDS wherever possible.
 - 2) Examine Inter-service commonality wherever possible.
 - 3) Requirement of Standardisation documents and test procedure as laid down in Joint Service Specification (JSS).
 - 4) Use of Standard component, environmental specifications.
 - 5) Adoption of SI units.
- b) Maintain a data bank of current Inter-Service equipment/holding to enable establishment of the Inter-Service Commonality of equipment and their accessories at the conceptual and feasibility stage.
- c) Wherever possible, apprise service HQ on correct reference and application of the existing JSS/JSPR/JSRL and IS Specification while mentioning the same in the Qualitative Requirement (QR) on use of components, items, materials, preparation of literature, use of SI units and application of environmental testing specifications.
- d) Assist the designer in formulating the provisional technical/design specification by making available to him the requisite Joint Service Specifications/ Indian Standard Specification/Foreign Specifications wherever available.
- e) Associate with Quality Assurance Authority/Authority Holding Sealed Particulars (AHSP) in having a feedback from them on the deviations in specifications, test levels, test specifications etc and Quality Assurance Authority Holding Sealed Particulars to provide requisite information on a specified Performa.

RESTRICTED

RESTRICTED

f) Associate with Directorate General of Electrical and Mechanical Engineering and apprise them on the requirements of test equipment, special maintenance tools (SMTs). General tools, test fixtures etc. as per available JSS/JSPR/JSRL.

g) All newly introduced items are required to be codified before induction into service. However, for those items which are already in service are to be codified as per the principles of Codifications given below:

- 1) All recently introduced indigenous equipment and items with predicted life of more than 10 years.
- 2) Main Equipment.
- 3) Assemblies/sub-assemblies.
- 4) Stores essential for maintenance of the equipment through its life cycle.
- 5) Components.
- 6) In all categories selection should start with those items which are going to remain in Service for the longest time.

h) Undertake Codification of the items, as per the principles of codification.

j) Liaise with design authority/production agency, Quality Assurance Authority, Directorate General of Electrical & Mechanical Engineering and specify the list of components and sub-assemblies which are more prone to standardisation and reduction in variety.

k) Liaise with Public Sector undertaking (PSUs) and private suppliers/ agents of Defence and other Defence Undertakings and get necessary information of their stores with a view to bring them under standardisation activity.

m) Assist and advise Technical Groups/Committees and the Dept. of Defence Production on standardisation activity in procuring items from trade.

n) Defence Standardisation Cells

NOTE - A separate Chapter on Defence Service Standardisation Cells and their activities/role and responsibilities is placed as Chapter II.

RESTRICTED

1.14.6 *Action to be taken by DRDO during Design and Development Phase*

For effective Entry Control, Standardisation groups/cells and DRDO establishments should scrutinise the design from standardisation angle. They should ensure that standardised assemblies, components and materials are used to the extent possible. Experts from production agencies viz. Defence PSUs should also be associated to ensure optimum utilisation of existing plant, machinery and process, thereby reducing production costs and early production of prototype equipment.

1.14.7 *Action to be taken by Procurement Agencies during Procurement of Equipment from Civil Trade*

Commercial equipment continues to be procured based on performance oriented specifications on open tender basis through nominated sources. Items peculiar to defence are also being procured regularly through limited tender by various Technical committees and department purchase committees of the services. Dte of standardisation should be associated to scrutinise all new purchases from standardisation angle.

1.14.8 *Action to be taken by Standardisation Sub-Committees (SSCs) on Variety Reduction*

Standardisation Sub-committee (SSC) are preparing JSRLs on various stores of inter-service utility, where scope of rationalization exists. SSCs while preparing new JSRLs and revising the old JSRLs should refer the inventory list on the subject and include all the current items in Part 'A' and items rendered obsolescent/obsolete (as a result of rationalisation/variety reduction) in Part 'B' of JSRL. However once a JSRL on a particular store is issued, a JSRL on that store, if exists, should be withdrawn after getting the items introduced and DCAN No. allotted to all the uncodified items.

1.15 Data Networking Complex (DNC)

1.15.1 Data Networking Complex (DNC) under Directorate of Standardisation has been established in Dec 1998.

1.15.2 DNC will cater for provision of internet and LAN services as per the requirement and authorisation amongst various sections of the Directorate located at 'A' Block, 6th Floor, KG Marg. DNC will also ensure that the Joint Service Standards and BIS Standards are available to the registered users through the website of the Directorate.

CHAPTER - II

**DEFENCE STANDARDISATION CELLS UNDER DIRECTORATE OF
STANDARDISATION: ROLE & RESPONSIBILITIES**

2. INTRODUCTION

2.1 The Directorate of Standardisation in the Ministry of Defence is responsible for taking all measures regarding Standardisation of Defence Stores. This Directorate has been functioning under the Department of Defence Production since 1962. The tasks performed by this Directorate can be summarized as under:

- a) Coordinate with SSCs in the zone towards Rationalisation of existing variety of equipment and stores specific to service as per Five Year Roll-on-Plan.
- b) Forward recommended lists of rationalised equipment and stores to Directorate of Standardisation for issue of JSPR and JSRL.
- c) Collate requirement of specifications from all Line Directorates/Formations/Commands/Units and forward to DOS to include in the task.
- d) Organize distribution of Standardisation literature within the Service.
- e) As Member Secretary offers comments on draft Standardisation documents received from various Defence Standardisation Sub-Committees.
- f) Maintain regular contact with Directorate of Standardisation on all matters pertaining to Standardisation and Codification of Defence inventory.
- g) Nominate and co-ordinate the service representation to ensure active and effective participation in all meetings pertaining to Standardisation.
- h) Liaise with DPSUs and AsHSP to ensure codification of equipment/ Products by OEM/AHSP and also as verifier, verify the correctness of Codification data prior forwarding the request for generation of NSN at DOS HQ.

2.2 Codification of Defence Equipment can be described as the evolution and employment of a code or a system that uses an uniform pattern of numbering the items and denoting each item by a well-defined scientific nomenclature, which will uniquely identify a store/item when so referred to. Codification is a pre-condition for developing Defence Catalogues and a data base for entry control, standardisation and rationalisation/variety reduction. Codification followed by standardisation results in enormous savings in inventory

management and provide a better and more scientific method for unique identification of items and management of procurement on a planned basis in the Services.

2.3 In order to finalise any standardisation document, considerable work has to be done by way of getting complete identification details, method of manufacture, details of material and testing procedures. Directorate of Standardisation does not have a machinery of its own to obtain these details. It has, therefore, to be dependent upon the agencies of the Directorate General of Quality Assurance (for Army), Air Force and Navy, who are responsible for maintaining specification of respective Inventory items, known as the Authorities Holding Sealed Particulars (AsHSP). Further manufacturer's and establishments of Defence Research and Development Organisation are also the sources from which the Directorate of Standardisation obtain the particulars required for the preparation of standardisation documents. The AsHSP who function under the control of DGQA are spread throughout the country and functionally divided on the basis of the specific discipline/equipment they deal with. Thus, there are separate AsHSP for vehicle, for materials and for electronic items etc. The Directorate of Standardisation has to rely on this machinery for obtaining the required particulars for producing the standardisation documents. Similarly, the AsHSP of Air Force and Navy are also located at various parts of the country which are to be approached for getting necessary technical information on the Defence Stores they deal with.

2.4 The Directorate of Standardisation does not have any staff stationed in the AsHSP for collecting the information or feedback. Accordingly, Nine Standardisation Cells (DSCs) under Director, Directorate of Standardisation at New Delhi, Bengaluru, Pune, Jabalpur, Kolkata, Chennai, Kanpur, Dehradun and Secunderabad covering all the AsHSP have been established. These DSCs are responsible to liaise with various AsHSP (as nominated by DOS) to collate information/feedback for the purpose of codification/preparation of standardisation documents. The details are given at Appendix 'F' to this chapter.

2.5 The staff will be a part of the Directorate of Standardisation and the duties of the staff preparing Standardisation documents/codification activity are given as Appendix 'G' to this chapter.

CHAPTER - III

SERVICE STANDARDISATION CELLS

3. INTRODUCTION

3.1 Standardisation Cells headed by Senior Officers have been established in each Service Headquarters to deal with all Standardisation matters on behalf of the particular service who would be responsible for:

- a) INTRA SERVICE rationalisation and simplification of existing variety of equipment and stores, specific to the service.
- b) Monitoring and ensure implementation of the standards issued by the Directorate of Standardisation.
- c) Act as a single nodal point for interaction with Directorate of Standardisation on matters pertaining to Standardisation and Codification activities.

3.2 Duties of Standardisation Cells

Based on the above objectives, the detailed charter of duties is given below:-

- a) Rationalisation of existing variety of equipment and stores specific to service, by formulating a Five Year Roll-on-Plan.
- b) Forward recommended lists of rationalised equipment and stores to Directorate of Standardisation for issue of JSPR and JSRL.
- c) Collate requirement of specifications from all Line Directorates/ Formations/Commands/Units and forward to DOS to include in the task.
- d) Organize distribution of Standardisation literature within the Service.
- e) Monitor the implementation of Standardisation documents within the Service and forward feedback to DOS as per JSG-016.
- f) Offer comments on draft Standardisation documents received from various Defence Standardisation Sub-Committees.
- g) Maintain regular contact with Directorate of Standardisation on all matters pertaining to Standardisation and Codification of Defence inventory.

- h) Nominate and co-ordinate the service representation to ensure active and effective participation in all meetings pertaining to Standardisation.
- j) Liaise with Standardisation Cells of other Services on matters of Standardisation.
- k) To provide all inputs/information to Directorate of Standardisation on matters relating to calibration and accreditation activities.

3.3 Procedure of Rationalisation & Implementation of Documents

The following SOP is laid down:

- a) **Rationalisation** - Service Standardisation Cells (Army, Navy, and Air Force) will rationalise the existing inventory pertaining to their respective service by getting the details of all existing current inventory for each item from the depot concerned. Thereafter, the list will be forwarded to AHSP in duplicate. The AsHSP will examine the list with a view to establish correctness of its item details and return the same to the service standardisation cell. The Cell will then study the list and recommend deletion of unwanted inventory in consultation with users/provisioning agencies. The list will then be vetted by the concerned AHSP and forwarded to Directorate of Standardisation, AHSP and Depot concerned as a finalised document of rationalised list of that item for that service. AHSP and Depot should ensure that documents forwarded by Standardisation Cells are returned duly actioned within 6 weeks from the date of receipt.
- a) **Implementation of Documents** - No Standardisation document i.e. JSS/JSR will be published by Standardisation Cells directly as mandatory documents for use by the Services. All the necessary documents prepared by the Standardisation Cells are required to be forwarded to the Directorate of Standardisation who, in turn will take up for inter service Standardisation and then publish with the approval of the Ministry for the use of three Services as a mandatory document. The documents will be uploaded on Directorate of Standardisation website for viewing by registered users free of cost. However, Service Standardisation Cells will promulgate implementation of rationalised lists of its service inventory prepared by them. Implementation of these documents will be done to the extent that a check could be enforced while processing further stores for the service use. This will ensure rationalisation within service till the JSR/JSRL is published by the Directorate of Standardisation. Consequent to publication of JSR/JSRL, AHSP shall publish the list of the deleted items (Part 'B' of the JSRL), or take suitable action as prevalent in their service for updating their inventory.

CHAPTER - IV

STANDARDISATION PROCEDURE

4. INTRODUCTION

A five year roll on plan, for next five consecutive financial years is to be prepared, in the month of December every year. This plan broadly indicates the subjects on which the standardisation documents will be prepared in each financial year. This plan is formulated according to the policy directive issued by Standardisation Committee. A five year roll on plan thus prepared is submitted to the Chairman by respective secretary of each standardisation sub-Committee for discussion and approval. This five year roll on plan is reviewed and updated every year. The same would be ratified in the Annual CCSSC meeting to be held in Mar/Apr every year and then promulgated to all as per JSG-013. Consolidated input of Service Standardisation cells if available should be included in the relevant SSC of the ROP.

4.1 Preparation of Current Year's Programme

4.1.1 The secretaries of standardisation sub-committees shall review the current year and next year's programme and include or delete the subjects on which standardisation documents are to be prepared for the current year and the consequent years. After incorporating the suggestions of the members of the sub-committee and the Service Standardisation Cells the five year roll on plan is approved by the Chairman of their respective SSCs. The final roll on plan would thereafter be promulgated to all concerned.

4.1.2 The Chairman of each Sub-Committee shall also fix the annual target for preparation of Standardisation documents for the current year, keeping in view the Five year roll on plan and forward the same to Technical Coord section of Directorate of Standardisation for approval by CCSSC and ratification by Standardisation Committee.

4.1.3 After the approval of the five year roll on plan by the Chairman CCSSC. The Chairman of each Standardisation Sub committee distributes the tasks to the panel/working groups/special technical panel for preparing the necessary standardisation documents. The schedule of activities towards finalization of ROP with timeline is placed as Appendix 'H'.

4.2 Collection of Data

At appropriate time, the Secretary, Standardisation Sub-Committee calls for and collects the data relevant to preparation of Standardisation documents from Service HQrs, Stock Holders, AsHSP, Quality Assurance Establishments and other agencies including private and public sector. Concerned agencies are to render willing co-operation by furnishing the necessary

information for the fulfillment of this programme. Collection of data may require reference to such other sources as:

- a) Catalogues, vocabularies or list of items in stock.
- b) Specifications (National as well as International), technical manuals, drawings, purchase descriptions and other technical and statistical data used for procurement purposes.
- c) Current stock positions and wastage rates.
- d) Continued requirements of the users.

4.3 Preliminary Analysis of Data

A detailed examination of the data is made by the Secretary, Standardisation Sub-Committee, to determine the scope for standardisation. This examination may require a physical inspection and comparison with other similar items under consideration and may also require reference to drawings related to them. When such occasions arise, the respective Services will arrange to supply the sample stores to the members of Sub-Committee/Panels/ Working Groups as the case may be, at a place decided by the Directorate. Formal approval, if require must be obtained by the service concerned before the stores are dispatched.

4.4 Assignment of the task to the Technical Panel

The Standardisation Sub-Committee in its meeting may decide to assign the task to a Specialist Technical Panel by inviting specialist in that particular field, in accordance with Para 4.5.

4.5 Convening of Technical Panel

Authority to convene a Specialist Technical Panel has been vested with the Chairman Standardisation Sub-Committee vide Government of India, Ministry of Defence Memorandum No. 86545/Coord/Std/8410/D(R&D) dated 16 Nov 1977. The convening order contains the following:

- a) Date and Place where the panel will assemble.
- b) Composition.
- c) Terms of Reference.
- d) To whom and when the recommendations of the panel are to be submitted.

4.6 Composition of Technical Panel

The Secretary of the Sub-Committee in consultation with the Chairman invites nomination for the panel from the Service HQrs, Defence Establishments and public/Private Sector. This panel will then be composed after nominations are received.

4.7 Terms of Reference of Technical Panel

Directorate of Standardisation issues the terms of reference as approved by the Sub-Committee alongwith its composition to the members of the technical panel. Any amendment/deletion/change in the terms of reference/composition will be referred to the Chairman of the Sub-Committee who in turn will discuss the changes in the Sub-Committee and will get the necessary amendment issued by the Directorate of Standardisation.

4.8 Time Limit for the Submission of the Final Document by Technical Panel

The technical panel will progress the task assigned to them with the help of Secretary of the Sub-Committee and other members. They will complete the task and submit the finalised draft standardisation document to the Standardisation Sub-Committee within the time frame allotted to them. In case the task is likely to continue beyond the stipulated date, the head of the Technical panel will seek extension of time limit from the Chairman of the Standardisation Sub-Committee. The Chairman of the Sub-Committee is empowered to decide the probable date of completion of the task in consultation with the members and will get suitable instructions issued by the Directorate of Standardisation to the head of the Technical panel.

4.9 Preparation of Draft Standardisation Documents by Regular Panel/Working Group

The members of Sub-Committee/Panel/Working Group take decision as to what document i.e. JSPL/JSRL/JSS/JSG is to be prepared and Indian Standards to be adopted. The Secretary, Panel/Working Group in consultation with members of Panel/ Working Group subsequently prepares the first draft document which is circulated to the members. The draft is discussed in depth during the Sub-Committee meetings. Based on the deliberations, a finalised draft document is prepared by the Secretary.

4.10 Meeting of Standardisation Sub-Committee

4.10.1 After the circulation of the finalised draft a meeting of the Standardisation Sub-Committee will be called to discuss the task in detail. The members of the Sub-Committee are represented at appropriate level. They are vested with authority to take decision on behalf of those whom they represent to achieve speedy results. In exceptional cases, however, the member may consult his parent Organisation before any decision is finalised. Any fresh

issues arising during the Sub-Committee meeting will be taken up with Standardisation Committee meeting if no decision could be arrived at.

4.10.2 If, during the Sub-Committee meeting, the members of the Sub-Committee feel that the recommendations or any part of the recommendation of the working group requires a further detailed investigation to arrive at a decision, the task will be re-assigned to them in accordance with the procedures given above.

4.10.3 Minutes of the meeting of the Standardisation Sub-Committees will be recorded by the Secretary and issued to all concerned duly approved by the Chairman. Minutes are to be issued as soon as possible after the meeting. Any amendments or additions to the minutes may be accepted in consultation with the Chairman.

4.10.4 When a document is approved by the Standardisation Sub-Committee, the Chairman and secretary will render separate certificates on the format enclosed as Appendix 'J' and 'K' to this chapter.

4.10.5 The Chairman of Standardisation Sub-Committee is responsible for meeting the target laid down for his Sub-Committee.

CHAPTER - V

JOINT SERVICES SPECIFICATION (JSS)

5. DEFINITION

5.1 JSS is a specification which is peculiar to Defence use and contains a concise statement of a set of requirements to be satisfied by a product, a material or a process indicating appropriate procedure by means of which it may be determined whether its given requirements are satisfactory.

5.2 Joint Services Specifications are Government documents prepared by the various Standardisation Sub-committees with the help of Technical Panel/Working Groups (wherever applicable). These documents are mandatory for adoption in Defence as per Government of India letter No. 86546/32/Coord/Std dated 06 Feb 1982 (placed as Appendix 'L') whenever such a document is approved by the Ministry, use of the departmental specification in respect of the same item/components/assembly/equipment/material etc. if existing, will cease forthwith. A necessary 'Departmental Change (DC)'/Service order would be published by the concerned AsHSP within 3 months of the publication of the said JSS. Sub-Committee who drafts the specification ensures that the services, department, branches, establishments and other agencies involved in the preparation of these specifications are consulted and their views are given full consideration. If necessary, members from the agencies outside the Sub-Committees should be co-opted to sub-committee. For co-opting such members, the existing procedures as given in Chapter IV are to be followed in all cases. It is essential that the members of the subcommittee/panel ensure that they have considered the views of all concerned branches or departments/organisation they represent. More frequent meetings of the sub-committee/panel should be conducted to sort out the differences in views of the participant members, if necessary

5.3 Preparation of JSS

The selection of items for preparing of JSS is to be made on the basis of cost, volume and multiuser (used by minimum two services). AsHSP/responsible organisation must confirm whether item is used by at least two services (Army/Navy/Air Force) and provide its Part No. (DS Cat No./ILMS No./GIG/NSN). It should also be specified if the item falls under category of high cost (> Rs 1.2 Lakh per item) and/or high volume (> Rs 10 Lakh irrespective of unit/item cost). Efforts should be made to formulate JSS if the item is high cost and /or high volume inspite of being used by single service.

5.4 Interface with BIS

Our National Standard is 'Indian Standard' prepared by BIS. It is the policy of Government and the Standardisation Committee to adopt BIS Standards wherever possible thereby reducing duplicity and effort. In preparing a specification, all materials and component parts conforming to BIS standards will be specified wherever possible.

5.5 Priority for Selection of Items

5.5.1 The purview of JSS extends to all items/stores/materials/processes/procedures in Defence for which no Indian Standards are available or the existing National Standards do not meet the requirement of service in totality. Joint Services Specifications are applicable to more than one service and while selecting items for preparation of JSS/Approval Notification, the following priorities will be considered:

5.5.2 *Priority I*

- a) High Cost/high volume common user items under indigenisation applicable to all the three services.
- b) High Cost/high volume common user items already indigenised applicable to all the three services.

Priority II

- a) High Cost/high volume common user items under indigenisation and applicable to two services.
- b) High Cost/high volume common user items already indigenised and applicable to two Services.

Priority III

- a) Balance of common user items under indigenisation and applicable to more than one service.
- b) Balance of common user items already indigenised and applicable to more than one service.

IMPORTANT NOTE - In all categories items having maximum residual service life should be taken up first.

5.6 Drill for Preparation of JSS

5.6.1 After selecting an item for preparation of JSS from the five year Roll-on-Plan the following aspects will be looked into:

- a) Check up from the AsHSP of all the three Services whether any departmental specification exists, if so, refer the departmental specifications while framing draft Joint Service Specification.
- b) Check up from BIS Hand Book, whether there is any IS on any of the subject under consideration.
- c) If the IS exists and in the opinion of Secretary it meets the requirement of Defence, fully or partially, then following actions will be taken:
 - 1) Discuss it as agenda in the Sub-Committee meeting.
 - 2) If, IS is accepted for adoption as it is, then it will be processed as per procedure laid down in Chapter VI.
 - 3) Action will be taken for the withdrawal of JSS if already exists on the subject as per procedure laid down in Para 5.16 of this Chapter.
 - 4) When IS does not exist, check up with BIS programme of concerned discipline whether any equivalent IS is under formulation. If it is so, Defence requirement are to be incorporated in the Indian Standard after discussing and consolidating the views of the members of the Sub-Committee. This can be done by both means of writing to the concerned Asstt Director of BIS and also informing the Defence representative of relevant BIS technical council.
 - 5) When IS does not exist or if IS is under preparation is likely to take long time or the same is not under formulation, action will be taken to proceed with the preparation of JSS.
 - 6) Standard procedure for the approval of JSS shall be followed as given in this Chapter under Para 5.12.
 - 7) Efforts will be made to incorporate as many provisions of IS as possible. If necessary, BIS shall be approached to incorporate those requirements of Defence in their National Standards simultaneously.

5.6.2 The Specification No. on the basis of which a JSS has been prepared, should invariably be quoted in the 'Foreword' clause.

5.6.3 In the JSS, efforts should be made not to quote Foreign Specifications. As far as possible, the equivalent Indian Standard shall be quoted. In case it is not possible to quote an Indian Standard in lieu of Foreign Specification, the relevant extract either in part or in full, which governs the production, quality assurance and procurement etc, may be included in the JSS.

5.6.4 Where an equipment/item is of imported origin and is proposed to be indigenised, the Foreign Specification may continue to be quoted as governing specification till such time the same is under indigenisation and the production is not fully established.

5.6.5 In case of an item procured off the shelf, where specifications are changing constantly, the JSS should be based on the technology likely to be available in the near future.

5.7 Format for Joint Service Specification

The actual format for the JSS is given at Appendix 'M'. The actual lay out of the JSS may have minor variations depending on the absolute necessity which will have to be decided by the Sub-Committee, while the salient aspects of the format should remain unchanged. Any such deviations made by the Sub-Committee in the format will be mentioned in a separate note to the Ministry while putting up JSSs for approval. A certificate to that effect will be rendered by the Chairman Standardisation Sub-Committee in the format given in Appendix 'H'.

5.8 Size of JSS

Joint Service Specifications will be printed on 'A4' size paper. Drawings may be printed on 'A3' paper size if necessary.

5.9 Numbering System of JSS

The number for equipment/components will consist of NATO Codification 'Group Class' followed by serial number of JSS in that class. The year of issue will be indicated next to JSS number after colon (:). In case of revision/reaffirmation "Revision No. and reaffirmation year _____" will also be quoted underneath. For example:

JSS 5341-08 : 1997
(Second Revision)

or

JSS 5341-08 : 1997
(Second Revision)
Reaffirmed 2022

It means that this is Second Revision of JSS 5341-08 with DS Class 5341 and was issued in 1997. In case of reaffirmation the year of revision is not changed and the reaffirmation year needs to be mentioned.

5.10 Editorial Procedure for JSS

5.10.1 The related specification and drawing sheets which form a part of JSS will contain the following texts. “Reference in this Standardisation documents to any standard or specification of drawing without date and issue number will relate to such standard/drawing which is current at the date of tender/contract”.

5.10.2 The last Para of FOREWORD of JSS shall be as under:

Non registered users can obtain the following on payment:

a) Copies of IS from:

Bureau of Indian Standards,
Manak Bhavan,
9, Bahadur Shah Zafar Marg,
New Delhi-110 002.

or
their regional offices.

b) Copies of JSSs/JSGs:

The Director,
Directorate of Standardisation,
Standardisation Documents Centre,
Ministry of Defence,
Room No. 635, ‘A’ Block, 6th Floor,
Defence Offices Complex,
KG Marg, New Delhi-110 001.
E-mail - jdstd.defstand@gov.in

This Specification holds good only for the supply order for which it is issued.

Indian Standard (IS) specifications are available free of cost for registered users on:

Directorate of Standardisation Website:

<https://ddpdos.gov.in>

For registration visit our website.

Directorate of Standardisation Website - All the approved JSSs/JSGs are available on the Directorate of Standardisation Website **<https://ddpdos.gov.in>** Defence organisations desirous of accessing a copy of this document are requested to visit the Directorate of Standardisation website for registration and obtaining User id/password to access the JSSs/JSGs.

5.10.3 Except for the schematic diagram as may be applicable for the item under JSS, the detailed drawings shall not be included in the respective JSS. However, suitable reference to the drawings shall be made in it.

5.10.4 The layout of sketch/drawing and size of sheet used will be as per IS 11663 (and corresponding ISs relating to technical drawings). Drawings which have been prepared by some other designers/organisations/manufacturers need not be placed in the JSS. Only references to such drawings are required to be given with their original drawing number. However, for Electronic and Electrical Stores, drawing procedure should be as per JSS 50003.

5.10.5 Layout of paragraphs and their numbering will be carried out in accordance with IS 12.

5.11 Defence Codification Authority Number (DCAN)

Wherever applicable, the Sub-Committee will suggest suitable Nato Codification 'Group Class', Item Name and Codification Number to Defence Codification Authority and confirm them. This exercise will be done by the Secretary concerned. If the item(s) are already introduced in the service, their DCAN should be obtained from DCA and the same may be incorporated on the JSS. In case the JSS does not deal with a Component/Material/Product/Assembly/Sub-Assembly/Equipment or the store is yet to be introduced, no DCAN will be furnished. However, in the case of store under introduction, the concerned AHSP/Quality Assurance agency will be intimated to obtain the DCAN and NSN by raising IIG form.

5.12 Approval of JSS

5.12.1 One copy of the finalised draft JSS duly approved by the Chairman of the concerned Standardisation Sub-Committee together with the certificate of approval from Chairman and Secretary (Appendix 'J' & 'K') will be forwarded to Tech Coord Section of Directorate of Standardisation for obtaining approval from the Ministry.

5.12.2 Tech Coord Section will get the approval of the Director on behalf of the Ministry and the date of such approval and the serial number will be endorsed in the register held by Tech Coord Section. The same number and date of Approval will be endorsed on the cover page of Approval Copies of JSS.

5.13 Sealing of Specifications

5.13.1 Draft copy of JSS of the concerned standardisation sub-committee is forwarded to the AsHSP for comments. After receiving the comments the sub-committee formulates/compiles the document and forwards it to vetting Cell for technical vetting of the document. The document then will be forwarded to Tech Coord Section for approval. Tech Coord Section will obtain the approval of the Director on behalf of the Ministry. The date of approval and serial no. will be endorsed in the register held by Tech Coord Section and on the cover page of approved copy of document. The copy will then be digitally signed and returned to the sub-committee. The committee uploads the soft copy of document on Knowledge Management System (KMS). Data Networking Complex (DNC) will post the document on Notice Board and also upload it on the website of Directorate. Subsequently DNC will intimate SDC section through e-mail for e-distribution.

5.13.2 SDC Section will e-distribute the standards/specifications to all members and Chairman of concerned committee.

5.14 E-Distribution

5.14.1 Standards are supplied to both Govt organisations and trade/firms as and when required. Standards are provided free of cost to Defence Organisations and state Govt & PSU's. They are provided to trade/firms/vendors against bonafide trade enquiries/contracts/ GeM orders/RFIs/RFPs on cost basis.

5.14.2 The unclassified specifications/standards required by trade/firms/vendors in digital format would be provided free of cost wherever there is a bonafide requirement. Payment will be required on printed cost if hard copy of unclassified specifications/standards is required by trade/firms/vendors.

5.15 Revision/Reaffirmation of JSS

The JSS will normally be Revised/Reaffirmed after every five years. The Secretary Standardisation Sub-Committee will arrange to prepare reaffirmation with modification sheet/revised documents and forward the same to the Tech Coord for approval. However, due to any environmental/technological changes if the Sub-Committee on any member thereof or any user suggests revision of any standardisation document the relevant SSC could consider the same.

5.16 Cancellation/Withdrawal of JSS

After the circulation of the draft, a meeting of the Standardisation Sub-Committee will be called to discuss the task in detail. The members of the Sub-Committee are represented at appropriate level and they are vested with the authority of cancellation/ withdrawal on behalf of the Service/Department/Branch they represent. The number and title of the new specification and superseded specification shall be quoted, if available.

5.17 Inactive Status of JSS

All JSS are to be revised once in five years. At the end of review, document is either revised or reaffirmed or withdrawn. In few cases, working group/ working panel/AHSP/SSCs find it difficult to close the review due to inadequate data/ supporting documents. To avoid keeping document alive with inadequate supporting data/documents and also to avoid withdrawing document to cater for revival of demand/ collection of supporting data, SSCs will designate document as "Inactive". Chairman SSCs may declare a document as 'INACTIVE' under following conditions:-

RESTRICTED

- a) Document is 'current' and due for revision as per ROP
And
- b) Item has not been procured in last Ten Years
Or
- c) Reference specifications have been withdrawn/not available in public domain/not available for purchase and its erstwhile copy is not held with SSC/AHSP.
Or
- d) Item has been declare OBT (obsolescent)
Or
- e) The lead AHSP has stopped AHSP function for the said item/ process.

5.18 Pricing of JSS

The pricing of JSS will be done as per the procedure laid down by Directorate of Standardisation/Ministry of Finance from time to time.

5.19 Departmental Changes

Services formulate departmental specifications (DS) whenever procurement is required to be carried out. Once a JSS on the same subject is formulated by the SSC the DS is suppressed by an order called Departmental Change. Even if a DS does not exist but a JSS comes into vogue a DC is published to notify the commencement of the JSS. It is necessary to legally suppress the DS and/or promulgate the JSS so produced. Thus publication of DC is mandatory in both cases. Whenever a JSS is approved by the Ministry, use of the departmental specification on the subject if existing, will cease forthwith and departmental changes (DC) will be issued by the concerned AHSP.

RESTRICTED

SAMPLE DC

DC No. 991-GS

TASLA (DS Cat No 3750-000 010)

S. No.	Specification	Remarks
a)	JSS 3750-02 : 2009 has been adopted to govern supplies and inspection of the item in supersessions of the existing Specification No IND/GS/1742/XY	Specification No. IND/GS/1742/XY is hereby ceased in favour of JSS 3750-02 : 2009.

RESTRICTED

CHAPTER - VI

APPROVAL NOTIFICATION

6. These instructions are laid down for the guidance of Standardisation Sub-Committee, Standardisation Technical panels and Working Groups.

6.1 Definition

Approval Notification is the adoption of Indian Standards in full for use by Defence Services.

6.2 General Information

Our National Standard are Indian Standard prepared by Bureau of Indian Standards. It is the policy of Government and the Standardisation Committee to adopt BIS Standards where practicable in preference to making departmental specifications to avoid duplicity and exercise economy of effort. If, it is adopted in full without any modification, an 'Approval Notification' would be issued by the Directorate of Standardisation. Before the Approval Notification is issued, the concerned technical panel/subcommittee will follow the same procedure as being adopted for preparation of other Standardisation Documents. Sub-Committees which are considering the specification will ensure that Services/Departments/Branches/Establishments and other agencies are consulted on the adoption of the IS and their views are given full consideration. If required, members from outside the sub-committees may be co-opted to take part in Sub-Committee/panel ensure that they have reconciled to the views of all interested departments or branches they represent. If required, more frequent meetings of Sub-Committees/panels be held to sort out the difference.

6.3 Procedure for Preparation of Approval Notification to Adopt Indian Standards in Defence

Members of the Sub-Committees/Technical panels/Working Groups will examine whether existing Indian Standards can be adopted in toto. The under mentioned steps will be followed:

- a) Secretary SSC shall examine the concerned IS whether it could meet the Defence requirement and can be adopted in Defence. If considered fit, Secretary shall circulate relevant Indian Standard to various members for their comments.
- b) Where the Indian Standards, after circulation/discussion are considered suitable for adoption in toto, the final recommendation will be recorded in the Minutes of the Standardisation Sub-Committee meeting.

RESTRICTED

- c) Secretary of the concerned Sub-Committee will also prepare Approval Notification as per performa given at Appendix 'N' and send it to Tech Coord, Directorate of Standardisation for allotment of the Approval Notification.
- d) When the IS is adopted and Approval Notification is issued the year of the issue of the IS will be invariably quoted at all places. Compendium of Approval Notification, will be updated accordingly.
- e) Every year, Standardisation Sub-Committee will look out for revised IS from the year book of BIS that had already been adopted. In case the revised IS are found suitable for reoption then the procedure given in a, b, c & d above will be repeated and the Compendium updated. In case the revised versions of IS are not suitable, the approval notification will be withdrawn and Compendium will be updated accordingly. Simultaneously, action will be taken by the Secretary concerned with BIS to incorporate Defence Requirements in the revised IS.
- f) The Stdn Sub-Committee will examine the possibility of preparing a JSS in case the revised IS does not meet Defence Requirements.

6.4 Priority for Laying Selection of Items

6.4.1 Any IS already referred to, in a JSS shall be taken up for adoption on Top priority.

6.4.2 The other priorities are the same as given in Chapter V titled 'Joint Service Specification', Para 5.4.2.

6.5 Size of Approval Notification

Approval Notification will be printed on size A4 sheets or digitally upload on website DoS.

6.6 Numbering System of Approval Notification

6.6.1 Approval Notification Numbers are to be allotted in a running order viz.

S. No.	IS No.	Pattern for Allotment of AN No.
a)	IS 10236 : 1989 (Part 1)	AN No. 165A
b)	IS 10236 : 1982 (Part 2)	AN No. 166A
c)	IS 10236 : 1982 (Part 3)	AN No. 167A
d)	IS 10236 : 1983 (Part 7)	AN No. 168A
e)	IS 10236 : 1985 (Part 10)	AN No. 169A
f)	IS 4454 : 1981 (Part 1)	AN No. 9505-01A

RESTRICTED

RESTRICTED

(Concluded)

S. No.	IS No.	Pattern for Allotment of AN No.
g)	IS 4454 : 1975 (Part 2)	AN No. 9505-02A
(h)	IS 4454 : 1975 (Part 4)	AN No. 9505-03A

6.6.2 Further, no block of AN Nos. is to be left blank for adoption of various parts of IS at a later date. Parts of IS adopted subsequently shall be allotted AN Nos. as available at that time.

6.6.3 In case of Gen/Misc category of ISs, the AN No. should be done in running ascending order whereas in other cases after the group class, a parenthesis (-) should be given and thereafter number be allotted in a running ascending order.

e.g.

- | | |
|----------------|-----------------|
| b) AN No. 166A | AN No. (-)9505A |
| c) AN No. 167A | AN No. (-)9507A |
| d) AN No. 168A | |

6.6.4 Separate folders are to be prepared for each part of the Indian Standard being adopted.

6.6.5 Earlier for adoption of Gen/Misc categories of Indian Standards (regarding Test methods and procedures etc.) two separate terms i.e., 'Gen' and 'Misc' were being used during allotment of AN No. In future only 'Misc' terms will be used for adoption of such ISs.

6.7 NATO Codification Number (NSN) for Approval Notification

6.7.1 Notification

- a) For adoption of IS on test methods and General procedure NO. DS Cat No./NSN is allotted; An Approval Notification number may be allotted as per Para 6.6.5 above.
- b) If an IS pertaining to a product is adopted, the concerned AHSP has to initiate IIG forms for allotment of NSN at the time of introduction, if not already introduced. NSN may be mentioned when the same is already allotted by DCA.

6.8 Action by Tech Coord

One copy of the finalised draft approval notification duly signed by the Chairman of the concerned Standardisation Sub-Committee will be submitted by Tech Coord alongwith their remarks to Director for his approval. The Tech Coord Officer will sign on the document. The entry of Approval Notification Number will also be made in the record with date of Approval.

RESTRICTED

6.9 Sealing of Approval Notification

All the cases of IS adoption as Approval Notifications (AN) is approved by Ministry of Defence/Director, DoS. Approved document is also signed and stamped by Tech Coord. The copy will then be digitally signed and returned to the sub-committee. The committee uploads the soft copy of document on Knowledge Management System (KMS). Data Networking Complex (DNC) will post the document on Notice Board and also upload it on the DoS website. Subsequently DNC will intimate SDC section through e-mail for e-distribution.

6.10 Amendment/Withdrawal

6.10.1 When amendment/withdrawal of Approval Notification becomes necessary, the relevant Sub-Committee shall advise the Directorate of Standardisation giving the reasons for its amendment/withdrawal. The recommendation for amendment/withdrawal shall be accompanied by a certificate signed by the Chairman of the relevant Sub-Committee to the effect that all members of the Sub-Committee have agreed to the cancellation on behalf of the Service/Department/Branch they represent. The number and title of the new Approval Notification, causing the amendments/withdrawal of old, will be quoted.

6.10.2 Remarks Column should give the reasons where the Indian Standard is adopted/revised. Reasons thereof should be indicated.

6.11 Inactive Status of ANs

All ANs are to be revised once in five years. At the end of review, document is either revised or reaffirmed or withdrawn. In few cases, working group/ working panel/AHSP/SSCs find it difficult to close the review due to inadequate data/ supporting documents. To avoid keeping document alive with inadequate supporting data/documents and also to avoid withdrawing document to cater for revival of demand/ collection of supporting data, SSCs will designate document as “Inactive”. Chairman SSCs may declare a document as ‘INACTIVE’ under following conditions:

- a) Document is ‘current’ and due for revision as per ROP
And
- b) Item has not been procured in last Ten Years
Or
- c) Reference specifications have been withdrawn/not available in public domain/not available for purchase and its erstwhile copy is not held with SSC/AHSP.
Or
- d) Item has been declare OBT (obsolescent)
Or
- e) The lead AHSP has stopped AHSP function for the said item/ process.

CHAPTER - VII

JOINT SERVICES PREFERRED RANGE OF STORES (JSPR)

7. DEFINITION

A Preferred Range of stores is a list of stores based on a series of preferred Numbers (such as Renard Series) and prepared out of a detailed analytical study of various aspects such as design expertise, technical know-how, production and inspection capabilities and users requirements. A Preferred Range permits adequately the current and futuristic requirements. It also aims at helping future design development and aids in exercising effective “Entry Control” through Standardisation by restricting the use of variety of components.

7.1 General Information

7.1.1 JSPRs are the documents of the Department of production, Ministry of Defence prepared by the Working Groups/Technical panels of various Standardisation Sub-Committees under the authority of Standardisation Committee. JSPRs are compiled to show the number of varieties used by the user Services. While compiling the JSPRs, the working Groups/Technical panels and Sub-Committee, must ensure that items to be selected in the list do not leave any gap with regard to the requirements of user Services. It may be borne in mind that once a JSPR is issued, it becomes mandatory and new item to that list of JSPR cannot be added without the approval of Directorate of standardisation on behalf of the Ministry of Defence.

7.1.2 Working Groups/Specialist Technical panels which draft the JSPR will ensure that Services/Departments/Branches/Establishments, Quality Assurance Authorities, Designers and Production Agencies are consulted in the preparation of JSPRs and their views are given full consideration. It may be ascertained that in their negotiations with various agencies, no financial obligations are accepted. It is essential that the members of the Working Groups/Specialist Technical Panels/Sub-Committees ensure that they have reconciled to the views of all interested branches or the departments they represent.

7.1.3 JSPRs prepared in respect of components, materials, and capacities of equipment should have DS Cat Nos. only for existing items.

7.2 Selection of Items for JSPRs

7.2.1 Following are the guidelines for selection of items:

- a) Components lending themselves to a very wide use in equipment and where uniqueness of components/Materials is identifiable such as fasteners, hand tools, bearings, wires etc.

- b) Materials having multifarious end use in the Services.
- c) “Priority Weighted” requirements of the users.
- d) Selection of restricted sizes/capacities based on National Standards/Preferred Numbers (where no National Standards exists) in respect of components/materials e.g. chucks, plywood, metallic sheets etc. This class of JSPR indicates a selective range based on the current and futuristic trends in Defence Sector.
- e) Selective Ranges of equipment capacities using National Standard/Preferred Numbers as a guide to reduce unnecessary varieties/capacities, sizes of equipment of similar class e.g. generators, motors, compressors, workshop machinery.
- f) The selection of items given above from (a) to (e) should be in accordance with guidelines given in Para 5.4.2.

7.3 Programme

Details of Five year Roll on Plan have been discussed in chapter IV.

7.4 Procedure for Preparation of JSPR

7.4.1 The JSPR on components as indicated in Para 7.2.1 (d) is prepared by the Secretaries, Standardisation Sub-Committees from National Standard. In case no IS exists or relevant data does not appear in IS, the Secretary of Sub-Committee will approach other sources of information such as AsHSP, Depots, public/private Sector and/or other agencies concerned. The effort involved in preparation of such JSPRs would only be the collection of information from various National Standards and putting down such information in a sequence. Such JSPRs need not be sent as drafts for comments to various organisations.

7.4.2 The preparation of JSPRs at Para 7.2.1 (e) involves the detailed study of the complete list of capacities and sizes of that store used in Defence by referring to draft catalogues published by the Directorate and careful scrutinisation to reduce the variety and align the sizes with National Standards/Preferred Numbers as far as possible. This task is allotted to panels and Working Groups under the Standardisation Sub-Committee. The draft is given wide circulation before finalisation at Sub-Committee level. While finalizing a JSPR, equipment not indicated in the JSPR, is shown against the recommended size.

7.5 Approval and Revision of JSPRs

Procedure for obtaining approval of the Ministry is the same as that of JSS. The procedure adopted for revision of a JSPR is also the same as for its preparation. Amendments to a JSPR which involves changes in the content are made after approval of the Chairman of Sub-Committee. Amendments to typographical errors are issued by the Secretary, Standardisation Sub-Committee without making any reference to the Chairman of Sub-Committee.

7.6 Format of JSPRs

7.6.1 No standard format can be evolved to cover JSPRs on all types of components and materials. Format in each case is to be evolved by the concerned Secretary, Standardisation Sub-Committee consultation with the Chairman. However, in all formats, the under mentioned pattern is to be followed:

- a) Serial Number
- b) DS Cat Number (Where applicable)
- c) Nomenclature as per Codification Hand Book
- d) Parameters
- e) Specification Number (where applicable)
- f) Item being replaced (Where applicable)
- g) AHSP

7.6.2 When a JSPR is drawn on items indicating complete parameters, there is no necessity to prepare a separate JSRL on these items, since this JSPR covers the entire range.

7.7 Numbering of JSPRs

7.7.1 The preferred range of stores prepared by Directorate of Standardisation is designated as Joint Services Preferred Range of Stores. These are numbered as per the system given in the succeeding paragraphs.

7.7.2 Each JSPR pertains to a single commodity under one class of Defence Codification System according to Codification Hand Book.

7.7.3 The first four digits of the JSPR number indicate on group-class of the commodity. The four figure group is to be followed by a hyphen and digit/digits indicating the serial number of JSPR under the class. The figure JSPR issued in a particular class bear “1” after the hyphen and the second “2” and so on. It may be noted that these JSPRs, i.e. number one, two and so on, under the same class pertain to different commodities.

7.7.4 The complete number of the JSPR is underlined and the year of the approval of the Ministry of Defence is also to be indicated under this number.

Examples

A JSPR on “Wire, Brass” under the DS Class 9552 (Wire, Non-Electrical, Non-Ferrous Base Metals) is numbered as:-

JSPR 9552-01: 1988

7.7.5 Another JSPR on a different commodity, e.g. “Wire, Copper” under the DS Class 9525 is numbered as:

Example

JSPR 9525-01 : 1997

7.7.6 Revised version of a JSPR bears the original number together with the number of the revision in bracket. The year of the revision is also to be indicated.

Example

JSPR 9525-01 : 1997
(First Revision)

7.7.7 Amendments to JSPR are serially numbered as 1, 2, 3 and so on and bear full number of JSPR.

Example

Amendment No. 1 to JSPR 9525-1 : 1988

7.8 Cancellation/Withdrawal of JSPR

As and when cancellation/withdrawal of JSPR becomes necessary, the concerned Sub-Committee will take necessary action for cancellation/withdrawal. The recommendation of cancellation/withdrawal is to be accompanied by a certificate signed by the Chairman of the concerned Sub-Committee to the effect that all members of the Sub-Committee have agreed for the cancellation/withdrawal. However, in the new document, the appropriate JSPR number and the new JSPR Title or the document which causes the cancellation/withdrawal of the old JSPR are quoted.

7.9 Inactive Status of JSPP

All JSPPs are to be revised once in five years. At the end of review, document is either revised or reaffirmed or withdrawn. In few cases, working group/ working panel/AHSP/SSCs find it difficult to close the review due to inadequate data/ supporting documents. To avoid keeping document alive with inadequate supporting data/documents and also to avoid withdrawing document to cater for revival of demand/ collection of supporting data, SSCs will designate document as “Inactive”. Chairman SSCs may declare a document as ‘INACTIVE’ under following conditions:

- a) Document is ‘current’ and due for revision as per ROP
And
- b) Item has not been procured in last Ten Years
Or
- c) Reference specifications have been withdrawn/not available in public domain/not available for purchase and its erstwhile copy is not held with SSC/AHSP.
Or
- d) Item has been declare OBT (obsolescent)
Or
- e) The lead AHSP has stopped AHSP function for the said item/ process.

CHAPTER - VIII

JOINT SERVICES RATIONALISED LIST (JSRL)

8. DEFINITIONS

JSRL is the list of items arrived at, after the process of elimination of the superfluous variety of existing inventory adequate to meet the prevailing needs of users at a given time. A JSRL will consist of:

- a) Cover page
- b) Notes/Foreword
- c) Record of Amendments and notes.
- d) Appendix 'P' & 'Q' to JSRL containing list of stores to be retained & List of store obsolescent/obsolete.

8.1 Format of JSRL

The format of the JSRL is as per Appendix 'P' & 'Q'.

8.2 General Information

A JSRL is a category of Standardisation Document prepared for a commodity. These JSRLs are prepared by various Standardisation Sub-Committees with the help of Working Groups/Specialist Technical Panels formed under the authority of Standardisation Committee. These are compiled to show the minimum number of different store necessary to fulfill the requirements of a large varieties used by the users/Services. While compiling the JSRL the working groups/Technical Panels/Standardisation Sub-Committees are to ensure that the requirements of users are fully met. JSRLs are mandatory documents after they are finalised and approved by the Ministry. No item can be added in the JSRL without reference to and approval of the concerned Sub-Committee.

8.3 Scope and Selection of ITEMS

JSRL's are prepared in respect of equipment, assemblies, Sub-assemblies, Components and other Stores. While selecting commodities, for which JSRL's are to be made, the following guidelines are adhered to:

- a) JSRL's are made in respect of equipment/assemblies/Sub-assemblies /items which have a large variety of capacities and characteristics such as motors, generators, air-compressors, internal combustion engines, workshop machinery like metal

working lathes and drilling machines etc. In all cases the variety is reduced by restricting the capacities/sizes keeping in view the broad qualitative requirements as indicated by the users. If possible, the suggested sources of supply may be indicated taking into account the following aspects:

- 1) The manufacturer holds BIS certification or ensures that standard components are used.
 - 2) Most of the ranges in that JSRL are covered by the same manufacturer.
 - 3) The source has been tried and proved reliable.
- b) In respect of items like metal sheets and plywood, planks, ropes etc., the JSRL are drawn based on the consumption pattern and the end use. As far as possible, the item conforming to a particular Renard series is adopted.
- c) In respect of items like metal whose details are complete identification have not been laid down in the IS/JSS but departmental specification exist and spare backing is not essentially required as in the case of kitchen utensils, lubricants, chemicals and paint, oil seals, fan belts, electric wires etc., JSRL is drawn quoting the departmental specification and action is taken on priority for the formulation of Joint Services Specifications.
- d) Priorities for the selection of items in preparation of JSRLs is given in Para 5.4.2. In addition the following factors are also considered:-
- 1) Indigenously available common user items which are used by more than one Service and common to more than one equipment.
 - 2) Items having a high turnover both in terms of volume and cost and likely to remain in Service for more than five years.
 - 3) “Priority Weighted” requirements of the users.
 - 4) Equipment whose preferred capacities have been withdrawn.

8.4 Procedure for Preparation of JSRL

8.4.1 Preparation of JSRLs involves the following steps:

- a) Broad areas are to be well defined and the family of stores (group class) indicated in five years roll on Programme. The data of stores should be such that the other Standardisation documents like Approval Notification, JSS and JSG can be prepared simultaneously to the extent possible.

RESTRICTED

b) Collection of data/technical details are made in respect of varieties of equipment/assemblies under consideration by the Secretary of the Standardisation Sub-Committee. The data can be collected by devising a specimen performa and sending it to Depots/AsHSP, major holding units for filling separately for each type of store. The data/technical details to be obtained must include the nomenclature Cat/Part No./NSN, important characteristics, total population, quantity held, end use, for example/sample performa for obtaining such details in respect of diesel engines is given at Appendix 'Q'. Separate performa would require to be devised for different equipment.

c) Data is received in a systematic manner for the consideration of Working Group, which after detailed analysis and deliberations formulates the first draft JSRL giving due consideration to the following:

- 1) Existing population of each type.
- 2) Users requirements.
- 3) Indigenous availability.
- 4) Users recommendations regarding satisfactory performance.
- 5) Manufacturing standards being followed.
- 6) End use.

d) First draft JSRL is circulated to members of the Technical Panel for their comments.

e) Comments are collected. If some comments contradictory, the same are discussed and resolved in the meeting of the panel to arrive at a consensus.

f) Comments are incorporated on the first draft and the second draft is prepared.

g) The second draft is circulated to members of the Standardisation Sub-Committee for their comments/approval.

h) Comments of members of the Standardisation Sub-Committee are incorporated. Contradictory comments received are resolved in the meeting.

j) Approval of the Ministry is obtained.

k) After approval of competent authority and taking the digital sign the document than be upload on Directorate of Standardisation website <https://ddpdos.gov.in> for registered users free of cost.

RESTRICTED

8.5 Procedure for Approval and Revision of JSRL

8.5.1 Procedure for obtaining approval of the Ministry is the same as enumerated in Para 5.12 (Chapter on the Joint Service Specification).

8.5.2 Procedure for amendment/withdrawal of JSRL will also be the same as enumerated in Para 5.15 and 5.16 (Chapter of JSS).

8.5.3 Technical amendments are to be finalised after obtaining approval of the Standardisation Sub-Committee and got approved by the Ministry. However, editorial amendments are carried out by the Secretary of the Standardisation Sub-Committee.

8.6 Numbering of JSRLs

8.6.1 Each JSRL is allotted number by Tech Coord as per appropriate DS Class in accordance with the Codification Handbook IND-H6-1 and would consist of four digits.

8.6.2 First four digits of the JSRL indicates the GP/Class of the commodity followed by a hyphen and digits (s) indicating the serial number of JSRL under the DS Class followed by colon : year of document JSRL issued in a Group Class bears No. after hyphen and the recorded serial No. of document and so on. It may be noted that S. No. 001, 002 and so on under the same DS Class pertains to different commodities. The number of JSRL contains the number and tear of approval on the right hand top. In addition, on the cover page, super session details if any, is indicated.

Example: “First JSRL issued under the DS Class 4210 approved in 1988 would bear the number as under:

JSRL 4210-01 : 1988

If this JSRL is revision of an earlier JSRL approved in 1980, (the No. and super session would be indicated on the cover page as under:

JSRL 4210-01 : 1988
(First Revision)

8.7 Inactive Status of JSRL

All JSRLs are to be revised once in five years. At the end of review, document is either revised or reaffirmed or withdrawn. In few cases, working group/ working panel/AHSP/SSCs find it difficult to close the review due to inadequate data/ supporting documents. To avoid keeping document alive with inadequate supporting data/documents and also to avoid withdrawing document to cater for revival of demand/ collection of supporting data, SSCs

RESTRICTED

will designate document as “Inactive”. Chairman SSCs may declare a document as ‘INACTIVE’ under following conditions:-

- a) Document is ‘current’ and due for revision as per ROP
And
- b) Item has not been procured in last Ten Years
Or
- c) Reference specifications have been withdrawn/not available in public domain/not available for purchase and its erstwhile copy is not held with SSC/AHSP.
Or
- d) Item has been declare OBT (obsolescent)
Or
- e) The lead AHSP has stopped AHSP function for the said item/ process.

CHAPTER - IX

JOINT SERVICES GUIDE (JSG)

9. DEFINITION

Joint Services Guide is a document issued by Directorate of Standardisation which generally deals with miscellaneous subjects not covered by the various Standardisation Sub Committees. These guides deal with both technical and non technical activities associated with standardisation discipline.

9.1 Scope

9.1.1 The Joint Services Guide (JSG) may broadly deal with the following areas:

- a) Design Practice.
- b) Quality Assurance Measurement.
- c) Process Standardisation.
- d) Workmanship Standardisation.
- e) Testing and Maintenance.
- f) Office Procedures.
- g) Role and Responsibilities of the Connected Organisation with regard to Standardisation.
- h) Test Procedures.
- j) Vocabularies.

9.1.2 In addition, the areas of the guide may also include general guide-lines on the selection of components, materials, finishes, surface treatment, limits, preferred numbers and mathematical formulas, statistical methods connected with Standardisation activity.

9.2 Block Numbers

The Block Numbers allotted for various guides will be as under:

Miscellaneous (General)	-0001 to 0100
Armament	-0101 to 0150
Instruments	-0151 to 0200
Electrical	-0201 to 0250
Electronics	-0251 to 0300 & 0751 to 0850
Engineering Equipment	-0301 to 0350
Engineering Stores	-0351 to 0400

Stores	-0401 to 0450
Materials	-0451 to 0500
Vehicles	-0501 to 0550
Medical Stores	-0551 to 0600
Guided Missiles & Missile Components	-0601 to 0650
Aero Stores	-0651 to 0750 & 1101 to 1300
NBC	-0951 to 1000
ITSSC	-0851 to 0950 & 1001 to 1100
Marine Equipment	-1301 to 1350

9.3 Preparation of Joint Services Guide

No standard format can be prescribed for the preparation of Joint services Guide. This format will be decided by the Sub Committee in consultation with the Chairman. The format for the cover page and record of Amendments is attached at Appendix 'R'.

9.4 Procedure for the Preparation of Joint Services Guide

Adhoc working group, specialists Technical Panel to prepare the Joint Services Guide and the procedure for the preparation is the same as given in Chapter V of this Manual. Adoption of National Standards in JSG is also permitted, provided such Indian Standards have direct application in the transactions of Defence Ministry.

9.5 Inactive Status of JSG

All JSGs are to be revised once in five years. At the end of review, document is either revised or reaffirmed or withdrawn. In few cases, working group/ working panel/AHSP/SSCs find it difficult to close the review due to inadequate data/ supporting documents. To avoid keeping document alive with inadequate supporting data/documents and also to avoid withdrawing document to cater for revival of demand/ collection of supporting data, SSCs will designate document as "Inactive". Chairman SSCs may declare a document as 'INACTIVE' under following conditions:-

- a) Document is 'current' and due for revision as per ROP
And
- b) Item has not been procured in last Ten Years
Or
- c) Reference specifications have been withdrawn/not available in public domain/not available for purchase and its erstwhile copy is not held with SSC/AHSP.
Or
- d) Item has been declare OBT (obsolescent)
Or
- e) The lead AHSP has stopped AHSP function for the said item/process.

CHAPTER - X

INTER SERVICES WORKING GROUPS (ISWGs)
AND
INTER SERVICES EQUIPMENT POLICY COMMITTEE (ISEPC)

10. BACKGROUND

10.1 Constitution of ISEPC

The Inter Services Equipment Policy Committee (ISEPC) was formed in 1960 vide Cab Sett (Mil Wing) Memo No CMW/27(19) dated 16 Jun 60 as a sub-committee of COSC. The composition and charter of duties of the Committee has undergone various iterations since then. Consequent to creation of HQ IDS, DCIDS PP&FD has been designated as Chairman ISEPC. The current composition and charter of duties of the committee has been promulgated vide HQIDS/COSC Sectt Note IDS/35100/1/COSC dated 23 Oct 2020. The current composition and charter of ISEPC is mentioned below.

10.1.1 The need for inter service coordination has assumed centre stage with an increasing requirement of integration and interoperability amongst the three services. The requirement has been further amplified by the present focus on indigenisation and 'Make-in-India' initiative. Promoting jointness in procurement, training and staffing for the Services through joint planning and integration of their requirements is one of the important mandates of HQIDS. This mandate of jointness in capability building is to be fulfilled through ISEPC.

10.1.2 Induction of equipment of tri-service nature requires formulation of Joint Service Qualitative Requirements (JSQRs). Examination of commonality and interoperability of systems/ equipment proposed to be acquired by the Services forms the foundation for assessment of their tri-services applicability. Prior to formulation of JSQRs, Joint Services Policy Statements (JSPS), which lay down the broad Operational Requirements (ORs) of the system/ equipment, might need to be formulated. ISEPC is the forum in which the JSQRs and JSPS, of the systems/ equipment, so identified, are ratified. To ensure that decisions can be taken at conceptual level and issues of coordination between all agencies concerned can be resolved expeditiously, the members nominated to the Committee are senior level members from all agencies connected to capability building.

a) **COMPOSITION & CHARTER OF ISEPC**

1) **COMPOSITION**

- i) **Chairman** - DCIDS (PP&FD)
- ii) **Members**
 - aa) DCOAS (CD&S)
 - ab) CWP&A
 - ac) DCAS
 - ad) DG (PC&SI), DRDO
 - ae) DGQA
 - af) DGAQA
 - ag) ACNS (SR)
 - ah) ACIDS (Technology & Indigenisation)
 - aj) ACIDS (Joint Ops)
 - ak) ADG Acq Tech (M&S)
 - am) SA to CISC
 - an) Dir, Std
 - ap) User rep
 - aq) Col equivalent (Tech Integration Dte), HQIDS-Secy
 - ar) Agenda based invitees including MoD/ concerned dept reps, as relevant

2) **CHARTER**

- i) Consider R&D policies in respect of weapon and equipment.
- ii) Lay down policy on induction and development of equipment of inter-service interest.
- iii) Address policy issues concerning R&D on equipment likely to have inter-service interest. Keep COSC informed of activities of DRDO, DGQA Dte of Std and pass COSC directives of them.
- iv) Formation of panels and working groups on various subjects and monitoring of activities.
- v) Finalisation and approval of JSPS & JSQR.

10.2 Inter Service Working Groups (ISWGs)

Inter Service Working Groups (ISWGs) have been formed to assist the ISEPC. The ISWGs are the functional arm of ISEPC and presently there are 15 functional ISWGs. Depending

RESTRICTED

upon the requirements, additional ISWGs are formed, as and when required. These ISWGs are chaired by Maj Gen/ a Brig equivalent officer from the three SHQs. The Chairman, ISWG is responsible for holding regular meetings to finalise the JSQRs for cases which are forwarded to the relevant ISWG. Chairmen of respective ISWGs are also required to nominate Secy for their ISWG for efficient functioning and lateral interaction. The nominated Secy of each ISWG, in consultation with DD ISWG, will be responsible to coordinate the functioning of ISWG. DD ISWG from Dte of Standardisation provides secretarial support to each of the ISWGs. The ISWGs are required to consider the equipment profile and technological needs of the three Services. The composition and charter of ISWGs is mentioned below:

a) COMPOSITION & CHARTER OF ISWG

i)	ISWG on 'B' Vehicles & MHE Chairman – ADG EME –A	ix)	ISWG on AD Wpns & Tgt Sys Chairman – ADG, Army Air Defence
ii)	ISWG on Comn Eqpt Chairman-ADG (Tac C), ADG Signals	x)	ISWG Airborne Equipment Chairman – ACAS (Plans)
iii)	ISWG on Power Generation Eqpt Chairman-ADG (Tac C), ADG Signals	xi)	ISWG CBRN Chairman – Brig CE(CBRN)
iv)	ISWG on Gen Stores Chairman – ADG ESP, E-in-C's Branch	xii)	ISWG on EW System Chairman – Air Cmde Ops (IEW), Air HQ
v)	ISWG on Surveillance System Chairman – Air Cmde C ⁴ ISR, Air HQ	xiii)	ISWG on Missiles Chairman – Cmde (SR)
vi)	ISWG on Electro Optical Systems Chairman – Cmde (WE), NHQ	xiv)	ISWG on Small Arms Chairman – ADG Inf Dte
vii)	ISWG on Info System Chairman – Cmde (IT), NHQ	xv)	ISWG on RPAS Chairman – ACNS (Air)
viii)	ISWG on DEW Chairman – DDG PMO SURAJ		

RESTRICTED

b) CHARTER OF ISWG

- i) Identification of existing areas of Inter Service Commonality. Areas where commonality exists, recommend nomination of Coordination Agency for Standardisation Purposes (CASP).
- ii) Identify futuristic inter-services requirements and formulate Joint Services Policy Statements (JSPS) and Qualitative Requirements (JSQRs) for approval of ISEPC.
- iii) Consider all proposals of equipment acquisition emanating from Service HQs from inter-service commonality angle.
- iv) Any other related issue of inter-service nature entrusted by ISEPC.

11. JOINT SERVICES QUALITATIVE REQUIREMENTS (JSQRs)

11.1 Requests for Information (RFI)

Issue of Request for Information (RFI) is the start point of the Defence Acquisition Procedure. The RFI seeks information from vendors to inter-alia explore the suitability of products available to meet the Operational Requirements (ORs) of the Services and to formulate SQRs, maintenance philosophy as well as other contractual provisions. The User Directorate/ Lead Directorate primarily identifies the requirement and spells out the draft SQRs after interacting with the Industry through issue of RFI, obtaining inputs from Defence Attaches, internet, defence Journals/magazines/ exhibitions, previously contracted cases or any other relevant and credible information source.

11.2 The RFI is formulated by SHQ, in consultation with DRDO, DDP and HQIDS. A copy of the draft RFI is shared with DRDO, DDP, HQIDS and other Services (for comments on commonality and interoperability) to ensure that comprehensive response is generated from vendors to facilitate addressing all aspects of operational requirements and defining attributes. The formulation of RFI is the first step wherein commonality and interoperability of the proposed acquisition is examined. In addition to the SHQs, HQIDS also examines the RFI from commonality and interoperability aspects and if bi/ tri services applicability is found, then it recommends that comments of other Services must be incorporated during the SQR formulation stage. Strict adherence to the provisions of DAP 2020 regarding obtaining and factoring in of ascertaining commonality and interoperability of the proposed procurement and assists in reducing the timeline for acquisition.

11.3 Services Qualitative Requirements (SQRs)

These are formulated by respective Service HQs, through inputs received from RFI analysis, obtaining inputs from Defence Attaches, internet, defence Journals/magazines/exhibitions, previously contracted cases or any other relevant and credible information source. These draft QRs are then circulated to all external stakeholders including HQ IDS, DRDO, DDP, QA

agencies, Dte of Standardisation, ADG Acq Tech and any other necessary department for obtaining their views/comments.

11.4 The SQRs should be formulated based on the initial comments of other Services and HQ IDS on the draft RFI. The comments received from other Services are to be analysed for formulation of JSQRs based on the following provisions of DAP 2020:

- a) In cases where other Services also intend to procure similar equipment in the next three years, the Lead Service will process the JSQRs through the ISEPC.
- b) Conversion of SQR to JSQRs will not be mandatory in the following cases:-
 - 1) Other Service(s) accept the QRs.
 - 2) Quantities required by other Service(s) is 20% or less as compared to the Lead Service. In such cases, joint procurement case would be progressed on the Lead Service SQRs itself.
- c) In cases where a Service opts to join an ongoing procurement case of other Service at the time of seeking AoN, with no change in the SQRs, the case would be progressed on the Lead service SQRs and the same SQRs would be subsequently converted into JSQRs, for future procurements.

11.5 Statement of Case (SoC)

Copies of draft SoC are forwarded to DDP, DRDO, Acquisition Wing and HQ IDS. HQ IDS, at this stage, once again, examines aspects of commonality and interoperability for the three Services. If a case has been recommended, during the earlier stages of examination, to be progressed under JSQR, then the QRs attached to the SoC should have been formulated accordingly. If not, then the same should be unambiguously stated at the relevant para of the SoC. In either case, the comments of the other Services should be enclosed with the draft SoC that is forwarded to HQ IDS.

11.6 The procedure for formulation of JSQRs, to be followed by ISWGs, is as follows:

- a) On receipt of the case from the User Directorate/ Lead Directorate, the Secy, ISWG will send draft copies of SQRs to members of ISWG.
- b) ISWG members will comment on SQRs being considered for formulation of JSQRs within 30 days, post which 'nil-comments' will be assumed. ISWG members will forward their comments to the User Directorate/ Lead Directorate with a copy to Secy, ISWG.
- c) User Directorate/ Lead Directorate will compile all the comments received from the ISWG members and present them to Chairman, ISWG, who will hold a collegiate meeting to resolve all the issues raised.
- d) Chairman ISWG is to make sure that JSQRs lay down the fundamental user requirements in a comprehensive manner. The JSQRs should be realistic, achievable

RESTRICTED

and verifiable and must avoid ambiguity of any type. JSQRs must not be tailored from/ for a particular product or service and must result in procurement of the items that best meet the requirements of the Services. Quality standards such as JSS/ other relevant standards will be mentioned in the JSQRs. They should contain specific and verifiable parameters for the capabilities sought. Generic terms such as 'all weather capability', 'state of the art', etc, are not to be included.

e) Once approved by Chairman ISWG, User Directorate/ Lead Directorate will send 15 copies of JSQR to Secy ISEPC for circulation to Chairman and members of ISEPC.

f) Members of ISEPC will study the draft JSQRs and give their comments within 15 days to User Directorate/ Lead Directorate, post which 'nil-comments' will be assumed.

g) User Directorate/ Lead Directorate will compile all the comments received from the ISEPC members and present it to Chairman ISWG, who will, once again, hold a collegiate meeting to resolve pending issues, if any.


h) After the final approval of Chairman ISWG, User Directorate/ Lead Directorate/Secy, ISWG will take up the case for ratification of JSQR in ISEPC Meeting.

j) To ensure that acquisitions do not get unduly delayed for finalisation of JSQRs, ISWGs are to make all efforts to finalise draft JSQRs within three to six months of assignment of responsibility. A monthly progress report is to be forwarded by Chairman of respective ISWG to Chairman, ISEPC through Secy, ISEPC after lapse of six months, highlighting progress made and reason for delay. Cases of unreasonable delay are to be placed before the VCC/COSC, as per directions of Chairman ISEPC.

RESTRICTED

11.7 The flow chart for formulation of JSQR is mentioned below:

FLOWCHART FOR FORMULATION OF JSQR



11.8 Role of HQ IDS

HQ IDS is responsible to ensure that, as far as possible, there is jointness in procurement of systems/equipment proposed to be acquired by the Services. This is undertaken through examination of Commonality/ Interoperability of systems/ equipment with other Services during the three stages of procurement viz RFI stage, SQR formulation stage and SoC for AoN stage. At each of these stages, HQ IDS will direct User Directorate/ Lead Directorate to factor in the requirements of the other Services and based on the conditions stated at Para 10 above, progress the case either under Service specific SQR or under JSQRs.

11.9 Cases, for which JSQRs are to be formulated, will be intimated to Dte of Standardisation which will process the case for converting service specific SQR to JSQR through concerned ISWG. After finalisation of JSQR by ISWG, JSQR is to be put up to ISEPC for approval. The JSQRs, as far as possible, would follow a standardised format stated in Chapter II of DAP 2020. Following additional Information is to be appended to the format while forwarding JSQR to Dte of Standardisation for printing:

a) In the beginning of the Format

- 1) Reference to General Staff Policy Statement No.
- 2) JSQR No (to be allotted by the Dte of Std along with date of approval by ISEPC)
- 3) JSQR Reviewed/Modified on.
- 4) JSQR being superseded.
- 5) Reference ISEPC Meeting.
- 6) Line Directorate File No.
- 7) Nomenclature (before, during and after development, subject to final confirmation, the equipment shall be known as to be completed in consultation with Directorate of Standardisation).
- 8) Security Classification (give the security classification, for example "Restricted during development").

b) After the conclusion of the Format

- 1) Details of Drafting Team:
- 2) Prepared by:
- 3) Verified by:
- 4) Contact:

11.10 For the process of identifying cases that would require formulation of JSQRs, it is imperative that User Directorates/ Lead Directorates meticulously abide by the provisions stated at Para 10 above. At each stage of forwarding of case to HQ IDS for comments, it would be mandatory for the User Directorate/ Lead Directorate to explicitly state that the comments of other Services was taken and based on the comments, their requirements have been factored in whilst formulating the SQRs/ SoC. The same is to also be unambiguously stated in Para 3(I) of the SoC format given in Appendix 'B' to Chapter II of DAP 2020. This would facilitate smooth and early processing of cases.

11.11 Role of Dte of Standardisation

User directorate/lead directorate also forwards the draft SQRs to Dte of Standardisation, which will allot Group Class of the item for use by user Directorate/ Lead Directorate. It will also check the availability of relevant Joint Service Specifications (JSS) and recommend its use, wherever applicable. Dte of Standardisation also verifies, on file, the need for formulation of JSQRs with HQ IDS and forward the SQR to relevant ISWG. DD ISWG from Dte of Standardisation will provide secretarial support to all ISWGs and monitor the progress of formulation of JSQRs.

11.12 Ratification of JSQR

a) The finalised draft JSQR (along with RFI Compliance matrix) is to be forwarded to Secy, ISEPC atleast 15 days prior to the scheduled ISEPC meeting to enable its incorporation as agenda for ISEPC meeting. The User Directorate/ Lead Directorate will present the JSQRs during ISEPC. As far as possible, all issues should be resolved by ISWG prior to bringing it for approval of ISEPC. However, if there are any cases for which some issues could not be resolved by ISWG and require intervention of ISEPC members, the same are to be highlighted. Such cases will be deliberated by the collegiate and approved by Chairman ISEPC. Based on the decision, JSQR will be ratified in the meeting. In cases where there are observations by the collegiate, the same are to be resolved and taken up on file, post incorporating approved changes, by the User Directorate/ Lead Directorate for approval of Chairman ISEPC through Secy, ISEPC.

b) Post ratification (which will be endorsed in Minutes of the meeting), User Directorate/ Lead Directorate will send copy of approved JSQR (both Hard Copy {signed on each page by the officer initiating JSQR} and soft copy) to Dte of Standardisation for allotting JSQR Number and for publication. The final JSQR is to be distributed to all Planning Dtes of SHQs and HQ IDS for future reference.

12. PRELIMINARY SERVICES QUALITATIVE REQUIREMENTS (PSQRS)

12.1 PSQRs are formulated for identified cases being progressed under “Make and Innovation” and “Design & Development” procedures.

12.2 Make and Innovation Procedure.

- a) Under this procedure, SHQs identify potential projects in consultation with industry. Suo-moto projects forwarded by industry can also be considered under this procedure.
- b) In accordance with Para 9 of Chapter III of DAP 2020, potential projects are deliberated and “Approved-in-Principle” by a collegiate committee which consists of members from SHQs also.
- c) Inputs for drafting the PSQRs are obtained from the ‘Feasibility Study’ Report. The SHQs are thereafter, required to prepare SoC and take AoN as per procedure for “Buy (Indian-IDDm)” and Buy (Indian) categories.
- d) The examination of the PSQRs from commonality and interoperability aspects for ascertaining the requirement of other Services takes place at the SoC stage. This results, at times, in delay in progress of the case in the event that commonality and interoperability is established and the inputs of other Services are sought at this stage.
- e) Therefore, at the ab-initio stage of AIP itself, the requirement of other Services is to be established by the Lead SHQ and the same should be recorded in the Minutes. Based on the requirement projected by other Services, the subsequent action, as prescribed in Chapter III of DAP 2020, should be progressed and the “Feasibility Study” should factor in the projected requirements of the other SHQs, both in terms of MOQs and QRs.
- f) When the draft SoC is forwarded to HQ IDS for comments, it should be unambiguously stated if requirements of other Services have been factored whilst formulating the PSQRs. The Minutes of the collegiate meeting when AIP was accorded should also be enclosed.
- g) The PSQRs will subsequently be converted to JSQRs as per the provisions of Para 17, Chapter II of DAP 2020.

12.3 Design & Development Projects Procedure. The procedure to be followed for acquisition of systems designed and developed by DRDO/ DPSU/ OFB is elucidated in Chapter IV of DAP 2020. Such cases are initiated by SHQs and taken up for accord of AoN. The Soc is initiated by the concerned SHQ in consultation with DRDO/ DPSU/ OFB and circulated to all stakeholders, for comments. Although D&D cases are initiated for Service

specific requirements based on ORs/ ICDP, there may be instances where commonality/ interoperability exists. In such cases the SHQ initiating the case should obtain comments of other Services prior to formulating the SoC for AoN when comments are sought.

13. JOINT SERVICES POLICY STATEMENT (JSPS)

13.1 Joint Services Policy Statement (JSPS) is a statement of Tri-Services futuristic requirement stating the broad Operational Requirements (ORs) for core technology and the timelines. JSPS lays down the broad Operational Requirements (ORs) for core technology and the timelines. JSPS lays down the broad operational performance parameters for the proposed tri-Services futuristic weapon/equipment required by the Services and the time frame within which it is proposed to be inducted. In most cases, these weapon/ equipment would need R&D to be undertaken.

13.2 The procedure for formulation of JSPS is as follows:

- a) Based on their Perspective Plans, Services Policy Statements and Technological Forecast, Services formulate the Operational Requirements (ORs) for futuristic technologies/equipment. In case the proposed weapon/ system has Inter-Services implication, the ORs shall be forwarded to the other Services to elicit their views/requirements.
- b) It may also happen that futuristic technologies that need to be inducted into the Services in terms of weapon/ equipment are identified as a higher directive or through discussions at other forums.
- c) Once Inter-Service interest has been established on the basis of Operational Requirements (ORs), the initiating User Service is to convert the ORs to draft JSPS. In the event that induction of futuristic technology is identified through a higher directive or discussions, the Lead Service for formulation of ORs and thereafter its conversion to JSPS will be nominated.
- d) The JSPS should spell out the performance parameters of the working system in consultation with DRDO/DP/QA/Industry. It should also spell out the specific time frame by which the equipment is required to be inducted.

13.3 Once the draft JSPS has been formulated, the Lead Service will forward it to ISWG nominated by ISEPC.

13.4 The procedure to be followed by ISWG is as under:

- a) On receipt of the case from the User Directorate/Lead Directorate, the Secy, ISWG will send draft copies of draft JSPS to members of ISWG.


RESTRICTED

- b) ISWG members will comment on the broad Operational Requirements (ORs) and timeframe within which the product is required to be inducted, within 30 days, post which 'nil-comments' will be assumed. ISWG members will forward their comments to the User Directorate/Lead Directorate with a copy to Secy, ISWG.
- c) User Directorate/Lead Directorate will compile all the comments received from the ISWG members and present them to Chairman, ISWG, who will hold a collegiate meeting to resolve all the issues raised.
- d) Chairman ISWG is to make sure that JSPS lays down the fundamental user requirements in a comprehensive manner. The broad Operational Requirements and timelines stated in the JSPS should be realistic, achievable and verifiable and must avoid ambiguity of any type.
- e) Once approved by Chairman ISWG, User Directorate/Lead Directorate will send 15 copies of JSPS to Secy ISEPC for circulation to Chairman and members of ISEPC.
- f) Members of ISEPC will study the draft JSPS and give their comments within 15 days to User Directorate/ Lead Directorate, post which 'nil-comments' will be assumed.
- g) User Directorate/Lead Directorate will compile all the comments received from the ISEPC members and present it to Chairman ISWG, who will, once again, hold a collegiate meeting to resolve pending issues, if any.
- h) After the final approval of Chairman ISWG, User Directorate/ Lead Directorate/Secy, ISWG will take up the case for ratification of JSPS in ISEPC Meeting.
- j) To ensure that formulation of JSPS does not get unduly delayed, ISWGs are to make all efforts to finalise draft JSPS within three to six months of assignment of responsibility. A monthly progress report is to be forwarded by Chairman, ISWG to Chairman ISEPC through Secy ISEPC after lapse of six months, highlighting progress made and reason for delay. Cases of unreasonable delay are to be placed before the VCC/COSC, as per directions of Chairman ISEPC.

13.5 The JSPS, once approved, is to be shared by the Lead Service with DRDO/ Industry for carrying out preliminary feasibility study for the development of the equipment on the basis of JSPS. If the feasibility study concludes that the weapon/ equipment can be developed as per the Services requirement and within the time frame indicated, then the process of formulation of JSQRs, as stated at Para 17 will commence. The flow Chart for formulation of JSPS is mentioned below:

RESTRICTED

FLOWCHART FOR FORMULATION OF JSPS



MINISTRY OF DEFENCE
STANDARDISATION DIRECTIVE

1. PURPOSE

This Directive lays down the policies and assigns responsibilities for the Defence Standardisation Programme and Codification by the Standardisation Committee to issue the Standardisation and Codification Manuals for dissemination of procedures and methodology for furtherance of the policies formulated herein.

2. APPLICABILITY

The provisions of this Directive apply to the Defence Services and the various Defence Organisations concerned, such as DRDO, Inspection, Quality Assurance, Procurement, Defence Public Sector Undertakings and other organisations handling defence stores including Indian Private Defence Manufacturers.

3. SCOPE

This Directive pertains to the preparation of Standardisation documents viz. Joint Services Guides(JSG), Joint Services Qualitative Requirements(JSQR), Joint Services Specifications(JSS), Joint Services Preferred Ranges(JSPPR) and Joint Services Rationalised List(JSRL) of Stores by various Standardisation Sub Committees(SSCs) to ensure 'Entry Control', 'Variety Reduction' and inter-service commonality of Stores, carrying out the activities of Codification and Rationalisation of existing stores used by the Defence Services. All standardisation document will be finally approved and notified by Director, Dte of Standardisation, MoD/DDP.

4. OBJECTIVE

The Defence Standardisation Programme has its objective towards the control of item proliferation within the Defence Services through the exercise of disciplines and procedures prescribed in the Manual of Standardisation and Manual of Codification. This objective is achieved by:-

- a) Preparation of Standardisation Documents and adopting Standard/Preferred Ranges of all items to guide, design, development, production, inspection & procurement.
- b) Using Standard/Inter-changeable equipment and material.

- c) Codifying the Service Inventory in such a detailed manner that an effective inventory catalogue is established, thereby preventing the preparation of duplicate and overlapping descriptions of material and stores.
- d) Achieving 'Entry Control' in the case of equipment commercially produced by restricting procurement from nominated manufacturers.
- e) Ensuring codification of all indigenous Defence Equipment in line with internationally accepted system towards Aatmanirbharata and enhancing export potential of Indian Defence Manufacturers.

5. POLICIES

Within the Ministry of Defence 'A Single Integrated Standardisation Programme' shall be adopted to achieve the objectives stated in Para 4 above. The Standardisation Programme shall be managed in accordance with the following guidelines:-

- a) Joint Services Specifications and Preferred Ranges for equipment, stores, parts and practices shall be used during the development and procurement process. The engineering initiative manufacturer should be promoted to ensure full utilisation of new technology to achieve specified performance parameters of the equipment/system.
- b) The Standardisation documents, Specifications, Preferred Ranges of Stores and other documents issued by the Directorate of Standardisation will be used by design, manufacturing, inspection, procuring and allied agencies.
- c) 'Entry Control' through Standardisation shall be planned and implemented for preventing variety of items from entering the supply system. When one Service wishes to introduce any item, it shall first refer to the Preferred Ranges or Joint Services Specifications issued on similar items. When any Service wishes to introduce an item dissimilar to that listed in Preferred Ranges or Joint Services Specifications, it shall do so only after referring the case to the Directorate of Standardisation.
- d) Rationalisation of existing inventory shall be carried out on intra and inter Service basis. Intra service rationalisation in respect of equipment specific to a particular service will be done by the Services in consultation with AsHSP and items of Inter-Service nature will be rationalised by the Directorate of Standardisation.
- e) Services Inventory shall be codified and catalogued under the Codification System adopted by Directorate of Standardisation/National Codification Bureau of India. This will provide a uniform supply language for the three Services. All new introductions shall be codified at the first instance prior introduction into service inventory so as to avoid accumulation while the remaining Services inventory will be catalogued on a 'Priority Weighing'.

RESTRICTED

f) Defence Services and all Defence Organisations shall adopt the 'System International' (SI).

g) Directorate of Standardisation shall monitor and coordinate the entire Defence Standardisation activity.

h) Guidelines for the execution shall be laid down by the Standardisation Committee.

6. STANDARDISATION COMMITTEE

Standardisation Committee shall be the foremost guiding body on all matters of Standardisation. The Directorate of Standardisation shall provide the secretariat support for the Standardisation Committee. The Committee shall meet at least once in six months.

7. COMPOSITION OF STANDARDISATION COMMITTEE

Chairman – Scientific Advisor to Raksha Mantri

Members

- Additional Secretary (Defence Production).
- Master General of Sustenance, Army HQ
- Chief of Material, Naval HQ
- Air Officer-in-Charge-Maintenance, Air HQ.
- Deputy Chief of Integrated Defence Staff (Perspective Planning and Force Development) (DCIDS (PP & FD)), HQIDS.
- Director General (PC & SI), DRDO.
- Director General of Quality Assurance (DGQA).
- Director General Aeronautical Quality Assurance(DGAQA)
- Joint Secretary (Planning & Coordination)
- Director General Naval Armament Inspection (DGNAI)
- Rep Indian Industry

Co-opted -- Director General (Acquisition) MoD
-- Director General of Bureau of Indian Standards

Member Secretary – Director, Directorate of Standardisation.

8. The Standardisation Committee may Co-opt / invite representatives from various Organisations on as required basis.

RESTRICTED

9. FUNCTIONS OF STANDARDISATION COMMITTEE

- a) To lay down policy guidelines concerning Standardisation and other matters coming within the scope of this Directive, for the purposes of evaluation, selection and introduction of major new weapons and equipment by the Defence Services.
- b) To lay down the policy of Joint Service Standardisation.
- c) To review and guide the Standardisation activities.
- d) To liaise with other National & International Standardisation Organisations.

10. STANDARDISATION SUB-COMMITTEE

To assist the Standardisation Committee in implementation of the policy, Standardisation Sub-Committee with adequate and appropriate representation of the Services, Inspection, Defence Research and Development Organisations, Rep Indian Industry and concerned agencies would be formed in required field with approval of the Chairman.

11. RESPONSIBILITIES

Responsibilities for administration and implementation of Defence Standardisation Programme are assigned as follows:-

- a) The General responsibility for conducting standardisation work within the Ministry of Defence and the handling of standardisation interests in all fields, devolves directly on the Director of Standardisation. He will function under the control of Department of Defence Production, within the broad policies enunciated by the Standardisation Committee and is authorised to approve and notify the Standardisation documents. Detailed technical instructions stating the procedures and methods for implementing the policy of Standardisation and Codification will be issues by Directorate of Standardisation.
- b) Joint Services Specifications, Preferred Ranges of Stores and such other standardisation documents prepared by the Standardisation Sub-Committees and the Defence Codification Authority/National Codification Bureau of India will be made available on web page of the Directorate of Standardisation.
- c) The Defence Services, Research & Development Organisations, Defence Inspection, Quality Assurance Organisation, Procurement Agencies shall plan, programme, budget and implement Defence Standardisation programme on a level sufficient to assure support to the Inter-Services Standardisation programme and the efforts of the Standardisation Committee. These Organisations shall nominate Senior Officers to act as focal points for all Standardisation matters.
- d) Service Standardisation Cells headed by Senior Officers established in each Service Headquarters to deal with all Standardisation matters on behalf of the

particular Service. These Standardisation Cells would not only provide a contact with the Directorate of Standardisation but also would be responsible for:-

- 1) INTRA SERVICE rationalisation and simplification of existing variety of equipment and stores specific to the Service.
 - 2) Planning and projecting Standardisation programme for INTER SERVICE rationalisation and “ENTRY CONTROL”. They will indicate the necessary priority to be accorded to such proposals.
 - 3) Monitoring the application for the Standards issued by the Directorate of Standardisation and the relevant Indian Standards.
- e) Standardisation Committee members and Heads of other Organisations shall issue suitable directive for implementation of Defence Standardisation Policy.

12. BIS SPECIFICATIONS

Adoption of Indian Standards issued by the Bureau of Indian Standards for materials and equipment, Test Methods, Glossary of Terms etc in all the fields is of paramount importance from the point of view of developing common source of supply for both Defence and Civil needs. This adoption will be regularised by issue of Approval Notification(AN) by Standardisation Sub Committee and approved/ notified by Directorate of Standardisation. Defence Standardisation Programme will, therefore, provide for active participation in the preparation of Indian Standards and their eventual adoption. This will make it possible to include the commonly available commercial products in Defence Production.

(Approved by Standardisation Committee)

Date : 16 May 2023
Place : New Delhi

RESTRICTED

Annexure 1 of Appendix 'A'
(Refer to Para 5(c) of Appendix 'A')

MINISTRY OF DEFENCE
DIRECTORATE OF STANDARDISATION

ENTRY CONTROL ACTIVITY

1. Govt. of India issued Standardisation Directive on 05 Oct 1977, which was subsequently amended on 18 Sep 1979. This Directive lays down the policies to be followed for standardisation in Ministry of Defence. These policies are mandatory for all the users and associated organisations connected with standardisation during procurement, design & development and production of all defence stores.
2. Entry Control is an important activity to be followed by all the Service HQs. For effective entry control and to check proliferation of Defence Inventory, Service HQs are required to refer all cases of introduction of new stores to Directorate of Standardisation. During the current financial year, however, very few statement of cases relating to introductions have been received thereby restricting effectiveness of the Standardisation Directives. It is, therefore imperative for Service HQs to forward all cases on new introductions to Directorate of Standardisation, so that proliferation is checked at the entry stage. A check list as per Appendix 'A' may be enclosed invariably with the case for expeditious action.
3. In view of the above, it is requested that all out efforts may be made to effect Entry Control.

Date: 02 Feb 1999
Place: Delhi

--sd--
(Dhirendra Singh)
Additional Secretary (DP&S)

MOD ID No. 5901/T&E/STD/AS (DP&S)/99 Dated 02 Feb 99.

Army HQ	Naval HQ	Air HQ	DGOF	DRDO	DGAfMS	PSUs	DGQA Org
DGOS	ACOL	ACAS	All	All		MDL	All Tech
CODS	DOS (L)	(Log)	Ord	DRDO		GRSE	Dir
	DOS (W)		Ftys	Estts		GSL	
	DNA					BEL	DGAQA
	DOS (E)					BEML	
	DLS					BDL	
	DPRO					MIDHANI	

RESTRICTED

RESTRICTED

Copy to:

Secy (DP&S)	AOM	COM COL	Chairman OFB	SA to RM
JS (G)				
JS (O)				
JS (N)				
JS (A)				
JS (OF)				
JS (Sy)				

RESTRICTED


Sub Annexure 'A'
(Refers to Para 2 of Annexure 1)

CHECK LIST ENTRY CONTROL

1. Nomenclature
2. NSN
3. Equipment with which used
4. Particulars- Drawing/Specifications
5. Designation indicating 10 important characteristics of the item being introduced.
6. Superseded stores part/DS Cat part No.
7. Superseded stores nomenclature
8. Name of the Service introducing stores
9. Reason of replacing the existing stores
10. Whether IIG form filled up. If not the reason thereof.

Appendix 'B'
(Refers to Para 1.1 of Chapter I)

ORGANISATION CHART
DIRECTORATE OF STANDARDISATION




Legend to Organization chart above (Appendix 'B')

STDN	–	Standardisation
C&C	–	Codification & Cataloguing
TSG	–	Technical Support Group
Tech Coord	–	Technical Coordination Group
TMC	–	Technical Management Centre
TIC	–	Technical Information Centre
SDC	–	Standardisation Documents Centre
ISWG	–	Inter Service Working Group
T&E	–	Technical & Entry Control Group
CACOSA	–	Centre for Advanced Computing and System Analysis
DNC	–	Data Network Centre

Appendix 'C'
(Refers to Para 1.3 of Chapter I)

INTERFACE OF DIRECTORATE OF STANDARDISATION



Appendix 'D'
(Refer to Para 1.9.1 of Chapter I)

RE-CONSTITUTION OF DEFENCE STANDARDISATION SUB-COMMITTEES

1. The various Standardisation Sub-Committees constituted are as follows:

a) Aeronautical Standardisation Sub-Committee.	Annx 1
b) Armament Standardisation Sub-Committee.	Annx 2
c) Electronics Standardisation Sub-Committee.	Annx 3
d) Engineering Equipment Standardisation Sub-Committee.	Annx 4
e) Electrical Standardisation Sub-Committee.	Annx 5
f) Guided Missiles Systems & Components Standardisation Sub-Committee.	Annx 6
g) Instruments Standardisation Sub-Committee.	Annx 7
h) Information Technology Standardisation Sub-Committee.	Annx 8
j) Nuclear Biological Chemical Standardisation Sub-Committee	Annx 9
k) Marine Equipment Standardisation Sub-Committee.	Annx 10
m) Material Standardisation Sub-Committee.	Annx 11
n) Medical Stores Standardisation Sub-Committee.	Annx 12
p) Stores Standardisation Sub-Committee.	Annx 13
q) Vehicle Standardisation Sub-Committee.	Annx 14
2. The composition of the above mentioned Standardisation Committees will be as per JSJ 017 and as amended vide Govt. of India letter No. 1800/SC/Coord/2180/D(QA) dated 11 Nov 1998 and GOI MOD letter no 1800/CCSSC/Coord/Std/2219/D(QA) dt 28 June 1999 and GOI MOD letter no 1800/CCSSC/Coord/Std/1119/DS/sIII dt 6 Jul 2000.
3. The Chairman of the Defence Standardisation Committee may constitute specialist technical panels to function under the Standardisation Sub-Committees/Standardisation Committee.
4. The Chairman of various Standardisation Sub-Committee are empowered to revise the composition of all technical panels under their Sub-Committees, as and when necessary. They may also constitute working groups as and when required.
5. The Chairman of various Standardisation Sub-Committees are authorised to call meetings of their respective Sub-Committees as and when required, and to select the venue of such meetings. They are also empowered to co-opt technical representatives to serve on their Sub-Committees in order to obtain expert opinion on any item under consideration by their Sub-Committees.

RESTRICTED

6. TA/DA to Government Officials who participate in the meetings of the above Sub-Committees, panels and working groups will be governed by normal rules and the expenditure met from the budget of the respective Government departments. The move of non-official members, if any, will be regulated according to SR 190 read with Government of India, Ministry of Finance (Department of Expenditure) O.M. No. 19020/2/75-E-IV-B dated 17th Jan 1976.

7. The expenditure will be debited to the Major Head 169 Minor Head 7 Defence R&D Organisation.

Authority - Government of India, Ministry of Defence letter No. 86545/Coord/Std/ 9350/D (R&D) dated 14 Nov 1977 supplemented with Govt. of India letter No. 1811/Coord/Std/2233/D(Insp) dated 27 Jun 1989 and 1800/SC/Coord/2180/D(QA) dated 11 Nov 1998.

RESTRICTED

COMPOSITION OF AERONAUTICAL STANDARDISATION SUB-COMMITTEE

Chairman: Chief Executive, CEMILAC

Members

Chief Manager, HAL
Dir, GTRE
Reg Dir RCMA (M)
NASDO c/o INS Hansa
RDAQA (GW), Hyd
ALISDA, DGAQA
M/s ECIL
HQ TGEME (AAC)
Reg Dir RCMA (F&F)
WGC, RCMA
RCMA (E), HAL
ADE, Bangalore
RCMA (Aircraft)
LCSO, LRDE
ADA, Bangalore
BIS Bangalore
ACAS (MP) IAF
MAG No 23 (Aviation) HAL
ER & IPR DRDO HQ
RCMA (Kanpur)
Dte of Stdn

Member Secretary Secy Aero SSC, DOS

COMPOSITION OF ARMAMENT STANDARDISATION SUB-COMMITTEE

Chairman: Member Secretary (ARMREB), DRDO

Members

Ammunition Factory, Pune
ARDE, Pune
CQA (Amn), Pune
CQA (W), Jabalpur
CQA (SA), Ichapur
CQA (ME), Pune
Arty-5, Army HQ, New Delhi
DGAQA, New Delhi
DGNAI, NHQ, New Delhi
DGONA, New Delhi
DG Capb Devp (CD 2 &3), Army HQ, New Delhi
Dte of Armt & Safety Eqpt, New Delhi
HEMRL, DRDO, Pune
DGEME/ARMT, New Delhi

Member Secretary Secy ASSC, DOS

RESTRICTED

Annexure 3 of Appendix 'D'

COMPOSITION OF ELECTRONICS STANDARDISATION SUB-COMMITTEE

Chairman: ADGQA(L), DGQA

Members

CQAL, Bangalore	DLRL, Hyderabad
LRDE, Bangalore	DEAL, Dehradun
ITI, Bangalore	ISSA, N. Delhi
DGL, (Air HQ)	DSC, Bangalore
DSC, Dehradun	JCES, N. Delhi
BEL, Bangalore	HAL, Hyderabad
DQA(N), N. Delhi	Dte of STDSN
CQA (AVL), Chennai	CQA (R), Bangalore
CQA (EW), Secunderabad	CQA (SYS), Secunderabad
ALISDA, Bangalore	DGOS (OS - 17)
DWE (WE- 7)	DEAL, Dehradun
RCMA, Hyderabad	LCSO, Bangalore
DGAQA	OCF, Chandigarh
SSPL, N. Delhi	HQ, TGEME, Delhi
Dte Gen of Signals	CQA (WE)
ECIL, N. Delhi	RDAQA, Ghaziabad
DECS , N. Delhi	Dte of Electrical Engg, N. Delhi
Dep. of IT, Elect	ADA, Bangalore
HQ IDS, N. Delhi	Dte of Missile, N. Delhi
Air HQ, N. Delhi	
Indian Industry	Co-opted Member

Member Secretary Secy LSSC, DOS

RESTRICTED

**COMPOSITION OF ENGINEERING EQUIPMENT
STANDARDISATION SUB-COMMITTEE**

Chairman: ADGQA (EE), DGQA

Members

DGAQA
Dte of Engineering (R & D)
CE-4, E-in-C's Branch
EME (Eqpt), DGEME
OS-14, DGOS
DLS, IHQ of MOD (N)
DQA(N), New Delhi *
CQA (EE), Pune
DES, Air HQ
DQA (WP), DGQA HQ
CQA (FFE), Pune
Dte of NBCD, IHQ of MOD (N)
CQA (V), Ahmednagar
DME, IHQ of MOD (N)

Member Secretary Secy EESSC, DOS

COMPOSITION OF ELECTRICAL STANDARDISATION SUB-COMMITTEE

Chairman: PDEE IHQ MoD (Navy)

Members

MGO/DGEME
DGOS, Army HQ
JDDG of Works (Utility)/E4,
DOS(L), Naval HQ
DOS(W), Naval HQ
Dir, IHQ MoD (Navy), DEE
DES, Air HQ
CEMILAC
DGAQA
DQA(L)
DQA(N)
DQA(WP)
CQA(L)
CQA(E)
R&D Estt (Engineers)
OFB, Kolkatta

Member Secretary Secy ESSC, DOS

**COMPOSITION OF GUIDED MISSILES SYSTEMS & COMPONENTS
STANDARDISATION SUB-COMMITTEE**

Chairman: Director(R&QA), DRDL

Members

BDL, Hyderabad
HAL, Bangalore
BEL, Bangalore
ARDE, Pune
MSQAA, Hyderabad
R&DE(Engrs), Pune
Dte of W & E
CQA (Sys), S'bad
HAL, Lucknow
GWM Air HQ, New Delhi
DGNAI, NHQ, New Delhi
RCI, Hyderabad
HEMRL, Pune
HAL, Hyderabad
ECIL, Hyderabad
PDP(Air HQ)
Ordnance Factory, Maharashtra
BEL, Hyderabad
DRDL, Hyderabad

Member Secretary Secy GMS & CSSC, DOS

COMPOSITION OF INSTRUMENTS STANDARDISATION SUB-COMMITTEE

Chairman: ADGQA(Armt), DGQA

Members

CQA (I), Dehradun
IRDE
DQA (N)
CQA (L)
DLS (Navy)
Dte Gen of Arty (Arty - 7)
WE – 7
ECS
OF, Dehradun
DES AHQ
DGEME (Armt - 3)
DQA (WP)
E-in-C's Branch (ESP - 3)
DQA (Arm - 9)
DGAQA
Dte of Met (Air)
CQA (M), Kanpur
CQA (GS), Kanpur
DS Cell Dehradun
CQA (EE), Pune
DS Cell, New Delhi

Member Secretary Secy ISSC, DOS

**COMPOSITION OF INFORMATION TECHNOLOGY
STANDARDISATION SUB-COMMITTEE**

Chairman: Director (R&D), BEL

Members

Dte General of Signals New Delhi
IHQ of MoD (Navy) New Delhi
Central Research Lab, BEL, Bangalore
Scientific Analysis Group (SAG), New Delhi
AGM Central D & E, BEL,
DPSUs formed out of Ordnance Factory
AGM (ISCO) BEL Bangalore
CQA (R) Bangalore
PDIT Air HQ, New Delhi
CAIR, DRDO, Bangalore
CIO, BEML, Bangalore

Member Secretary Secy ITSSC, DOS

**COMPOSITION OF NUCLEAR BIOLOGICAL CHEMICAL
STANDARDISATION SUB-COMMITTEE**

Chairman: Director, Defence Laboratory, Jodhpur, DRDO

Members

Dir & Chairman, NBC SSC, DL Jodhpur
Dir, DRDE, Gwalior
Dir, NBC Cell, Naval HQ, N. Delhi
Dir, NBC Cell, Dte of Ops (Offensive) Air HQ , N. Delhi
Dir, DMSRDE, Kanpur
Dir, BARC, Mumbai
Secy, OFB, Kolkata
E-in-C's Branch, N.Delhi
DDGQA (NBC), NBC Eqpt, Pune
Dir, CVRDE Chennai

Member Secretary Secy NBC SSC, DOS

**COMPOSITION OF MARINE EQUIPMENT
STANDARDISATION SUB-COMMITTEE**

Chairman: Asstt. Director General Acquisition (Warship Planning), DGQA

Members

Dte of Marine Engg (DME)
Dte of Naval Architecture (DNA)
Dte of Weapon Equipment (DNA)
Weapons & Electronics Systems Engineering Establishment (WESEE)
Navy Standardisation Cell (NSC)
PD MAT (Indian Coast Guard)

Co-opted Members (as required basis)

Mazagaon Dock Shipbuilders Ltd
Goa Shipyard Ltd
Cochin Shipyard Ltd
Garden Reach Shipbuilders & Engineers Ltd
Hindustan Shipyard Ltd
Reps of Industry

Member Secretary Secy MESSC, DOS

COMPOSITION OF MATERIAL STANDARDISATION SUB-COMMITTEE

Chairman: Director, DMSRDE

Members

CQA(Met), Ichapore
CQA(ME), Pune
CQA(L), Bangalore
CQA(Ee), Pune
DQA(N), New Delhi
M&S Factory, Ichapore
DGOS/P1, New Delhi
DGEME (Armts), New Delhi
DME(Navy), New Delhi
DGNAI, New Delhi
DGNA, New Delhi
DGAQA(PP&FOL), New Delhi
Air Force Stdn Cell, New Delhi
DMRL, Hyderabad
DNA, N. Delhi
CVRDE, Avadi
Dte of P&C, New Delhi
HAL (F&F Div.), Bangalore
MIDHANI, Hyderabad

Member Secretary Secy MSSC, DOS

COMPOSITION OF MEDICAL STORES STANDARDISATION SUB-COMMITTEE

Chairman: Addl DGAFMS (E&S)

Members

DDG (Std), New Delhi
DDG (Prov), New Delhi
CME, MAG No. 22 Medical, New Delhi
Commandant AFMSD, Delhi Cantt
TEO, New Delhi
CQA (Materials), Kanpur
DMSRDE, Kanpur
DGOF, Calcutta
DGQA (Stores), New Delhi
DGMS (Air), New Delhi
DDG (DGDS), New Delhi
DGMS (N), New Delhi

Member Secretary Secy Med SSSC, DOS

COMPOSITION OF STORES STANDARDISATION SUB-COMMITTEE

Chairman: ADGQA (Stores), DGQA

Members

DQA (S)
CQA (T&C), Kanpur
CQA (PP), Kanpur
CQA (M), Kanpur
DQA(N), N. Delhi
DMSRDE, Kanpur
MGO/GS&C
DC & V, IHQ OF MoD (N)
DLS, IHQ OF MOD (N)
DNA, IHQ OF MOD (N)
Dte OF Stores, Air HQ
JDQAS (Aero), Air HQ
OEF, Kanpur
OCF
DGAQA
DGOS (CP Cell)
Dte of Systems (Engg) Air HQ
EME (Armt) - Co-opted

Member Secretary Secy SSSC, DOS

COMPOSITION OF VEHICLE STANDARDISATION SUB-COMMITTEE

Chairman: ADGQA (Veh), DGQA

Members

CQA (Veh), Ahmednagar
CQA(BEML), Bangalore
CQA (OFV), Jabalpur
CQA(SV), Dehu Road
CQA(ICV), Medak
DGAQA, New Delhi
VRDE, Ahmednagar
CVRDE, Avadi
Air Force Std Cell
Dte of Combat (Veh)
DSD, Ahmednagar
DSC, Pune
DSC, Jabalpur
DSC, Avadi, Chennai
DTP/ DLS, Naval HQ

Member Secretary Secy VSSC, DOS

RESTRICTED

Appendix 'E'
(Refer to Para 1.11 of Chapter I)

Authority - Government of India, Ministry of Defence Letter No. 1800//1/Coord/Std/ PC-2/5210/D(Insp) dated 31 Aug 1987.

FORMATION OF SPECIALIST TECHNICAL PANEL (STP)
FOR MAKING STANDARDISATION DOCUMENTS ON HUMAN
FACTORS FOR DESIGNERS OF EQUIPMENTS

Sir,

I am directed to convey the sanction of the President to constitute a Specialist Technical Panel (STP) for making Standardisation Documents on "HUMAN FACTOR FOR DESIGNERS OF EQUIPMENTS".

2. The composition and terms of reference to this letter are given at the end of this letter.
3. The Chairman of the Specialist Technical Panel (STP) is authorised to call meeting at convenient venues as and when considered necessary. He is also empowered to co-opt both Defence and Civil experts from other Organisations to obtain expert opinion on the items being considered by the Specialist Technical Panel.
4. TA/DA to Government Official who participate in the meeting of the above Specialist Technical Panel, will be governed by normal rules and the expenditure met from the budget of the respective departments. The move of Non-Official members, if any, will be regulated according to SR 190 read with Government of India, Ministry of Defence, Finance (Department of Expenditure QM No. 19020/2/75-E/IV-B dated 17 Jan 1976).
5. The expenditure will be debited to the Major Head 269 Minor Head 7 Defence R&D Organisation.

Yours faithfully,

Sd/-
(VN Awati)
Under Secretary to the
Government of India

Distribution

All concerned.

RESTRICTED

COMPOSITION AND TERMS OF SPECIALIST TECHNICAL PANEL
FOR HUMAN FACTORS FOR DESIGNERS OF EQUIPMENT

COMPOSITION

1. Director - Chairman
Defence Institute of Psychological Research (DIPR),
West Block 8, RK Puram, New Delhi.
2. Members
 - a) Director,
Defence Institute of Physiology and Allied Sciences (DIPAS),
Delhi Cantt 110 010.
 - b) Director,
Defence Bio-Engineering and Electro Medical Laboratory (DEBEL)
PB No. 7579, Jeevan Bima
Nagar, Bengaluru - 560 075
 - c) Director,
Defence Institute of Aviation Medicine,
Bengaluru.
 - d) Director of Medical Research/Director General of Armed Forces
Medical Services.
 - e) Director,
DTD&P (Air),
Ministry of Defence,
New Delhi 110 011
 - f) Representative Army*
 - g) Representative Navy*
 - h) Representative Air Force*
 - j) Representative – Director General Quality Assurance
 - k) Representative Bureau of Indian Standards
 - m) Representative – Director General Yantra India Limited, Kolkata.
 - n) Director of Standardisation - Member Secy.

TERMS OF REFERENCE

3. To prepare Joint Service Guide for Defence Standards on the subject with an ultimate aim to adopt these Standards as National Standards.

4. To prepare Standards in the areas where we are engaged in the design, development and production for Engineering Items as Main Battle Tanks (MBT), Warships Submarines, Light Combat Air Craft and other Military Hardware apart from many other systems enumerated in the Defence Standards 00 – 25 of UK MOD enclosed with this letter.

* Officer not below the Rank of Maj Gen/Brig or equivalent having experience or dealing with Design/Development/Introduction/Quality Assurance/Proof.

RESTRICTED

Appendix 'F'
(Refers to Para 2.4 of Chapter II)

LIST OF LOCAL DEFENCE STANDARDISATION CELLS
AND RESPECTIVE AsHSPs COVERED BY THEM

S. No.	Name and Address of Defence Standardisation Cells	AsHSP Covered	DRDO Labs/Estt to be Covered for Information Collection
1.	Defence Standardisation Cell, Raksha Manak Bhawan Defence Camping Ground Badarpur, New Delhi-110044	(a) DGAQA	(a) TBRL, Chandigarh
		(b) JDQAS (Aero)	(b) DTRL, Delhi
		(c) DQA (WP)	(c) Instt of System Studies & Analysis, Delhi
		(d) IHQ MOD (N)	
		(e) DNAI	(d) DIPR, Delhi
		(f) DGAFMS	(e) DIPAS, Delhi
		(g) DONA	(f) SAG, Delhi
		(h) DLS	(g) DSC, Delhi
		(j) DNA	(h) DIFR, Delhi
		(k) DME	(j) SSPL, Delhi
		(m) DOS (L)	(k) Ordnance Factory Muradnagar (OFM)
		(n) DOS (W)	
		(p) DNAM	(m) Weapon & Electronics Systems Engg Estt
		(q) Dte of Marine Engg	(n) Navy Stdn Cell
		(r) Dte of Naval Architecture	(p) PD MAT (Indian Coast Guard)
		(s) Dte of Weapon Equipment	
2.	Defence Standardisation Cell, GTRE Campus, CV Raman Nagar, Bengaluru-560 093	(a) CQA (L), Bengaluru	(a) CEMILAC, Bengaluru
		(b) CQA (R), Bengaluru	(b) GTRE, Bengaluru
		(c) CQA (WE), Bengaluru	(c) LRDE, Bengaluru
		(d) ALISDA, Bengaluru	(d) ADE, Bengaluru
		(e) BEL, Bengaluru	(e) CAIR, Bengaluru
		(f) 5 BRD, AF, Coimbatore	(f) MTRDC, Bengaluru
		(g) CQA (BEML), Bengaluru	(g) RCMA, Bengaluru
		(h) BEML, Bengaluru	(h) RCMA (Materials), Hyderabad
		(j) BEML, KGF	(j) RCMA (F&F), C/o HAL, Bengaluru
		(k) BEML, Mysore	(k) RCMA, Koraput
		(l) HAL (Aircraft Division), Bengaluru	(l) RCMA, (Aircraft) HAL Bengaluru
		(m) HAL (Engine Division), Bengaluru	

RESTRICTED

RESTRICTED

LIST OF LOCAL DEFENCE STANDARDISATION CELLS
AND RESPECTIVE AsHSPs COVERED BY THEM (CONTINUED)

S. No.	Name and Address of Defence Standardisation Cells	AsHSP Covered		DRDO Labs/Estt to be Covered for Information Collection	
		(n)	HAL (Helicopter Division), Bengaluru		
		(o)	HAL (Overhaul Division), Bengaluru		
		(p)	HAL (ARDC Division), Bengaluru		
		(q)	HAL (Foundry & Forge Division), Bengaluru		
		(r)	IMGTDC, Bengaluru (Industrial & Marine Gas Turbine Division)		
3.	Defence Standardisation Cell, Building No. RD/1 Daining Road, South Civil lines, Jabalpur	(a)	CQA (W), Jabalpur	(a)	Gun Carriage Factory, Jabalpur (GCF)
		(b)	CQA (OFV), Jabalpur	(b)	Vehicle Factory Jabalpur (VFJ)
		(c)	Armoured Vehicles Nigam Limited, Jabalpur	(c)	Grey Iron Foundry Jabalpur (GIF)
				(d)	Ordnance Factory Khamaria (OFK)
				(e)	Ordnance Factory Katni (OFKAT)
				(f)	Ordnance Factory Itarsi (OFI)
				(g)	Ordnance Factory Ambajhari (OFAJ)
				(h)	Ordnance Factory Bhusawal (OFBH)
				(j)	Ordnance Factory Chanda (OFCH)
				(k)	Ordnance Factory Varangaon (OFV)
				(m)	Ordnance Factory Bhandara (OFBA)

RESTRICTED

RESTRICTED

LIST OF LOCAL DEFENCE STANDARDISATION CELLS
AND RESPECTIVE AsHSP COVERED BY THEM (CONTINUED)

S. No.	Name and Address of Defence Standardisation Cells	AsHSP Covered		DRDO Labs/Estt to be Covered for Information Collection	
4.	Defence Standardisation Cell, Opposite Electronic Factory Complex P-57 (O.L.F), Near RTI Raipur, Dehradun-248 008	(a)	CQA (Instruments) Dehradun	(a)	IRDE, Dehradun
		(b)	BEL, Kotdwar	(b)	DEAL, Dehradun
5.	Defence Standardisation Cell, Inside CQA (EE) Complex, Aundh Camp, Pune-411 027	(a)	CQA (A), Pune	(a)	ARDE, Pune
		(b)	CQA (ME), Pune	(b)	HEMRL, Pune
		(c)	CQA (SV), Dehu Road, Pune	(c)	RDE (E), Pune
		(d)	CQA (EE), Pune	(d)	NMRL, Ambernath
		(e)	CQA (FE)	(e)	VRDE, Ahmednagar
		(f)	NBC (W)	(f)	BEL, Pune
		(g)	Goa Shipyard Ltd	(g)	HAL, Nasik
				(h)	11 BRD, Nasik
	Defence Standardisation Detachment Mumbai C/O CNAI (MB) Gungate Naval Dockyard Mumbai-400023	(a)	CQAE (INS), Mumbai	(a)	Naval Armament Depot, Mumbai
		(b)	CQAE (MS), Mumbai	(b)	Mazagaon Dock Limited, Mumbai
				(c)	BEL, New Delhi
				(d)	Material Organization (Mumbai), Indian Navy
				(e)	Naval Store Depot, Mumbai
	Defence Standardisation Detachment Ahmadnagar C/O CQA(Vehicle), Ahmadnagar	(a)	CQA (V), Ahmadnagar		
6.	Defence Standardisation Cell, M-22 Old Workman Line, Station Road PO, Ichapur, Nawabganj Distt 24 Parganas,(N) West Bengal Ichapur	(a)	CQA (SA), Ichapur	(a)	HAL, Engine Division - Koraput
		(b)	CQA (Met), Ichapur	(b)	GRAC, Kolkata

RESTRICTED

RESTRICTED

LIST OF LOCAL DEFENCE STANDARDISATION CELLS
AND RESPECTIVE AsHSP COVERED BY THEM (CONTINUED)

S. No.	Name and Address of Defence Standardisation Cells	AsHSP Covered		DRDO Labs/Estt to be Covered for Information Collection	
7.	Defence Standardisation Cell, CVRDE Complex P.B. No.7, Avadi, Chennai	(a)	CQA (HV)	(a)	CVRDE, Chennai
		(b)	CQA (AVA)	(b)	NSTL, Vishakapatnam
		(c)	CQA (AVL)		
		(d)	8 BRD		
	Defence Standardisation Detachment, KOCHI DSD, NPOL Complex II, Naval Base, Kochi-682 004			(a)	NPOL, Kochi
				(b)	NAQAS, Kochi
				(c)	Cochin Shipyard Ltd.
8.	Defence Standardisation Cell, DGQA Complex, Napier Road, Cantt, Kanpur-208 004.	(a)	CQA (GS)	(a)	DMSRDE, Kanpur
		(b)	CQA (T&C)	(b)	DRDE, Gwalior
		(c)	CQA (PP)	(c)	Ordnance Equipment Factory Kanpur (OEFC)
		(d)	CQA (M)	(d)	Small Arms Factory Kanpur (SAF)
				(e)	Ordnance Parachute Factory, Kanpur
				(f)	Ordnance Equipment Factory Shahjahanpur (OCFC)
				(g)	Ordnance Equipment Factory Hazratpur (OEFHZ)
				(h)	Ordnance Factory Muradnagar (OFM)
				(j)	HAL, Kanpur
				(k)	HAL, Lucknow
				(m)	HSL, Korba
9.	Defence Standardisation Cell, DRDL Campus Chandrayanagutta Lines Hyderabad-500 005	(a)	CQA (ICV)	(a)	DRDL, Hyderabad
		(b)	CQA (S)	(b)	DMRL, Hyderabad
		(c)	CQA (EW), Hyderabad	(c)	DLRL, Hyderabad
		(d)	MSEA, Medak, Hyderabad	(d)	RCI, Hyderabad
				(e)	HAL, Hyderabad
				(f)	ECIL, Hyderabad
				(g)	BEL, Hyderabad
				(h)	BDL, Hyderabad
				(j)	DLRL, Hyderabad
				(k)	CPDC, Hyderabad
				(m)	ASL, Hyderabad

RESTRICTED

RESTRICTED

**LIST OF LOCAL DEFENCE STANDARDISATION CELLS
AND RESPECTIVE AsHSP COVERED BY THEM (CONCLUDED)**

S. No.	Name and Address of Defence Standardisation Cells	AsHSP Covered		DRDO Labs/Estt to be Covered for Information Collection	
				(n)	Project NAB, Hyderabad
				(p)	Project Aakash, Hyderabad
				(q)	SSQAE, Hyderabad
				(r)	RCNA, Hyderabad
				(s)	RCMA, Hyderabad
10.	Defence Standardisation Detachment Vishakapatnam NSTL Complex Vigyan Nagar Vishakapatnam - 530027	(a)	MOV (M – 3)	(a)	Hindustan Shipyard Ltd
		(b)	IV EAST (I – 1)		
		(c)	CNAIV N – 7		
		(d)	NSTLV N – 8		
		(e)	CQA (EFS) 86		

RESTRICTED

Appendix 'G'
(Refer to Para 2.5 of Chapter II)

DUTIES ASSIGNED TO OFFICERS AND STAFF
OF DEFENCE STANDARDISATION CELLS

1. The Standardisation Cell will perform the following functions:
 - a) To maintain a close liaison with the respective AsHSP and coordinate various Standardisation activities as per directions from the Directorate of Standardisation.
 - b) To liaise with R&D Organisation in order to provide information in respect of standardisation documents and thus help the R&D to implement standardisation right from design stage.
 - c) To monitor, and ensure the implementation of the standardisation documents and provide necessary feed back to the Directorate of Standardisation.
 - d) To liaise with AHSP regarding queries raised by Directorate of Standardisation on items projected by AHSP for codification.
 - e) To periodically examine the existing inventory/equipment/stores and forward recommendations on their selection for preparing standardisation documents to the concerned Secretary, Standardisation Sub-Committee.
 - f) To liaise with local Defence Organisation/DPSUs and obtain technical assistance required in preparation of standardisation documents.
 - g) To obtain stock samples locally available with AsHSP/User Units of Defence required for preparation of standardisation documents.
 - h) To carry out the codification work as allotted from time to time by Directorate of Standardisation.
 - j) To carry out continuous review of Standardisation documents in order to update them from time to time.
 - k) To liaise with AsHSP, DPSUs, DRDO Laboratories/Establishments and private sector for getting necessary information pertaining to codification activities and to forward the DCA-11/IIG forms to Directorate of Standardisation, after carefully vetting them.

RESTRICTED

- m) To prepare initial drafts on Joint Services Specifications/Rationalised Lists/ Preferred Ranges on items allotted by the Secy Standardisation Sub-Committee as per approved Roll on Plan.
- n) To carry out continuous review of departmental specifications with the object of converting those into Joint Services Specifications as and when required.
- p) To keep abreast with Technical information regarding the International and National Developments in the field of Standardisation.
- q) To undertake any specific tasks whenever allotted by Directorate of Standardisation.

Appendix 'H'
(Refers to Para 4.2.3 of Chapter 4)

ACTIVITY SCHEDULE FOR FORMULATION OF ROP

S. No.	Activity	Timeline	Action by
a)	Asking for requirements from various Defence Establishments along with comments/priorities/withdrawals etc.	Apr	All Secys of SSCs
b)	Receipt of requirements along with comments/priorities etc.	Aug	All Services Stdn Cells and other Defence Establishments
c)	Formulation of Roll on Plan	Nov	All Secys of SSCs
d)	Putting up of Roll on Plan for approval by Chairmen of the concerned SSC	Dec	All Secys of SSCs
e)	Forwarding of approved Roll on Plan to the Tech-Coord section at DOS	Jan/Feb	JD(Std)
f)	Putting up for Ratification of Roll on Plan during CCSSC meeting	Mar/Apr	JD(Tech-Coord)
g)	Forwarding of ratified Roll on Plan to DSC Badarpur for printing and distribution to ASHSPs and Standardisation cells of various Defence Organizations in soft copy	Mar/Apr	JD(Std)
h)	Printing and Distribution of Roll on Plan	Apr/May	OI/C DSC Badarpur

Appendix 'J'
(Refers to 4.10.4 of Chapter IV)

CERTIFICATE FROM THE CHAIRMAN

a) I certify that _____ Standardisation Sub-Committee has approved for revision/ reaffirmation/ withdrawal/ inactive the following JSSs/JSGs/JSRLs/ JSRs and ANs. The Organisations/Establishments listed below have been consulted and all of them have agreed to issue the said documents:

S. No.	Document No.	Nomenclature	DS Cat No./NSN (if applicable)

b) List of Organisations/Establishments

Dated _____

(Signature of Chairman)

RESTRICTED

अध्यक्ष प्रमाण पत्र

प्रमाणित किया जाता है कि _____ मानकी उपसमिति ने संयुक्त सेवा में जे.एस.एस./जे.एस.जी./जे.एस.आर.एल./ जे.एस.पी.आर एवं अप्रूवल नोटिफिकेशन का रिविजन / रीआफर्मेशन / विथड्रॉल / निष्क्रिय करने हेतु अनुमोदन कर दिया है। ये संगठन इस दस्तावेज के रिविजन / रीआफर्मेशन / विथड्रॉल / निष्क्रिय के लिए भी सहमत है।

क्रम संख्या	दस्तावेज संख्या	नाम/पद्वति	डी.एस.कैट संख्या/ एन. एस. एन.

संगठनों/सथापनाओं की सूची

दिनांक

अध्यक्ष

RESTRICTED

Appendix 'K'
(Refers to Para 4.10.4 of chapter IV)

CERTIFICATE FROM THE SECRETARY

Certified that the following JSSs/JSGs/JSRLs/JSPRs and Approval Notifications (ANs) is/are editorially correct to the best of my knowledge. These documents have also been vetted for Metrication aspects and Nomenclature, DS Cat No. and NSN approved by NCB wherever applicable

S. No.	Document No.	Nomenclature	DS Cat No./NSN (if applicable)

Dated_____

(Secretary)

RESTRICTED

RESTRICTED

सचिव प्रमाण पत्र

प्रमाणित किया जाता है कि निम्नलिखित संयुक्त सेवा में संपादकीय त्रुटियों से रहित है और पूर्ण रूप से संशोधित है। इन संयुक्त सेवा में जे.एस.एस. / जे.एस.जी. / जे.एस.आर.एल / जे.एस.पी.आर. एवं अप्रूवल नोटिफिकेशन को मैट्रिफिकेशन रूप में भी अवलोकन किया गया है और इस का नामांकन, डी एस कैट नं० एवं एन. एस. एन. एन. सी. बी. के अनुसार है।

क्रम संख्या	दस्तावेज संख्या	नाम/पद्वति	डी.एस.कैट संख्या/ एन. एस. एन.

सचिव

प्रति हस्ताक्षर

RESTRICTED

Appendix 'L'
(Refers to Para 5.2 of Chapter V)

Tele: 371887
No. 86546/32/Coord/Std

Government of India
Ministry of Defence
Deptt of Defence Supplies
New Delhi-110 011

06 February 1982

To

Director General of Inspection
CCR&D (A)
CCR&D (K)
CCR&D (D)
Director of Ordnance Services,
Army Headquarters.
Director of Electrical & Mechanical Engg.,
Army Headquarters.
Master General of the Sustenance,
Army Headquarters.
Chief of Material,
Naval Headquarters.
Air Officer-in-Charge, Maintenance,
Air Headquarters.

MANDATORY USE OF STANDARDISATION DOCUMENTS

1. Standardisation Directive issued on 05 Oct 1977 clearly lays down that 'Entry Control' through Standardisation is to be planned and implemented for preventing of variety of items from entering the supply system. It also emphasizes use of Standardisation Documents like Joint Services Specification, Preferred Ranges, Rationalised Lists in the Development processes.

RESTRICTED

RESTRICTED

2. Standardisation documents are prepared after careful scrutiny of all aspects by the Standardisation Sub-Committees and concerned like DGQA i.e. AsHSP, users i.e. services, R&D and other technical experts in the field are present. These documents are prepared keeping in view that the same would serve the maximum number of purposes consistent with economical manufacture, minimum whole life costs and ensure quality and reliability. Reference to these documents, therefore, is obligatory by all concerned before action for procurement of any such item is initiated.
3. All concerned are, therefore, advised that they refer to the various Standardisation documents like Joint Service Rationalised Lists, Joint Service Guide, adopted IS, adopted departmental specifications, compendium of IS stores and procure only those stores which have been included in these documents. In case of items which have yet not been covered by the Standardisation documents, suitable IS and departmental specifications will continue to be used for guidance. Details of such items, however, will be intimated to the Directorate of Standardisation for initiating action for preparation of the Standardisation documents.
4. The above instructions will be brought into use with immediate effect.

Sd/-
(G. N. Mehra)
Additional Secretary (Defence Supplies)
Ministry of Defence

Copy to:

Army Standardisation Cell

Navy Standardisation Cell,
C/o DLS, naval Headquarters.

Air Force Standardisation Cell,
(Contact Point)
C/o DMT, Air Headquarters.

- For similar action

RESTRICTED

Appendix 'M'
(Refers to Para 5.7 of Chapter V)

DETAILED LAYOUT OF JOINT SERVICE SPECIFICATION

1. A Joint Service Specification will consist of:
 - a) Cover Page.
 - b) List of Members Associated with the Formulation/Revision/Reaffirmation (ii).
 - c) Record of Amendments (page No. iii)
 - d) Table of Contents (page No. iv)
 - e) Main body and _____ (subsequent pages).
 - f) Drawing/Sketch.
 - g) Appendices.

COVER PAGE & PAGE No. 1

It shall be as per attached specimen given at Annexure 1 of Appendix 'M'.

RECORD OF AMENDMENTS

On page No. iii of JSS shall be a blank format for record of amendments specimen given at Annexure 2 of Appendix 'M'.

CONTENTS

List of contents shall be at page No. iv of the JSS. The general headings will be as mentioned in Annexure 3 of Appendix 'M'.

MAIN BODY

The main body of the JSS will contain the paragraphs on the subjects given in the list of contents (Annexure 3 of Appendix 'M'). Brief explanation as to the title and constructions of paragraphs of main body is given in the succeeding paragraphs.

0. FORWARD

0.1 This Specifications has been prepared by _____ Standardisation Sub-Committee on the authority of Standardisation Committee, Ministry of Defence.

0.2 This Specification has been approved and notified by the Director, Directorate of Standardisation, Ministry of Defence and is mandatory for use by the Defence Services.

0.3 This Specification is prepared based on Specification No. _____.
Or
was prepared in the year
is revision of and supersedes the same.

0.4 This Specification would be used for manufacture, quality assurance and procurement of the item.

0.5 Quality Assurance Authorities for the item covered by this Specification are _____, _____ and _____ for Army, Navy and Air Force respectively. Enquiries regarding this Specification shall be addressed to the Quality Assurance Authority named in the tender or contract. Other enquiries shall be referred to:

The Director,
Directorate of Standardisation,
Ministry of Defence,
6th Floor, 'A' Block,
Defence Offices Complex,
KG Marg, New Delhi-110 001.

0.6 Non registered users can obtain the following on payment:

a) Copies of IS from:

Bureau of Indian Standards,
Manak Bhavan,
9, Bahadur Shah Zafar Marg,
New Delhi-110 002.

or
their regional offices.

b) Copies of JSSs/JSGs:

The Director,
Directorate of Standardisation,
Standardisation Documents Centre,
Ministry of Defence,
Room No. 635, 'A' Block, 6th Floor,
Defence Offices Complex,
KG Marg, New Delhi-110 001.
E-mail - jdstd.defstand@gov.in

0.7 This Specification holds good only for the supply order for which it is issued.

0.8 Indian Standard (IS) specifications are available free of cost for registered users on:

Directorate of Standardisation Website:

<https://ddpdos.gov.in>

For registration visit our website.

0.9 Directorate of Standardisation Website - All the approved JSSs/JSGs are available on the Directorate of Standardisation Website ***<https://ddpdos.gov.in>*** Defence organisations desirous of accessing a copy of this document are requested to visit the Directorate of Standardisation website for registration and obtaining User id/password to access the JSSs/JSGs.

1. SCOPE

Statement of areas covered by the JSS would be indicated in this para.

2. RELATED SPECIFICATIONS

The specification applicable to the equipment, materials, quality assurance and so on shall be listed under the sub heading (alongwith the source of supply). The drawings referred in JSS but not incorporated being of other department original drawings are also required to be reflected with their original drawing numbers and source of supply.

3. STANDARD PATTERN

A certified sample of the store should be held by the AsHSP. The manufacturer may take guidance of the standard pattern while manufacturing/fabricating the store.

4. TERMINOLOGY/DESCRIPTION

Technical Terms/Abbreviation/Definition used in the standard shall be described under the sub-heading. These shall be preferably listed in the alphabetical order.

5. MATERIAL

The details of specifications of material required to be used for manufacture and process shall be indicated here.

6. MANUFACTURE/CONSTRUCTION

This clause shall clearly indicate the method/process of manufacture/fabrication.

7. DIMENSIONS

This clause shall clearly indicate the dimensions of the store, manufacture/fabricated item, if possible.

8. WORKMANSHIP AND FINISH

Type of workmanship and finish, dimensions and tolerances shall be mentioned under this heading.

9. MARKING

Identification details required to be marked on the items and the method of marking will be laid down.

10. PRE-INSPECTION OF STORES/CONSIGNMENT

Under circumstances the condition of normal supply are included as contractual details in the indent/orders for supply. However, any special conditions required to be met by suppliers will be included under the heading.

11. QUALITY ASSURANCE

Details of tests including sampling inspection/testing and method to be used to ensure quality of the product during manufacture will be listed here. Critical stage inspection i.e. test levels will be indicated if found necessary. Voluminous information if any may be attached as appendices to the JSS.

12. SAMPLING

Detailed sampling procedure with respect to the store may be given if required and recommended by the AHSP.

13. CRITERIA FOR CONFORMITY

The criteria for conformity for acceptance of the store as a result of sampling inspection shall be indicated if required and recommended by the AHSP.

14. WARRANTY

The store supplied against this Specification shall be deemed to bear a warranty for 24 months from the date of receipt of store at consignee's end and against defective design, material, workmanship and performance. If during this period any of the stores supplied is found defective, the same shall be rectified/replaced by the contractor free of charge at the user's premises within a period of three months from date of intimation of defect.

15. PACKAGING

Complete details regarding packing of consignment for transportation/storage are to be included in the heading. For different type of package, separate specifications exist. Such details of specification of packages/packaging test if required may also be mentioned here.

16. DEFENCE STORES CATALOGUE NUMBER/NATO STOCK NUMBER

In case the JSS is for one item only, a DS Cat Number/NSN will be indicated on the cover and Page No. (i). In case of JSS covering manufacturers of preferred range of an item, DS Cat No./NSN would be indicated under this Sub-heading where ever allotted by DCA.

17. SUGGESTIONS FOR IMPROVEMENT

Under the heading the following will be included in JSS:

“Any suggestions for improvement in this document may be forwarded to:

The Director,
Directorate of Standardisation,
Ministry of Defence,
6th Floor, ‘A’ Block,
Defence Offices Complex,
KG Marg, New Delhi-110001.

18. DRAWING/SKETCH

List of drawings/sketches will be attached after the main body of the JSS.

19. APPENDICES

RESTRICTED

Annexure I to Appendix 'M'
(Refer to Para 5.7 of Chapter V)

JSS Revision No.....
if applicable



**भारत सरकार
GOVERNMENT OF INDIA
रक्षा मंत्रालय
MINISTRY OF DEFENCE
संयुक्त सेवा विनिर्देश
JOINT SERVICES SPECIFICATION
ON**

(DS Cat No./NSN)

**मानकीकरण निदेशालय
रक्षा उत्पादन विभाग, रक्षा मंत्रालय
छठी मंजिल, 'ए' ब्लॉक,
रक्षा कार्यालय परिसर,
के जी मार्ग, नई दिल्ली-११०००१**

**DIRECTORATE OF STANDARDISATION
DEPARTMENT OF DEFENCE PRODUCTION
MINISTRY OF DEFENCE
6th FLOOR, 'A' BLOCK,
DEFENCE OFFICES COMPLEX,
KG MARG, NEW DELHI-110001**

RESTRICTED

RESTRICTED

Annexure 2 to Appendix 'M'
(Refer to Para 5.7 of Chapter V)

JSS Revision No.....if applicable

RECORD OF AMENDMENTS

Amendment		Amendment pertains to : S. No./Para No./ Column No.	Authority	Amended by	Signature & Date
No.	Date			Name & Appointment (In Block Letters)	

RESTRICTED

Annexure 3 to Appendix 'M'
(Refer to Para 5.7 of Chapter V)

JSS Revision No.....if applicable

TABLE OF CONTENTS

S. No.	Topic	Page No.
0.	FOREWORD	
1.	SCOPE	
2.	RELATED SPECIFICATIONS	
3.	STANDARD PATTERN	
4.	TERMINOLOGY/DESCRIPTION	
5.	MATERIAL	
6.	MANUFACTURE/CONSTRUCTION	
7.	DIMENSIONS	
8.	WORKMANSHIP & FINISH	
9.	MARKING	
10.	PRE-INSPECTION OF STORES/CONSIGNMENT	
11.	QUALITY ASSURANCE	
12.	SAMPLING	
13.	CRITERIA FOR CONFORMITY	
14.	WARRANTY	
15.	PACKAGING	
16.	DEFENCE STORE CATALOGUE NUMBER	
17.	SUGGESTIONS FOR IMPROVEMENT	
18.	DRAWING/SKETCH	

Appendix 'N'
(Refer to Para 6.3 (c) of Chapter VI)



MINISTRY OF DEFENCE
DIRECTORATE OF STANDARDISATION
EXAMPLE STANDARDISATION SUB-COMMITTEE

Approval Notification No. XXXX-XXXX : 2021 (First Revision)

ON

IS 12499 : 1988 Reaffirmed 2019

Specification for Two Stage, 0.5 Liter Diesel Fuel Filters

Approval of Ministry is hereby accorded to adopt Indian Standard Specification No. IS 12499 : 1988 Reaffirmed 2019 as indicated below for meeting requirement of Defence for Production/Quality Assurance/Procurement/Development of New Equipment. This Approval Notification makes the use of IS 12499 : 1988 Reaffirmed 2019 mandatory in Defence.

IS Adopted	Defence Stores (Def Nomenclature, Service Part No./NSN)	AHSP	Superseded Specification (IS)	Remarks
IS 12499 : 1988 Reaffirmed 2019 Specification for Two Stage, 0.5 Liter Diesel Fuel Filters	Specification for Two Stage, 0.5 Liter Diesel Fuel Filters DS Cat No. 2910-000 001 NSN 2910720520267	CQA (OFV)	IS 12499 : 1988 Reaffirmed 2009 Specification for Two Stage, 0.5 Liter Diesel Fuel Filters	IS has been reaffirmed and NSNs have been included. Hence AN is revised.

AHSP/Owning Org Letter Ref No. CQAV/OFV/Stand/RoP dated 12 Feb 2021.

Indian Specifications (IS) are available free of cost for registered users on Directorate of Standardisation website <https://ddpdos.gov.in>

or

Copy of IS can be obtained from Bureau of Indian Standard, Manak Bhawan, 9-Bahadur Shah Jafar Marg, New Delhi-110002 (bis.gov.in).

RESTRICTED

Any comments may be sent to

मानकीकरण निदेशालय
रक्षा उत्पादन विभाग,
रक्षा मंत्रालय
छठी मंजिल, 'ए' - ब्लॉक
रक्षा कार्यालय परिसर
के जी मार्ग, नई दिल्ली - ११०००१
(jdstd.defstand@gov.in)

Directorate of Standardisation
Department of Defence Production
Ministry of Defence
6th Floor, 'A' Block
Defence Offices Complex
KG Marg, New Delhi - 110001
(jdstd.defstand@gov.in)

RESTRICTED

RESTRICTED

Appendix 'P'
(Refers to Para 8.1 of Chapter VIII)

JSRL Revision No.____ (if applicable)



**भारत सरकार
GOVERNMENT OF INDIA
रक्षा मंत्रालय
MINISTRY OF DEFENCE
संयुक्त सेवा युक्तिसंगत सूची
JOINT SERVICES RATIONALISED LIST
ON**

मानकीकरण निदेशालय
रक्षा उत्पादन विभाग, रक्षा मंत्रालय
छठी मंजिल, 'ए' ब्लॉक,
रक्षा कार्यालय परिसर,
के जी मार्ग, नई दिल्ली-११०००१

**DIRECTORATE OF STANDARDISATION
DEPARTMENT OF DEFENCE PRODUCTION
MINISTRY OF DEFENCE
6th FLOOR, 'A' BLOCK,
DEFENCE OFFICES COMPLEX,
KG MARG, NEW DELHI-110001**

RESTRICTED

RESTRICTED

JSRL

Revision No. _____ (if applicable)

NOTES

1. This Joint Services Rationalised List (JSRL) has been prepared by Standardisation Sub-Committee on the authority of Standardisation Committee. This JSRL covers
2. The items mentioned in the JSRL have been allotted the Group Class in accordance with the Cataloguing Hand Book H2-1.
3. The latest version of paper particulars quoted will govern the supply unless otherwise stated.
4. This JSRL comes into use with immediate effect. Provisioning and supply will be done in accordance with this Rationalised List which is mandatory.
5. No deviation is permitted without the written authority of the Director of Standardisation, Department of Defence Production, Ministry of Defence, 6th Floor, 'A' Block, Defence Offices Complex, KG Marg, New Delhi-110 001.
6. Items received against record of receipt or one time buy have not been included.
7. This JSRL consists of total XX pages out of which ... pages containing items of Part 'A' to be retained and page containing items of Part 'B' declared obsolescent/obsolete as indicated.
8. The following abbreviations have been used in the JSRL:

a)	AHSP	Authority Holding Sealed Particulars
b)	'L'	Army
c)	A	Air Force
d)	N	Navy
e)		
f)		

9. Percentage variety reduction:

- | | | | |
|----|--|---|-------|
| a) | Total Number of items considered | : | |
| b) | Total Number of items retained | : | |
| c) | Total Number of items obsolescent/obsolete | : | |
| d) | Percentage reduction | : | |

RESTRICTED

RESTRICTED

JSRL
Revision No. _____
(if applicable)

RECORD OF AMENDMENTS

Amendment		Amendment pertains to : S. No./Para No./ Column No.	Authority	Amended by	Signature & Date
No.	Date			Name & Appointment (In Block Letters)	

RESTRICTED

RESTRICTED

JSRL
Revision No. _____
(if applicable)

JOINT SERVICES RATIONALISED LIST

ON

“ _____ ”

PART ‘A’ - LIST OF ITEMS RETAINED

S. No.	DS Cat No./ NSN	Nomenclature	Specification for Material	AHSP	Remark
(a)	(b)	(c)	(d)	(e)	(f)

RESTRICTED

JSRL
Revision No. _____
(if applicable)

JOINT SERVICES RATIONALISED LIST

ON

“ _____ ”

PART 'B' - LIST OF ITEMS DECLARED OBSOLESCEMENT/OBSOLETE

S. No.	DS Cat No./ NSN	Nomenclature	Specification for Material	AHSP	Remark
(a)	(b)	(c)	(d)	(e)	(f)

Appendix 'Q'
(Refers to Para 8.4.1 (b) of chapter VIII)

DETAILS OF DIESEL ENGINES IN SERVICE FOR VARIOUS APPLICATIONS

Manufacturer's Name and Model

DS Cat No./NSN

Characteristics

1. Power Rating (s) (kW at rev/min)
2. Torque (kgf cm) at rev/min
3. No. of Cylinders
4. Arrangement of Cylinders
5. Bore & Stroke (mm x mm)
6. Compression Ratio
7. Specific Fuel Consumption (g/kw/h)
8. Type of Governor
9. % Governing
10. Mass (kg)
11. Power to weight Ratio at Max, Rev/min
12. Overall Dimensions (L x B x H)
13. Type of Cooling
14. End Use Eqpt
15. Population
16. List of procurement price and year of purchase
17. Remarks

RESTRICTED

Appendix 'R'
(Refers to Para 9.3 of Chapter IX)



**भारत सरकार
GOVERNMENT OF INDIA
रक्षा मंत्रालय
MINISTRY OF DEFENCE**

**संयुक्त सेवा मार्गदर्शिका
JOINT SERVICES GUIDE**

ON

मानकीकरण निदेशालय
रक्षा उत्पादन विभाग, रक्षा मंत्रालय
छठी मंजिल, 'ए' ब्लॉक,
रक्षा कार्यालय परिसर,
के जी मार्ग, नई दिल्ली-११०००१

**DIRECTORATE OF STANDARDISATION
DEPARTMENT OF DEFENCE PRODUCTION
MINISTRY OF DEFENCE
6th FLOOR, 'A' BLOCK,
DEFENCE OFFICES COMPLEX,
KG MARG, NEW DELHI-110001**

RESTRICTED

RESTRICTED

JSG _____
Revision No. _____
(if applicable)

RECORD OF AMENDMENTS

Amendment		Amendment pertains to : S. No./Para No./ Column No.	Authority	Amended by	Signature & Date
No.	Date			Name & Appointment (In Block Letters)	

RESTRICTED

RESTRICTED

ABBREVIATIONS

A

Ack	Acknowledge
ACR	Annual Confidential Report
AD	Assistant Director
ADA	Aeronautical Development Agency
ADE	Aeronautical Development Establishment
Adm	Administration
AHSP	Authority Holding Sealed Particulars
ALISDA	Aviation Electronic Inspection Specification and Development Authority
A N No.	Approval Notification Number
APAR	Annual Performance Assessment Report
ARC	Additional Secretary (Defence Production)
ARDE	Armament Research & Development Establishment
ASEPC	Air Staff Equipment Policy Committee
ASEPS	Air Staff Equipment Policy Sub-Committee
ASSC	Armament Standardisation Sub-Committee
ASSSC	Aeronautical Stores Standardisation Sub-Committee
Asst	Assistant

B

BARC	Bhabha Atomic Research Centre.
BDL	Bharat Dynamic Limited
BEL	Bharat Electronics Limited
BEML	Bharat Earth Movers Limited
BIS	Bureau of Indian Standards
Bldg.	Building

RESTRICTED

C

CABS	Centre for Air Borne Systems
CACOSA	Centre for Advance Computing & System Application
CAIR	Centre for Artificial Intelligence and Robotics
CAO	Chief Administrative Officer [Office of the JS (Trg) & CAO]
CASSA	Centre for Aeronautical System Studies and Analysis
C&C	Codification and Cataloguing
CCR&D	Chief Controller of Research & Development
CCSSC	Committee of Chairmen Standardisation Sub-Committee
CDA	Controller of Defence Accounts
CEMILAC	Centre for Military Airworthiness and Certification
CFA	Competent Financial Authority
CM	Charge man
Cmdr	Commodore (IN)
CO	Component
Col	Colonel
Coord	Co-ordination
CQA	Controller of Quality Assurance
CQA(EF)	Controller of Quality Assurance (Engineering Equipment)
CQA (A)	Controllerate of Quality Assurance (Armaments)
CQA (I)	Controllerate of Quality Assurance (Instruments)
CQA(WE)	Controllerate of Quality Assurance (Warship Equipment)
CQA(EW)	Controllerate of Quality Assurance (Electronic Warfare)
CQA (GS)	Controllerate of Quality Assurance (General Stores)
CQA(HV)	Controllerate of Quality Assurance (Heavy Vehicles)
CQA(BEML)	Controllerate of Quality Assurance (Bharat Earth Movers Limited)
CQA(PF)	Controllerate of Quality Assurance (Project Falcon)
CQA(ICV)	Controllerate of Quality Assurance (Infantry Combat Vehicles)
CQA(M)	Controllerate of Quality Assurance (Materials)
CQA(Met)	Controllerate of Quality Assurance (Metals)
CQA(ME)	Controllerate of Quality Assurance (Military Explosives)
CQA(OFV)	Controllerate of Quality Assurance (Ordnance Factory Vehicles)
CQA(PP)	Controllerate of Quality Assurance (Petroleum Product)
CQA(R)	Controllerate of Quality Assurance (Radar)
CQA(SA)	Controllerate of Quality Assurance (Small Arms)
CQA(S)	Controllerate of Quality Assurance (Systems)
CQA(SV)	Controllerate of Quality Assurance (Special Vehicles)
CQA(T&C)	Controllerate of Quality Assurance (Textiles & Clothing)
CQA(W)	Controllerate of Quality Assurance (Weapons)
CRV	Certified Receipt Voucher
CST	Comparative Statement of Tenders
CVRDE	Combat Vehicle Research and Development Establishment

RESTRICTED

RESTRICTED

D

D of Purchase	Directorate of Purchase
D of Store	Directorate of Stores
DAS	Directorate of Armament Supply.
DASE	Directorate of Armament Safety Equipment
DCA	Defence Codification Authority
DCC	Defence Cataloguing Committee
DCS	Defence Codification System
DC&V	Directorate of Clothing & Victualing
DD	Deputy Director
DDAIS	Deputy Directorate of Aviation Inspection Stores
DDM(Cat)	Deputy Directorate Maintenance (Cataloguing)
DDP	Department of Defence Production
DEAL	Defence Electronics Appliances Laboratory
DEBEL	Defence Bio-Engineering Support
DEC	Defence Equipment Committee
DECC	Defence Equipment & Codification Committee
Def	Defence
DEO	Data Entry Operator
DES	Directorate of Engineering Support
Det	Detachment
DFRL	Defence Food Research Laboratory
DGAFMS	Directorate General of Weapon & Maintenance (Air Force)
DGAQA	Directorate General of Aeronautical Quality Assurance
DGEME	Directorate General of Electrical Mechanical Engineering
DGL	Directorate General of Electronics
DGLS	Directorate General of Logistics Support
DGOS	Directorate General of Ordnance Services
DGQA	Directorate General of Quality Assurance
DG (WE)	Directorate General of Weapons & Equipment
Dir	Director
DIPAS	Defence Institute of Physiology & Allied Science.
DIPR	Defence Institute of Psychological Research
DLRL	Defence Electronics and Research Laboratory
DLS	Directorate of Logistics Support
DMP&I	Directorate of Maintenance Plan & Inspections
DMSRDE	Directorate Material Stores Research & Development Estt.
DMT	Directorate of Mechanical Transport
DNAI	Directorate of Naval Armaments Inspection
DNAM	Directorate of Naval Air Materials
DNC	Data Networking Complex
DNS	Domain Name Server
Docu	Document
DOS	Directorate of Standardisation
DOS (E)	Directorate of System (Engineering)
DOS (L)	Directorate of System (Electronics)
DQA	Directorate of Quality Assurance

RESTRICTED

RESTRICTED

DQA (Arm)	Directorate of Quality Assurance (Armaments)
DQA (V)	Directorate of Quality Assurance (Vehicles)
DQA (N)	Directorate of Quality Assurance (Navy)
DQA (S)	Directorate of Quality Assurance (Stores)
DQA (WP)	Directorate of Quality Assurance (Warship Projects)
DRDE	Defence Research & Development Establishment
DRDL	Defence Research & Development Laboratory
DRDO	Defence Research & Development Organisation
Drg	Drawing
DSC	Defence Standardisation Cell
DSD	Defence Standardisation Detachment
DS Cat No.	Defence Stores Catalogue Number
Dte	Directorate
DTRL	Defence Terrain Research Laboratory
DUVO	Data Updation & Validation Operator
DWE	Directorate of Weapon & Equipment
Dy	Deputy

E

ECIL	Electronic Corporation of India Ltd.
EESSC	Engineering Equipment Standardisation Sub-Committee
EIC	Equipment Item Code
E-in-C	Engineer-in-Chief
Eqpt	Equipment
ESSC	Electrical Standardisation Sub-Committee
Esstt	Establishment

F

FAX	Facimile
FIS	First Issue Section
Fin/R&D	Finance/Research & Development
FM	Foreman

G

Gen	General
GMSSC	Guided Missile Standardisation Sub-Committee
Govt	Government
GOI	Government of India
GP	Group
GPCL	Group Class
GSEPC	General Staff Equipment Policy Committee

RESTRICTED

RESTRICTED

GSEPSC	General Staff Equipment Policy Sub-Committee
GTRE	Gas Turbine Research Establishment

H

HAL	Hindustan Aeronautics Limited
HEMRL	High Energy Materials Research Laboratory
HQ	Headquarters

I

IAC	Input Action Code
IC	In-charge
IIC	Item Identification Code
INC	Item Name Code
INET	Intranet
IRDE	Instrument Research & Development Establishment
IS	Indian Standard
ISEPC	Inter Service Equipment Policy Committee
ISEPSC	Inter Service Equipment Policy Sub-Committee
ISO	International Standards Organisation
ISSC	Instrument Standardisation Sub-Committee
IST	Institute of Standards Training
ISWG	Inter Service Working Group
ITI	Indian Telephone Industries
ITM	Information Technology Management
IT	Information Technology
ITSSC	Information Technology Standardisation Sub-Committee

J

JCEC	Joint Communication Electronics Committee
JD	Joint Director
JDAIS	Joint Director of Aviation Inspection Store
JS	Joint Secretary
JSD	Joint Services Drawing
JSG	Joint Services Guide
JSO	Junior Scientific Officer
JSPR	Joint Services Preferred Ranges
JSPS	Joint Services Policy Statement
JSQR	Joint Services Qualitative Requirements
JSRL	Joint Services Rationalised List
JSS	Joint Services Specifications
JTO	Junior Technical Officer

RESTRICTED

RESTRICTED

L

L of C	List of Changes
Lab	Laboratory
LAN	Local Area Network
LCSO	Electronics Component Standardisation Organisation
LRDE	Electronic Research & Development Establishment
LSSC	Electronic Standardisation Sub-Committee
Ltd	Limited

M

MAN	Metropolitan Area Network
ME	Main Equipment
MESSC	Marine Equipment Standardisation Sub Committee
MFR	Manufacturer
MIDHANI	Mishra Dhatu Nigam Limited
Misc	Miscellaneous
MOD	Ministry of Defence
MR	Management Representative
MRO	Military Receivable Order
MSQAA	Missile Systems Quality Assurance Agency
MSSC	Material Standardisation Sub-Committee

N

NBCSSC	Nuclear Biological Chemical Standardisation Sub-Committee
NC	Negotiation Committee
NMRL	Naval Materials Research Laboratory
No.	Number
NPL	National Physical Laboratory
NPOL	Naval Physical Oceanographic Laboratory
NRAC	National Registration and Advisory Council
NSEPC	Naval Staff Equipment Policy Committee
NSEPSC	Naval Staff Equipment Policy Sub-Committee
NSTL	Naval Science & Technological Laboratory

RESTRICTED

RESTRICTED

Q

OF	Ordnance Factory
OFB	Ordnance Factory Board
Offg	Officiating
OIC	Officer-in-Charge
ONUM	Old Cat/Part Number
Org	Organisation

P

PA	Personal Assistant
PAC	Primary Address Code
PC	Personal Computer
PL	Part List
PPC	Plain Paper Copiers
PS	Personal Secretary
PSU	Public Sector Undertaking

Q

QMSM	Quality Management System Manual
QMSP	Quality Management System Procedures
QR	Qualitative Requirement

R

RBI	Reserve Bank of India
RCI	Research Centre Imarat
R&D	Research & Development
RDBMS	Relational Database Management System
RDE (E)	Research & Development Establishment (Engineers)
RM	Raksha Mantri
ROP	Roll on Plan
RU	Reprographic Unit
RURM	Raksha Utpadan Rajya Mantri

RESTRICTED

RESTRICTED

S

SA	Scientific Advisor/Sub Assembly
Sc	Scientist
SDC	Standardisation Documents Cell
Sec	Section
Secy	Secretary
SMT	Special Maintenance Tools
S.No.	Serial Number
SI	System International
SODET	Society of Defence Technologists
SPCN	Specification
SSA	Senior Scientific Assistant
SSC	Standardisation Sub-Committee
SSSC	Stores Standardisation Sub-Committee
STA	Senior Technical Assistant
Std	Standardisation
SU	Service User

T

TBRL	Terminal Ballistics Research Laboratory
TC	Technical Committee
TCA	Technical Co-ordinating Authority
Tele	Telephone
TEC	Tender Evaluation Committee
Tech Coord	Technical Coordination
TIC	Technical Information Centre
TIRC	Technical Information Resource Centre
TMC	Technical Management Centre
TPC	Tender Purchase Committee
Trg	Training
TSG	Technical Support Group

U

US	Under Secretary
----	-----------------

V

VRDE	Vehicle Research & Development Establishment
VSSC	Vehicle Standardisation Sub-Committee

RESTRICTED

W

WAN	Wide Area Network
Wkg	Working
WS	Work Station

Y

YINT	Year of Introduction
------	----------------------