



2026年4月25日 物理 CSCA考试

April 2026 CSCA Physics Exam

1. 下列物理量中属于标量的是 ()

Which of the following physical quantities is a **scalar**? ()

- A. 位移 Displacement
- B. 加速度 Acceleration
- C. 力 Force
- D. 功 Work

2. 一个物体在月球上的重力约为地球上的 $1/6$ 。若物体质量 $m = 6 \text{ kg}$ ，地球上的重力加速度 $g = 10 \text{ m/s}^2$ ，则它在月球上的重力为 ()

An object's weight on the Moon is about $1/6$ of its weight on Earth. If the object has a mass $m = 6 \text{ kg}$ and the acceleration due to gravity on Earth $g = 10 \text{ m/s}^2$, its weight on the Moon is ().

- A. 36 N
- B. 10 N
- C. 60 N
- D. 6 N

3. 一根弹簧的劲度系数 $k = 50 \text{ N/m}$ ，原长 10 cm 。若将其拉长至 14 cm ，拉力大小为 ()

A spring has a **spring constant** $k = 50 \text{ N/m}$ and an original length of 10 cm . If it is stretched to 14 cm , the magnitude of the pulling force is ().

- A. 6 N
- B. 4 N
- C. 2 N
- D. 8 N

4. 质量 $m = 5 \text{ kg}$ 的物体放在水平面上，动摩擦因数 $\mu = 0.2$ 。用 $F = 8 \text{ N}$ 的水平拉力拉动物体，摩擦力大小为 () (取 $g = 10 \text{ m/s}^2$)


An object of mass $m = 5 \text{ kg}$ is placed on a horizontal surface. The **coefficient of kinetic friction** is $\mu = 0.2$. A horizontal force $F = 8 \text{ N}$ is applied to pull the object. The magnitude of the frictional force is (). (Take $g = 10 \text{ m/s}^2$)

- A. 8 N
- B. 4 N
- C. 0 N
- D. 10 N

5. 三个力大小分别为 3 N 、 4 N 、 5 N ，作用于同一物体，它们的合力最大值为 ()

Three forces with magnitudes of 3 N , 4 N , and 5 N act on the same object. The maximum magnitude of their **resultant force** is ().

- A. 6 N
- B. 12 N
- C. 10 N
- D. 0 N



6. 大小为 15 N 和 5 N 的两个力方向相反，它们的合力大小为 ()

Two forces of magnitudes 15 N and 5 N act in **opposite directions**. The magnitude of their resultant force is ().

- A. 15 N
- B. 10 N
- C. 5 N
- D. 20 N

7. 力的三要素是大小、方向和 ()

The **three elements of a force** are magnitude, direction, and ().

- A. 性质 Nature
- B. 作用点 Point of application
- C. 受力对象 Object of action
- D. 作用效果 Effect

8. 物体由静止开始做匀加速直线运动，加速度 $a = 3 \text{ m/s}^2$ ，5 s 末的速度为 ()

An object starts from rest and moves with **uniformly accelerated linear motion** at $a = 3 \text{ m/s}^2$. Its velocity at the end of 5 s is ().

- A. 10 m/s
- B. 5 m/s
- C. 20 m/s
- D. 15 m/s

9. 质量 2 kg 的物体在水平面上受 10 N 的拉力，动摩擦因数 0.2，物体的加速度为 () (取 $g = 10 \text{ m/s}^2$)

An object of mass 2 kg is acted upon by a 10 N pulling force on a horizontal surface. If the coefficient of kinetic friction is 0.2, the acceleration of the object is (). (Take $g = 10 \text{ m/s}^2$)

- A. 6 m/s^2
- B. 3 m/s^2
- C. 4 m/s^2
- D. 5 m/s^2

10. 物体从倾角 30° 的光滑斜面顶端由静止滑下，2 s 内的位移为 () (取 $g = 10 \text{ m/s}^2$)

An object slides down from rest from the top of a **smooth inclined plane** with an inclination angle of 30° . The displacement it travels in 2 s is (). (Take $g = 10 \text{ m/s}^2$)

- A. 10 m
- B. 20 m
- C. 5 m
- D. 15 m

11. 9 N 和 12 N 的两个力作用在 3 kg 的物体上，物体的最大可能加速度为 ()

Two forces of 9 N and 12 N act on a 3 kg object. The maximum possible acceleration of the object is ().

- A. 4 m/s^2
- B. 5 m/s^2
- C. 6 m/s^2
- D. 7 m/s^2

12. 两个物体摩擦起电的过程中，它们的总电荷量 ()

During the process of two objects being **charged by friction**, the total amount of charge they possess ().

- A. 保持不变 Remains constant
- B. 增加 Increases

- C. 条件不足无法确定 Insufficient conditions to determine
D. 减少 Decreases


13. 质点做匀速圆周运动，线速度 $v = 4 \text{ m/s}$ ，半径 $R = 2 \text{ m}$ ，角速度为 ()

A particle undergoes **uniform circular motion** with a linear velocity of $v = 4 \text{ m/s}$ and a radius of $R = 2 \text{ m}$. Its **angular velocity** is ().

- A. 2 rad/s
B. 8 rad/s
C. 4 rad/s
D. 1 rad/s

14. 如图所示，物体沿半径 4 m 的半圆从 A 点运动到 C 点，用时 2 s ，平均速度大小为 ()

As shown in the figure, an object moves from point A to point C along a semicircle of radius 4 m , taking 2 s . The magnitude of its **average velocity** is ().



- A. 4 m/s
B. 0 m/s
C. 2 m/s
D. 8 m/s

15. 物体在水平面上做匀速直线运动，若所受摩擦力为 10 N ，拉力大小为 ()

An object moves with **uniform linear motion** on a horizontal surface. If the frictional force acting on it is 10 N , the magnitude of the pulling force is ().

- A. 0 N
B. 20 N
C. 10 N
D. 5 N

16. 弹簧受 10 N 拉力时长 12 cm ，受 20 N 拉力时长 14 cm ，弹簧原长为 ()


A spring has a length of 12 cm under a 10 N pulling force, and 14 cm under a 20 N pulling force. The original length of the spring is ().

- A. 8 cm
B. 11 cm
C. 9 cm
D. 10 cm

17. 下列关于力的说法错误的是 ()

Which of the following statements about force is **incorrect**? ()

- A. 力是物体运动状态改变的原因。Force is the cause of a change in an object's state of motion.
B. 力是矢量，既有大小又有方向。Force is a vector, having both magnitude and direction.
C. 力可以只有施力物体没有受力物体。A force can have an exerting object but no receiving object.
D. 力是物体对物体的作用。Force is an interaction between two objects.




18. 质量 4 kg 的物体从倾角 30° 的斜面顶端由静止滑下, 3 s 内重力的冲量大小为 () (取 $g = 10 \text{ m/s}^2$)
An object of mass 4 kg slides down from rest from the top of an inclined plane with an inclination angle of 30° . The magnitude of the **impulse** due to gravity in 3 s is (). (Take $g = 10 \text{ m/s}^2$)
A. 60 N·s
B. 40 N·s
C. 80 N·s
D. 120 N·s
19. 15 N 的水平拉力使物体在粗糙水平面上移动 3 m, 若摩擦力为 5 N, 拉力做的功为 ()
A horizontal pulling force of 15 N moves an object a distance of 3 m on a rough surface. If the frictional force is 5 N, the **work done** by the pulling force is ().
A. 45 J
B. 60 J
C. 30 J
D. 15 J
20. 坐在匀速行驶的火车中, 窗外树木向后退, 所选参考系是 ()
When sitting in a train moving at a constant speed, the trees outside the window appear to move backward. The **reference frame** chosen is ().
A. 太阳 The Sun
B. 树木 The trees
C. 地面 The ground
D. 火车 The train
21. 弹簧振子完成一次全振动用时 0.5 s, 振动频率为 ()
A spring-mass system completes one full oscillation in 0.5 s. The **frequency** of oscillation is ().
A. 0.5 Hz
B. 1 Hz
C. 4 Hz
D. 2 Hz
22. 声波频率 $f = 400 \text{ Hz}$, 波速 $v = 340 \text{ m/s}$, 波长为 ()
A sound wave has a frequency of $f = 400 \text{ Hz}$ and a wave speed of $v = 340 \text{ m/s}$. Its **wavelength** is ().
A. 1.7 m
B. 3.4 m
C. 0.85 m
D. 0.425 m
23. 两个相同金属球分别带 +4 C 和 -6 C 的电荷, 接触后分开, 每个球的电荷量为 ()
Two identical metal spheres carry charges of +4 C and -6 C. After they are brought into contact and then separated, the charge on each sphere is ().
A. +2 C
B. -2 C
C. +1 C
D. -1 C
24. 物体质量 $m = 11 \text{ kg}$, 重力为 () (取 $g = 10 \text{ m/s}^2$)
An object has a mass of $m = 11 \text{ kg}$. Its weight is (). (Take $g = 10 \text{ m/s}^2$)
A. 110 N
B. 11 N

C. 0.11 N

D. 1.1 N

25. 电场线分布如图所示，a、b 两点放等量正电荷，电场力 F_a 与 F_b 的关系是 ()

The electric field lines are distributed as shown in the figure. Equal positive charges are placed at points a and b. The relationship between the electric forces F_a and F_b is ().



A. 无法确定 Cannot be determined

B. $F_a = F_b$

C. $F_a < F_b$

D. $F_a > F_b$

26. 100 Ω 和 200 Ω 的电阻并联，总电阻为 ()

Resistors of 100 Ω and 200 Ω are connected in **parallel**. The total resistance is ().

A. 150 Ω

B. 50 Ω

C. 300 Ω

D. 66.7 Ω

27. $R_1 = 6 \Omega$ 、 $R_2 = 4 \Omega$ 的两个电阻并联在 12 V 电源两端，电流之比 $I_1 : I_2$ 为 ()

Two resistors $R_1 = 6 \Omega$ and $R_2 = 4 \Omega$ are connected in parallel across a 12 V power supply. The ratio of their currents $I_1 : I_2$ is ().

A. 4:6

B. 2:3

C. 3:2

D. 1:1

28. 点电荷 Q 在 A 点产生的电场强度为 E，若点电荷到 A 点的距离变为原来的 2 倍，电场强度变为 ()

A point charge Q produces an **electric field strength** E at point A. If the distance from the point charge to point A doubles, the electric field strength becomes ().

A. $E/2$

B. $2E$

C. $E/4$

D. $4E$

29. 磁感应强度和磁通量的国际单位分别是 ()

The SI units of **magnetic flux density** and **magnetic flux** are respectively ().

A. 安培、库仑 Ampere, Coulomb

B. 特斯拉、韦伯 Tesla, Weber

C. 牛顿、焦耳 Newton, Joule

D. 伏特、欧姆 Volt, Ohm






30. 光从空气射入玻璃，入射角 45° ，反射角为 ()
 Light travels from air into glass. If the **angle of incidence** is 45° , the **angle of reflection** is ().
 A. 90°
 B. 60°
 C. 45°
 D. 30°


31. 如图所示，A、B 为吊扇上两点，风扇匀速转动，两点线速度 v 、角速度 ω 的关系正确的是 ()
 As shown in the figure, A and B are two points on a ceiling fan. When the fan rotates at a constant speed, the correct relationship between the linear velocity v and angular velocity ω of the two points is ().




- A. $v_A < v_B$, $\omega_A < \omega_B$
 B. $v_A = v_B$, $\omega_A = \omega_B$
 C. $v_A < v_B$, $\omega_A = \omega_B$
 D. $v_A > v_B$, $\omega_A > \omega_B$
32. 长 0.5 m 的导线放在 $B = 0.4 \text{ T}$ 的磁场中，所受最大安培力 0.2 N，导线中电流大小为 ()
 A wire of length 0.5 m is placed in a magnetic field of flux density $B = 0.4 \text{ T}$ and experiences a maximum **magnetic force** of 0.2 N. The magnitude of the current in the wire is ().
 A. 2 A
 B. 0.5 A
 C. 1 A
 D. 4 A
33. 一定质量的气体等容变化，温度从 27°C 升至 54°C ，压强变为原来的 () 倍
 A fixed amount of gas undergoes **isochoric change**. Its temperature increases from 27°C to 54°C . The pressure becomes () times its original value.
 A. 1.09
 B. 1
 C. 2
 D. 1.5
34. 50 匝的线圈，磁通量在 0.1 s 内从 0.2 Wb 均匀增至 0.6 Wb，感应电动势为 ()
 A coil has 50 turns. The magnetic flux through it increases uniformly from 0.2 Wb to 0.6 Wb in 0.1 s. The **induced electromotive force (EMF)** is ().
 A. 200 V
 B. 20 V
 C. 100 V
 D. 50 V
35. 质量 0.2 kg 的小球从 2 m 高处自由下落至地面，重力势能变化量为 () (取 $g = 10 \text{ m/s}^2$)
 A small ball of mass 0.2 kg falls freely from a height of 2 m to the ground. The change in its **gravitational potential energy** is (). (Take $g = 10 \text{ m/s}^2$)
 A. 0 J
 B. -4 J




- C. 4 J
D. 2 J
36. 电动机电阻 $2\ \Omega$, 额定电压 100 V , 正常工作电流 3 A , 电动机发热功率损耗为 ()
The resistance of an electric motor is $2\ \Omega$, and the rated voltage is 100 V . When it operates normally, the current is 3 A . The **heating power loss** of the motor is ().
A. 300 W
B. 18 W
C. 200 W
D. 900 W
37. 光从光密介质射入光疏介质, 入射角大于临界角时, 发生 ()
When light travels from an **optically denser medium** to an **optically rarer medium** and the angle of incidence is greater than the **critical angle**, () occurs.
A. 全反射 Total internal reflection
B. 折射 Refraction
C. 反射 Reflection
D. 散射 Scattering
38. 真空中两个点电荷 $Q_A = +2 \times 10^{-9}\text{ C}$ 、 $Q_B = -2 \times 10^{-9}\text{ C}$, 相距 4 cm , 连线中点的电场强度大小为 () (静电力常量 $k = 9.0 \times 10^9\text{ N}\cdot\text{m}^2/\text{C}^2$)
Two point charges $Q_A = +2 \times 10^{-9}\text{ C}$ and $Q_B = -2 \times 10^{-9}\text{ C}$ in a vacuum are separated by 4 cm . The magnitude of the electric field strength at the midpoint of their connecting line is (). (Coulomb constant $k = 9.0 \times 10^9\text{ N}\cdot\text{m}^2/\text{C}^2$)
A. 0 N/C
39. 质点做简谐运动, 经过平衡位置时, 下列物理量最大的是 ()
For a particle undergoing **simple harmonic motion**, which of the following quantities reaches its maximum value when the particle passes through the **equilibrium position**? ()
A. 加速度 Acceleration
B. 回复力 Restoring force
C. 速度 Velocity
D. 位移 Displacement
40. 如图所示, 质量 5 kg 的物体从静止开始沿倾角 30° 的斜面从 B 点滑至 A 点, 下滑时摩擦力 5 N , BA 间距 2 m , 物体在 A 点的速度为 () ($g = 10\text{ m/s}^2$)
As shown in the figure, a 5 kg object, initially at rest, slides down a 30° incline from point B to point A. The frictional force is 5 N , and the distance BA is 2 m . The velocity of the object at point A is (). ($g = 10\text{ m/s}^2$)





- A. 4 m/s
- B. $2\sqrt{5}$ m/s
- C. 8 m/s
- D. 5 m/s

41. $+5 \times 10^{-6}$ C 的电荷从 A 点移到 B 点, 电场力做正功 1×10^{-3} J, 电势差 U_{AB} 为 ()
A charge of $+5 \times 10^{-6}$ C is moved from point A to point B, and the electric force does 1×10^{-3} J of positive work. The **potential difference** U_{AB} is ().
- A. -200 V
 - B. 200 V
 - C. -0.2 V
 - D. 0.2 V
42. 20 N 的水平力使物体移动 10 m, 摩擦力 5 N, 此过程中物体动能增加量为 ()
An object is moved 10 m by a 20 N horizontal force. The frictional force is 5 N. The increase in its **kinetic energy** during this process is ().
- A. 50 J
 - B. 200 J
 - C. 100 J
 - D. 150 J
43. 子弹初速度 600 m/s, 穿透第一块木板后速度为 400 m/s, 再射入第二块相同木板, 子弹末速度为 ()
A bullet with an initial speed of 600 m/s penetrates a wooden plank and emerges at 400 m/s. If it enters a second identical plank, the bullet's final speed will be ().
- A. 0
 - B. 100 m/s
 - C. 50 m/s
 - D. 200 m/s
44. 如图所示, 小球从空中自由下落, 与正下方轻质竖直弹簧接触直至速度为零, 关于小球运动说法正确的是 ()
As shown in the figure, a small ball falls freely and contacts a lightweight vertical spring below until its velocity reaches zero. Which statement about the ball's motion is correct? ()



- A. 接触后小球做减速运动, 加速度增大、速度减小至零
After contact, the ball decelerates, with increasing acceleration and decreasing velocity until zero.
- B. 接触后速度为零、加速度为零的位置是弹簧压缩量最大处
After contact, the position with zero velocity and zero acceleration is where the spring is most compressed.
- C. 接触后小球先加速后减速, 速度先增大后减小至零


After contact, the ball first accelerates then decelerates; velocity increases first then decreases to zero.

D. 接触后小球速度最大的位置是弹簧压缩量最大处

The position of maximum velocity is where the spring is most compressed.

45. 如图所示，塔吊用钢缆将质量为 m 的建筑材料竖直向上提升高度 h ，重力加速度为 g ，关于该过程说法正确的是（ ）

As shown in the figure, a tower crane lifts a building material of mass m vertically upward by height h with a steel cable. The acceleration due to gravity is g . Which statement about the process is correct? ()



A. 钢缆拉力做功为 $m(a + g)h$

Work done by cable tension is $m(a + g)h$.

B. 重力对建材做功为 $-mah$

Work done by gravity is $-mah$.

C. 合外力对建材做功为 mgh


Work done by net force is mgh .

D. 建材重力势能减少 mgh

Gravitational potential energy decreases by mgh .

46. 如图所示，自行车有前牙盘、后飞轮、后轮，半径不同，边缘上 A、B、C 三点说法正确的是（ ）

As shown in the figure, a bicycle has a front chainwheel, rear sprocket, and rear wheel with different radii. Which statement about points A, B, C on their edges is correct? ()



A. B、C 线速度相同


Points B and C have the same linear speed.

B. A、B 线速度相同

Points A and B have the same linear speed.

C. A、C 线速度相同

Points A and C have the same linear speed.



D. A、B 角速度相同

Points A and B have the same angular velocity.

47. 汽车在平直公路上从初速度 v_0 开始加速，经时间 t 位移为 s ，达到最大速度 v_m 。此过程发动机功率恒定，阻力恒为 f ，发动机做功为 ()

A car accelerates from initial speed v_0 on a straight road. After time t , displacement is s and it reaches maximum speed v_m . Engine power is constant, resistance is constant f . The work done by the engine is ().

A. fv_mt


B. $\frac{1}{2}ft(v_0 + v_m)$

C. fs

D. $\frac{1}{2}mv_m^2 - \frac{1}{2}mv_0^2$

48. 风洞实验室用烟雾颗粒显示气流，某烟雾颗粒轨迹为曲线，说法正确的是 ()

A wind tunnel uses smoke particles to visualize airflow. A smoke particle follows a curved trajectory. Which statement is correct? ()



A. 烟雾颗粒速度恒定

The particle's velocity is constant.

B. 烟雾颗粒一定做匀变速曲线运动

The particle must move with uniformly accelerated curvilinear motion.

C. P 点加速度方向可能水平向左

Acceleration at point P may be horizontally leftward.

D. Q 点合外力方向可能竖直向下

Net force at point Q may be vertically downward.

Answer

1

Answer: d

解析: 标量只有大小、无方向；矢量既有大小又有方向。位移、加速度、力是矢量，**功是标量**。

Explanation: A scalar has only magnitude; a vector has both magnitude and direction.

Displacement, acceleration, and force are vectors; **work is a scalar**.


2

Answer: b

解析: 地球重力 $G = mg = 6 \times 10 = 60 \text{ N}$ ，月球重力为地球的 $1/6$ ，即 $60 \times 1/6 = 10 \text{ N}$ 。

Explanation: Weight on Earth $G = mg = 60 \text{ N}$; weight on the Moon is $1/6$ of Earth's weight: 10 N .

3



Answer: c

解析: 胡克定律 $F = k\Delta x$, 形变量 $\Delta x = 14 \text{ cm} - 10 \text{ cm} = 0.04 \text{ m}$, 拉力 $F = 50 \times 0.04 = 2 \text{ N}$ 。

Explanation: By Hooke's Law $F = k\Delta x$. Extension $\Delta x = 0.04 \text{ m}$, so $F = 2 \text{ N}$.

4

Answer: a

解析: 最大静摩擦力 $\approx$ 滑动摩擦力 $f_{\max} = \mu mg = 10 \text{ N}$; 拉力 $F = 8 \text{ N} < 10 \text{ N}$, 物体静止, 静摩擦力等于拉力, 为 8 N 。

Explanation: Maximum static friction $f_{\max} = 10 \text{ N}$. Applied force $8 \text{ N} < 10 \text{ N}$, so the object is stationary; static friction equals applied force: 8 N .

5

Answer: b

解析: 三个力同向时合力最大, $3 + 4 + 5 = 12 \text{ N}$ 。

Explanation: The resultant force is maximized when all forces act in the same direction: 12 N .

6

Answer: b

解析: 方向相反的两个力, 合力为大小之差, $15 - 5 = 10 \text{ N}$ 。

Explanation: For forces in opposite directions, resultant force = difference of magnitudes: 10 N .

7

Answer: b

解析: 力的三要素: 大小、方向、作用点。

Explanation: The three elements of a force are magnitude, direction, and **point of application**.

8

Answer: d

解析: 初速度为 0 的匀加速直线运动, $v = at = 3 \times 5 = 15 \text{ m/s}$ 。

Explanation: Uniform acceleration from rest: $v = at = 15 \text{ m/s}$.

9

Answer: 3 m/s^2 (题目选项排版错误)

解析: 合力 $F_{\text{合}} = 10 - \mu mg = 6 \text{ N}$, 加速度 $a = F_{\text{合}}/m = 3 \text{ m/s}^2$ 。


Explanation: Net force $F_{\text{net}} = 6 \text{ N}$, acceleration $a = 3 \text{ m/s}^2$.

10

Answer: a

解析: 光滑斜面加速度 $a = g \sin 30^\circ = 5 \text{ m/s}^2$, 位移 $x = \frac{1}{2}at^2 = 10 \text{ m}$ 。

Explanation: On a smooth incline, $a = 5 \text{ m/s}^2$, displacement $x = 10 \text{ m}$.



11

Answer: 7 m/s^2 (题目选项排版错误)

解析: 两力同向时合力最大 $9 + 12 = 21 \text{ N}$, 加速度 $a = 21/3 = 7 \text{ m/s}^2$ 。

Explanation: Maximum net force (same direction) = 21 N , acceleration $a = 7 \text{ m/s}^2$.

12

Answer: a

解析: 摩擦起电遵循电荷守恒定律, 总电荷量保持不变。

Explanation: Charge is conserved during friction electrification; total charge remains constant.

13

Answer: a

解析: 匀速圆周运动角速度 $\omega = v/R = 4/2 = 2 \text{ rad/s}$ 。

Explanation: For uniform circular motion, angular velocity $\omega = v/R = 2 \text{ rad/s}$.

14

Answer: a

解析: 平均速度 = 位移 / 时间; 半圆位移为直径 8 m , 平均速度 $8/2 = 4 \text{ m/s}$ 。

Explanation: Average velocity = displacement / time. Displacement = diameter = 8 m , so average velocity = 4 m/s .

15

Answer: c

解析: 匀速直线运动受力平衡, 拉力与摩擦力大小相等, 为 10 N 。

Explanation: Force balance in uniform linear motion; tension equals friction: 10 N .

16

Answer: d

解析: 设原长为 L , 列方程 $10 = k(0.12 - L)$ 、 $20 = k(0.14 - L)$, 解得原长 $L = 10 \text{ cm}$ 。

Explanation: Solve the equations to find the original length $L = 10 \text{ cm}$.

17

Answer: c

解析: 力是物体间的相互作用, 必须同时有施力物体和受力物体, 该选项说法错误。

Explanation: Force is an interaction between two objects; it cannot exist without a receiving object. This statement is incorrect.

18

Answer: d

解析: 重力的冲量 $I = mgt = 4 \times 10 \times 3 = 120 \text{ N}\cdot\text{s}$ 。

Explanation: Impulse of gravity $I = mgt = 120 \text{ N}\cdot\text{s}$.

19

Answer: a

解析: 拉力做功 $W = Fs = 15 \times 3 = 45 \text{ J}$, 与摩擦力无关。

Explanation: Work done by tension $W = Fs = 45 \text{ J}$, independent of friction.

20

Answer: d

解析: 以火车为参考系, 窗外树木相对火车向后运动。

Explanation: Taking the train as the reference frame, trees move backward relative to the train.

21

Answer: d

解析: 频率 $f = 1/T = 1/0.5 = 2 \text{ Hz}$ 。

Explanation: Frequency $f = 1/T = 2 \text{ Hz}$.

22

Answer: c

解析: 波长 $\lambda = v/f = 340/400 = 0.85 \text{ m}$ 。

Explanation: Wavelength $\lambda = v/f = 0.85 \text{ m}$.

23

Answer: d

解析: 相同金属球接触后, 电荷先中和再平分, $(4 - 6) \div 2 = -1 \text{ C}$ 。

Explanation: Identical metal spheres neutralize and share charge equally: -1 C per sphere.

24

Answer: a

解析: 重力 $G = mg = 11 \times 10 = 110 \text{ N}$ 。

Explanation: Weight $G = mg = 110 \text{ N}$.

25

Answer: d

解析: 电场线越密, 场强越大; a 点场强大于 b 点, 等量正电荷的电场力 $F_a > F_b$ 。

Explanation: Denser field lines mean stronger electric field. $E_a > E_b$, so $F_a > F_b$ for equal positive charges.

26

Answer: d

解析: 并联电阻公式 $1/R = 1/100 + 1/200$, 解得 $R \approx 66.7 \Omega$ 。

Explanation: Parallel resistance formula gives $R \approx 66.7 \Omega$.

27

Answer: b

解析: 并联电路电压相等, 电流与电阻成反比, $I_1 : I_2 = R_2 : R_1 = 2 : 3$ 。

Explanation: In parallel, current is inversely proportional to resistance: $I_1 : I_2 = 2 : 3$.





28

Answer: c

解析: 点电荷场强 $E \propto 1/r^2$; 距离加倍, 场强变为原来的 $1/4$ 。

Explanation: Point-charge field $E \propto 1/r^2$; doubling the distance reduces E to $1/4$ of original.

29

Answer: b

解析: 磁感应强度的国际单位是**特斯拉**, 磁通量的国际单位是**韦伯**。

Explanation: SI units: magnetic flux density (Tesla), magnetic flux (Weber).

30

Answer: c

解析: 光的反射定律: 反射角等于入射角, 为 45° 。

Explanation: Law of reflection: angle of reflection = angle of incidence = 45° .

31

Answer: c

解析: 同轴转动角速度相等 $\omega_A = \omega_B$; 线速度 $v = \omega r$, B 半径更大, 故 $v_A < v_B$ 。

Explanation: Coaxial rotation: $\omega_A = \omega_B$. Larger radius at B means $v_A < v_B$.

32

Answer: c

解析: 最大安培力 $F = BIL$, 电流 $I = 0.2/(0.4 \times 0.5) = 1$ A。

Explanation: Maximum ampere force $F = BIL$, so current $I = 1$ A.

33

Answer: a

解析: 等容变化 $P \propto T$ (热力学温度); $T_1 = 300$ K, $T_2 = 327$ K, $P_2/P_1 = 1.09$ 。

Explanation: Isochoric process: $P \propto T$ (Kelvin). $P_2/P_1 = 1.09$.

34

Answer: a

解析: 法拉第电磁感应定律 $E = n\Delta\Phi/\Delta t = 50 \times (0.6 - 0.2)/0.1 = 200$ V。

Explanation: Faraday's Law: $E = 200$ V.


35

Answer: b

解析: 重力势能变化量 $\Delta E_p = -mgh = -0.2 \times 10 \times 2 = -4$ J。

Explanation: Change in gravitational potential energy $\Delta E_p = -4$ J.

36



Answer: b

解析: 电动机发热功率 $P = I^2 R = 3^2 \times 2 = 18 \text{ W}$ 。

Explanation: Heating power of the motor $P = I^2 R = 18 \text{ W}$.

37

Answer: a

解析: 光从光密介质射入光疏介质，入射角大于临界角时，发生**全反射**。

Explanation: Total internal reflection occurs under these conditions.

38

Answer: $9 \times 10^4 \text{ N/C}$ (题目选项缺失)

解析: 中点场强为两电荷场强之和，计算得 $9 \times 10^4 \text{ N/C}$ 。

Explanation: Field at midpoint = sum of fields from both charges: $9 \times 10^4 \text{ N/C}$.

39

Answer: c

解析: 简谐运动经过平衡位置时，**速度最大**，位移、回复力、加速度均为 0。

Explanation: At the equilibrium position of SHM, velocity is maximum; others are zero.

40

Answer: a

解析: 由动能定理 $mgx \sin 30^\circ - fx = \frac{1}{2}mv^2$ ，代入数据解得 $v = 4 \text{ m/s}$ 。

Explanation: Work-energy theorem gives $v = 4 \text{ m/s}$.

41

Answer: b

解析: 电势差 $U_{AB} = W/q = 1 \times 10^{-3} / 5 \times 10^{-6} = 200 \text{ V}$ 。

Explanation: Potential difference $U_{AB} = 200 \text{ V}$.

42

Answer: d

解析: 动能增加量等于合外力做功， $\Delta E_k = (20 - 5) \times 10 = 150 \text{ J}$ 。

Explanation: Increase in kinetic energy = work done by net force = 150 J.

43

Answer: a

解析: 穿透一块木板的动能损耗固定，第二块木板耗尽子弹剩余动能，末速度为 0。


Explanation: The second plank exhausts all kinetic energy; final speed = 0.

44

Answer: c

解析: 小球接触弹簧后，先重力大于弹力**加速**，后弹力大于重力**减速**，速度先增后减至 0。

Explanation: The ball accelerates first ($mg > kx$) then decelerates ($kx > mg$); velocity rises then falls to zero.



45

Answer: a

解析: 建材加速上升时, 拉力 $F = m(g + a)$, 拉力做功 $W = Fh = m(g + a)h$.

Explanation: Tension $F = m(g + a)$, work done by tension $W = m(g + a)h$.

46

Answer: b

解析: 自行车链条传动, 前牙盘A和后飞轮B边缘**线速度大小相等**。

Explanation: Chain drive: points A and B have equal linear speed.

47

Answer: a

解析: 恒定功率 $P = fv_m$, 发动机做功 $W = Pt = fv_mt$.

Explanation: Constant power $P = fv_m$, work done by engine $W = fv_mt$.

48

Answer: d

解析: 曲线运动合外力指向轨迹凹侧, Q点合外力方向**可以竖直向下**。

Explanation: Net force points to the concave side; a downward net force is valid at Q.

ABOUT SICYES

Your Trusted Partner for Success in China

SICYES is an innovative international talent service platform operated by Xue Lai Hua International Consulting Services (Hangzhou) Co., Ltd. With the core mission of **"To China, To Connect,"** it is committed to providing global talents with comprehensive solutions covering studying in China, career development, and social integration, facilitating seamless access to China's opportunities for international talents.



ONE-STOP SERVICE ECOSYSTEM

Relying on a professional team deeply rooted in China and a global resource network, SICYES has established a three-dimensional system comprising nearly a hundred services:



Study in China Services

- University Application
- Scholarship Guidance
- Visa Processing
- Pre-college Education
- Academic Support



Career Empowerment

- Resume Optimization
- Enterprise Matching
- Cross-cultural Workplace Training
- Entrepreneurship Policy Consultation
- Internship & Job Referral



Life Support

- Bank Account Opening
- Medical Insurance Registration
- Accommodation Assistance
- Cultural Experience Activities
- Daily Life Guidance



DIGITAL AND LOCAL DUAL-DRIVEN APPROACH

The platform has developed an intelligent system to achieve visual tracking of service processes. It also has service nodes in over 30 cities nationwide. Combining a multilingual consultant team and university-enterprise cooperation resources, it creates a closed-loop experience for international talents with "efficient online connection and precise offline implementation."



30+
Cities Nationwide



Multilingual
Consultant Team



100+
Core Services

CONNECTING WITH CHINA'S OPPORTUNITIES

With keen insight into policy dynamics and in-depth cultivation in vertical industries, SICYES has successfully served a large number of clients from dozens of countries and established strategic partnerships with hundreds of domestic and international educational institutions and multinational enterprises. It has become a trusted partner for expatriate talents to develop in China. In the future, it will continue to build cross-cultural bridges with professional services, promoting the two-way convergence of global talents and China's development.



Clients from
Dozens of Countries



Strategic Partners
Hundreds of Institutions &
Enterprises



Thousands of
Successful Cases



Your Success
Our Mission



+86 18268032201

✉ apply@sicyes.com



No.7-186, GongLianCC Building, No.292,Yan'an Road,
Shangcheng District,Hangzhou City, Zhejiang Province.

To China, To Connect