

1. Questions

Study the following information carefully and answer the below questions.

Nine persons—A, B, C, D, E, F, G, H, and I have lost their phone in different months of the same year, viz., January, March, April, May, June, July, August, September and October.

F lost two persons after A. E lost before I but not immediately before. G lost three persons before C. One person lost between G and A. C lost the phone in the month having 30 days. As many persons lost between F and D as between D and H. B lost the phone after H.

In which of the following month did B lose the phone?

- a. September
- b. January
- c. August
- d. October
- e. June

2. Questions

How many persons lost their phones between E and I?

- a. None
- b. Two
- c. One
- d. Three
- e. More than three

3. Questions

Four of the following five are alike in a certain way based on the given arrangement and thus form a group. Which among the following does not belong to the group?

- a. E
- b. H
- c. D
- d. B
- e. The one who lost two persons before F

4. Questions

If G is related to C in the same way I is related to F then who among the following person is related to A in the same way?

- a. E
- b. The one who lost the phone in October
- c. H
- d. B
- e. The one who lost immediately after I

5. Questions

If all the persons are arranged in alphabetical order starting from January, then who among the following persons remains unchanged in their position with respect to the final arrangement?

I). F

II). The one who lost the phone in September.

III). The one who lost the phone immediately after G.

- a. Only I
- b. Only II
- c. Only III
- d. Only I and III
- e. Only I and II

6. Questions

Study the following information carefully and answer the below questions.

Six boxes viz., K, L, M, N, O, and P are kept one above another in a stack. It is assumed that no other boxes are kept in the stack other than the given boxes. Each box has a different fruit viz., Apple, Grapes, Kiwi, Mango, Papaya and Fig.

Note : “0” is not an even number.

An even number of boxes are kept above box P. Only two boxes are kept between the box having fig fruit and P. Box L is kept three boxes below the box having apple fruit. Box L is kept immediately above the box having kiwi fruit. As many boxes are kept between box O and the box having apple fruit as between O and the box having grapes fruit. Box M is kept immediately above the box having mango fruit. Box N is neither kept below box K nor kept above the box having mango fruit.

What is the position of box N with respect to the box having mango fruit?

- a. Two boxes above
- b. Three boxes below
- c. One box below
- d. Four boxes above

e. Five boxes below

7. Questions

If box M is related to Box L in the same way Box O is related to Box N, then which among the following boxes is related to Box K?

- a. Box M
- b. Box N
- c. The box which is kept two boxes below box M
- d. The box having fig fruit
- e. None of these

8. Questions

If all the boxes are kept in the alphabetical order from bottom to top, then how many boxes remain unchanged in their position?

- a. None
- b. One
- c. Three
- d. Two
- e. More than three

9. Questions

The number of boxes kept above box P is _____ than the number of boxes kept between box K and the box having papaya fruit.

- a. One more than
- b. One less than
- c. Two more than
- d. Three less than
- e. Three more than

10. Questions

Which of the following combination(s) is/are NOT TRUE as per the final arrangement?

- I). Box N-apple
- II). Box O-papaya
- III). Box M-mango

- a. Only I
- b. Only III
- c. Only I and III
- d. Only I and II
- e. All I, II, and III

11. Questions

Study the following information carefully and answer the questions given below

Nine persons – A, B, C, D, E, F, G, H and I are sitting in a linear row, where some of them are facing towards north and some of them are facing towards south.

Note: Consecutive alphabetically named persons are not sitting together.

I sits third from one of the extreme ends. C sits forth to the right of I and both of them face the same direction. Only one person sits between C and A, who does not sit at the extreme end. The number of persons sitting to the right of A is **one more than** the number of persons sitting to the left of D, where both of them face opposite directions. Only two persons sit between D and G. E sits to the immediate left of G and both face the same direction. More than one person sits between B and H. Neighbors of F face the opposite direction to him. E sits to the left of H, who faces north.

Who among the following pair of persons faces the same direction?

- a. CF
- b. IE
- c. AB
- d. BD
- e. GH

12. Questions

The number of persons sitting to the right of E is one less than the number of persons sitting to the left of __?

- a. C
- b. The one who sits to the immediate right of H
- c. D
- d. G
- e. The one who sits second to the right of A

13. Questions

As many persons sit between H and A as between G and __?

- a. D
- b. B
- c. E
- d. C
- e. F

14. Questions

Who among the following person sits third to the right of F?

- a. No one
- b. A
- c. H
- d. D
- e. I

15. Questions

What is the position of B with respect to D?

- a. Fifth to the left
- b. Fourth to the right
- c. Second to the left
- d. Third to the right
- e. Fifth to the right

16. Questions

Study the following information carefully and answer the below questions.

Eight persons - L, M, N, O, P, Q, R, and S are working in a bank at different designations such as Chairman, Managing Director(MD), Chief Executive Officer(CEO), General Manager(GM), Assistant General Manager(AGM), Manager, Assistant Manager (AM), and Clerk. The hierarchy of the designations is given in decreasing order such as the Chairman seniormost designation and the Clerk is the juniormost designation.

Not more than two persons are senior to N. Only four persons are designated between N and Q. Q is two persons junior to L. The number of persons senior to L is **two more than** the number of persons junior to R. One person is designated between R and M, who is not the clerk. O is immediately senior to S. P is junior to S but is not the clerk.

 @QuizByMickey
Click On Me Join Our BackupGroup

R is designated at which of the following designation?

- a. Chairman

- b. MD
- c. AGM
- d. GM
- e. Manager

17. Questions

How many persons are junior to M with respect to the final arrangement?

- a. One
- b. None
- c. Two
- d. Three
- e. More than three

18. Questions

As many persons are senior to P as junior to _____

- a. S
- b. The one who is designated as MD
- c. Q
- d. R
- e. The one who is designated as GM

19. Questions

Who among the following person is designated as three persons junior to N?

- a. M
- b. The one who is designated as Manager
- c. S
- d. O
- e. None of the above

20. Questions

Which of the following combinations is true?

- a. Chairman - L
- b. AGM - P

- c. MD - O
- d. Manager - N
- e. Clerk - Q

21. Questions

Study the following statements and then decide which of the given conclusions logically follows from the given statements, disregarding the commonly known facts.

Statements:

Only a few pears are bananas.

Some bananas are jackfruit.

No banana is a peach.

Conclusions:

I). Some jackfruit is not peach.

II). All pears can be bananas.

- a. Only conclusion II follows
- b. Only conclusion I follows
- c. Either conclusion I or II follows
- d. Neither conclusion I nor II follows
- e. Both conclusions I and II follow

22. Questions

Statements:

Only a few purple is violet.

All violets are orange.

All oranges are amber.

Conclusions:

I). Some oranges are purple.

II). All amber being purple is a possibility.

- a. Only conclusion II follows
- b. Only conclusion I follows
- c. Either conclusion I or II follows
- d. Neither conclusion I nor II follows
- e. Both conclusions I and II follow

23. Questions

Statements:

Only a few water is blue.

No blue is a sky.

No tree is blue.

Conclusions:

I). All sky can be water.

II). Some water is not tree.

- a. Only conclusion II follows
- b. Only conclusion I follows
- c. Either conclusion I or II follows
- d. Neither conclusion I nor II follows
- e. Both conclusions I and II follow

24. Questions

Statements:

Only a few squares are lines.

Some lines are arrows.

Only a few arrows are circles.

Conclusions:

I). Some squares are not circles.

II). All squares are circles.

- a. Only conclusion II follows
- b. Only conclusion I follows
- c. Either conclusion I or II follows
- d. Neither conclusion I nor II follows
- e. Both conclusions I and II follow

25. Questions

Statements:

Only a few areas are perimeter.

Some perimeter is not volume.

Some volume is height.

Conclusions:

I). Some perimeter is not height.

II). Some volume is area.

- a. Only conclusion II follows
- b. Only conclusion I follows
- c. Either conclusion I or II follows
- d. Neither conclusion I nor II follows
- e. Both conclusions I and II follow

26. Questions

In the given questions, the relationship between different elements is shown in the statements followed by some conclusions. Find the conclusion which is definitely true.

Statements:

$J \leq Q \leq Z = X \geq A; E \geq U = Q > R \geq D$

Conclusions:

I). $D < X$

II). $E \geq J$

- a. Only conclusion II is true
- b. Either conclusion I or II is true
- c. Both conclusions I and II are true
- d. Only conclusion I is true
- e. Neither conclusion I nor II is true

27. Questions

Statements:

$C < R \geq M \leq I = B; F \geq T > I \geq A < Y;$

Conclusions:

I). $F > B$

II). $M < Y$

- a. Only conclusion II is true
- b. Either conclusion I or II is true

- c. Both conclusions I and II are true
- d. Only conclusion I is true
- e. Neither conclusion I nor II is true

28. Questions**Statements:**

$D \geq X \leq K = W > P; V = Z \leq X > E \geq N;$

Conclusions:

I). $Z = W$

II). $V < K$

- a. Only conclusion II is true
- b. Either conclusion I or II is true
- c. Both conclusions I and II are true
- d. Only conclusion I is true
- e. Neither conclusion I nor II is true

29. Questions**Statements:**

$N < J = E \leq K \geq O; F > G < O \geq M \geq Y$

Conclusions:

I). $K > Y$

II). $J \leq M$

- a. Only conclusion II is true
- b. Either conclusion I or II is true
- c. Both conclusions I and II are true
- d. Only conclusion I is true
- e. Neither conclusion I nor II is true

30. Questions**Statements:**

$P \leq U \leq H > W \geq T; J \geq U = V > C \geq X$

Conclusions:

I). $C < W$

II). $P \leq J$

- a. Only conclusion II is true
- b. Either conclusion I or II is true
- c. Both conclusions I and II are true
- d. Only conclusion I is true
- e. Neither conclusion I nor II is true

31. Questions

Study the following information carefully and answer the below questions.

N is the father-in-law of C, who is the brother-in-law of P. L is the grandmother of G, who is the daughter of M. J is the sister-in-law of M, who has no siblings. P is the maternal aunt of X, who is the only child of C. C is the son-in-law of L, who has only two children.

How many female members are there in the family?

- a. Six
- b. Three
- c. Four
- d. Five
- e. Cannot be determined

32. Questions

How is P related to J based on the final arrangement?

- a. Niece
- b. Sister
- c. Mother
- d. Sister-in-law
- e. Cannot be determined

33. Questions

Who among the following person addresses N as their father?

I). J

II). P

III). M

- a. Only I

- b. Only II
- c. Only III
- d. Only I and II
- e. Only I and III

34. Questions

Study the following information carefully and answer the below questions.

W is the brother-in-law of A, who has no siblings. B is the father of F, who is unmarried. T is grandson of E, who has only one daughter. E is the mother-in-law of A, who is the sister-in-law of F. B is the father of D, who has only one child T. B has only three children.

How is D related to A based on the final arrangement?

- a. Brother
- b. Uncle
- c. Son
- d. Husband
- e. Cannot be determined

35. Questions

If F is married to G, then how is G related to W?

- a. Father-in-law
- b. Uncle
- c. Brother
- d. Cousin
- e. Brother-in-law

36. Questions

Study the following information carefully and answer the below questions.

If all the digits of the number “38945276194” are arranged in descending order from left to right, then what is the cube value of the sixth digit from the left end ?

- a. 125
- b. 236
- c. 343
- d. 169
- e. 729

37. Questions

If all the letters of the word “EVERYTHING” are arranged in alphabetical order from left to right, then what is the sum of the place value (as per the alphabetical series) of the third letter from the right end and the fifth letter from the left end?

- a. 26
- b. 22
- c. 29
- d. 27
- e. 28

38. Questions

How many such pairs of digits are there in the number “39416857” each of which has as many digits between them as there are in the number series (both forward and backward)?

- a. One
- b. Two
- c. None
- d. Three
- e. More than three

39. Questions

If all the letters in the word “ABERRATIONAL” are arranged in alphabetical order from left to right such that the vowels are arranged first followed by the consonants, then how many letters are there between E and N after the arrangement?

- a. One
- b. None
- c. Two
- d. Three
- e. More than three

40. Questions

If in the given number “923571468”, two is added to the prime digits and the remaining digits remain same, then all the digits are arranged in descending order from left to right, then which of the following digit is fourth to the left of the third lowest digit in the number thus formed?

- a. 4
- b. 6

- c. 8
- d. 1
- e. 9

Explanations:

1. Questions

Final arrangement:

Month	Persons
January	E
March	G
April	I
May	A
June	C
July	F
August	D
September	H
October	B

We have,

- C lost the phone in the month having 30 days.
- G lost three persons before C.

From the above conditions, there are two possibilities.

	Case-1	Case-2
Month	Persons	Persons
January		
March	G	
April		
May		
June	C	G
July		
August		
September		C
October		

Again, we have,

- One person lost between G and A.
- F lost two persons after A.
- As many persons lost between F and D as between D and H.

	Case-1	Case-2
Month	Persons	Persons
January		
March	G	
April		H
May	A	
June	C	G
July	F	D
August	D	A
September	H	C
October		F

Again, We have,

- B lost the phone after H.
- E lost before I but not immediately before.

From the above conditions, case-2 gets eliminated because “E lost before I but not immediately before”, which is not satisfied.

Hence, case-1 shows the final arrangement.

	Case-1	Case-2
Month	Persons	Persons
January	E	E
March	G	I
April	I	H
May	A	B
June	C	G
July	F	D
August	D	A
September	H	C
October	B	F

Answer: D

2. Questions

Final arrangement:

Month	Persons
January	E
March	G
April	I
May	A
June	C
July	F
August	D
September	H
October	B

We have,

- C lost the phone in the month having 30 days.
- G lost three persons before C.

From the above conditions, there are two possibilities.

	Case-1	Case-2
Month	Persons	Persons
January		
March	G	
April		
May		
June	C	G
July		
August		
September		C
October		

Again, we have,

- One person lost between G and A.
- F lost two persons after A.
- As many persons lost between F and D as between D and H.

	Case-1	Case-2
Month	Persons	Persons
January		
March	G	
April		H
May	A	
June	C	G
July	F	D
August	D	A
September	H	C
October		F

Again, We have,

- B lost the phone after H.
- E lost before I but not immediately before.

From the above conditions, case-2 gets eliminated because “E lost before I but not immediately before”, which is not satisfied.

Hence, case-1 shows the final arrangement.

	Case-1	Case-2
Month	Persons	Persons
January	E	E
March	G	I
April	I	H
May	A	B
June	C	G
July	F	D
August	D	A
September	H	C
October	B	F

Answer: C

3. Questions

Final arrangement:

Month	Persons
January	E
March	G
April	I
May	A
June	C
July	F
August	D
September	H
October	B

We have,

- C lost the phone in the month having 30 days.
- G lost three persons before C.

From the above conditions, there are two possibilities.

	Case-1	Case-2
Month	Persons	Persons
January		
March	G	
April		
May		
June	C	G
July		
August		
September		C
October		

Again, we have,

- One person lost between G and A.
- F lost two persons after A.
- As many persons lost between F and D as between D and H.

	Case-1	Case-2
Month	Persons	Persons
January		
March	G	
April		H
May	A	
June	C	G
July	F	D
August	D	A
September	H	C
October		F

Again, We have,

- B lost the phone after H.
- E lost before I but not immediately before.

From the above conditions, case-2 gets eliminated because “E lost before I but not immediately before”, which is not satisfied.

Hence, case-1 shows the final arrangement.

	Case-1	Case-2
Month	Persons	Persons
January	E	E
March	G	I
April	I	H
May	A	B
June	C	G
July	F	D
August	D	A
September	H	C
October	B	F

Answer: B (All the persons lost their phone in the month having an odd number of days except option b)

4. Questions

Final arrangement:

Month	Persons
January	E
March	G
April	I
May	A
June	C
July	F
August	D
September	H
October	B

We have,

- C lost the phone in the month having 30 days.
- G lost three persons before C.

From the above conditions, there are two possibilities.

	Case-1	Case-2
Month	Persons	Persons
January		
March	G	
April		
May		
June	C	G
July		
August		
September		C
October		

Again, we have,

- One person lost between G and A.
- F lost two persons after A.
- As many persons lost between F and D as between D and H.

	Case-1	Case-2
Month	Persons	Persons
January		
March	G	
April		H
May	A	
June	C	G
July	F	D
August	D	A
September	H	C
October		F

Again, We have,

- B lost the phone after H.
- E lost before I but not immediately before.

From the above conditions, case-2 gets eliminated because “E lost before I but not immediately before”, which is not satisfied.

Hence, case-1 shows the final arrangement.

	Case-1	Case-2
Month	Persons	Persons
January	E	E
March	G	I
April	I	H
May	A	B
June	C	G
July	F	D
August	D	A
September	H	C
October	B	F

Answer: A (G lost three persons before C and I lost three persons before F similarly E lost three persons before A)

5. Questions

Final arrangement:

Month	Persons
January	E
March	G
April	I
May	A
June	C
July	F
August	D
September	H
October	B

We have,

- C lost the phone in the month having 30 days.
- G lost three persons before C.

From the above conditions, there are two possibilities.

	Case-1	Case-2
Month	Persons	Persons
January		
March	G	
April		
May		
June	C	G
July		
August		
September		C
October		

Again, we have,

- One person lost between G and A.
- F lost two persons after A.
- As many persons lost between F and D as between D and H.

	Case-1	Case-2
Month	Persons	Persons
January		
March	G	
April		H
May	A	
June	C	G
July	F	D
August	D	A
September	H	C
October		F

Again, We have,

- B lost the phone after H.
- E lost before I but not immediately before.

From the above conditions, case-2 gets eliminated because “E lost before I but not immediately before”, which is not satisfied.

Hence, case-1 shows the final arrangement.

	Case-1	Case-2
Month	Persons	Persons
January	E	E
March	G	I
April	I	H
May	A	B
June	C	G
July	F	D
August	D	A
September	H	C
October	B	F

Answer: E

6. Questions

Final arrangement:

Boxes
M(apple)
O(mango)
P(grapes)
L(papaya)
N(kiwi)
K(fig)

We have,

- An even number of boxes are kept above box P.
- Only two boxes are kept between the box having fig fruit and P

From the above conditions, there are two possibilities.

Case-1	Case-2
Boxes	Boxes
	(fig)
P	
	P
(fig)	

Again, we have,

- Box L is kept three boxes below the box having apple fruit.
- Box L is kept immediately above the box having kiwi fruit.
- As many boxes are kept between box O and the box having apple fruit as between O and the box having grapes fruit.

Case-1	Case-2
Boxes	Boxes
(apple)	(apple)
O	O(fig)
P(grapes)	(grapes)
L	L
(kiwi)	P(kiwi)
(fig)	

Again, We have,

- Box M is kept immediately above the box having mango fruit.
- Box N is neither kept below box K nor kept above the box having mango fruit. 

From the above conditions, case-2 gets eliminated because “Box N is neither kept below box K nor kept above the box having mango fruit.”, which is not satisfied.

Hence, case-1 shows the final arrangement.

Case-1	Case-2
Boxes	Boxes
M(apple)	N(apple)
O(mango)	O(fig)
P(grapes)	M(grapes)
L(papaya)	L(mango)
N(kiwi)	P(kiwi)
K(fig)	K(papaya)

Answer: B

7. Questions

Final arrangement:

Boxes
M(apple)
O(mango)
P(grapes)
L(papaya)
N(kiwi)
K(fig)

We have,

- An even number of boxes are kept above box P.
- Only two boxes are kept between the box having fig fruit and P

From the above conditions, there are two possibilities.

Case-1	Case-2
Boxes	Boxes
	(fig)
P	
	P
(fig)	

Again, we have,

- Box L is kept three boxes below the box having apple fruit.
- Box L is kept immediately above the box having kiwi fruit.
- As many boxes are kept between box O and the box having apple fruit as between O and the box having grapes fruit.

Case-1	Case-2
Boxes	Boxes
(apple)	(apple)
O	O(fig)
P(grapes)	(grapes)
L	L
(kiwi)	P(kiwi)
(fig)	

Again, We have,

- Box M is kept immediately above the box having mango fruit.
- Box N is neither kept below box K nor kept above the box having mango fruit. 

From the above conditions, case-2 gets eliminated because “Box N is neither kept below box K nor kept above the box having mango fruit.”, which is not satisfied.

Hence, case-1 shows the final arrangement.

Case-1	Case-2
Boxes	Boxes
M(apple)	N(apple)
O(mango)	O(fig)
P(grapes)	M(grapes)
L(papaya)	L(mango)
N(kiwi)	P(kiwi)
K(fig)	K(papaya)

Answer: C

8. Questions

Final arrangement:

Boxes
M(apple)
O(mango)
P(grapes)
L(papaya)
N(kiwi)
K(fig)

We have,

- An even number of boxes are kept above box P.
- Only two boxes are kept between the box having fig fruit and P

From the above conditions, there are two possibilities.

Case-1	Case-2
Boxes	Boxes
	(fig)
P	
	P
(fig)	

Again, we have,

- Box L is kept three boxes below the box having apple fruit.
- Box L is kept immediately above the box having kiwi fruit.
- As many boxes are kept between box O and the box having apple fruit as between O and the box having grapes fruit.

Case-1	Case-2
Boxes	Boxes
(apple)	(apple)
O	O(fig)
P(grapes)	(grapes)
L	L
(kiwi)	P(kiwi)
(fig)	

Again, We have,

- Box M is kept immediately above the box having mango fruit.
- Box N is neither kept below box K nor kept above the box having mango fruit. 

From the above conditions, case-2 gets eliminated because “Box N is neither kept below box K nor kept above the box having mango fruit.”, which is not satisfied.

Hence, case-1 shows the final arrangement.

Case-1	Case-2
Boxes	Boxes
M(apple)	N(apple)
O(mango)	O(fig)
P(grapes)	M(grapes)
L(papaya)	L(mango)
N(kiwi)	P(kiwi)
K(fig)	K(papaya)

Answer: D (After arranging in alphabetical from bottom to top two boxes remain unchanged - K and O)

9. Questions

Final arrangement:

Boxes
M(apple)
O(mango)
P(grapes)
L(papaya)
N(kiwi)
K(fig)

We have,

- An even number of boxes are kept above box P.
- Only two boxes are kept between the box having fig fruit and P

From the above conditions, there are two possibilities.

Case-1	Case-2
Boxes	Boxes
	(fig)
P	
	P
(fig)	

Again, we have,

- Box L is kept three boxes below the box having apple fruit.
- Box L is kept immediately above the box having kiwi fruit.
- As many boxes are kept between box O and the box having apple fruit as between O and the box having grapes fruit.

Case-1	Case-2
Boxes	Boxes
(apple)	(apple)
O	O(fig)
P(grapes)	(grapes)
L	L
(kiwi)	P(kiwi)
(fig)	

Again, We have,

- Box M is kept immediately above the box having mango fruit.
- Box N is neither kept below box K nor kept above the box having mango fruit. 

From the above conditions, case-2 gets eliminated because “Box N is neither kept below box K nor kept above the box having mango fruit.”, which is not satisfied.

Hence, case-1 shows the final arrangement.

Case-1	Case-2
Boxes	Boxes
M(apple)	N(apple)
O(mango)	O(fig)
P(grapes)	M(grapes)
L(papaya)	L(mango)
N(kiwi)	P(kiwi)
K(fig)	K(papaya)

Answer: A

10. Questions

Final arrangement:

Boxes
M(apple)
O(mango)
P(grapes)
L(papaya)
N(kiwi)
K(fig)

We have,

- An even number of boxes are kept above box P.
- Only two boxes are kept between the box having fig fruit and P

From the above conditions, there are two possibilities.

Case-1	Case-2
Boxes	Boxes
	(fig)
P	
	P
(fig)	

Again, we have,

- Box L is kept three boxes below the box having apple fruit.
- Box L is kept immediately above the box having kiwi fruit.
- As many boxes are kept between box O and the box having apple fruit as between O and the box having grapes fruit.

Case-1	Case-2
Boxes	Boxes
(apple)	(apple)
O	O(fig)
P(grapes)	(grapes)
L	L
(kiwi)	P(kiwi)
(fig)	

Again, We have,

- Box M is kept immediately above the box having mango fruit.
- Box N is neither kept below box K nor kept above the box having mango fruit. 

From the above conditions, case-2 gets eliminated because “Box N is neither kept below box K nor kept above the box having mango fruit.”, which is not satisfied.

Hence, case-1 shows the final arrangement.

Case-1	Case-2
Boxes	Boxes
M(apple)	N(apple)
O(mango)	O(fig)
P(grapes)	M(grapes)
L(papaya)	L(mango)
N(kiwi)	P(kiwi)
K(fig)	K(papaya)

Answer: E

11. Questions


Final arrangement:



We have,


- I sits third from one of the extreme ends.
- C sits forth to the right of I and both of them face the same direction.
- Only one person sits between C and A, who does not sit at the extreme end.

From above conditions, we have two possibilities:



Again we have,


- The number of persons sitting to the right of A is one more than the number of persons sitting to the left of D, where both of them face opposite directions.
- Only two persons sit between D and G.
- E sits to the immediate left of G and both face the same direction.



Again we have,

- More than one person sits between B and H.
- Neighbors of F face the opposite direction to him.
- E sits to the left of H, who faces north.


While applying above condition, case 2 gets eliminated, because E can't sit to the right of H. Thus, case 1 gives the final arrangement.



Answer: D

12. Questions


Final arrangement:



We have,


- I sits third from one of the extreme ends.
- C sits forth to the right of I and both of them face the same direction.
- Only one person sits between C and A, who does not sit at the extreme end.

From above conditions, we have two possibilities:



Again we have,


- The number of persons sitting to the right of A is one more than the number of persons sitting to the left of D, where both of them face opposite directions.
- Only two persons sit between D and G.
- E sits to the immediate left of G and both face the same direction.



Again we have,

- More than one person sits between B and H.
- Neighbors of F face the opposite direction to him.
- E sits to the left of H, who faces north.

While applying above condition, case 2 gets eliminated, because E can't sit to the right of H. Thus, case 1 gives the final arrangement.



Answer: E

13. Questions


Final arrangement:



We have,


- I sits third from one of the extreme ends.
- C sits forth to the right of I and both of them face the same direction.
- Only one person sits between C and A, who does not sit at the extreme end.

From above conditions, we have two possibilities:



Again we have,


- The number of persons sitting to the right of A is one more than the number of persons sitting to the left of D, where both of them face opposite directions.
- Only two persons sit between D and G.
- E sits to the immediate left of G and both face the same direction.



Again we have,

- More than one person sits between B and H.
- Neighbors of F face the opposite direction to him.
- E sits to the left of H, who faces north.

While applying above condition, case 2 gets eliminated, because E can't sit to the right of H. Thus, case 1 gives the final arrangement.



Answer: C

14. Questions



Final arrangement:



We have,


- I sits third from one of the extreme ends.
- C sits forth to the right of I and both of them face the same direction.
- Only one person sits between C and A, who does not sit at the extreme end.

From above conditions, we have two possibilities:



Again we have,


- The number of persons sitting to the right of A is one more than the number of persons sitting to the left of D, where both of them face opposite directions.
- Only two persons sit between D and G.
- E sits to the immediate left of G and both face the same direction.



Again we have,

- More than one person sits between B and H.
- Neighbors of F face the opposite direction to him.
- E sits to the left of H, who faces north.

While applying above condition, case 2 gets eliminated, because E can't sit to the right of H. Thus, case 1 gives the final arrangement.



Answer: B

15. Questions


Final arrangement:



We have,


- I sits third from one of the extreme ends.
- C sits forth to the right of I and both of them face the same direction.
- Only one person sits between C and A, who does not sit at the extreme end.

From above conditions, we have two possibilities:



Again we have,


- The number of persons sitting to the right of A is one more than the number of persons sitting to the left of D, where both of them face opposite directions.
- Only two persons sit between D and G.
- E sits to the immediate left of G and both face the same direction.



Again we have,

- More than one person sits between B and H.
- Neighbors of F face the opposite direction to him.
- E sits to the left of H, who faces north.

While applying above condition, case 2 gets eliminated, because E can't sit to the right of H. Thus, case 1 gives the final arrangement.



Answer: E

16. Questions

Final arrangement:

Designation	Persons
Chairman	O
MD	S
CEO	N
GM	P
AGM	R
Manager	L
AM	M
Clerk	Q

We have,

- Not more than two are persons senior to N.
- Only four persons are designated between N and Q.

From the above conditions, there are three possibilities.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman			N
MD		N	
CEO	N		
GM			
AGM			
Manager			Q
AM		Q	
Clerk	Q		

Again, we have,

- Q is two persons junior to L.
- The number of persons senior to L is **two more than** the number of persons junior to R.
- One person is designated between R and M, who is not the clerk.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman			N
MD		N	
CEO	N		
GM		M	L
AGM	R	L	M
Manager	L	R	Q
AM	M	Q	R
Clerk	Q		

Again, We have,

- O is immediately senior to S.
- P is junior to S but is not the clerk.

From the above conditions, case-2 gets eliminated because “O is immediately senior to S”, which is not satisfied.

From the above conditions, case-3 gets eliminated because “P is junior to S but is not the clerk”, which is not satisfied.

Hence, case-1 shows the final arrangement.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman	O		N
MD	S	N	O
CEO	N		S
GM	P	M	L
AGM	R	L	M
Manager	L	R	Q
AM	M	Q	R
Clerk	Q		P

Answer: C

17. Questions

Final arrangement:

Designation	Persons
Chairman	O
MD	S
CEO	N
GM	P
AGM	R
Manager	L
AM	M
Clerk	Q

We have,

- Not more than two are persons senior to N.
- Only four persons are designated between N and Q.

From the above conditions, there are three possibilities.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman			N
MD		N	
CEO	N		
GM			
AGM			
Manager			Q
AM		Q	
Clerk	Q		

Again, we have,

- Q is two persons junior to L.
- The number of persons senior to L is **two more than** the number of persons junior to R.
- One person is designated between R and M, who is not the clerk.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman			N
MD		N	
CEO	N		
GM		M	L
AGM	R	L	M
Manager	L	R	Q
AM	M	Q	R
Clerk	Q		

Again, We have,

- O is immediately senior to S.
- P is junior to S but is not the clerk.

From the above conditions, case-2 gets eliminated because “O is immediately senior to S”, which is not satisfied.

From the above conditions, case-3 gets eliminated because “P is junior to S but is not the clerk”, which is not satisfied.

Hence, case-1 shows the final arrangement.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman	O		N
MD	S	N	O
CEO	N		S
GM	P	M	L
AGM	R	L	M
Manager	L	R	Q
AM	M	Q	R
Clerk	Q		P

Answer: A

18. Questions

Final arrangement:

Designation	Persons
Chairman	O
MD	S
CEO	N
GM	P
AGM	R
Manager	L
AM	M
Clerk	Q

We have,

- Not more than two are persons senior to N.

- Only four persons are designated between N and Q.

From the above conditions, there are three possibilities.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman			N
MD		N	
CEO	N		
GM			
AGM			
Manager			Q
AM		Q	
Clerk	Q		

Again, we have,

- Q is two persons junior to L.
- The number of persons senior to L is **two more than** the number of persons junior to R.
- One person is designated between R and M, who is not the clerk.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman			N
MD		N	
CEO	N		
GM		M	L
AGM	R	L	M
Manager	L	R	Q
AM	M	Q	R
Clerk	Q		

Again, We have,

- O is immediately senior to S.
- P is junior to S but is not the clerk.

From the above conditions, case-2 gets eliminated because “O is immediately senior to S”, which is not satisfied.

From the above conditions, case-3 gets eliminated because “P is junior to S but is not the clerk”, which is not satisfied.

Hence, case-1 shows the final arrangement.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman	O		N
MD	S	N	O
CEO	N		S
GM	P	M	L
AGM	R	L	M
Manager	L	R	Q
AM	M	Q	R
Clerk	Q		P

Answer: D

19. Questions

Final arrangement:

Designation	Persons
Chairman	O
MD	S
CEO	N
GM	P
AGM	R
Manager	L
AM	M
Clerk	Q

We have,

- Not more than two are persons senior to N.

- Only four persons are designated between N and Q.

From the above conditions, there are three possibilities.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman			N
MD		N	
CEO	N		
GM			
AGM			
Manager			Q
AM		Q	
Clerk	Q		

Again, we have,

- Q is two persons junior to L.
- The number of persons senior to L is **two more than** the number of persons junior to R.
- One person is designated between R and M, who is not the clerk.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman			N
MD		N	
CEO	N		
GM		M	L
AGM	R	L	M
Manager	L	R	Q
AM	M	Q	R
Clerk	Q		

Again, We have,

- O is immediately senior to S.
- P is junior to S but is not the clerk.

From the above conditions, case-2 gets eliminated because “O is immediately senior to S”, which is not satisfied.

From the above conditions, case-3 gets eliminated because “P is junior to S but is not the clerk”, which is not satisfied.

Hence, case-1 shows the final arrangement.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman	O		N
MD	S	N	O
CEO	N		S
GM	P	M	L
AGM	R	L	M
Manager	L	R	Q
AM	M	Q	R
Clerk	Q		P

Answer: B

20. Questions

Final arrangement:

Designation	Persons
Chairman	O
MD	S
CEO	N
GM	P
AGM	R
Manager	L
AM	M
Clerk	Q

We have,

- Not more than two are persons senior to N.

- Only four persons are designated between N and Q.

From the above conditions, there are three possibilities.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman			N
MD		N	
CEO	N		
GM			
AGM			
Manager			Q
AM		Q	
Clerk	Q		

Again, we have,

- Q is two persons junior to L.
- The number of persons senior to L is **two more than** the number of persons junior to R.
- One person is designated between R and M, who is not the clerk.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman			N
MD		N	
CEO	N		
GM		M	L
AGM	R	L	M
Manager	L	R	Q
AM	M	Q	R
Clerk	Q		

Again, We have,

- O is immediately senior to S.
- P is junior to S but is not the clerk.

From the above conditions, case-2 gets eliminated because “O is immediately senior to S”, which is not satisfied.

From the above conditions, case-3 gets eliminated because “P is junior to S but is not the clerk”, which is not satisfied.


Hence, case-1 shows the final arrangement.

	Case-1	Case-2	Case-3
Designation	Persons	Persons	Persons
Chairman	O		N
MD	S	N	O
CEO	N		S
GM	P	M	L
AGM	R	L	M
Manager	L	R	Q
AM	M	Q	R
Clerk	Q		P

Answer: E

21. Questions

Answer: B




I). Some jackfruit is not peach - Here, there is no direct relation between jackfruit and peach. But some parts of jackfruit, which are associated with bananas, are definitely not connected with peaches. Hence, the conclusion follows.

II). All pears can be bananas - the direct relation between pear and banana is that some parts of pear are

definitely connected with bananas and some parts of pear are definitely not connected with bananas. Hence, the conclusion does not follow.

22. Questions

Answer: E




I). Some oranges are purple - Here, there is no direct relation between orange and purple. But some parts of purple, which are associated with violet, are definitely connected with orange. Hence, the conclusion follows.

II). All amber being purple is a possibility - Here, there is no direct relation between amber and purple. So, all the possible conclusions between them are true. Hence, the conclusion follows.

23. Questions

Answer: E




I). All sky can be water - Here, there is no direct relation between sky and water. So, all the possible conclusions between them are true. Hence, the conclusion follows.

II). Some water is not tree - Here, there is no direct relation between water and tree. But some part of the water which is blue can never be tree. Hence, the conclusion follows.

24. Questions

Answer: C




I). Some square is not a circle - Here, there is no direct relation between square and circle. So, all the definite conclusions between them are not true. Hence, the conclusion does not follow.

II). All squares are circles - Here, there is no direct relation between square and circle. So, all the definite conclusions between them are not true. Hence, the conclusion does not follow.

But, by combining both conclusions I and II, we can say either I or II follows.

25. Questions

Answer: D



I). Some perimeter is not height - Here, there is no direct relation between perimeter and height. So, all the definite conclusions between them are not true. Hence, the conclusion does not follow.

II). Some volume is area - Here, there is no direct relation between volume and area. So, all the definite conclusions between them are not true. Hence, the conclusion does not follow.

26. Questions

Answer: C

$J \leq Q \leq Z = X \geq A; E \geq U = Q > R \geq D;$

I). $D < X$ ($D \leq R < Q \leq Z = X$) -> True

II). $E \geq J$ ($E \geq U = Q \geq J$) -> True

27. Questions

Answer: D

$C < R \geq M \leq I = B; F \geq T > I \geq A < Y;$

I). $F > B$ ($F \geq T > I = B$) -> True

II). $M < Y$ ($M \leq I \geq A < Y$) $\rightarrow$ False

28. Questions

Answer: B

$D \geq X \leq K = W > P$; $V = Z \leq X > E \geq N$;

I). $Z = W$ ($V = Z \leq X \leq K = W$) $\rightarrow$ False

II). $V < K$ ($V = Z \leq X \leq K = W$) $\rightarrow$ False

But on combining both I and II, either conclusion I or II is true.

29. Questions

Answer: E

$N < J = E \leq K \geq O$; $F > G < O \geq M \geq Y$;

I). $K > Y$ ($K \geq O \geq M \geq Y$) $\rightarrow$ False

II). $J \leq M$ ($J = E \leq K \geq O \geq M$) $\rightarrow$ False

30. Questions


Answer: A

$P \leq U \leq H > W \geq T$; $J \geq U = V > C \geq X$;

I). $C < W$ ($C < V = U \leq H > W$) $\rightarrow$ False


II). $P \leq J$ ($P \leq U \leq J$) $\rightarrow$ True

31. Questions




Answer: E

32. Questions




Answer: B

33. Questions




Answer: D

34. Questions



Answer: D

35. Questions



Answer: E

36. Questions

Answer: A

38945276194

99876544321

$5^3 = 125$

37. Questions

Answer: C

EVERYTHING


EEGHINRTVY

I-9, T-20

$9+20=29$

38. Questions

Answer: D



39. Questions

Answer: E

ABERRATIONAL

AAAEIOBLNRRT

40. Questions

Answer: E

923571468

945791468

After arranging in descending order: 99876**5**441

Third lowest digit: 5

Fourth to the left of 5 is 9.

@QuizByMickey