

1. Questions

Study the following information carefully and answer the questions given below:

A word processing machine, when given an input, performs certain logical steps to arrive at the final output. The following is an illustration of the outcome of the machine.

	Input	Step -1	Step-2	Step-3	Step-4
Phase- 1	Becoming leaders are youth	CDDNNHOH MDZEDST ZSD ZNTUI	WVLLR9R MVZ7VGF ZGV ZLF97	544339&9 448\$476 874 836&\$	#& #\$ # #&\$
Phase -2	Enhancing better life growth	DOIZODHOH CDUUDS MHGD HSNXUI	V97Z9VR9R WV99VG MRSV RGLB97	4&\$8&49&9 54&&47 4914 9732&\$	@&\$&& @&& @ #&\$
Phase -3	Importance makes leading	HNQNSUZODD NZLDT MDZEH OH	RLILG9Z9VV LZNVF MVZ7R9R	93937&8&44 38546 448\$9&9	#&& @ @\$&

Step-4 is the last and final step of the given input. Using the same logic, find the steps and the final output for the input given below.

	Input
Phase-1	Safety protocol follow more
Phase -2	Ensure modern new technology
Phase -3	Focusing on simple way

If all the numbers are dropped from step 2 of the word “New technology”, and then the remaining letters are arranged in alphabetical order from left to right, then which of the following letter is fifth from the right end?

- V
- R
- L
- M
- Z

2. Questions

Which of the following will be the outcome of step 4 of the phrase “Common man”?

- a. #& @#
- b. && #&
- c. @& #&
- d. @@ &#
- e. Cannot be determined

3. Questions

Which of the following is the outcome of step 2 of phrase 1 in the given input?

- a. SLVFFR9R L9 FRLIMV BZZ
- b. V9FFGV LL7VG9 9VB 9VV79LMRZ
- c. TZGDUZ QSNUDNM GNMMNX NNSD
- d. FZSV9Z IGL9LVLM SLMMLB LLGV
- e. FZSW9Z IGL9VLM SLMMLX LLGV

4. Questions

How many symbols, even numbers, and odd numbers are there in the outcome of step-3 of phrase 1 respectively?

- a. 2, 10, 12
- b. 3, 9, 11
- c. 2, 11, 10
- d. 3, 9, 12
- e. 4, 12, 10

5. Questions

Which of the following will be the outcome of step 1 of the phrase “Getting placed over here”?

- a. FDSSGMF OKZBDE DJKL WXTJ
- b. HDUUHOH QMZDDE NWES IDSD
- c. FDSSGMF OKZBDE NWDS IDSD
- d. QTUOMBJ ECJIWH WVHO WTNB
- e. HDUUHOH QMZDDE NWDS IDSD

6. Questions

Study the following information carefully and answer the below questions.

Eight persons, namely –L, M, N, O, P, Q, R and S are born in eight different years. The age of each person is calculated from the base year 2024. Each person uses different cars, viz., Acura, Aprilia, Ather, Bajaj, Dio, Jupiter, Pept and Suzuki.

Note:- If it is given that B's age is equal to the last two digits of the birth year of A, then the age of B will be in any sequence. For Example: If A is born in 1991 and B's age is equal to the last two digits of the birth year of A, then the age of B may be either '19' or '91' years. None of the persons were born before '1960' and born after '2010'.

P's age is 50 and was born after the one who uses Acura. Only two persons were born between P and the one who uses Ather. The sum of the ages of the one who uses Acura and Ather is 116. The one who uses Ather has the same age as the last two digits of his birth year. R was born two persons before the one who uses Bajaj, but not before P. As many people were born before the one who uses Dio as after N, who is 12 years younger than R. Only three people were born between the one who uses Suzuki and O, who is the youngest person and his age is 15. The difference between the ages of the one who uses Suzuki and N is 17 years. S was born three persons before the one who uses Pept but did not use Acura. S was born in a leap year. The difference between the ages of L and S is 10 years. M was born before the one who uses Jupiter, but was not born before Q. R doesn't use Aprilia.

How many persons were born between the one who was born in 1979 and the one who uses Bajaj?

- a. Four
- b. As many persons born before the one who uses Suzuki
- c. As many persons born between the one who uses Dio and the one who was born in 1974
- d. As many persons born after the one who was born in 1970
- e. Three

7. Questions

Who among the following persons was born before the one who was born in 1970?

- I). The one who uses Jupiter
- II). The one who was born two persons before p
- III). The one who uses Pept

- a. Only I
- b. Only II
- c. Only I and II
- d. Only II and III
- e. All I, II, III

@QuizByMickey

8. Questions

If X was born in an even-numbered year immediately after M, then what is the age difference between the one who uses Aprilia and X?

- a. 29 years
- b. 22 years
- c. 18 years
- d. 19 years
- e. 20 years

9. Questions

Which of the following statement(s) is/ are TRUE with respect to the final arrangement?

- a. L was born three persons after S
- b. N uses Jupiter
- c. Only two persons were born between M and the one uses Ather
- d. R was born in an even-numbered year
- e. The one who uses Bajaj was born immediately after P

10. Questions

Four of the following five are alike in a certain way based on the given arrangement and thus form a group. Which one of the following does not belong to the group?

- a. P
- b. Q
- c. L
- d. S
- e. N

11. Questions

Study the following information carefully and answer the questions given below:

Each of the questions below consists of three columns and three statements. you have to decide which of the following conclusions. The statements given below in column 1, column 2 can be used along with the statement given below in column 3. No statement is combined in the same column.

What is the conclusion of the statement:

$M \geq S < U = T$; $X \geq Z > W \leq R$; $O = S > X$; $N \leq W > P = Q$

Column- 1	Column- 2	Column- 3
I). $W < S; X > N$	IV). $M \geq W; O < T$	VII). $N > O; P \leq S$
II). $Z < U; X \leq N$	V). $S > Z, M > P$	VIII). $M \leq T; Z > T$
III). $T > R; W \leq U$	VI). $R \leq X; Q > T$	IX). $Z < O; X > Q$

- a. Only III, VI, and VIII
- b. Only II, V, and IX
- c. Only III, V, and VII
- d. Only I, IV, and VII
- e. Only I, V, and IX

12. Questions

What is the conclusion of the statement:

$Y \geq K = A; W \leq B < S > U; A \geq Z > T = B; C > S < H > X$

Column- 1	Column- 2	Column- 3
I). $H < A; C \geq T$	IV). $Z \leq Y; C > U$	VII). $Z \leq K; A > W$
II). $U < H; A \geq W$	V). $B < A; T \geq H$	VIII). $Y \geq T; S < K$
III). $T \geq W; B < C$	VI). $W < U; Y > X$	IX). $U < W; Z \leq Y$

- a. Only III, V, and VIII
- b. Only II, IV, and VII
- c. Only III, IV, and VII
- d. Only I, VI, and VII
- e. Only I, VI, and IX

@QuizByMickey

13. Questions

What is the conclusion of the statement:

$K > V \geq S = O; Y < V \leq I; Q \geq B \geq P > I; J > K \geq C \leq T$

Column- 1	Column- 2	Column- 3
I). $O \geq B; P < T$	IV). $I > K; J > P$	VII). $V \geq P; C \leq I$
II). $Y < K; Q \geq V$	V). $P \leq Q; Y < Q$	VIII). $J < Q; K < Y$
III). $J > V; I \geq O$	VI). $S \leq T; V > C$	IX). $B > Y; S \leq I$

- Only III, V, and IX
- Only I, VI, and VIII
- Only III, V, and VII
- Only II, VI, and VII
- Only III, IV, and IX

14. Questions

What is the conclusion of the statement:

$B > E \geq D = H; F \geq L \geq C > M; I \geq G > F; O \leq I < B < J$

Column- 1	Column- 2	Column- 3
I). $C \leq E; D > J$	IV). $L \geq M; H \leq B$	VII). $G > M; B > O$
II). $I > M; B > F$	V). $D \geq G; F < H$	VIII). $I \leq F; J \geq G$
III). $J \geq D; C \leq O$	VI). $C < B; E < J$	IX). $E \geq O; B > F$

- Only III, VI, and VIII
- Only II, VI, and VII
- Only III, V, and VII
- Only I, VI, and VIII
- Only II, IV, and IX

@QuizByMickey

15. Questions

What is the conclusion of the statement:

$K \leq O \leq N < M; L > P = Q \geq J = N; R \leq X < V; S < R > M$

Column- 1	Column- 2	Column- 3
I). $J < M ; V > S$	IV). $P \leq M ; L > R$	VII). $P \leq J ; N \geq R$
II). $R \leq N ; P > V$	V). $M < X ; K \leq J$	VIII). $N < R ; L > O$
III). $J > K ; O > X$	VI). $S < P ; O \geq M$	IX). $Q \geq S ; N \geq P$

- Only II, VI, and VIII
- Only I, IV, and VII
- Only III, V, and VII
- Only I, V, and VIII
- Only III, IV, and IX

16. Questions

Study the following information carefully and answer the below questions:

A 5x5 matrix is formed in such a way that columns are marked #, @, \$, & and * from left to right respectively, whereas rows of the matrix are marked as P, Q, R, S and T from bottom to top respectively. The value of a given cell in each column is a consecutive multiple of the respective number and is increasing from top to bottom. The common multiple of any column is not the same, but also is not 1. The value of any cell is not 1.

	#	@	\$	&	*
T					
S	20			P\$-18	
R					
Q		R#+12			Q&+15
P					

@QuizByMickey

Note-I: $R\# < T\$ < Q\& < S^*$

Note-II: $S\$ \neq 35$; $P^* \neq \text{multiple of } 3$

Note-III: $R@ < 28$; $P\& > Q\#$

Note-IV: $Q\# + T\$ = 56$

Frequencies in the above matrix are used to take money from four Banks –A, B, C and D.

Conditions for taking money from the Bank:

- I). If the output of the frequency is below '100', then we can take money from Bank A
- II). If the output of the frequency is between '100' to '200', then money can be taken from Bank C
- III). If the output of the frequency is between '200' to '300', then money can be taken from Bank B
- IV). If the output of the frequency is between '300' to '400', then money can be taken from Bank D.
- V). If the output of the frequency is above '400', then money can't be taken from any Bank.

Condition to obtain the output of the string:

- I). If two odd numbers and two even numbers are present in the string, then add the first and third numbers
- II). If all the numbers are odd, then add the unit place digit of all the numbers and multiply the resultant with 10.
- III). If all the numbers are even, then add the first and last number.
- IV). If three odd numbers and one even number are present in the string, then multiply the tens digits of all the numbers.

What is the product of the resultant of the following strings?

I). P# R\$ Q& T*

II). S@ P* R# Q\$

- a. 3124
- b. 3100
- c. 2800
- d. 3224
- e. 3212

17. Questions

The money can be drawn from which of the following bank if X= R* Q& S\$ P@ T*

- a. Bank A
- b. Bank B
- c. Bank C
- d. Bank D
- e. None

@QuizByMickey

18. Questions

What comes in the place of blank space so that money comes from Bank B= P# Q&___ Q@ R* P&

- a. S@
- b. P\$

- c. R#
- d. T&
- e. R&

19. Questions

What is the sum of the resultant of the following strings?

I). R@ S* T& Q#

II). R@ Q* P@ S&

- a. 1765
- b. 2675
- c. 1700
- d. 1580
- e. None of these

20. Questions

Which of the following strings are arranged in descending order?

- a. S* P#Q& T\$ R@
- b. P& T* S\$ Q@ R#
- c. R& Q\$ P@ T# S*
- d. Q& S# R* T\$ P@
- e. T* R\$ P@ S& Q#

Explanations:**1. Questions**

Final arrangement:

@QuizByMickey

	Input	Step-1	Step-2	Step-3	Step-4
Phase-1	Safety protocol follow more	TZGDUZ QSNUNDNM GNMMNX NNSD	FZSV9Z IGL9LVLM SLMMLB LLGV	6814&8 973&3434 134432 3374	#& #& # #
Phase -2	Ensure modern new technology	DOTTSD NNEDSO ODX UDDIONMNHZ	V9FFGV LL7VG9 9VB 9VV79LMLRZ	4&6674 33\$47& &42 &44\$&34398	#& #&\$& @& #&\$&
Phase -3	Focusing on simple way	GNDTTHOH NO THNQMD XZZ	SLVFFR9R L9 FRLIMV BZZ	134669&9 3& 693944 288	@& #& # @

Step 1: The consonants are changed to their immediate succeeding letters, and all the vowels are changed to their immediate preceding letters as per the alphabetical series.

Step 2: If the word contains any vowel, then the vowels are coded as numbers. The vowels A, E, I are coded as 7, and the vowels O, U are coded as 9. The consonants are changed to their immediate previous letter of the complementary pair as per the alphabetical series.

Step 3: If the word contains any number, then the number is coded as either & or \$. If the number is 9, then it is coded as &, and if the number is 7, then it is coded as \$. Each alphabet is coded as its place value (as per alphabetical series). If the place value is a two-digit number, then digits are added together until a single digit is obtained.

Step 4: Add all the digits within the number. If the resultant is an odd number, then it is coded as #. If the resultant is an even number, then it is coded as @. The symbols from the previous step remain unchanged.

Answer: B

All the numbers are dropped from step 2 of the word “New technology”,

9VB 9VV79LMLRZ

VBVVLMLRZ

The remaining letters are arranged in alphabetical order from left to right.

BLLMRVVVZ

R is the fifth letter from the right end.

2. Questions

Final arrangement:

	Input	Step-1	Step-2	Step-3	Step-4
Phase-1	Safety protocol follow more	TZGDUZ QSNUNDNM GNMMNX NNSD	FZSV9Z IGL9LVLM SLMMLB LLGV	6814&8 973&3434 134432 3374	#& #& # #
Phase -2	Ensure modern new technology	DOTTSD NNEDSO ODX UDDIONMNHZ	V9FFGV LL7VG9 9VB 9VV79LMLRZ	4&6674 33\$47& &42 &44\$&34398	#& #&\$& @& #&\$&
Phase -3	Focusing on simple way	GNDTTHOH NO THNQMD XZZ	SLVFFR9R L9 FRLIMV BZZ	134669&9 3& 693944 288	@& #& # @

Step 1: The consonants are changed to their immediate succeeding letters, and all the vowels are changed to their immediate preceding letters as per the alphabetical series.

Step 2: If the word contains any vowel, then the vowels are coded as numbers. The vowels A, E, I are coded as 7, and the vowels O, U are coded as 9. The consonants are changed to their immediate previous letter of the complementary pair as per the alphabetical series.

Step 3: If the word contains any number, then the number is coded as either & or \$. If the number is 9, then it is coded as &, and if the number is 7, then it is coded as \$. Each alphabet is coded as its place value (as per alphabetical series). If the place value is a two-digit number, then digits are added together until a single digit is obtained.

Step 4: Add all the digits within the number. If the resultant is an odd number, then it is coded as #. If the resultant is an even number, then it is coded as @. The symbols from the previous step remain unchanged.

Answer: C

		Step- 1	Step- 2	Step- 3	Step- 4
Input	Common man	DNNNNO NZO	VLLLL9 LZ9	43333& 38&	@& #&

3. Questions

Final arrangement:

@QuizByMickey

	Input	Step-1	Step-2	Step-3	Step-4
Phase-1	Safety protocol follow more	TZGDUZ QSNUNDNM GNMMNX NNSD	FZSV9Z IGL9LVLM SLMMLB LLGV	6814&8 973&3434 134432 3374	#& #& # #
Phase -2	Ensure modern new technology	DOTTSD NNEDSO ODX UDDIONMNHZ	V9FFGV LL7VG9 9VB 9VV79LMLRZ	4&6674 33\$47& &42 &44\$&34398	#& #&\$& @& #&\$&
Phase -3	Focusing on simple way	GNDTTHOH NO THNQMD XZZ	SLVFFR9R L9 FRLIMV BZZ	134669&9 3& 693944 288	@& #& # @

Step 1: The consonants are changed to their immediate succeeding letters, and all the vowels are changed to their immediate preceding letters as per the alphabetical series.

Step 2: If the word contains any vowel, then the vowels are coded as numbers. The vowels A, E, I are coded as 7, and the vowels O, U are coded as 9. The consonants are changed to their immediate previous letter of the complementary pair as per the alphabetical series.

Step 3: If the word contains any number, then the number is coded as either & or \$. If the number is 9, then it is coded as &, and if the number is 7, then it is coded as \$. Each alphabet is coded as its place value (as per alphabetical series). If the place value is a two-digit number, then digits are added together until a single digit is obtained.

Step 4: Add all the digits within the number. If the resultant is an odd number, then it is coded as #. If the resultant is an even number, then it is coded as @. The symbols from the previous step remain unchanged.

Answer: D

The outcome of step 2 of phrase 1 is

FZSV9Z IGL9LVLM SLMMLB LLGV

4. Questions

Final arrangement:

@QuizByMickey

	Input	Step-1	Step-2	Step-3	Step-4
Phase-1	Safety protocol follow more	TZGDUZ QSNUNDNM GNMMNX NNSD	FZSV9Z IGL9LVLM SLMMLB LLGV	6814&8 973&3434 134432 3374	#& #& # #
Phase -2	Ensure modern new technology	DOTTSD NNEDSO ODX UDDIONMNHZ	V9FFGV LL7VG9 9VB 9VV79LMLRZ	4&6674 33\$47& &42 &44\$&34398	#& #&\$& @& #&\$&
Phase -3	Focusing on simple way	GNDTTHOH NO THNQMD XZZ	SLVFFR9R L9 FRLIMV BZZ	134669&9 3& 693944 288	@& #& # @

Step 1: The consonants are changed to their immediate succeeding letters, and all the vowels are changed to their immediate preceding letters as per the alphabetical series.

Step 2: If the word contains any vowel, then the vowels are coded as numbers. The vowels A, E, I are coded as 7, and the vowels O, U are coded as 9. The consonants are changed to their immediate previous letter of the complementary pair as per the alphabetical series.

Step 3: If the word contains any number, then the number is coded as either & or \$. If the number is 9, then it is coded as &, and if the number is 7, then it is coded as \$. Each alphabet is coded as its place value (as per alphabetical series). If the place value is a two-digit number, then digits are added together until a single digit is obtained.

Step 4: Add all the digits within the number. If the resultant is an odd number, then it is coded as #. If the resultant is an even number, then it is coded as @. The symbols from the previous step remain unchanged.

Answer: A

6814&8 973&3434 134432 3374

Symbols- 2

even numbers- 10

odd numbers- 12

are there in the outcome of step-3 of phrase 1.

5. Questions

Final arrangement:

@QuizByMickey

	Input	Step-1	Step-2	Step-3	Step-4
Phase-1	Safety protocol follow more	TZGDUZ QSNUNDNM GNMMNX NNSD	FZSV9Z IGL9LVLM SLMMLB LLGV	6814&8 973&3434 134432 3374	#& #& # #
Phase -2	Ensure modern new technology	DOTTSD NNEDSO ODX UDDIONMNHZ	V9FFGV LL7VG9 9VB 9VV79LMLRZ	4&6674 33\$47& &42 &44\$&34398	#& #&\$& @& #&\$&
Phase -3	Focusing on simple way	GNDTTHOH NO THNQMD XZZ	SLVFFR9R L9 FRLIMV BZZ	134669&9 3& 693944 288	@& #& # @

Step 1: The consonants are changed to their immediate succeeding letters, and all the vowels are changed to their immediate preceding letters as per the alphabetical series.

Step 2: If the word contains any vowel, then the vowels are coded as numbers. The vowels A, E, I are coded as 7, and the vowels O, U are coded as 9. The consonants are changed to their immediate previous letter of the complementary pair as per the alphabetical series.

Step 3: If the word contains any number, then the number is coded as either & or \$. If the number is 9, then it is coded as &, and if the number is 7, then it is coded as \$. Each alphabet is coded as its place value (as per alphabetical series). If the place value is a two-digit number, then digits are added together until a single digit is obtained.

Step 4: Add all the digits within the number. If the resultant is an odd number, then it is coded as #. If the resultant is an even number, then it is coded as @. The symbols from the previous step remain unchanged.

Answer: E

Input	Getting placed over here	HDUUHOH QMZDDE NWDS IDSD
--------------	--------------------------	---------------------------------

6. Questions

Final arrangement:

@QuizByMickey

Years	Persons	Scooters
1962	Q	Ather
1968	S	Dio
1970	M	Aktiva
1974	P	Suzuki
1978	L	Pept
1979	R	Jupiter
1991	N	Aprilia
2009	O	Bajaj

We have,

- P's age is 50 and was born after the one who uses Aktiva.
- Only two persons were born between P and the one who uses Ather.
- The sum of the ages of the one who uses Aktiva and Ather is 116.
- The one who uses Ather has the same age as the last two digits of his birth year.

From the above conditions, there are two possibilities.

Case-1			Case-2		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Aktiva			
			1970		Aktiva
1974	P		1974	P	

Again, we have,

- R was born two persons before the one who uses Bajaj, but not before P.
- As many persons were born before the one who uses Dio as were born after N, who is 12 years younger than R.
- Only three people were born between the one who uses Suzuki and O, who is the youngest person and his age is 15.

From the above conditions, case-1a gets eliminated because as many persons born before the one who uses

Dio as born after N, who is 12 years younger than R, which is not satisfied.

Case-1			Case-2		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Activa			Dio
		Dio	1970		Activa
1974	P	Suzuki	1974	P	Suzuki
	R			R	
	N				
		Bajaj		N	Bajaj
2009	O		2009	O	

Case-1a			Case-2a		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Activa			Dio
			1970		Activa
1974	P		1974	P	Suzuki
	R			R	
				N	
	O	Bajaj	2009	O	Bajaj

@QuizByMickey

Again, we have,

- The difference between the ages of the one who uses Suzuki and N is 17 years.
- S was born three persons before the one who used Pept, but did not use Activa.

- S was born in a leap year.
- The difference between the ages of L and S is 10 years.
- M was born before the one who uses Jupiter, but was not born before Q.
- R doesn't use Aprilia.

From the above conditions, case-2 gets eliminated because the difference between the ages of L and S is 10 years, which is not satisfied.

From the above conditions, case-1 gets eliminated because M was born before the one who used Jupiter, but was not born before Q, which is not satisfied.

Hence, case-2a shows the final arrangement

Case-1			Case-2			Case- 2a		
Years	Persons	Scooters	Years	Persons	Scooters	Years	Persons	Scooter s
1962	L	Ather	1962		Ather	1962	Q	Ather
1970	M	Activa		S	Dio	1968	S	Dio
1972	S	Dio	1970		Activa	1970	M	Activa
1974	P	Suzuki	1974	P	Suzuki	1974	P	Suzuki
1979	R	Jupiter	1979	R	Pept	1978	L	Pept
1991	N	Pept				1979	R	Jupiter
	Q	Bajaj	1991	N	Bajaj	1991	N	Aprilia
2009	O	Aprilia	2009	O		2009	O	Bajaj

Answer: C

7. Questions

Final arrangement:

@QuizByMickey

Years	Persons	Scooters
1962	Q	Ather
1968	S	Dio
1970	M	Activa
1974	P	Suzuki
1978	L	Pept
1979	R	Jupiter
1991	N	Aprilia
2009	O	Bajaj

We have,

- P's age is 50 and was born after the one who uses Activa.
- Only two persons were born between P and the one who uses Ather.
- The sum of the ages of the one who uses Activa and Ather is 116.
- The one who uses Ather has the same age as the last two digits of his birth year.

From the above conditions, there are two possibilities.

Case-1			Case-2		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Activa			
			1970		Activa
1974	P		1974	P	

Again, we have,

- R was born two persons before the one who uses Bajaj, but not before P.
- As many persons were born before the one who uses Dio as were born after N, who is 12 years younger than R.
- Only three people were born between the one who uses Suzuki and O, who is the youngest person and his age is 15.

From the above conditions, case-1a gets eliminated because as many persons born before the one who uses

Dio as born after N, who is 12 years younger than R, which is not satisfied.

Case-1			Case-2		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Activa			Dio
		Dio	1970		Activa
1974	P	Suzuki	1974	P	Suzuki
	R			R	
	N				
		Bajaj		N	Bajaj
2009	O		2009	O	

Case-1a			Case-2a		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Activa			Dio
			1970		Activa
1974	P		1974	P	Suzuki
	R			R	
				N	
	O	Bajaj	2009	O	Bajaj

@QuizByMickey

Again, we have,

- The difference between the ages of the one who uses Suzuki and N is 17 years.
- S was born three persons before the one who used Pept, but did not use Activa.

- S was born in a leap year.
- The difference between the ages of L and S is 10 years.
- M was born before the one who uses Jupiter, but was not born before Q.
- R doesn't use Aprilia.

From the above conditions, case-2 gets eliminated because the difference between the ages of L and S is 10 years, which is not satisfied.

From the above conditions, case-1 gets eliminated because M was born before the one who used Jupiter, but was not born before Q, which is not satisfied.

Hence, case-2a shows the final arrangement

Case-1			Case-2			Case- 2a		
Years	Persons	Scooters	Years	Persons	Scooters	Years	Persons	Scooter s
1962	L	Ather	1962		Ather	1962	Q	Ather
1970	M	Activa		S	Dio	1968	S	Dio
1972	S	Dio	1970		Activa	1970	M	Activa
1974	P	Suzuki	1974	P	Suzuki	1974	P	Suzuki
1979	R	Jupiter	1979	R	Pept	1978	L	Pept
1991	N	Pept				1979	R	Jupiter
	Q	Bajaj	1991	N	Bajaj	1991	N	Aprilia
2009	O	Aprilia	2009	O		2009	O	Bajaj

Answer: B

8. Questions

Final arrangement:

@QuizByMickey

Years	Persons	Scooters
1962	Q	Ather
1968	S	Dio
1970	M	Activa
1974	P	Suzuki
1978	L	Pept
1979	R	Jupiter
1991	N	Aprilia
2009	O	Bajaj

We have,

- P's age is 50 and was born after the one who uses Activa.
- Only two persons were born between P and the one who uses Ather.
- The sum of the ages of the one who uses Activa and Ather is 116.
- The one who uses Ather has the same age as the last two digits of his birth year.

From the above conditions, there are two possibilities.

Case-1			Case-2		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Activa			
			1970		Activa
1974	P		1974	P	

Again, we have,

- R was born two persons before the one who uses Bajaj, but not before P.
- As many persons were born before the one who uses Dio as were born after N, who is 12 years younger than R.
- Only three people were born between the one who uses Suzuki and O, who is the youngest person and his age is 15.

From the above conditions, case-1a gets eliminated because as many persons born before the one who uses

Dio as born after N, who is 12 years younger than R, which is not satisfied.

Case-1			Case-2		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Activa			Dio
		Dio	1970		Activa
1974	P	Suzuki	1974	P	Suzuki
	R			R	
	N				
		Bajaj		N	Bajaj
2009	O		2009	O	

Case-1a			Case-2a		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Activa			Dio
			1970		Activa
1974	P		1974	P	Suzuki
	R			R	
				N	
	O	Bajaj	2009	O	Bajaj

@QuizByMickey

Again, we have,

- The difference between the ages of the one who uses Suzuki and N is 17 years.
- S was born three persons before the one who used Pept, but did not use Activa.

- S was born in a leap year.
- The difference between the ages of L and S is 10 years.
- M was born before the one who uses Jupiter, but was not born before Q.
- R doesn't use Aprilia.

From the above conditions, case-2 gets eliminated because the difference between the ages of L and S is 10 years, which is not satisfied.

From the above conditions, case-1 gets eliminated because M was born before the one who used Jupiter, but was not born before Q, which is not satisfied.

Hence, case-2a shows the final arrangement

Case-1			Case-2			Case- 2a		
Years	Persons	Scooters	Years	Persons	Scooters	Years	Persons	Scooter s
1962	L	Ather	1962		Ather	1962	Q	Ather
1970	M	Activa		S	Dio	1968	S	Dio
1972	S	Dio	1970		Activa	1970	M	Activa
1974	P	Suzuki	1974	P	Suzuki	1974	P	Suzuki
1979	R	Jupiter	1979	R	Pept	1978	L	Pept
1991	N	Pept				1979	R	Jupiter
	Q	Bajaj	1991	N	Bajaj	1991	N	Aprilia
2009	O	Aprilia	2009	O		2009	O	Bajaj

Answer: D

9. Questions

Final arrangement:

@QuizByMickey

Years	Persons	Scooters
1962	Q	Ather
1968	S	Dio
1970	M	Activa
1974	P	Suzuki
1978	L	Pept
1979	R	Jupiter
1991	N	Aprilia
2009	O	Bajaj

We have,

- P's age is 50 and was born after the one who uses Activa.
- Only two persons were born between P and the one who uses Ather.
- The sum of the ages of the one who uses Activa and Ather is 116.
- The one who uses Ather has the same age as the last two digits of his birth year.

From the above conditions, there are two possibilities.

Case-1			Case-2		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Activa			
			1970		Activa
1974	P		1974	P	

Again, we have,

- R was born two persons before the one who uses Bajaj, but not before P.
- As many persons were born before the one who uses Dio as were born after N, who is 12 years younger than R.
- Only three people were born between the one who uses Suzuki and O, who is the youngest person and his age is 15.

From the above conditions, case-1a gets eliminated because as many persons born before the one who uses

Dio as born after N, who is 12 years younger than R, which is not satisfied.

Case-1			Case-2		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Activa			Dio
		Dio	1970		Activa
1974	P	Suzuki	1974	P	Suzuki
	R			R	
	N				
		Bajaj		N	Bajaj
2009	O		2009	O	

Case-1a			Case-2a		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Activa			Dio
			1970		Activa
1974	P		1974	P	Suzuki
	R			R	
				N	
	O	Bajaj	2009	O	Bajaj

Again, we have,

- The difference between the ages of the one who uses Suzuki and N is 17 years.
- S was born three persons before the one who used Pept, but did not use Activa.

- S was born in a leap year.
- The difference between the ages of L and S is 10 years.
- M was born before the one who uses Jupiter, but was not born before Q.
- R doesn't use Aprilia.

From the above conditions, case-2 gets eliminated because the difference between the ages of L and S is 10 years, which is not satisfied.

From the above conditions, case-1 gets eliminated because M was born before the one who used Jupiter, but was not born before Q, which is not satisfied.

Hence, case-2a shows the final arrangement

Case-1			Case-2			Case- 2a		
Years	Persons	Scooters	Years	Persons	Scooters	Years	Persons	Scooter s
1962	L	Ather	1962		Ather	1962	Q	Ather
1970	M	Activa		S	Dio	1968	S	Dio
1972	S	Dio	1970		Activa	1970	M	Activa
1974	P	Suzuki	1974	P	Suzuki	1974	P	Suzuki
1979	R	Jupiter	1979	R	Pept	1978	L	Pept
1991	N	Pept				1979	R	Jupiter
	Q	Bajaj	1991	N	Bajaj	1991	N	Aprilia
2009	O	Aprilia	2009	O		2009	O	Bajaj

Answer: A

10. Questions

Final arrangement:

@QuizByMickey

Years	Persons	Scooters
1962	Q	Ather
1968	S	Dio
1970	M	Aktiva
1974	P	Suzuki
1978	L	Pept
1979	R	Jupiter
1991	N	Aprilia
2009	O	Bajaj

We have,

- P's age is 50 and was born after the one who uses Aktiva.
- Only two persons were born between P and the one who uses Ather.
- The sum of the ages of the one who uses Aktiva and Ather is 116.
- The one who uses Ather has the same age as the last two digits of his birth year.

From the above conditions, there are two possibilities.

Case-1			Case-2		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Aktiva			
			1970		Aktiva
1974	P		1974	P	

Again, we have,

- R was born two persons before the one who uses Bajaj, but not before P.
- As many persons were born before the one who uses Dio as were born after N, who is 12 years younger than R.
- Only three people were born between the one who uses Suzuki and O, who is the youngest person and his age is 15.

From the above conditions, case-1a gets eliminated because as many persons born before the one who uses

Dio as born after N, who is 12 years younger than R, which is not satisfied.

Case-1			Case-2		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Activa			Dio
		Dio	1970		Activa
1974	P	Suzuki	1974	P	Suzuki
	R			R	
	N				
		Bajaj		N	Bajaj
2009	O		2009	O	

Case-1a			Case-2a		
Years	Persons	Scooters	Years	Persons	Scooters
1962		Ather	1962		Ather
1970		Activa			Dio
			1970		Activa
1974	P		1974	P	Suzuki
	R			R	
				N	
	O	Bajaj	2009	O	Bajaj

@QuizByMickey

Again, we have,

- The difference between the ages of the one who uses Suzuki and N is 17 years.
- S was born three persons before the one who used Pept, but did not use Activa.

- S was born in a leap year.
- The difference between the ages of L and S is 10 years.
- M was born before the one who uses Jupiter, but was not born before Q.
- R doesn't use Aprilia.

From the above conditions, case-2 gets eliminated because the difference between the ages of L and S is 10 years, which is not satisfied.

From the above conditions, case-1 gets eliminated because M was born before the one who used Jupiter, but was not born before Q, which is not satisfied.

Hence, case-2a shows the final arrangement

Case-1			Case-2			Case- 2a		
Years	Persons	Scooters	Years	Persons	Scooters	Years	Persons	Scooter s
1962	L	Ather	1962		Ather	1962	Q	Ather
1970	M	Activa		S	Dio	1968	S	Dio
1972	S	Dio	1970		Activa	1970	M	Activa
1974	P	Suzuki	1974	P	Suzuki	1974	P	Suzuki
1979	R	Jupiter	1979	R	Pept	1978	L	Pept
1991	N	Pept				1979	R	Jupiter
	Q	Bajaj	1991	N	Bajaj	1991	N	Aprilia
2009	O	Aprilia	2009	O		2009	O	Bajaj

Answer: E (All other persons were born in even-numbered years, except option E)

11. Questions

Answer: E

$W < S; (W < Z \leq X < S) \rightarrow \text{True}$

$X > N; (X \geq Z > W \geq N) \rightarrow \text{True}$

$S > Z; (S > X \geq Z) \rightarrow \text{True}$

$M > P; (M \geq S > X > Z > W > P) \rightarrow \text{True}$

$Z < O; (Z \leq X < S = O) \rightarrow \text{True}$

$X > Q; (X \geq Z > W > P = Q) \rightarrow \text{True}$

12. Questions

@QuizByMickey

Answer: C

$T \geq W; (T = B \geq W) \rightarrow \text{True}$

$B < C; (B < S < C) \rightarrow \text{True}$

$Z \leq Y; (Z \leq A = K \leq Y) \rightarrow \text{True}$

$C > U; (C > S > U) \rightarrow \text{True}$

$Z \leq K; (Z \leq A = K) \rightarrow \text{True}$

$A > W; (A \geq Z > T = B \geq W) \rightarrow \text{True}$

13. Questions

Answer: A

$J > V; (J > K > V) \rightarrow \text{True}$

$I \geq O; (I \geq V \geq S = O) \rightarrow \text{True}$

$P \leq Q; (P \leq B \leq Q) \rightarrow \text{True}$

$Y < Q; (Y < V \leq I < P \leq B \leq Q) \rightarrow \text{True}$

$B > Y; (B \geq P > I \geq V > Y) \rightarrow \text{True}$

$S \leq I; (S \leq V \leq I) \rightarrow \text{True}$

14. Questions

Answer: B

$I > M; (I \geq G > F > L \geq C > M) \rightarrow \text{True}$

$B > F; (B > I \geq G > F) \rightarrow \text{True}$

$C < B; (C \leq L \leq F < G \leq I < B) \rightarrow \text{True}$

$E < J; (E < B < J) \rightarrow \text{True}$

$G > M; (G > F \geq L \geq C > M) \rightarrow \text{True}$

$B > O; (B > I \geq O) \rightarrow \text{True}$

15. Questions

Answer: D

$J < M; (J = N < M) \rightarrow \text{True}$

$V > S; (V > X \geq R > S) \rightarrow \text{True}$

$M < X; (M < R \leq X) \rightarrow \text{True}$

$K \leq J; (K \leq O \leq N = J) \rightarrow \text{True}$

$N < R; (N < M < R) \rightarrow \text{True}$

$L > O; (L > P = Q \geq J = N \geq O) \rightarrow \text{True}$

@QuizByMickey

16. Questions

Final arrangement:

	#	@	\$	&	*
T	16	9	28	12	30
S	20	18	30	18	35
R	24	27	32	24	40
Q	28	36	34	30	45
P	32	45	36	36	50

	#	@	\$	&	*
T					
S	20			P\$-18	
R					
Q		R#+12			Q\$+15
P					

~~Case (1):~~ If the numbers in the column '#' are multiples of 2.

Thus, we have the following output:

	#	@	\$	&	*
T	18				
S	20				
R	22				
Q	24	34			
P	26				

@QuizByMickey

Case-1 gets eliminated here, since $R@ < 28$, which is not satisfied.

If the column @ is a multiple of 2, then the R@ will be 30, since $R@ < 28$, which is not satisfied.

Case (2): If the numbers in the column '#' are multiples of 4.

Thus, we have the following output:

	#	@	\$	&	*
T	16	9			
S	20	18			
R	24	27			
Q	28	36			
P	32	45			

~~Case (3): If the numbers in the column '#' are multiples of 5.~~

Thus, we have the following output:

	#	@	\$	&	*
T	15				
S	20				
R	25				
Q	30	37			
P	35				

Case-1 gets eliminated here, since $R@ < 28$, which is not satisfied. Multiple cannot be used here.

Case (2): If the numbers in the column '\$' are multiples of 2.

Thus, we have the following output:

@QuizByMickey

	#	@	\$	&	*
T	16	9	28		
S	20	18	30		
R	24	27	32		
Q	28	36	34		
P	32	45	36		

~~Case (2a):~~ If the numbers in the column '\$' are multiples of 7.

Thus, we have the following output:

	#	@	\$	&	*
T	16	9	28		
S	20	18	35		
R	24	27	42		
Q	28	36	49		
P	32	45	56		

Case-2a gets eliminated here, since $S \neq 35$, which is not satisfied.

If the column @ is a multiple of 7, then the S\$ will be 35, which is not satisfied.

Case (2): If the numbers in the column '&' are multiples of 6.

Thus, we have the following output:

@QuizByMickey

	#	@	\$	&	*
T	16	9	28	12	30
S	20	18	30	18	35
R	24	27	32	24	40
Q	28	36	34	30	45
P	32	45	36	36	50

$P\$ - 18 \rightarrow 36 - 18 = 18$,

So the column may be a multiple of 3, 6

If & is the multiple of 3 then $P\& = 27$ (is not possible because $Q\# > P\&$)

If & is the multiple of 6 then $P\& = 36$ (is possible because $P\& > Q\#$)

$Q\$ + 15 \rightarrow 45$

Q^* may be a multiple of 3, 5

$R\# < T\$ < Q\& < S^*$ ($24 < 28 < 30 < S^*$), $P^* \neq$ multiple of 3

If & is the multiple of 3 then $S^* = 39$ (is not possible because $R\# < T\$ < Q\& < S^*$ ($24 < 28 < 30 < 39$)) $P^* = 45$ is the multiple of 3

If & is the multiple of 5 then $S^* = 35$ (is possible because $R\# < T\$ < Q\& < S^*$ ($24 < 28 < 30 < 35$)) $P^* = 50$ is not the multiple of 3

Hence, case-2 shows the final arrangement

Answer: D

$P\# R\$ Q\& T^* = 32 \ 32 \ 30 \ 30 = 62$

If all the numbers are even, then add the first and last number.

$S@ P^* R\# Q\$ = 18 \ 50 \ 24 \ 34 = 52$

If all the numbers are even, then add the first and last number.

$62 * 52 = 3224$

17. Questions

Final arrangement:

@QuizByMickey

	#	@	\$	&	*
T	16	9	28	12	30
S	20	18	30	18	35
R	24	27	32	24	40
Q	28	36	34	30	45
P	32	45	36	36	50

	#	@	\$	&	*
T					
S	20			P\$-18	
R					
Q		R#+12			Q\$+15
P					

~~Case (1):~~ If the numbers in the column '#' are multiples of 2.

Thus, we have the following output:

	#	@	\$	&	*
T	18				
S	20				
R	22				
Q	24	34			
P	26				

@QuizByMickey

Case-1 gets eliminated here, since $R@ < 28$, which is not satisfied.

If the column @ is a multiple of 2, then the $R@$ will be 30, since $R@ < 28$, which is not satisfied.

Case (2): If the numbers in the column '#' are multiples of 4.

Thus, we have the following output:

	#	@	\$	&	*
T	16	9			
S	20	18			
R	24	27			
Q	28	36			
P	32	45			

~~Case (3): If the numbers in the column '#' are multiples of 5.~~

Thus, we have the following output:

	#	@	\$	&	*
T	15				
S	20				
R	25				
Q	30	37			
P	35				

Case-1 gets eliminated here, since $R@ < 28$, which is not satisfied. Multiple cannot be used here.

Case (2): If the numbers in the column '\$' are multiples of 2.

Thus, we have the following output:

@QuizByMickey

	#	@	\$	&	*
T	16	9	28		
S	20	18	30		
R	24	27	32		
Q	28	36	34		
P	32	45	36		

~~Case (2a):~~ If the numbers in the column '\$' are multiples of 7.

Thus, we have the following output:

	#	@	\$	&	*
T	16	9	28		
S	20	18	35		
R	24	27	42		
Q	28	36	49		
P	32	45	56		

Case-2a gets eliminated here, since $S \neq 35$, which is not satisfied.

If the column @ is a multiple of 7, then the S\$ will be 35, which is not satisfied.

Case (2): If the numbers in the column '&' are multiples of 6.

Thus, we have the following output:

@QuizByMickey

	#	@	\$	&	*
T	16	9	28	12	30
S	20	18	30	18	35
R	24	27	32	24	40
Q	28	36	34	30	45
P	32	45	36	36	50

$P\$ - 18 \rightarrow 36 - 18 = 18$,

So the column may be a multiple of 3, 6

If & is the multiple of 3 then $P\& = 27$ (is not possible because $Q\# > P\&$)

If & is the multiple of 6 then $P\& = 36$ (is possible because $P\& > Q\#$)

$Q\$ + 15 \rightarrow 45$

Q^* may be a multiple of 3, 5

$R\# < T\$ < Q\& < S^*$ ($24 < 28 < 30 < S^*$), $P^* \neq$ multiple of 3

If & is the multiple of 3 then $S^* = 39$ (is not possible because $R\# < T\$ < Q\& < S^*$ ($24 < 28 < 30 < 39$)) $P^* = 45$ is the multiple of 3

If & is the multiple of 5 then $S^* = 35$ (is possible because $R\# < T\$ < Q\& < S^*$ ($24 < 28 < 30 < 35$)) $P^* = 50$ is not the multiple of 3

Hence, case-2 shows the final arrangement

Answer: C

$X = R^* Q\& S\$ P@ T^* = 40 30 30 45 30 = 175$

18. Questions

Final arrangement:

@QuizByMickey

	#	@	\$	&	*
T	16	9	28	12	30
S	20	18	30	18	35
R	24	27	32	24	40
Q	28	36	34	30	45
P	32	45	36	36	50

	#	@	\$	&	*
T					
S	20			P\$-18	
R					
Q		R#+12			Q\$+15
P					

~~Case (1):~~ If the numbers in the column '#' are multiples of 2.

Thus, we have the following output:

	#	@	\$	&	*
T	18				
S	20				
R	22				
Q	24	34			
P	26				

@QuizByMickey

Case-1 gets eliminated here, since $R@ < 28$, which is not satisfied.

If the column @ is a multiple of 2, then the $R@$ will be 30, since $R@ < 28$, which is not satisfied.

Case (2): If the numbers in the column '#' are multiples of 4.

Thus, we have the following output:

	#	@	\$	&	*
T	16	9			
S	20	18			
R	24	27			
Q	28	36			
P	32	45			

~~Case (3): If the numbers in the column '#' are multiples of 5.~~

Thus, we have the following output:

	#	@	\$	&	*
T	15				
S	20				
R	25				
Q	30	37			
P	35				

Case-1 gets eliminated here, since $R@ < 28$, which is not satisfied. Multiple cannot be used here.

Case (2): If the numbers in the column '\$' are multiples of 2.

Thus, we have the following output:

@QuizByMickey

	#	@	\$	&	*
T	16	9	28		
S	20	18	30		
R	24	27	32		
Q	28	36	34		
P	32	45	36		

~~Case (2a):~~ If the numbers in the column '\$' are multiples of 7.

Thus, we have the following output:

	#	@	\$	&	*
T	16	9	28		
S	20	18	35		
R	24	27	42		
Q	28	36	49		
P	32	45	56		

Case-2a gets eliminated here, since $S \neq 35$, which is not satisfied.

If the column @ is a multiple of 7, then the S\$ will be 35, which is not satisfied.

Case (2): If the numbers in the column '&' are multiples of 6.

Thus, we have the following output:

@QuizByMickey

	#	@	\$	&	*
T	16	9	28	12	30
S	20	18	30	18	35
R	24	27	32	24	40
Q	28	36	34	30	45
P	32	45	36	36	50

P\$-18—> 36-18=18,

So the column may be a multiple of 3,6

If $\&$ is the multiple of 3 then $P\&=27$ (is not possible because $Q\#>P\&$)

If $\&$ is the multiple of 6 then $P\&=36$ (is possible because $P\>Q\#$)

Q\$+15—> 45

Q^* may be a multiple of 3, 5

$R \neq T \leq Q \leq S^* \ (24 \leq 28 \leq 30 \leq S^*), P^* \neq \text{multiple of } 3$

If & is the multiple of 3 then $S^* = 39$ (is not possible because $R \# < T \leq Q \leq S^*$ ($24 < 28 < 30 < 39$)) $P^* = 45$ is the multiple of 3

If $\&$ is the multiple of 5 then $S^* = 35$ (is possible because $R \# < T \leq Q \& < S^* (24 < 28 < 30 < 35)$) $P^* = 50$ is not the multiple of 3

Hence, case-2 shows the final arrangement

Answer: B

Bank B= P# O& O@ R* P&

$$32 \ 30 \ 36 \ 40 \ 36 = 174$$

If the output of the frequency is between '200' to '300', then money can be taken from Bank B

So the blank will be more than 26

Here, **P\$=36** is only more than 26

19. Questions

Final arrangement:

	#	@	\$	&	*
T	16	9	28	12	30
S	20	18	30	18	35
R	24	27	32	24	40
Q	28	36	34	30	45
P	32	45	36	36	50

	#	@	\$	&	*
T					
S	20			P\$-18	
R					
Q		R#+12			Q\$+15
P					

~~Case (1):~~ If the numbers in the column '#' are multiples of 2.

Thus, we have the following output:

	#	@	\$	&	*
T	18				
S	20				
R	22				
Q	24	34			
P	26				

@QuizByMickey

Case-1 gets eliminated here, since $R@ < 28$, which is not satisfied.

If the column @ is a multiple of 2, then the $R@$ will be 30, since $R@ < 28$, which is not satisfied.

Case (2): If the numbers in the column '#' are multiples of 4.

Thus, we have the following output:

	#	@	\$	&	*
T	16	9			
S	20	18			
R	24	27			
Q	28	36			
P	32	45			

~~Case (3): If the numbers in the column '#' are multiples of 5.~~

Thus, we have the following output:

	#	@	\$	&	*
T	15				
S	20				
R	25				
Q	30	37			
P	35				

Case-1 gets eliminated here, since $R@ < 28$, which is not satisfied. Multiple cannot be used here.

Case (2): If the numbers in the column '\$' are multiples of 2.

Thus, we have the following output:

@QuizByMickey

	#	@	\$	&	*
T	16	9	28		
S	20	18	30		
R	24	27	32		
Q	28	36	34		
P	32	45	36		

~~Case (2a):~~ If the numbers in the column '\$' are multiples of 7.

Thus, we have the following output:

	#	@	\$	&	*
T	16	9	28		
S	20	18	35		
R	24	27	42		
Q	28	36	49		
P	32	45	56		

Case-2a gets eliminated here, since $S \neq 35$, which is not satisfied.

If the column @ is a multiple of 7, then the S\$ will be 35, which is not satisfied.

Case (2): If the numbers in the column '&' are multiples of 6.

Thus, we have the following output:

@QuizByMickey

	#	@	\$	&	*
T	16	9	28	12	30
S	20	18	30	18	35
R	24	27	32	24	40
Q	28	36	34	30	45
P	32	45	36	36	50

$P\$ - 18 \rightarrow 36 - 18 = 18$,

So the column may be a multiple of 3, 6

If & is the multiple of 3 then $P\& = 27$ (is not possible because $Q\# > P\&$)

If & is the multiple of 6 then $P\& = 36$ (is possible because $P\& > Q\#$)

$Q\$ + 15 \rightarrow 45$

Q^* may be a multiple of 3, 5

$R\# < T\$ < Q\& < S^*$ ($24 < 28 < 30 < S^*$), $P^* \neq$ multiple of 3

If & is the multiple of 3 then $S^* = 39$ (is not possible because $R\# < T\$ < Q\& < S^*$ ($24 < 28 < 30 < 39$)) $P^* = 45$ is the multiple of 3

If & is the multiple of 5 then $S^* = 35$ (is possible because $R\# < T\$ < Q\& < S^*$ ($24 < 28 < 30 < 35$)) $P^* = 50$ is not the multiple of 3

Hence, case-2 shows the final arrangement

Answer: E

$R@ S^* T\& Q\# = 27\ 35\ 12\ 28 = 27 + 12 = 39$

If two odd numbers and two even numbers are present in the string, then add the first and third numbers

$R@ Q^* P@ S\& = 27\ 45\ 45\ 18 = 2 \times 4 \times 4 \times 1 = 32$

If three odd numbers and one even number are present in the string, then multiply the tens digits of all the numbers.

20. Questions

Final arrangement:

	#	@	\$	&	*
T	16	9	28	12	30
S	20	18	30	18	35
R	24	27	32	24	40
Q	28	36	34	30	45
P	32	45	36	36	50

	#	@	\$	&	*
T					
S	20			P\$-18	
R					
Q		R#+12			Q\$+15
P					

~~Case (1):~~ If the numbers in the column '#' are multiples of 2.

Thus, we have the following output:

	#	@	\$	&	*
T	18				
S	20				
R	22				
Q	24	34			
P	26				

@QuizByMickey

Case-1 gets eliminated here, since $R@ < 28$, which is not satisfied.

If the column @ is a multiple of 2, then the $R@$ will be 30, since $R@ < 28$, which is not satisfied.

Case (2): If the numbers in the column '#' are multiples of 4.

Thus, we have the following output:

	#	@	\$	&	*
T	16	9			
S	20	18			
R	24	27			
Q	28	36			
P	32	45			

~~Case (3): If the numbers in the column '#' are multiples of 5.~~

Thus, we have the following output:

	#	@	\$	&	*
T	15				
S	20				
R	25				
Q	30	37			
P	35				

Case-1 gets eliminated here, since $R@ < 28$, which is not satisfied. Multiple cannot be used here.

Case (2): If the numbers in the column '\$' are multiples of 2.

Thus, we have the following output:

@QuizByMickey

	#	@	\$	&	*
T	16	9	28		
S	20	18	30		
R	24	27	32		
Q	28	36	34		
P	32	45	36		

~~Case (2a):~~ If the numbers in the column '\$' are multiples of 7.

Thus, we have the following output:

	#	@	\$	&	*
T	16	9	28		
S	20	18	35		
R	24	27	42		
Q	28	36	49		
P	32	45	56		

Case-2a gets eliminated here, since S\$≠35, which is not satisfied.

If the column @ is a multiple of 7, then the S\$ will be 35, which is not satisfied.

Case (2): If the numbers in the column '&' are multiples of 6.

Thus, we have the following output:

@QuizByMickey

	#	@	\$	&	*
T	16	9	28	12	30
S	20	18	30	18	35
R	24	27	32	24	40
Q	28	36	34	30	45
P	32	45	36	36	50

$P\$ - 18 \rightarrow 36 - 18 = 18$,

So the column may be a multiple of 3, 6

If & is the multiple of 3 then $P\& = 27$ (is not possible because $Q\# > P\&$)

If & is the multiple of 6 then $P\& = 36$ (is possible because $P\& > Q\#$)

$Q\$ + 15 \rightarrow 45$

Q^* may be a multiple of 3, 5

$R\# < T\$ < Q\& < S^*$ ($24 < 28 < 30 < S^*$), $P^* \neq$ multiple of 3

If & is the multiple of 3 then $S^* = 39$ (is not possible because $R\# < T\$ < Q\& < S^*$ ($24 < 28 < 30 < 39$)) $P^* = 45$ is the multiple of 3

If & is the multiple of 5 then $S^* = 35$ (is possible because $R\# < T\$ < Q\& < S^*$ ($24 < 28 < 30 < 35$)) $P^* = 50$ is not the multiple of 3

Hence, case-2 shows the final arrangement

Answer: A

$S^* P\# Q\& T\$ R\@$

35 32 30 28 27

@QuizByMickey