

1. Questions

Study the following information carefully and answer the given questions.

A man starts walking from point A towards west for 12m to reach point D. Then he turns towards his right and walks for 6m to reach point F. Then from point F he walks for 21m towards his left to reach point G. Then he turns 90° in clockwise direction and walks for 10m to reach point I. Point H is 25m east of Point I. From point H, he turns to his right and walks for 2m and turns to his left and walks for 5m to reach point J. Point K is 8m to the south of Point J. From point K, he walks towards the west for 5m to reach point L. Then from point L, he turns 270° in anti-clockwise direction and walks for 7m to reach point M. Point E is 19m to the west of point M. Then he turns 90° in anti-clockwise direction and walks for 27m to reach the Hotel.

What is the direction of point H with respect to point A?

- a. North-east
- b. North-west
- c. South
- d. South-east
- e. West

2. Questions

What is the shortest distance between points F and I and in which direction is the hotel located with respect to point I?

- a. $\sqrt{541}$ m, South-east
- b. $\sqrt{481}$ m, North-west
- c. $\sqrt{513}$ m, South-west
- d. $\sqrt{547}$ m, North
- e. $\sqrt{569}$ m, North-east

3. Questions

If the hotel is relocated 1m to the south of point H, then what is the difference between the total distance travelled by the man to reach the hotel before relocating and after relocating?

- a. 67m
- b. 74m
- c. 72m
- d. 79m
- e. 61m

4. Questions

Four of the following five are alike in a certain way based on the given arrangement and thus form a group. Which one of the following does not belong to the group?

- a. EH
- b. GM
- c. LJ
- d. AF
- e. DK

5. Questions

Which of the following statement(s) is/are TRUE with respect to the final arrangement?

- I). Hotel is to the south-west to point D
 - II). The shortest distance between point M and point K is $\sqrt{74}$ m
 - III). The total distance travelled by the man from point J to Hotel is 66m
- a. Only I
 - b. Only I and II
 - c. Only III
 - d. Only II and III
 - e. All I, II and III

6. Questions

Study the following information carefully and answer the given questions

A box contains 16 cells viz., 4 rows and 4 columns. Some colours are filled in the box. Each colour is assigned with a particular value viz., Pink-2, Violet-7, Black-4, Green-5. You have to fill the box in which the same colour should not be repeated in a particular row and a particular column. Some of the colours are filled in the given below diagram.

	4	3	2	1
1			Violet	
2		Pink		
3	Green			Pink
4		Black		

@QuizByMickey

In which of the following columns:row does Pink colour is filled?

- a. 3:1,2:4
- b. 4:1, 3:2
- c. 2:3, 1:2
- d. 3:4, 4:2
- e. 1:3, 2:1

7. Questions

What is the product of the value of the colour which is in row 3 of column 2 and the colour which is immediately above row 2 of column 3?

- a. 14
- b. 28
- c. 20
- d. 35
- e. 10

8. Questions

What is the sum of the values of the colour of the diagonal row from row 1 column 4 to row 4 column 1 and the diagonal row from row 1 column 1 to row 4 column 4?

- a. 36
- b. 40
- c. 25
- d. 32
- e. 30

9. Questions

Which of the following colours are filled in row 3 of column 2 and row 1 of column 4 respectively?

- a. Violet and Green
- b. Pink and Violet
- c. Green and Black
- d. Black and Pink
- e. Violet and Black

10. Questions

Which of the following arrangements is/are True according to the rows in the final arrangement?

- a. Pink Violet Black Green
- b. Green Black Pink Violet
- c. Black Green Violet Pink
- d. Green Violet Pink Black
- e. Violet Black Pink Green

11. Questions

Study the following information carefully and answer the below questions.

Ten persons I-R were born in eleven different months from January to November in the same year 2015. Only one person was born in each month. One month is vacant, no one was born in that month.

O was born in the month which has an odd number of days. P was born five months after O. The number of persons born after P is **one less than** the number of persons born before R. No vacant month was before R. Only two months were between R and I. M was born four persons before K, who was born in the adjacent month of neither I nor P. There is no vacant month between M and K. M was born neither before R nor in the adjacent month of R. As many months were after K as before N. J was not born in the month which has an odd number of days. Q was born immediately before L.

The number of persons born before ____ is two more than the number of persons born after ____.

- a. R, P
- b. O, K
- c. I, L
- d. J, Q
- e. N, M

12. Questions

Who among the following person was born three months before the one who was born immediately after Q?

- a. The one who was born in March
- b. The one who was born in June
- c. The one who was born in July
- d. The one who was born in January
- e. The one who was born in April

@QuizByMickey

13. Questions

If Z was born in the vacant month, then in which of the following month was Z born and who

among the following person was born immediately before Z?

- a. April, M
- b. October, K
- c. February, N
- d. June, R
- e. August, Q

14. Questions

If R is related to June and Q is related to October in a certain way, then who among the following person is related to August?

- a. The one who was born three months before L
- b. The one who was born immediately after P
- c. The one who was born four months before M
- d. The one who was born two months before J
- e. The one who was born three months before K

15. Questions

Which of the following statement(s) is/are TRUE with respect to the final arrangement?

- a. J was born in February
- b. Only two persons were born between O and Q
- c. P was born immediately after L
- d. The one who was born in July was born three months after R
- e. None of the given statements is true

16. Questions

Study the following information carefully and answer the given questions

A certain number of boxes are kept in a stack. Each box contains a different number of coins. The boxes are kept one above another in a stack. The position of the lowest box is numbered as 1, the position of the box above it is numbered 2 and so on.

Note: The number of coins in each box is multiple of one less than the position of the box from the bottom. Not more than fifteen boxes are kept in the stack.

Box A is kept immediately below the box which has 45 coins but not kept at the bottom of the stack. Box A is kept two boxes below box M, which has 36 coins. Only two boxes are kept between box M and box S. The number of boxes kept between box A and box M is **one more than** the number of boxes kept between box S and the box which has 54 coins. Box P has 90 coins and is kept three boxes above the box which has

54 coins. Only one box is kept between the box which has 88 coins and box Q, which is not kept adjacent to box S. The box which has 70 coins is kept five boxes below box Q. The number of boxes below the box which has 70 coins is **three more than** the number of boxes above the box which has 60 coins. Box E is kept immediately below the box which has 60 coins.

What is the position of box P with respect to the box which has 70 coins based on the final arrangement?

- a. Four boxes above
- b. Two boxes below
- c. Immediately above
- d. Three boxes below
- e. Five boxes above

17. Questions

How many boxes are kept in the stack according to the final arrangement?

- a. Fourteen
- b. Thirteen
- c. Twelve
- d. Fifteen
- e. Nine

18. Questions

As many boxes are kept above ____ as below ____.

- a. The box which has 60 coins, Box M
- b. Box Q, The box which has 36 coins
- c. The box which has 90 coins, Box S
- d. Box P, the box which has 45 coins
- e. Box E, the box which has 70 coins

@QuizByMickey

19. Questions

If box Z is kept immediately below box A, then how many boxes are kept between box Z and the box which has 54 coins?

- a. Six
- b. Three
- c. Four

d. Two

e. One

20. Questions


Four of the following five are alike in a certain way and hence form a group. Which of the following does not belong to the group with respect to the final arrangement?

- a. Box M
- b. The box which has 54 coins
- c. Box P
- d. The box which has 70 coins
- e. The box which has 45 coins

Explanations:

1. Questions

Final arrangement:




Answer: B

@QuizByMickey

2. Questions


Final arrangement:



Answer: A

The shortest distance between point I and point F $= \sqrt{(10^2 + 21^2)} = \sqrt{541}m$.


The hotel is to the south-east of point I.



3. Questions

Final arrangement:

@QuizByMickey



Answer: C


Before relocating, the total distance traveled by the person is 147m

After reallocating, traveled distance = $12 + 6 + 21 + 10 + 25 + 1 = 75\text{m}$

The difference between before and after relocating = $147 - 75 = 72\text{m}$

4. Questions

Final arrangement:




@QuizByMickey

Answer: D (In all other options, first point is to the south west of the second point, except option D)

5. Questions

Final arrangement:



Answer: E

6. Questions

Final arrangement:

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink	Green	Violet
3	Green	Violet	Black	Pink
4	Violet	Black	Pink	Green

- At first , we can fill row 3 because in row 3 Green and Pink colours are filled.
- So, we can fill row 3 of column 3 with violet colour and column 2 with Black colour.
- In the same way, we can fill row 1 of column 3 with Green colour

	4	3	2	1
1		Green	Violet	
2		Pink		
3	Green	Violet	Black	Pink
4		Black		

@QuizByMickey

- Then, we can fill row 1 of column 4 with Pink colour and row 1 of column 1 with Black colour.
- And then, we can fill row 2 of column 4 with Black colour and row 4 of column 4 with Violet colour

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink		
3	Green	Violet	Black	Pink
4	Violet	Black		

- Then, we can fill row 2 of column 2 with Green colour and row 4 of column 2 with Pink colour.
- Then, we can fill row 2 of column 1 with Violet colour and row 4 of column 1 with Green colour.

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink	Green	Violet
3	Green	Violet	Black	Pink
4	Violet	Black	Pink	Green

Answer: B

7. Questions

Final arrangement:

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink	Green	Violet
3	Green	Violet	Black	Pink
4	Violet	Black	Pink	Green

@QuizByMickey

- At first , we can fill row 3 because in row 3 Green and Pink colours are filled.
- So, we can fill row 3 of column 3 with violet colour and column 2 with Black colour.
- In the same way, we can fill row 1 of column 3 with Green colour

	4	3	2	1
1		Green	Violet	
2		Pink		
3	Green	Violet	Black	Pink
4		Black		

- Then, we can fill row 1 of column 4 with Pink colour and row 1 of column 1 with Black colour.
- And then, we can fill row 2 of column 4 with Black colour and row 4 of column 4 with Violet colour

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink		
3	Green	Violet	Black	Pink
4	Violet	Black		

- Then, we can fill row 2 of column 2 with Green colour and row 4 of column 2 with Pink colour.
- Then, we can fill row 2 of column 1 with Violet colour and row 4 of column 1 with Green colour.

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink	Green	Violet
3	Green	Violet	Black	Pink
4	Violet	Black	Pink	Green

@QuizByMickey

Answer: C

The value of the colour which is in row 3 of column 2 - Black = 4

The value of the colour which is immediately above row 2 of column 3 - Green = 5

The product = $4 \times 5 = 20$

8. Questions

Final arrangement:

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink	Green	Violet
3	Green	Violet	Black	Pink
4	Violet	Black	Pink	Green

- At first , we can fill row 3 because in row 3 Green and Pink colours are filled.
- So, we can fill row 3 of column 3 with violet colour and column 2 with Black colour.
- In the same way, we can fill row 1 of column 3 with Green colour

	4	3	2	1
1		Green	Violet	
2		Pink		
3	Green	Violet	Black	Pink
4		Black		

- Then, we can fill row 1 of column 4 with Pink colour and row 1 of column 1 with Black colour.
- And then, we can fill row 2 of column 4 with Black colour and row 4 of column 4 with Violet colour

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink		
3	Green	Violet	Black	Pink
4	Violet	Black		

- Then, we can fill row 2 of column 2 with Green colour and row 4 of column 2 with Pink colour.
- Then, we can fill row 2 of column 1 with Violet colour and row 4 of column 1 with Green colour.

@QuizByMickey

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink	Green	Violet
3	Green	Violet	Black	Pink
4	Violet	Black	Pink	Green

Answer: A

The values of the colour of the diagonal row from row 1 column 4 to row 4 column 1 - Pink(2) + Pink (2) + Black(4) + Green(5) = 13

The values of the colour of the diagonal row from row 1 column 1 to row 4 column 4 - Black(4) + Green(5) + Violet(7) + Violet(7) = 23

The sum $13 + 23 = 36$

9. Questions

Final arrangement:

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink	Green	Violet
3	Green	Violet	Black	Pink
4	Violet	Black	Pink	Green

- At first , we can fill row 3 because in row 3 Green and Pink colours are filled.
- So, we can fill row 3 of column 3 with violet colour and column 2 with Black colour.
- In the same way, we can fill row 1 of column 3 with Green colour

@QuizByMickey

	4	3	2	1
1		Green	Violet	
2		Pink		
3	Green	Violet	Black	Pink
4		Black		

- Then, we can fill row 1 of column 4 with Pink colour and row 1 of column 1 with Black colour.
- And then, we can fill row 2 of column 4 with Black colour and row 4 of column 4 with Violet colour

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink		
3	Green	Violet	Black	Pink
4	Violet	Black		

- Then, we can fill row 2 of column 2 with Green colour and row 4 of column 2 with Pink colour.
- Then, we can fill row 2 of column 1 with Violet colour and row 4 of column 1 with Green colour.

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink	Green	Violet
3	Green	Violet	Black	Pink
4	Violet	Black	Pink	Green

@QuizByMickey

Answer: D

10. Questions

Final arrangement:

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink	Green	Violet
3	Green	Violet	Black	Pink
4	Violet	Black	Pink	Green

- At first , we can fill row 3 because in row 3 Green and Pink colours are filled.
- So, we can fill row 3 of column 3 with violet colour and column 2 with Black colour.
- In the same way, we can fill row 1 of column 3 with Green colour

	4	3	2	1
1		Green	Violet	
2		Pink		
3	Green	Violet	Black	Pink
4		Black		

- Then, we can fill row 1 of column 4 with Pink colour and row 1 of column 1 with Black colour.
- And then, we can fill row 2 of column 4 with Black colour and row 4 of column 4 with Violet colour

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink		
3	Green	Violet	Black	Pink
4	Violet	Black		

- Then, we can fill row 2 of column 2 with Green colour and row 4 of column 2 with Pink colour.
- Then, we can fill row 2 of column 1 with Violet colour and row 4 of column 1 with Green colour.

@QuizByMickey

	4	3	2	1
1	Pink	Green	Violet	Black
2	Black	Pink	Green	Violet
3	Green	Violet	Black	Pink
4	Violet	Black	Pink	Green

Answer: E

11. Questions

Final arrangement:

Months	Persons
January	N
February	I
March	O
April	J
May	R
June	Vacant
July	M
August	P
September	Q
October	L
November	K

@QuizByMickey

We have,

- O was born in the month which has an odd number of days.
- P was born five months after O.
- The number of persons born after P is **one less than** the number of persons born before R.
- No vacant month was before R.

From the above conditions, there are four possibilities.

Months	Case-1	Case-2	Case-1a	Case-2a
	Persons	Persons	Persons	Persons
January				
February				R
March	O	R	O	
April			R	
May	R	O		O
June				
July				
August	P		P	
September			/vacant	
October		P	/vacant	P
November			/vacant	vacant

Again, we have,

- Only two months were between R and I.
- M was born four persons before K, who was born in the adjacent month of neither I nor P
- There is no vacant month between M and K.
- M was born neither before R nor in the adjacent month of R
- As many months were after K as before N.

From the above conditions, case-2a gets eliminated because only two months were between R and I, which is not satisfied.

From the above conditions, case-2 gets eliminated because M was born four persons before K, who was born in the adjacent month of neither I nor P, which is not satisfied.

@QuizByMickey

Months	Case 1	Case 2	Case1a	Case 2a
	Persons	Persons	Persons	Persons
January	N	N	I/	
February	I		N	R
March	O	R	O	
April		vacant	R	
May	R	O		O
June	vacant	I	M	
July	M	M	I/	
August	P		P	
September				
October		P	K	P
November	K	K	vacant	vacant

Again, we have,

- J was not born in the month which has an odd number of days.
- Q was born immediately before L.

From the above conditions, case-1a gets eliminated because Q was born immediately before L, which is not satisfied.

Hence, case-1 shows the final arrangement.

@QuizByMickey

Months	Case 1	Case-1a
	Persons	Persons
January	N	I/
February	I	N
March	O	O
April	J	R
May	R	
June	Vacant	M
July	M	I/
August	P	P
September	Q	J
October	L	K
November	K	Vacant

Answer: B

12. Questions

Final arrangement:

@QuizByMickey

Months	Persons
January	N
February	I
March	O
April	J
May	R
June	Vacant
July	M
August	P
September	Q
October	L
November	K

We have,

- O was born in the month which has an odd number of days.
- P was born five months after O.
- The number of persons born after P is **one less than** the number of persons born before R.
- No vacant month was before R.

From the above conditions, there are four possibilities.

@QuizByMickey

Months	Case-1	Case-2	Case-1a	Case-2a
	Persons	Persons	Persons	Persons
January				
February				R
March	O	R	O	
April			R	
May	R	O		O
June				
July				
August	P		P	
September			/vacant	
October		P	/vacant	P
November			/vacant	vacant

Again, we have,

- Only two months were between R and I.
- M was born four persons before K, who was born in the adjacent month of neither I nor P
- There is no vacant month between M and K.
- M was born neither before R nor in the adjacent month of R
- As many months were after K as before N.

From the above conditions, case-2a gets eliminated because only two months were between R and I, which is not satisfied.

From the above conditions, case-2 gets eliminated because M was born four persons before K, who was born in the adjacent month of neither I nor P, which is not satisfied.

@QuizByMickey

Months	Case 1	Case 2	Case1a	Case 2a
	Persons	Persons	Persons	Persons
January	N	N	I/	
February	I		N	R
March	O	R	O	
April		vacant	R	
May	R	O		O
June	vacant	I	M	
July	M	M	I/	
August	P		P	
September				
October		P	K	P
November	K	K	vacant	vacant

Again, we have,

- J was not born in the month which has an odd number of days.
- Q was born immediately before L.

From the above conditions, case-1a gets eliminated because Q was born immediately before L, which is not satisfied.

Hence, case-1 shows the final arrangement.

@QuizByMickey

Months	Case 1	Case-1a
	Persons	Persons
January	N	I/
February	I	N
March	O	O
April	J	R
May	R	
June	Vacant	M
July	M	I/
August	P	P
September	Q	J
October	L	K
November	K	Vacant

Answer: C

13. Questions

Final arrangement:

@QuizByMickey

Months	Persons
January	N
February	I
March	O
April	J
May	R
June	Vacant
July	M
August	P
September	Q
October	L
November	K

We have,

- O was born in the month which has an odd number of days.
- P was born five months after O.
- The number of persons born after P is **one less than** the number of persons born before R.
- No vacant month was before R.

From the above conditions, there are four possibilities.

@QuizByMickey

Months	Case-1	Case-2	Case-1a	Case-2a
	Persons	Persons	Persons	Persons
January				
February				R
March	O	R	O	
April			R	
May	R	O		O
June				
July				
August	P		P	
September			/vacant	
October		P	/vacant	P
November			/vacant	vacant

Again, we have,

- Only two months were between R and I.
- M was born four persons before K, who was born in the adjacent month of neither I nor P
- There is no vacant month between M and K.
- M was born neither before R nor in the adjacent month of R
- As many months were after K as before N.

From the above conditions, case-2a gets eliminated because only two months were between R and I, which is not satisfied.

From the above conditions, case-2 gets eliminated because M was born four persons before K, who was born in the adjacent month of neither I nor P, which is not satisfied.

@QuizByMickey

Months	Case 1	Case 2	Case1a	Case 2a
	Persons	Persons	Persons	Persons
January	N	N	I/	
February	I		N	R
March	O	R	O	
April		vacant	R	
May	R	O		O
June	vacant	I	M	
July	M	M	I/	
August	P		P	
September				
October		P	K	P
November	K	K	vacant	vacant

Again, we have,

- J was not born in the month which has an odd number of days.
- Q was born immediately before L.

From the above conditions, case-1a gets eliminated because Q was born immediately before L, which is not satisfied.

Hence, case-1 shows the final arrangement.

@QuizByMickey

Months	Case 1	Case-1a
	Persons	Persons
January	N	I/
February	I	N
March	O	O
April	J	R
May	R	
June	Vacant	M
July	M	I/
August	P	P
September	Q	J
October	L	K
November	K	Vacant

Answer: D

14. Questions

Final arrangement:

@QuizByMickey

Months	Persons
January	N
February	I
March	O
April	J
May	R
June	Vacant
July	M
August	P
September	Q
October	L
November	K

We have,

- O was born in the month which has an odd number of days.
- P was born five months after O.
- The number of persons born after P is **one less than** the number of persons born before R.
- No vacant month was before R.

From the above conditions, there are four possibilities.

@QuizByMickey

Months	Case-1	Case-2	Case-1a	Case-2a
	Persons	Persons	Persons	Persons
January				
February				R
March	O	R	O	
April			R	
May	R	O		O
June				
July				
August	P		P	
September			/vacant	
October		P	/vacant	P
November			/vacant	vacant

Again, we have,

- Only two months were between R and I.
- M was born four persons before K, who was born in the adjacent month of neither I nor P
- There is no vacant month between M and K.
- M was born neither before R nor in the adjacent month of R
- As many months were after K as before N.

From the above conditions, case-2a gets eliminated because only two months were between R and I, which is not satisfied.

From the above conditions, case-2 gets eliminated because M was born four persons before K, who was born in the adjacent month of neither I nor P, which is not satisfied.

@QuizByMickey

Months	Case 1	Case 2	Case1a	Case 2a
	Persons	Persons	Persons	Persons
January	N	N	I/	
February	I		N	R
March	O	R	O	
April		vacant	R	
May	R	O		O
June	vacant	I	M	
July	M	M	I/	
August	P		P	
September				
October		P	K	P
November	K	K	vacant	vacant

Again, we have,

- J was not born in the month which has an odd number of days.
- Q was born immediately before L.

From the above conditions, case-1a gets eliminated because Q was born immediately before L, which is not satisfied.

Hence, case-1 shows the final arrangement.

@QuizByMickey

Months	Case 1	Case-1a
	Persons	Persons
January	N	I/
February	I	N
March	O	O
April	J	R
May	R	
June	Vacant	M
July	M	I/
August	P	P
September	Q	J
October	L	K
November	K	Vacant

Answer: A

15. Questions

Final arrangement:

@QuizByMickey

Months	Persons
January	N
February	I
March	O
April	J
May	R
June	Vacant
July	M
August	P
September	Q
October	L
November	K

We have,

- O was born in the month which has an odd number of days.
- P was born five months after O.
- The number of persons born after P is **one less than** the number of persons born before R.
- No vacant month was before R.

From the above conditions, there are four possibilities.

@QuizByMickey

Months	Case-1	Case-2	Case-1a	Case-2a
	Persons	Persons	Persons	Persons
January				
February				R
March	O	R	O	
April			R	
May	R	O		O
June				
July				
August	P		P	
September			/vacant	
October		P	/vacant	P
November			/vacant	vacant

Again, we have,

- Only two months were between R and I.
- M was born four persons before K, who was born in the adjacent month of neither I nor P
- There is no vacant month between M and K.
- M was born neither before R nor in the adjacent month of R
- As many months were after K as before N.

From the above conditions, case-2a gets eliminated because only two months were between R and I, which is not satisfied.

From the above conditions, case-2 gets eliminated because M was born four persons before K, who was born in the adjacent month of neither I nor P, which is not satisfied.

@QuizByMickey

Months	Case 1	Case 2	Case1a	Case 2a
	Persons	Persons	Persons	Persons
January	N	N	I/	
February	I		N	R
March	O	R	O	
April		vacant	R	
May	R	O		O
June	vacant	I	M	
July	M	M	I/	
August	P		P	
September				
October		P	K	P
November	K	K	vacant	vacant

Again, we have,

- J was not born in the month which has an odd number of days.
- Q was born immediately before L.

From the above conditions, case-1a gets eliminated because Q was born immediately before L, which is not satisfied.

Hence, case-1 shows the final arrangement.

@QuizByMickey

Months	Case 1	Case-1a
	Persons	Persons
January	N	I/
February	I	N
March	O	O
April	J	R
May	R	
June	Vacant	M
July	M	I/
August	P	P
September	Q	J
October	L	K
November	K	Vacant

Answer: E

16. Questions

Final arrangement:

@QuizByMickey

Boxes
60
E
Q
P, 90
88
S
54
70
M, 36
45
A

We have,

- Box A is kept immediately below the box which has 45 coins but not kept at the bottom of the stack.
- Box A is kept two boxes below box M, which has 36 coins.

The multiple of 36 is 4 and 6, thus in case-1 box M is kept on the fifth position ($5-1=4$) and in case-2 M is kept on the seventh position ($7-1=6$).

- Only two boxes are kept between box M and box S.

From the above conditions, there are two possibilities

@QuizByMickey

Case 1	Case 2
S/	S/
M,36	M,36
45	45
A	A
S/	S/

Again, we have,

- The number of boxes kept between box A and box M is **one more than** the number of boxes kept between box S and the box which has 54 coins.

54 is the multiple of 2,3,6 and 9. In case-1 54 is kept in the seventh position($7-1=6$). In case 1a and in case-2 54 is kept in the third position ($3-1=2$).

- Box P has 90 coins and is kept three boxes above the box which has 54 coins.
- Only one box is kept between the box which has 88 coins and box Q, which is not kept adjacent to box S.
- The box which has 70 coins is kept five boxes below box Q.

From the above conditions, case-2 gets eliminated because box P has 90 coins and is kept three boxes above the box which has 54 coins, which is not satisfied.

From the above conditions, case-1 splits into case-1a.

@QuizByMickey

Case 1	Case 1a	Case 2
Q	88	
P,90		
88	Q	
S	P,90	M,36
54	M,36	45
70	45	A
M,36	A,54	S
45	S,70	54
A		

Again, we have,

- The number of boxes below the box which has 70 coins is **three more than** the number of boxes above the box which has 60 coins.
- Box E is kept immediately below the box which has 60 coins.

From the above conditions case-1a gets eliminated because the number of boxes below the box which has 70 coins is **three more than** the number of boxes above the box which has 60 coins, which is not satisfied.

Hence case-1 shows the final arrangement.

@QuizByMickey

Case 1	Case 1a
60	88
E	
Q	Q
P,90	P,90
88	M,36
S	45
54	A,54
70	S,70
M,36	
45	
A	

Answer: A

17. Questions

Final arrangement:

@QuizByMickey

Boxes
60
E
Q
P, 90
88
S
54
70
M, 36
45
A

We have,

- Box A is kept immediately below the box which has 45 coins but not kept at the bottom of the stack.
- Box A is kept two boxes below box M, which has 36 coins.

The multiple of 36 is 4 and 6, thus in case-1 box M is kept on the fifth position ($5-1=4$) and in case-2 M is kept on the seventh position ($7-1=6$).

- Only two boxes are kept between box M and box S.

From the above conditions, there are two possibilities

@QuizByMickey

Case 1	Case 2
S/	S/
M,36	M,36
45	45
A	A
S/	S/

Again, we have,

- The number of boxes kept between box A and box M is **one more than** the number of boxes kept between box S and the box which has 54 coins.

54 is the multiple of 2,3,6 and 9. In case-1 54 is kept in the seventh position($7-1=6$). In case 1a and in case-2 54 is kept in the third position ($3-1=2$).

- Box P has 90 coins and is kept three boxes above the box which has 54 coins.
- Only one box is kept between the box which has 88 coins and box Q, which is not kept adjacent to box S.
- The box which has 70 coins is kept five boxes below box Q.

From the above conditions, case-2 gets eliminated because box P has 90 coins and is kept three boxes above the box which has 54 coins, which is not satisfied.

From the above conditions, case-1 splits into case-1a.

@QuizByMickey

Case 1	Case 1a	Case 2
Q	88	
P,90		
88	Q	
S	P,90	M,36
54	M,36	45
70	45	A
M,36	A,54	S
45	S,70	54
A		

Again, we have,

- The number of boxes below the box which has 70 coins is **three more than** the number of boxes above the box which has 60 coins.
- Box E is kept immediately below the box which has 60 coins.

From the above conditions case-1a gets eliminated because the number of boxes below the box which has 70 coins is **three more than** the number of boxes above the box which has 60 coins, which is not satisfied.

Hence case-1 shows the final arrangement.

@QuizByMickey

Case 1	Case 1a
60	88
E	
Q	Q
P,90	P,90
88	M,36
S	45
54	A,54
70	S,70
M,36	
45	
A	

Answer: D

18. Questions

Final arrangement:

@QuizByMickey

Boxes
60
E
Q
P, 90
88
S
54
70
M, 36
45
A

We have,

- Box A is kept immediately below the box which has 45 coins but not kept at the bottom of the stack.
- Box A is kept two boxes below box M, which has 36 coins.

The multiple of 36 is 4 and 6, thus in case-1 box M is kept on the fifth position ($5-1=4$) and in case-2 M is kept on the seventh position ($7-1=6$).

- Only two boxes are kept between box M and box S.

From the above conditions, there are two possibilities

@QuizByMickey

Case 1	Case 2
S/	S/
M,36	M,36
45	45
A	A
S/	S/

Again, we have,

- The number of boxes kept between box A and box M is **one more than** the number of boxes kept between box S and the box which has 54 coins.

54 is the multiple of 2,3,6 and 9. In case-1 54 is kept in the seventh position($7-1=6$). In case 1a and in case-2 54 is kept in the third position ($3-1=2$).

- Box P has 90 coins and is kept three boxes above the box which has 54 coins.
- Only one box is kept between the box which has 88 coins and box Q, which is not kept adjacent to box S.
- The box which has 70 coins is kept five boxes below box Q.

From the above conditions, case-2 gets eliminated because box P has 90 coins and is kept three boxes above the box which has 54 coins, which is not satisfied.

From the above conditions, case-1 splits into case-1a.

@QuizByMickey

Case 1	Case 1a	Case 2
Q	88	
P,90		
88	Q	
S	P,90	M,36
54	M,36	45
70	45	A
M,36	A,54	S
45	S,70	54
A		

Again, we have,

- The number of boxes below the box which has 70 coins is **three more than** the number of boxes above the box which has 60 coins.
- Box E is kept immediately below the box which has 60 coins.

From the above conditions case-1a gets eliminated because the number of boxes below the box which has 70 coins is **three more than** the number of boxes above the box which has 60 coins, which is not satisfied.

Hence case-1 shows the final arrangement.

@QuizByMickey

Case 1	Case 1a
60	88
E	
Q	Q
P,90	P,90
88	M,36
S	45
54	A,54
70	S,70
M,36	
45	
A	

Answer: B

19. Questions

Final arrangement:

@QuizByMickey

Boxes
60
E
Q
P, 90
88
S
54
70
M, 36
45
A

We have,

- Box A is kept immediately below the box which has 45 coins but not kept at the bottom of the stack.
- Box A is kept two boxes below box M, which has 36 coins.

The multiple of 36 is 4 and 6, thus in case-1 box M is kept on the fifth position ($5-1=4$) and in case-2 M is kept on the seventh position ($7-1=6$).

- Only two boxes are kept between box M and box S.

From the above conditions, there are two possibilities

@QuizByMickey

Case 1	Case 2
S/	S/
M,36	M,36
45	45
A	A
S/	S/

Again, we have,

- The number of boxes kept between box A and box M is **one more than** the number of boxes kept between box S and the box which has 54 coins.

54 is the multiple of 2,3,6 and 9. In case-1 54 is kept in the seventh position($7-1=6$). In case 1a and in case-2 54 is kept in the third position ($3-1=2$).

- Box P has 90 coins and is kept three boxes above the box which has 54 coins.
- Only one box is kept between the box which has 88 coins and box Q, which is not kept adjacent to box S.
- The box which has 70 coins is kept five boxes below box Q.

From the above conditions, case-2 gets eliminated because box P has 90 coins and is kept three boxes above the box which has 54 coins, which is not satisfied.

From the above conditions, case-1 splits into case-1a.

@QuizByMickey

Case 1	Case 1a	Case 2
Q	88	
P,90		
88	Q	
S	P,90	M,36
54	M,36	45
70	45	A
M,36	A,54	S
45	S,70	54
A		

Again, we have,

- The number of boxes below the box which has 70 coins is **three more than** the number of boxes above the box which has 60 coins.
- Box E is kept immediately below the box which has 60 coins.

From the above conditions case-1a gets eliminated because the number of boxes below the box which has 70 coins is **three more than** the number of boxes above the box which has 60 coins, which is not satisfied.

Hence case-1 shows the final arrangement.

@QuizByMickey

Case 1	Case 1a
60	88
E	
Q	Q
P,90	P,90
88	M,36
S	45
54	A,54
70	S,70
M,36	
45	
A	

Answer: C

20. Questions

Final arrangement:

@QuizByMickey

Boxes
60
E
Q
P, 90
88
S
54
70
M, 36
45
A

We have,

- Box A is kept immediately below the box which has 45 coins but not kept at the bottom of the stack.
- Box A is kept two boxes below box M, which has 36 coins.

The multiple of 36 is 4 and 6, thus in case-1 box M is kept on the fifth position ($5-1=4$) and in case-2 M is kept on the seventh position ($7-1=6$).

- Only two boxes are kept between box M and box S.

From the above conditions, there are two possibilities

@QuizByMickey

Case 1	Case 2
S/	S/
M,36	M,36
45	45
A	A
S/	S/

Again, we have,

- The number of boxes kept between box A and box M is **one more than** the number of boxes kept between box S and the box which has 54 coins.

54 is the multiple of 2,3,6 and 9. In case-1 54 is kept in the seventh position($7-1=6$). In case 1a and in case-2 54 is kept in the third position ($3-1=2$).

- Box P has 90 coins and is kept three boxes above the box which has 54 coins.
- Only one box is kept between the box which has 88 coins and box Q, which is not kept adjacent to box S.
- The box which has 70 coins is kept five boxes below box Q.

From the above conditions, case-2 gets eliminated because box P has 90 coins and is kept three boxes above the box which has 54 coins, which is not satisfied.

From the above conditions, case-1 splits into case-1a.

@QuizByMickey

Case 1	Case 1a	Case 2
Q	88	
P,90		
88	Q	
S	P,90	M,36
54	M,36	45
70	45	A
M,36	A,54	S
45	S,70	54
A		

Again, we have,

- The number of boxes below the box which has 70 coins is **three more than** the number of boxes above the box which has 60 coins.
- Box E is kept immediately below the box which has 60 coins.

From the above conditions case-1a gets eliminated because the number of boxes below the box which has 70 coins is **three more than** the number of boxes above the box which has 60 coins, which is not satisfied.

Hence case-1 shows the final arrangement.

@QuizByMickey

Case 1	Case 1a
60	88
E	
Q	Q
P,90	P,90
88	M,36
S	45
54	A,54
70	S,70
M,36	
45	
A	

Answer: E (All other boxes have even number of coins, except option E)

@QuizByMickey