

1. Questions

Study the following information carefully and answer the given questions

There are 12 students - M, N, O, P, U, V, W, X, Q, R, S, and T are categorized into three different classes based on their scores - Class I, Class II and Class III. There are four students in each class. The score of each student is different.

Class I: 7 13 16 18

Class II: 9 11 14 19

Class III: 2 6 15 17

The score of O is double that of S. The difference between the scores of S and V is 5. The number of students scoring more than V is one more than the number of students scoring less than M in their respective classes. U scores more than M but less than N. N and Q are not in the same class. The sum of the scores of X and W is a prime number, where X is more than W. The number of students who score more than R is the same as those who score less than T, and neither of them is in different classes. The difference between the scores of T and U is 2. The sum of the scores of P and X is 22. The difference between the scores of R and O is the same as the difference between the scores of N and Q.

If N scores more than O, then what is the difference between the scores of Q and P?

- a. 4
- b. 3
- c. 6
- d. 5
- e. 2

2. Questions

What is the average score of S, W, and O?

- a. 9
- b. 10
- c. 12
- d. 11
- e. 13

@QuizByMickey

3. Questions

Four of the following five are alike in a certain way based on the given arrangement and thus form a group. Which one of the following does not belong to the group?

- a. P
- b. W

- c. S
- d. U
- e. X

4. Questions

If the persons A, B, C and D are in class IV and their scores are two more than V, P, N and T respectively, then what is the sum of the scores of class IV?

- a. 67
- b. 68
- c. 70
- d. 65
- e. 64

5. Questions

If the sum of the scores of R and A is 52, then whose score among the following is half of the score of A?

- a. T
- b. X
- c. O
- d. M
- e. W

6. Questions

Study the following information carefully and answer the given questions.

Anu starts walking from point G towards south for 7m to reach point H. Then he takes two consecutive left turns and walks for 4m and 16m to reach point I and point J respectively. Now, he turns right from point J and walks for 6m to reach point K, where he takes two consecutive right turns for 4m and 8m to reach point L and point A respectively. Then, he turns anticlockwise from point A and walks for 19m to reach point B. From point B, he takes a left turn for 8m to reach point C. From point C, he takes a left turn for 7m to reach point D. Point E is 7m south of point Y and 4m east of point D.

Ajay starts walking from point X towards west for 3m to reach point W. Then he turns left and walks for 4m to reach point V. Now, he takes a right turn for 6m to reach point U. Then he takes two consecutive left turns to reach point T and point S for 5m and 6m respectively. Now, he takes a right turn for 7m to reach point R. Point Q is 2m west of point R. From point Q, he takes a left turn for 10m to reach point P. From Point P, he takes a left turn for 13m to reach point O, which is 29m south of point N. Point M is 11m east of point N and 12m north of point F, which is 5m east of point Y.

Which of the following pairs of points have the same distance between them?

I). YS, RE

II). HD, XK

III). VA, QH

IV). EI, VL

- a. All I, II, III and IV
- b. Only I, II and IV
- c. Only II and III
- d. Only I, III and IV
- e. Only I, II and III

7. Questions

Which of the following statement(s) is/are TRUE as per the final arrangement?

- a. The distance between point F and point T is two meter less than the distance between point N and point O
- b. Point M is north-west of point L
- c. The shortest distance between point Q and point A is $\sqrt{194}$ m
- d. The shortest distance between point R and point K is $\sqrt{425}$ m
- e. Both c) and d)

8. Questions

If point Z is 10m west of point L, then what is the approximate shortest distance between point Z and point I ?

- a. 11m
- b. 13m
- c. 14m
- d. 16m
- e. 15m

@QuizByMickey

9. Questions

Which of the following three points form a straight line as per the given arrangement?

- a. QIE
- b. CLN
- c. LVG

d. YTV

e. RVX

10. Questions

In which of the following, the shortest distance between the first pair of points is equal to the shortest distance between the second pair of points?

I). BL, DX

II). GM, JE

III). UK, CA

a. Only I

b. Only III

c. None of these

d. Only I and II

e. Only II and III

11. Questions

Study the following information carefully and answer the given questions

Seven persons - A, B, C, D, E, F, and G - visited seven different countries viz., India, Italy, China, Bhutan, Russia, Nepal and France in seven different years viz., 1990, 1981, 1969, 1984, 1999, 1974 and 1976.

G visited 5 years before the one who visited Italy. D visited two persons before the one who visited Nepal, which was not visited by A. The one who visited China visited three persons after A. As many persons visited before A as between F and the one who visited India. The difference between the years in which B visited and the one who visited India is a multiple of 6. Neither D nor A visited in a leap year. Only three persons visited between C and the one who visited Bhutan. The one who visited Bhutan went before E, who didn't visit in 1990. The difference in years between E and the one who visited Russia is twice the difference in years between B and the one who visited France.

Which of the following statements is /are False as per the given arrangement?

I). B visited a country in a leap year

II). More than two persons visited between F and C

III). The one who visited Nepal visited two persons before B.

a. Only III

b. Both I and III

c. Only II

d. All I, II and III

e. Both II and III

@QuizByMickey

12. Questions

The difference in years between G and the one who visited Russia is the same as the difference in years between __ and __.

- a. The one who visited India and E
- b. D and the one who visited China
- c. The one who visited France and C
- d. A and the one who visited Italy
- e. The one who visited Nepal and B

13. Questions

If C's brother visited 5 years before him, then how many years gap between the year in which C's brother visited and the one who visited France?

- a. 13 years
- b. 25 years
- c. 8 years
- d. 16 years
- e. 18 years

14. Questions

If the person who visited China visited three years later from the actual year, then in which of the following years will the person visit China?

- a. 1972
- b. 1987
- c. 1993
- d. 2002
- e. 1984

@QuizByMickey

15. Questions

Who among the following person visited Bhutan based on the given arrangement?

- a. D
- b. The one who visited in 1981
- c. E
- d. The one who visited in 1976
- e. A

16. Questions

Study the following information carefully and answer the given questions

Statement:

The rise of e-commerce has transformed global shopping habits, offering consumers convenience, variety, and competitive pricing. **(A)** However, small local businesses have struggled to compete with large online retailers due to price wars, aggressive marketing strategies, and the preference for doorstep delivery. **(B)** Many believe that governments should introduce policies to support small businesses by providing subsidies, tax relief, or incentives for digital adoption. Meanwhile, consumer behavior continues to evolve, with an increasing emphasis on online shopping trends.

Which of the following best describes the relationship between sentences **A** and **B** in the passage?

- a. The growth of e-commerce has caused difficulties for small businesses, as they struggle to keep up with digital advancements and competitive pricing, making **A the cause and B its effect**
- b. The struggles of small businesses have caused the rise of e-commerce, making **B the cause and A its effect**
- c. Both A and B are independent causes that are unrelated to each other, meaning that neither directly influences the other
- d. Both A and B are effects of a common cause, which is the increasing use of the internet and digital technology in the modern world
- e. A is the effect of global changes in consumer behavior, while B is the cause of economic shifts in traditional business structures

17. Questions

What should be an appropriate course of action to address the concerns of small businesses?

- a. The government should implement heavy restrictions on e-commerce platforms, preventing them from selling products at lower prices than physical stores
- b. Small businesses should be encouraged to transition into the digital marketplace by providing them with training programs, financial support, and access to digital tools
- c. Consumers should be penalized for choosing to shop online instead of supporting their local businesses, ensuring the survival of physical retail stores @QuizByMickey
- d. Large online platforms should be forced to increase the prices of their products so that small businesses can remain competitive without lowering their profit margins
- e. The government should completely ban foreign e-commerce companies from operating in the country to protect small businesses

18. Questions

Which of the following can be **concluded** from the passage?

- a. E-commerce platforms will completely eliminate small businesses, and governments should focus

solely on supporting traditional retail stores

- b. Small businesses need to adapt to the changing digital landscape rather than relying entirely on government intervention for their survival
- c. Consumers no longer care about physical stores and will eventually switch to online shopping entirely, leading to the closure of all small businesses
- d. E-commerce platforms should be shut down to prevent further damage to local businesses, and only traditional retail should be allowed to operate
- e. The competition between small businesses and e-commerce platforms will always be unfair, and there is no possible solution to create a balance between the two

19. Questions

Study the following information carefully and answer the given questions

Statement:

The integration of artificial intelligence (AI) across various sectors has revolutionized industries, improving efficiency, decision-making, and innovation. However, these advancements also bring challenges, including job displacement, ethical dilemmas, and concerns over AI bias. Governments and organizations are working to regulate AI development while ensuring it serves humanity positively. Some argue that AI should complement human labor rather than replace it, whereas others fear its unchecked progression could deepen socio-economic inequalities. Striking a balance between AI's benefits and risks is crucial for sustainable progress.

Which course of action would best help mitigate AI-induced job losses?

- a. Prohibiting AI development to prevent automation from replacing workers
- b. Encouraging workers to gain AI-related skills through training programs
- c. Implementing strict policies to ensure AI is only used in select industries
- d. Replacing AI with human labor in all sectors to preserve employment
- e. Encouraging corporations to slow down AI adoption regardless of its benefits

20. Questions

Which inference can be drawn from the discussion on AI ethics?

- a. AI has no ethical concerns and is entirely beneficial to society
- b. AI regulations are unnecessary because companies will self-regulate
- c. AI should be implemented responsibly due to its potential risks and biases
- d. AI is only a short-term trend and will soon be obsolete
- e. AI's impact on decision-making is negligible

Explanations:

1. Questions

Final arrangement:

Class I: 7 13 16 18

(X) (T) (R) (O)

Class II: 9 11 14 19

(S) (U) (V) (N/Q)

Class III: 2 6 15 17

(M) (W) (P) (N/Q)

We have,

- The score of O is double that of S.
- The difference between the scores of S and V is 5.

From the above conditions, there are two possibilities

Case-1 Class I: 7 13 16 18(O)

Class II: 9(S) 11 14(V) 19

Class III: 2 6 15 17

Case-2 Class I: 7(S) 13 16 18

Class II: 9 11 14(O) 19

Class III: 2(V) 6 15 17

Again, we have,

@QuizByMickey

- The number of students scoring more than V is **one more than** the number of students scoring less than the M in their respective classes.
- U scores more than M but less than N.
- The sum of the scores of P and X is 22.
- The number of students who score more than R is the same as those who score less than T, and neither of them is in different classes.
- The difference between the scores of T and U is 2.

⇒ The sum of the scores of P and X is 22. So, the only possibilities for P and X are (16, 6), (15, 7) and (13, 9).

Case-1 Class I: 7 13 16 18

(P/X) (T) (R) (O)

Class II: 9 11 14 19

(S) (U) (V)

Class III: 2 6 15 17

(M) (P/X)

Case-2 Class I: 7 13 16 18

(S) (P/X) (N)

Class II: 9 11 14 19

(R) (O) (T)

Class III: 2 6 15 17

(V) (P/X) (M) (U)

@QuizByMickey

Case-1a Class I: **7 13 16 18**
 (M) (P/X) (O)

Class II: **9 11 14 19**
 (S) (V) (N)

Class III: **2 6 15 17**
 (R) (P/X) (U) (T)

Case-2a Class I: **7 13 16 18**
 (S) (P/X) (M)

Class II: **9 11 14 19**
 (P/X) (O)

Class III: **2 6 15 17**
 (V) (R) (T) (U)

Again, we have,

- N and Q are not in the same class.
- The sum of the scores of X and W is a prime number, where X is more than W.
- The difference between the scores of R and O is the same as the difference between the scores of N and Q.

After applying the above conditions, case-2 gets eliminated because the difference between the scores of R and O is the same as the difference between the scores of N and Q, which is not satisfied.

Also, case-1a and case-2a get eliminated because the sum of the scores of X and W is a prime number, where X is more than W, which is not satisfied.

Thus, case-1 shows the final arrangement.

@QuizByMickey

Case-1 Class I: 7 13 16 18

 (X) (T) (R) (O)

Class II: 9 11 14 19

 (S) (U) (V) (N/Q)

Class III: 2 6 15 17

 (M) (W) (P) (N/Q)

~~Case-2~~ Class I: 7 13 16 18

 (S) (W) (X) (N)

Class II: 9 11 14 19

 (R) (Q) (O) (T)

Class III: 2 6 15 17

 (V) (P) (M) (U)

~~Case-1a~~ Class I: 7 13 16 18

 (M) (Q) (P) (O)

Class II: 9 11 14 19

 (S) (W) (V) (N)

Class III: 2 6 15 17

 (R) (X) (U) (T)

@QuizByMickey

~~Case-2a~~ Class I: 7 13 16 18

(S) (X) (M) (W)

Class II: 9 11 14 19

(P) (O)

Class III: 2 6 15 17

(V) (R) (T) (U)

Answer: E

2. Questions

Final arrangement:

Class I: 7 13 16 18

(X) (T) (R) (O)

Class II: 9 11 14 19

(S) (U) (V) (N/Q)

Class III: 2 6 15 17

(M) (W) (P) (N/Q)

We have,

- The score of O is double that of S.
- The difference between the scores of S and V is 5.

From the above conditions, there are two possibilities

Case-1 Class I: 7 13 16 18(O)

Class II: 9(S) 11 14(V) 19

Class III: 2 6 15 17

Case-2 Class I: 7(S) 13 16 18

Class II: 9 11 14(O) 19

Class III: 2(V) 6 15 17

@QuizByMickey

Again, we have,

- The number of students scoring more than V is **one more than** the number of students scoring less than the M in their respective classes.
- U scores more than M but less than N.
- The sum of the scores of P and X is 22.
- The number of students who score more than R is the same as those who score less than T, and neither of them is in different classes.
- The difference between the scores of T and U is 2.

⇒ The sum of the scores of P and X is 22. So, the only possibilities for P and X are (16, 6), (15, 7) and (13, 9).

Case-1 Class I: 7 13 16 18

(P/X) (T) (R) (O)

Class II: 9 11 14 19

(S) (U) (V)

Class III: 2 6 15 17

(M) (P/X)

Case-2 Class I: 7 13 16 18

(S) (P/X) (N)

Class II: 9 11 14 19

(R) (O) (T)

Class III: 2 6 15 17

(V) (P/X) (M) (U)

@QuizByMickey

Case-1a Class I: 7 13 16 18
(M) (P/X) (O)

Class II: 9 11 14 19
(S) (V) (N)

Class III: 2 6 15 17
(R) (P/X) (U) (T)

Case-2a Class I: 7 13 16 18
(S) (P/X) (M)

Class II: 9 11 14 19
(P/X) (O)

Class III: 2 6 15 17
(V) (R) (T) (U)

Again, we have,

- N and Q are not in the same class.
- The sum of the scores of X and W is a prime number, where X is more than W.
- The difference between the scores of R and O is the same as the difference between the scores of N and Q.

After applying the above conditions, case-2 gets eliminated because the difference between the scores of R and O is the same as the difference between the scores of N and Q, which is not satisfied.

Also, case-1a and case-2a get eliminated because the sum of the scores of X and W is a prime number, where X is more than W, which is not satisfied.

Thus, case-1 shows the final arrangement.

@QuizByMickey

Case-1 Class I: 7 13 16 18

 (X) (T) (R) (O)

Class II: 9 11 14 19

 (S) (U) (V) (N/Q)

Class III: 2 6 15 17

 (M) (W) (P) (N/Q)

~~Case-2~~ Class I: 7 13 16 18

 (S) (W) (X) (N)

Class II: 9 11 14 19

 (R) (Q) (O) (T)

Class III: 2 6 15 17

 (V) (P) (M) (U)

~~Case-1a~~ Class I: 7 13 16 18

 (M) (Q) (P) (O)

Class II: 9 11 14 19

 (S) (W) (V) (N)

Class III: 2 6 15 17

 (R) (X) (U) (T)

@QuizByMickey

~~Case-2a~~ Class I: 7 13 16 18

(S) (X) (M) (W)

Class II: 9 11 14 19

(P) (O)

Class III: 2 6 15 17

(V) (R) (T) (U)

Answer: D

Average score of S, W, and O = $(9+6+18)/3 = 11$

3. Questions

Final arrangement:

Class I: 7 13 16 18

(X) (T) (R) (O)

Class II: 9 11 14 19

(S) (U) (V) (N/Q)

Class III: 2 6 15 17

(M) (W) (P) (N/Q)

We have,

- The score of O is double that of S.
- The difference between the scores of S and V is 5.

From the above conditions, there are two possibilities

@QuizByMickey

Case-1 Class I: 7 13 16 18(**O**)

Class II: 9(**S**) 11 14(**V**) 19

Class III: 2 6 15 17

Case-2 Class I: 7(**S**) 13 16 18

Class II: 9 11 14(**O**) 19

Class III: 2(**V**) 6 15 17

Again, we have,

- The number of students scoring more than V is **one more than** the number of students scoring less than the M in their respective classes.
- U scores more than M but less than N.
- The sum of the scores of P and X is 22.
- The number of students who score more than R is the same as those who score less than T, and neither of them is in different classes.
- The difference between the scores of T and U is 2.

⇒ The sum of the scores of P and X is 22. So, the only possibilities for P and X are (16, 6), (15, 7) and (13, 9).

@QuizByMickey

Case-1 Class I: 7 13 16 18

(P/X) (T) (R) (O)

Class II: 9 11 14 19

(S) (U) (V)

Class III: 2 6 15 17

(M) (P/X)

Case-2 Class I: 7 13 16 18

(S) (P/X) (N)

Class II: 9 11 14 19

(R) (O) (T)

Class III: 2 6 15 17

(V) (P/X) (M) (U)

@QuizByMickey

Case-1a Class I: **7 13 16 18**
 (M) (P/X) (O)

Class II: **9 11 14 19**
 (S) (V) (N)

Class III: **2 6 15 17**
 (R) (P/X) (U) (T)

Case-2a Class I: **7 13 16 18**
 (S) (P/X) (M)

Class II: **9 11 14 19**
 (P/X) (O)

Class III: **2 6 15 17**
 (V) (R) (T) (U)

Again, we have,

- N and Q are not in the same class.
- The sum of the scores of X and W is a prime number, where X is more than W.
- The difference between the scores of R and O is the same as the difference between the scores of N and Q.

After applying the above conditions, case-2 gets eliminated because the difference between the scores of R and O is the same as the difference between the scores of N and Q, which is not satisfied.

Also, case-1a and case-2a get eliminated because the sum of the scores of X and W is a prime number, where X is more than W, which is not satisfied.

Thus, case-1 shows the final arrangement.

@QuizByMickey

Case-1 Class I: 7 13 16 18

 (X) (T) (R) (O)

Class II: 9 11 14 19

 (S) (U) (V) (N/Q)

Class III: 2 6 15 17

 (M) (W) (P) (N/Q)

~~Case-2~~ Class I: 7 13 16 18

 (S) (W) (X) (N)

Class II: 9 11 14 19

 (R) (Q) (O) (T)

Class III: 2 6 15 17

 (V) (P) (M) (U)

~~Case-1a~~ Class I: 7 13 16 18

 (M) (Q) (P) (O)

Class II: 9 11 14 19

 (S) (W) (V) (N)

Class III: 2 6 15 17

 (R) (X) (U) (T)

@QuizByMickey

~~Case-2a~~ Class I: 7 13 16 18

(S) (X) (M) (W)

Class II: 9 11 14 19

(P) (O)

Class III: 2 6 15 17

(V) (R) (T) (U)

Answer: B (All the persons score is an odd number except option B)

4. Questions

Final arrangement:

Class I: 7 13 16 18

(X) (T) (R) (O)

Class II: 9 11 14 19

(S) (U) (V) (N/Q)

Class III: 2 6 15 17

(M) (W) (P) (N/Q)

We have,

- The score of O is double that of S.
- The difference between the scores of S and V is 5.

From the above conditions, there are two possibilities

Case-1 Class I: 7 13 16 18(O)

Class II: 9(S) 11 14(V) 19

Class III: 2 6 15 17

Case-2 Class I: 7(S) 13 16 18

Class II: 9 11 14(O) 19

Class III: 2(V) 6 15 17

@QuizByMickey

Again, we have,

- The number of students scoring more than V is **one more than** the number of students scoring less than the M in their respective classes.
- U scores more than M but less than N.
- The sum of the scores of P and X is 22.
- The number of students who score more than R is the same as those who score less than T, and neither of them is in different classes.
- The difference between the scores of T and U is 2.

⇒ The sum of the scores of P and X is 22. So, the only possibilities for P and X are (16, 6), (15, 7) and (13, 9).

Case-1 Class I: 7 13 16 18
 (P/X) (T) (R) (O)

Class II: 9 11 14 19
 (S) (U) (V)

Class III: 2 6 15 17
 (M) (P/X)

Case-2 Class I: 7 13 16 18
 (S) (P/X) (N)

Class II: 9 11 14 19
 (R) (O) (T)

Class III: 2 6 15 17
 (V) (P/X) (M) (U)

@QuizByMickey

Case-1a Class I: 7 13 16 18
(M) (P/X) (O)

Class II: 9 11 14 19
(S) (V) (N)

Class III: 2 6 15 17
(R) (P/X) (U) (T)

Case-2a Class I: 7 13 16 18
(S) (P/X) (M)

Class II: 9 11 14 19
(P/X) (O)

Class III: 2 6 15 17
(V) (R) (T) (U)

Again, we have,

- N and Q are not in the same class.
- The sum of the scores of X and W is a prime number, where X is more than W.
- The difference between the scores of R and O is the same as the difference between the scores of N and Q.

After applying the above conditions, case-2 gets eliminated because the difference between the scores of R and O is the same as the difference between the scores of N and Q, which is not satisfied.

Also, case-1a and case-2a get eliminated because the sum of the scores of X and W is a prime number, where X is more than W, which is not satisfied.

Thus, case-1 shows the final arrangement.

@QuizByMickey

Case-1 Class I: 7 13 16 18

 (X) (T) (R) (O)

Class II: 9 11 14 19

 (S) (U) (V) (N/Q)

Class III: 2 6 15 17

 (M) (W) (P) (N/Q)

~~Case-2~~ Class I: 7 13 16 18

 (S) (W) (X) (N)

Class II: 9 11 14 19

 (R) (Q) (O) (T)

Class III: 2 6 15 17

 (V) (P) (M) (U)

~~Case-1a~~ Class I: 7 13 16 18

 (M) (Q) (P) (O)

Class II: 9 11 14 19

 (S) (W) (V) (N)

Class III: 2 6 15 17

 (R) (X) (U) (T)

@QuizByMickey

~~Case-2a~~ Class I: 7 13 16 18

(S) (X) (M) (W)

Class II: 9 11 14 19

(P) (O)

Class III: 2 6 15 17

(V) (R) (T) (U)

Answer: A

Sum of the scores of class IV = $(14+2)+(15+2)+(17+2)+(13+2) = 67$ (N's score is taken based on the given options)

5. Questions

Final arrangement:

Class I: 7 13 16 18

(X) (T) (R) (O)

Class II: 9 11 14 19

(S) (U) (V) (N/Q)

Class III: 2 6 15 17

(M) (W) (P) (N/Q)

We have,

- The score of O is double that of S.
- The difference between the scores of S and V is 5.

From the above conditions, there are two possibilities

@QuizByMickey

Case-1 Class I: 7 13 16 18(**O**)

Class II: 9(**S**) 11 14(**V**) 19

Class III: 2 6 15 17

Case-2 Class I: 7(**S**) 13 16 18

Class II: 9 11 14(**O**) 19

Class III: 2(**V**) 6 15 17

Again, we have,

- The number of students scoring more than V is **one more than** the number of students scoring less than the M in their respective classes.
- U scores more than M but less than N.
- The sum of the scores of P and X is 22.
- The number of students who score more than R is the same as those who score less than T, and neither of them is in different classes.
- The difference between the scores of T and U is 2.

⇒ The sum of the scores of P and X is 22. So, the only possibilities for P and X are (16, 6), (15, 7) and (13, 9).

@QuizByMickey

Case-1 Class I: 7 13 16 18

(P/X) (T) (R) (O)

Class II: 9 11 14 19

(S) (U) (V)

Class III: 2 6 15 17

(M) (P/X)

Case-2 Class I: 7 13 16 18

(S) (P/X) (N)

Class II: 9 11 14 19

(R) (O) (T)

Class III: 2 6 15 17

(V) (P/X) (M) (U)

@QuizByMickey

Case-1a Class I: 7 13 16 18
(M) (P/X) (O)

Class II: 9 11 14 19
(S) (V) (N)

Class III: 2 6 15 17
(R) (P/X) (U) (T)

Case-2a Class I: 7 13 16 18
(S) (P/X) (M)

Class II: 9 11 14 19
(P/X) (O)

Class III: 2 6 15 17
(V) (R) (T) (U)

Again, we have,

- N and Q are not in the same class.
- The sum of the scores of X and W is a prime number, where X is more than W.
- The difference between the scores of R and O is the same as the difference between the scores of N and Q.

After applying the above conditions, case-2 gets eliminated because the difference between the scores of R and O is the same as the difference between the scores of N and Q, which is not satisfied.

Also, case-1a and case-2a get eliminated because the sum of the scores of X and W is a prime number, where X is more than W, which is not satisfied.

Thus, case-1 shows the final arrangement.

@QuizByMickey

Case-1 Class I: 7 13 16 18

 (X) (T) (R) (O)

Class II: 9 11 14 19

 (S) (U) (V) (N/Q)

Class III: 2 6 15 17

 (M) (W) (P) (N/Q)

~~Case-2~~ Class I: 7 13 16 18

 (S) (W) (X) (N)

Class II: 9 11 14 19

 (R) (Q) (O) (T)

Class III: 2 6 15 17

 (V) (P) (M) (U)

~~Case-1a~~ Class I: 7 13 16 18

 (M) (Q) (P) (O)

Class II: 9 11 14 19

 (S) (W) (V) (N)

Class III: 2 6 15 17

 (R) (X) (U) (T)

@QuizByMickey

~~Case-2a~~ **Class I: 7 13 16 18**

(S) (X) (M) (W)

Class II: 9 11 14 19

(P) (O)

Class III: 2 6 15 17

(V) (R) (T) (U)

Answer: C


Score of R+A = 52, R=16

⇒ Score of A = 36

Half of A's score = 18

6. Questions


Final arrangement:



Answer: E

7. Questions


Final arrangement:




Answer: D

8. Questions

Final arrangement:




Answer: B



$$ZI = \sqrt{ZH^2 + HI^2} = \sqrt{12^2 + 4^2} = \sqrt{160} = 13\text{m (approximately)}$$

9. Questions

Final arrangement:



Answer: A

10. Questions

Final arrangement:

@QuizByMickey

We have,

- G visited 5 years before the one who visited Italy.

From the above condition, there are two possibilities

Years	Case -1	Case - 2
	Person & Country	Person & Country
1969	G	
1974	(Italy)	
1976		G
1981		(Italy)
1984		
1990		
1999		

Again, we have,

- D visited two persons before the one who visited Nepal, which was not visited by A.
- The one who visited China visited three persons after A.
- Neither D nor A visited in a leap year.

From the above conditions, we get two more possibility i.e., case-2a and case-2b

@QuizByMickey

Years	Case -1	Case - 2	Case - 2a	Case - 2b
	Person & Country	Person & Country	Person & Country	Person & Country
1969	G	D	D	
1974	A (Italy)	A		A
1976		G (Nepal)	G (Nepal)	G
1981	D	(Italy)	A (Italy)	D (Italy)
1984	(China)	(China)		(China)
1990	(Nepal)			(Nepal)
1999			(China)	

Again, we have,

- As many persons visited before A as between F and the one who visited India.
- The difference between the years in which B visited and the one who visited India is a multiple of 6.
- Only three persons visited between C and the one who visited Bhutan.
- The one who visited Bhutan went before E, who didn't visit in 1990.
- The difference in years between E and the one who visited Russia is twice the difference in years between B and the one who visited France.

After applying the above conditions, Case-1, case-2a and case-2b get eliminated because the difference in years between E and the one who visited Russia is twice the difference in years between B and the one who visited France, which is not satisfied.

Hence, Case-2 shows the final arrangement.

@QuizByMickey

Years	Case - 1	Case - 2	Case - 2a	Case - 2b
	Person & Country	Person & Country	Person & Country	Person & Country
1969	G (Bhutan)	D (Russia)	D (Russia)	B (Russia)
1974	A (Italy)	A (Bhutan)	F (Bhutan)	A (Bhutan)
1976	E (France)	G (Nepal)	G (Nepal)	G (France)
1981	D (India)	F (Italy)	A (Italy)	D (Italy)
1984	C (China)	B (China)	B (France)	F (China)
1990	F (Nepal)	C (India)	C (India)	C (Nepal)
1999	B (Russia)	E (France)	E (China)	E (India)

Answer: C

12. Questions

Final Arrangement:

Years	Person & Country
1969	D (Russia)
1974	A (Bhutan)
1976	G (Nepal)
1981	F (Italy)
1984	B (China)
1990	C (India)
1999	E (France)

@QuizByMickey

We have,

- G visited 5 years before the one who visited Italy.

From the above condition, there are two possibilities

Years	Case -1	Case - 2
	Person & Country	Person & Country
1969	G	
1974	(Italy)	
1976		G
1981		(Italy)
1984		
1990		
1999		

Again, we have,

- D visited two persons before the one who visited Nepal, which was not visited by A.
- The one who visited China visited three persons after A.
- Neither D nor A visited in a leap year.

From the above conditions, we get two more possibility i.e., case-2a and case-2b

Years	Case -1	Case - 2	Case - 2a	Case - 2b
	Person & Country	Person & Country	Person & Country	Person & Country
1969	G	D	D	
1974	A (Italy)	A		A
1976		G (Nepal)	G (Nepal)	G
1981	D	(Italy)	A (Italy)	D (Italy)
1984	(China)	(China)		(China)
1990	(Nepal)			(Nepal)
1999			(China)	

Again, we have,

@QuizByMickey

- As many persons visited before A as between F and the one who visited India.
- The difference between the years in which B visited and the one who visited India is a multiple of 6.
- Only three persons visited between C and the one who visited Bhutan.
- The one who visited Bhutan went before E, who didn't visit in 1990.
- The difference in years between E and the one who visited Russia is twice the difference in years between B and the one who visited France.

After applying the above conditions, Case-1, case-2a and case-2b get eliminated because the difference in years between E and the one who visited Russia is twice the difference in years between B and the one who visited France, which is not satisfied.

Hence, Case-2 shows the final arrangement.

Years	Case - 1	Case - 2	Case - 2a	Case - 2b
	Person & Country	Person & Country	Person & Country	Person & Country
1969	G (Bhutan)	D (Russia)	D (Russia)	B (Russia)
1974	A (Italy)	A (Bhutan)	F (Bhutan)	A (Bhutan)
1976	E (France)	G (Nepal)	G (Nepal)	G (France)
1981	D (India)	F (Italy)	A (Italy)	D (Italy)
1984	C (China)	B (China)	B (France)	F (China)
1990	F (Nepal)	C (India)	C (India)	C (Nepal)
1999	B (Russia)	E (France)	E (China)	E (India)

Answer: D

13. Questions

Final Arrangement:

@QuizByMickey

Years	Person & Country
1969	D (Russia)
1974	A (Bhutan)
1976	G (Nepal)
1981	F (Italy)
1984	B (China)
1990	C (India)
1999	E (France)

We have,

- G visited 5 years before the one who visited Italy.

From the above condition, there are two possibilities

Years	Case -1	Case - 2
	Person & Country	Person & Country
1969	G	
1974	(Italy)	
1976		G
1981		(Italy)
1984		
1990		
1999		

@QuizByMickey

Again, we have,

- D visited two persons before the one who visited Nepal, which was not visited by A.
- The one who visited China visited three persons after A.
- Neither D nor A visited in a leap year.

From the above conditions, we get two more possibility i.e., case-2a and case-2b

Years	Case -1	Case - 2	Case - 2a	Case - 2b
	Person & Country	Person & Country	Person & Country	Person & Country
1969	G	D	D	
1974	A (Italy)	A		A
1976		G (Nepal)	G (Nepal)	G
1981	D	(Italy)	A (Italy)	D (Italy)
1984	(China)	(China)		(China)
1990	(Nepal)			(Nepal)
1999			(China)	

Again, we have,

- As many persons visited before A as between F and the one who visited India.
- The difference between the years in which B visited and the one who visited India is a multiple of 6.
- Only three persons visited between C and the one who visited Bhutan.
- The one who visited Bhutan went before E, who didn't visit in 1990.
- The difference in years between E and the one who visited Russia is twice the difference in years between B and the one who visited France.

After applying the above conditions, Case-1, case-2a and case-2b get eliminated because the difference in years between E and the one who visited Russia is twice the difference in years between B and the one who visited France, which is not satisfied.

Hence, Case-2 shows the final arrangement.

@QuizByMickey

Years	Case - 1	Case - 2	Case - 2a	Case - 2b
	Person & Country	Person & Country	Person & Country	Person & Country
1969	G (Bhutan)	D (Russia)	D (Russia)	B (Russia)
1974	A (Italy)	A (Bhutan)	F (Bhutan)	A (Bhutan)
1976	E (France)	G (Nepal)	G (Nepal)	G (France)
1981	D (India)	F (Italy)	A (Italy)	D (Italy)
1984	C (China)	B (China)	B (France)	F (China)
1990	F (Nepal)	C (India)	C (India)	C (Nepal)
1999	B (Russia)	E (France)	E (China)	E (India)

Answer: A

14. Questions

Final Arrangement:

Years	Person & Country
1969	D (Russia)
1974	A (Bhutan)
1976	G (Nepal)
1981	F (Italy)
1984	B (China)
1990	C (India)
1999	E (France)

@QuizByMickey

We have,

- G visited 5 years before the one who visited Italy.

From the above condition, there are two possibilities

Years	Case -1	Case - 2
	Person & Country	Person & Country
1969	G	
1974	(Italy)	
1976		G
1981		(Italy)
1984		
1990		
1999		

Again, we have,

- D visited two persons before the one who visited Nepal, which was not visited by A.
- The one who visited China visited three persons after A.
- Neither D nor A visited in a leap year.

From the above conditions, we get two more possibility i.e., case-2a and case-2b

Years	Case -1	Case - 2	Case - 2a	Case - 2b
	Person & Country	Person & Country	Person & Country	Person & Country
1969	G	D	D	
1974	A (Italy)	A		A
1976		G (Nepal)	G (Nepal)	G
1981	D	(Italy)	A (Italy)	D (Italy)
1984	(China)	(China)		(China)
1990	(Nepal)			(Nepal)
1999			(China)	

Again, we have,

@QuizByMickey

- As many persons visited before A as between F and the one who visited India.
- The difference between the years in which B visited and the one who visited India is a multiple of 6.
- Only three persons visited between C and the one who visited Bhutan.
- The one who visited Bhutan went before E, who didn't visit in 1990.
- The difference in years between E and the one who visited Russia is twice the difference in years between B and the one who visited France.

After applying the above conditions, Case-1, case-2a and case-2b get eliminated because the difference in years between E and the one who visited Russia is twice the difference in years between B and the one who visited France, which is not satisfied.

Hence, Case-2 shows the final arrangement.

Years	Case - 1	Case - 2	Case - 2a	Case - 2b
	Person & Country	Person & Country	Person & Country	Person & Country
1969	G (Bhutan)	D (Russia)	D (Russia)	B (Russia)
1974	A (Italy)	A (Bhutan)	F (Bhutan)	A (Bhutan)
1976	E (France)	G (Nepal)	G (Nepal)	G (France)
1981	D (India)	F (Italy)	A (Italy)	D (Italy)
1984	C (China)	B (China)	B (France)	F (China)
1990	F (Nepal)	C (India)	C (India)	C (Nepal)
1999	B (Russia)	E (France)	E (China)	E (India)

Answer: B

15. Questions

Final Arrangement:

@QuizByMickey

Years	Person & Country
1969	D (Russia)
1974	A (Bhutan)
1976	G (Nepal)
1981	F (Italy)
1984	B (China)
1990	C (India)
1999	E (France)

We have,

- G visited 5 years before the one who visited Italy.

From the above condition, there are two possibilities

Years	Case -1	Case - 2
	Person & Country	Person & Country
1969	G	
1974	(Italy)	
1976		G
1981		(Italy)
1984		
1990		
1999		

@QuizByMickey

Again, we have,

- D visited two persons before the one who visited Nepal, which was not visited by A.
- The one who visited China visited three persons after A.
- Neither D nor A visited in a leap year.

From the above conditions, we get two more possibility i.e., case-2a and case-2b

Years	Case -1	Case - 2	Case - 2a	Case - 2b
	Person & Country	Person & Country	Person & Country	Person & Country
1969	G	D	D	
1974	A (Italy)	A		A
1976		G (Nepal)	G (Nepal)	G
1981	D	(Italy)	A (Italy)	D (Italy)
1984	(China)	(China)		(China)
1990	(Nepal)			(Nepal)
1999			(China)	

Again, we have,

- As many persons visited before A as between F and the one who visited India.
- The difference between the years in which B visited and the one who visited India is a multiple of 6.
- Only three persons visited between C and the one who visited Bhutan.
- The one who visited Bhutan went before E, who didn't visit in 1990.
- The difference in years between E and the one who visited Russia is twice the difference in years between B and the one who visited France.

After applying the above conditions, Case-1, case-2a and case-2b get eliminated because the difference in years between E and the one who visited Russia is twice the difference in years between B and the one who visited France, which is not satisfied.

Hence, Case-2 shows the final arrangement.

@QuizByMickey

Years	Case - 1	Case - 2	Case - 2a	Case - 2b
	Person & Country	Person & Country	Person & Country	Person & Country
1969	G (Bhutan)	D (Russia)	D (Russia)	B (Russia)
1974	A (Italy)	A (Bhutan)	F (Bhutan)	A (Bhutan)
1976	E (France)	G (Nepal)	G (Nepal)	G (France)
1981	D (India)	F (Italy)	A (Italy)	D (Italy)
1984	C (China)	B (China)	B (France)	F (China)
1990	F (Nepal)	C (India)	C (India)	C (Nepal)
1999	B (Russia)	E (France)	E (China)	E (India)

Answer: E

16. Questions

Answer: A

The rise of e-commerce (A) has led to difficulties for small businesses (B). Therefore, A is the cause and B is its effect. Options (b), (c), (d), and (e) are either incorrect or unrelated.

17. Questions

Answer: B

A **course of action** should be **practical and effective**. Encouraging **small businesses to adopt digital tools (b)** is a **balanced approach**. Options (a), (c), (d), and (e) are **either impractical, unfair, or too extreme**.

18. Questions

Answer: B

@QuizByMickey

A conclusion should be logical and supported by the passage. The passage suggests that small businesses must evolve with digital trends to compete, making option (b) the best choice. Other options are either extreme or not supported by the passage.

19. Questions

Answer: B

AI will continue to evolve, making its complete prohibition unrealistic. Reskilling and upskilling help workers remain relevant in the changing job market. Other options, such as banning AI or slowing adoption, do not address the core issue of job displacement.

20. Questions

Answer: C

The passage mentions AI bias and ethical concerns, making responsible implementation crucial. Companies may prioritize profits over ethics, requiring regulations. Other options either downplay AI's impact or assume it is free from risks.

@QuizByMickey