

1. Questions

Study the following information carefully and answer the given questions.

A certain number of persons are working in a company at different designations such as General Manager (GM), Deputy General Manager (DGM), Assistant General Manager (AGM), Assistant Manager (AM), Specialist Officer (SO), and Clerk. The hierarchy of the designations is given in decreasing order such that General manager is the senior-most designation and Clerk is the junior-most designation.

Note 1: The number of persons working as Assistant General Manager (AGM) is the smallest prime number, which is one more than the number of persons working as Deputy General Manager (DGM), but one less than the number of persons working as Assistant Manager (AM). The number of persons working as General Manager (GM) is one more than the number of persons working as Clerk and the number of persons working as Specialist Officer (SO) is one more than the number of persons working as General Manager (GM). The total number of persons working in all the designations is 21.

Note 2: If it is given that 'P works with Q', then both P and Q are working in the same designation.

F works two designations senior to Q, who works with an odd number of persons. Q is immediately senior to the one who works with G. As many designations are senior to A, as junior to C. H works with U, but works three designations junior to M. Neither H nor K works with G. K works with I, but works as neither Specialist Officer (SO) nor Clerk. Q works with persons whose names start with vowels, whose place values are less than that of G in alphabetical order. C is either an immediate junior or immediate senior to S. Only two designations are between S and T. L is immediately senior to N, who works two designations junior to O. P, who works with J, works neither as General Manager (GM) nor as Clerk. Neither B nor R works in the junior-most designation. D is one of the persons working in the company.

How many persons are working as Assistant Manager (AM) in the company?

- a. None
- b. One more than the number of persons working as Clerk
- c. Two
- d. Three less than the number of persons working as SO
- e. More than three

2. Questions

Who among the following is an AGM and how many designations are there between AGM and B?

- a. S, Two
- b. F, One
- c. D, Four
- d. R, One
- e. C, Two

3. Questions

What is the difference between the number of persons working as Specialist Officer (SO) and the number of persons working as Deputy General Manager (DGM)?

- a. 5
- b. 4
- c. 3
- d. 1
- e. 2

4. Questions

Which of the following statement(s) is/are true as per the final arrangement?

- a. C is immediately senior to O
- b. F is designated as Clerk
- c. More than one designation are there between K and C
- d. O is not designated as Assistant Manager
- e. All are false

5. Questions

If in a certain way, B is related to I and F is related to S, then in the same manner H is related to ____.

- a. C
- b. G
- c. O
- d. A
- e. E

6. Questions

Study the following information carefully and answer the given questions.

A word and number arrangement machine, when given an input sequence of numbers and words, rearranges them by following a particular rule in each step. The following is an illustration of input sequence and its rearrangement:

Input: Actual 92 Behind 27 Sequence 62 Payment 38 Reminder 56

Step I: Behind Actual 92 Sequence 62 Payment 38 Reminder 56 45

Step II: Behind Sequence Actual 92 62 Payment Reminder 56 45 55

Step III: Behind Sequence Actual 92 62 Payment Reminder 45 55 11

Step IV: Behind Sequence Actual Reminder 92 Payment 45 55 11 32

Step V: Behind Sequence Actual Reminder Payment 45 55 11 32 77

Step V is the final output.

Find out different steps for the following input sequence based on the above logics in each step.

Input: Ready 69 Image 36 Boost 49 Crop 98 Expand 74

What is the sum of all the numbers in the last step of the given arrangement?

- a. 187
- b. 169
- c. 176
- d. 189
- e. 192

7. Questions

Which of the following element is third to the right of the fourth element from the left end in step II?

- a. Crop
- b. 74
- c. Ready
- d. 98
- e. Boost

8. Questions

How many elements are between 'Crop' and '74' in step III?

- a. Six
- b. None
- c. Three
- d. Four
- e. Two

@QuizByMickey

9. Questions

The number of elements to the left of 'Boost' is two less than the number of elements to the right of ____ in step I.

- a. 74

- b. Crop
- c. 49
- d. Image
- e. 69

10. Questions

What is the step number of the following output in the given arrangement?

Expand Image Crop Boost Ready 98 27 65 45 33

- a. Step III
- b. Step IV
- c. Step II
- d. Step V
- e. Step I

11. Questions

Study the following information carefully and answer the given questions.

In the following questions, the symbols $\in$, $*$, $!$, $\simeq$ and Υ are used with the following meaning, as illustrated below-

' $P \in Q$ ' means 'P is not greater than Q'

' $P * Q$ ' means 'P is not smaller than Q'

' $P ! Q$ ' means 'P is neither smaller nor greater than Q'

' $P \simeq Q$ ' means 'P is neither equal to nor smaller than Q'

' $P \Upsilon Q$ ' means 'P is neither equal to nor greater than Q'

Now in each of the following questions assuming the given statements to be true, find which of the three conclusions I, II, and III given below them is/are definitely true and give your answer accordingly.

Statements:

$A \simeq B \Upsilon C \in D; B * E \simeq F; D \Upsilon G ! H$

Conclusions:

I). $B \Upsilon H$

II). $E \simeq D$

III). $A * G$

- a. Only conclusion I is true
- b. Only conclusion II is true

@QuizByMickey

- c. Both conclusions I and II are true
- d. Both conclusions I or III is true
- e. All conclusions are true

12. Questions

Statements:

$P \nabla Q \in R \simeq S; R * T \simeq U \in V; U \nabla W ! X$

Conclusions:

I). $T \in Q$

II). $V \simeq X$

III). $V \in W$

- a. Only conclusion I is true
- b. Only conclusion II is true
- c. Both conclusions I and II are true
- d. Either conclusion II or III is true
- e. Either conclusion I or II is true

13. Questions

Statements:

$A \simeq B * C; D ! A \in E \nabla F; G * H ! E$

Conclusions:

I). $A \in G$

II). $C \nabla D$

III). $G \simeq D$

- a. Only conclusion I is true
- b. Only conclusion II is true
- c. Both conclusions I and II are true
- d. Only conclusion I and either conclusion II or III are true
- e. Both conclusions I and III are true

@QuizByMickey

14. Questions

Statements:

$U \simeq V * W; X ! Y \nabla Z \in V; Y * A \simeq B ! C$

Conclusions:

I). $X \in W$

II). $B \nmid Z$

III). $V \simeq X$

- a. Only conclusion I is true
- b. Only conclusion II is true
- c. Both conclusions I and II are true
- d. Only conclusion I and either conclusion II or III are true
- e. Both conclusions II and III are true

15. Questions

Statements:

$Z \simeq U \nmid M \in W; W \nmid Y * L; K * B \simeq Y$

Conclusions:

I). $M \nmid L$

II). $U * L$

III). $K \simeq M$

- a. Only conclusion I is true
- b. Only conclusion III is true
- c. Both conclusions I and II are true
- d. Only conclusion III and either conclusion I or II are true
- e. Both conclusions I and III are true

16. Questions

Study the following information carefully and answer the given questions.

In a large joint family of four generations, each couple has either two children or no children. Either both or none of the parents of the children are given. P is the mother of Q and R. Both Q and R are married to D and F respectively. F has an unmarried sibling. V is the sister-in-law of F's sister-in-law, and is the child of M. N is married to M and has one unmarried daughter. B is the child of O, who is the father-in-law of N. B's sibling is the paternal grandmother of J. N and J have the same gender. A's brother-in-law is the maternal uncle of S, who is in the same generation as J. T is the sister-in-law of M, but T does not have any siblings. E belongs to the first generation. G is the grandfather of S and the genders of E and S are the same.

What is the relation of E's son-in-law with respect to S's mother?

- a. Nephew
- b. Grandson
- c. Father-in-law
- d. Son
- e. Brother-in-law

17. Questions

Four of the following five are alike in a certain way as per the given arrangement and thus form a group. Which one of the following doesn't belong to the group?

- a. O - E
- b. M - N
- c. P - G
- d. F - A
- e. D - Q

18. Questions

If the persons name start with a letter, which come in the first half of the alphabetical series, then the names are changed to third succeeding letter and remaining names are changed to second preceding letter as per the alphabetical series, then how many persons name which are repeated more than once and they belong to which of the following generation(s)?

- a. One, first and fourth generation
- b. Two, Third and second generation
- c. One, first and second generation
- d. Two, first and fourth generation
- e. Both b) and d)

19. Questions

What is the ratio of the number of married couples to the average number of persons in the third generation and unmarried persons in the family?

- a. 7:8
- b. 6:5
- c. 5:7
- d. 6:7
- e. 3:5

@QuizByMickey

20. Questions

Which of the following statement(s) is/are true with respect to the final arrangement?

- O is the father-in-law of Q's sister-in-law's father
- S's paternal grandmother is married to the D's brother-in-law's father
- If S is married to Z, then Z is the son-in-law of Q's husband
- V's aunt is married is the sister-in-law of M
- Only 1 and 3

Explanations:

1. Questions

Final arrangement:

Designations	Number of persons	Persons
General Manager (GM)	5	M, K, I, B, R
Deputy General Manager (DGM)	1	C
Assistant General Manager (AGM)	2	F, S
Assistant Manager (AM)	3	H, U, O
Specialist Officer (SO)	6	Q, A, E, L, P, J
Clerk	4	G, T, N, D

We have,

- The number of persons working as Assistant General Manager (AGM) is the smallest prime number, which is one more than the number of persons working as Deputy General Manager (DGM), but one less than the number of persons working as Assistant Manager (AM).
- The number of persons working as General Manager (GM) is one more than the number of persons working as Clerk and the number of persons working as Specialist Officer (SO) is one more than the number of persons working as General Manager (GM).
- The total number of persons working in all the designations is 21.

Designations	Number of persons
General Manager (GM)	$x+1$
Deputy General Manager (DGM)	1
Assistant General Manager (AGM)	2
Assistant Manager (AM)	3
Specialist Officer (SO)	$x+2$
Clerk	x

Let, the number of persons working as clerk be 'x'

Total number of persons working = $x+1+1+2+3+x+2+x=21$

$\Rightarrow x=4$

Number of persons working as clerk = 4

Number of persons working as GM = 5

Number of persons working as SO = 4

- F works two designations senior to Q, who works with an odd number of persons.
- Q is immediately senior to the one who works with G.

From the above conditions, there are two possibilities.

Designations	Number of persons	Case-1	Case-2
		Persons	Persons
General Manager (GM)	5	F	
Deputy General Manager (DGM)	1		
Assistant General Manager (AGM)	2	Q	F
Assistant Manager (AM)	3	G	
Specialist Officer (SO)	6		Q
Clerk	4		G

Again, we have,

- As many designations are senior to A, as junior to C.
- Q works with persons whose names start with vowels, whose place values are less than that of G in alphabetical order.
- C is either an immediate junior or immediate senior to S.
- Only two designations are between S and T.

From the above conditions, case-1 **gets eliminated** because only two persons work as AGM which is not satisfied. Here, Case-2 gets splitted into another case as Case-2a.

Designations	Number of persons	Case-1	Case-2	Case-2a
		Persons	Persons	Persons
General Manager (GM)	5	F,	(S),	
Deputy General Manager (DGM)	1		(C)	(C)
Assistant General Manager (AGM)	2	Q,	(F),()	(F, S)
Assistant Manager (AM)	3	C, G,	(T),(),()	
Specialist Officer (SO)	6		Q, A, E,	Q, A, E,
Clerk	4		G,	G, T,

Again, we have,

- H works with U, but works three designations junior to M.
- Neither H nor K works with G.
- K works with I, but works as neither Specialist Officer (SO) nor Clerk.
- L is immediately senior to N, who works two designations junior to O.
- P, who works with J, works as neither General Manager (GM) nor Clerk.
- Neither B nor R works in the junior-most designation.
- D is one of the persons working in the company.

From the above conditions, case-2 **gets eliminated** because L is immediately senior to N, who works two designation junior to O, which is not satisfied.

Hence, Case-2a shows the final arrangement.

@QuizByMickey

Designations	Number of persons	Case-2	Case-2a
		Persons	Persons
General Manager (GM)	5	S, M, K, I	M, K, I, B, R
Deputy General Manager (DGM)	1	(C)	C
Assistant General Manager (AGM)	2	F	F, S
Assistant Manager (AM)	3	(T, H, U)	H, U, O
Specialist Officer (SO)	6	Q, A, E,	Q, A, E, L, P, J
Clerk	4	G,	G, T, N, D

Answer: D

2. Questions

Final arrangement:

Designations	Number of persons	Persons
General Manager (GM)	5	M, K, I, B, R
Deputy General Manager (DGM)	1	C
Assistant General Manager (AGM)	2	F, S
Assistant Manager (AM)	3	H, U, O
Specialist Officer (SO)	6	Q, A, E, L, P, J
Clerk	4	G, T, N, D

We have,

- The number of persons working as Assistant General Manager (AGM) is the smallest prime number, which is one more than the number of persons working as Deputy General Manager (DGM), but one less than the number of persons working as Assistant Manager (AM).
- The number of persons working as General Manager (GM) is one more than the number of persons working as Clerk and the number of persons working as Specialist Officer (SO) is one more than the number of persons working as General Manager (GM).
- The total number of persons working in all the designations is 21.

Designations	Number of persons
General Manager (GM)	$x+1$
Deputy General Manager (DGM)	1
Assistant General Manager (AGM)	2
Assistant Manager (AM)	3
Specialist Officer (SO)	$x+2$
Clerk	x

Let, the number of persons working as clerk be 'x'

Total number of persons working = $x+1+1+2+3+x+2+x=21$

$\Rightarrow x=4$

Number of persons working as clerk = 4

Number of persons working as GM = 5

Number of persons working as SO = 4

- F works two designations senior to Q, who works with an odd number of persons.
- Q is immediately senior to the one who works with G.

From the above conditions, there are two possibilities.

Designations	Number of persons	Case-1	Case-2
		Persons	Persons
General Manager (GM)	5	F	
Deputy General Manager (DGM)	1		
Assistant General Manager (AGM)	2	Q	F
Assistant Manager (AM)	3	G	
Specialist Officer (SO)	6		Q
Clerk	4		G

Again, we have,

- As many designations are senior to A, as junior to C.
- Q works with persons whose names start with vowels, whose place values are less than that of G in alphabetical order.
- C is either an immediate junior or immediate senior to S.
- Only two designations are between S and T.

From the above conditions, case-1 **gets eliminated** because only two persons work as AGM which is not satisfied. Here, Case-2 gets splitted into another case as Case-2a.

Designations	Number of persons	Case-1	Case-2	Case-2a
		Persons	Persons	Persons
General Manager (GM)	5	F,	(S),	
Deputy General Manager (DGM)	1		(C)	(C)
Assistant General Manager (AGM)	2	Q,	(F),()	(F, S)
Assistant Manager (AM)	3	C, G,	(T),(),()	
Specialist Officer (SO)	6		Q, A, E,	Q, A, E,
Clerk	4		G,	G, T,

Again, we have,

- H works with U, but works three designations junior to M.
- Neither H nor K works with G.
- K works with I, but works as neither Specialist Officer (SO) nor Clerk.
- L is immediately senior to N, who works two designations junior to O.
- P, who works with J, works as neither General Manager (GM) nor Clerk.
- Neither B nor R works in the junior-most designation.
- D is one of the persons working in the company.

From the above conditions, case-2 **gets eliminated** because L is immediately senior to N, who works two designation junior to O, which is not satisfied.

Hence, Case-2a shows the final arrangement.

@QuizByMickey

Designations	Number of persons	Case-2	Case-2a
		Persons	Persons
General Manager (GM)	5	S, M, K, I	M, K, I, B, R
Deputy General Manager (DGM)	1	(C)	C
Assistant General Manager (AGM)	2	F	F, S
Assistant Manager (AM)	3	(T, H, U)	H, U, O
Specialist Officer (SO)	6	Q, A, E,	Q, A, E, L, P, J
Clerk	4	G,	G, T, N, D

Answer: B

3. Questions

Final arrangement:

Designations	Number of persons	Persons
General Manager (GM)	5	M, K, I, B, R
Deputy General Manager (DGM)	1	C
Assistant General Manager (AGM)	2	F, S
Assistant Manager (AM)	3	H, U, O
Specialist Officer (SO)	6	Q, A, E, L, P, J
Clerk	4	G, T, N, D

We have,

- The number of persons working as Assistant General Manager (AGM) is the smallest prime number, which is one more than the number of persons working as Deputy General Manager (DGM), but one less than the number of persons working as Assistant Manager (AM).
- The number of persons working as General Manager (GM) is one more than the number of persons working as Clerk and the number of persons working as Specialist Officer (SO) is one more than the number of persons working as General Manager (GM).
- The total number of persons working in all the designations is 21.

Designations	Number of persons
General Manager (GM)	$x+1$
Deputy General Manager (DGM)	1
Assistant General Manager (AGM)	2
Assistant Manager (AM)	3
Specialist Officer (SO)	$x+2$
Clerk	x

Let, the number of persons working as clerk be 'x'

Total number of persons working = $x+1+1+2+3+x+2+x=21$

$\Rightarrow x=4$

Number of persons working as clerk = 4

Number of persons working as GM = 5

Number of persons working as SO = 4

- F works two designations senior to Q, who works with an odd number of persons.
- Q is immediately senior to the one who works with G.

From the above conditions, there are two possibilities.

Designations	Number of persons	Case-1	Case-2
		Persons	Persons
General Manager (GM)	5	F	
Deputy General Manager (DGM)	1		
Assistant General Manager (AGM)	2	Q	F
Assistant Manager (AM)	3	G	
Specialist Officer (SO)	6		Q
Clerk	4		G

Again, we have,

- As many designations are senior to A, as junior to C.
- Q works with persons whose names start with vowels, whose place values are less than that of G in alphabetical order.
- C is either an immediate junior or immediate senior to S.
- Only two designations are between S and T.

From the above conditions, case-1 **gets eliminated** because only two persons work as AGM which is not satisfied. Here, Case-2 gets splitted into another case as Case-2a.

Designations	Number of persons	Case-1	Case-2	Case-2a
		Persons	Persons	Persons
General Manager (GM)	5	F,	(S),	
Deputy General Manager (DGM)	1		(C)	(C)
Assistant General Manager (AGM)	2	Q,	(F),()	(F, S)
Assistant Manager (AM)	3	C, G,	(T),(),()	
Specialist Officer (SO)	6		Q, A, E,	Q, A, E,
Clerk	4		G,	G, T,

Again, we have,

- H works with U, but works three designations junior to M.
- Neither H nor K works with G.
- K works with I, but works as neither Specialist Officer (SO) nor Clerk.
- L is immediately senior to N, who works two designations junior to O.
- P, who works with J, works as neither General Manager (GM) nor Clerk.
- Neither B nor R works in the junior-most designation.
- D is one of the persons working in the company.

From the above conditions, case-2 **gets eliminated** because L is immediately senior to N, who works two designation junior to O, which is not satisfied.

Hence, Case-2a shows the final arrangement.

@QuizByMickey

Designations	Number of persons	Case-2	Case-2a
		Persons	Persons
General Manager (GM)	5	S, M, K, I	M, K, I, B, R
Deputy General Manager (DGM)	1	(C)	C
Assistant General Manager (AGM)	2	F	F, S
Assistant Manager (AM)	3	(T, H, U)	H, U, O
Specialist Officer (SO)	6	Q, A, E,	Q, A, E, L, P, J
Clerk	4	G,	G, T, N, D

Answer: A

4. Questions

Final arrangement:

Designations	Number of persons	Persons
General Manager (GM)	5	M, K, I, B, R
Deputy General Manager (DGM)	1	C
Assistant General Manager (AGM)	2	F, S
Assistant Manager (AM)	3	H, U, O
Specialist Officer (SO)	6	Q, A, E, L, P, J
Clerk	4	G, T, N, D

We have,

- The number of persons working as Assistant General Manager (AGM) is the smallest prime number, which is one more than the number of persons working as Deputy General Manager (DGM), but one less than the number of persons working as Assistant Manager (AM).
- The number of persons working as General Manager (GM) is one more than the number of persons working as Clerk and the number of persons working as Specialist Officer (SO) is one more than the number of persons working as General Manager (GM).
- The total number of persons working in all the designations is 21.

Designations	Number of persons
General Manager (GM)	$x+1$
Deputy General Manager (DGM)	1
Assistant General Manager (AGM)	2
Assistant Manager (AM)	3
Specialist Officer (SO)	$x+2$
Clerk	x

Let, the number of persons working as clerk be 'x'

Total number of persons working = $x+1+1+2+3+x+2+x=21$

$\Rightarrow x=4$

Number of persons working as clerk = 4

Number of persons working as GM = 5

Number of persons working as SO = 4

- F works two designations senior to Q, who works with an odd number of persons.
- Q is immediately senior to the one who works with G.

From the above conditions, there are two possibilities.

Designations	Number of persons	Case-1	Case-2
		Persons	Persons
General Manager (GM)	5	F	
Deputy General Manager (DGM)	1		
Assistant General Manager (AGM)	2	Q	F
Assistant Manager (AM)	3	G	
Specialist Officer (SO)	6		Q
Clerk	4		G

Again, we have,

- As many designations are senior to A, as junior to C.
- Q works with persons whose names start with vowels, whose place values are less than that of G in alphabetical order.
- C is either an immediate junior or immediate senior to S.
- Only two designations are between S and T.

From the above conditions, case-1 **gets eliminated** because only two persons work as AGM which is not satisfied. Here, Case-2 gets splitted into another case as Case-2a.

Designations	Number of persons	Case-1	Case-2	Case-2a
		Persons	Persons	Persons
General Manager (GM)	5	F,	(S),	
Deputy General Manager (DGM)	1		(C)	(C)
Assistant General Manager (AGM)	2	Q,	(F),()	(F, S)
Assistant Manager (AM)	3	C, G,	(T),(),()	
Specialist Officer (SO)	6		Q, A, E,	Q, A, E,
Clerk	4		G,	G, T,

Again, we have,

- H works with U, but works three designations junior to M.
- Neither H nor K works with G.
- K works with I, but works as neither Specialist Officer (SO) nor Clerk.
- L is immediately senior to N, who works two designations junior to O.
- P, who works with J, works as neither General Manager (GM) nor Clerk.
- Neither B nor R works in the junior-most designation.
- D is one of the persons working in the company.

From the above conditions, case-2 **gets eliminated** because L is immediately senior to N, who works two designation junior to O, which is not satisfied.

Hence, Case-2a shows the final arrangement.

@QuizByMickey

Designations	Number of persons	Case-2	Case-2a
		Persons	Persons
General Manager (GM)	5	S, M, K, I	M, K, I, B, R
Deputy General Manager (DGM)	1	(C)	C
Assistant General Manager (AGM)	2	F	F, S
Assistant Manager (AM)	3	(T, H, U)	H, U, O
Specialist Officer (SO)	6	Q, A, E,	Q, A, E, L, P, J
Clerk	4	G,	G, T, N, D

Answer: E

5. Questions

Final arrangement:

Designations	Number of persons	Persons
General Manager (GM)	5	M, K, I, B, R
Deputy General Manager (DGM)	1	C
Assistant General Manager (AGM)	2	F, S
Assistant Manager (AM)	3	H, U, O
Specialist Officer (SO)	6	Q, A, E, L, P, J
Clerk	4	G, T, N, D

We have,

- The number of persons working as Assistant General Manager (AGM) is the smallest prime number, which is one more than the number of persons working as Deputy General Manager (DGM), but one less than the number of persons working as Assistant Manager (AM).
- The number of persons working as General Manager (GM) is one more than the number of persons working as Clerk and the number of persons working as Specialist Officer (SO) is one more than the number of persons working as General Manager (GM).
- The total number of persons working in all the designations is 21.

Designations	Number of persons
General Manager (GM)	$x+1$
Deputy General Manager (DGM)	1
Assistant General Manager (AGM)	2
Assistant Manager (AM)	3
Specialist Officer (SO)	$x+2$
Clerk	x

Let, the number of persons working as clerk be 'x'

Total number of persons working = $x+1+1+2+3+x+2+x=21$

$\Rightarrow x=4$

Number of persons working as clerk = 4

Number of persons working as GM = 5

Number of persons working as SO = 4

- F works two designations senior to Q, who works with an odd number of persons.
- Q is immediately senior to the one who works with G.

From the above conditions, there are two possibilities.

Designations	Number of persons	Case-1	Case-2
		Persons	Persons
General Manager (GM)	5	F	
Deputy General Manager (DGM)	1		
Assistant General Manager (AGM)	2	Q	F
Assistant Manager (AM)	3	G	
Specialist Officer (SO)	6		Q
Clerk	4		G

Again, we have,

- As many designations are senior to A, as junior to C.
- Q works with persons whose names start with vowels, whose place values are less than that of G in alphabetical order.
- C is either an immediate junior or immediate senior to S.
- Only two designations are between S and T.

From the above conditions, case-1 **gets eliminated** because only two persons work as AGM which is not satisfied. Here, Case-2 gets splitted into another case as Case-2a.

Designations	Number of persons	Case-1	Case-2	Case-2a
		Persons	Persons	Persons
General Manager (GM)	5	F,	(S),	
Deputy General Manager (DGM)	1		(C)	(C)
Assistant General Manager (AGM)	2	Q,	(F),()	(F, S)
Assistant Manager (AM)	3	C, G,	(T),(),()	
Specialist Officer (SO)	6		Q, A, E,	Q, A, E,
Clerk	4		G,	G, T,

Again, we have,

- H works with U, but works three designations junior to M.
- Neither H nor K works with G.
- K works with I, but works as neither Specialist Officer (SO) nor Clerk.
- L is immediately senior to N, who works two designations junior to O.
- P, who works with J, works as neither General Manager (GM) nor Clerk.
- Neither B nor R works in the junior-most designation.
- D is one of the persons working in the company.

From the above conditions, case-2 **gets eliminated** because L is immediately senior to N, who works two designation junior to O, which is not satisfied.

Hence, Case-2a shows the final arrangement.

@QuizByMickey

Designations	Number of persons	Case-2	Case-2a
		Persons	Persons
General Manager (GM)	5	S, M, K, I	M, K, I, B, R
Deputy General Manager (DGM)	1	(C)	C
Assistant General Manager (AGM)	2	F	F, S
Assistant Manager (AM)	3	(T, H, U)	H, U, O
Specialist Officer (SO)	6	Q, A, E,	Q, A, E, L, P, J
Clerk	4	G,	G, T, N, D

Answer: C

6. Questions

Step I: The word whose last letter has the lowest place value as per the English alphabetical series is placed at the left end.

The difference of the squares of both the digits of the lowest number is placed at the right end. **(or)**

The product of the sum and the difference of the digits of the lowest number is placed at the right end.

Similarly for **Step II:** The word whose last letter has the second lowest place value as per the English alphabetical series is placed second from the left end.

The difference of the squares of both the digits of the second lowest number is placed at the right end. **(or)**

The product of the sum and the difference of the digits of the second lowest number is placed at the right end.

The similar conditions are followed in further steps III, IV, and V.

Input: Ready 69 Image 36 Boost 49 Crop 98 Expand 74

Step I: Expand Ready 69 Image Boost 49 Crop 98 74 27

Step II: Expand Image Ready 69 Boost Crop 98 74 27 65

Step III: Expand Image Crop Ready Boost 98 74 27 65 45

Step IV: Expand Image Crop Boost Ready 98 27 65 45 33

Step V: Expand Image Crop Boost Ready 27 65 45 33 17

Answer: A

7. Questions

@QuizByMickey

Step I: The word whose last letter has the lowest place value as per the English alphabetical series is placed at the left end.

The difference of the squares of both the digits of the lowest number is placed at the right end. **(or)**

The product of the sum and the difference of the digits of the lowest number is placed at the right end.

Similarly for **Step II:** The word whose last letter has the second lowest place value as per the English alphabetical series is placed second from the left end.

The difference of the squares of both the digits of the second lowest number is placed at the right end. **(or)**

The product of the sum and the difference of the digits of the second lowest number is placed at the right end.

The similar conditions are followed in further steps III, IV, and V.

Input: Ready 69 Image 36 Boost 49 Crop 98 Expand 74

Step I: Expand Ready 69 Image Boost 49 Crop 98 74 27

Step II: Expand Image Ready 69 Boost Crop 98 74 27 65

Step III: Expand Image Crop Ready Boost 98 74 27 65 45

Step IV: Expand Image Crop Boost Ready 98 27 65 45 33

Step V: Expand Image Crop Boost Ready 27 65 45 33 17

Answer: D

8. Questions

Step I: The word whose last letter has the lowest place value as per the English alphabetical series is placed at the left end.

The difference of the squares of both the digits of the lowest number is placed at the right end. **(or)**

The product of the sum and the difference of the digits of the lowest number is placed at the right end.

Similarly for **Step II:** The word whose last letter has the second lowest place value as per the English alphabetical series is placed second from the left end.

The difference of the squares of both the digits of the second lowest number is placed at the right end. **(or)**

The product of the sum and the difference of the digits of the second lowest number is placed at the right end.

The similar conditions are followed in further steps III, IV, and V.

Input: Ready 69 Image 36 Boost 49 Crop 98 Expand 74

Step I: Expand Ready 69 Image Boost 49 Crop 98 74 27

Step II: Expand Image Ready 69 Boost Crop 98 74 27 65

Step III: Expand Image Crop Ready Boost 98 74 27 65 45

Step IV: Expand Image Crop Boost Ready 98 27 65 45 33

Step V: Expand Image Crop Boost Ready 27 65 45 33 17

Answer: C

9. Questions

Step I: The word whose last letter has the lowest place value as per the English alphabetical series is placed at the left end.

The difference of the squares of both the digits of the lowest number is placed at the right end. **(or)**

The product of the sum and the difference of the digits of the lowest number is placed at the right end.

Similarly for **Step II:** The word whose last letter has the second lowest place value as per the English alphabetical series is placed second from the left end.

The difference of the squares of both the digits of the second lowest number is placed at the right end. **(or)**

The product of the sum and the difference of the digits of the second lowest number is placed at the right end.

The similar conditions are followed in further steps III, IV, and V.

Input: Ready 69 Image 36 Boost 49 Crop 98 Expand 74

Step I: Expand Ready 69 Image Boost 49 Crop 98 74 27

Step II: Expand Image Ready 69 Boost Crop 98 74 27 65

Step III: Expand Image Crop Ready Boost 98 74 27 65 45

Step IV: Expand Image Crop Boost Ready 98 27 65 45 33

Step V: Expand Image Crop Boost Ready 27 65 45 33 17

Answer: D

10. Questions

Step I: The word whose last letter has the lowest place value as per the English alphabetical series is placed at the left end.

The difference of the squares of both the digits of the lowest number is placed at the right end. **(or)**

The product of the sum and the difference of the digits of the lowest number is placed at the right end.

Similarly for **Step II:** The word whose last letter has the second lowest place value as per the English alphabetical series is placed second from the left end.

The difference of the squares of both the digits of the second lowest number is placed at the right end. **(or)**

The product of the sum and the difference of the digits of the second lowest number is placed at the right end.

The similar conditions are followed in further steps III, IV, and V.

Input: Ready 69 Image 36 Boost 49 Crop 98 Expand 74

Step I: Expand Ready 69 Image Boost 49 Crop 98 74 27

Step II: Expand Image Ready 69 Boost Crop 98 74 27 65

Step III: Expand Image Crop Ready Boost 98 74 27 65 45

Step IV: Expand Image Crop Boost Ready 98 27 65 45 33

Step V: Expand Image Crop Boost Ready 27 65 45 33 17

Answer: B

11. Questions

Answer: A

We have,

$$A \simeq B \nmid C \in D; B * E \simeq F; D \nmid G \nmid H$$

$$A > B < C \leq D; B \geq E > F; D < G = H$$

Conclusion I: $B \nmid H (B < H) \rightarrow (B < C \leq D < G = H)$ - True

Conclusion II: $E \simeq D (E > D) \rightarrow (E \leq B < C \leq D)$ - False

Conclusion III: $A * G (A \geq G) \rightarrow (A > B < C \leq D < G)$ - False

Hence, Only conclusion I is true.

12. Questions

Answer: D

We have,

$$P \nmid Q \in R \simeq S; R * T \simeq U \in V; U \nmid W \nmid X$$

$$P < Q \leq R > S; R \geq T > U \leq V; U < W = X$$

Conclusion I: $T \in Q (T \leq Q) \rightarrow (T \leq R \geq Q)$ - False

Conclusion II: $V \simeq X (V > X) \rightarrow (V \geq U < W = X)$ - Not definitely false

Conclusion III: $V \in W (V \leq W) \rightarrow (V \geq U < W)$ - Not definitely false

By combining Conclusions II and III, $W = X$ and we get a complementary pair.

Hence, Either conclusion II or III is true.

13. Questions

Answer: C

We have,

$$A \simeq B * C; D \nmid A \in E \nmid F; G * H \nmid E$$

$$A > B \geq C; D = A \leq E < F; G \geq H = E$$

Conclusion I: $A \in G (A \leq G) \rightarrow (A \leq E = H \leq G)$ - True

Conclusion II: $C \nexists D (C < D) \rightarrow (C \leq B < A = D)$ - True

Conclusion III: $G \simeq D (G > D) \rightarrow (G \geq H = E \geq A = D)$ - False

Hence, Both conclusions I and II are true.

14. Questions

Answer: E

We have,

$$U \simeq V * W; X ! Y \nexists Z \in V; Y * A \simeq B ! C$$

$$U > V \geq W; X = Y < Z \leq V; Y \geq A > B = C$$

Conclusion I: $X \in W (X \leq W) \rightarrow (X = Y < Z \leq V \geq W)$ - False

Conclusion II: $B \nexists Z (B < Z) \rightarrow (B < A \leq Y < Z)$ - True

Conclusion III: $V \simeq X (V > X) \rightarrow (V \geq Z > Y = X)$ - True

Hence, Both conclusions II and III are true.

15. Questions

Answer: D

We have,

$$Z \simeq U ! M \in W; W \nexists Y * L; K * B \simeq Y$$

$$Z > U = M \leq W; W < Y \geq L; K \geq B > Y$$

Conclusion I: $M \nexists L (M < L) \rightarrow (U=M \leq W < Y \geq L)$ - False

Conclusion II: $U * L (U \geq L) \rightarrow (U = M \leq W < Y \geq L)$ - False

Conclusion III: $K \simeq M (K > M) \rightarrow (K \geq B > Y > W \geq M)$ - True


Here, Conclusion I and II satisfies complementary pairs and conclusion III follows.

Hence, **Only conclusion III and either conclusion I or II are true**

16. Questions

Final arrangement:


@QuizByMickey



Answer: C

17. Questions


Final arrangement:



Answer: D [All the pairs in the given options are married couple, except option (d)]

18. Questions

Final arrangement:




@QuizByMickey

Answer: E (Here, M and P are the two persons names alone repeated more than once)

19. Questions


Final arrangement:



Answer: B

20. Questions

Final arrangement:



Answer: E

@QuizByMickey