



# COMPOSITE API Documentation

| Date         | Version | Description                                                                                                                                                                                                        |
|--------------|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 14-Jun-2019  | 0.1     | Initial Draft                                                                                                                                                                                                      |
| 17-Jun-2019  | 0.2     | CIB API added                                                                                                                                                                                                      |
| 18-Jun-2019  | 0.3     | Changed API process flow                                                                                                                                                                                           |
| 01-Jul-2019  | 0.4     | Inclusion of each flow request-response packet.                                                                                                                                                                    |
| 10-Jul-2019  | 0.5     | UPI Fields Description updated.                                                                                                                                                                                    |
| 17-Jul-2019  | 0.6     | UPI fields addition                                                                                                                                                                                                |
| 25-Jul-2019  | 0.7     | Error Codes Addition- UPI, IMPS, NEFT                                                                                                                                                                              |
| 30-Jul-2019  | 0.8     | Curl added                                                                                                                                                                                                         |
| 01-Aug-2019  | 0.9     | UPI request packet correction                                                                                                                                                                                      |
| 07-Aug-2019  | 0.10    | IMPS API spec update                                                                                                                                                                                               |
| 08-Aug-2019  | 1.01    | IMPS payload changes                                                                                                                                                                                               |
| 12-Aug-2019  | 1.02    | IMPS Tran Inquiry API Added                                                                                                                                                                                        |
| 16-Sep-2019  | 1.03    | Addition Beneficiary Registration API                                                                                                                                                                              |
| 01-Oct-2019  | 1.04    | Addition of bene reg. codes & change in UPI request packet                                                                                                                                                         |
| 04-Nov-2019  | 1.05    | Revision of error codes                                                                                                                                                                                            |
| 16-Dec-2019  | 1.06    | Inclusion of RTGS API                                                                                                                                                                                              |
| 31-Dec-2019  | 1.07    | Inclusion of Beneficiary APIs for UPI                                                                                                                                                                              |
| 02-Mar-2020  | 1.08    | Revision of Error codes & Documentation                                                                                                                                                                            |
| 08-Mar-2020  | 1.09    | Revision of FAQs                                                                                                                                                                                                   |
| 12-Mar-2020  | 1.10    | Updating UPI request packet & introduction part                                                                                                                                                                    |
| 04-June-2020 | 1.11    | Addition of Addendum – List of changes incorporated in v1.11                                                                                                                                                       |
| 06-Aug-2020  | 1.12    | Daily transaction MIS                                                                                                                                                                                              |
| 26-11-2020   | 1.13    | IMPS 360 API, CIB API under hybrid encryption and VPA Tag                                                                                                                                                          |
| 12-Dec-2021  | 1.14    | New APIGEE IPs added in composite API                                                                                                                                                                              |
| 30-Apr-2021  | 1.15    | Status and 360 APIs integrated into composite status API                                                                                                                                                           |
| 08-Sep-2021  | 1.16    | IMPS recon API “tranref” number based search                                                                                                                                                                       |
| 03-Sep-2022  | 1.18    | Added payee-mcc in UPI request, Added new parameter description for UPI, IMPS & NEFT, Addition of character limit for request and response packet                                                                  |
| 25-Aug-2023  | 1.19    | Elaborated handling for NEFT – RTGS transaction & status check, added handling for “transaction not found” cases, added description for request & response parameters, Flow diagrams for respective payment modes. |
| 18-Apr-2024  | 1.20    | Added bnflID flow, BeneLEI tag, added transaction lengths and updated handling for transaction not found cases and flow diagrams for NEFT, RTGS                                                                    |

## Table of Contents

|                                                              |    |
|--------------------------------------------------------------|----|
| Introduction .....                                           | 4  |
| UPI .....                                                    | 8  |
| Payment .....                                                | 8  |
| Status check under UPI .....                                 | 15 |
| UPI callback .....                                           | 22 |
| IMPS .....                                                   | 25 |
| Payment .....                                                | 25 |
| Status check under IMPS .....                                | 30 |
| NEFT & RTGS .....                                            | 33 |
| Payment .....                                                | 33 |
| Status check for NEFT & RTGS .....                           | 44 |
| Request packet for Composite API with fall-back option ..... | 50 |
| Composite API process Flow .....                             | 51 |
| API Name: CIB Registration .....                             | 52 |
| API Name: Beneficiary Registration .....                     | 54 |
| Beneficiary Registration through account number & IFSC ..... | 54 |
| Beneficiary Registration API through VPA .....               | 56 |
| Steps before final Integration .....                         | 58 |
| For encryption of response at ICICI .....                    | 61 |
| For decryption of response at Client .....                   | 61 |
| Steps for Encryption .....                                   | 61 |
| Steps for Decryption .....                                   | 62 |
| Frequently asked questions .....                             | 62 |
| APPENDIX .....                                               | 73 |

## Introduction

### 1. Brief

In today's digital era, numerous E-commerce companies, Payment Gateway Aggregators, NBFCs, and Insurance companies are transitioning towards API-based payment solutions, moving away from manual intervention and complex payment processing methods. In this document, we are introducing the "Composite API" to fulfill all your payment requirements. This comprehensive API encompasses various functionalities, including the ability to check payment status and access beneficiary services APIs for escrow account holding clients. By utilizing this API, customers can enjoy a unified API that integrates all payment modes, eliminating the need for multiple integrations with bank.

The supported payment modes currently include UPI, IMPS, NEFT, and RTGS. The API is designed to accommodate multiple payment modes, allowing for prioritization of specific modes such as IMPS and UPI for immediate payments. Clients have the flexibility to choose any desired mode of payment. The Composite Pay API is hosted on ICICI Bank's API Gateway, which efficiently routes requests to the respective payment mode based on the specified priorities in the payment request. In the context of API Banking, Composite API seamlessly integrates with the client's system, enabling direct transactions from the client's interface itself. Client can avail the transaction status through the status check API, eliminating the need for involvement of the bank's platform.

Several key benefits of incorporating composite API: -

- Implement all payment modes using a single API.
- Time & cost efficient
- 4096-bit hybrid encryption with high security
- Real-time output mechanism
- Availability of service 24 X 7 X 365\*
- High TPS support available.
- Configurable beneficiary validation check


Composite API is a future-driven system, which aims to the advancement of the payment system, with modified payment mechanisms. Composite API can be used to for priority based payment modes i.e. UPI, IMPS, NEFT & RTGS\*\*

\* NEFT & RTGS services may have some limits

\*\*Composite API can also be used for internal fund transfers through IMPS, NEFT & RTGS.

To read more about composite API, [click here](#)

Refer to the flowchart given below for better understanding of composite API: -



## 2. Structure of Payments

1. **CIB Registration:** This is a mandatory one-time registration API which is required to access the Beneficiary Registration & Validation API, NEFT and RTGS payment mode. CIB (Corporate Internet Banking) is the internal database of ICICI Bank for composite pay API and credentials to process payments for aforementioned services are issued post completion of CIB registration.
2. **Beneficiary Registration:** This is the first step for clients holding the escrow account. After completing CIB registration, clients should use this API to register beneficiaries in the CIB database. Client receives a unique benelD (beneficiary ID) for every beneficiary registration.
3. **Beneficiary Validation:** The bene validation service is a part of composite pay API which validates whether the beneficiary mentioned in the payment request is registered in the CIB database or not. If the validation is successful, the transaction is processed through the mentioned payment mode. If the validation fails, the transaction is declined. The client gets an appropriate error code as a response denoting that the beneficiary is not registered, and the transaction request has been declined. Please note, the beneficiary validation leg is mandatory for clients with V2 flow and is optional for clients with V1 flow.
  - a. CIB registration API is mandatory for clients who want to access NEFT, RTGS payment modes and beneficiary registration and validation service. Beneficiary registration & Validation is mandatory for PA & Escrow account holding clients. Please refer the section '4. Debits allowed for Escrow account holding clients in this section below.
4. **Payments:** The payment request through composite API will first land on the ICICI API Gateway (APIGW) from client's system. Based on the priority set by the client, APIGW will route the transaction request to the respective payment mode systems.
5. **Reverse Feed:** The transaction status will be shared as response within the same API call for IMPS and UPI modes whereas for NEFT and RTGS mode, actual status of the transactions will be available once the transaction batch gets processed. Client is required to fire the status check API and will receive the updated status of the transaction in response.

Please note the payment execution timelines for UPI and IMPS payment modes:

- a. For UPI, the final status of the transaction will be available between 300 secs and T+2 days of initiating the transaction.
  - b. For IMPS, the final status of the transaction will be available between 300 secs and T+2 days of initiating the transaction.
  - c. The exact time period for availability of transaction status is subjective to purging activity at our end. Hence, it is recommended to resolve the status of back dated transaction within 6 months with ICICI Bank team. Please connect with the ICICI Bank support team before taking any action on back dated transactions.
6. **Status Check:** If the client does not receive the response of a transaction, they can use the Composite Status Check API of the respective payment mode to fetch the transaction status. Please note, until the terminal status is achieved the client is not supposed to change the transactionID and reinitiate the transaction.

### 3. Onboarding

#### Technical Pre-requisite required from client's end:

1. IP Address: The IP needs to be whitelisted at our end to ensure the security. \*\*Please note that recurring request from a non-whitelisted IP address will result in revocation of the API key
2. 4096 Bits Public Key Certificate: Composite API will follow encryption and decryption mechanism to send and receive request & response from client's end. Every certificate file will have two components, i.e. Public Key certificate & Private Key certificate. Public Key Certificates are used to encrypt, and Private Key certificates are used to decrypt. The client will use ICICI Bank's public key certificate and encrypt the payment request. ICICI Bank will decrypt the payment request using our private key certificate and then process the transaction accordingly as per the payment mode preferred. After the request has been processed, ICICI Bank will encrypt the response using client's public key certificate and post it back. Client will use their corresponding private key certificate to decrypt the response received. These certificate files are available with third party vendors. A self-signed certificate for UAT is acceptable, but for live environment, a CA signed certificate is mandatory.

#### 4. Debits allowed for Escrow account holding clients:

Below debits are allowed in the escrow account: -

- Payment to various merchants / service providers.
- Payment to any other account on specific directions from the client.
- Transfer representing refunds for failed / disputed transactions.
- Payment of commission to the intermediaries. This amount shall be at pre-determined rates / frequency.
- Payment of amount received under promotional activities, incentives, cashbacks etc.

Beneficiary Registration and Validation is a mandatory when the client wants to use the V2 (Composite API version 2) flow. Clients must include only the beneficiaries registered using beneficiary registration API in the composite API payment request. The payment request will be processed after successful beneficiary validation.

#### 5. Daily transaction MIS:

Daily transaction MIS will be made available on the API developer portal on T+1. (<https://developer.icicibank.com>). Client is required to register on the API developer portal and share the User ID with ICICI Bank's business team.

Clients will be able to download day-wise transaction MIS for the last 30 days.

Path: - Home Page > Account > MIS Download

#### 6. Reconciliation expectation from Clients' end

Client should reconcile their Bank statement and Composite pay API responses on T+1 day and any discrepancies should be highlighted to the bank latest by T+2.

## UPI

Unified Payment Interface is an instant real-time payment system, which facilitates inter-bank, peer-to-peer, and person-to-merchant transactions.

### Payment

Endpoints (URL)

UAT V1 Flow<sup>1</sup>– <https://apibankingonesandbox.icicibank.com/api/v1/composite-payment>

UAT V2 Flow<sup>2</sup> - <https://apibankingonesandbox.icicibank.com/api/v2/composite-payment>

LIVE V1 Flow– <https://apibankingone.icicibank.com/api/v1/composite-payment>


LIVE V2 Flow \_ <https://apibankingone.icicibank.com/api/v2/composite-payment>

Transaction limit: -

| Transaction [24*7] | Amount (per transaction) |
|--------------------|--------------------------|
| Minimum            | INR.1                    |
| Maximum            | INR.1,00,000             |

Note - For certain remitter MCC's, maximum limit is 2 Lakhs. Please refer FAQs for the same.

UPI: Process flow diagram: -



1. V1 Flow – V1 flow should be used by current account holding clients.
2. V2 Flow – V2 flow should be used by the Payment aggregators and escrow account-holding clients based on the use case. Beneficiary registration is mandatory for the clients with V2 flow irrespective of payment mode.



## Input parameters

| Header          |                                                                                                                                                                                                                                                   |                   |                 |
|-----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------|
| Input Parameter | Description                                                                                                                                                                                                                                       | Provided by ICICI | Mandatory value |
| apikey          | API key is a unique value generated for each client. API Key will be provided to the client during onboarding and same needs to be used for all further transactions. Client must ensure that requests are being sent from whitelisted IP's only. | Yes               | Mandatory       |
| x-priority      | This value states the priority order for the mode of payment.<br>FOR UPI, x priority = "1000"                                                                                                                                                     | Yes               | Mandatory       |

| Body                                       |                                                                                                                                                                                                               |                            |                 |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------|
| Input parameter & type (maximum character) | Description                                                                                                                                                                                                   | Provided by ICICI (Yes/No) | Mandatory value |
| Device-ID<br>[String (255)]                | This is a Unique device Token, which should be unique per channel user. This will be created during registration, and it will be provided to the client by ICICI Bank.                                        | Yes                        | Mandatory       |
| Mobile Number<br>[Number (10)]             | Mobile Number of the remitter. Mobile number provided during onboarding should be used.                                                                                                                       | Yes                        | Mandatory       |
| profile-id<br>[String (10)]                | Profile ID is created during onboarding, and it will be shared with the client.                                                                                                                               | Yes                        | Mandatory       |
| seq-no<br>[String (35)]                    | Unique random sequence number needs to be generated by client starting with ICI of length 35 and without any special character. Client should keep the sequence number handy to check the transaction status. | No                         | Mandatory       |
| account-number                             | Account number of the remitter / sender                                                                                                                                                                       | No                         | Conditional     |

|                               |                                                                                                                                                                                                                                                                                                                                                                                                   |     |                                            |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|--------------------------------------------|
| [Number (35)]                 |                                                                                                                                                                                                                                                                                                                                                                                                   |     |                                            |
| account-provider              | Value of “74” needs to be passed.                                                                                                                                                                                                                                                                                                                                                                 | Yes | Mandatory                                  |
| account-type<br>[String (20)] | Account type of the sender to be passed                                                                                                                                                                                                                                                                                                                                                           | Yes | Optional                                   |
| payee-va<br>[String (255)]    | <p>Beneficiary VPA to be passed in this field.</p> <p>For payment to account number and IFSC, VPA format is:</p> <p>&lt;Account number&gt;@&lt;IFSC code&gt;.ifsc.npci</p> <p>VPA format for credit card bill payments*:</p> <p>a. ICICI Bank: ccpay.&lt;credit card number&gt;@icici</p> <p>b. Axis Bank: cc.91&lt;registered mobile number&gt;&lt;last 4 digits of credit card&gt;@axisbank</p> | No  | Mandatory                                  |
| payer-va<br>[String (255)]    | Sender (remitter) VPA to be passed in this field.                                                                                                                                                                                                                                                                                                                                                 | No  | Mandatory                                  |
| amount<br>[Number (14)]       | <p>Total transaction amount</p> <p>Example: - 15,000.00 [the amount must have value until two decimals]</p>                                                                                                                                                                                                                                                                                       | No  | Mandatory                                  |
| remarks<br>[String (50)]      | <p>Transaction remarks, these details will be sent to NPCI. “remarks” field will be reflected in the bank statement also.</p> <p>This should not contain any special character.</p>                                                                                                                                                                                                               | No  | Mandatory                                  |
| mcc<br>[Number (4)]           | The Payer MCC code should be passed in this field. MCC [Merchant Category Code] refers to the four-digit number used by NPCI to categorize the businesses. MCC will be shared by ICICI Bank during onboarding.                                                                                                                                                                                    | Yes | Mandatory                                  |
| crplD<br>[String (32)]        | <p>This is the Client Id in CIB. Client will get it during onboarding. Please check with the RM.</p> <p>[mandatory only for BNF ID flow]</p>                                                                                                                                                                                                                                                      | Yes | Conditional<br>(Mandatory for BNF ID flow) |

| userID<br>[String (32)]                   | Corporate User ID of the client. User Id of the client. This will be provided during onboarding. Please check with the RM.<br>[mandatory only for BNF ID flow]                                                                                                                                                                                                                                                                                 | Yes          | Conditional<br>(Mandatory for BNF ID flow)       |                       |          |             |                  |               |              |                |                |              |     |                                                 |
|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------|-----------------------|----------|-------------|------------------|---------------|--------------|----------------|----------------|--------------|-----|-------------------------------------------------|
| aggrID<br>[String (100)]                  | Aggregator ID of the client. This will be provided to the client during onboarding by RM.<br>[mandatory only for BNF ID flow]                                                                                                                                                                                                                                                                                                                  | Yes          | Conditional<br>(Mandatory for BNF ID flow)       |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| urn<br>[String (40)]                      | Same as passed in CIB registration request.<br>[mandatory only for BNF ID flow]                                                                                                                                                                                                                                                                                                                                                                | No           | Conditional<br>(Mandatory for BNF ID flow)       |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| global- address-<br>type<br>[String (20)] | This value column will consist of any of the following values, pass the appropriate values as it is.<br>MOBILEMMID, ACCOUNTIFSC, AADHAR NUMBER<br><br>(Required to be passed only if a payment to Account + IFSC is done)                                                                                                                                                                                                                      | Yes          | Conditional                                      |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| VPA<br>[String (225)]                     | Should be same as Payee ‘VPA’.                                                                                                                                                                                                                                                                                                                                                                                                                 | No           | Conditional<br>(Mandatory for BNF ID flow field) |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| initiation-mode<br>[Numeric (02)]         | Initiation mode 00=Default, 01=QR Code, 02= Secure QR Code, 03=Bharat QR Code, 04=intent, 05=Secure Intent, 06=NFC, 07=BLE(Bluetooth), 08=UHF (Ultra High Frequency), 09=Aadhaar, 10=SDK, 11=UPI-Mandate, 12=FIR(Foreign Inward Remittance), 13=QR Mandate, 14=BBPS                                                                                                                                                                            | Yes          | Conditional                                      |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| Purpose<br>[Numeric (02)]                 | <div>The purpose field is used especially for SEBI txn</div> <table><tr><th>Purpose code</th></tr><tr><td>00 – Normal Transaction</td></tr><tr><td>01 – One Time Mandate</td></tr><tr><td>02 – AMC</td></tr><tr><td>03 – Travel</td></tr><tr><td>04 – Hospitality</td></tr><tr><td>05 – Hospital</td></tr><tr><td>06 – Telecom</td></tr><tr><td>07 – Insurance</td></tr><tr><td>08 – Education</td></tr><tr><td>09 – Gifting</td></tr></table> | Purpose code | 00 – Normal Transaction                          | 01 – One Time Mandate | 02 – AMC | 03 – Travel | 04 – Hospitality | 05 – Hospital | 06 – Telecom | 07 – Insurance | 08 – Education | 09 – Gifting | Yes | Conditional<br>(Mandatory for B2B transactions) |
| Purpose code                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                |              |                                                  |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| 00 – Normal Transaction                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                |              |                                                  |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| 01 – One Time Mandate                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                |              |                                                  |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| 02 – AMC                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                |              |                                                  |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| 03 – Travel                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                |              |                                                  |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| 04 – Hospitality                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                |              |                                                  |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| 05 – Hospital                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                |              |                                                  |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| 06 – Telecom                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                |              |                                                  |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| 07 – Insurance                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                |              |                                                  |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| 08 – Education                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                |              |                                                  |                       |          |             |                  |               |              |                |                |              |     |                                                 |
| 09 – Gifting                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                |              |                                                  |                       |          |             |                  |               |              |                |                |              |     |                                                 |

|                              |                                                                                                                                                                                                                                                                         |     |             |  |
|------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-------------|--|
|                              | 10 – BBPS<br>11 – Global UPI<br>12 – Metro ATM QR<br>13 – Non-metro ATM QR<br>14 – SI<br>15 – Corporate disbursement<br>16 – UPI Lite (Financial Transaction)<br>17 – P2P e-rUPI<br>18 – Govt B2C e-RUPI<br>19 – Private B2C e-RUPI<br>20 – B2B<br>21 – FIR<br>25 – RDS |     |             |  |
| ref-id<br>[String (35)]      | <p>Reference number</p> <p>Mandatory for making credit card and QR payments.</p> <p>'Seq-no' can be passed in 'ref-id' field for CC payouts and QR code payouts. Ref-id should be fetched from the QR wherever it is available in the QR.</p>                           | Yes | Conditional |  |
| payee-mcc<br>[Number][4]     | <p>If payout is being done to a merchant, the MCC of the beneficiary needs to be passed. 'payee-mcc' can be fetched from the QR.</p>                                                                                                                                    | No  | Optional    |  |
| payee-name<br>[String (100)] | <p>Beneficiary Name</p>                                                                                                                                                                                                                                                 | No  | Optional    |  |
| bnfld                        | <p>Beneficiary ID. If client wants to use beneficiary ID flow, "bnfld" needs to be passed in request packet.</p>                                                                                                                                                        | Yes | Optional    |  |
| currency<br>[String (3)]     | <p>This provides the preferred currency in which the client wishes to conduct the transaction.</p> <p>This is an optional input because if there is no special mention the default INR will be used for payment.</p>                                                    | Yes | Optional    |  |
| capability                   | <p>"5200000000000000&lt;6-digit PIN code&gt;&lt;10 digit registered mobile number&gt;"; Please note that input value ends with a cushion of 10 spaces</p>                                                                                                               | No  | Mandatory   |  |

### A Sample request packet for UPI Transaction

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Header | apikey = '-----'<br>x-priority = '1000'                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Body   | <pre>{   "device-id": "400438400438400438400438",   "mobile": "7988000014",   "profile-id": "2996304",   "seq-no": "ICI20240113158425",   "account-provider": "74",   "payee-va": "pratkm1@icici",   "payer-va": "uattesting0014@icici",   "amount": "3.00",   "remarks": "UPIPayment",   "mcc": "6011",   "vpa": "pratkm1@icici",   "payee-name": "PratikMundhe",   "payee-mcc": "6011",   "crplD": "",   "aggrID": "",   "userID": "",   "account-type": "",   "account-number": "",   "urn": "",   "global-address-type": "",   "payee-account": "",   "payee-IFSC": "",   "initiation-mode": "",   "purpose": "",   "ref-id": "",   "currency": "",   "capability": "5200000000000004000639292929292" }</pre> |

### A Sample request packet for UPI Transaction with beneficiary ID flow

|        |                                                                                                                                                                                                       |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Header | apikey = '-----'<br>x-priority = '1000'                                                                                                                                                               |
| Body   | <pre>{   "mobile": "7988000014",   "device-id": "400438400438400438400438",   "seq-no": "ICI202310191100",   "account-provider": "10",   "payee-va": "",   "payer-va": "uattesting0014@icici", </pre> |

```

"profile-id": "2996304",
"amount": "4.68",
"mcc": "6011",
"remarks": "SATYANARAYAN M",
"crpID": "PRACHICIB1",
"aggrID": "CUST0663",
"userID": "USER3",
"urn": "3kCy4sPuSqDNi4kkgXJloE568223",
"aggrName": "CRED",
"ref-id": "ICI20231017110908",
"bnfId": "3829",
"capability": "52000000000000004000639292929292"
}

```

Above request packets can be directly used for UAT (User Acceptance Test) testing purpose.

\*According to RBI guidelines, clients cannot store customer card details. VPA for CC bill payments can be input only if customer provides credit card number during each login. Else, bnfId must be used for store details and make credit card bill payments.

#### Output parameters

| Output parameters & type | Description                                                                                                                                                 |
|--------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Success [Boolean]        | This value of the output refers to the status of the transaction API call – success (true) /failure (false)                                                 |
| Response [Number]        | Response code denoting the status of the transaction                                                                                                        |
| Message [String]         | Transactions status message explaining reason for success, failure or pendency                                                                              |
| BankRRN [Number]         | It is a unique 12-digit number used to refer a particular transaction.                                                                                      |
| UpiTranlogId [String]    | Internal ID generated at UPI Switch.                                                                                                                        |
| UserProfile [String]     | Denotes profile ID of the user                                                                                                                              |
| SeqNo [Number]           | seq-no of the transaction will be echoed back from the request.                                                                                             |
| MobileAppData [JSON]     | MobileAppData value will be json based "STRING" (JSON – Stringified JSON.)                                                                                  |
| PayerRespCode            | This is the response code populated by the Payer. For successful transactions or for transactions with no issue at the Payer side, this field will be blank |

|                  |                                                                                                                                                             |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PayeeRespCode    | This is the response code populated by the Payee. For successful transactions or for transactions with no issue at the Payee side, this field will be blank |
| PayeeRevRespCode | This is the response code populated by the Payee at the time of credit reversal. For all other cases, this will be blank.                                   |
| PayerRevRespCode | This is the response code populated by the Payer at the time of debit reversal. For all other cases, this will be blank.                                    |

### Sample response packet for UPI transaction

| Success                                                                                                                                                                                                                                                                                                                                               | Failure                                                                                                                                                                                                                                                                                                                                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <pre>{   "success": true,   "response": "0",   "message": "Transaction Successful",   "BankRRN": "401300351403",   "UpiTranlogId": "89375142",   "UserProfile": "2996304",   "SeqNo": "ICI20240113158425",   "MobileAppData": "SUCCESS",   "PayerRespCode": "00",   "PayeeRespCode": "00",   "PayerRevRespCode": "",   "PayeeRevRespCode": "" }</pre> | <pre>{   "success": true,   "response": "36",   "message": "Virtual address not present",   "BankRRN": "318700204265",   "UpiTranlogId": "88282914",   "UserProfile": "2996304",   "SeqNo": "ICI202307061838",   "MobileAppData": "",   "PayerRespCode": "",   "PayeeRespCode": "",   "PayerRevRespCode": "",   "PayeeRevRespCode": "" }</pre> |

### Response packet of Gateway Failure

|                                                                                                                          |
|--------------------------------------------------------------------------------------------------------------------------|
| <pre>{   "success": false,   "errorCode": "997",   "description": "Note : Initiate Status check after Some time" }</pre> |
|--------------------------------------------------------------------------------------------------------------------------|

## Status check under UPI

End points (URL)

UAT – <https://apibankingonesandbox.icicibank.com/api/v1/composite-status>

LIVE– <https://apibankingone.icicibank.com/api/v1/composite-status>

## Input parameters

| Header          |                                                                                                                                    |                   |                 |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------|
| Input parameter | Description                                                                                                                        | Provided by ICICI | Mandatory value |
| apikey          | 'API Key' is a unique value generated for each client. Client must ensure that requests are being sent from whitelisted IP's only. | Yes               | Mandatory       |
| x-priority      | This value states the priority order for the mode of payment.<br><br>FOR UPI, x-priority = "1000"                                  | Yes               | Mandatory       |

| Body                                       |                                                                                                                                                                                   |                 |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| Input parameter & type (maximum character) | Description                                                                                                                                                                       | Mandatory value |
| device-id<br>[String (255)]                | This is a Unique device Token, which should be unique per channel user. This will be created during registration, and it will be provided to the client by ICICI Bank.            | Mandatory       |
| mobile<br>[Number (10)]                    | Mobile Number of the client (Sender).                                                                                                                                             | Mandatory       |
| seq-no<br>[String (35)]                    | Unique random sequence number needs to be generated by client starting with ICI of length 35 and without any special character. This must be unique for each status check request | Mandatory       |
| channel-code<br>[String (15)]              | Value of "MICICI" needs to be passed.                                                                                                                                             | Mandatory       |
| profile-id<br>[String (10)]                | Profile ID gets created during onboarding and same will be shared to the client.                                                                                                  | Mandatory       |
| ori-seq-no<br>[String (35)]                | Seq No of the original transaction for which the status needs to be checked.                                                                                                      | Mandatory       |



| Date [Date (MM/DD/YYYY)] | Date when the transaction was initiated                                                                                                                                                                                                                                                                                                  | Mandatory |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| recon360 [String (1)]    | <p>Fixed value "Y" or "N"</p> <p>For Value "N," API will be routed to status API, and fetch the status available at NPCI.</p> <p>For value "Y," API will be routed to Recon 360 to get the status of "Deemed approved" or pending transactions.</p> <p>Pass this field as "N" for normal status check enquiry and "Y" for recon 360.</p> | Mandatory |

#### A Sample request packet for UPI status check

| UPI status enquiry                                                                                                                                                                                                                                           | UPI Recon Status enquiry                                                                                                                                                                                                                             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <pre>{   "date": "13/01/2024",   "recon360": "N",   "seq-no": "ICI20240311314521",   "channel-code": "MICICI",   "ori-seq-no": "ICI20240113158425",   "mobile": "7988000014",   "profile-id": "2996304",   "device-id":   "400438400438400438400438" }</pre> | <pre>{   "date": "07/0/2023",   "recon360": "Y",   "seq-no": "ICIAJRskumar565",   "channel-code": "MICICI",   "ori-seq-no": "ICIAJRskumar52",   "mobile": "7988000014",   "profile-id": "2996304",   "device-id": "400438400438400438400438" }</pre> |

## Output parameters

| Output parameter & type       | Description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UPI status check API response |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Success [String]              | Denotes whether the status check request has been successfully processed or not.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Response [Number]             | This value refers to the code corresponding to the response of the status check request                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Message [String]              | Response code description                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| BankRRN [Number]              | The Bank reference number of the status check request & not of the original transaction.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| UpiTranlogId [String]         | The Transaction ID generated by Switch for status check request.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| UserProfile [String]          | Profile Id of the user.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| MobileAppData [JSON]          | <p>These filed provides the details of the transaction for which status check is being done.</p> <p>"original-txn-response-code" from the "Mobile App data" contains the updated status of the transaction.</p> <p>"original-txn-rrn" reflects the original transaction RRN.</p> <p>Note: - Client should first check the "response" parameter for "0" and "message" parameter for "Transaction Successful." In status check API to make sure that status check request is successful. Post that, "original-txn-response-code" and "original-txn-message" to be referred from "MobileAppData" for status of original transaction.</p> |
| SeqNo.[String]                | Seq-no of the original transaction will be echoed back from the status check request packet                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| PayerRespCode                 | This is the response code populated by the Payer. For successful transactions or for transactions with no issue at the Payer side, this field will be blank                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| PayeeRespCode                 | This is the response code populated by the Payee. For successful transactions or for transactions with no issue at the Payee side, this field will be blank                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| PayeeRevRespCode              | This is the response code populated by the Payee at the time of credit reversal. For all other cases, this will be blank.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| PayerRevRespCode              | This is the response code populated by the Payer at the time of debit reversal. For all other cases, this will be blank.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |

## Recon 360 API response

|                                           |                                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| PayeeAccount [Numeric]                    | Beneficiary account number                                                                                                                                                                                                                                                                                                                                                                                       |
| TransactionType [Alphanumeric]            | Default value as PAY for UPI payouts                                                                                                                                                                                                                                                                                                                                                                             |
| PayeeIFSC [Alphanumeric]                  | Beneficiary IFSC                                                                                                                                                                                                                                                                                                                                                                                                 |
| OriginatingChannel [ Alphanumeric]        | Default value “ UPI.NPCI”                                                                                                                                                                                                                                                                                                                                                                                        |
| OriginalTransactionStatus [ Alphanumeric] | Status received during transaction API / status check API whichever is recently updated.                                                                                                                                                                                                                                                                                                                         |
| PayeeName [ Alphanumeric]                 | Payee (Beneficiary) name                                                                                                                                                                                                                                                                                                                                                                                         |
| PayerIFSC [ Alphanumeric]                 | Payer (Remitter) IFSC                                                                                                                                                                                                                                                                                                                                                                                            |
| PayerName [Alphanumeric]                  | Payer (Remitter) name                                                                                                                                                                                                                                                                                                                                                                                            |
| PayerVPA [ Alphanumeric]                  | Payer (Remitter) VPA                                                                                                                                                                                                                                                                                                                                                                                             |
| MerchantID [ Alphanumeric]                | Merchant (Remitter) ID                                                                                                                                                                                                                                                                                                                                                                                           |
| PayeeVPA [ Alphanumeric]                  | Payee (Beneficiary) VPA                                                                                                                                                                                                                                                                                                                                                                                          |
| RRN [Numeric]                             | RRN of original transaction                                                                                                                                                                                                                                                                                                                                                                                      |
| TransactionAmount [Numeric]               | Transaction Amount                                                                                                                                                                                                                                                                                                                                                                                               |
| PayerAccountNumber [Numeric]              | Payer (remitter) Account Number                                                                                                                                                                                                                                                                                                                                                                                  |
| DateTimeStatusChange [Alphanumeric]       | Date and Time of transaction status Change                                                                                                                                                                                                                                                                                                                                                                       |
| CurrentTransactionStatus [ Alphanumeric]  | <p>Current Transaction Status i.e the updated status of the Original transaction</p> <p>Success responses: Credit confirmation received, Success, Completed</p> <p>Failure response: Failed, Returned received, Customer Reversed</p> <p>Pending response: Deemed approved, Suspect, Timeout, Initiated</p> <p>OriginalTransactionStatus needs to be referred if the CurrentTransactionStatus field is blank</p> |
| SequenceNumber [Alphanumeric]             | Original transaction sequence number                                                                                                                                                                                                                                                                                                                                                                             |
| IRC[Numeric]                              | Internal response code                                                                                                                                                                                                                                                                                                                                                                                           |
| DisplayMessage [ Alphanumeric]            | Display Message on API call. Display message is fetched form SWITCH table in 360, its show the status of the transaction like                                                                                                                                                                                                                                                                                    |

|                                                |                                                                                   |
|------------------------------------------------|-----------------------------------------------------------------------------------|
|                                                | (Success, Failed, Technical Error etc) and numeric digit means "Approval number". |
| OriginalTransactionDateTime<br>[ Alphanumeric] | Original Transaction Date and Time                                                |

### A Sample response packet for UPI status check

| Success                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | Failure                                                                                                                                                                                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <pre>{   "success": true,   "response": "0",   "message": "Transaction Successful",   "BankRRN": "401300351403",   "UpiTranlogId": "346909262",   "UserProfile": "2996304",   "SeqNo": "ICI20240311314521",   "MobileAppData": {     "payee-vpa": "pratikm1@icici",     "payer-ifsc": "ICIC0DC0099",     "payer-account": "000405011452",     "original-txn-rrn": 401300351403,     "npci-resp-code": "",     "payer-remarks": "UPIPayment",     "original-txn-response-code": 0,     "original-txn-message": "SUCCESS",     "payer-account-type": ""   },   "PayerRespCode": "00",   "PayeeRespCode": "00",   "PayerRevRespCode": "",   "PayeeRevRespCode": "" }</pre> | <pre>{   "success": true,   "response": "15",   "message": "original record not found",   "BankRRN": "318724925198",   "UpiTranlogId": "324925198",   "UserProfile": "2996304",   "SeqNo": "ICI202307051951078",   "MobileAppData": "",   "PayerRespCode": "",   "PayeeRespCode": "",   "PayerRevRespCode": "",   "PayeeRevRespCode": "" }</pre> |

## A Sample response packet for UPI Recon status check

| Success                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Failure                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <pre>{   "PayeeAccount": "XXXXXXXXX0151",   "TransactionType": "PAY",   "PayeeIFSC": "ICIC0DC0099",   "OriginatingChannel": "MICICI",   "OriginalTransactionStatus": "Success",   "PayeeName": "PratikMundhe",   "PayerIFSC": "",   "PayerName": "UATTEST",   "PayerVPA": "uattesting0014@icici",   "MerchantID": "ICI20230705200300",   "PayeeVPA": "pratikm1@icici",   "RRN": "318600203972",   "TransactionAmount": "3.5",   "PayerAccountNumber":   "XXXXXXXXX1452",   "DateTimeStatusChange": "",   "CurrentTransactionStatus": "",   "SequenceNumber":   "ICI20230705200300",   "IRC": "0000",   "DisplayMessage": "Success. 280464",   "OriginalTransactionDateTime": "2023- 07-05 20:03:33.0" }</pre> | <pre>{   "PayeeAccount": "XXXXXXXXX0151",   "TransactionType": "PAY",   "PayeeIFSC": "ICIC0DC0099",   "OriginatingChannel": "MICICI",   "OriginalTransactionStatus": "Failed",   "PayeeName": "PratikMundhe",   "PayerIFSC": "",   "PayerName": "UATTEST",   "PayerVPA": "uattesting0014@icici",   "MerchantID": "ICIAJHB762",   "PayeeVPA": "pratikm1@icici",   "RRN": "317100148049",   "TransactionAmount": "6",   "PayerAccountNumber": "XXXXXXXXX1452",   "DateTimeStatusChange": "",   "CurrentTransactionStatus": "",   "SequenceNumber": "ICIAJHB762",   "IRC": "0000",   "DisplayMessage": "Success. 826268",   "OriginalTransactionDateTime": "2023-06-20 22:50:08.0" }</pre> |

## Additional information for Response packet

- Client has to pass the "N" value in the recon360 tag to get the UPI transaction status response and for Recon360 the value to be passed is "Y"
- Client will receive two different responses for status and Recon360.
- Recon360 API should be used on T+2 for pending cases post using the status API.

- |                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"><li>• Last 5 days' transaction status will be present over UPI status inquiry at any point in time.</li></ul>                                                                  |
| <ul style="list-style-type: none"><li>• In case of transaction not found in recon 360 status check, client will receive a {null} response (plain text) in the same format as of Recon360 status check.</li></ul> |
| <ul style="list-style-type: none"><li>• Status check must be initiated after 300 seconds of original transaction.</li></ul>                                                                                      |

## UPI callback

Client can avail the callback for UPI transactions. Client needs to provide URL on which callbacks needs to be sent. Please get in touch with your RM for more details.

Clients can receive the callback for the below cases:

1. Successful transaction completion
2. Outside ICICI Bank failures
3. Transaction response from NPCI when there is a timeout at Beneficiary Bank (Deemed Approved transactions\*)
4. Transactions being updated through NPCI UDIR system for Deemed Approved Transactions. This can happen 60 mins/120 mins/180 mins after the transaction initiation.

\*When NPCI is not getting a transaction response from the Beneficiary bank, NPCI send the Act code of "BT"/"91" (Beneficiary timeout). This is a non-terminal status and needs to be kept as pending by the merchant.

Process flow post UPI callback integration:

1. If callback with terminal status is not received within 300 seconds of transaction initiation
  - a. Status check can be initiated to get the status of the transaction.
2. If callback with terminal status is received within 300 seconds of transaction initiation
  - a. The handling of the transaction to be done as per the handling of the respective response code
  - b. If the transaction is in Deemed Approved state, then callbacks can be expected after 60 minutes, 120 minutes & 180 minutes after the transaction.
    - i. If callback with updated status is not received even after 185 minutes, UPI recon360 status check to be done on T+2.
3. If callback is received within TAT but the terminal status is not available and status received is not "BT"
  - a. Status check to be retried after 5 minutes. If still terminal status is not being received, status check to be retried at increasing intervals and handling to be done as per the error code document.

**Output parameters.**

| Output value      | Description                                      |
|-------------------|--------------------------------------------------|
| subMerchantId     | Merchant Identifier                              |
| ResponseCode      | Response Code denoting status of the transaction |
| PayerMobile       | Mobile number of Remitter                        |
| TxnCompletionDate | Transaction completion Date                      |
| terminalId        | MCC Code of Remitter                             |
| PayerName         | Payer Name                                       |
| PayeeVPA          | Payee VPA                                        |
| PayerAmount       | Amount                                           |
| PayerVA           | Payer VPA                                        |
| BankRRN           | Transaction RRN                                  |
| merchantId        | Merchant Identifier                              |
| TxnInitDate       | Transaction Initiation Date                      |
| TxnStatus         | Transaction Status                               |
| merchantTranId    | Merchant Identifier                              |
| PayeeRespCode     | Payee Response Code                              |
| PayerRespCode     | Payer Response Code                              |
| PayeeRevRespCode  | Payee Reversal Response Code                     |
| PayerRevRespCode  | Payer Reversal Response Code                     |

### Sample response for UPI callback

| Success                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | Failure                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <pre>{   "subMerchantId": "7891",   "ResponseCode": "00",   "PayerMobile": "9447540472",   "TxnCompletionDate": "20220928114233",   "terminalId": "0000",   "PayerName": "R VINOD KUMAR",   "PayeeVPA": "testo25@icici",   "PayerAmount": "10.0",   "PayerVA": "reuben14@icici",   "BankRRN": "227100368286",   "merchantId": "7891",   "TxnInitDate": "20220928114231",   "TxnStatus": "SUCCESS",   "seq-no": "ICIo01dmii28apdh9kc37d7",   "PayeeResponseCode": "00",   "PayerResponseCode": "00",   "PayeeRevResponseCode": "{}",   "PayerRevResponseCode": "{}", }</pre> | <pre>{   "subMerchantId": "7891",   "ResponseCode": "U29",   "PayerMobile": "9447540472",   "TxnCompletionDate": "20221104152003",   "terminalId": "6011",   "PayerName": "R VINOD KUMAR",   "PayeeVPA": "saaho@icici",   "PayerAmount": "5.0",   "PayerVA": "reuben14@icici",   "BankRRN": "230800577380",   "merchantId": "7891",   "TxnInitDate": "20221104152002",   "TxnStatus": "REJECT",   "seq-no": "ICI20220818030698",   "PayeeResponseCode": "ZH",   "PayerResponseCode": "00",   "PayeeRevResponseCode": "{}",   "PayerRevResponseCode": "{}", }</pre> |

#### Instructions for UPI callback:

- The transaction status needs to be consumed by referring to the “ResponseCode” tag in the callback.
- The response codes need to be handled as per the existing handling of Response codes in the transaction response.
- An additional response code of “501” can be expected in the callback for which the transactions can be marked as failed.
- If a different response is received than what is mapped as per the current composite Error code document, transaction should be marked as PENDING and the same needs to be highlighted to the bank.



## IMPS

Immediate Payment Service [IMPS] is a service which allows fund transfers within banks across India, in a cost & time efficient manner. IMPS is supported for >700 financial institutions in India.

### Payment

#### Endpoints (URL)

UAT V1 Flow<sup>1</sup>– <https://apibankingonesandbox.icicibank.com/api/v1/composite-payment>

UATV2 Flow<sup>2</sup> <https://apibankingonesandbox.icicibank.com/api/v2/composite-payment>


LIVE V1 Flow– <https://apibankingone.icicibank.com/api/v1/composite-payment>

LIVE V2 Flow - <https://apibankingone.icicibank.com/api/v2/composite-payment>

#### Transactional limit: -

| Transaction [24*7] | Amount (per transaction) |
|--------------------|--------------------------|
| Minimum            | Rs.1                     |
| Maximum            | Rs.5,00,000              |

#### IMPS: - Process flow diagram



1. V1 Flow – V1 flow should be used by current account holding clients.
2. V2 Flow – V2 flow should be used by the Payment aggregators and escrow account-holding clients based on the use case. Beneficiary registration is mandatory for the clients with V2 flow irrespective of payment mode.

## Input parameters

| Header          |                                                                                                                                                                                                                                                     |                   |                 |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------|
| Input parameter | Description                                                                                                                                                                                                                                         | Provided by ICICI | Mandatory value |
| apikey          | 'API Key' is a unique value generated for each client. API Key will be provided to the client during onboarding and same needs to be used for all further transactions. Client must ensure that requests are being sent from whitelisted IP's only. | Yes               | Mandatory       |
| x-priority      | This value states the priority order for the mode of payment.<br><br>FOR IMPS,<br>x-priority = "0100"                                                                                                                                               | Yes               | Mandatory       |

| Body                                       |                                                                                                                       |                            |                 |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------|
| Input parameter & type (maximum character) | Description                                                                                                           | Provided by ICICI (Yes/No) | Mandatory value |
| localTxnDtTime<br>[String (16)]            | Transaction Date & Time (YYYYMMDDHHmmss)                                                                              | No                         | Mandatory       |
| beneAccNo<br>[Number (35)]                 | Beneficiary Account Number                                                                                            | No                         | Mandatory       |
| benelFSC<br>[String (11)]                  | Beneficiary IFSC                                                                                                      | No                         | Mandatory       |
| amount<br>[Number (14)]                    | Transaction amount                                                                                                    | No                         | Mandatory       |
| tranRefNo<br>[String (35)]                 | Transaction Reference Number that uniquely identifies the transaction. Unique number should be entered by the client. | No                         | Mandatory       |
| paymentRef                                 | Transaction remarks, these details will be sent to NPCI. Remarks mentioned here                                       | No                         | Mandatory       |

|                             |                                                                                                                                  |     |             |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------|-----|-------------|
| [String (50)]               | will be reflected in the bank statement also.                                                                                    |     |             |
| senderName<br>[String (20)] | Remitter's Name as per account title.                                                                                            | No  | Mandatory   |
| mobile<br>[Number (10)]     | Remitter's Mobile number                                                                                                         | No  | Mandatory   |
| retailerCode [String (5)]   | Value of "rcode" to be passed                                                                                                    | Yes | Mandatory   |
| passCode [String]           | PassCode gets generated through IMPS and provided by ICICI Bank during onboarding.                                               | Yes | Mandatory   |
| bcID [String]               | Client BCID. This will be provided by ICICI Bank during onboarding.                                                              | Yes | Mandatory   |
| crpld [String (32)]         | This is the Client Id in CIB. Client will get it during onboarding. Please check with the RM.<br><br>(Mandatory for BNF ID flow) | Yes | Conditional |
| crpUsr [String (32)]        | User Id of the client. This will be provided during onboarding. Please check with the RM.<br><br>(Mandatory for BNF ID flow)     | Yes | Conditional |
| aggrId [String (100)]       | Aggregator ID of the client. This will be provided to the client during onboarding by RM.<br><br>(Mandatory for BNF ID flow)     | Yes | Conditional |
| bnfld                       | Beneficiary ID. If client wants to use beneficiary ID flow, "bnfld" needs to be passed in request packet.                        | Yes | Optional    |

#### A Sample request packet for IMPS transaction

|        |                                                                                                                                                           |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Header | apikey = '-----'<br><br>x-priority = '0100'                                                                                                               |
| Body   | {<br>"localTxnDtTime": "20240113181900",<br>"beneAccNo": "123456041",<br>"beneIFSC": "NPCI0000001",<br>"amount": "1.00",<br>"tranRefNo": "IMPSTesting01", |

|  |                                                                                                                                                                                                                                                |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <pre> "paymentRef": "IMPSTransferP2A", "senderName": "Pratik Mundhe", "mobile": "9999988888", "retailerCode": "rcode", "passCode": "447c4524c9074b8c97e3a3c40ca7458d", "bclD": "IBCKer00055", "aggrld": "", "crpld": "", "crpUsr": "" } </pre> |
|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| A Sample request packet for IMPS transaction with beneficiary ID flow |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|-----------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Header                                                                | <pre> apikey = '-----' x-priority = '0100' </pre>                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Body                                                                  | <pre> {   "localTxnDtTime": "20231019151100",   "beneAccNo": "",   "beneIFSC": "NPCI0000001",   "amount": "3",   "tranRefNo": "ICI20231019151100",   "paymentRef": "FTTransferP2A",   "senderName": "Pratik",   "mobile": "9999988888",   "retailerCode": "rcode",   "passCode": "447c4524c9074b8c97e3a3c40ca7458d",   "bclD": "IBCKer00055",   "crpld": "PRACHICIB1",   "crpUsr": "USER3",   "aggrld": "CUST0663",   "bnfld": "56089765",   "urn": "3kCy4sPuSqDNI4kkgXJloE568223",   "aggrName": "CRED" } </pre> |

\* Above request packet can be directly used for UAT (User Acceptance Testing) testing purpose.

## Output parameters.

| Output parameter & type | Description                                                                                                                          |
|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| Response [String (55)]  | ActCode Description explains the reason for success, failure or pendency of the transaction                                          |
| ActCode [String (3)]    | ActCode Value denoting the status of the transaction                                                                                 |
| TranRefNo [String]      | Transaction reference number as mentioned in the request. Reference number is required for performing further status check requests. |
| BankRRN [Number]        | It is a unique 12-digit number used to refer a particular transaction                                                                |
| BeneName [String (20)]  | Beneficiary Name                                                                                                                     |
| Success                 | This value of the output refers to the status of the transaction API call – success (true) /failure (false)                          |

## A Sample response packet for IMPS transaction

| Success                                                                                                                                                                         | Failure                                                                                                                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <pre>{   "ActCode": "0",   "Response": "Transaction Successful",   "BankRRN": "401319578626",   "BeneName": "kiran",   "success": true,   "TransRefNo": "IMPSTesting01" }</pre> | <pre>{   "ActCode": "18",   "Response": "NPCI/Issuing bank is not connected or down",   "BankRRN": "401319578623",   "BeneName": "",   "success": true,   "TransRefNo": "IMPSTesting01" }</pre> |

## Response packet of Gateway Failure

|                                                                                                                       |
|-----------------------------------------------------------------------------------------------------------------------|
| <pre>{   "success":false,   "errorCode":"997",   "description":"Note : Initiate Status check after Some time" }</pre> |
|-----------------------------------------------------------------------------------------------------------------------|

## Status check under IMPS

End points (URL)

UAT – <https://apibankingonesandbox.icicibank.com/api/v1/composite-status>

LIVE – <https://apibankingone.icicibank.com/api/v1/composite-status>

Input parameters

| Header          |                                                                                                                                    |                   |                 |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------|
| Input parameter | Description                                                                                                                        | Provided by ICICI | Mandatory value |
| apikey          | 'API Key' is a unique value generated for each client. Client must ensure that requests are being sent from whitelisted IP's only. | Yes               | Mandatory       |
| x-priority      | This value states the priority order for the payment mode. FOR IMPS, x-priority = "0100"                                           | Yes               | Mandatory       |

| Body                            |                                                                                                |                 |
|---------------------------------|------------------------------------------------------------------------------------------------|-----------------|
| Input parameter & type          | Description                                                                                    | Mandatory value |
| transRefNo [String (35)]        | Transaction Reference Number of the original transaction for which status check is being done. | Mandatory       |
| Passcode [String]               | PassCode been generated by IMPS & will be provided to the client during onboarding.            | Mandatory       |
| bcID [String]                   | Client's BCID. BCID will be provided to the client during onboarding.                          | Mandatory       |
| Date [Date (MM/DD/YYYY)]        | Date of the transaction initiated.                                                             | Mandatory       |
| Channel-code [Alphanumeric (2)] | Channel code. For IMPS status check request, value should be "BC".                             | Conditional     |

|                          |                            |           |
|--------------------------|----------------------------|-----------|
| recon360 [String<br>(1)] | Value of "N" to be passed. | Mandatory |
|--------------------------|----------------------------|-----------|

### A Sample request packet for IMPS status check

#### IMPS Status enquiry request packet

```
{
  "transRefNo": "IMPSTesting01",
  "date": "07/05/2023",
  "recon360": "N",
  "passCode":
  "447c4524c9074b8c97e3a3c40ca7458d",
  "bclID": "IBCKer00055"
}
```

#### Additional Information regarding Status check API

- Last 30 days transaction status will be present over IMPS status inquiry at any point in time.
- Status check must be done after 300 seconds of original transaction.

### Output parameters

| Output value & type (maximum character) | Description                                                                                    |
|-----------------------------------------|------------------------------------------------------------------------------------------------|
| IMPS status API response                |                                                                                                |
| ActCode[Number]                         | Response code of the original transaction. Response code "0" indicates successful transaction. |
| Response [String]                       | Original transaction Response message                                                          |
| BankRRN [Number]                        | Bank reference number of the original transaction                                              |
| BeneName[String]                        | Beneficiary Name                                                                               |
| TranRefNo[Number]                       | Transaction reference number of the original transaction                                       |
| PaymentRef [String]                     | Payment remarks sent in original transaction.                                                  |
| TranDateTime [Date]                     | Transaction Date and time                                                                      |
| Amount [Number]                         | Transaction amount                                                                             |
| BeneMMID [Number]                       | Beneficiary MMID                                                                               |
| BeneMobile[Number]                      | Beneficiary Mobile Number                                                                      |

|                       |                                                                                                                                                                                                                                |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BeneAccNo [Number]    | Beneficiary Account Number                                                                                                                                                                                                     |
| BenelFSC [String]     | Beneficiary IFSC                                                                                                                                                                                                               |
| RemMobile[Number]     | Remitter's Mobile Number                                                                                                                                                                                                       |
| RemName [String]      | Remitter's Name                                                                                                                                                                                                                |
| RetailerCode [String] | Retailer Code sent by the client in transaction request.                                                                                                                                                                       |
| CheckStatusCode       | Represents the status of status check request.<br>The value in "CheckStatusCode" tag would be 0 in case of successful status check enquiry & value will be non-zero in case of failure reflecting corresponding response code. |
| CheckStatusMessage    | Description/interpretation of CheckStatusCode.                                                                                                                                                                                 |

Note: If CheckStatusCode is anything other than 0, ActCode tag must be ignored. Client should read the ActCode tag only if value in CheckStatusCode is 0 else discard the response and continue to maintain pending status of the transaction & perform the status enquiry again as per description provided in "CheckStatusMessage". If the CheckStatusCode value is 17 or 100, client shall handle according to the instructions provided in the error code document.

#### A Sample response packet for IMPS status check

| IMPS Status enquiry success response packet                                                                                                                                                                                                                                                                                                                                                                                                     | IMPS status enquiry failure response packet                                                                                                                                                                                                                                                                                                                                                                                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <pre>{   "ImpsResponse": {     "CheckStatusCode": "0",     "CheckStatusMessage": "Check Transaction Successful",     "ActCode": "0",     "Response": "BC Outward transaction Successful",     "BankRRN": "406511652988",     "BeneName": "Kiran Kumar",     "TranRefNo": "IMPStrans1",     "PaymentRef": "FTTransferP2A",     "TranDateTime": "05-03-2024 11:23:25",     "Amount": "1",     "BeneMMID": "1111001",     "BeneMobile": "", </pre> | <pre>{   "ImpsResponse": {     "CheckStatusCode": "61",     "CheckStatusMessage": "Unknown",     "ActCode": "",     "Response": "",     "BankRRN": "327817407189",     "BeneName": "",     "TranRefNo": "ICI6023d3f6-b1a2-47ea-8f1c-03bea8eae57f",     "PaymentRef": "Test Transaction",     "TranDateTime": "05-10-2023 17:31:51",     "Amount": "1",     "BeneMMID": "1111001",     "BeneMobile": "",     "BeneAccNo": "123456041", </pre> |



```

"BeneAccNo": "123456041",
"BenelFSC": "NPCI0000001",
"RemMobile": "9999988888",
"RemName":
"RemitterCustomersudbeerjnjhsdfdsdnfda",
  "RetailerCode": "rcode"
}
}

```

```

"BenelFSC": "NPCI0000001",
"RemMobile": "9999988888",
"RemName": "Foo",
"RetailerCode": "rcode"
}
}

```


## NEFT & RTGS

### Payment

NEFT is an electronic payment system developed by RBI, to facilitate the transfer of funds by customers from one bank to another bank in India. It is a secured, dependable, and efficient system of funds transfer between banks.

RTGS is a fund transfer method used to make transfers between two domestic banks on a real-time or gross basis.

#### NEFT – RTGS - Process flow diagram



Note: - 8,9,10 is on deferred basis for NEFT.

### Transactional limit: -

| Transaction Type – NEFT/RTGS | Maximum cumulative limit per day                  | Transaction count |
|------------------------------|---------------------------------------------------|-------------------|
| Working Day                  | No maximum limit                                  | No maximum limit  |
| Non-Working Day              | Rs 10,00,000 for NEFT<br>Rs. 1,00,00,000 for RTGS | No maximum limit  |

| NEFT | Limits                 | 1:00 AM – 7:00 PM                           | 7PM - 1AM of next working day (post cut off hrs) | 2 <sup>nd</sup> & 4 <sup>th</sup> Saturday, Sunday & Holidays (Clubbed) |
|------|------------------------|---------------------------------------------|--------------------------------------------------|-------------------------------------------------------------------------|
|      | Cumulative amount      | Existing Workflow limit mapped to Corporate | Maximum 10 Lakh                                  | Maximum 10 Lakh                                                         |
|      | Number of transactions | NA                                          | NA                                               | NA                                                                      |

| RTGS | Limits                 | 1:00 AM – 7:00 PM                           | 7PM - 1AM of next working day (post cut off hrs) | 2 <sup>nd</sup> & 4 <sup>th</sup> Saturday, Sunday & Holidays (Clubbed) |
|------|------------------------|---------------------------------------------|--------------------------------------------------|-------------------------------------------------------------------------|
|      | Cumulative Amount      | Existing Workflow limit mapped to Corporate | Maximum 1 Crore                                  | Maximum 1 Crore                                                         |
|      | Number of transactions | NA                                          | NA                                               | NA                                                                      |

### Note: -

1. ICICI Bank to ICICI Bank (TPA) transaction are available 24\*7.
2. Non-working days include Saturday, Sunday. Additionally, daily 07:00 pm to 01:00 am is also considered as Non-Working Day.
3. RTGS requests are not processed on Sundays and Bank holidays. In case the beneficiary bank has a holiday, the account will be credited on the next working day.
4. Between 7 PM to 12 AM NEFT transactions up to 10 Lakhs can be processed. Once the limit is reached, initiated NEFT transaction will be processed on next working day.
5. Between 12 AM to 1 AM RTGS Transactions will be rejected at CIB end. Between 7 PM & 12 AM, transactions initiated beyond the limit of 1 crore will remain in queue and will be processed after 1 AM of next working day.

## Endpoints (URL)

UAT V1 Flow<sup>1</sup>– <https://apibankingonesandbox.icicibank.com/api/v1/composite-payment>

UATV2 Flow<sup>2</sup> <https://apibankingonesandbox.icicibank.com/api/v2/composite-payment>

LIVE V1 Flow– <https://apibankingone.icicibank.com/api/v1/composite-payment>

LIVE V2 Flow \_ <https://apibankingone.icicibank.com/api/v2/composite-payment>

1. V1 Flow – V1 flow should be used by current account holding clients.
2. V2 Flow – V2 flow should be used by the Payment aggregators and escrow account-holding clients based on the use case. Beneficiary registration is mandatory for the clients with V2 flow irrespective of payment mode.

## Input parameters for NEFT & RTGS payments

| Header          |                                                                                                                                                                                                                                                     |                   |                 |
|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------|
| Input parameter | Description                                                                                                                                                                                                                                         | Provided by ICICI | Mandatory value |
| apikey          | 'API Key' is a unique value generated for each client. API Key will be provided to the client during onboarding and same needs to be used for all further transactions. Client must ensure that requests are being sent from whitelisted IP's only. | Yes               | Mandatory       |
| x-priority      | This value states the priority order for the mode of payment.<br><br>FOR NEFT,<br>x-priority = "0010"<br><br>FOR RTGS, x-priority = "0001"                                                                                                          | Yes               | Mandatory       |

| Body                                          |                                                                                                                                                          |                               |                 |
|-----------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------|
| Input parameter & type<br>(maximum character) | Description                                                                                                                                              | Provided by ICICI<br>(Yes/No) | Mandatory value |
| NEFT                                          |                                                                                                                                                          |                               |                 |
| tranRefNo<br>[String (16)]                    | Transaction Reference Number.<br>“tranRefNo” will be populated in the bank statement.                                                                    | No                            | Mandatory       |
| amount<br>[Number (19)]                       | Transaction Amount                                                                                                                                       | No                            | Mandatory       |
| senderAcctNo<br>[Number (35)]                 | Sender's (remitter) Bank Account Number                                                                                                                  | No                            | Mandatory       |
| beneAccNo<br>[Number (35)]                    | Beneficiary Account Number                                                                                                                               | No                            | Mandatory       |
| beneName<br>[String (50)]                     | Beneficiary Name                                                                                                                                         | No                            | Mandatory       |
| benelFSC<br>[String (11)]                     | Beneficiary Bank IFSC Code. In case of ICICI Bank, this should be 'ICIC0000011'<br><br>In case of ICICI Bank enabled cards, this should be 'ICIC0001028' | No                            | Mandatory       |
| narration1<br>[String (35*4)]                 | Details of the sender should be mentioned here.                                                                                                          | No                            | Mandatory       |
| narration2<br>[String (35*4)]                 | Narration 2 (Additional details)                                                                                                                         | No                            | Optional        |
| crpld<br>[String (32)]                        | This is the Client Id in CIB. Client will get it during onboarding. Please check with the RM.                                                            | Yes                           | Mandatory       |
| crpUsr<br>[String (32)]                       | Corporate User ID of the client. This will be provided during onboarding. Please check with the RM.                                                      | Yes                           | Mandatory       |
| aggrld<br>[String (100)]                      | Aggregator ID of the client. This will be provided to client during onboarding by RM.                                                                    | Yes                           | Mandatory       |

|                                   |                                                                                                                                                                                                                                                                                                  |     |           |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| aggrName<br>[String (32)]         | Aggregator Name of the client. This will be provided during onboarding by RM.                                                                                                                                                                                                                    | Yes | Mandatory |
| urn [String (40)]                 | Same as passed in CIB registration request.                                                                                                                                                                                                                                                      | No  | Mandatory |
| txnType<br>[String (3)]           | ‘TPA’ for ICICI as beneficiary Banks;<br>‘RGS’ for other beneficiary banks.<br><br>For Virtual A/c payments Txn_type should be "VAP" and IFSC should be ICIC0000103, ICIC0000104 & ICIC0000106 depending on the client codes created for the service of virtual account number-based collection. | Yes | Mandatory |
| WORKFLOW_RE<br>QD<br>[String (1)] | IF STP (Straight through processing) flow is enabled, pass the value as “N”.<br><br>If STP flow is not enabled, pass the value as “Y” to follow maker – checker flow.                                                                                                                            | Yes | Mandatory |
| bnfld                             | Beneficiary ID. If client wants to use beneficiary ID flow, “bnfld” needs to be passed in request packet.                                                                                                                                                                                        | Yes | Optional  |
| BENLEI<br>[String (20)]           | Beneficiary LEI (Legal Entity Identifier).<br>Parameter is mandatory for transaction value more than or equal to 50 Crore.                                                                                                                                                                       | No  | Optional  |
| RTGS                              |                                                                                                                                                                                                                                                                                                  |     |           |
| AGGRID [String<br>(100)]          | Aggregator ID of the client. This will be provided to client during onboarding by RM                                                                                                                                                                                                             | Yes | Mandatory |
| CORPID [String<br>(32)]           | This is the Client Id in CIB. Client will get it during onboarding. Please check with the RM.                                                                                                                                                                                                    | Yes | Mandatory |
| USERID [String<br>(32)]           | User Id of the client. This will be provided during onboarding. Please check with the RM.                                                                                                                                                                                                        | Yes | Mandatory |
| URN<br>[String (40)]              | Same as passed in CIB registration request.                                                                                                                                                                                                                                                      | No  | Mandatory |

|                                   |                                                                                                                                                                                                                                                                                                                                               |     |           |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| AGGRNAME<br>[String (32)]         | Aggregator Name of the client. This will be provided during onboarding by RM.                                                                                                                                                                                                                                                                 | Yes | Mandatory |
| UNIQUEID<br>[String (40)]         | Unique Id of the transaction.                                                                                                                                                                                                                                                                                                                 | No  | Mandatory |
| DEBITACC<br>[Number (34)]         | Debit Account no.                                                                                                                                                                                                                                                                                                                             | No  | Mandatory |
| CREDITACC<br>[Number (34)]        | Credit Account no.                                                                                                                                                                                                                                                                                                                            | No  | Mandatory |
| IFSC<br>[String (32)]             | Beneficiary Bank IFSC Code. In case of ICICI Bank, this should be 'ICIC0000011'<br><br>In case of ICICI Bank enabled cards, this should be 'ICIC0001028'                                                                                                                                                                                      | No  | Mandatory |
| AMOUNT<br>[Number (12)]           | Transaction Amount                                                                                                                                                                                                                                                                                                                            | No  | Mandatory |
| CURRENCY<br>[String (3)]          | Currency of the transaction                                                                                                                                                                                                                                                                                                                   | Yes | Mandatory |
| TXNTYPE [String (3)]              | 'TPA' for ICICI as beneficiary Banks;<br>'RTG' for other banks.<br><br>For Virtual A/c payments Txn_type should be "VAP" and IFSC should be ICIC0000103, ICIC0000104 & ICIC0000106 depending on the client codes created for the service of virtual account number-based collection.<br>RTGS txn will not allow for virtual account payments. | Yes | Mandatory |
| PAYEENAME<br>[String (75)]        | Payee (Beneficiary) Name                                                                                                                                                                                                                                                                                                                      | No  | Mandatory |
| REMARKS<br>[String (255)]         | Transaction remarks                                                                                                                                                                                                                                                                                                                           | No  | Mandatory |
| WORKFLOW_RE<br>QD<br>[String (1)] | IF STP (Straight through processing) flow is enabled, pass the value as "N".<br><br>If STP flow is not enabled, pass the value as "Y" to follow maker – checker flow.                                                                                                                                                                         | Yes | Mandatory |

|                         |                                                                                                                            |     |          |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------|-----|----------|
| bnfld<br>[Numeric]      | Beneficiary ID. If client wants to use beneficiary ID flow, "bnfld" needs to be passed in request packet.                  | Yes | Optional |
| BENLEI<br>[String (20)] | Beneficiary LEI (Legal Entity Identifier).<br>Parameter is mandatory for transaction value more than or equal to 50 Crore. | No  | Optional |

#### A Sample request packet for NEFT transaction

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Header | apikey = '-----'<br>x-priority = '0010'                                                                                                                                                                                                                                                                                                                                                                                                        |
| Body   | {<br>"tranRefNo": "202401081032010",<br>"amount": "1.00",<br>"senderAcctNo": "000405002777",<br>"beneAccNo": "000405001611",<br>"beneName": "PratikMundhe",<br>"beneIFSC": "SBIN0003060",<br>"narration1": "NEFT transaction",<br>"narration2": "PritamGadekar",<br>"crpId": "SESPRODUCT",<br>"crpUsr": "389018",<br>"aggrId": "XXX",<br>"aggrName": "XXX",<br>"urn": "XXX",<br>"txnType": "RGS",<br>"WORKFLOW_REQD": "N"<br>"BENLEI": ""<br>} |

#### A Sample request packet for NEFT Intra transaction ("txnType" = TPA)

|        |                                                                                                                                                                                                                                                        |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Header | apikey = '-----'<br>x-priority = '0010'                                                                                                                                                                                                                |
| Body   | {<br>"tranRefNo": "20240108103584",<br>"amount": "1.00",<br>"senderAcctNo": "000405002777",<br>"beneAccNo": "000451000301",<br>"beneName": "PratikMundhe",<br>"beneIFSC": "ICIC0000011",<br>"narration1": "NEFT transaction",<br>"txnType": "TPA"<br>} |

```

    "narration2": "PritamGadekar",
    "crpId": "SESPRODUCT",
    "crpUsr": "389018",
    "aggrId": "XXX",
    "aggrName": "XXX",
    "urn": "XXX",
    "txnType": "TPA",
    "WORKFLOW_REQD": "N"
  }

```

Please note sample details for UAT testing:

- Debit Account: 000405002777
- Credit Account: 000405001611
- For ICICI as beneficiary bank use IFSC as ICIC0000011 and 'txnType' as "TPA" and for Non-ICICI Beneficiaries use IFSC as SBIN0003060 and 'txnType' as "RGS", virtual accounts "VAP" (IFSC 103,104,106)
- WORKFLOW\_REQD: - IF STP (Straight through processing) flow is enabled, pass the value as "N". If STP flow is not enabled, pass the value as "Y" to follow maker – checker flow.

### A Sample request packet for RTGS transaction

|        |                                                                                                                                                                                                                                                                                                                                                                                                                      |
|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Header | apikey = '-----'<br>x-priority = '0001'                                                                                                                                                                                                                                                                                                                                                                              |
| Body   | <pre> {   "AGGRID": "XXX",   "CORPID": "SESPRODUCT",   "USERID": "389018",   "URN": "XXX",   "AGGRNAME": "XXX",   "UNIQUEID": "202401131220802",   "DEBITACC": "000405002777",   "CREDITACC": "000405001611",   "IFSC": "SBIN0003060",   "AMOUNT": "200001.00",   "CURRENCY": "INR",   "TXNTYPE": "RTG",   "PAYEENAME": "PratikMundhe",   "REMARKS": "PritamGadekar",   "WORKFLOW_REQD": "N"   "BENLEI": "" } </pre> |



### A Sample request packet for NEFT transaction Bnf ID flow

|        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Header | apikey = '-----'<br>x-priority = '0010'                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Body   | <pre>{   "tranRefNo": "20240580z81098",   "amount": "1.00",   "senderAcctNo": "000405002777",   "beneAccNo": "",   "beneName": "PratikMundhe",   "beneIFSC": "SBIN0003060",   "narration1": "NEFT transaction",   "narration2": "PritamG",   "crpld": "SESPRODUCT",   "crpUsr": "389018",   "aggrld": "TXBCOMP0054",   "aggrName": "GODREJ",   "urn": "1885e35c-6291-4791-bca6-5d93452e4870",   "txnType": "RGS",   "WORKFLOW_REQD": "N",   "bnfld": "56140363" }</pre> |

### A Sample request packet for RTGS transaction with Bnf ID flow

|        |                                                                                                                                                                                                                                                                                                                                                                                                              |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Header | apikey = '-----'<br>x-priority = '0001'                                                                                                                                                                                                                                                                                                                                                                      |
| Body   | <pre>{   "AGGRID": "TXBCOMP005",   "CORPID": "SESPRODUCT",   "USERID": "389018",   "URN": "1885e35c-6291-4791-bca6-5d93452e4870",   "AGGRNAME": "GODREJ",   "UNIQUEID": "2025011312458402",   "DEBITACC": "000405002777",   "CREDITACC": "",   "IFSC": "SBIN0003060",   "AMOUNT": "200001.00",   "CURRENCY": "INR",   "TXNTYPE": "RTG",   "PAYEENAME": "PratikMundhe",   "REMARKS": "PritamGadekar", }</pre> |

```
"WORKFLOW_REQD": "N",
"BNFID": "56140363"
}
```

## Output parameters for NEFT & RTGS payments

| Output parameter & type (maximum character) | Description                                                                               |
|---------------------------------------------|-------------------------------------------------------------------------------------------|
| Success                                     |                                                                                           |
| REQID [Number]                              | Request Id of transaction                                                                 |
| RESPONSE [String (10)]                      | Response message of transaction                                                           |
| STATUS [String]                             | Original transaction status                                                               |
| UNIQUEID [Number]                           | Unique transaction id. This value will be same as of "tranRefNo" from the request packet. |
| URN [Number (40)]                           | URN of the Client                                                                         |
| UTRNUMBER [Number (22)]                     | UTR number generated by Bank                                                              |
| Failure                                     |                                                                                           |
| RESPONSE [String (10)]                      | Response message of transaction                                                           |
| ERRORCODE [String]                          | Error code of the transaction.                                                            |
| STATUS [String (20)]                        | Status of the transaction                                                                 |
| RESPONSECODE [String]                       | Response code of the transaction                                                          |
| MESSAGE [Number]                            | Failure message                                                                           |

| A Sample response packet for successful NEFT & RTGS transaction                                                                                                 |                                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| NEFT                                                                                                                                                            | RTGS                                                                                                                                                                      |
| Success                                                                                                                                                         | Success                                                                                                                                                                   |
| <pre>{   "REQID": "467166",   "STATUS": "SUCCESS",   "UNIQUEID": "202401081032010",   "URN": "XXX",   "UTRNUMBER": "062712521",   "RESPONSE": "SUCCESS" }</pre> | <pre>{   "REQID": "455110",   "STATUS": "SUCCESS",   "UNIQUEID": "202307062002",   "URN": "XXX",   "UTRNUMBER": "ICICR42023070600508429",   "RESPONSE": "SUCCESS" }</pre> |

| A Sample response packet for NEFT Intra transaction (“txnType” = TPA)                                                                                          |                                                                                                                                                            |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Success                                                                                                                                                        | Failure                                                                                                                                                    |
| <pre>{   "REQID": "467170",   "STATUS": "SUCCESS",   "UNIQUEID": "20240108103584",   "URN": "XXX",   "UTRNUMBER": "062712561",   "RESPONSE": "SUCCESS" }</pre> | <pre>{   "MESSAGE": "Aggregator Registration missing",   "ERRORCODE": "9906",   "RESPONSECODE": "",   "STATUS": "FAILURE",   "RESPONSE": "FAILURE" }</pre> |

| Response packet of Gateway Failure                                                                                    |
|-----------------------------------------------------------------------------------------------------------------------|
| <pre>{   "success":false,   "errorCode":"997",   "description":"Note : Initaita Status check after Some time" }</pre> |

## Status check for NEFT & RTGS

For NEFT status inquiry, below mentioned API's to be fired after a mentioned intervals to get the terminal status of transaction.

- 1) NEFT debit status check API – Provides the status of the debit in remitter a/c.
- 2) NEFT credit status check API (Incremental status check) – Provides the status of the credit in beneficiary a/c.

For RTGS status inquiry, only . debit status check should be used to receive the terminal status of the transaction N Debit status check must be done after 15 minutes of transaction request in case of RTGS.

## NEFT – RTGS status enquiry over API

A] For money transferred to ICICI bank account beneficiary –

For the amount transferred within ICICI bank, that is when the beneficiary account also belongs to ICICI Bank, remitter needs to use only the first API i.e., the debit status check API to receive the terminal status of the transaction. The Client needs to fire this API and if the response received in the “STATUS” field is “SUCCESS”, in that case the transaction can be marked as successful. All other status should be handled as mentioned in error code document.

All pending transactions are to be reconciled with the remitter (client's) bank statement at least after 2 hours of transaction initiation to ascertain the final status. In case of no respective debit is found in the bank statement, the transaction can be marked as failed and fresh transaction can be re-initiated. In case the debit is present in the account, the transaction can be marked as successful.

Additionally, this API can also be utilized to fetch the UTR number for the transaction in case the same is not received within the initial response.

B] For money transferred to non ICICI bank account beneficiary–

There is a two-step process to identify the final status of the transaction.

1. For step 1, remitter needs to use the Debit status check. if the response received in the status field is “SUCCESS” only and only then the remitter should proceed to credit status check (incremental status check) API.
2. Under step 2, client should invoke the credit status check API (Incremental status API) with the requisite request packet as mentioned in the API documentation. Once the status is successfully received as “amount credited to beneficiary” the transaction can be marked as successful. All other status should be handled as mentioned in error code document.

- It is possible that in some scenarios, the status is received as “posted to RBI.” This status is provided for the transaction in which the beneficiary bank has not provided the terminal status to RBI. After 5hrs of the transaction, the status would be changed to “paid”. In such a scenario RBI has provisioned 72 hours for the beneficiary bank to update the final status of the transaction. However, if the status does not change post 72 hours the remitter can mark these transactions as successful.

NEFT – RTGS Debit status check API: -

Endpoints (URL)

UAT – <https://apibankingonesandbox.icicibank.com/api/v1/composite-status>

LIVE – <https://apibankingone.icicibank.com/api/v1/composite-status>

Input parameters

| Header          |                                                                                                     |                   |                 |
|-----------------|-----------------------------------------------------------------------------------------------------|-------------------|-----------------|
| Input parameter | Description                                                                                         | Provided by ICICI | Mandatory value |
| apikey          | 'API Key' is a unique value generated for each client                                               | Yes               | Mandatory       |
| x-priority      | This value states the priority order for the mode of payment.<br>For NEFT - 0010<br>For RTGS - 0001 | Yes               | Mandatory       |

| Body                                      |                                                                                           |                               |                 |
|-------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------|-----------------|
| Input value & type<br>(maximum character) | Description                                                                               | Provided by ICICI<br>(Yes/No) | Mandatory value |
| AGGRID<br>[String (100)]                  | Aggregator ID of the client. This will be provided to the client during onboarding by RM. | Yes                           | Mandatory       |

|                           |                                                                                                                                |     |           |
|---------------------------|--------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| CORPID<br>[String (32)]   | This is the Client Id in CIB. Client will get it during onboarding. Please check with the RM.                                  | Yes | Mandatory |
| USERID [String (32)]      | User Id of the client. This will be provided during onboarding. Please check with the RM.                                      | Yes | Mandatory |
| URN [String (40)]         | URN Number of the Client. Same as passed in CIB registration request.                                                          | No  | Mandatory |
| UNIQUEID<br>[String (40)] | Unique Id of the transaction (Pass the value of 'tranRefNo' of NEFT transaction for which debit status check needs to be done) | No  | Mandatory |

#### A Sample request packet for NEFT – RTGS debit status check API

|        |                                                                                                                                |
|--------|--------------------------------------------------------------------------------------------------------------------------------|
| Header | apikey = '-----'<br>x-priority "____"                                                                                          |
| Body   | {<br>"AGGRID": "XXX",<br>"CORPID": "SESPRODUCT",<br>"USERID": "389018",<br>"URN": "XXX",<br>"UNIQUEID": "202401081032010"<br>} |

#### Output parameters

| Output value & type<br>(maximum character) | Description                                                                |
|--------------------------------------------|----------------------------------------------------------------------------|
| URN [Number (40)]                          | URN Number of the client.                                                  |
| STATUS [String (20)]                       | Status of the transaction                                                  |
| UNIQUEID [Number (40)]                     | Unique transaction id passed in the request packet under "UNIQUEID" field. |

|                         |                                    |
|-------------------------|------------------------------------|
| RESPONSE [String (10)]  | Response of the API service        |
| UTRNUMBER [Number (32)] | UTR Number of the transaction      |
| MESSAGE                 | Description of the failure status. |

| Sample response packet for NEFT - RTGS debit status check API                                                                              |                                                                                                                                                           |
|--------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Success                                                                                                                                    | Failure                                                                                                                                                   |
| <pre>{   "STATUS": "SUCCESS",   "URN": "XXX",   "UNIQUEID": "202401081032010",   "UTRNUMBER": "062712521",   "RESPONSE": "SUCCESS" }</pre> | <pre>{   "STATUS": "UNKNOWN",   "MESSAGE": "Invalid Inquiry Req ID or Unique ID. Please enter a valid input to proceed.",   "RESPONSE": "SUCCESS" }</pre> |

Note: -

- Debit status check API should be fired after at least 30 minutes of the transaction for NEFT & after 15 minutes for RTGS transaction.
- Credit status check (Incremental status check) must be done post 1 hour of successful response from debit status check API. In case terminal status is not received, credit status check API should be retried after 2 hours.
- Transaction not found scenarios are when a message stating “Invalid Inquiry Req ID or Unique ID. Please enter a valid input to proceed” is received in the message field of the debit status check response. Client should re-initiate debit status check every 30 mins for 2 hours after the transaction. If the above message is received even after 2 hours of transaction initiation, the transaction should be marked as failed and a new transaction can be initiated.

### Credit status check API (Incremental status check API)

To be used after 1 hour of successful response from debit status check API.

It is mandatory that client confirms a successful response in the Debit status check API before firing credit status check (incremental API)

Endpoints (URL) -

UAT – <https://apibankingonesandbox.icicibank.com/api/v1/CIBNEFTStatus>

| Header          |                                                       |                   |                 |
|-----------------|-------------------------------------------------------|-------------------|-----------------|
| Input parameter | Description                                           | Provided by ICICI | Mandatory value |
| apikey          | 'API Key' is a unique value generated for each client | Yes               | Mandatory       |

#### Input parameters

| Input parameter & type (maximum character) | Description                                                                        | Provided by ICICI (Yes/No) | Mandatory value |
|--------------------------------------------|------------------------------------------------------------------------------------|----------------------------|-----------------|
| AGGRID [String (100)]                      | Aggregator ID of the client. This will be provided to the client during onboarding | Yes                        | Mandatory       |
| CORPID [String (32)]                       | This is the Client Id in CIB. Client will get it during onboarding.                | Yes                        | Mandatory       |
| USERID [String (32)]                       | User Id of the client. This will be provided during onboarding.                    | Yes                        | Mandatory       |
| UTRNUMBER [String (32)]                    | UTN Number of the transaction                                                      | No                         | Mandatory       |
| URN [String (40)]                          | URN Number of the client                                                           | No                         | Mandatory       |

#### A Sample request packet for NEFT incremental status check API

|        |                                                                                                                          |
|--------|--------------------------------------------------------------------------------------------------------------------------|
| Header | apikey = '-----'                                                                                                         |
| Body   | <pre>{   "AGGRID": " XXX ",   "CORPID": "SESPRODUCT",   "USERID": "389018",   "URN": "XXX",   "UTR": "062712521" }</pre> |



## Output parameters

| Output value & type<br>(maximum character) | Description                                                                                             |
|--------------------------------------------|---------------------------------------------------------------------------------------------------------|
| STATUS<br>[String (32)]                    | Status of the transaction. This needs to be handled as per the error code document.                     |
| UTRNUMBER<br>[Number (32)]                 | UTR number of the transaction. This will reflect the same value as of "UTRNNUMBER" from request packet. |
| CreditDate<br>[String (32)]                | Time when amount got credited to beneficiary.<br>DD,MM,YYYY HH:MM:SS AM/PM                              |
| Response<br>[String (10)]                  | Response of the API service                                                                             |
| ErrorCode                                  | Error Code for failed transaction                                                                       |
| Message                                    | Description for the respective error code                                                               |

### Sample response packet for NEFT incremental status check API

| Success                                                                                                                                                          | Failure                                                                                                                         |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <pre>{   "STATUS": "Amount credited to Beneficiary.",   "UTRNUMBER": "XXXXXXXXXX",   "CreditDate": "DD, MM,YYYY HH:MM:SS AM/PM",   "Response": "SUCCESS" }</pre> | <pre>{   "STATUS": "FAILURE",   "ErrorCode": "999922",   "Message": "Invalid Transaction Id.",   "Response": ""Failure" }</pre> |

### When request sent to Bene bank from RBI & ICICI got confirmation from bene bank about Amount credited

```
{
  STATUS:"Amount credited to Beneficiary.",
  UTRNUMBER:"XXXXXXXXXX",
  CreditDate:"DD,MM,YYYY HH:MM:SS AM/PM",
  Response:"SUCCESS"
```

```
}
```

When request sent to Bene bank from RBI & credit confirmation not received from bene bank

```
{
  STATUS:"Paid",
  UTRNUMBER:"XXXXXXXXXX",
  CreditDate:"DD,MM,YYYY HH:MM:SS
  AM/PM",
  Response:"SUCCESS"
}
```

When Amount refunded to Remitter account due to incorrect Bene bank and incorrect messaging packet

```
{
  STATUS:"Amount refunded to Remitter.",
  UTRNUMBER:"XXXXXXXXXX",
  CreditDate:"DD,MM,YYYY HH:MM:SS
  AM/PM",
  Response:"SUCCESS"
}
```

When Txn id or UTR number does not exist

```
{
  STATUS:"FAILURE",
  ErrorCode:"999922",
  Message:"Invalid Transaction
  Id.",
  Response:"Failure"
}
```

## Request packet for Composite API with fall-back option

In case client wishes to let bank process the transaction via NEFT in case there is a technical decline in IMPS. This helps improve user experience at client's end. Client will get higher success rates when using fall-back option since, for their initiated transaction in single API, their payment transaction will be attempted via 2 payment methods viz. IMPS first and then by NEFT.

Below packet demonstrates IMPS as first priority and NEFT as a fall-back option. In case of failure of transaction through IMPS payment mode, transaction will be routed to NEFT for processing. Response packet will be of the mode through which transaction gets processed.

URL – <https://apibankingonesandbox.icicibank.com/api/v1/composite-payment>

| First priority – IMPS, second priority - NEFT |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Header                                        | apikey = " ____"<br>x-priority = "0120"                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Body                                          | {<br>"amount": "50.0",<br>"tranRefNo": "20231101125600",<br>"localTxnDtTime": "20231101125604",<br>"beneIFSC": "NPCI00000001",<br>"mobile": "7333378764",<br>"txnType": "RGS",<br>"passCode": "447c4524c9074b8c97e3a3c40ca7458d",<br>"narration1": "Disbursement",<br>"aggrId": "CUST1021",<br>"paymentRef": "OPIMPS62231695621751",<br>"urn": "759969775cff4dcc8b8c63402e645da3",<br>"senderName": "Disbursement Escrow UAT",<br>"bcID": "IBCKer00055",<br>"senderAcctNo": "000451000301",<br>"crpld": "PRACHICIB1",<br>"beneName": "Amar ABFL Nath",<br>"crpUsr": "USER3",<br>"beneAccNo": "123456041",<br>"retailerCode": "rcode",<br>"aggrName": "HOMECREDIT"<br>} |

## Composite API process Flow

To initiate a payment through Composite pay API, below mentioned flow needs to be followed by the client based on account type.

1. Clients using V2 Flow: -

CIB registration >> Beneficiary registration >> Payment initiation >> Status check

2. Clients using UPI and IMPS in V1 Flow: -

Payment initiation >> Status check

### 3. Clients using NEFT – RTGS services with V1 Flow: –

CIB registration >> Payment initiation >> Status check

### 4. Clients using beneficiary validation in V1 flow: -

CIB registration >> Beneficiary registration >> Payment initiation >> Status check

## API Name: CIB Registration

This is a one-time registration API, which is mandatory for clients availing NEFT, RTGS services, beneficiary validation flow in V1 or having composite V2 flow.

Endpoints (URL) -

UAT – <https://apibankingonesandbox.icicibank.com/api/Corporate/CIB/v1/Registration>

LIVE – <https://apibankingone.icicibank.com/api/Corporate/CIB/v1/Registration>

Input

| Input parameter & type<br>(maximum character) | Description                                                                                                                                                                           | Provided by ICICI<br>(Yes/No) | Mandatory value |
|-----------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|-----------------|
| AGGRNAME<br>[String (32)]                     | Aggregator Name of the client. RM. will provide this during on boarding.                                                                                                              | Yes                           | Mandatory       |
| AGGRID<br>[String (100)]                      | Aggregator ID of the client. RM. will provide this to the client during on boarding.                                                                                                  | Yes                           | Mandatory       |
| CORPID<br>[String (32)]                       | This is the Client Id in CIB. Client will get it during on boarding. Please check with the RM.                                                                                        | Yes                           | Mandatory       |
| USERID [String (32)]                          | User Id of the client. This will be provided during on boarding. Please check with the RM.                                                                                            | Yes                           | Mandatory       |
| URN<br>[String (40)]                          | URN Number of the client. Client needs to pass this during CIB registration as a one-time request.<br><br>(This should be kept handy and same should be used in all future requests). | No                            | Mandatory       |

|                          |                                                                                                                                                                                                                                                                                                                                                                                                                                               |    |             |
|--------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-------------|
|                          | This a unique value that client will assign to each registration from his end for security and recon.                                                                                                                                                                                                                                                                                                                                         |    |             |
| ALIASID<br>[String (32)] | <p>ALIAS ID</p> <p>1. Keep ALIASID field empty pass CorpID and UserID value in respective parameters in case user has not created ALIASID.</p> <p>2. If user created Alias id before registration, then user should pass ALIASID in Registration API.</p> <p>3. ALIASID parameters need to be passed in the request packet even if it is kept empty.</p> <p>For clients having "ALIASID" generated from CIB, need pass it in the request.</p> | No | Conditional |

#### A Sample request packet for CIB registration

```
{
  "CORPID": "SESPRODUCT1",
  "USERID": "389018",
  "AGGRNAME": "XXX",
  "AGGRID": "XXX",
  "URN": "XXX",
  "ALIASID": null
}
```

#### Output parameter

| Output parameter & type (maximum character) | Description                    |
|---------------------------------------------|--------------------------------|
| AGGRNAME [String (100)]                     | Aggregator name of the client. |
| AGGRID [String (32)]                        | Aggregator Id of the client.   |

|                        |                                           |
|------------------------|-------------------------------------------|
| CORPID [String (32)]   | Corporate Id of the client.               |
| USERID [String (32)]   | User ID of the client.                    |
| URN [String (40)]      | URN Number of the client.                 |
| Response [String (10)] | Status of CIB registration API.           |
| Message [String (255)] | Message of the corresponding API response |

Note: please note there can be only Successful registration request or failed.

- While firing the registration request, the user has to use the same Corporate ID and User ID which he uses for logging into CIB. The user would get a SUCCESS/FAILURE response along with a message.
- After getting a success response, the user has to login to CIB using his/her credentials and do a Self-Approval for this request from “Pending on Me” tray to complete the one-time registration process.

### API Name: Beneficiary Registration

Clients willing to initiate a transaction using an escrow account need to undertake this step, compulsorily. Beneficiary registration is mandatory for the clients with Composite V2 flow irrespective of payment mode. Under this step, the clients need to fire ‘Beneficiary Registration API,’ which will enable the bank to validate the beneficiary registration to follow up with the final payout request. This is an optional step for clients using clients with V1 flow.

There are two approaches to undertaking this step for different payment platforms.

- a. Beneficiary Registration using account & IFSC – This process suffices the need for payments to be initiated under IMPS, NEFT & RTGS modes.
- b. Beneficiary Registration API using VPA [Virtual Payment Address] - This process suffices the need for payments to be initiated under UPI mode.

#### NOTE –

For clients with an existing ALIAS ID, the default configuration for this API will not work. The client needs to delete their existing ALIAS ID through the CIB portal and create a new ALIAS ID like the existing corporate user ID.

For example, if a client has ALIAS ID as ‘ICICIBank’ and corporate user ID as ‘Bank12345’, then the client needs to delete the existing ALIAS ID i.e., ‘ICICIBank’ through the CIB portal and create a new ALIAS ID as ‘Bank12345’ which must be like the corporate user ID.

### Beneficiary Registration through account number & IFSC

#### Endpoints (URL)

UAT – <https://apibankingonesandbox.icicibank.com/api/Corporate/CIB/v1/BeneAddition>

LIVE – <https://apibankingone.icicibank.com/api/Corporate/CIB/v1/BeneAddition>

### Input parameters

| Input parameter & type (maximum character) | Description                                                                                                     | Provided by ICICI (Yes/No) | Mandatory value |
|--------------------------------------------|-----------------------------------------------------------------------------------------------------------------|----------------------------|-----------------|
| Crpld<br>[NVARCHAR2(32)]                   | This is the Client Id in CIB. Client will get it during onboarding. Please check with the RM.                   | Yes                        | Mandatory       |
| CrpUsr<br>[NVARCHAR2(32)]                  | User Id of the client. This will be provided during onboarding. Please check with the RM.                       | Yes                        | Mandatory       |
| BnfName<br>[ NVARCHAR2 (80)]               | Beneficiary name.                                                                                               | No                         | Mandatory       |
| BnfNickName<br>[ NVARCHAR2 (80)]           | Beneficiary Nickname. Unique forevery request.                                                                  | No                         | Mandatory       |
| BnfAccNo<br>[NVARCHAR2 (32)]               | Beneficiary Account number                                                                                      | No                         | Mandatory       |
| PayeeType<br>[CHAR (1)]                    | Client needs to pass respective Payee type for bene registration 'O' for other banks & 'W' for within bank WIB. | No                         | Mandatory       |
| IFSC<br>[NVARCHAR2 (32)]                   | Beneficiary IFSC                                                                                                | No                         | Mandatory       |
| AGGR_ID<br>[NVARCHAR2 (100)]               | Aggregator ID of the client. RM. will provide this to the client during onboarding.                             | Yes                        | Mandatory       |
| URN [NVARCHAR2 (40)]                       | Same as passed in CIB registration request                                                                      | No                         | Mandatory       |

### A Sample request packet for Beneficiary registration through account & IFSC

```
{
  "Crpld": "SESPRODUCT",
  "CrpUsr": "389018",
  "BnfName": "PratikMundhe",
```

```

"BnfNickName": "Pratik",
"BnfAccNo": "000405002777",
"PayeeType": "O",
"IFSC": "ICIC0000011",
"AGGR_ID": "XXX"
"URN": "XXX"
}

```

#### Output parameters

| Input parameter & type      | Description                   |
|-----------------------------|-------------------------------|
| Message<br>[NVARCHAR (255)] | Response Message              |
| Response<br>[NVARCHAR (10)] | Response (SUCCESS OR FAILURE) |
| Errorcode<br>[Number (40)]  | Error Code                    |
| BNF_ID [Number (10)]        | Beneficiary ID                |

#### A Sample response packet for Beneficiary registration through account & IFSC

| SUCCESS                                                                                                                                                                                   | FAILURE                                                                                                                   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <pre> { BNF_ID:"4836", Message: "You may not be able to make Fund transfer immediately with newly added payee, please check payee status before proceeding", Response: "SUCCESS" } </pre> | <pre> { Message: "Invalid Corp Id or User Id Or Aggregator Id is passed.", ErrorCode:"9906", Response: "Failure" } </pre> |

### Beneficiary Registration API through VPA

This API will register beneficiary through VPA essential for UPI.

#### Endpoints (URL)

UAT – <https://apibankingonesandbox.icicibank.com/api/Corporate/CIB/VPA/v1/BeneAddition>

LIVE – <https://apibankingone.icicibank.com/api/Corporate/CIB/VPA/v1/BeneAddition>

#### Input parameters



| Input parameter & type | Description                                                                                                                                                                                                                                                                                                                                                                                                          | Provided by ICICI (Yes/No) | Mandatory value |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|-----------------|
| AGGRID [String (100)]  | Aggregator ID of the client. This will be provided to the client during onboarding by RM.                                                                                                                                                                                                                                                                                                                            | Yes                        | Mandatory       |
| CORPID [String (32)]   | This is the Client Id in CIB. Client will get it during onboarding. Please check with the RM.                                                                                                                                                                                                                                                                                                                        | Yes                        | Mandatory       |
| USERID [String (32)]   | User Id of the client. This will be provided during onboarding. Please check with the RM.                                                                                                                                                                                                                                                                                                                            | Yes                        | Mandatory       |
| URN [String (40)]      | Same as passed in CIB registration request.                                                                                                                                                                                                                                                                                                                                                                          | No                         | Mandatory       |
| VPA [String (255)]     | <p>Beneficiary VPA</p> <p>VPA format for credit card bill payments:</p> <ul style="list-style-type: none"> <li>a. ICICI Bank: ccpay.&lt;credit card number&gt;@icici</li> <li>b. Axis Bank: cc.91&lt;registered mobile number&gt;&lt;last 4 digits of card&gt;@axisbank</li> </ul> <p>For payment to account number and IFSC using UPI, VPA format is:</p> <p>&lt;Account number&gt;@&lt;IFSC code&gt;.ifsc.npci</p> | No                         | Mandatory       |

#### A Sample request packet for Beneficiary registration through VPA

```
{
  "aggrID": "XXX",
  "corpID": "SESPRODUCT",
  "userID": "389018",
  "urn": "XXX",
  "vpa": "test0@icici"
}
```

Output parameters.

| Input value & type | Description                   |
|--------------------|-------------------------------|
| Message [String]   | Response message              |
| Response [String]  | Response (SUCCESS OR FAILURE) |
| Errorcode [String] | Error Code                    |

#### A Sample response packet for Beneficiary registration through VPA

| SUCCESS                                                                                                                                                                                 | FAILURE                                                                                                                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <pre>{ BNF_ID:"4836", Message: "You may not be able to make fund transfer immediately with newly added payee, please check payee status before proceeding", Response: "SUCCESS" }</pre> | <pre>{ Message: "Invalid Corp Id or User Id Or Aggregator Id is passed.", ErrorCode:"9906", Response: "Failure" }</pre> |

## Steps before final Integration

#### Things to be considered before moving forward with this step

- The one-time CIB registration is completed successfully.
- The beneficiary is registered and validated by using the above-mentioned API.
- The remitter must hold a current or an escrow account with the bank.
- All the necessary documents are being submitted to the RM.
- The details mentioned in the request packet for initiating the transaction are thoroughly analyzed.

## Encryption & decryption

For the purpose of maintaining security of APIs initiated through composite API, it is very important for the APIs to be sent between the client and the bank in an encrypted form. Thus, it is required for the client to initiate the API in an encrypted format using their public key. The bank will also be sending the response in an encrypted format and the client needs to decrypt the same using their private key at their end.

| Input value & type<br>(maximum character) | Description | Provided by ICICI<br>(Yes/No) | Mandatory value |
|-------------------------------------------|-------------|-------------------------------|-----------------|
|-------------------------------------------|-------------|-------------------------------|-----------------|

|                                                                      |                                                                                                                                        |                                                                                                                                                                         |                                                                                                                                                                                                                                                                                                                  |
|----------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| requestId<br>[String (64)]                                           | Unique identifier for the request.<br>Not being stored at any level.                                                                   | --                                                                                                                                                                      | Optional                                                                                                                                                                                                                                                                                                         |
| service type<br>[String]                                             | Service Name;<br>Identifying the backend service name                                                                                  | --                                                                                                                                                                      | Mandatory                                                                                                                                                                                                                                                                                                        |
| encryptedKey [String.<br>Base64- encoded data<br>(case insensitive)] | One-time use AES key encrypted by the Client's public key. Requirement is for a 128-bit key (with 256-bit key supported as an option). | --                                                                                                                                                                      | Mandatory                                                                                                                                                                                                                                                                                                        |
| oaepHashingAlgorithm<br>[String (6)]                                 | Describes the algorithm used for Asymmetric Encryption of one time AES key.                                                            | Value: NONE, Meaning: RSA/ECB/PKCS1 is used for Asymmetric Encryption Value : SHA1, Meaning : RSA/NONE/OAEPWithSHA1AndMGF1Padding OR RSA/ECB/OAEPWithSHA1AndMGF1Padding | Mandatory                                                                                                                                                                                                                                                                                                        |
| Iv [String. Base64-encoded data (case insensitive) (24)]             | The initialization vector used when encrypting data using the one-time use AES key.                                                    | Exactly 16 bytes actual value to match the block size                                                                                                                   | Yes, if IV is not part of encrypted data itself. Leave blank otherwise. For the response data encrypted at ICICI end, IV will always be part of encrypted Data itself and it is randomly generated for each request. Can be retrieved by Client by retrieving the first 16 bytes of Base64 decoded encryptedData |
| encryptedData<br>[String. Base64-encoded data<br>(case insensitive)] | Contains the encrypted dataPayload object containing the business information.                                                         | --                                                                                                                                                                      | Mandatory                                                                                                                                                                                                                                                                                                        |

|                           |                                                                                                                                                       |    |          |
|---------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|----|----------|
|                           | Encrypted by the ephemeral AES key using AES/CBC/PKCS5Padding. Sample unencrypted object: Please refer first section of document for a sample object. |    |          |
| clientInfo<br>[String]    | ClientIP or other information                                                                                                                         | -- | Optional |
| optionalParam<br>[String] | Reserved for future use                                                                                                                               | -- | Optional |

#### A Sample encrypted request packet sent by ICICI Bank to client (JSON):

```
{
  "requestId": "",
  "service": "",
  "encryptedKey": "pKY7abA+qRizRdYdAmZ8P+O0PLi+4NQSoZSEEEj/kamfyfxqGtleIn65SsMJrLSPI
XtHJrjrMYoMphUXoV0zwFMI7v7AMiGgs7y2LntrDxDmOyNk7XTENouO0i7sEHmgyZWqS/y0sQQhn
k1rWEc9BZaiVBpNPsjccAZ9nx4GyRyLvso0pdMrpbpdj8zO80l+5pMAnyf1WcGx5DbZv6fRnl/Oddkl
QeAQASsSG0oFoQcW8pGszg3oDa6OA0Kbd+7om4CvbcueArU6+MbH3aY3af5isGd0w7/BPTmq8
Fei2TbHpSFLRI37nqprRL6+JWk+4eKWd0xVixxFnNtli4FDh+mnkC6CHBriC4O1hnoSpVken6wl+ltIK
Na/FFOE8RucfmBdrHF99eJASuNnU+k8fbcQKP07gkAtavAAaN/khaQ/Msa6VEOEWM2IndUpX1PH
+dZ1pNFunRWrn813NfodlAtZ1V6KfWT/Rj1DvCsSD/aJgSr3nf1Hz9WUI9JvAtMeWBwMH+0OaRnr
toJC8Sp76Rfxm/Wb5ddQXavE8Oe4AfvdDK3IZ1hwdQYxa3NFuE9/nTXSOKsmuNrcIlhnsDNmp6ndj
Xwr/jlKwH9Fw9i3LYVJL80ng55p9F1VboijVjqhm9FmSIKtmKVgXIL04lytbsm8Z1BHFU3ajvkrUNsYJr
g=",
  "oaepHashingAlgorithm": "NONE",
  "iv": "",
  "encryptedData": "mtlktFRBPPs6SVxh0RWWvsa9bj/W/M56QwvbY/vgYAlolBZuL8L0Qkq8Rxo2
4U47Tq77UXDWX+F1KCpWddxGMwnvqCL3k+2b4jJNKsWSVWykXuF3pVRGH4bKZ9gKfRh9C7w
Q9x6SuguXUDhjFp+Dss7przaNBY0GsRKXR+vUlvR1pwDW0Np+tYvkX7C0n17wg7GGbuWfN5nf9
2a9xjj512ikE3615pUyDVHBNKeUNmRHue/UB6IY3nB+/JC/Wro",
  "clientInfo": "",
  "optionalParam": ""
}
```

ENCRYPTION-DECRYPTION PROCESS - For Composite Payment, Status Check APIs, and CIB APIs

**SessionKey** = Randomly generated string of length 16 (OR 32).

**encryptedKey** = Base64Encode (RSA/ECB/PKCS1Encryption (SessionKey, ICICIPubKey.cer))

**IV** = Initialization Vector- Exactly 16 bytes actual value to match the block size

**encryptedData** = Base64Encode(AES/CBC/PKCS5Padding(Request, SessionKey, IV))

#### For encryption of response at ICICI

**encryptedKey**= Base64Encode(RSA/ECB/PKCS1Encryption(SessionKey, ClientPubKey.cer))

Session key is nothing but randomly generated string of length 16 (OR 32).

**encryptedData** = Base64Encode(AES/CBC/PKCS5Padding(Response, SessionKey))

#### For decryption of response at Client

**IV**=getFirst16Bytes(Base64Decode(encryptedData))

**SessionKey**= Base64Decode(RSA/ECB/PKCS1Decryption(encryptedKey, ClientPrivateKey.p12,))

Session key is nothing but randomly generated string of length 16 (OR 32) .

**Response** = Base64Decode (AES/CBC/PKCS5Padding Decryption(encryptedData, SessionKey, IV))

OR

#### Steps for Encryption

**Generate** 16-digit random number. Say RANDOMNO.

**Encrypt** RANDOMNO using RSA/ECB/PKCS1Padding and encode using **Base64**. Say encryptedKey.

**Perform** AES/CBC/PKCS5Padding encryption on request payload using RANDOMNO as key and ivinitialization vector. Say encryptedData.

Now client may choose to send IV in request from one of below two options.

a.) Send Base64 Encoded IV in "iv" tag. (Recommended Approach)

b.) Send IV as a part of encryptedData itself.

bytes[] iv = IV;

bytes[] cipherText = symmetrically encrypted Bytes (step3)

bytes[] concatB = iv + cipherText;

encryptedData = B64Encode(concatB);

**Perform** AES/CBC/PKCS5Padding encryption on DATA using RANDOMNO as key and Base64encoded RANDOMNO as IV. Say ENCR\_DATA.

## Steps for Decryption

**Get the IV-** Base64 decode the encryptedData and get first 16 bytes and rest is encrypted response.

**bytes[] IV=** getFirst16Bytes(Base64Decode(encryptedData)

**Decrypt encryptedKey using algo** (RSA/ECB/PKCS1Padding) **and Client's private key.**

**Decrypt the response using algo** (AES/CBC/PKCS5Padding).

**Ignore first 16 bytes of response, as it contains IV.**

## Frequently asked questions

| COMPOSITE API |                        |                                                                                                 |
|---------------|------------------------|-------------------------------------------------------------------------------------------------|
| S No.         | QUESTION               | ANSWER                                                                                          |
| 1             | What is composite API? | A single API that accommodates payments for the 4 payment methods i.e., UPI, IMPS, NEFT & RTGS. |

|   |                                                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|---|-------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2 | What is the basic pre-requisite to be followed? | <p>To move ahead with the procedure, several documents are required to be submitted to the RM, which are as follow's -</p> <ol style="list-style-type: none"> <li>1. Production IP(s)</li> <li>2. CA-signed 4096 bits public key certificate</li> <li>3. API application form with commercials mentioned.</li> <li>4. Business requirement form [transaction volumes]</li> <li>5. Type of flow required – V1 /V2 flow</li> <li>6. Filled UAT sign-off form</li> </ol>                                                                                                                             |
| 3 | How the payment flow works?                     | <p>The basic steps to be followed can be classified as: -</p> <ol style="list-style-type: none"> <li>1. V2 Flow: -<br/>CIB registration &gt;&gt; Beneficiary registration &gt;&gt; Payment initiation &gt;&gt; Status check</li> <li>2. V1 Flow: -<br/>Payment initiation &gt;&gt; Status check</li> <li>3. NEFT – RTGS with V1 Flow: –<br/>CIB registration &gt;&gt; Payment initiation &gt;&gt; Status check</li> <li>4. Clients using beneficiary validation in V1 flow: -<br/>CIB registration &gt;&gt; Beneficiary registration &gt;&gt; Payment initiation &gt;&gt; Status check</li> </ol> |

## BENEFICIARY REGISTRATION API

| S No. | QUESTION | ANSWER |
|-------|----------|--------|
|-------|----------|--------|

|   |                                                                                      |                                                                                                                                              |
|---|--------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Is Beneficiary Registration API Mandatory?                                           | No. It is only mandatory for clients using V2 flow.                                                                                          |
| 2 | How do you do the status check of Beneficiary Registration API?                      | Fire Beneficiary registration API again, and you will receive a response, 'Beneficiary already registered.' Please test the scenario in UAT. |
| 3 | How much time does beneficiary registration API takes to register the beneficiaries? | Beneficiary Registration API is a real-time API. As soon as the API response is received, the Beneficiary is registered in the database.     |
| 4 | After how much time post beneficiary registration, payment can be transferred.       | Payment can be transferred after 30 minutes of successful beneficiary registration.                                                          |

#### CIB REGISTRATION API

| S No. | QUESTION                                                        | ANSWER                                                                                                                                                                                                                                                                                                |
|-------|-----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1     | What is CIB registration?                                       | <p>This is a one-time API that registers clients in CIB which is our internal system. This is required for below use cases: -</p> <ol style="list-style-type: none"> <li>1. Clients with V1 flow &amp; using NEFT – RTGS service.</li> <li>2. Clients using V2 Flow.</li> </ol>                       |
| 3     | How approval is done for CIB registration in UAT or production. | <p>In UAT approval is done at back end, post firing the registration API.</p> <p>In production, the client must log in the CIB portal, select connected banking, and approve from pending approvals. Credentials can only be used only after successful approval of CIB registration from portal.</p> |

#### ENCRYPTION-DECRYPTION PROCESS

| S No. | QUESTION                                                          | ANSWER                                                                                                                                    |
|-------|-------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| 1     | How to check the encryption-decryption mechanism at clients' end? | The client should encrypt the request using their public key and decrypt using the corresponding private key to understand the mechanism. |



|   |                                                                                                       |                                                                                                                     |
|---|-------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|
| 2 | What are the encryption steps for CIB registration & Beneficiary Registration APIs?                   | Please refer <a href="#">ENCRIPTION-DECRYPTION PROCESS - For Composite Payment, Status Check APIs, and CIB APIs</a> |
| 3 | What is the encryption-decryption mechanism for Composite API and their respective status check APIs? | Please refer <a href="#">ENCRIPTION-DECRYPTION PROCESS - For Composite Payment, Status Check APIs, and CIB APIs</a> |

| COMPOSITE PAYOUT API |                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |        |  |                   |                    |          |        |           |      |           |      |
|----------------------|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--|-------------------|--------------------|----------|--------|-----------|------|-----------|------|
| S No.                | QUESTION                                                                     | ANSWER                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |        |  |                   |                    |          |        |           |      |           |      |
| 1                    | What are several payment methods covered under Composite payment API?        | There are four payment modes currently available under the composite payout API system, which are UPI, IMPS, NEFT and RTGS.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |        |  |                   |                    |          |        |           |      |           |      |
| 2                    | Can we prioritize more than one payment platform in a single request packet? | <p>Yes. It is possible to prioritize more than one payment platform in a single request packet.</p> <p>To do so, avail a unique value of x-priority in headers.</p> <p>Put the value ‘1’ against the preferred payment mode and the rest all as ‘0’. Therefore, in the case of just UPI, IMPS, NEFT &amp; RTGS, x-priority shall be 1000, 0100, 0010 &amp; 0001. Or</p> <p>To access, more than one mode provides 1, 2, 3, &amp; 4 as values corresponding to the place value of each payment mode.</p> <p>Currently, only fallback option available is “0120” (NEFT as a fallback to IMPS)</p> <table><tr><th>THOUSANDTH</th><th>HUNDREDTH</th><th>TEN'TH</th><th>ONE'TH</th></tr><tr><td>UPI</td><td>IMPS</td><td>NEFT</td><td>RTGS</td></tr></table> |        |  | THOUSANDTH        | HUNDREDTH          | TEN'TH   | ONE'TH | UPI       | IMPS | NEFT      | RTGS |
| THOUSANDTH           | HUNDREDTH                                                                    | TEN'TH                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | ONE'TH |  |                   |                    |          |        |           |      |           |      |
| UPI                  | IMPS                                                                         | NEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | RTGS   |  |                   |                    |          |        |           |      |           |      |
| 3                    | What is x-priority? Where to avail this value.                               | <p>It is a 4-digit input value required to be provided by the client in the ‘HEADER’ column. The first, second, third &amp; fourth digit of this value refers to UPI, IMPS, NEFT &amp; RTGS, respectively.</p> <p>For example,</p> <table><tr><th>Priority Platform</th><th>“x-priority” input</th></tr><tr><td>Only UPI</td><td>1000</td></tr><tr><td>Only IMPS</td><td>0100</td></tr><tr><td>Only NEFT</td><td>0010</td></tr></table>                                                                                                                                                                                                                                                                                                                 |        |  | Priority Platform | “x-priority” input | Only UPI | 1000   | Only IMPS | 0100 | Only NEFT | 0010 |
| Priority Platform    | “x-priority” input                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |        |  |                   |                    |          |        |           |      |           |      |
| Only UPI             | 1000                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |        |  |                   |                    |          |        |           |      |           |      |
| Only IMPS            | 0100                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |        |  |                   |                    |          |        |           |      |           |      |
| Only NEFT            | 0010                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |        |  |                   |                    |          |        |           |      |           |      |

|    |                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |      |
|----|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
|    |                                                                                      | First IMPS, second NEFT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 0120 |
| 4  | Will the request parameter's change for accessing more than one payment mode?        | Yes. The request packet needs to include the mandatory parameters for all the payment modes selected.                                                                                                                                                                                                                                                                                                                                                                                                                       |      |
| 5  | How can we check status of our transaction?                                          | We have a 'Status check API,' which could be used to check the status of the transaction.                                                                                                                                                                                                                                                                                                                                                                                                                                   |      |
| 6  | When can I use status check of an API and for how many days the status is available? | You can use the status check API for responses not received and for the pending scenario. Status check to be used within 5 days from the original transaction day.                                                                                                                                                                                                                                                                                                                                                          |      |
| 7  | Is it mandatory to do status check after every transaction?                          | No. Status check must be performed only for pending transactions                                                                                                                                                                                                                                                                                                                                                                                                                                                            |      |
| 8  | What is required from clients' end for testing?                                      | IP addresses & 4096 Bits Public key certificate.                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |      |
| 9  | Why is IP address required?                                                          | To maintain security, we whitelist clients IP addresses.                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |      |
| 10 | What will happen if request is received from non- whitelisted IP?                    | API key of the client will be revoked to ensure sensitive data does not get compromised. Client must notify the respective RM to whitelist new production IPs prior to initiating payments using the same                                                                                                                                                                                                                                                                                                                   |      |
| 11 | What is 4096 Bits Public key certificates?                                           | <p>Composite API will follow an encryption and decryption mechanism to send and receive requests &amp; responses from the client's end. Every certificate file will have two components, i.e., a Public Key certificate &amp; Private key certificate. Public Key Certificates are used to encrypt, and Private key certificates are used to decrypt.</p> <p>The client will use ICICI Bank's public key certificate and encrypt the payment request. ICICI Bank will decrypt the payment request using our private key</p> |      |

|    |                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|----|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |                                                                                   | <p>certificate and then process the transaction accordingly as per the payment mode preferred. After the request has been processed, ICICI Bank will encrypt the response using the client's public key certificate and post it back. The client will use their corresponding private key certificate to decrypt the response received.</p> <p>These certificate files are available from third-party vendors. A self-signed certificate for UAT is acceptable, but for living environments a CA-signed one is mandatory.</p> |
| 12 | What are the details provided by ICICI Bank after the configuration is completed? | We provide the API Key & ICICI Bank's Public key certificate separately for both UAT & production.                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 13 | What is API Key?                                                                  | 'API Key' is a unique value generated for each client which is required to be passed in the header.                                                                                                                                                                                                                                                                                                                                                                                                                           |
| 14 | What will be the actionable at client's end against the error received?           | Actionable has been mapped against each error code in the error code document against which respective response is received.                                                                                                                                                                                                                                                                                                                                                                                                  |
| 15 | Can payments be done to NRE / NRO account?                                        | IMPS payment can be done on NRO account but not on NRE account.                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| 16 | At what TPS, client can do the payouts?                                           | Client can initiate transactions at 3/4 TPS. If requirement is of more TPS, please reach out to your RM for high TPS solution.                                                                                                                                                                                                                                                                                                                                                                                                |

#### PAYMENT PLATFORM – UPI

| S<br>N<br>o. | QUESTION                                                                                                  | ANSWER                                                                                                                                                          |
|--------------|-----------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1            | What is Device-ID, profile-ID, channel code, account provider, merchant type, etc. in UPI request packet? | These are fixed values that are generated when the client is configured in UAT & Production environment and the same shall be provided after the configuration. |
| 2            | What is the ideal time to initiate UPI                                                                    | Status check must be done after 300 seconds of original transaction.                                                                                            |

|                           | status check request?                                                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                        |                                                           |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|---------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------------------------------------------------|-----------------|------------|-------------|-------------------------|-----------|------------------------|----------------------------|--------------------|---------------------------|---------------------------------------------------|-----|----|---------------------------------------------|-----|----|--------------------|-----|----|------------------------|-----|----|-----------------------------------------------------------|-----|----|-------------------|
| 3                         | What is the limit for number of UPI transactions?                                               | No transaction limit on volume per day.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                        |                                                           |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
| 4                         | How to identify reversals in UPI?                                                               | Reversals will have same RRN as of original transaction.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                        |                                                           |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
| 5                         | What is the maximum time of UPI reversals?                                                      | UPI transaction will be reversed by T+1 day                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                        |                                                           |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
| 6                         | What will be values for Payer_Resp_Code and Payer_Resp_Code, Payeerevrespcode, Payerrevrespcode | These error codes are part of the error document. Please refer below table as an example for codes which will accompany RC U29:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                        |                                                           |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|                           |                                                                                                 | <table><tr><th>Error Code</th><th>Payee RC Code</th><th>Description</th></tr><tr><td>U29</td><td>UX</td><td>EXPIRED VIRTUAL ADDRESS</td></tr><tr><td>U29</td><td>ZG</td><td>VPA RESTRICTED BY CUSTOMER</td></tr><tr><td>U29</td><td>ZH</td><td>INVALID VIRTUAL ADDRESS</td></tr><tr><td>U29</td><td>ZE</td><td>TRANSACTION NOT PERMITTED TO VPA by the PSP</td></tr><tr><td>U29</td><td>91</td><td>RESPONSE TIMED OUT</td></tr><tr><td>U29</td><td>M3</td><td>ACCOUNT BLOCKED/FROZEN</td></tr><tr><td>U29</td><td>Z8</td><td>PER TRANSACTION LIMIT EXCEEDED AS SET BY REMITTING MEMBER</td></tr><tr><td>U29</td><td>96</td><td>UNABLE TO PROCESS</td></tr></table> | Error Code             | Payee RC Code                                             | Description     | U29        | UX          | EXPIRED VIRTUAL ADDRESS | U29       | ZG                     | VPA RESTRICTED BY CUSTOMER | U29                | ZH                        | INVALID VIRTUAL ADDRESS                           | U29 | ZE | TRANSACTION NOT PERMITTED TO VPA by the PSP | U29 | 91 | RESPONSE TIMED OUT | U29 | M3 | ACCOUNT BLOCKED/FROZEN | U29 | Z8 | PER TRANSACTION LIMIT EXCEEDED AS SET BY REMITTING MEMBER | U29 | 96 | UNABLE TO PROCESS |
|                           |                                                                                                 | Error Code                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Payee RC Code          | Description                                               |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|                           |                                                                                                 | U29                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | UX                     | EXPIRED VIRTUAL ADDRESS                                   |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|                           |                                                                                                 | U29                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ZG                     | VPA RESTRICTED BY CUSTOMER                                |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|                           |                                                                                                 | U29                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ZH                     | INVALID VIRTUAL ADDRESS                                   |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|                           |                                                                                                 | U29                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | ZE                     | TRANSACTION NOT PERMITTED TO VPA by the PSP               |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|                           |                                                                                                 | U29                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 91                     | RESPONSE TIMED OUT                                        |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|                           |                                                                                                 | U29                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | M3                     | ACCOUNT BLOCKED/FROZEN                                    |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|                           |                                                                                                 | U29                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Z8                     | PER TRANSACTION LIMIT EXCEEDED AS SET BY REMITTING MEMBER |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
| U29                       | 96                                                                                              | UNABLE TO PROCESS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                        |                                                           |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
| 7                         | What remitter MCC's are eligible for maximum limit of 2 lakh for UPI?                           | Below category & respective MCC's are eligible for enhanced limit: -                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                        |                                                           |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|                           |                                                                                                 | <table><tr><th>Category</th><th>Identifier</th></tr><tr><td>Capital markets</td><td>MCC – 6211</td></tr><tr><td>Collections</td><td>MCC – 7322</td></tr><tr><td>Insurance</td><td>MCC – 5960, 6300, 6529</td></tr><tr><td>FIR</td><td>Initiation mode-12</td></tr><tr><td>Pre-approved disbursement</td><td>Purpose code 15 (Populated by remitter/payer PSP)</td></tr></table>                                                                                                                                                                                                                                                                                    | Category               | Identifier                                                | Capital markets | MCC – 6211 | Collections | MCC – 7322              | Insurance | MCC – 5960, 6300, 6529 | FIR                        | Initiation mode-12 | Pre-approved disbursement | Purpose code 15 (Populated by remitter/payer PSP) |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|                           |                                                                                                 | Category                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Identifier             |                                                           |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|                           |                                                                                                 | Capital markets                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | MCC – 6211             |                                                           |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|                           |                                                                                                 | Collections                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | MCC – 7322             |                                                           |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|                           |                                                                                                 | Insurance                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MCC – 5960, 6300, 6529 |                                                           |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
|                           |                                                                                                 | FIR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | Initiation mode-12     |                                                           |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |
| Pre-approved disbursement | Purpose code 15 (Populated by remitter/payer PSP)                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |                        |                                                           |                 |            |             |                         |           |                        |                            |                    |                           |                                                   |     |    |                                             |     |    |                    |     |    |                        |     |    |                                                           |     |    |                   |

### PAYMENT PLATFORM – IMPS

| S No. | QUESTION                                                        | ANSWER                                                                                                                                                          |
|-------|-----------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1     | What is BC ID, passcode, and r-code in the IMPS request packet? | These are fixed values that are generated when the client is configured in UAT & Production environment and the same shall be provided after the configuration. |
| 2     | What is the ideal time to initiate IMPS status check request?   | Status check must be done after 300 seconds of original transaction.                                                                                            |
| 3     | What is limit for number of IMPS transactions?                  | No transaction limit on volume per day.                                                                                                                         |

### PAYMENT PLATFORM – NEFT/RTGS

| S No. | QUESTION                                                                                                       | ANSWER                                                                                                                                                          |
|-------|----------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1     | What is AGGRID, AGGRNAME, CORPID & USERID in the NEFT & RTGS request packet?                                   | These are fixed values that are generated when the client is configured in UAT & Production environment and the same shall be provided after the configuration. |
| 2     | What is limit for number of NEFT and RTGS?                                                                     | No transaction limit on volume per day. Post cut off-hour limits will be applicable on cumulative amount as mentioned under NEFT – RTGS.                        |
| 3     | Will NEFT 24X7 be implemented for corporate clients?                                                           | Yes. But from 07:00 PM to 01:00 AM cut off limits will be applicable as mentioned in the document under “NEFT & RTGS”.                                          |
| 4     | What will be the status of NEFT transaction, if it is initiated after the NEFT time slot is over for that day? | The transaction will be kept in a pending state. No amount shall be debited until the NEFT window reopens                                                       |

### PAYMENT PLATFORM

| S No. | QUESTION | ANSWER |
|-------|----------|--------|
|-------|----------|--------|

|  |                                                                                                                                                                                                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | <p>How to handle retrial of transaction not found cases?</p> <p><u>Scenario</u></p> <p>Client initiates a payout request and gets a pending response from APIGW (997 or 501). The client fires a status check after some time and a status of “transaction not found” is received to client.</p> | <p>UPI: -</p> <ul style="list-style-type: none"> <li>a. RC-15 corresponds to “transaction not found” scenarios in UPI.</li> <li>b. If a RC-15 is received in status check response after 30 minutes of transaction initiation and before 23 hours of transaction initiation, the transaction can be considered as failed.</li> <li>c. If a RC-15 is received after 23 hours of transaction initiation, the transaction should be reconciled with the account statement.</li> </ul> <p>IMPS: -</p> <ul style="list-style-type: none"> <li>d. RC-17 corresponds to” transaction not found scenarios” in IMPS.</li> <li>e. If a RC-17 is received in status check response after 30 minutes of transaction initiation, the transaction can be considered as failed.</li> </ul> <p>NEFT – RTGS</p> <ul style="list-style-type: none"> <li>a. Transaction not found scenarios are when “Invalid Inquiry Req ID or Unique ID. Please enter a valid input to proceed.” Is received in the message field of the status check response.</li> <li>b. If the above message is received in debit status check response after 2 hours of transaction initiation, transaction should be marked as failed and can be reinitiated.</li> </ul> |
|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| DAILY TRANSACTION – MIS |                                           |                                                                                                                 |
|-------------------------|-------------------------------------------|-----------------------------------------------------------------------------------------------------------------|
| S No.                   | QUESTION                                  | ANSWER                                                                                                          |
| 1                       | What is MIS?                              | This is a report that enables access to the status records of the initiated transaction.                        |
| 2                       | When will MIS be received?                | The MIS will be received on T+1 day.                                                                            |
| 3                       | Where will the MIS be received?           | The client will have to download daily transaction MIS from the API developer portal.                           |
| 4                       | How to enable Composite Pay MIS?          | Client should login to ICICI Bank developer portal and provide userID to the RM to enable developer portal MIS. |
| 4                       | Will the MIS include failed transactions? | Yes, MIS will include failed transactions also.                                                                 |

|   |                                                                   |                                                                                                                                                                                                                                               |
|---|-------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5 | What will be stored in "TRANSACTION_REF" of developer portal MIS? | Below fields from request packet will be published in "TRANSACTION_REF": -<br>UPI – "seq-no" from request packet<br>IMPS – "tranRefNo" from request packet<br>NEFT – "tranRefNo" from request packet<br>RTGS – "UNIQUEID" from request packet |
| 6 | Will amount be recorded in decimals in MIS?                       | No. Amount will not be in decimals.                                                                                                                                                                                                           |

| ICICI Reconciliation process |                                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
|------------------------------|----------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| S No.                        | QUESTION                                                                                                             | ANSWER                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 1                            | Client should treat status sent through status API call or status in UPI 360 API call as the source of truth or not? | Yes, Status sent via Original transaction responses or via status inquiries(including UPI 360 API) should be considered as Source of Truth                                                                                                                                                                                                                                                                                                                      |
| 2                            | 90% DEEMED Approved cases in UPI and IMPS should reach FAILED/SUCCESS by T+1 calendar days?                          | Since the status change for a deemed transaction is dependent on beneficiary bank updating the status. The TAT prescribed by NPCI is T+1. For CLIENT, deemed approved should be treated at par to Success. Beneficiary bank update can come after NPCI TAT of T+1 as well. Such status change in UPI 360 as per process.<br><br>Client can approach Bank operations team via their Bank relationship team to get the updates or raise the deferred chargebacks. |
| 3                            | 100% transactions should reach the terminal state by T+2 calendar days through status API/Recon360 API?              | Final transaction status update is provided by beneficiary bank and Remitter bank can only influence via raising deferred chargebacks.<br><br>If there are any cases pending for status update beyond T+2 calendar days, then Client needs to reach out to the Bank Operations team to get the final status update. Client needs to check status via status inquiry or Recon360 API service till T+2 day and then approach their Bank relationship teams.       |
| 4                            | If there are any transactions with "Success" status received from status API/Recon360 API                            | Client will reach out to the Bank Operations team via their Bank relationship team to inform and verify the reason for this ambiguity. The Client team will update                                                                                                                                                                                                                                                                                              |

|   |                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                           |
|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|   | calls and Client receives credit in the account statement does this indicate that client should mark these cases as failed?                                                                              | the transaction status based on confirmation from the ICICI Bank relationship team.                                                                                                                                                                                                                                                                       |
| 5 | If there are any transactions with “Failed” status received from status API/Recon360 API calls and Client doesn’t receive credit in the account statement till T+2 days, how client can get their funds? | Client will reach out to the Bank relationship team who in turn will coordinate with Bank Operations team for the final status and reason for non-reversal of funds towards failed transactions. The Client team will update the transaction status based on confirmation from ICICI bank.                                                                |
| 6 | If transactions are in “Success” status and Client receives a query from the merchant that their beneficiary customer didn’t receive the money, what is the course of action available to Client?        | Client’s team needs to highlight the cases to the Bank relationship team and in turn they will coordinate with bank Operations team who will engage with NPCI/ Beneficiary Banks to verify the credit status to beneficiary. Such confirmation will be relayed back to CLIENT by the Bank’s relationship team.                                            |
| 7 | SLA for clearing payouts that breach T+2 TAT from status API. How long will the ICICI Bank relationship team take to revert back with the final status post they are highlighted?                        | Final status is dependent on Beneficiary bank. As per prescribed TAT by NPCI, all such cases are either marked TCC (Credit confirmation) or RET (Failed confirmation). Bank Team will raise such cases to NPCI at Issue raised date+1 business working day to facilitate the response to client. Bank’s relationship team would keep the client informed. |
| 8 | Will the payouts be updated automatically by the system, or will they be manually updated post confirmation from the ICICI team?                                                                         | Any change in status is in parallel updated in Recon360 as well. However, CLIENT will treat status given by Bank’s relationship team as final.                                                                                                                                                                                                            |
| 9 | How will ICICI bank update CLIENT regarding status of deferred chargebacks?                                                                                                                              | Bank’s relationship team would coordinate with bank’s operations team to check the status of these cases in URCS and update to CLIENT at Raised Date + 5 business working day. (Raise Date + 4 days is the TAT given by NPCI for all deferred chargeback cases)                                                                                           |



If you have any suggestions / feedback on this document, please provide us the same through either RM or write to us on “[upiimpsprod@icicibank.com](mailto:upiimpsprod@icicibank.com)”.

## APPENDIX

Changes incorporated from Composite API\_Document v1.11 onwards.

1) [1. INTRODUCTION](#)

[2.4 Reverse Feed:](#)

- Modified text: 'For UPI, the final status of the transaction will be available between 300 secs and T+2 days of initiating the transaction'.
- Modified text: 'For IMPS, the final status of the transaction will be available between 300 secs & 6 months\* of initiating the transaction.'

(\*The exact timeline is subjective to purging activity at our end. Hence, it is recommended to check with ICICI team before taking any action on back dated transaction)

### 3.2 4096 Bits public key certificate:

Added text: 'A self-signed certificate for UAT is acceptable, but for live environments a CA signed one is mandatory.'

## 2) 2. API Details

### 1.5 Input Parameters:

- Addition of 'Provided by ICICI' column for all payment modes

#### UPI:

- Removal of MPIN, Ref-ID, Expire-after & Notes from UPI request packet section as these fields are not mandatory.
- Seq-no: This should start with 'ICI' and should not have any special characters.

#### NEFT:

- Removal of following optional parameters:  
senderName, senderAddress, senderContactDtls, senderIFSC, senderBankName,  
senderBankAddress, senderBankContactDtls, beneAddress, beneContactDtls,  
beneBankName, beneBankAddress, beneBankContactDtls

### 1.6 Sample Request Packets:

- Sample request packets have been changed for UPI.
- For NEFT & RTGS, details required for UAT testing have been updated.

### 1.7 Output Parameters

- NEFT & RTGS out parameter table have been combined.
- Sample response packet for NEFT & RTGS have been updated.
- In case of success response packet, UTR field has been added.
- In case of failure response packet, ERRORCODE field has been added.
- Sample response code packet have also been added along with a disclaimer 'Please note, the sample response packet mentioned above is standard. But, in some failure cases, parameters RESPONSECODE, STATUS & ERRORCODE might not appear. RESPONSE and MESSAGE parameters will always appear.'

### 3) 5. API Name: Beneficiary Registration

#### 5.1 Description:

Added text: 'For clients with existing ALIAS ID, the default configuration for this API will not work. Client needs to delete their existing ALIAS ID through CIB portal and create a new ALIAS ID similar to the existing corporate user ID. For example, a client has ALIAS ID as 'ICICIBank' and corporate user ID as 'Bank12345', then client needs to delete the existing ALIAS ID i.e. 'ICICIBank' through CIB portal and create a new ALIAS ID as 'Bank12345' which has to be similar to the corporate user ID.'

Changes incorporated from Composite API\_Document v1.12 onwards.

- VPA Tag added to the UPI request parameter for V2 flow
- New CIB APIs under one hybrid encryption, CIB Registration, Bene addition, Bene Validation and CIB Neft Status
- IMPS Status API added to check the terminal status of final transactions

Changes incorporated from Composite API\_Document v1.14 onwards.

- IMPS and UPI, status and recon360 APIs are integrated into composite status
- Standalone status and imps recon API is removed
- Change done to IMPS status API with response starting with {"ImpsResponse":

Changes incorporated from Composite API\_Document v1.16 onwards

- Changes done to composite status IMPS&UPI for recon360 API
- Changes done to for what all error codes IMPS 360 API can be invoked. I.e. for 11&30 error codes.
- Below changes in draft over status API of NEFT

Original Text:

- ICICI to ICICI fund transfer (IFT fund transfer) – Composite status API shows the final response
- RGS transaction- Composite status API to be used for checking debit at account level and retrieving UTR number in case of pending transaction.
- RGS Incremental status- Incremental API to be used for final NEFT response

Modified Text:

- NEFT transaction processing essentially takes place in two steps – a) There is a debit in to remitter account first, b) Followed by transaction getting submitted to RBI for processing with the time lag.

- For NEFT status enquiry there are two sets of APIs available from ICICI bank given below as –
  - 3) NEFT debit confirmation API – Provides the status of the debit in remitter a/c
  - 4) NEFT credit confirmation API – Provides the status of the credit in beneficiary a/c

Status Enquiry –

c. For money transferred to ICICI bank account bene –

For the amount transferred within ICICI bank the remitter needs to only use the first API ie. Debit confirmation API.

The remitter needs to fire this API and if the response received in status field is “SUCCESS” in that case the transaction can be marked as successfully processed.

For the status received as failure the same can be marked as failed and that particular transaction can be re-initiated. For any other status remitter should recheck the status after 2 hours. This re-check is required to be done only once. In case the status does not change to a definite success or failure, in that case no further action is possible and this transaction is to be marked as ‘pending’.

All pending transactions are to be reconciled with the remitter bank statement to ascertain the final status of the transaction. In case of no respective debit is found the transaction can be marked a failed & fresh transaction can be re-initiated. In case the debit is present in the account the transaction can be marked as successful.

Additionally, this API can also be utilized to fetch the UTR number for the transaction in case the same is not received with initial

d. For money transferred to non ICICI bank account bene –

It is a two-step process to identify the final status for this transaction.

4. The remitter needs to fire the first API (Debit) and if the response received in status field is “SUCCESS” only and only in that case the remitter should proceed to step 2 listed below.

For the status received as failure the same can be marked as failed and that particular transaction can be re-initiated. **For any other status remitter should recheck the status after 2 hours.** This re-check is required to be **done only once**. In case the status does not change to a definite success or failure, in that case no further action is possible and this transaction is to be marked as ‘pending’.

All pending transactions are to be reconciled with the remitter bank statement to ascertain the final status of the transaction. In case of no respective debit is found the transaction can be marked a failed & fresh transaction can be re-initiated. In case the debit is present in the account then the remitter can proceed to step 2.

5. Under step 2, the remitter should invoke the second API (Credit API) with the requisite request packet as documented in API document. Once the status is successfully received as “amount credited to beneficiary” transaction can be marked as successful.

6. It is possible that in some scenarios the status is received as “posted to RBI”. This status is provided for the transaction which the beneficiary bank has not provided the ultimate status. In such a scenario RBI has provisioned for 72 hrs for the beneficiary bank to update the final status of the transaction. However, if the status does not change post 72 hrs the remitter can mark these transactions as successful.

- Neft incremental API request packet parameter changed from “UTR” to UTRNUMBER”.
- Expected status values updated in NEFT incremental API\_output parameters.
- New Response added to gate way sample responses:
- Response packet of Gateway Failure, common to all payment modes (failure)

```
{  
  "success":false,  
  "errorCode":"997",  
  "description":"Note : Initiate Status check after Some time"  
}
```

- Recon360 API FAQs added

#### Changes incorporated from Composite API\_Document v1.18 onwards

- Overall change in the format of the document to improve the readability of the same
- Addition of payee-mcc in UPI request
- Addition of character limit for all request and response packet
- Incorporation of few of the common queries in the document
- Modified the description of request packets for clients

#### Changes incorporated from Composite API\_Document v1.19 onwards

- Addition of the description for request & response packet for all payment modes and status check.
- Addition of flow diagrams for respective payment modes.
- Addition of “account-provider” parameter in UPI request packet description.
- Provided separate endpoints (URL) for V1 & V2 composite flow for all payment modes.
- Updated the request packets for UAT testing.
- Elaborated handling for NEFT & RTGS transactions
- Added the handling of “transaction not found” cases in FAQ's.

#### Changes incorporated from Composite API\_Document v1.20 onwards.

- Addition of transaction request packets for beneficiary ID flow.
- Addition of VPA format for credit card bill payment and account and IFSC in UPI.
- BENELEI tag addition in NEFT and RTGS.
- Addition of table of purpose codes in UPI request packet.

- Updates request and response payload for IMPS status check.
- Updated handling for transaction not found cases in IMPS, NEFT and RTGS.
- Addition of FAQs for Composite MIS & UPI.
- Addition of description of RC's under U29 in FAQs.
- Clarification on handling of Null errors in Mobile App data & packets addition for successful & failed status check requests.
- TPA, RTG & RGS - UAT request packet. Updated UAT credentials for NEFT - RTGS request packet & addition of separate request packet for txn type = "TPA".
- Specified parameter length limits wherever missing.

#### Changes incorporated from Composite API\_Document v1.21 onwards.

- Following Act codes have been added in IMPS mode:
  - U92, U78, U16, U26, U84, UZ3, U88, UQ1, 103
- Act code 27, 28 and 108 (Deemed approved) which were previously communicated through email, have been removed from IMPS mode and will not be reflected in both the transaction and status check response
- Handling for Act code 103: Keep the transaction in PENDING state if received in transaction or status check response
- Corrective action before retrying the transaction in of RC 32:  
Previous action: Re-initiate status check with seq-no of length up to 35  
Updated action: Re-initiate status check with seq-no of length 35
- aggrID changed from aggrld in UPI mode
- VPA tag is conditional, but mandatory for clients using V2 flow and BNF ID flow
- Addition of "capability" tag in UPI mode payment request
- Elimination of following tags in UPI transaction request:
  - 'channel-code'
  - 'use-default-acc'
  - 'pre-approved'
  - 'default-debit'
  - 'default-credit'
  - 'merchant-type'
  - 'txn-type'
- Changes in NEFT incremental status API response:

| Status (Updated)                | Status (Previously)            |
|---------------------------------|--------------------------------|
| Amount credited to Beneficiary. | Amount credited to Beneficiary |
| Amount refunded to Remitter.    | Amount refunded to Remitter    |
| Invalid Transaction ID.         | Invalid Transaction ID         |

- Error Code 8096 added for failure in case schema invalidation